The Parma Polyhedra Library Configured Java Language Interface Developer's Manual*
(version 0.11.2)

Roberto Bagnara†
Patricia M. Hill‡
Enea Zaffanella§

February 27, 2011

*This work has been partly supported by: University of Parma's FIL scientific research project (ex 60%) "Pure and Applied Mathematics"; MURST project "Automatic Program Certification by Abstract Interpretation"; MURST project "Abstract Interpretation, Type Systems and Control-Flow Analysis"; MURST project "Automatic Aggregate- and Number-Reasoning for Computing: from Decision Algorithms to Constraint Programming with Multisets, Sets, and Maps"; MURST project "Constraint Based Verification of Reactive Systems"; MURST project "Abstract Interpretation: Design and Applications"; EPSRC project "Numerical Domains for Software Analysis"; EPSRC project "Geometric Abstractions for Scalable Program Analyzers".

†bagnara@cs.unipr.it, Department of Mathematics, University of Parma, Italy.
‡hill@comp.leeds.ac.uk, School of Computing, University of Leeds, U.K.
§zaffanella@cs.unipr.it, Department of Mathematics, University of Parma, Italy.

Copyright © 2001–2010 Roberto Bagnara (bagnara@cs.unipr.it).

This document describes the Parma Polyhedra Library (PPL).

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

The PPL is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version. A copy of the license is included in the section entitled "GNU GENERAL PUBLIC LICENSE".

The PPL is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

For the most up-to-date information see the Parma Polyhedra Library site:

http://www.cs.unipr.it/ppl/

Contents

1 Main Page **1**

2 GNU General Public License **2**

3 GNU Free Documentation License **12**

4 Module Index **17**

4.1 Modules 17

5 Namespace Index **17**

5.1 Namespace List 17

6 Class Index **17**

6.1 Class Hierarchy 17

7 Class Index **23**

7.1 Class List 23

8 File Index **31**

8.1 File List 31

9 Module Documentation **37**

9.1 Java Language Interface 37

10 Namespace Documentation **45**

10.1 Parma_Polyhedra_Library Namespace Reference 45
10.2 parma_polyhedra_library Namespace Reference 45
10.3 Parma_Polyhedra_Library::Interfaces Namespace Reference 56
10.4 Parma_Polyhedra_Library::Interfaces::Java Namespace Reference 56

11 Class Documentation **78**

11.1 parma_polyhedra_library::Artificial_Parameter Class Reference 78
11.2 parma_polyhedra_library::Artificial_Parameter_Sequence Class Reference 81
11.3 parma_polyhedra_library::BD_Shape_double Class Reference 82
11.4 parma_polyhedra_library::BD_Shape_float Class Reference 116
11.5 parma_polyhedra_library::BD_Shape_int16_t Class Reference 151
11.6 parma_polyhedra_library::BD_Shape_int32_t Class Reference 186
11.7 parma_polyhedra_library::BD_Shape_int64_t Class Reference 221
11.8 parma_polyhedra_library::BD_Shape_int8_t Class Reference 256
11.9 parma_polyhedra_library::BD_Shape_long_double Class Reference 291
11.10 parma_polyhedra_library::BD_Shape_mpq_class Class Reference 326
11.11 parma_polyhedra_library::BD_Shape_mpz_class Class Reference 361
11.12 parma_polyhedra_library::By_Reference< T > Class Reference 396
11.13 parma_polyhedra_library::C_Polyhedron Class Reference 398
11.14 parma_polyhedra_library::Coefficient Class Reference 423
11.15 parma_polyhedra_library::Congruence Class Reference 426
11.16 parma_polyhedra_library::Congruence_System Class Reference 430
11.17 parma_polyhedra_library::Constraint Class Reference 431
11.18 parma_polyhedra_library::Constraint_System Class Reference 435
11.19 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid Class Reference . . . 436
11.20 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron Class Reference . . . 472
11.21 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron Class Reference . 508
11.22 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid Class Reference . 545
11.23 Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception Class Reference 581
11.24 parma_polyhedra_library::Domain_Error_Exception Class Reference 582
11.25 parma_polyhedra_library::Double_Box Class Reference 583
11.26 parma_polyhedra_library::Float_Box Class Reference 616
11.27 parma_polyhedra_library::Generator Class Reference 649
11.28 parma_polyhedra_library::Generator_System Class Reference 654
11.29 parma_polyhedra_library::Grid Class Reference 655
11.30 parma_polyhedra_library::Grid_Generator Class Reference 689

11.31 parma_polyhedra_library::Grid_Generator_System Class Reference 694
11.32 parma_polyhedra_library::Int16_Box Class Reference 695
11.33 parma_polyhedra_library::Int32_Box Class Reference 728
11.34 parma_polyhedra_library::Int64_Box Class Reference 761
11.35 parma_polyhedra_library::Int8_Box Class Reference 794
11.36 parma_polyhedra_library::Invalid_Argument_Exception Class Reference 827
11.37 parma_polyhedra_library::IO Class Reference 828
11.38 Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache Class Reference 829
11.39 Parma_Polyhedra_Library::Interfaces::Java::Java_ExceptionOccurred Struct Reference . . 838
11.40 Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache Struct Reference 838
11.41 parma_polyhedra_library::Length_Error_Exception Class Reference 860
11.42 parma_polyhedra_library::Linear_Expression Class Reference 860
11.43 parma_polyhedra_library::Linear_Expression_Coefficient Class Reference 864
11.44 parma_polyhedra_library::Linear_Expression_Difference Class Reference 866
11.45 parma_polyhedra_library::Linear_Expression_Sum Class Reference 870
11.46 parma_polyhedra_library::Linear_Expression_Times Class Reference 873
11.47 parma_polyhedra_library::Linear_Expression_Unary_Minus Class Reference 876
11.48 parma_polyhedra_library::Linear_Expression_Variable Class Reference 879
11.49 parma_polyhedra_library::Logic_Error_Exception Class Reference 881
11.50 parma_polyhedra_library::Long_Double_Box Class Reference 882
11.51 parma_polyhedra_library::MIP_Problem Class Reference 916
11.52 parma_polyhedra_library::NNC_Polyhedron Class Reference 926
11.53 parma_polyhedra_library::Octagonal_Shape_double Class Reference 951
11.54 parma_polyhedra_library::Octagonal_Shape_float Class Reference 986
11.55 parma_polyhedra_library::Octagonal_Shape_int16_t Class Reference 1021
11.56 parma_polyhedra_library::Octagonal_Shape_int32_t Class Reference 1056
11.57 parma_polyhedra_library::Octagonal_Shape_int64_t Class Reference 1091
11.58 parma_polyhedra_library::Octagonal_Shape_int8_t Class Reference 1126
11.59 parma_polyhedra_library::Octagonal_Shape_long_double Class Reference 1161
11.60 parma_polyhedra_library::Octagonal_Shape_mpq_class Class Reference 1197
11.61 parma_polyhedra_library::Octagonal_Shape_mpz_class Class Reference 1233
11.62 parma_polyhedra_library::Overflow_Error_Exception Class Reference 1268
11.63 parma_polyhedra_library::Pair< K, V > Class Reference 1268
11.64 parma_polyhedra_library::Parma_Polyhedra_Library Class Reference 1270
11.65 parma_polyhedra_library::Partial_Function Class Reference 1275
11.66 parma_polyhedra_library::PIP_Decision_Node Class Reference 1277

11.67 parma_polyhedra_library::PIP_Problem Class Reference 1279
11.68 parma_polyhedra_library::PIP_Solution_Node Class Reference 1288
11.69 parma_polyhedra_library::PIP_Tree_Node Class Reference 1289
11.70 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double Class Reference 1292
11.71 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator Class Reference 1307
11.72 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float Class Reference 1309
11.73 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator Class Reference . 1324
11.74 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t Class Reference 1327
11.75 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator Class Reference 1342
11.76 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t Class Reference 1344
11.77 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator Class Reference 1360
11.78 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t Class Reference 1362
11.79 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator Class Reference 1377
11.80 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t Class Reference 1380
11.81 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator Class Reference . 1395
11.82 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double Class Reference . . 1397
11.83 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator Class Reference 1413
11.84 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class Class Reference . . . 1415
11.85 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator Class Reference 1431
11.86 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class Class Reference . . . 1433
11.87 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator Class Reference 1449
11.88 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron Class Reference 1451
11.89 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator Class Reference . . 1466
11.90 parma_polyhedra_library::Pointset_Powerset_Double_Box Class Reference 1469
11.91 parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator Class Reference . . . 1483
11.92 parma_polyhedra_library::Pointset_Powerset_Float_Box Class Reference 1485
11.93 parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator Class Reference 1499
11.94 parma_polyhedra_library::Pointset_Powerset_Grid Class Reference 1501
11.95 parma_polyhedra_library::Pointset_Powerset_Grid_Iterator Class Reference 1515
11.96 parma_polyhedra_library::Pointset_Powerset_Int16_Box Class Reference 1518
11.97 parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator Class Reference 1531
11.98 parma_polyhedra_library::Pointset_Powerset_Int32_Box Class Reference 1534
11.99 parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator Class Reference 1547
11.100 parma_polyhedra_library::Pointset_Powerset_Int64_Box Class Reference 1550

11.101 parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator Class Reference 1564
11.102 parma_polyhedra_library::Pointset_Powerset_Int8_Box Class Reference 1566
11.103 parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator Class Reference 1580
11.104 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box Class Reference 1582
11.105 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator Class Reference 1597
11.106 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron Class Reference 1599
11.107 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator Class Reference 1614
11.108 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double Class Reference . 1617
11.109 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator Class Reference 1632
11.110 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float Class Reference . . 1635
11.111 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator Class Reference 1650
11.112 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t Class Reference . 1652
11.113 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator Class Reference 1668
11.114 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t Class Reference . 1670
11.115 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator Class Reference 1686
11.116 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t Class Reference . 1688
11.117 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator Class Reference 1704
11.118 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t Class Reference . . 1706
11.119 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator Class Reference 1722
11.120 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double Class Reference 1724
11.121 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator Class Reference 1740
11.122 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class Class Reference 1742
11.123 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator Class Reference 1758
11.124 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class Class Reference 1760
11.125 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator Class Reference 1776
11.126 parma_polyhedra_library::Pointset_Powerset_Rational_Box Class Reference 1778
11.127 parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator Class Reference . . . 1793
11.128 parma_polyhedra_library::Pointset_Powerset_Uint16_Box Class Reference 1795
11.129 parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator Class Reference 1809
11.130 parma_polyhedra_library::Pointset_Powerset_Uint32_Box Class Reference 1812

11.131 Parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator Class Reference 1826
11.132 Parma_polyhedra_library::Pointset_Powerset_Uint64_Box Class Reference 1828
11.133 Parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator Class Reference 1843
11.134 Parma_polyhedra_library::Pointset_Powerset_Uint8_Box Class Reference 1845
11.135 Parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator Class Reference 1859
11.136 Parma_polyhedra_library::Pointset_Powerset_Z_Box Class Reference 1861
11.137 Parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator Class Reference 1875
11.138 Parma_polyhedra_library::Poly_Con_Relation Class Reference 1877
11.139 Parma_polyhedra_library::Poly_Gen_Relation Class Reference 1881
11.140 Parma_polyhedra_library::Polyhedron Class Reference 1884
11.141 Parma_polyhedra_library::PPL_Object Class Reference 1895
11.142 Parma_polyhedra_library::Rational_Box Class Reference 1898
11.143 Parma_polyhedra_library::Termination Class Reference 1931
11.144 Parma_Polyhedra_Library::Interfaces::Java::timeout_exception Class Reference 2007
11.145 Parma_polyhedra_library::Timeout_Exception Class Reference 2008
11.146 Parma_polyhedra_library::Uint16_Box Class Reference 2009
11.147 Parma_polyhedra_library::Uint32_Box Class Reference 2042
11.148 Parma_polyhedra_library::Uint64_Box Class Reference 2076
11.149 Parma_polyhedra_library::Uint8_Box Class Reference 2109
11.150 Parma_polyhedra_library::Variable Class Reference 2143
11.151 Parma_polyhedra_library::Variables_Set Class Reference 2145
11.152 Parma_polyhedra_library::Z_Box Class Reference 2146

12 File Documentation **2178**

12.1 Artificial_Parameter.java File Reference 2178
12.2 Artificial_Parameter_Sequence.java File Reference 2178
12.3 BD_Shape_double.java File Reference 2179
12.4 BD_Shape_float.java File Reference 2179
12.5 BD_Shape_int16_t.java File Reference 2179
12.6 BD_Shape_int32_t.java File Reference 2180
12.7 BD_Shape_int64_t.java File Reference 2180
12.8 BD_Shape_int8_t.java File Reference 2180
12.9 BD_Shape_long_double.java File Reference 2181
12.10 BD_Shape_mpq_class.java File Reference 2181
12.11 BD_Shape_mpz_class.java File Reference 2181
12.12 Bounded_Integer_Type_Overflow.java File Reference 2181
12.13 Bounded_Integer_Type_Representation.java File Reference 2182

12.14Bounded_Integer_Type_Width.java File Reference 2182
12.15By_Reference.java File Reference 2182
12.16C_Polyhedron.java File Reference 2183
12.17Coefficient.java File Reference 2183
12.18Complexity_Class.java File Reference 2183
12.19Congruence.java File Reference 2184
12.20Congruence_System.java File Reference 2184
12.21Constraint.java File Reference 2184
12.22Constraint_System.java File Reference 2184
12.23Constraints_Product_C_Polyhedron_Grid.java File Reference 2185
12.24Constraints_Product_Grid_C_Polyhedron.java File Reference 2185
12.25Constraints_Product_Grid_NNC_Polyhedron.java File Reference 2185
12.26Constraints_Product_NNC_Polyhedron_Grid.java File Reference 2186
12.27Control_Parameter_Name.java File Reference 2186
12.28Control_Parameter_Value.java File Reference 2186
12.29Degenerate_Element.java File Reference 2187
12.30Domain_Error_Exception.java File Reference 2187
12.31Double_Box.java File Reference 2187
12.32fdl.dox File Reference 2187
12.33Float_Box.java File Reference 2187
12.34Generator.java File Reference 2188
12.35Generator_System.java File Reference 2188
12.36Generator_Type.java File Reference 2188
12.37gpl.dox File Reference 2189
12.38Grid.java File Reference 2189
12.39Grid_Generator.java File Reference 2189
12.40Grid_Generator_System.java File Reference 2189
12.41Grid_Generator_Type.java File Reference 2190
12.42Int16_Box.java File Reference 2190
12.43Int32_Box.java File Reference 2190
12.44Int64_Box.java File Reference 2191
12.45Int8_Box.java File Reference 2191
12.46Invalid_Argument_Exception.java File Reference 2191
12.47IO.java File Reference 2191
12.48Length_Error_Exception.java File Reference 2192
12.49Linear_Expression.java File Reference 2192

12.50Linear_Expression_Coefficient.java File Reference 2192
12.51Linear_Expression_Difference.java File Reference 2193
12.52Linear_Expression_Sum.java File Reference 2193
12.53Linear_Expression_Times.java File Reference 2193
12.54Linear_Expression_Unary_Minus.java File Reference 2193
12.55Linear_Expression_Variable.java File Reference 2194
12.56Logic_Error_Exception.java File Reference 2194
12.57Long_Double_Box.java File Reference 2194
12.58MIP_Problem.java File Reference 2195
12.59MIP_Problem_Status.java File Reference 2195
12.60NNC_Polyhedron.java File Reference 2195
12.61Octagonal_Shape_double.java File Reference 2195
12.62Octagonal_Shape_float.java File Reference 2196
12.63Octagonal_Shape_int16_t.java File Reference 2196
12.64Octagonal_Shape_int32_t.java File Reference 2196
12.65Octagonal_Shape_int64_t.java File Reference 2197
12.66Octagonal_Shape_int8_t.java File Reference 2197
12.67Octagonal_Shape_long_double.java File Reference 2197
12.68Octagonal_Shape_mpq_class.java File Reference 2198
12.69Octagonal_Shape_mpz_class.java File Reference 2198
12.70Optimization_Mode.java File Reference 2198
12.71Overflow_Error_Exception.java File Reference 2198
12.72Pair.java File Reference 2199
12.73Parma_Polyhedra_Library.java File Reference 2199
12.74Partial_Function.java File Reference 2199
12.75PIP_Decision_Node.java File Reference 2200
12.76PIP_Problem.java File Reference 2200
12.77PIP_Problem_Control_Parameter_Name.java File Reference 2200
12.78PIP_Problem_Control_Parameter_Value.java File Reference 2200
12.79PIP_Problem_Status.java File Reference 2201
12.80PIP_Solution_Node.java File Reference 2201
12.81PIP_Tree_Node.java File Reference 2201
12.82Pointset_Powerset_BD_Shape_double.java File Reference 2202
12.83Pointset_Powerset_BD_Shape_double_Iterator.java File Reference 2202
12.84Pointset_Powerset_BD_Shape_float.java File Reference 2202
12.85Pointset_Powerset_BD_Shape_float_Iterator.java File Reference 2203

12.86 Pointset_Powerset_BD_Shape_int16_t.java File Reference 2203
12.87 Pointset_Powerset_BD_Shape_int16_t_Iterator.java File Reference 2203
12.88 Pointset_Powerset_BD_Shape_int32_t.java File Reference 2203
12.89 Pointset_Powerset_BD_Shape_int32_t_Iterator.java File Reference 2204
12.90 Pointset_Powerset_BD_Shape_int64_t.java File Reference 2204
12.91 Pointset_Powerset_BD_Shape_int64_t_Iterator.java File Reference 2204
12.92 Pointset_Powerset_BD_Shape_int8_t.java File Reference 2205
12.93 Pointset_Powerset_BD_Shape_int8_t_Iterator.java File Reference 2205
12.94 Pointset_Powerset_BD_Shape_long_double.java File Reference 2205
12.95 Pointset_Powerset_BD_Shape_long_double_Iterator.java File Reference 2206
12.96 Pointset_Powerset_BD_Shape_mpq_class.java File Reference 2206
12.97 Pointset_Powerset_BD_Shape_mpq_class_Iterator.java File Reference 2206
12.98 Pointset_Powerset_BD_Shape_mpz_class.java File Reference 2206
12.99 Pointset_Powerset_BD_Shape_mpz_class_Iterator.java File Reference 2207
12.100 Pointset_Powerset_C_Polyhedron.java File Reference 2207
12.101 Pointset_Powerset_C_Polyhedron_Iterator.java File Reference 2207
12.102 Pointset_Powerset_Double_Box.java File Reference 2208
12.103 Pointset_Powerset_Double_Box_Iterator.java File Reference 2208
12.104 Pointset_Powerset_Float_Box.java File Reference 2208
12.105 Pointset_Powerset_Float_Box_Iterator.java File Reference 2209
12.106 Pointset_Powerset_Grid.java File Reference 2209
12.107 Pointset_Powerset_Grid_Iterator.java File Reference 2209
12.108 Pointset_Powerset_Int16_Box.java File Reference 2209
12.109 Pointset_Powerset_Int16_Box_Iterator.java File Reference 2210
12.110 Pointset_Powerset_Int32_Box.java File Reference 2210
12.111 Pointset_Powerset_Int32_Box_Iterator.java File Reference 2210
12.112 Pointset_Powerset_Int64_Box.java File Reference 2211
12.113 Pointset_Powerset_Int64_Box_Iterator.java File Reference 2211
12.114 Pointset_Powerset_Int8_Box.java File Reference 2211
12.115 Pointset_Powerset_Int8_Box_Iterator.java File Reference 2211
12.116 Pointset_Powerset_Long_Double_Box.java File Reference 2212
12.117 Pointset_Powerset_Long_Double_Box_Iterator.java File Reference 2212
12.118 Pointset_Powerset_NNC_Polyhedron.java File Reference 2212
12.119 Pointset_Powerset_NNC_Polyhedron_Iterator.java File Reference 2213
12.120 Pointset_Powerset_Octagonal_Shape_double.java File Reference 2213
12.121 Pointset_Powerset_Octagonal_Shape_double_Iterator.java File Reference 2213

12.122 Pointset_Powerset_Octagonal_Shape_float.java File Reference 2213
12.123 Pointset_Powerset_Octagonal_Shape_float_Iterator.java File Reference 2214
12.124 Pointset_Powerset_Octagonal_Shape_int16_t.java File Reference 2214
12.125 Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java File Reference 2214
12.126 Pointset_Powerset_Octagonal_Shape_int32_t.java File Reference 2215
12.127 Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java File Reference 2215
12.128 Pointset_Powerset_Octagonal_Shape_int64_t.java File Reference 2215
12.129 Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java File Reference 2216
12.130 Pointset_Powerset_Octagonal_Shape_int8_t.java File Reference 2216
12.131 Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java File Reference 2216
12.132 Pointset_Powerset_Octagonal_Shape_long_double.java File Reference 2216
12.133 Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java File Reference 2217
12.134 Pointset_Powerset_Octagonal_Shape_mpq_class.java File Reference 2217
12.135 Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java File Reference 2217
12.136 Pointset_Powerset_Octagonal_Shape_mpz_class.java File Reference 2218
12.137 Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java File Reference 2218
12.138 Pointset_Powerset_Rational_Box.java File Reference 2218
12.139 Pointset_Powerset_Rational_Box_Iterator.java File Reference 2219
12.140 Pointset_Powerset_Uint16_Box.java File Reference 2219
12.141 Pointset_Powerset_Uint16_Box_Iterator.java File Reference 2219
12.142 Pointset_Powerset_Uint32_Box.java File Reference 2219
12.143 Pointset_Powerset_Uint32_Box_Iterator.java File Reference 2220
12.144 Pointset_Powerset_Uint64_Box.java File Reference 2220
12.145 Pointset_Powerset_Uint64_Box_Iterator.java File Reference 2220
12.146 Pointset_Powerset_Uint8_Box.java File Reference 2221
12.147 Pointset_Powerset_Uint8_Box_Iterator.java File Reference 2221
12.148 Pointset_Powerset_Z_Box.java File Reference 2221
12.149 Pointset_Powerset_Z_Box_Iterator.java File Reference 2221
12.150 Poly_Con_Relation.java File Reference 2222
12.151 Poly_Gen_Relation.java File Reference 2222
12.152 Polyhedron.java File Reference 2222
12.153 ppl_java_common.cc File Reference 2223
12.154 ppl_java_common.defs.hh File Reference 2227
12.155 ppl_java_common.inlines.hh File Reference 2238
12.156 ppl_java_globals.cc File Reference 2240
12.157 PPL_Object.java File Reference 2279

12.158Rational_Box.java File Reference 2279
12.159Relation_Symbol.java File Reference 2279
12.160Termination.java File Reference 2280
12.161Timeout_Exception.java File Reference 2280
12.162Uint16_Box.java File Reference 2280
12.163Uint32_Box.java File Reference 2281
12.164Uint64_Box.java File Reference 2281
12.165Uint8_Box.java File Reference 2281
12.166Variable.java File Reference 2281
12.167Variables_Set.java File Reference 2282
12.168Z_Box.java File Reference 2282

1 Main Page

The Parma Polyhedra Library comes equipped with an interface for the Java language. The Java interface provides access to the numerical abstractions (convex polyhedra, BD shapes, octagonal shapes, etc.) implemented by the PPL library. A general introduction to the numerical abstractions, their representation in the PPL and the operations provided by the PPL is given in the main *PPL user manual*. Here we just describe those aspects that are specific to the Java interface. In the sequel, `prefix` is the path prefix under which the library has been installed (typically `/usr` or `/usr/local`).

Overview

Here is a list of notes with general information and advice on the use of the Java interface.

- When the Parma Polyhedra Library is configured, it will automatically test for the existence of the Java system (unless configuration options are passed to disable the build of the Java interface; see configuration option `--enable-interfaces`). If Java is correctly installed in a standard location, things will be arranged so that the Java interface is built and installed (see configuration option `--with-java` if you need to specify a non-standard location for the Java system).

- The Java interface files are all installed in the directory `prefix/lib/ppl`. Since this includes shared and dynamically loaded libraries, you must make your dynamic linker/loader aware of this fact. If you use a GNU/Linux system, try the commands `man ld.so` and `man ldconfig` for more information.

- Any application using the PPL should:
  - Load the PPL interface library by calling `System.load` and passing the full path of the dynamic shared object;
  - Make sure that only the intended version(s) of the library has been loaded, e.g., by calling static method `version()` in class `parma_polyhedra_library.Parma_Polyhedra_Library`;
  - Starting from version 0.11, initialize the interface by calling static method `initialize_library()`; when all library work is done, finalize the interface by calling `finalize_library()`.

- The numerical abstract domains available to the Java user as Java classes consist of the *simple* domains, *powersets* of a simple domain and *products* of simple domains. Note that the default configuration will only enable a subset of these domains (if you need a different set of domains, see configuration option `--enable-instantiations`).
  - The simple domains are:
    * convex polyhedra, which consist of C_Polyhedron and NNC_Polyhedron;
    * weakly relational, which consist of BD_Shape_N and Octagonal_Shape_N where N is one of the numeric types signed_char, short, int, long, long_long, mpz_class, mpq_class;
    * boxes which consist of Int8_Box, Int16_Box, Int32_Box, Int64_Box, Uint8_Box, Uint16_Box, Uint32_Box, Uint64_Box, Float_Box, Double_Box, Long_Double_Box, Z_Box, Rational_Box; and
    * the Grid domain.
  - The powerset domains are Pointset_Powerset_S where S is a simple domain.
  - The product domains consist of Direct_Product_S_T, Smash_Product_S_T and Constraints_Product_S_T where S and T are simple domains.

- In the following, any of the above numerical abstract domains is called a PPL *domain* and any element of a PPL domain is called a *PPL object*.

- A Java program can create a new object for a PPL domain by using the constructors for the class corresponding to the domain.

- For a PPL object with space dimension `k`, the identifiers used for the PPL variables must lie between 0 and $k-1$ and correspond to the indices of the associated Cartesian axes. For example, when using methods that combine PPL polyhedra or add constraints or generators to a representation of a PPL polyhedron, the polyhedra referenced and any constraints or generators in the call should follow all the (space) dimension-compatibility rules stated in Section *Representations of Convex Polyhedra* of the main PPL user manual.

- As explained above, a polyhedron has a fixed topology C or NNC, that is determined at the time of its initialization. All subsequent operations on the polyhedron must respect all the topological compatibility rules stated in Section *Representations of Convex Polyhedra* of the main PPL user manual.

2 GNU General Public License

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. http://fsf.org/

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We,

the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification),

making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your

copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction

is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party’s predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms

that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
 one line to give the program's name and a brief idea of what it does.
Copyright (C)  year   name of author

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program.  If not, see  http://www.gnu.org/licenses/.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
 program  Copyright (C)  year   name of author
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see http://www.gnu.org/licenses/.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read http://www.gnu.org/philosophy/why-not-lgpl.html.

3 GNU Free Documentation License

Version 1.2, November 2002

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a worldwide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- **A.** Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- **B.** List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- **C.** State on the Title page the name of the publisher of the Modified Version, as the publisher.
- **D.** Preserve all the copyright notices of the Document.
- **E.** Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- **F.** Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- **G.** Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- **H.** Include an unaltered copy of this License.
- **I.** Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- **J.** Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

- **K.** For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- **L.** Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- **M.** Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- **N.** Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- **O.** Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (c)  YEAR  YOUR NAME.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts.  A copy of the license is included in the section entitled
```

```
"GNU Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

4 Module Index

4.1 Modules

Here is a list of all modules:

Java Language Interface 37

5 Namespace Index

5.1 Namespace List

Here is a list of all namespaces with brief descriptions:

Parma_Polyhedra_Library 45

parma_polyhedra_library (The PPL Java interface package) 45

Parma_Polyhedra_Library::Interfaces 56

Parma_Polyhedra_Library::Interfaces::Java 56

6 Class Index

6.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

parma_polyhedra_library::Artificial_Parameter 78

parma_polyhedra_library::Artificial_Parameter_Sequence 81

parma_polyhedra_library::By_Reference< T > 396

parma_polyhedra_library::Coefficient 423

parma_polyhedra_library::Congruence 426

parma_polyhedra_library::Congruence_System 430

parma_polyhedra_library::Constraint 431

parma_polyhedra_library::Constraint_System 435

Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception 581

parma_polyhedra_library::Domain_Error_Exception 582

parma_polyhedra_library::Generator 649

parma_polyhedra_library::Generator_System 654

parma_polyhedra_library::Grid_Generator 689

parma_polyhedra_library::Grid_Generator_System 694

parma_polyhedra_library::Invalid_Argument_Exception 827

parma_polyhedra_library::IO 828

Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache 829

Parma_Polyhedra_Library::Interfaces::Java::Java_ExceptionOccurred 838

Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache 838

parma_polyhedra_library::Length_Error_Exception 860

parma_polyhedra_library::Linear_Expression 860

- **parma_polyhedra_library::Linear_Expression_Coefficient** 864
- **parma_polyhedra_library::Linear_Expression_Difference** 866
- **parma_polyhedra_library::Linear_Expression_Sum** 870
- **parma_polyhedra_library::Linear_Expression_Times** 873
- **parma_polyhedra_library::Linear_Expression_Unary_Minus** 876
- **parma_polyhedra_library::Linear_Expression_Variable** 879

parma_polyhedra_library::Logic_Error_Exception 881

parma_polyhedra_library::Overflow_Error_Exception 1268

parma_polyhedra_library::Pair< K, V > 1268

parma_polyhedra_library::Parma_Polyhedra_Library 1270

parma_polyhedra_library::Poly_Con_Relation 1877

parma_polyhedra_library::Poly_Gen_Relation 1881

parma_polyhedra_library::PPL_Object 1895

parma_polyhedra_library::BD_Shape_double 82

parma_polyhedra_library::BD_Shape_float 116

parma_polyhedra_library::BD_Shape_int16_t 151

parma_polyhedra_library::BD_Shape_int32_t 186

parma_polyhedra_library::BD_Shape_int64_t 221

parma_polyhedra_library::BD_Shape_int8_t 256

parma_polyhedra_library::BD_Shape_long_double 291

parma_polyhedra_library::BD_Shape_mpq_class 326

parma_polyhedra_library::BD_Shape_mpz_class 361

parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid 436

parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron 472

parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron 508

parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid 545

parma_polyhedra_library::Double_Box 583

parma_polyhedra_library::Float_Box 616

parma_polyhedra_library::Grid 655

parma_polyhedra_library::Int16_Box 695

parma_polyhedra_library::Int32_Box 728

parma_polyhedra_library::Int64_Box 761

parma_polyhedra_library::Int8_Box 794

parma_polyhedra_library::Long_Double_Box 882

parma_polyhedra_library::MIP_Problem 916

parma_polyhedra_library::Octagonal_Shape_double 951

parma_polyhedra_library::Octagonal_Shape_float 986

parma_polyhedra_library::Octagonal_Shape_int16_t 1021

parma_polyhedra_library::Octagonal_Shape_int32_t 1056

parma_polyhedra_library::Octagonal_Shape_int64_t 1091

parma_polyhedra_library::Octagonal_Shape_int8_t 1126

parma_polyhedra_library::Octagonal_Shape_long_double 1161

parma_polyhedra_library::Octagonal_Shape_mpq_class 1197

parma_polyhedra_library::Octagonal_Shape_mpz_class 1233

parma_polyhedra_library::Partial_Function 1275

parma_polyhedra_library::PIP_Problem 1279

parma_polyhedra_library::PIP_Tree_Node 1289

parma_polyhedra_library::PIP_Decision_Node 1277

parma_polyhedra_library::PIP_Solution_Node 1288

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double 1292

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator 1307

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float 1309

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator 1324

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t 1327

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator 1342

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t 1344

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator 1360

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t 1362

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator 1377

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t 1380

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator 1395

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double 1397

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator 1413

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class 1415

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator 1431

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class 1433

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator 1449

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron 1451

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator 1466

parma_polyhedra_library::Pointset_Powerset_Double_Box 1469

parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator **1483**

parma_polyhedra_library::Pointset_Powerset_Float_Box **1485**

parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator **1499**

parma_polyhedra_library::Pointset_Powerset_Grid **1501**

parma_polyhedra_library::Pointset_Powerset_Grid_Iterator **1515**

parma_polyhedra_library::Pointset_Powerset_Int16_Box **1518**

parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator **1531**

parma_polyhedra_library::Pointset_Powerset_Int32_Box **1534**

parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator **1547**

parma_polyhedra_library::Pointset_Powerset_Int64_Box **1550**

parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator **1564**

parma_polyhedra_library::Pointset_Powerset_Int8_Box **1566**

parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator **1580**

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box **1582**

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator **1597**

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron **1599**

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator **1614**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double **1617**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator **1632**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float **1635**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator **1650**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t **1652**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator **1668**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t **1670**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator **1686**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t **1688**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator **1704**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t **1706**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator **1722**

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double 1724

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator 1740

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class 1742

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator 1758

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class 1760

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator 1776

parma_polyhedra_library::Pointset_Powerset_Rational_Box 1778

parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator 1793

parma_polyhedra_library::Pointset_Powerset_Uint16_Box 1795

parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator 1809

parma_polyhedra_library::Pointset_Powerset_Uint32_Box 1812

parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator 1826

parma_polyhedra_library::Pointset_Powerset_Uint64_Box 1828

parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator 1843

parma_polyhedra_library::Pointset_Powerset_Uint8_Box 1845

parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator 1859

parma_polyhedra_library::Pointset_Powerset_Z_Box 1861

parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator 1875

parma_polyhedra_library::Polyhedron 1884

parma_polyhedra_library::C_Polyhedron 398

parma_polyhedra_library::NNC_Polyhedron 926

parma_polyhedra_library::Rational_Box 1898

parma_polyhedra_library::Uint16_Box 2009

parma_polyhedra_library::Uint32_Box 2042

parma_polyhedra_library::Uint64_Box 2076

parma_polyhedra_library::Uint8_Box 2109

parma_polyhedra_library::Z_Box 2146

parma_polyhedra_library::Termination 1931

Parma_Polyhedra_Library::Interfaces::Java::timeout_exception 2007

parma_polyhedra_library::Timeout_Exception 2008

parma_polyhedra_library::Variable 2143

parma_polyhedra_library::Variables_Set 2145

7 Class Index

7.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

parma_polyhedra_library::Artificial_Parameter 78

parma_polyhedra_library::Artificial_Parameter_Sequence (A sequence of artificial parameters) 81

parma_polyhedra_library::BD_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>) 82

parma_polyhedra_library::BD_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>) 116

parma_polyhedra_library::BD_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>) 151

parma_polyhedra_library::BD_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>) 186

parma_polyhedra_library::BD_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>) 221

parma_polyhedra_library::BD_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>) 256

parma_polyhedra_library::BD_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>) 291

parma_polyhedra_library::BD_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>) 326

parma_polyhedra_library::BD_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>) 361

parma_polyhedra_library::By_Reference< T > (An utility class implementing mutable and non-mutable call-by-reference) 396

parma_polyhedra_library::C_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron) 398

parma_polyhedra_library::Coefficient (A PPL coefficient) 423

parma_polyhedra_library::Congruence (A linear congruence) 426

parma_polyhedra_library::Congruence_System (A system of congruences) 430

parma_polyhedra_library::Constraint (A linear equality or inequality) 431

parma_polyhedra_library::Constraint_System (A system of constraints) 435

parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>) 436

parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>) 472

parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>) 508

parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>) 545

Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception 581

parma_polyhedra_library::Domain_Error_Exception (Exceptions caused by domain errors) 582

parma_polyhedra_library::Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Double_Box) 583

parma_polyhedra_library::Float_Box (Java class interfacing C++ Parma_Polyhedra_Library::Float_Box) 616

parma_polyhedra_library::Generator (A line, ray, point or closure point) 649

parma_polyhedra_library::Generator_System (A system of generators) 654

parma_polyhedra_library::Grid (Java class interfacing C++ Parma_Polyhedra_Library::Grid) 655

parma_polyhedra_library::Grid_Generator (A grid line, parameter or grid point) 689

parma_polyhedra_library::Grid_Generator_System (A system of grid generators) 694

parma_polyhedra_library::Int16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box) 695

parma_polyhedra_library::Int32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box) 728

parma_polyhedra_library::Int64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box) 761

parma_polyhedra_library::Int8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box) 794

parma_polyhedra_library::Invalid_Argument_Exception (Exceptions caused by invalid arguments) 827

parma_polyhedra_library::IO (A class collecting I/O functions) 828

Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache (A cache for global references to Java classes) 829

Parma_Polyhedra_Library::Interfaces::Java::Java_ExceptionOccurred 838

Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache (A cache for field and method IDs of Java classes) 838

parma_polyhedra_library::Length_Error_Exception (Exceptions caused by too big length/size values) 860

parma_polyhedra_library::Linear_Expression (A linear expression) 860

parma_polyhedra_library::Linear_Expression_Coefficient (A linear expression built from a coefficient) 864

parma_polyhedra_library::Linear_Expression_Difference (The difference of two linear expressions) 866

parma_polyhedra_library::Linear_Expression_Sum (The sum of two linear expressions) 870

parma_polyhedra_library::Linear_Expression_Times (The product of a linear expression and a coefficient) 873

parma_polyhedra_library::Linear_Expression_Unary_Minus (The negation of a linear expression) 876

parma_polyhedra_library::Linear_Expression_Variable (A linear expression built from a variable) 879

parma_polyhedra_library::Logic_Error_Exception (Exceptions due to errors in low-level routines) 881

parma_polyhedra_library::Long_Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box) 882

parma_polyhedra_library::MIP_Problem (A Mixed Integer (linear) Programming problem) 916

parma_polyhedra_library::NNC_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron) 926

parma_polyhedra_library::Octagonal_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>) 951

parma_polyhedra_library::Octagonal_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>) 986

parma_polyhedra_library::Octagonal_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>) 1021

parma_polyhedra_library::Octagonal_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>) 1056

parma_polyhedra_library::Octagonal_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>) 1091

parma_polyhedra_library::Octagonal_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>) 1126

parma_polyhedra_library::Octagonal_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>) 1161

parma_polyhedra_library::Octagonal_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>) 1197

parma_polyhedra_library::Octagonal_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>) 1233

parma_polyhedra_library::Overflow_Error_Exception (Exceptions due to overflow errors) 1268

parma_polyhedra_library::Pair< K, V > (A pair of values of type K and V) 1268

parma_polyhedra_library::Parma_Polyhedra_Library (A class collecting library-level functions) 1270

parma_polyhedra_library::Partial_Function (A partial function on space dimension indices) 1275

parma_polyhedra_library::PIP_Decision_Node (An internal node of the PIP solution tree) 1277

parma_polyhedra_library::PIP_Problem (A Parametric Integer Programming problem) 1279

parma_polyhedra_library::PIP_Solution_Node (A leaf node of the PIP solution tree) 1288

parma_polyhedra_library::PIP_Tree_Node (A node of the PIP solution tree) 1289

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >) 1292

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator) 1307

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >) 1309

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator) 1324

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >) 1327

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator) 1342

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >) 1344

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator) 1360

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >) 1362

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator) 1377

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >) 1380

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator) 1395

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >) 1397

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator) 1413

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >) 1415

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator) 1431

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >) 1433

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator) 1449

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>) 1451

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator) 1466

parma_polyhedra_library::Pointset_Powerset_Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>) 1469

parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator) 1483

parma_polyhedra_library::Pointset_Powerset_Float_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>) 1485

parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator) 1499

parma_polyhedra_library::Pointset_Powerset_Grid (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>) 1501

parma_polyhedra_library::Pointset_Powerset_Grid_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator) 1515

parma_polyhedra_library::Pointset_Powerset_Int16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>) 1518

parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator) 1531

parma_polyhedra_library::Pointset_Powerset_Int32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>) 1534

parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator) 1547

parma_polyhedra_library::Pointset_Powerset_Int64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>) 1550

parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator) 1564

parma_polyhedra_library::Pointset_Powerset_Int8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>) 1566

parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator) 1580

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>) 1582

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator) 1597

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>) 1599

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator) 1614

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >) 1617

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator) 1632

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >) 1635

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator) 1650

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >) 1652

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator) 1668

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >) 1670

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator) 1686

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >) 1688

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator) 1704

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >) 1706

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator) 1722

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >) 1724

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator) 1740

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >) 1742

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator) 1758

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >) 1760

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator) 1776

parma_polyhedra_library::Pointset_Powerset_Rational_Box (Java class interfacing C++

Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>) 1778

parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator) 1793

parma_polyhedra_library::Pointset_Powerset_Uint16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>) 1795

parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator) 1809

parma_polyhedra_library::Pointset_Powerset_Uint32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>) 1812

parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator) 1826

parma_polyhedra_library::Pointset_Powerset_Uint64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>) 1828

parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator) 1843

parma_polyhedra_library::Pointset_Powerset_Uint8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>) 1845

parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator) 1859

parma_polyhedra_library::Pointset_Powerset_Z_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>) 1861

parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator) 1875

parma_polyhedra_library::Poly_Con_Relation (The relation between a polyhedron and a constraint) 1877

parma_polyhedra_library::Poly_Gen_Relation (The relation between a polyhedron and a generator) 1881

parma_polyhedra_library::Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron) 1884

parma_polyhedra_library::PPL_Object (Smart pointer to a PPL, C++ object) 1895

parma_polyhedra_library::Rational_Box (Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box) 1898

parma_polyhedra_library::Termination 1931

Parma_Polyhedra_Library::Interfaces::Java::timeout_exception 2007

parma_polyhedra_library::Timeout_Exception (Exceptions caused by timeout expiring) 2008

parma_polyhedra_library::Uint16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box) 2009

parma_polyhedra_library::Uint32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box) 2042

parma_polyhedra_library::Uint64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box) 2076

parma_polyhedra_library::Uint8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box) 2109

parma_polyhedra_library::Variable (A dimension of the vector space) 2143

parma_polyhedra_library::Variables_Set (A java.util.TreeSet of variables' indexes) 2145

parma_polyhedra_library::Z_Box (Java class interfacing C++ Parma_Polyhedra_Library::Z_Box) 2146

8 File Index

8.1 File List

Here is a list of all files with brief descriptions:

Artificial_Parameter.java 2178

Artificial_Parameter_Sequence.java 2178

BD_Shape_double.java 2179

BD_Shape_float.java 2179

BD_Shape_int16_t.java 2179

BD_Shape_int32_t.java 2180

BD_Shape_int64_t.java 2180

BD_Shape_int8_t.java 2180

BD_Shape_long_double.java 2181

BD_Shape_mpq_class.java 2181

BD_Shape_mpz_class.java 2181

Bounded_Integer_Type_Overflow.java 2181

Bounded_Integer_Type_Representation.java 2182

Bounded_Integer_Type_Width.java 2182

By_Reference.java 2182

C_Polyhedron.java 2183

Coefficient.java 2183

Complexity_Class.java 2183

Congruence.java 2184

Congruence_System.java 2184

Constraint.java 2184

Constraint_System.java 2184

Constraints_Product_C_Polyhedron_Grid.java 2185

Constraints_Product_Grid_C_Polyhedron.java 2185

Constraints_Product_Grid_NNC_Polyhedron.java 2185

Constraints_Product_NNC_Polyhedron_Grid.java 2186

Control_Parameter_Name.java 2186

Control_Parameter_Value.java 2186

Degenerate_Element.java 2187

Domain_Error_Exception.java 2187

Double_Box.java 2187

Float_Box.java 2187

Generator.java 2188

Generator_System.java 2188

Generator_Type.java 2188

Grid.java 2189

Grid_Generator.java 2189

Grid_Generator_System.java 2189

Grid_Generator_Type.java 2190

Int16_Box.java 2190

Int32_Box.java 2190

Int64_Box.java 2191

Int8_Box.java 2191

Invalid_Argument_Exception.java 2191

IO.java 2191

Length_Error_Exception.java 2192

Linear_Expression.java 2192

Linear_Expression_Coefficient.java 2192

Linear_Expression_Difference.java 2193

Linear_Expression_Sum.java 2193

Linear_Expression_Times.java 2193

Linear_Expression_Unary_Minus.java 2193

Linear_Expression_Variable.java 2194

Logic_Error_Exception.java 2194

Long_Double_Box.java 2194

MIP_Problem.java 2195

MIP_Problem_Status.java 2195

NNC_Polyhedron.java 2195

Octagonal_Shape_double.java 2195

Octagonal_Shape_float.java 2196

Octagonal_Shape_int16_t.java 2196

Octagonal_Shape_int32_t.java 2196

Octagonal_Shape_int64_t.java 2197

Octagonal_Shape_int8_t.java 2197

Octagonal_Shape_long_double.java 2197

Octagonal_Shape_mpq_class.java 2198

Octagonal_Shape_mpz_class.java 2198

Optimization_Mode.java 2198

Overflow_Error_Exception.java 2198

Pair.java 2199

Parma_Polyhedra_Library.java 2199

Partial_Function.java 2199

PIP_Decision_Node.java 2200

PIP_Problem.java 2200

PIP_Problem_Control_Parameter_Name.java 2200

PIP_Problem_Control_Parameter_Value.java 2200

PIP_Problem_Status.java 2201

PIP_Solution_Node.java 2201

PIP_Tree_Node.java 2201

Pointset_Powerset_BD_Shape_double.java 2202

Pointset_Powerset_BD_Shape_double_Iterator.java 2202

Pointset_Powerset_BD_Shape_float.java 2202

Pointset_Powerset_BD_Shape_float_Iterator.java 2203

Pointset_Powerset_BD_Shape_int16_t.java 2203

Pointset_Powerset_BD_Shape_int16_t_Iterator.java 2203

Pointset_Powerset_BD_Shape_int32_t.java 2203

Pointset_Powerset_BD_Shape_int32_t_Iterator.java 2204

Pointset_Powerset_BD_Shape_int64_t.java 2204

Pointset_Powerset_BD_Shape_int64_t_Iterator.java 2204

Pointset_Powerset_BD_Shape_int8_t.java 2205

Pointset_Powerset_BD_Shape_int8_t_Iterator.java 2205

Pointset_Powerset_BD_Shape_long_double.java 2205

Pointset_Powerset_BD_Shape_long_double_Iterator.java 2206

Pointset_Powerset_BD_Shape_mpq_class.java 2206

Pointset_Powerset_BD_Shape_mpq_class_Iterator.java 2206

Pointset_Powerset_BD_Shape_mpz_class.java 2206

Pointset_Powerset_BD_Shape_mpz_class_Iterator.java 2207

Pointset_Powerset_C_Polyhedron.java 2207

Pointset_Powerset_C_Polyhedron_Iterator.java 2207

Pointset_Powerset_Double_Box.java 2208

Pointset_Powerset_Double_Box_Iterator.java 2208

Pointset_Powerset_Float_Box.java 2208

Pointset_Powerset_Float_Box_Iterator.java 2209

Pointset_Powerset_Grid.java 2209

Pointset_Powerset_Grid_Iterator.java 2209

Pointset_Powerset_Int16_Box.java 2209

Pointset_Powerset_Int16_Box_Iterator.java 2210

Pointset_Powerset_Int32_Box.java 2210

Pointset_Powerset_Int32_Box_Iterator.java 2210

Pointset_Powerset_Int64_Box.java 2211

Pointset_Powerset_Int64_Box_Iterator.java 2211

Pointset_Powerset_Int8_Box.java 2211

Pointset_Powerset_Int8_Box_Iterator.java 2211

Pointset_Powerset_Long_Double_Box.java 2212

Pointset_Powerset_Long_Double_Box_Iterator.java 2212

Pointset_Powerset_NNC_Polyhedron.java 2212

Pointset_Powerset_NNC_Polyhedron_Iterator.java 2213

Pointset_Powerset_Octagonal_Shape_double.java 2213

Pointset_Powerset_Octagonal_Shape_double_Iterator.java 2213

Pointset_Powerset_Octagonal_Shape_float.java 2213

Pointset_Powerset_Octagonal_Shape_float_Iterator.java 2214

Pointset_Powerset_Octagonal_Shape_int16_t.java 2214

Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java 2214

Pointset_Powerset_Octagonal_Shape_int32_t.java 2215

Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java 2215

Pointset_Powerset_Octagonal_Shape_int64_t.java 2215

Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java 2216

Pointset_Powerset_Octagonal_Shape_int8_t.java 2216

Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java 2216

Pointset_Powerset_Octagonal_Shape_long_double.java 2216

Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java 2217

Pointset_Powerset_Octagonal_Shape_mpq_class.java 2217

Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java 2217

Pointset_Powerset_Octagonal_Shape_mpz_class.java 2218

Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java 2218

Pointset_Powerset_Rational_Box.java 2218

Pointset_Powerset_Rational_Box_Iterator.java 2219

Pointset_Powerset_Uint16_Box.java 2219

Pointset_Powerset_Uint16_Box_Iterator.java 2219

Pointset_Powerset_Uint32_Box.java 2219

Pointset_Powerset_Uint32_Box_Iterator.java 2220

Pointset_Powerset_Uint64_Box.java 2220

Pointset_Powerset_Uint64_Box_Iterator.java 2220

Pointset_Powerset_Uint8_Box.java 2221

Pointset_Powerset_Uint8_Box_Iterator.java 2221

Pointset_Powerset_Z_Box.java 2221

Pointset_Powerset_Z_Box_Iterator.java 2221

Poly_Con_Relation.java 2222

Poly_Gen_Relation.java 2222

Polyhedron.java 2222

ppl_java_common.cc 2223

ppl_java_common.defs.hh 2227

ppl_java_common.inlines.hh 2238

ppl_java_globals.cc 2240

PPL_Object.java 2279

Rational_Box.java 2279

Relation_Symbol.java 2279

Termination.java 2280

Timeout_Exception.java 2280

Uint16_Box.java 2280

Uint32_Box.java 2281

Uint64_Box.java 2281

Uint8_Box.java **2281**

Variable.java **2281**

Variables_Set.java **2282**

Z_Box.java **2282**

9 Module Documentation

9.1 Java Language Interface

Classes

- class parma_polyhedra_library::Artificial_Parameter_Sequence
  A sequence of artificial parameters.
- class parma_polyhedra_library::By_Reference< T >
  An utility class implementing mutable and non-mutable call-by-reference.
- class parma_polyhedra_library::Coefficient
  A PPL coefficient.
- class parma_polyhedra_library::Congruence
  A linear congruence.
- class parma_polyhedra_library::Congruence_System
  A system of congruences.
- class parma_polyhedra_library::Constraint
  A linear equality or inequality.
- class parma_polyhedra_library::Constraint_System
  A system of constraints.
- class parma_polyhedra_library::Domain_Error_Exception
  Exceptions caused by domain errors.
- class parma_polyhedra_library::Generator
  A line, ray, point or closure point.
- class parma_polyhedra_library::Generator_System
  A system of generators.
- class parma_polyhedra_library::Grid_Generator
  A grid line, parameter or grid point.
- class parma_polyhedra_library::Grid_Generator_System
  A system of grid generators.

- class parma_polyhedra_library::Invalid_Argument_Exception
  Exceptions caused by invalid arguments.
- class parma_polyhedra_library::IO
  A class collecting I/O functions.
- class parma_polyhedra_library::Length_Error_Exception
  Exceptions caused by too big length/size values.
- class parma_polyhedra_library::Linear_Expression
  A linear expression.
- class parma_polyhedra_library::Linear_Expression_Coefficient
  A linear expression built from a coefficient.
- class parma_polyhedra_library::Linear_Expression_Difference
  The difference of two linear expressions.
- class parma_polyhedra_library::Linear_Expression_Sum
  The sum of two linear expressions.
- class parma_polyhedra_library::Linear_Expression_Times
  The product of a linear expression and a coefficient.
- class parma_polyhedra_library::Linear_Expression_Unary_Minus
  The negation of a linear expression.
- class parma_polyhedra_library::Linear_Expression_Variable
  A linear expression built from a variable.
- class parma_polyhedra_library::Logic_Error_Exception
  Exceptions due to errors in low-level routines.
- class parma_polyhedra_library::MIP_Problem
  A Mixed Integer (linear) Programming problem.
- class parma_polyhedra_library::Overflow_Error_Exception
  Exceptions due to overflow errors.
- class parma_polyhedra_library::Pair< K, V >
  A pair of values of type K and V.
- class parma_polyhedra_library::Parma_Polyhedra_Library
  A class collecting library-level functions.
- class parma_polyhedra_library::Partial_Function
  A partial function on space dimension indices.
- class parma_polyhedra_library::PIP_Problem
  A Parametric Integer Programming problem.

- class parma_polyhedra_library::Poly_Con_Relation

  The relation between a polyhedron and a constraint.

- class parma_polyhedra_library::PPL_Object

  Smart pointer to a PPL, C++ object.

- class parma_polyhedra_library::Timeout_Exception

  Exceptions caused by timeout expiring.

- class parma_polyhedra_library::Variable

  A dimension of the vector space.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Bounded_Integer_Type_Overflow { parma_polyhedra_library::OVERFLOW_WRAPS, parma_polyhedra_library::OVERFLOW_UNDEFINED, parma_polyhedra_library::OVERFLOW_IMPOSSIBLE }

  Overflow behavior of bounded integer types.

- enum parma_polyhedra_library::Bounded_Integer_Type_Representation { parma_polyhedra_library::UNSIGNED, parma_polyhedra_library::SIGNED_2_COMPLEMENT }

  Representation of bounded integer types.

- enum parma_polyhedra_library::Bounded_Integer_Type_Width {

  parma_polyhedra_library::BITS_8, parma_polyhedra_library::BITS_16, parma_polyhedra_library::BITS_32, parma_polyhedra_library::BITS_64,

  parma_polyhedra_library::BITS_128 }

  Widths of bounded integer types.

- enum parma_polyhedra_library::Complexity_Class { parma_polyhedra_library::POLYNOMIAL_COMPLEXITY, parma_polyhedra_library::SIMPLEX_COMPLEXITY, parma_polyhedra_library::ANY_COMPLEXITY }

  Possible Complexities.

- enum parma_polyhedra_library::Control_Parameter_Name { parma_polyhedra_library::PRICING }

  Names of MIP problems' control parameters.

- enum parma_polyhedra_library::Control_Parameter_Value { parma_polyhedra_library::PRICING_STEEPEST_EDGE_FLOAT, parma_polyhedra_library::PRICING_STEEPEST_EDGE_EXACT, parma_polyhedra_library::PRICING_TEXTBOOK }

Possible values for MIP problem's control parameters.

- enum parma_polyhedra_library::Degenerate_Element { parma_polyhedra_library::UNIVERSE, parma_polyhedra_library::EMPTY }

  Kinds of degenerate abstract elements.

- enum parma_polyhedra_library::Generator_Type { parma_polyhedra_library::LINE, parma_polyhedra_library::RAY, parma_polyhedra_library::POINT, parma_polyhedra_library::CLOSURE_POINT }

  The generator type.

- enum parma_polyhedra_library::Grid_Generator_Type { parma_polyhedra_library::LINE, parma_polyhedra_library::PARAMETER, parma_polyhedra_library::POINT }

  The grid generator type.

- enum parma_polyhedra_library::MIP_Problem_Status { parma_polyhedra_library::UNFEASIBLE_MIP_PROBLEM, parma_polyhedra_library::UNBOUNDED_MIP_PROBLEM, parma_polyhedra_library::OPTIMIZED_MIP_PROBLEM }

  Possible outcomes of the MIP_Problem solver.

- enum parma_polyhedra_library::Optimization_Mode { parma_polyhedra_library::MINIMIZATION, parma_polyhedra_library::MAXIMIZATION }

  Possible optimization modes.

- enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Name { parma_polyhedra_library::CUTTING_STRATEGY, parma_polyhedra_library::PIVOT_ROW_STRATEGY }

  Names of PIP problems' control parameters.

- enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Value {

  parma_polyhedra_library::CUTTING_STRATEGY_FIRST, parma_polyhedra_library::CUTTING_STRATEGY_DEEPEST, parma_polyhedra_library::CUTTING_STRATEGY_ALL, parma_polyhedra_library::PIVOT_ROW_STRATEGY_FIRST,

  parma_polyhedra_library::PIVOT_ROW_STRATEGY_MAX_COLUMN }

  Possible values for PIP problems' control parameters.

- enum parma_polyhedra_library::PIP_Problem_Status { parma_polyhedra_library::UNFEASIBLE_PIP_PROBLEM, parma_polyhedra_library::OPTIMIZED_PIP_PROBLEM }

  Possible outcomes of the PIP_Problem solver.

- enum parma_polyhedra_library::Relation_Symbol {

  parma_polyhedra_library::LESS_THAN, parma_polyhedra_library::LESS_OR_EQUAL, parma_polyhedra_library::EQUAL, parma_polyhedra_library::GREATER_OR_EQUAL,

  parma_polyhedra_library::GREATER_THAN }

  Relation symbols.

9.1.1 Detailed Description

The Parma Polyhedra Library comes equipped with an interface for the Java language.

9.1.2 Enumeration Type Documentation

9.1.2.1 enum parma_polyhedra_library::Bounded_Integer_Type_Overflow

Overflow behavior of bounded integer types.

Enumerator:

OVERFLOW_WRAPS On overflow, wrapping takes place.

OVERFLOW_UNDEFINED On overflow, the result is undefined.

OVERFLOW_IMPOSSIBLE Overflow is impossible.

Definition at line 28 of file Bounded_Integer_Type_Overflow.java.

9.1.2.2 enum parma_polyhedra_library::Bounded_Integer_Type_Representation

Representation of bounded integer types.

Enumerator:

UNSIGNED Unsigned binary.

SIGNED_2_COMPLEMENT Signed binary where negative values are represented by the two's complement of the absolute value.

Definition at line 28 of file Bounded_Integer_Type_Representation.java.

9.1.2.3 enum parma_polyhedra_library::Bounded_Integer_Type_Width

Widths of bounded integer types.

Enumerator:

BITS_8 Minimization is requested.

BITS_16 16 bits.

BITS_32 32 bits.

BITS_64 64 bits.

BITS_128 128 bits.

Definition at line 28 of file Bounded_Integer_Type_Width.java.

9.1.2.4 enum parma_polyhedra_library::Complexity_Class

Possible Complexities.

Enumerator:

POLYNOMIAL_COMPLEXITY Worst-case polynomial complexity.

SIMPLEX_COMPLEXITY Worst-case exponential complexity but typically polynomial behavior.

ANY_COMPLEXITY Any complexity.

Definition at line 28 of file Complexity_Class.java.

9.1.2.5 enum parma_polyhedra_library::Control_Parameter_Name

Names of MIP problems' control parameters.

Enumerator:

PRICING The pricing rule.

Definition at line 28 of file Control_Parameter_Name.java.

9.1.2.6 enum parma_polyhedra_library::Control_Parameter_Value

Possible values for MIP problem's control parameters.

Enumerator:

PRICING_STEEPEST_EDGE_FLOAT Steepest edge pricing method, using floating points (default).

PRICING_STEEPEST_EDGE_EXACT Steepest edge pricing method, using Coefficient.

PRICING_TEXTBOOK Textbook pricing method.

Definition at line 28 of file Control_Parameter_Value.java.

9.1.2.7 enum parma_polyhedra_library::Degenerate_Element

Kinds of degenerate abstract elements.

Enumerator:

UNIVERSE The universe element, i.e., the whole vector space.

EMPTY The empty element, i.e., the empty set.

Definition at line 28 of file Degenerate_Element.java.

9.1.2.8 enum parma_polyhedra_library::Generator_Type

The generator type.

Enumerator:

LINE The generator is a line.
RAY The generator is a ray.
POINT The generator is a point.
CLOSURE_POINT The generator is a closure point.

Definition at line 28 of file Generator_Type.java.

9.1.2.9 enum parma_polyhedra_library::Grid_Generator_Type

The grid generator type.

Enumerator:

LINE The generator is a line.
PARAMETER The generator is a parameter.
POINT The generator is a point.

Definition at line 28 of file Grid_Generator_Type.java.

9.1.2.10 enum parma_polyhedra_library::MIP_Problem_Status

Possible outcomes of the MIP_Problem solver.

Enumerator:

UNFEASIBLE_MIP_PROBLEM The problem is unfeasible.
UNBOUNDED_MIP_PROBLEM The problem is unbounded.
OPTIMIZED_MIP_PROBLEM The problem has an optimal solution.

Definition at line 28 of file MIP_Problem_Status.java.

9.1.2.11 enum parma_polyhedra_library::Optimization_Mode

Possible optimization modes.

Enumerator:

MINIMIZATION Minimization is requested.
MAXIMIZATION Maximization is requested.

Definition at line 28 of file Optimization_Mode.java.

9.1.2.12 enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Name

Names of PIP problems' control parameters.

Enumerator:

CUTTING_STRATEGY The cutting strategy rule.

PIVOT_ROW_STRATEGY The pivot row strategy rule.

Definition at line 28 of file PIP_Problem_Control_Parameter_Name.java.

9.1.2.13 enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Value

Possible values for PIP problems' control parameters.

Enumerator:

CUTTING_STRATEGY_FIRST Choose the first non-integer row.

CUTTING_STRATEGY_DEEPEST Choose row which generates the deepest cut.

CUTTING_STRATEGY_ALL Always generate all possible cuts.

PIVOT_ROW_STRATEGY_FIRST Choose the first row with negative parameter sign.

PIVOT_ROW_STRATEGY_MAX_COLUMN Choose the row which generates the lexico-maximal pivot column.

Definition at line 28 of file PIP_Problem_Control_Parameter_Value.java.

9.1.2.14 enum parma_polyhedra_library::PIP_Problem_Status

Possible outcomes of the PIP_Problem solver.

Enumerator:

UNFEASIBLE_PIP_PROBLEM The problem is unsatisfiable.

OPTIMIZED_PIP_PROBLEM The problem has an optimal solution.

Definition at line 28 of file PIP_Problem_Status.java.

9.1.2.15 enum parma_polyhedra_library::Relation_Symbol

Relation symbols.

Enumerator:

LESS_THAN Less than.

LESS_OR_EQUAL Less than or equal to.

EQUAL Equal to.

GREATER_OR_EQUAL Greater than or equal to.

GREATER_THAN Greater than.

Definition at line 28 of file Relation_Symbol.java.

10 Namespace Documentation

10.1 Parma_Polyhedra_Library Namespace Reference

Namespaces

- namespace Interfaces

10.2 parma_polyhedra_library Namespace Reference

The PPL Java interface package.

Classes

- class Artificial_Parameter
- class Artificial_Parameter_Sequence

  A sequence of artificial parameters.

- class By_Reference< T >

  An utility class implementing mutable and non-mutable call-by-reference.

- class Coefficient

  A PPL coefficient.

- class Congruence

  A linear congruence.

- class Congruence_System

  A system of congruences.

- class Constraint

  A linear equality or inequality.

- class Constraint_System

  A system of constraints.

- class Domain_Error_Exception

  Exceptions caused by domain errors.

- class Generator

A line, ray, point or closure point.

- class Generator_System

  A system of generators.

- class Grid_Generator

  A grid line, parameter or grid point.

- class Grid_Generator_System

  A system of grid generators.

- class Invalid_Argument_Exception

  Exceptions caused by invalid arguments.

- class IO

  A class collecting I/O functions.

- class Length_Error_Exception

  Exceptions caused by too big length/size values.

- class Linear_Expression

  A linear expression.

- class Linear_Expression_Coefficient

  A linear expression built from a coefficient.

- class Linear_Expression_Difference

  The difference of two linear expressions.

- class Linear_Expression_Sum

  The sum of two linear expressions.

- class Linear_Expression_Times

  The product of a linear expression and a coefficient.

- class Linear_Expression_Unary_Minus

  The negation of a linear expression.

- class Linear_Expression_Variable

  A linear expression built from a variable.

- class Logic_Error_Exception

  Exceptions due to errors in low-level routines.

- class MIP_Problem

  A Mixed Integer (linear) Programming problem.

- class Overflow_Error_Exception

  Exceptions due to overflow errors.

- class Pair< K, V >

  A pair of values of type K and V.

- class Parma_Polyhedra_Library

  A class collecting library-level functions.

- class Partial_Function

  A partial function on space dimension indices.

- class PIP_Decision_Node

  An internal node of the PIP solution tree.

- class PIP_Problem

  A Parametric Integer Programming problem.

- class PIP_Solution_Node

  A leaf node of the PIP solution tree.

- class PIP_Tree_Node

  A node of the PIP solution tree.

- class Poly_Con_Relation

  The relation between a polyhedron and a constraint.

- class Poly_Gen_Relation

  The relation between a polyhedron and a generator.

- class PPL_Object

  Smart pointer to a PPL, C++ object.

- class Timeout_Exception

  Exceptions caused by timeout expiring.

- class Variable

  A dimension of the vector space.

- class Variables_Set

  A java.util.TreeSet of variables' indexes.

- class BD_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

- class BD_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

- class BD_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

- class BD_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

- class BD_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

- class BD_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

- class BD_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

- class BD_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

- class BD_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

- class C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

- class Constraints_Product_C_Polyhedron_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

- class Constraints_Product_Grid_C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

- class Constraints_Product_Grid_NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

- class Constraints_Product_NNC_Polyhedron_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

- class Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

- class Float_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

- class Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Grid.

- class Int16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

- class Int32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

- class Int64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

- class Int8_Box

Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

- class Long_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

- class NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

- class Octagonal_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

- class Octagonal_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

- class Octagonal_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

- class Octagonal_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

- class Octagonal_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

- class Octagonal_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

- class Octagonal_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

- class Octagonal_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

- class Octagonal_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

- class Pointset_Powerset_BD_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

- class Pointset_Powerset_BD_Shape_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

- class Pointset_Powerset_BD_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

- class Pointset_Powerset_BD_Shape_float_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

- class Pointset_Powerset_BD_Shape_int16_t

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

- class Pointset_Powerset_BD_Shape_int16_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

- class Pointset_Powerset_BD_Shape_int32_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

- class Pointset_Powerset_BD_Shape_int64_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

- class Pointset_Powerset_BD_Shape_int8_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

- class Pointset_Powerset_BD_Shape_long_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

- class Pointset_Powerset_BD_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

- class Pointset_Powerset_BD_Shape_mpq_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

- class Pointset_Powerset_BD_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

- class Pointset_Powerset_BD_Shape_mpz_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

- class Pointset_Powerset_C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

- class Pointset_Powerset_C_Polyhedron_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

- class Pointset_Powerset_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

- class Pointset_Powerset_Double_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

- class Pointset_Powerset_Float_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

- class Pointset_Powerset_Float_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

- class Pointset_Powerset_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

- class Pointset_Powerset_Grid_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

- class Pointset_Powerset_Int16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

- class Pointset_Powerset_Int16_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

- class Pointset_Powerset_Int32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

- class Pointset_Powerset_Int32_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

- class Pointset_Powerset_Int64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

- class Pointset_Powerset_Int64_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

- class Pointset_Powerset_Int8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

- class Pointset_Powerset_Int8_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

- class Pointset_Powerset_Long_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

- class Pointset_Powerset_Long_Double_Box_Iterator

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

- class Pointset_Powerset_NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

- class Pointset_Powerset_NNC_Polyhedron_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

- class Pointset_Powerset_Octagonal_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

- class Pointset_Powerset_Octagonal_Shape_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

- class Pointset_Powerset_Octagonal_Shape_float_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

- class Pointset_Powerset_Octagonal_Shape_int16_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

- class Pointset_Powerset_Octagonal_Shape_int32_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

- class Pointset_Powerset_Octagonal_Shape_int64_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

- class Pointset_Powerset_Octagonal_Shape_int8_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

- class Pointset_Powerset_Octagonal_Shape_long_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >

- class Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

- class Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator.

- class Pointset_Powerset_Rational_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

- class Pointset_Powerset_Rational_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

- class Pointset_Powerset_Uint16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

- class Pointset_Powerset_Uint16_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

- class Pointset_Powerset_Uint32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

- class Pointset_Powerset_Uint32_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

- class Pointset_Powerset_Uint64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

- class Pointset_Powerset_Uint64_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

- class Pointset_Powerset_Uint8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

- class Pointset_Powerset_Uint8_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

- class Pointset_Powerset_Z_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

- class Pointset_Powerset_Z_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

- class Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

- class Rational_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

- class Termination
- class Uint16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

- class Uint32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

- class Uint64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

- class Uint8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

- class Z_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

Enumerations

- enum Bounded_Integer_Type_Overflow { OVERFLOW_WRAPS, OVERFLOW_UNDEFINED, OVERFLOW_IMPOSSIBLE }

  Overflow behavior of bounded integer types.

- enum Bounded_Integer_Type_Representation { UNSIGNED, SIGNED_2_COMPLEMENT }

  Representation of bounded integer types.

- enum Bounded_Integer_Type_Width {
  BITS_8, BITS_16, BITS_32, BITS_64,
  BITS_128 }

  Widths of bounded integer types.

- enum Complexity_Class { POLYNOMIAL_COMPLEXITY, SIMPLEX_COMPLEXITY, ANY_-COMPLEXITY }

  Possible Complexities.

- enum Control_Parameter_Name { PRICING }

  Names of MIP problems' control parameters.

- enum Control_Parameter_Value { PRICING_STEEPEST_EDGE_FLOAT, PRICING_-STEEPEST_EDGE_EXACT, PRICING_TEXTBOOK }

  Possible values for MIP problem's control parameters.

- enum Degenerate_Element { UNIVERSE, EMPTY }

  Kinds of degenerate abstract elements.

- enum Generator_Type { LINE, RAY, POINT, CLOSURE_POINT }

  The generator type.

- enum Grid_Generator_Type { LINE, PARAMETER, POINT }

  The grid generator type.

- enum MIP_Problem_Status { UNFEASIBLE_MIP_PROBLEM, UNBOUNDED_MIP_PROBLEM, OPTIMIZED_MIP_PROBLEM }

  Possible outcomes of the MIP_Problem solver.

- enum Optimization_Mode { MINIMIZATION, MAXIMIZATION }

  Possible optimization modes.

- enum PIP_Problem_Control_Parameter_Name { CUTTING_STRATEGY, PIVOT_ROW_-STRATEGY }

  Names of PIP problems' control parameters.

- enum PIP_Problem_Control_Parameter_Value {

  CUTTING_STRATEGY_FIRST, CUTTING_STRATEGY_DEEPEST, CUTTING_STRATEGY_-ALL, PIVOT_ROW_STRATEGY_FIRST,

  PIVOT_ROW_STRATEGY_MAX_COLUMN }

  Possible values for PIP problems' control parameters.

- enum PIP_Problem_Status { UNFEASIBLE_PIP_PROBLEM, OPTIMIZED_PIP_PROBLEM }

  Possible outcomes of the PIP_Problem solver.

- enum Relation_Symbol {

  LESS_THAN, LESS_OR_EQUAL, EQUAL, GREATER_OR_EQUAL,

  GREATER_THAN }

  Relation symbols.

10.2.1 Detailed Description

The PPL Java interface package. All classes, interfaces and enums related to the Parma Polyhedra Library Java interface are included in this package.

10.3 Parma_Polyhedra_Library::Interfaces Namespace Reference

Namespaces

- namespace Java

10.4 Parma_Polyhedra_Library::Interfaces::Java Namespace Reference

Classes

- struct Java_ExceptionOccurred
- class timeout_exception
- class deterministic_timeout_exception
- class Java_Class_Cache

  A cache for global references to Java classes.

- struct Java_FMID_Cache

  A cache for field and method IDs of Java classes.

Functions

- void handle_exception (JNIEnv *env, const std::overflow_error &e)
- void handle_exception (JNIEnv *env, const std::invalid_argument &e)
- void handle_exception (JNIEnv *env, const std::logic_error &e)
- void handle_exception (JNIEnv *env, const std::length_error &e)
- void handle_exception (JNIEnv *env, const std::domain_error &e)
- void handle_exception (JNIEnv *env, const std::bad_alloc &)
- void handle_exception (JNIEnv *env, const std::exception &e)
- void handle_exception (JNIEnv *env, const timeout_exception &)
- void handle_exception (JNIEnv *env, const deterministic_timeout_exception &)
- void handle_exception (JNIEnv *env)
- void reset_timeout ()
- void reset_deterministic_timeout ()
- jobject build_java_poly_gen_relation (JNIEnv *env, Poly_Gen_Relation &r)

  Builds a Java parma_polyhedra_library::Poly_Gen_Relation from C++ Poly_Gen_Relation `r`.

- jobject build_java_poly_con_relation (JNIEnv *env, Poly_Con_Relation &r)

  Builds a Java parma_polyhedra_library::Poly_Con_Relation from C++ Poly_Con_Relation `r`.

- Congruence build_cxx_congruence (JNIEnv *env, jobject j_cg)

  Builds a C++ Congruence from Java parma_polyhedra_library::Congruence `j_cg`.

- PIP_Tree_Node::Artificial_Parameter build_cxx_artificial_parameter (JNIEnv *env, jobject j_ap)

Builds a C++ Artificial_Parameter from Java parma_polyhedra_library::Artificial_Parameter `j_artificial_parameter`.

- jobject bool_to_j_boolean_class (JNIEnv *env, const bool value)

  Builds a Java Boolean from C++ bool `value`.

- jobject j_long_to_j_long_class (JNIEnv *env, jlong value)

  Builds a Java Long from Java long `value`.

- jlong j_long_class_to_j_long (JNIEnv *env, jobject j_long)

  Returns the Java long stored in Java Long `j_long`.

- jobject j_int_to_j_integer (JNIEnv *env, jint value)

  Builds a Java Integer from Java int `value`.

- jint j_integer_to_j_int (JNIEnv *env, jobject j_integer)

  Returns the Java int stored in Java Integer `j_integer`.

- Variables_Set build_cxx_variables_set (JNIEnv *env, jobject v_set)

  Builds a C++ Variables_Set from Java parma_polyhedra_library::Variables_Set `v_set`.

- jobject build_java_variables_set (JNIEnv *env, const Variables_Set &v_set)

  Builds a Java parma_polyhedra_library::Variables_Set from C++ Variables_Set `v_set`.

- Bounded_Integer_Type_Overflow build_cxx_bounded_overflow (JNIEnv *env, jobject j_bounded_overflow)

  Builds a C++ Bounded_Integer_Type_Overflow from Java parma_polyhedra_library::Bounded_Integer_Type_Overflow `j_bounded_overflow`.

- Bounded_Integer_Type_Representation build_cxx_bounded_rep (JNIEnv *env, jobject j_bounded_rep)

  Builds a C++ Bounded_Integer_Type_Representation from Java parma_polyhedra_library::Bounded_Integer_Type_Representation `j_bounded_rep`.

- Bounded_Integer_Type_Width build_cxx_bounded_width (JNIEnv *env, jobject j_bounded_width)

  Builds a C++ Bounded_Integer_Type_Width from Java parma_polyhedra_library::Bounded_Integer_Type_Width `j_bounded_width`.

- Relation_Symbol build_cxx_relsym (JNIEnv *env, jobject j_relsym)

  Builds a C++ Relation_Symbol from Java parma_polyhedra_library::Relation_Symbol `j_relsym`.

- Optimization_Mode build_cxx_optimization_mode (JNIEnv *env, jobject j_opt_mode)

  Builds a C++ Optimization_Mode from Java parma_polyhedra_library::Optimization_Mode `j_opt_mode`.

- jobject build_java_mip_status (JNIEnv *env, const MIP_Problem_Status &mip_status)

  Builds a Java parma_polyhedra_library::MIP_Problem_Status from C++ MIP_Problem_Status `mip_status`.

- jobject build_java_pip_status (JNIEnv *env, const PIP_Problem_Status &pip_status)

Builds a Java parma_polyhedra_library::PIP_Problem_Status from C++ PIP_Problem_Status `pip_status`.

- jobject build_java_optimization_mode (JNIEnv *env, const Optimization_Mode &opt_mode)

  Builds a Java parma_polyhedra_library::Optimization_Mode from C++ Optimization_Mode `opt_mode`.

- MIP_Problem::Control_Parameter_Name build_cxx_control_parameter_name (JNIEnv *env, jobject j_cp_name)

  Builds a C++ MIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::Control_Parameter_Name `j_cp_name`.

- jobject build_java_control_parameter_name (JNIEnv *env, const MIP_Problem::Control_Parameter_Name &cp_name)

  Builds a Java parma_polyhedra_library::Control_Parameter_Name from C++ MIP_Problem::Control_Parameter_Name `cp_name`.

- MIP_Problem::Control_Parameter_Value build_cxx_control_parameter_value (JNIEnv *env, jobject j_cp_value)

  Builds a C++ MIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::Control_Parameter_Value `j_cp_value`.

- jobject build_java_control_parameter_value (JNIEnv *env, const MIP_Problem::Control_Parameter_Value &cp_value)

  Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ MIP_Problem::Control_Parameter_Value `cp_value`.

- PIP_Problem::Control_Parameter_Name build_cxx_pip_problem_control_parameter_name (JNIEnv *env, jobject j_cp_name)

  Builds a C++ PIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Name `j_cp_name`.

- jobject build_pip_problem_java_control_parameter_name (JNIEnv *env, const PIP_Problem::Control_Parameter_Name &cp_name)
- PIP_Problem::Control_Parameter_Value build_cxx_pip_problem_control_parameter_value (JNIEnv *env, jobject j_cp_value)

  Builds a C++ PIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Value `j_cp_value`.

- jobject build_java_pip_problem_control_parameter_value (JNIEnv *env, const PIP_Problem::Control_Parameter_Value &cp_value)

  Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ PIP_Problem::Control_Parameter_Value `cp_value`.

- Constraint build_cxx_constraint (JNIEnv *env, jobject j_constraint)

  Builds a C++ Constraint from Java parma_polyhedra_library::Constraint `j_constraint`.

- Linear_Expression build_cxx_linear_expression (JNIEnv *env, jobject j_le)

  Builds a C++ Linear_Expression from Java parma_polyhedra_library::Linear_Expression `j_le`.

- Generator build_cxx_generator (JNIEnv *env, jobject j_g)

  Builds a C++ Generator from Java parma_polyhedra_library::Generator `j_g`.

- Grid_Generator build_cxx_grid_generator (JNIEnv *env, jobject j_g)

  Builds a C++ Grid_Generator from Java parma_polyhedra_library::Grid_Generator `j_g`.

- jobject build_java_linear_expression_coefficient (JNIEnv *env, const Coefficient &coeff)

  Builds a Java parma_polyhedra_library::Linear_Expression_Coefficient from C++ Coefficient `coeff`.

- void set_generator (JNIEnv *env, jobject dst, jobject src)

  Sets Java parma_polyhedra_library::Generator `dst` *to have the same value as* `src`.

- void set_pair_element (JNIEnv *env, jobject dst_pair, int arg, jobject src)

  Assigns `src` *to one of the fields of parma_polyhedra_library::Pair object* `dst_pair`.

- jobject get_pair_element (JNIEnv *env, int arg, jobject pair)

  Returns one of the fields of the parma_polyhedra_library::Pair object `pair`.

- jobject build_java_constraint (JNIEnv *env, const Constraint &c)

  Builds a Java parma_polyhedra_library::Constraint from C++ Constraint `c`.

- jobject build_java_congruence (JNIEnv *env, const Congruence &cg)

  Builds a Java parma_polyhedra_library::Congruence from C++ Congruence `cg`.

- jobject build_java_generator (JNIEnv *env, const Generator &g)

  Builds a Java parma_polyhedra_library::Generator from C++ Generator `g`.

- jobject build_java_grid_generator (JNIEnv *env, const Grid_Generator &g)

  Builds a Java parma_polyhedra_library::Grid_Generator from C++ Grid_Generator `g`.

- jobject build_java_constraint_system (JNIEnv *env, const Constraint_System &cs)

  Builds a Java parma_polyhedra_library::Constraint_System from C++ Constraint_System `cs`.

- jobject build_java_generator_system (JNIEnv *env, const Generator_System &gs)

  Builds a Java parma_polyhedra_library::Generator_System from C++ Generator_System `gs`.

- jobject build_java_grid_generator_system (JNIEnv *env, const Grid_Generator_System &gs)

  Builds a Java parma_polyhedra_library::Grid_Generator_System from C++ Grid_Generator_System `gs`.

- jobject build_java_congruence_system (JNIEnv *env, const Congruence_System &cgs)

  Builds a Java parma_polyhedra_library::Congruence_System from C++ Congruence_System `cgs`.

- jobject build_java_artificial_parameter (JNIEnv *env, const PIP_Tree_Node::Artificial_Parameter &ap)

  Builds a Java parma_polyhedra_library::Artificial_Parameter from C++ Artificial_Parameter `ap`.

- template<typename U , typename V >
  U jtype_to_unsigned (const V &value)

  Builds an unsigned C++ number from the Java native number `value`.

- bool is_java_marked (JNIEnv *env, jobject ppl_object)

  Returns `true` *if and only if the Java object* `ppl_object` *refers to a C++ object.*

- jobject build_java_pip_problem_control_parameter_name (JNIEnv *env, const PIP_Problem::Control_Parameter_Name &cp_name)

  Builds a Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Name from C++ PIP_Problem::Control_Parameter_Name `cp_name`.

- Variable build_cxx_variable (JNIEnv *env, jobject j_var)

  Builds a C++ Variable from Java parma_polyhedra_library::Variable `j_var`.

- jobject build_java_variable (JNIEnv *env, const Variable &var)

  Builds a Java parma_polyhedra_library::Variable from C++ Variable `var`.

- Coefficient build_cxx_coeff (JNIEnv *env, jobject j_coeff)

  Builds a C++ Coefficient from Java parma_polyhedra_library::Coefficient `j_coeff`.

- jobject build_java_coeff (JNIEnv *env, const Coefficient &ppl_coeff)

  Builds a Java parma_polyhedra_library::Coefficient from C++ Coefficient `ppl_coeff`.

- Grid_Generator_System build_cxx_grid_generator_system (JNIEnv *env, jobject j_gs)

  Builds a C++ Grid_Generator_System from Java parma_polyhedra_library::Grid_Generator_System `j_gs`.

- Constraint_System build_cxx_constraint_system (JNIEnv *env, jobject j_cs)

  Builds a C++ Constraint_System from Java parma_polyhedra_library::Constraint_System `j_cs`.

- PIP_Tree_Node::Artificial_Parameter_Sequence build_cxx_artificial_parameter_sequence (JNIEnv *env, jobject j_aps)

  Builds a C++ Artificial_Parameter_Sequence from Java parma_polyhedra_library::Artificial_Parameter_Sequence `j_aps`.

- Generator_System build_cxx_generator_system (JNIEnv *env, jobject j_gs)

  Builds a C++ Generator_System from Java parma_polyhedra_library::Generator_System `j_gs`.

- Congruence_System build_cxx_congruence_system (JNIEnv *env, jobject j_cgs)

  Builds a C++ Congruence_System from Java parma_polyhedra_library::Congruence_System `j_cgs`.

- jobject build_java_artificial_parameter_sequence (JNIEnv *env, const PIP_Tree_Node::Artificial_Parameter_Sequence &aps)

  Builds a Java parma_polyhedra_library::Artificial_Parameter_Sequence from C++ Artificial_Parameter_Sequence `aps`.

- void set_coefficient (JNIEnv *env, jobject dst, jobject src)

  Sets Java Coefficient `dst` *to have the same value as* `src`.

- void set_by_reference (JNIEnv *env, jobject by_ref_dst, jobject src)

  Modifies parma_polyhedra_library::By_Reference object `by_ref_dst` *so that it references object* `src`.

- jobject get_by_reference (JNIEnv *env, jobject by_reference)

  Returns the object referenced by parma_polyhedra_library::By_Reference object `by_reference`.

- void * get_ptr (JNIEnv *env, jobject ppl_object)

  Returns a pointer to the C++ object wrapped by `ppl_object`.

- template<typename T >
  void set_ptr (JNIEnv *env, jobject ppl_object, const T *address, bool to_be_marked=false)

  Sets the pointer of the underlying C++ object in the Java object.

- template<typename R >
  jobject build_linear_expression (JNIEnv *env, const R &r)

  Builds a Java parma_polyhedra_library::Linear_Expression from the C++ constraint/congruence `r`.

- template<typename System , typename Elem_Builder >
  System build_cxx_system (JNIEnv *env, jobject j_iterable, Elem_Builder build_cxx_elem)

Variables

- Java_Class_Cache cached_classes

  The cached class references.

- Java_FMID_Cache cached_FMIDs

  The field and method ID cache.

10.4.1 Function Documentation

10.4.1.1 jobject Parma_Polyhedra_Library::Interfaces::Java::bool_to_j_boolean_class (JNIEnv * *env*, const bool *value*)

Builds a Java Boolean from C++ bool `value`.

10.4.1.2 PIP_Tree_Node::Artificial_Parameter Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter (JNIEnv * *env*, jobject *j_artificial_parameter*)

Builds a C++ Artificial_Parameter from Java parma_polyhedra_library::Artificial_Parameter `j_artificial_parameter`.

Builds a C++ Artificial_Parameter from Java parma_polyhedra_library::Artificial_Parameter `j_art_param`.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_ascii_1dump(), and Java_parma_1polyhedra_1library_Artificial_1Parameter_toString().

10.4.1.3 PIP_Tree_Node::Artificial_Parameter_Sequence Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter_sequence (JNIEnv * *env*, jobject *j_aps*)

Builds a C++ Artificial_Parameter_Sequence from Java parma_polyhedra_library::Artificial_Parameter_Sequence `j_aps`.

10.4.1.4 Bounded_Integer_Type_Overflow Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_overflow (JNIEnv * *env*, jobject *j_bounded_overflow*)

Builds a C++ Bounded_Integer_Type_Overflow from Java parma_polyhedra_library::Bounded_Integer_Type_Overflow `j_bounded_overflow`.

10.4.1.5 Bounded_Integer_Type_Representation Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_rep (JNIEnv * *env*, jobject *j_bounded_rep*)

Builds a C++ Bounded_Integer_Type_Representation from Java parma_polyhedra_library::Bounded_Integer_Type_Representation `j_bounded_rep`.

10.4.1.6 Bounded_Integer_Type_Width Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_width (JNIEnv * *env*, jobject *j_bounded_width*)

Builds a C++ Bounded_Integer_Type_Width from Java parma_polyhedra_library::Bounded_Integer_Type_Width `j_bounded_width`.

10.4.1.7 Coefficient Parma_Polyhedra_Library::Interfaces::Java::build_cxx_coeff (JNIEnv * *env*, jobject *j_coeff*) [inline]

Builds a C++ Coefficient from Java parma_polyhedra_library::Coefficient `j_coeff`.

Definition at line 163 of file ppl_java_common.inlines.hh.

References cached_FMIDs, CHECK_EXCEPTION_THROW, CHECK_RESULT_THROW, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Coefficient_toString_ID.

10.4.1.8 Congruence Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence (JNIEnv * *env*, jobject *j_congruence*)

Builds a C++ Congruence from Java parma_polyhedra_library::Congruence `j_cg`.

Referenced by build_cxx_congruence_system(), Java_parma_1polyhedra_1library_Congruence_ascii_1dump(), and Java_parma_1polyhedra_1library_Congruence_toString().

10.4.1.9 Congruence_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence_system (JNIEnv * *env*, jobject *j_cgs*) [inline]

Builds a C++ Congruence_System from Java parma_polyhedra_library::Congruence_System `j_cgs`.

Definition at line 216 of file ppl_java_common.inlines.hh.

References build_cxx_congruence().

Referenced by Java_parma_1polyhedra_1library_Congruence_1System_ascii_1dump(), and Java_parma_1polyhedra_1library_Congruence_1System_toString().

10.4.1.10 Constraint Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint (JNIEnv * *env*, jobject *j_constraint*)

Builds a C++ Constraint from Java parma_polyhedra_library::Constraint `j_constraint`.

Referenced by build_cxx_constraint_system(), Java_parma_1polyhedra_1library_Constraint_ascii_1dump(), Java_parma_1polyhedra_1library_Constraint_toString(), Java_parma_1polyhedra_1library_MIP_1Problem_add_1constraint(), and Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraint().

10.4.1.11 Constraint_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system (JNIEnv * *env*, jobject *j_cs*) `[inline]`

Builds a C++ Constraint_System from Java parma_polyhedra_library::Constraint_System `j_cs`.

Definition at line 222 of file ppl_java_common.inlines.hh.

References build_cxx_constraint().

Referenced by Java_parma_1polyhedra_1library_Constraint_1System_ascii_1dump(), Java_parma_1polyhedra_1library_Constraint_1System_toString(), Java_parma_1polyhedra_1library_MIP_1Problem_add_1constraints(), Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Linear_1Expression_2Lparma_1polyhedra_1library_Optimization_1Mode_2(), Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraints(), and Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Variables_1Set_2().

10.4.1.12 MIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_name (JNIEnv * *env*, jobject *j_cp_name*)

Builds a C++ MIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::Control_Parameter_Name `j_cp_name`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_get_1control_1parameter().

10.4.1.13 MIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_value (JNIEnv * *env*, jobject *j_cp_value*)

Builds a C++ MIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::Control_Parameter_Value `j_cp_value`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_set_1control_1parameter().

10.4.1.14 Generator Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator (JNIEnv * *env*, jobject *j_generator*)

Builds a C++ Generator from Java parma_polyhedra_library::Generator `j_g`.

Referenced by build_cxx_generator_system(), Java_parma_1polyhedra_1library_Generator_ascii_-1dump(), Java_parma_1polyhedra_1library_Generator_toString(), and Java_parma_1polyhedra_-1library_MIP_1Problem_evaluate_1objective_1function().

10.4.1.15 Generator_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-generator_system (JNIEnv * *env*, jobject *j_gs*) `[inline]`

Builds a C++ Generator_System from Java parma_polyhedra_library::Generator_System `j_gs`.

Definition at line 228 of file ppl_java_common.inlines.hh.

References build_cxx_generator().

Referenced by Java_parma_1polyhedra_1library_Generator_1System_ascii_1dump(), and Java_parma_-1polyhedra_1library_Generator_1System_toString().

10.4.1.16 Grid_Generator Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_-generator (JNIEnv * *env*, jobject *j_grid_generator*)

Builds a C++ Grid_Generator from Java parma_polyhedra_library::Grid_Generator `j_g`.

Referenced by build_cxx_grid_generator_system(), Java_parma_1polyhedra_1library_Grid_1Generator_-ascii_1dump(), and Java_parma_1polyhedra_1library_Grid_1Generator_toString().

10.4.1.17 Grid_Generator_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-grid_generator_system (JNIEnv * *env*, jobject *j_gs*) `[inline]`

Builds a C++ Grid_Generator_System from Java parma_polyhedra_library::Grid_Generator_System `j_-gs`.

Definition at line 234 of file ppl_java_common.inlines.hh.

References build_cxx_grid_generator().

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_1System_ascii_1dump(), and Java_-parma_1polyhedra_1library_Grid_1Generator_1System_toString().

10.4.1.18 Linear_Expression Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_-expression (JNIEnv * *env*, jobject *j_le*)

Builds a C++ Linear_Expression from Java parma_polyhedra_library::Linear_Expression `j_le`.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_all_1homogeneous_1terms_1are_1zero(), Java_parma_1polyhedra_1library_Linear_1Expression_ascii_1dump(), Java_parma_1polyhedra_1library_Linear_1Expression_is_1zero(), Java_parma_1polyhedra_1library_Linear_1Expression_toString(), Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Linear_1Expression_2Lparma_1polyhedra_1library_Optimization_1Mode_2(), and Java_parma_1polyhedra_1library_MIP_1Problem_set_1objective_1function().

10.4.1.19 Optimization_Mode Parma_Polyhedra_Library::Interfaces::Java::build_cxx_optimization_mode (JNIEnv * *env*, jobject *j_opt_mode*)

Builds a C++ Optimization_Mode from Java parma_polyhedra_library::Optimization_Mode `j_opt_mode`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Linear_1Expression_2Lparma_1polyhedra_1library_Optimization_1Mode_2(), and Java_parma_1polyhedra_1library_MIP_1Problem_set_1optimization_1mode().

10.4.1.20 PIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::Java::build_cxx_pip_problem_control_parameter_name (JNIEnv * *env*, jobject *j_cp_name*)

Builds a C++ PIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Name `j_cp_name`.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_get_1pip_1problem_1control_1parameter().

10.4.1.21 PIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::Java::build_cxx_pip_problem_control_parameter_value (JNIEnv * *env*, jobject *j_cp_value*)

Builds a C++ PIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Value `j_cp_value`.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_set_1pip_1problem_1control_1parameter().

10.4.1.22 Relation_Symbol Parma_Polyhedra_Library::Interfaces::Java::build_cxx_relsym (JNIEnv * *env*, jobject *j_relsym*)

Builds a C++ Relation_Symbol from Java parma_polyhedra_library::Relation_Symbol `j_relsym`.

10.4.1.23 template<typename System , typename Elem_Builder > System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_system (JNIEnv * *env*, jobject *j_iterable*, Elem_Builder *build_cxx_elem*) [inline]

Definition at line 192 of file ppl_java_common.inlines.hh.

References cached_FMIDs, CHECK_EXCEPTION_ASSERT, CHECK_EXCEPTION_THROW, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::System_Iterator_has_next_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::System_iterator_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::System_Iterator_next_ID.

10.4.1.24 Variable Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variable (JNIEnv * *env*, jobject *j_var*) [inline]

Builds a C++ Variable from Java parma_polyhedra_library::Variable `j_var`.

Definition at line 149 of file ppl_java_common.inlines.hh.

References cached_FMIDs, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Variable_varid_ID.

Referenced by Java_parma_1polyhedra_1library_PIP_1Solution_1Node_parametric_1values().

10.4.1.25 Variables_Set Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variables_set (JNIEnv * *env*, jobject *j_v_set*)

Builds a C++ Variables_Set from Java parma_polyhedra_library::Variables_Set `v_set`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_add_1to_1integer_1space_1dimensions(), Java_parma_1polyhedra_1library_PIP_1Problem_add_1to_1parameter_1space_1dimensions(), and Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Variables_1Set_2().

10.4.1.26 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_artificial_parameter (JNIEnv * *env*, const PIP_Tree_Node::Artificial_Parameter & *art*)

Builds a Java parma_polyhedra_library::Artificial_Parameter from C++ Artificial_Parameter `ap`.

Referenced by Java_parma_1polyhedra_1library_PIP_1Tree_1Node_artificials().

10.4.1.27 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_artificial_parameter_sequence (JNIEnv * *env*, const PIP_Tree_Node::Artificial_Parameter_Sequence & *aps*)

Builds a Java parma_polyhedra_library::Artificial_Parameter_Sequence from C++ Artificial_Parameter_Sequence `aps`.

10.4.1.28 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff (JNIEnv * *env*, const Coefficient & *ppl_coeff*) [inline]

Builds a Java parma_polyhedra_library::Coefficient from C++ Coefficient `ppl_coeff`.

Definition at line 177 of file ppl_java_common.inlines.hh.

References cached_classes, cached_FMIDs, CHECK_RESULT_THROW, Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Coefficient, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Coefficient_init_from_String_ID.

Referenced by build_linear_expression(), Java_parma_1polyhedra_1library_MIP_1Problem_evaluate_1objective_1function(), Java_parma_1polyhedra_1library_MIP_1Problem_objective_1function(), and Java_parma_1polyhedra_1library_MIP_1Problem_optimal_1value().

10.4.1.29 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_congruence (JNIEnv * *env*, const Congruence & *cg*)

Builds a Java parma_polyhedra_library::Congruence from C++ Congruence `cg`.

10.4.1.30 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_congruence_system (JNIEnv * *env*, const Congruence_System & *cgs*)

Builds a Java parma_polyhedra_library::Congruence_System from C++ Congruence_System `cgs`.

10.4.1.31 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint (JNIEnv * *env*, const Constraint & *c*)

Builds a Java parma_polyhedra_library::Constraint from C++ Constraint `c`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_constraint_1at_1index(), and Java_parma_1polyhedra_1library_PIP_1Problem_constraints().

10.4.1.32 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint_system (JNIEnv * *env*, const Constraint_System & *cs*)

Builds a Java parma_polyhedra_library::Constraint_System from C++ Constraint_System `cs`.

Referenced by Java_parma_1polyhedra_1library_PIP_1Tree_1Node_constraints().

10.4.1.33 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_control_parameter_name (JNIEnv * *env*, const MIP_Problem::Control_Parameter_Name & *cp_name*)

Builds a Java parma_polyhedra_library::Control_Parameter_Name from C++ MIP_Problem::Control_Parameter_Name `cp_name`.

10.4.1.34 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_control_parameter_value (JNIEnv * *env*, const MIP_Problem::Control_Parameter_Value & *cp_value*)

Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ MIP_Problem::Control_Parameter_Value `cp_value`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_get_1control_1parameter().

10.4.1.35 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_generator (JNIEnv * *env*, const Generator & *g*)

Builds a Java parma_polyhedra_library::Generator from C++ Generator `g`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_feasible_1point(), and Java_parma_1polyhedra_1library_MIP_1Problem_optimizing_1point().

10.4.1.36 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_generator_system (JNIEnv * *env*, const Generator_System & *gs*)

Builds a Java parma_polyhedra_library::Generator_System from C++ Generator_System `gs`.

10.4.1.37 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_grid_generator (JNIEnv * *env*, const Grid_Generator & *g*)

Builds a Java parma_polyhedra_library::Grid_Generator from C++ Grid_Generator `g`.

10.4.1.38 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_grid_generator_system (JNIEnv * *env*, const Grid_Generator_System & *gs*)

Builds a Java parma_polyhedra_library::Grid_Generator_System from C++ Grid_Generator_System `gs`.

10.4.1.39 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_linear_expression_coefficient (JNIEnv * *env*, const Coefficient & *c*)

Builds a Java parma_polyhedra_library::Linear_Expression_Coefficient from C++ Coefficient `coeff`.

10.4.1.40 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_mip_status (JNIEnv * *env*, const MIP_Problem_Status & *mip_status*)

Builds a Java parma_polyhedra_library::MIP_Problem_Status from C++ MIP_Problem_Status `mip_status`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_solve().

10.4.1.41 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_optimization_mode (JNIEnv * *env*, const Optimization_Mode & *opt_mode*)

Builds a Java parma_polyhedra_library::Optimization_Mode from C++ Optimization_Mode `opt_mode`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_optimization_1mode().

10.4.1.42 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_problem_control_parameter_name (JNIEnv * *env*, const PIP_Problem::Control_Parameter_Name & *cp_name*)

Builds a Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Name from C++ PIP_Problem::Control_Parameter_Name `cp_name`.

10.4.1.43 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_problem_control_parameter_value (JNIEnv * *env*, const PIP_Problem::Control_Parameter_Value & *cp_value*)

Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ PIP_Problem::Control_Parameter_Value `cp_value`.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_get_1pip_1problem_1control_1parameter().

10.4.1.44 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_status (JNIEnv * *env*, const PIP_Problem_Status & *pip_status*)

Builds a Java parma_polyhedra_library::PIP_Problem_Status from C++ PIP_Problem_Status `pip_status`.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_solve().

10.4.1.45 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_poly_con_relation (JNIEnv * *env*, Poly_Con_Relation & *r*)

Builds a Java parma_polyhedra_library::Poly_Con_Relation from C++ Poly_Con_Relation `r`.

10.4.1.46 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_poly_gen_relation (JNIEnv * *env*, Poly_Gen_Relation & *r*)

Builds a Java parma_polyhedra_library::Poly_Gen_Relation from C++ Poly_Gen_Relation `r`.

10.4.1.47 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_variable (JNIEnv * *env*, const Variable & *var*) [inline]

Builds a Java parma_polyhedra_library::Variable from C++ Variable `var`.

Definition at line 154 of file ppl_java_common.inlines.hh.

References cached_classes, cached_FMIDs, CHECK_RESULT_THROW, Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Variable, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Variable_init_ID.

Referenced by build_linear_expression().

10.4.1.48 jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_variables_set (JNIEnv * *env*, const Variables_Set & *v_set*)

Builds a Java parma_polyhedra_library::Variables_Set from C++ Variables_Set `v_set`.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_integer_1space_1dimensions(), and Java_parma_1polyhedra_1library_PIP_1Problem_parameter_1space_1dimensions().

10.4.1.49 template<typename R > jobject Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression (JNIEnv * *env*, const R & *r*) [inline]

Builds a Java parma_polyhedra_library::Linear_Expression from the C++ constraint/congruence `r`.

Definition at line 98 of file ppl_java_common.inlines.hh.

References build_java_coeff(), build_java_variable(), cached_classes, cached_FMIDs, CHECK_EXCEPTION_THROW, CHECK_RESULT_THROW, Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression_Coefficient, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Coefficient_init_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_sum_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression_Times, and Parma_-

Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Times_init_from_coeff_-var_ID.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_objective_1function(), and Java_-parma_1polyhedra_1library_PIP_1Solution_1Node_parametric_1values().

10.4.1.50 jobject Parma_Polyhedra_Library::Interfaces::Java::build_pip_-problem_java_control_parameter_name (JNIEnv * *env*, const PIP_Problem::Control_Parameter_Name & *cp_name*)

Definition at line 743 of file ppl_java_common.cc.

10.4.1.51 jobject Parma_Polyhedra_Library::Interfaces::Java::get_by_reference (JNIEnv * *env*, jobject *by_reference*) [inline]

Returns the object referenced by parma_polyhedra_library::By_Reference object `by_reference`.

Definition at line 92 of file ppl_java_common.inlines.hh.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::By_Reference_obj_ID, and cached_FMIDs.

10.4.1.52 jobject Parma_Polyhedra_Library::Interfaces::Java::get_pair_element (JNIEnv * *env*, int *arg*, jobject *pair*)

Returns one of the fields of the parma_polyhedra_library::Pair object `pair`.

If `arg` is 0, the first element of `pair` is returned; if `arg` is 1, the second element of `pair` is returned.

Exceptions

std::runtime_error Thrown if `arg` is neither 0 nor 1.

10.4.1.53 void * Parma_Polyhedra_Library::Interfaces::Java::get_ptr (JNIEnv * *env*, jobject *ppl_object*) [inline]

Returns a pointer to the C++ object wrapped by `ppl_object`.

Definition at line 60 of file ppl_java_common.inlines.hh.

References cached_FMIDs, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PPL_-Object_ptr_ID.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_add_1constraint(), Java_parma_-1polyhedra_1library_MIP_1Problem_add_1constraints(), Java_parma_1polyhedra_1library_MIP_-1Problem_add_1space_1dimensions_1and_1embed(), Java_parma_1polyhedra_1library_MIP_-1Problem_add_1to_1integer_1space_1dimensions(), Java_parma_1polyhedra_1library_MIP_1Problem_-ascii_1dump(), Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_1object__Lparma_-1polyhedra_1library_MIP_1Problem_2(), Java_parma_1polyhedra_1library_MIP_1Problem_clear(),

Java_parma_1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_1polyhedra_1library_-MIP_1Problem_evaluate_1objective_1function(), Java_parma_1polyhedra_1library_MIP_1Problem_-feasible_1point(), Java_parma_1polyhedra_1library_MIP_1Problem_finalize(), Java_parma_-1polyhedra_1library_MIP_1Problem_free(), Java_parma_1polyhedra_1library_MIP_1Problem_-get_1control_1parameter(), Java_parma_1polyhedra_1library_MIP_1Problem_integer_1space_-1dimensions(), Java_parma_1polyhedra_1library_MIP_1Problem_is_1satisfiable(), Java_parma_-1polyhedra_1library_MIP_1Problem_max_1space_1dimension(), Java_parma_1polyhedra_1library_-MIP_1Problem_objective_1function(), Java_parma_1polyhedra_1library_MIP_1Problem_OK(), Java_parma_1polyhedra_1library_MIP_1Problem_optimal_1value(), Java_parma_1polyhedra_-1library_MIP_1Problem_optimization_1mode(), Java_parma_1polyhedra_1library_MIP_1Problem_-optimizing_1point(), Java_parma_1polyhedra_1library_MIP_1Problem_set_1control_1parameter(), Java_parma_1polyhedra_1library_MIP_1Problem_set_1objective_1function(), Java_parma_1polyhedra_-1library_MIP_1Problem_set_1optimization_1mode(), Java_parma_1polyhedra_1library_MIP_-1Problem_solve(), Java_parma_1polyhedra_1library_MIP_1Problem_space_1dimension(), Java_-parma_1polyhedra_1library_MIP_1Problem_toString(), Java_parma_1polyhedra_1library_MIP_-1Problem_total_1memory_1in_1bytes(), Java_parma_1polyhedra_1library_Partial_1Function_finalize(), Java_parma_1polyhedra_1library_Partial_1Function_free(), Java_parma_1polyhedra_1library_Partial_-1Function_has_1empty_1codomain(), Java_parma_1polyhedra_1library_Partial_1Function_insert(), Java_parma_1polyhedra_1library_Partial_1Function_maps(), Java_parma_1polyhedra_1library_Partial_-1Function_max_1in_1codomain(), Java_parma_1polyhedra_1library_PIP_1_problem_finalize(), Java_-parma_1polyhedra_1library_PIP_1Decision_1Node_child_1node(), Java_parma_1polyhedra_1library_-PIP_1Problem_add_1constraint(), Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_add_1space_1dimensions_1and_1embed(), Java_-parma_1polyhedra_1library_PIP_1Problem_add_1to_1parameter_1space_1dimensions(), Java_parma_-1polyhedra_1library_PIP_1Problem_ascii_1dump(), Java_parma_1polyhedra_1library_PIP_1Problem_-build_1cpp_1object__Lparma_1polyhedra_1library_PIP_1Problem_2(), Java_parma_1polyhedra_-1library_PIP_1Problem_constraint_1at_1index(), Java_parma_1polyhedra_1library_PIP_1Problem_-constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_external_1memory_1in_1bytes(), Java_-parma_1polyhedra_1library_PIP_1Problem_free(), Java_parma_1polyhedra_1library_PIP_1Problem_-get_1big_1parameter_1dimension(), Java_parma_1polyhedra_1library_PIP_1Problem_get_1pip_-1problem_1control_1parameter(), Java_parma_1polyhedra_1library_PIP_1Problem_is_1satisfiable(), Java_parma_1polyhedra_1library_PIP_1Problem_max_1space_1dimension(), Java_parma_1polyhedra_-1library_PIP_1Problem_number_1of_1constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_-number_1of_1parameter_1space_1dimensions(), Java_parma_1polyhedra_1library_PIP_1Problem_OK(), Java_parma_1polyhedra_1library_PIP_1Problem_optimizing_1solution(), Java_parma_1polyhedra_-1library_PIP_1Problem_parameter_1space_1dimensions(), Java_parma_1polyhedra_1library_PIP_-1Problem_set_1big_1parameter_1dimension(), Java_parma_1polyhedra_1library_PIP_1Problem_set_-1pip_1problem_1control_1parameter(), Java_parma_1polyhedra_1library_PIP_1Problem_solution(), Java_parma_1polyhedra_1library_PIP_1Problem_solve(), Java_parma_1polyhedra_1library_PIP_-1Problem_space_1dimension(), Java_parma_1polyhedra_1library_PIP_1Problem_toString(), Java_-parma_1polyhedra_1library_PIP_1Problem_total_1memory_1in_1bytes(), Java_parma_1polyhedra_-1library_PIP_1Solution_1Node_parametric_1values(), Java_parma_1polyhedra_1library_PIP_1Tree_-1Node_artificials(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1decision(), Java_parma_-1polyhedra_1library_PIP_1Tree_1Node_as_1solution(), Java_parma_1polyhedra_1library_PIP_1Tree_-1Node_constraints(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_finalize(), Java_parma_-1polyhedra_1library_PIP_1Tree_1Node_free(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_-number_1of_1artificials(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_OK(), and Java_parma_-1polyhedra_1library_PIP_1Tree_1Node_toString().

10.4.1.54 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*)

10.4.1.55 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const deterministic_timeout_exception &)

10.4.1.56 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const timeout_exception &)

10.4.1.57 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::exception & *e*)

10.4.1.58 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::bad_alloc &)

10.4.1.59 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::domain_error & *e*)

10.4.1.60 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::length_error & *e*)

10.4.1.61 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::logic_error & *e*)

10.4.1.62 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::invalid_argument & *e*)

10.4.1.63 void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv * *env*, const std::overflow_error & *e*)

10.4.1.64 bool Parma_Polyhedra_Library::Interfaces::Java::is_java_marked (JNIEnv * *env*, jobject *ppl_object*) [inline]

Returns `true` if and only if the Java object `ppl_object` refers to a C++ object.

Definition at line 69 of file ppl_java_common.inlines.hh.

References cached_FMIDs, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PPL_-Object_ptr_ID.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_finalize(), Java_parma_1polyhedra_-1library_MIP_1Problem_free(), Java_parma_1polyhedra_1library_Partial_1Function_finalize(), Java_parma_1polyhedra_1library_Partial_1Function_free(), Java_parma_1polyhedra_1library_PIP_-1_problem_finalize(), Java_parma_1polyhedra_1library_PIP_1Problem_free(), Java_parma_1polyhedra_-1library_PIP_1Tree_1Node_finalize(), and Java_parma_1polyhedra_1library_PIP_1Tree_1Node_free().

10.4.1.65 jobject Parma_Polyhedra_Library::Interfaces::Java::j_int_to_j_integer (JNIEnv * *env*, jint *jint_value*)

Builds a Java Integer from Java int `value`.

10.4.1.66 jint Parma_Polyhedra_Library::Interfaces::Java::j_integer_to_j_int (JNIEnv * *env*, jobject *j_integer*)

Returns the Java int stored in Java Integer `j_integer`.

10.4.1.67 jlong Parma_Polyhedra_Library::Interfaces::Java::j_long_class_to_j_long (JNIEnv * *env*, jobject *j_long*)

Returns the Java long stored in Java Long `j_long`.

10.4.1.68 jobject Parma_Polyhedra_Library::Interfaces::Java::j_long_to_j_long_class (JNIEnv * *env*, jlong *jlong_value*)

Builds a Java Long from Java long `value`.

10.4.1.69 template<typename U , typename V > U Parma_Polyhedra_-Library::Interfaces::Java::jtype_to_unsigned (const V & *value*) [inline]

Builds an unsigned C++ number from the Java native number `value`.

Parameters

value The Java native number of type V to be converted.

Exceptions

std::invalid_argument Thrown if `value` is negative.

Definition at line 37 of file ppl_java_common.inlines.hh.

10.4.1.70 void Parma_Polyhedra_Library::Interfaces::Java::reset_deterministic_timeout ()

Referenced by Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_reset_1deterministic_-1timeout(), and Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_1deterministic_-1timeout().

10.4.1.71 void Parma_Polyhedra_Library::Interfaces::Java::reset_timeout ()

Referenced by Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_reset_1timeout(), and Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_1timeout().

10.4.1.72 void Parma_Polyhedra_Library::Interfaces::Java::set_by_reference (JNIEnv * *env*, jobject *by_ref_dst*, jobject *src*) [inline]

Modifies parma_polyhedra_library::By_Reference object `by_ref_dst` so that it references object `src`.

Definition at line 85 of file ppl_java_common.inlines.hh.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::By_Reference_obj_ID, and cached_FMIDs.

10.4.1.73 void Parma_Polyhedra_Library::Interfaces::Java::set_coefficient (JNIEnv * *env*, jobject *dst*, jobject *src*) [inline]

Sets Java Coefficient `dst` to have the same value as `src`.

Definition at line 78 of file ppl_java_common.inlines.hh.

References cached_FMIDs, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Coefficient_value_ID.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_evaluate_1objective_1function(), and Java_parma_1polyhedra_1library_MIP_1Problem_optimal_1value().

10.4.1.74 void Parma_Polyhedra_Library::Interfaces::Java::set_generator (JNIEnv * *env*, jobject *dst*, jobject *src*)

Sets Java parma_polyhedra_library::Generator `dst` to have the same value as `src`.

10.4.1.75 void Parma_Polyhedra_Library::Interfaces::Java::set_pair_element (JNIEnv * *env*, jobject *dst_pair*, int *arg*, jobject *src*)

Assigns `src` to one of the fields of parma_polyhedra_library::Pair object `dst_pair`.

If `arg` is 0, the first element of `dst_pair` is overwritten; if `arg` is 1, the second element of `dst_pair` is overwritten.

Exceptions

std::runtime_error Thrown if `arg` is neither 0 nor 1.

10.4.1.76 template<typename T > void Parma_Polyhedra_Library::Interfaces::Java::set_ptr (JNIEnv * *env*, jobject *ppl_object*, const T * *address*, bool *to_be_marked* = `false`) `[inline]`

Sets the pointer of the underlying C++ object in the Java object.

Definition at line 51 of file ppl_java_common.inlines.hh.

References cached_FMIDs, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PPL_-Object_ptr_ID.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_1object__J(), Java_-parma_1polyhedra_1library_MIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_-Constraint_1System_2Lparma_1polyhedra_1library_Linear_1Expression_2Lparma_1polyhedra_-1library_Optimization_1Mode_2(), Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_-1object__Lparma_1polyhedra_1library_MIP_1Problem_2(), Java_parma_1polyhedra_1library_-MIP_1Problem_free(), Java_parma_1polyhedra_1library_Partial_1Function_build_1cpp_1object(), Java_parma_1polyhedra_1library_Partial_1Function_free(), Java_parma_1polyhedra_1library_PIP_-1Decision_1Node_child_1node(), Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_-1object__J(), Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__JLparma_-1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Variables_1Set_2(), Java_-parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__Lparma_1polyhedra_1library_PIP_-1Problem_2(), Java_parma_1polyhedra_1library_PIP_1Problem_free(), Java_parma_1polyhedra_-1library_PIP_1Problem_optimizing_1solution(), Java_parma_1polyhedra_1library_PIP_1Problem_-solution(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1decision(), Java_parma_-1polyhedra_1library_PIP_1Tree_1Node_as_1solution(), and Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_free().

10.4.2 Variable Documentation

10.4.2.1 Java_Class_Cache Parma_Polyhedra_Library::Interfaces::Java::cached_classes

The cached class references.

Definition at line 28 of file ppl_java_common.cc.

Referenced by build_java_coeff(), build_java_variable(), build_linear_expression(), Java_parma_-1polyhedra_1library_Coefficient_initIDs(), Java_parma_1polyhedra_1library_Constraint_1System_-initIDs(), Java_parma_1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_1polyhedra_-1library_MIP_1Problem_objective_1function(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_finalize_1library(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_initialize_-1library(), Java_parma_1polyhedra_1library_PIP_1Problem_constraints(), Java_parma_1polyhedra_-1library_PIP_1Tree_1Node_artificials(), and Java_parma_1polyhedra_1library_PIP_1Tree_1Node_-constraints().

10.4.2.2 Java_FMID_Cache Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs

The field and method ID cache.


Definition at line 29 of file ppl_java_common.cc.

Referenced by build_cxx_coeff(), build_cxx_system(), build_cxx_variable(), build_java_coeff(), build_java_variable(), build_linear_expression(), get_by_reference(), get_ptr(), is_java_marked(), Java_parma_1polyhedra_1library_Artificial_1Parameter_1Sequence_initIDs(), Java_parma_1polyhedra_-1library_Artificial_1Parameter_initIDs(), Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_-1Overflow_initIDs(), Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Representation_-initIDs(), Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs(), Java_parma_-1polyhedra_1library_By_1Reference_initIDs(), Java_parma_1polyhedra_1library_Coefficient_initIDs(), Java_parma_1polyhedra_1library_Complexity_1Class_initIDs(), Java_parma_1polyhedra_1library_-Congruence_1System_initIDs(), Java_parma_1polyhedra_1library_Congruence_initIDs(), Java_parma_-1polyhedra_1library_Constraint_1System_initIDs(), Java_parma_1polyhedra_1library_Constraint_-initIDs(), Java_parma_1polyhedra_1library_Degenerate_1Element_initIDs(), Java_parma_1polyhedra_-1library_Generator_1System_initIDs(), Java_parma_1polyhedra_1library_Generator_1Type_initIDs(), Java_parma_1polyhedra_1library_Generator_initIDs(), Java_parma_1polyhedra_1library_Grid_-1Generator_1System_initIDs(), Java_parma_1polyhedra_1library_Grid_1Generator_1Type_initIDs(), Java_parma_1polyhedra_1library_Grid_1Generator_initIDs(), Java_parma_1polyhedra_1library_-Linear_1Expression_1Coefficient_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_-1Difference_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Sum_initIDs(), Java_-parma_1polyhedra_1library_Linear_1Expression_1Times_initIDs(), Java_parma_1polyhedra_1library_-Linear_1Expression_1Unary_1Minus_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_-1Variable_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_initIDs(), Java_parma_-1polyhedra_1library_MIP_1Problem_1Status_initIDs(), Java_parma_1polyhedra_1library_MIP_-1Problem_constraints(), Java_parma_1polyhedra_1library_MIP_1Problem_objective_1function(), Java_-parma_1polyhedra_1library_Optimization_1Mode_initIDs(), Java_parma_1polyhedra_1library_Pair_-initIDs(), Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs(), Java_parma_1polyhedra_-1library_PIP_1Problem_constraints(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_artificials(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_constraints(), Java_parma_1polyhedra_1library_-Poly_1Con_1Relation_initIDs(), Java_parma_1polyhedra_1library_Poly_1Gen_1Relation_initIDs(), Java_parma_1polyhedra_1library_PPL_1Object_initIDs(), Java_parma_1polyhedra_1library_Relation_-1Symbol_initIDs(), Java_parma_1polyhedra_1library_Variable_initIDs(), Java_parma_1polyhedra_-1library_Variables_1Set_initIDs(), set_by_reference(), set_coefficient(), and set_ptr().

11 Class Documentation

11.1 parma_polyhedra_library::Artificial_Parameter Class Reference

Collaboration diagram for parma_polyhedra_library::Artificial_Parameter:



Public Member Functions

- Artificial_Parameter (Linear_Expression e, Coefficient d)

  Builds an artificial parameter from a linear expression and a denominator.

- Linear_Expression linear_expression ()

  Returns the linear expression in artificial parameter `this`.

- Coefficient denominator ()

  Returns the denominator in artificial parameter `this`.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- Linear_Expression le

  The value of the linear expression of `this`.

- Coefficient den

  The value of the denominatir of `this`.

11.1.1 Detailed Description

An Artificial_Parameter object represents the result of the integer division of a Linear_Expression (on the other parameters, including the previously-defined artificials) by an integer denominator (a Coefficient object). The dimensions of the artificial parameters (if any) in a tree node have consecutive indices starting from `dim+1`, where the value of `dim` is computed as follows:

- for the tree root node, `dim` is the space dimension of the PIP_Problem;
- for any other node of the tree, it is recusrively obtained by adding the value of `dim` computed for the parent node to the number of artificial parameters defined in the parent node.

  Since the numbering of dimensions for artificial parameters follows the rule above, the addition of new problem variables and/or new problem parameters to an already solved PIP_Problem object (as done when incrementally solving a problem) will result in the systematic renumbering of all the existing artificial parameters.

Definition at line 49 of file Artificial_Parameter.java.

11.1.2 Constructor & Destructor Documentation

11.1.2.1 parma_polyhedra_library::Artificial_Parameter::Artificial_Parameter (Linear_Expression *e*, Coefficient *d*) `[inline]`

Builds an artificial parameter from a linear expression and a denominator.

Definition at line 61 of file Artificial_Parameter.java.

References parma_polyhedra_library::Linear_Expression::clone(), den, and le.

11.1.3 Member Function Documentation

11.1.3.1 parma_polyhedra_library::Artificial_Parameter::[static initializer] () `[inline, static, package]`

11.1.3.2 native String parma_polyhedra_library::Artificial_Parameter::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.1.3.3 Coefficient parma_polyhedra_library::Artificial_Parameter::denominator () [inline]

Returns the denominator in artificial parameter `this`.

Definition at line 76 of file Artificial_Parameter.java.

References den.

11.1.3.4 static native void parma_polyhedra_library::Artificial_Parameter::initIDs () [static, private]

11.1.3.5 Linear_Expression parma_polyhedra_library::Artificial_Parameter::linear_expression () [inline]

Returns the linear expression in artificial parameter `this`.

Definition at line 69 of file Artificial_Parameter.java.

References le.

11.1.3.6 native String parma_polyhedra_library::Artificial_Parameter::toString ()

Returns a string representation of `this`.

11.1.4 Member Data Documentation

11.1.4.1 Coefficient parma_polyhedra_library::Artificial_Parameter::den [private]

The value of the denominatir of `this`.

Definition at line 55 of file Artificial_Parameter.java.

Referenced by Artificial_Parameter(), and denominator().

11.1.4.2 Linear_Expression parma_polyhedra_library::Artificial_Parameter::le [private]

The value of the linear expression of `this`.

Definition at line 52 of file Artificial_Parameter.java.

Referenced by Artificial_Parameter(), and linear_expression().

The documentation for this class was generated from the following file:

- Artificial_Parameter.java

11.2 parma_polyhedra_library::Artificial_Parameter_Sequence Class Reference

A sequence of artificial parameters.

Public Member Functions

- Artificial_Parameter_Sequence ()

  Default constructor: builds an empty sequence of artificial parameters.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.2.1 Detailed Description

A sequence of artificial parameters. An object of the class Artificial_Parameter_Sequence is a sequence of artificial parameters.

Definition at line 34 of file Artificial_Parameter_Sequence.java.

11.2.2 Constructor & Destructor Documentation

11.2.2.1 parma_polyhedra_library::Artificial_Parameter_Sequence::Artificial_Parameter_Sequence () [inline]

Default constructor: builds an empty sequence of artificial parameters.

Definition at line 38 of file Artificial_Parameter_Sequence.java.

11.2.3 Member Function Documentation

11.2.3.1 parma_polyhedra_library::Artificial_Parameter_Sequence::[static initializer] () [inline, static, package]

11.2.3.2 static native void parma_polyhedra_library::Artificial_Parameter_Sequence::initIDs () [static, private]


The documentation for this class was generated from the following file:

- Artificial_Parameter_Sequence.java


11.3 parma_polyhedra_library::BD_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

Inheritance diagram for parma_polyhedra_library::BD_Shape_double:



Collaboration diagram for parma_polyhedra_library::BD_Shape_double:



Public Member Functions

- BD_Shape_double (long num_dimensions, Degenerate_Element kind)
- BD_Shape_double (Int8_Box y)
- BD_Shape_double (Int16_Box y)
- BD_Shape_double (Int32_Box y)
- BD_Shape_double (Int64_Box y)
- BD_Shape_double (Uint8_Box y)
- BD_Shape_double (Uint16_Box y)
- BD_Shape_double (Uint32_Box y)
- BD_Shape_double (Uint64_Box y)
- BD_Shape_double (Z_Box y)
- BD_Shape_double (Rational_Box y)
- BD_Shape_double (BD_Shape_int8_t y)
- BD_Shape_double (BD_Shape_int16_t y)
- BD_Shape_double (BD_Shape_int32_t y)
- BD_Shape_double (BD_Shape_int64_t y)
- BD_Shape_double (BD_Shape_mpz_class y)
- BD_Shape_double (BD_Shape_mpq_class y)
- BD_Shape_double (Octagonal_Shape_int8_t y)
- BD_Shape_double (Octagonal_Shape_int16_t y)
- BD_Shape_double (Octagonal_Shape_int32_t y)

- BD_Shape_double (Octagonal_Shape_int64_t y)
- BD_Shape_double (Octagonal_Shape_mpz_class y)
- BD_Shape_double (Octagonal_Shape_mpq_class y)
- BD_Shape_double (C_Polyhedron y)
- BD_Shape_double (NNC_Polyhedron y)
- BD_Shape_double (Grid y)
- BD_Shape_double (Float_Box y)
- BD_Shape_double (BD_Shape_float y)
- BD_Shape_double (Octagonal_Shape_float y)
- BD_Shape_double (Double_Box y)
- BD_Shape_double (BD_Shape_double y)
- BD_Shape_double (Octagonal_Shape_double y)
- BD_Shape_double (Long_Double_Box y)
- BD_Shape_double (BD_Shape_long_double y)
- BD_Shape_double (Octagonal_Shape_long_double y)
- BD_Shape_double (Int8_Box y, Complexity_Class complexity)
- BD_Shape_double (Int16_Box y, Complexity_Class complexity)
- BD_Shape_double (Int32_Box y, Complexity_Class complexity)
- BD_Shape_double (Int64_Box y, Complexity_Class complexity)
- BD_Shape_double (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_double (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_double (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_double (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_double (Z_Box y, Complexity_Class complexity)
- BD_Shape_double (Rational_Box y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_double (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_double (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_double (Grid y, Complexity_Class complexity)
- BD_Shape_double (Float_Box y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_double (Double_Box y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_double (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_double (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_double (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_double (Constraint_System cs)

- BD_Shape_double (Congruence_System cs)
- BD_Shape_double (Generator_System cs)
- native void swap (BD_Shape_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_double y)
- native boolean strictly_contains (BD_Shape_double y)
- native boolean is_disjoint_from (BD_Shape_double y)
- native boolean equals (BD_Shape_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_double p)
- native void upper_bound_assign (BD_Shape_double p)
- native void difference_assign (BD_Shape_double p)
- native void concatenate_assign (BD_Shape_double p)
- native void time_elapse_assign (BD_Shape_double p)

- native boolean upper_bound_assign_if_exact (BD_Shape_double y)
- native boolean simplify_using_context_assign (BD_Shape_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_double y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_double y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_double y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_double arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_double arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_double, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_double p, BD_Shape_double q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)

- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.3.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

Definition at line 33 of file BD_Shape_double.java.

11.3.2 Constructor & Destructor Documentation

11.3.2.1 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.2 parma_polyhedra_library::BD_Shape_double::BD_Shape_double () [inline, private]

Definition at line 45 of file BD_Shape_double.java.

11.3.2.3 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.4 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.5 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.6 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.7 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.8 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.9 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.10 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.11 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.12 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.13 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.14 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.15 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.16 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.17 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.18 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.19 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.20 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.21 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.22 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.23 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.24 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.25 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.26 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.27 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.28 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.29 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.30 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.31 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.32 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.33 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.34 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.35 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.36 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.37 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.38 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.39 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.40 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.41 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.42 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.43 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.44 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.45 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.46 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.47 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.48 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.49 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.50 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.51 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.52 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.53 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.54 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.55 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.56 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.57 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.58 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.59 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.60 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.61 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.62 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.63 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.64 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.65 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.66 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.67 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.68 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.69 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.70 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.71 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.72 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_double.java.

References build_cpp_object().

11.3.2.73 parma_polyhedra_library::BD_Shape_double::BD_Shape_double (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_double.java.

References build_cpp_object().

11.3.3 Member Function Documentation

11.3.3.1 native void parma_polyhedra_library::BD_Shape_double::add_congruence (Congruence *c*)

11.3.3.2 native void parma_polyhedra_library::BD_Shape_double::add_congruences (Congruence_System *c*)

11.3.3.3 native void parma_polyhedra_library::BD_Shape_double::add_constraint (Constraint *c*)

11.3.3.4 native void parma_polyhedra_library::BD_Shape_double::add_constraints (Constraint_System *c*)

11.3.3.5 native void parma_polyhedra_library::BD_Shape_double::add_space_dimensions_and_embed (long *m*)

11.3.3.6 native void parma_polyhedra_library::BD_Shape_double::add_space_dimensions_and_project (long *m*)

11.3.3.7 native long parma_polyhedra_library::BD_Shape_double::affine_dimension ()

11.3.3.8 native void parma_polyhedra_library::BD_Shape_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.3.3.9 native void parma_polyhedra_library::BD_Shape_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.3.3.10 native String parma_polyhedra_library::BD_Shape_double::ascii_dump ()

11.3.3.11 native void parma_polyhedra_library::BD_Shape_double::BHMZ05_widening_assign (BD_Shape_double *y*, By_Reference< Integer > *tp*)

11.3.3.12 native void parma_polyhedra_library::BD_Shape_double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.3.3.13 native void parma_polyhedra_library::BD_Shape_double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.3.3.14 native boolean parma_polyhedra_library::BD_Shape_double::bounds_from_above (Linear_Expression *expr*)

11.3.3.15 native boolean parma_polyhedra_library::BD_Shape_double::bounds_from_below (Linear_Expression *expr*)

11.3.3.16 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.3.3.17 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.3.3.18 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.3.3.19 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.3.3.20 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.21 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Long_Double_Box *y*) [private]

11.3.3.22 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.3.3.23 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.3.3.24 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.3.3.25 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_double *y*) [private]

11.3.3.26 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.27 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Double_Box *y*) [private]

11.3.3.28 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.3.3.29 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.3.3.30 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.3.3.31 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_float *y*) [private]

11.3.3.32 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.33 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Float_Box *y*) [private]

11.3.3.34 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.3.3.35 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Grid *y*) [private]

11.3.3.36 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.3.3.37 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (NNC_Polyhedron *y*) [private]

11.3.3.38 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.3.3.39 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (C_Polyhedron *y*) [private]

11.3.3.40 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.3.3.41 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.3.3.42 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.3.3.43 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.3.3.44 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.3.3.45 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.3.3.46 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.3.3.47 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.3.3.48 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.3.3.49 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.3.3.50 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.3.3.51 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.3.3.52 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.3.3.53 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.3.3.54 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.3.3.55 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.3.3.56 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.3.3.57 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.3.3.58 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.3.3.59 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.3.3.60 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.3.3.61 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.3.3.62 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.3.3.63 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.3.3.64 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.65 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Rational_Box *y*) [private]

11.3.3.66 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.67 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Z_Box *y*) [private]

11.3.3.68 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.69 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint64_Box *y*) [private]

11.3.3.70 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.71 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint32_Box *y*) [private]

11.3.3.72 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.73 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint16_Box *y*) [private]

11.3.3.74 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.75 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Uint8_Box *y*) [private]

11.3.3.76 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.77 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int64_Box *y*) [private]

11.3.3.78 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.79 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int32_Box *y*) [private]

11.3.3.80 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.81 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int16_Box *y*) [private]

11.3.3.82 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.3.3.83 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Int8_Box *y*) [private]

11.3.3.84 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.3.3.85 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Generator_System *cs*) [private]

11.3.3.86 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Congruence_System *cs*) [private]

11.3.3.87 native void parma_polyhedra_library::BD_Shape_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_double().

11.3.3.88 native void parma_polyhedra_library::BD_Shape_double::CC76_extrapolation_assign (BD_Shape_double *arg*, By_Reference< Integer > *tp*)

11.3.3.89 native void parma_polyhedra_library::BD_Shape_double::CC76_narrowing_assign (BD_Shape_double *arg*)

11.3.3.90 native void parma_polyhedra_library::BD_Shape_double::concatenate_assign (BD_Shape_double *p*)

11.3.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_double::congruences ()

11.3.3.92 native boolean parma_polyhedra_library::BD_Shape_double::constrains (Variable *var*)

11.3.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_double::constraints ()

11.3.3.94 native boolean parma_polyhedra_library::BD_Shape_double::contains (BD_Shape_double *y*)

11.3.3.95 native boolean parma_polyhedra_library::BD_Shape_double::contains_integer_point ()

11.3.3.96 native void parma_polyhedra_library::BD_Shape_double::difference_assign (BD_Shape_double *p*)

11.3.3.97 native void parma_polyhedra_library::BD_Shape_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.3.3.98 native void parma_polyhedra_library::BD_Shape_double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.3.3.99 boolean parma_polyhedra_library::BD_Shape_double::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_double.java.

References equals().

11.3.3.100 native boolean parma_polyhedra_library::BD_Shape_double::equals (BD_Shape_double *p*)

Referenced by equals().

11.3.3.101 native void parma_polyhedra_library::BD_Shape_double::expand_space_dimension (Variable *var*, long *m*)

11.3.3.102 native long parma_polyhedra_library::BD_Shape_double::external_memory_in_bytes ()

11.3.3.103 native void parma_polyhedra_library::BD_Shape_double::finalize () [protected]

11.3.3.104 native void parma_polyhedra_library::BD_Shape_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.3.3.105 native void parma_polyhedra_library::BD_Shape_double::free ()

11.3.3.106 native boolean parma_polyhedra_library::BD_Shape_double::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.3.3.107 native void parma_polyhedra_library::BD_Shape_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.3.3.108 native void parma_polyhedra_library::BD_Shape_double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.3.3.109 native void parma_polyhedra_library::BD_Shape_double::generalized_affine_-preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.3.3.110 native void parma_polyhedra_library::BD_Shape_double::generalized_affine_-preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.3.3.111 native void parma_polyhedra_library::BD_Shape_double::H79_widening_assign (BD_Shape_double *y*, By_Reference< Integer > *tp*)

11.3.3.112 native int parma_polyhedra_library::BD_Shape_double::hashCode ()

11.3.3.113 native void parma_polyhedra_library::BD_Shape_double::intersection_assign (BD_Shape_double *p*)

11.3.3.114 native boolean parma_polyhedra_library::BD_Shape_double::is_bounded ()

11.3.3.115 native boolean parma_polyhedra_library::BD_Shape_double::is_discrete ()

11.3.3.116 native boolean parma_polyhedra_library::BD_Shape_double::is_disjoint_from (BD_Shape_double *y*)

11.3.3.117 native boolean parma_polyhedra_library::BD_Shape_double::is_empty ()

11.3.3.118 native boolean parma_polyhedra_library::BD_Shape_double::is_topologically_closed ()

11.3.3.119 native boolean parma_polyhedra_library::BD_Shape_double::is_universe ()

11.3.3.120 native void parma_polyhedra_library::BD_Shape_double::limited_BHMZ05_-extrapolation_assign (BD_Shape_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.3.3.121 native void parma_polyhedra_library::BD_Shape_double::limited_CC76_-extrapolation_assign (BD_Shape_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.3.3.122 native void parma_polyhedra_library::BD_Shape_double::limited_H79_-extrapolation_assign (BD_Shape_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.3.3.123 static native Pair<BD_Shape_double, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_double::linear_partition (BD_Shape_double *p*, BD_Shape_double *q*) `[static]`

11.3.3.124 native void parma_polyhedra_library::BD_Shape_double::map_space_dimensions (Partial_Function *pfunc*)

11.3.3.125 native boolean parma_polyhedra_library::BD_Shape_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.3.3.126 native boolean parma_polyhedra_library::BD_Shape_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.3.3.127 native boolean parma_polyhedra_library::BD_Shape_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.3.3.128 native boolean parma_polyhedra_library::BD_Shape_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.3.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_double::minimized_congruences ()

11.3.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_double::minimized_constraints ()

11.3.3.131 native boolean parma_polyhedra_library::BD_Shape_double::OK ()

11.3.3.132 native void parma_polyhedra_library::BD_Shape_double::refine_with_congruence (Congruence *c*)

11.3.3.133 native void parma_polyhedra_library::BD_Shape_double::refine_with_congruences (Congruence_System *c*)

11.3.3.134 native void parma_polyhedra_library::BD_Shape_double::refine_with_constraint (Constraint *c*)

11.3.3.135 native void parma_polyhedra_library::BD_Shape_double::refine_with_constraints (Constraint_System *c*)

11.3.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_double::relation_with (Congruence *c*)

11.3.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_double::relation_with (Generator *c*)

11.3.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_double::relation_with (Constraint *c*)

11.3.3.139 native void parma_polyhedra_library::BD_Shape_double::remove_higher_space_dimensions (long *new_dimension*)

11.3.3.140 native void parma_polyhedra_library::BD_Shape_double::remove_space_dimensions (Variables_Set *vars*)

11.3.3.141 native boolean parma_polyhedra_library::BD_Shape_double::simplify_using_context_assign (BD_Shape_double *p*)

11.3.3.142 native long parma_polyhedra_library::BD_Shape_double::space_dimension ()

11.3.3.143 native boolean parma_polyhedra_library::BD_Shape_double::strictly_contains (BD_Shape_double *y*)

11.3.3.144 native void parma_polyhedra_library::BD_Shape_double::swap (BD_Shape_double *y*)

11.3.3.145 native void parma_polyhedra_library::BD_Shape_double::time_elapse_assign (BD_Shape_double *p*)

11.3.3.146 native void parma_polyhedra_library::BD_Shape_double::topological_closure_assign ()

11.3.3.147 native String parma_polyhedra_library::BD_Shape_double::toString ()

11.3.3.148 native long parma_polyhedra_library::BD_Shape_double::total_memory_in_bytes ()

11.3.3.149 native void parma_polyhedra_library::BD_Shape_double::unconstrain_space_dimension (Variable *var*)

11.3.3.150 native void parma_polyhedra_library::BD_Shape_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.3.3.151 native void parma_polyhedra_library::BD_Shape_double::upper_bound_assign (BD_Shape_double *p*)

11.3.3.152 native boolean parma_polyhedra_library::BD_Shape_double::upper_bound_assign_if_exact (BD_Shape_double *y*)

11.3.3.153 native void parma_polyhedra_library::BD_Shape_double::widening_assign (BD_Shape_double *y*, By_Reference< Integer > *tp*)

11.3.3.154 native void parma_polyhedra_library::BD_Shape_double::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_double.java


11.4 parma_polyhedra_library::BD_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

Inheritance diagram for parma_polyhedra_library::BD_Shape_float:



Collaboration diagram for parma_polyhedra_library::BD_Shape_float:



Public Member Functions

- BD_Shape_float (long num_dimensions, Degenerate_Element kind)
- BD_Shape_float (Int8_Box y)
- BD_Shape_float (Int16_Box y)
- BD_Shape_float (Int32_Box y)
- BD_Shape_float (Int64_Box y)
- BD_Shape_float (Uint8_Box y)
- BD_Shape_float (Uint16_Box y)
- BD_Shape_float (Uint32_Box y)
- BD_Shape_float (Uint64_Box y)
- BD_Shape_float (Z_Box y)
- BD_Shape_float (Rational_Box y)
- BD_Shape_float (BD_Shape_int8_t y)
- BD_Shape_float (BD_Shape_int16_t y)
- BD_Shape_float (BD_Shape_int32_t y)
- BD_Shape_float (BD_Shape_int64_t y)
- BD_Shape_float (BD_Shape_mpz_class y)
- BD_Shape_float (BD_Shape_mpq_class y)
- BD_Shape_float (Octagonal_Shape_int8_t y)
- BD_Shape_float (Octagonal_Shape_int16_t y)
- BD_Shape_float (Octagonal_Shape_int32_t y)
- BD_Shape_float (Octagonal_Shape_int64_t y)
- BD_Shape_float (Octagonal_Shape_mpz_class y)
- BD_Shape_float (Octagonal_Shape_mpq_class y)
- BD_Shape_float (C_Polyhedron y)

- BD_Shape_float (NNC_Polyhedron y)
- BD_Shape_float (Grid y)
- BD_Shape_float (Float_Box y)
- BD_Shape_float (BD_Shape_float y)
- BD_Shape_float (Octagonal_Shape_float y)
- BD_Shape_float (Double_Box y)
- BD_Shape_float (BD_Shape_double y)
- BD_Shape_float (Octagonal_Shape_double y)
- BD_Shape_float (Long_Double_Box y)
- BD_Shape_float (BD_Shape_long_double y)
- BD_Shape_float (Octagonal_Shape_long_double y)
- BD_Shape_float (Int8_Box y, Complexity_Class complexity)
- BD_Shape_float (Int16_Box y, Complexity_Class complexity)
- BD_Shape_float (Int32_Box y, Complexity_Class complexity)
- BD_Shape_float (Int64_Box y, Complexity_Class complexity)
- BD_Shape_float (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_float (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_float (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_float (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_float (Z_Box y, Complexity_Class complexity)
- BD_Shape_float (Rational_Box y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_float (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_float (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_float (Grid y, Complexity_Class complexity)
- BD_Shape_float (Float_Box y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_float (Double_Box y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_float (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_float (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_float (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_float (Constraint_System cs)
- BD_Shape_float (Congruence_System cs)
- BD_Shape_float (Generator_System cs)
- native void swap (BD_Shape_float y)
- native long space_dimension ()

- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_float y)
- native boolean strictly_contains (BD_Shape_float y)
- native boolean is_disjoint_from (BD_Shape_float y)
- native boolean equals (BD_Shape_float p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_float p)
- native void upper_bound_assign (BD_Shape_float p)
- native void difference_assign (BD_Shape_float p)
- native void concatenate_assign (BD_Shape_float p)
- native void time_elapse_assign (BD_Shape_float p)
- native boolean upper_bound_assign_if_exact (BD_Shape_float y)
- native boolean simplify_using_context_assign (BD_Shape_float p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)

- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_float y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_float y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_float y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_float arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_float arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_float, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_float p, BD_Shape_float q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_float ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)

- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.4.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

Definition at line 33 of file BD_Shape_float.java.

11.4.2 Constructor & Destructor Documentation

11.4.2.1 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.2 parma_polyhedra_library::BD_Shape_float::BD_Shape_float () [inline, private]

Definition at line 45 of file BD_Shape_float.java.

11.4.2.3 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.4 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.5 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.6 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.7 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.8 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.9 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.10 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.11 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.12 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.13 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.14 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.15 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.16 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.17 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.18 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.19 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.20 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.21 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.22 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.23 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.24 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.25 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.26 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.27 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.28 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.29 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.30 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.31 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.32 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.33 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.34 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.35 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.36 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.37 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.38 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.39 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.40 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.41 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.42 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.43 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.44 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.45 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.46 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.47 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.48 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.49 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.50 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.51 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.52 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.53 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.54 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.55 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.56 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.57 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.58 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.59 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.60 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.61 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.62 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.63 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.64 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.65 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.66 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.67 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.68 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.69 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.70 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.71 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.72 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_float.java.

References build_cpp_object().

11.4.2.73 parma_polyhedra_library::BD_Shape_float::BD_Shape_float (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_float.java.

References build_cpp_object().

11.4.3 Member Function Documentation

11.4.3.1 native void parma_polyhedra_library::BD_Shape_float::add_congruence (Congruence *c*)

11.4.3.2 native void parma_polyhedra_library::BD_Shape_float::add_congruences (Congruence_System *c*)

11.4.3.3 native void parma_polyhedra_library::BD_Shape_float::add_constraint (Constraint *c*)

11.4.3.4 native void parma_polyhedra_library::BD_Shape_float::add_constraints (Constraint_System *c*)

11.4.3.5 native void parma_polyhedra_library::BD_Shape_float::add_space_dimensions_and_embed (long *m*)

11.4.3.6 native void parma_polyhedra_library::BD_Shape_float::add_space_dimensions_and_project (long *m*)

11.4.3.7 native long parma_polyhedra_library::BD_Shape_float::affine_dimension ()

11.4.3.8 native void parma_polyhedra_library::BD_Shape_float::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.4.3.9 native void parma_polyhedra_library::BD_Shape_float::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.4.3.10 native String parma_polyhedra_library::BD_Shape_float::ascii_dump ()

11.4.3.11 native void parma_polyhedra_library::BD_Shape_float::BHMZ05_widening_assign (BD_Shape_float *y*, By_Reference< Integer > *tp*)

11.4.3.12 native void parma_polyhedra_library::BD_Shape_float::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.4.3.13 native void parma_polyhedra_library::BD_Shape_float::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.4.3.14 native boolean parma_polyhedra_library::BD_Shape_float::bounds_from_above (Linear_Expression *expr*)

11.4.3.15 native boolean parma_polyhedra_library::BD_Shape_float::bounds_from_below (Linear_Expression *expr*)

11.4.3.16 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.4.3.17 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.4.3.18 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.4.3.19 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.4.3.20 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.4.3.21 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Long_Double_Box *y*) `[private]`

11.4.3.22 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.4.3.23 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.4.3.24 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.4.3.25 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_double *y*) [private]

11.4.3.26 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.27 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Double_Box *y*) [private]

11.4.3.28 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.4.3.29 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.4.3.30 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.4.3.31 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_float *y*) [private]

11.4.3.32 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.33 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Float_Box *y*) [private]

11.4.3.34 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.4.3.35 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Grid *y*) [private]

11.4.3.36 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.4.3.37 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (NNC_Polyhedron *y*) [private]

11.4.3.38 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.4.3.39 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (C_Polyhedron *y*) [private]

11.4.3.40 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.4.3.41 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.4.3.42 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.4.3.43 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.4.3.44 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.4.3.45 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.4.3.46 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.4.3.47 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.4.3.48 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.4.3.49 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.4.3.50 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.4.3.51 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.4.3.52 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.4.3.53 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.4.3.54 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.4.3.55 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.4.3.56 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.4.3.57 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.4.3.58 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.4.3.59 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.4.3.60 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.4.3.61 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.4.3.62 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.4.3.63 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.4.3.64 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.65 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Rational_Box *y*) [private]

11.4.3.66 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.67 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Z_Box *y*) [private]

11.4.3.68 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.69 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint64_Box *y*) [private]

11.4.3.70 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.71 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint32_Box *y*) [private]

11.4.3.72 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.73 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint16_Box *y*) [private]

11.4.3.74 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.75 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Uint8_Box *y*) [private]

11.4.3.76 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.77 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int64_Box *y*) [private]

11.4.3.78 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.79 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int32_Box *y*) [private]

11.4.3.80 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.81 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int16_Box *y*) [private]

11.4.3.82 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.4.3.83 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Int8_Box *y*) [private]

11.4.3.84 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.4.3.85 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Generator_System *cs*) [private]

11.4.3.86 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Congruence_System *cs*) [private]

11.4.3.87 native void parma_polyhedra_library::BD_Shape_float::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_float().

11.4.3.88 native void parma_polyhedra_library::BD_Shape_float::CC76_extrapolation_assign (BD_Shape_float *arg*, By_Reference< Integer > *tp*)

11.4.3.89 native void parma_polyhedra_library::BD_Shape_float::CC76_narrowing_assign (BD_Shape_float *arg*)

11.4.3.90 native void parma_polyhedra_library::BD_Shape_float::concatenate_assign (BD_Shape_float *p*)

11.4.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_float::congruences ()

11.4.3.92 native boolean parma_polyhedra_library::BD_Shape_float::constrains (Variable *var*)

11.4.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_float::constraints ()

11.4.3.94 native boolean parma_polyhedra_library::BD_Shape_float::contains (BD_Shape_float *y*)

11.4.3.95 native boolean parma_polyhedra_library::BD_Shape_float::contains_integer_point ()

11.4.3.96 native void parma_polyhedra_library::BD_Shape_float::difference_assign (BD_Shape_float *p*)

11.4.3.97 native void parma_polyhedra_library::BD_Shape_float::drop_some_non_integer_points (Integer *complexity_threshold*)

11.4.3.98 native void parma_polyhedra_library::BD_Shape_float::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.4.3.99 boolean parma_polyhedra_library::BD_Shape_float::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_float.java.

References equals().

11.4.3.100 native boolean parma_polyhedra_library::BD_Shape_float::equals (BD_Shape_float *p*)

Referenced by equals().

11.4.3.101 native void parma_polyhedra_library::BD_Shape_float::expand_space_dimension (Variable *var*, long *m*)

11.4.3.102 native long parma_polyhedra_library::BD_Shape_float::external_memory_in_bytes ()

11.4.3.103 native void parma_polyhedra_library::BD_Shape_float::finalize () `[protected]`

11.4.3.104 native void parma_polyhedra_library::BD_Shape_float::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.4.3.105 native void parma_polyhedra_library::BD_Shape_float::free ()

11.4.3.106 native boolean parma_polyhedra_library::BD_Shape_float::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.4.3.107 native void parma_polyhedra_library::BD_Shape_float::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.4.3.108 native void parma_polyhedra_library::BD_Shape_float::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.4.3.109 native void parma_polyhedra_library::BD_Shape_float::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.4.3.110 native void parma_polyhedra_library::BD_Shape_float::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.4.3.111 native void parma_polyhedra_library::BD_Shape_float::H79_widening_assign (BD_Shape_float *y*, By_Reference< Integer > *tp*)

11.4.3.112 native int parma_polyhedra_library::BD_Shape_float::hashCode ()

11.4.3.113 native void parma_polyhedra_library::BD_Shape_float::intersection_assign (BD_Shape_float *p*)

11.4.3.114 native boolean parma_polyhedra_library::BD_Shape_float::is_bounded ()

11.4.3.115 native boolean parma_polyhedra_library::BD_Shape_float::is_discrete ()

11.4.3.116 native boolean parma_polyhedra_library::BD_Shape_float::is_disjoint_from (BD_Shape_float *y*)

11.4.3.117 native boolean parma_polyhedra_library::BD_Shape_float::is_empty ()

11.4.3.118 native boolean parma_polyhedra_library::BD_Shape_float::is_topologically_closed ()

11.4.3.119 native boolean parma_polyhedra_library::BD_Shape_float::is_universe ()

11.4.3.120 native void parma_polyhedra_library::BD_Shape_float::limited_BHMZ05_extrapolation_assign (BD_Shape_float *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.4.3.121 native void parma_polyhedra_library::BD_Shape_float::limited_CC76_extrapolation_assign (BD_Shape_float *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.4.3.122 native void parma_polyhedra_library::BD_Shape_float::limited_H79_extrapolation_assign (BD_Shape_float *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.4.3.123 static native Pair<BD_Shape_float, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_float::linear_partition (BD_Shape_float *p*, BD_Shape_float *q*) `[static]`

11.4.3.124 native void parma_polyhedra_library::BD_Shape_float::map_space_dimensions (Partial_Function *pfunc*)

11.4.3.125 native boolean parma_polyhedra_library::BD_Shape_float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.4.3.126 native boolean parma_polyhedra_library::BD_Shape_float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.4.3.127 native boolean parma_polyhedra_library::BD_Shape_float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.4.3.128 native boolean parma_polyhedra_library::BD_Shape_float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.4.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_float::minimized_congruences ()

11.4.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_float::minimized_constraints ()

11.4.3.131 native boolean parma_polyhedra_library::BD_Shape_float::OK ()

11.4.3.132 native void parma_polyhedra_library::BD_Shape_float::refine_with_congruence (Congruence *c*)

11.4.3.133 native void parma_polyhedra_library::BD_Shape_float::refine_with_congruences (Congruence_System *c*)

11.4.3.134 native void parma_polyhedra_library::BD_Shape_float::refine_with_constraint (Constraint *c*)

11.4.3.135 native void parma_polyhedra_library::BD_Shape_float::refine_with_constraints (Constraint_System *c*)

11.4.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_float::relation_with (Congruence *c*)

11.4.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_float::relation_with (Generator *c*)

11.4.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_float::relation_with (Constraint *c*)

11.4.3.139 native void parma_polyhedra_library::BD_Shape_float::remove_higher_space_dimensions (long *new_dimension*)

11.4.3.140 native void parma_polyhedra_library::BD_Shape_float::remove_space_dimensions (Variables_Set *vars*)

11.4.3.141 native boolean parma_polyhedra_library::BD_Shape_float::simplify_using_context_-assign (BD_Shape_float *p*)

11.4.3.142 native long parma_polyhedra_library::BD_Shape_float::space_dimension ()

11.4.3.143 native boolean parma_polyhedra_library::BD_Shape_float::strictly_contains (BD_Shape_float *y*)

11.4.3.144 native void parma_polyhedra_library::BD_Shape_float::swap (BD_Shape_float *y*)

11.4.3.145 native void parma_polyhedra_library::BD_Shape_float::time_elapse_assign (BD_Shape_float *p*)

11.4.3.146 native void parma_polyhedra_library::BD_Shape_float::topological_closure_assign ()

11.4.3.147 native String parma_polyhedra_library::BD_Shape_float::toString ()

11.4.3.148 native long parma_polyhedra_library::BD_Shape_float::total_memory_in_bytes ()

11.4.3.149 native void parma_polyhedra_library::BD_Shape_float::unconstrain_space_dimension (Variable *var*)

11.4.3.150 native void parma_polyhedra_library::BD_Shape_float::unconstrain_space_-dimensions (Variables_Set *vars*)

11.4.3.151 native void parma_polyhedra_library::BD_Shape_float::upper_bound_assign (BD_Shape_float *p*)

11.4.3.152 native boolean parma_polyhedra_library::BD_Shape_float::upper_bound_assign_if_exact (BD_Shape_float *y*)

11.4.3.153 native void parma_polyhedra_library::BD_Shape_float::widening_assign (BD_Shape_float *y*, By_Reference< Integer > *tp*)

11.4.3.154 native void parma_polyhedra_library::BD_Shape_float::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_float.java


11.5 parma_polyhedra_library::BD_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

Inheritance diagram for parma_polyhedra_library::BD_Shape_int16_t:



Collaboration diagram for parma_polyhedra_library::BD_Shape_int16_t:



Public Member Functions

- BD_Shape_int16_t (long num_dimensions, Degenerate_Element kind)
- BD_Shape_int16_t (Int8_Box y)
- BD_Shape_int16_t (Int16_Box y)
- BD_Shape_int16_t (Int32_Box y)
- BD_Shape_int16_t (Int64_Box y)
- BD_Shape_int16_t (Uint8_Box y)
- BD_Shape_int16_t (Uint16_Box y)
- BD_Shape_int16_t (Uint32_Box y)
- BD_Shape_int16_t (Uint64_Box y)
- BD_Shape_int16_t (Z_Box y)
- BD_Shape_int16_t (Rational_Box y)
- BD_Shape_int16_t (BD_Shape_int8_t y)
- BD_Shape_int16_t (BD_Shape_int16_t y)
- BD_Shape_int16_t (BD_Shape_int32_t y)
- BD_Shape_int16_t (BD_Shape_int64_t y)
- BD_Shape_int16_t (BD_Shape_mpz_class y)
- BD_Shape_int16_t (BD_Shape_mpq_class y)
- BD_Shape_int16_t (Octagonal_Shape_int8_t y)
- BD_Shape_int16_t (Octagonal_Shape_int16_t y)
- BD_Shape_int16_t (Octagonal_Shape_int32_t y)
- BD_Shape_int16_t (Octagonal_Shape_int64_t y)
- BD_Shape_int16_t (Octagonal_Shape_mpz_class y)
- BD_Shape_int16_t (Octagonal_Shape_mpq_class y)
- BD_Shape_int16_t (C_Polyhedron y)
- BD_Shape_int16_t (NNC_Polyhedron y)
- BD_Shape_int16_t (Grid y)
- BD_Shape_int16_t (Float_Box y)
- BD_Shape_int16_t (BD_Shape_float y)
- BD_Shape_int16_t (Octagonal_Shape_float y)
- BD_Shape_int16_t (Double_Box y)
- BD_Shape_int16_t (BD_Shape_double y)
- BD_Shape_int16_t (Octagonal_Shape_double y)
- BD_Shape_int16_t (Long_Double_Box y)
- BD_Shape_int16_t (BD_Shape_long_double y)
- BD_Shape_int16_t (Octagonal_Shape_long_double y)
- BD_Shape_int16_t (Int8_Box y, Complexity_Class complexity)

- BD_Shape_int16_t (Int16_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Int32_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Int64_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Z_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (Rational_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int16_t (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int16_t (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int16_t (Grid y, Complexity_Class complexity)
- BD_Shape_int16_t (Float_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_int16_t (Double_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_int16_t (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_int16_t (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int16_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int16_t (Constraint_System cs)
- BD_Shape_int16_t (Congruence_System cs)
- BD_Shape_int16_t (Generator_System cs)
- native void swap (BD_Shape_int16_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_int16_t y)
- native boolean strictly_contains (BD_Shape_int16_t y)
- native boolean is_disjoint_from (BD_Shape_int16_t y)
- native boolean equals (BD_Shape_int16_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_int16_t p)
- native void upper_bound_assign (BD_Shape_int16_t p)
- native void difference_assign (BD_Shape_int16_t p)
- native void concatenate_assign (BD_Shape_int16_t p)
- native void time_elapse_assign (BD_Shape_int16_t p)
- native boolean upper_bound_assign_if_exact (BD_Shape_int16_t y)
- native boolean simplify_using_context_assign (BD_Shape_int16_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_int16_t y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_int16_t y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_int16_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_int16_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_int16_t arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_int16_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_int16_t p, BD_Shape_int16_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_int16_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.5.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

Definition at line 33 of file BD_Shape_int16_t.java.

11.5.2 Constructor & Destructor Documentation

11.5.2.1 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.2 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t () [inline, private]

Definition at line 45 of file BD_Shape_int16_t.java.

11.5.2.3 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.4 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.5 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.6 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.7 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.8 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.9 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.10 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.11 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.12 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.13 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.14 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.15 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.16 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.17 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.18 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.19 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.20 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.21 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.22 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.23 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.24 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.25 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.26 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.27 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.28 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.29 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.30 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.31 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.32 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.33 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.34 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.35 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.36 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.37 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.38 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.39 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.40 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.41 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.42 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.43 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.44 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.45 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.46 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.47 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.48 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.49 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.50 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.51 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.52 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.53 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.54 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.55 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.56 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.57 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.58 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.59 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.60 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.61 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.62 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.63 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.64 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.65 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.66 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.67 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.68 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.69 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.70 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.71 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.72 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.2.73 parma_polyhedra_library::BD_Shape_int16_t::BD_Shape_int16_t (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_int16_t.java.

References build_cpp_object().

11.5.3 Member Function Documentation

11.5.3.1 native void parma_polyhedra_library::BD_Shape_int16_t::add_congruence (Congruence *c*)

11.5.3.2 native void parma_polyhedra_library::BD_Shape_int16_t::add_congruences (Congruence_System *c*)

11.5.3.3 native void parma_polyhedra_library::BD_Shape_int16_t::add_constraint (Constraint *c*)

11.5.3.4 native void parma_polyhedra_library::BD_Shape_int16_t::add_constraints (Constraint_System *c*)

11.5.3.5 native void parma_polyhedra_library::BD_Shape_int16_t::add_space_dimensions_and_embed (long *m*)

11.5.3.6 native void parma_polyhedra_library::BD_Shape_int16_t::add_space_dimensions_and_project (long *m*)

11.5.3.7 native long parma_polyhedra_library::BD_Shape_int16_t::affine_dimension ()

11.5.3.8 native void parma_polyhedra_library::BD_Shape_int16_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.5.3.9 native void parma_polyhedra_library::BD_Shape_int16_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.5.3.10 native String parma_polyhedra_library::BD_Shape_int16_t::ascii_dump ()

11.5.3.11 native void parma_polyhedra_library::BD_Shape_int16_t::BHMZ05_widening_assign (BD_Shape_int16_t *y*, By_Reference< Integer > *tp*)

11.5.3.12 native void parma_polyhedra_library::BD_Shape_int16_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.5.3.13 native void parma_polyhedra_library::BD_Shape_int16_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.5.3.14 native boolean parma_polyhedra_library::BD_Shape_int16_t::bounds_from_above (Linear_Expression *expr*)

11.5.3.15 native boolean parma_polyhedra_library::BD_Shape_int16_t::bounds_from_below (Linear_Expression *expr*)

11.5.3.16 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.5.3.17 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.5.3.18 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.5.3.19 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.5.3.20 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.5.3.21 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Long_Double_Box *y*) `[private]`

11.5.3.22 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.5.3.23 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.5.3.24 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.5.3.25 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_double *y*) [private]

11.5.3.26 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.27 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Double_Box *y*) [private]

11.5.3.28 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.5.3.29 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.5.3.30 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.5.3.31 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_float *y*) [private]

11.5.3.32 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.33 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Float_Box *y*) [private]

11.5.3.34 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.5.3.35 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Grid *y*) [private]

11.5.3.36 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.5.3.37 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.5.3.38 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.5.3.39 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (C_Polyhedron *y*) [private]

11.5.3.40 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.5.3.41 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.5.3.42 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.5.3.43 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.5.3.44 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.5.3.45 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.5.3.46 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.5.3.47 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.5.3.48 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.5.3.49 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.5.3.50 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.5.3.51 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.5.3.52 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.5.3.53 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.5.3.54 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.5.3.55 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.5.3.56 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.5.3.57 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.5.3.58 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.5.3.59 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.5.3.60 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.5.3.61 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.5.3.62 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.5.3.63 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.5.3.64 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.65 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Rational_Box *y*) [private]

11.5.3.66 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.67 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Z_Box *y*) [private]

11.5.3.68 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.69 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint64_Box *y*) [private]

11.5.3.70 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.71 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint32_Box *y*) [private]

11.5.3.72 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.73 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint16_Box *y*) [private]

11.5.3.74 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.75 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Uint8_Box *y*) [private]

11.5.3.76 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.77 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int64_Box *y*) [private]

11.5.3.78 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.79 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int32_Box *y*) [private]

11.5.3.80 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.81 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int16_Box *y*) [private]

11.5.3.82 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.5.3.83 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Int8_Box *y*) [private]

11.5.3.84 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.5.3.85 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Generator_System *cs*) [private]

11.5.3.86 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Congruence_System *cs*) [private]

11.5.3.87 native void parma_polyhedra_library::BD_Shape_int16_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_int16_t().

11.5.3.88 native void parma_polyhedra_library::BD_Shape_int16_t::CC76_extrapolation_assign (BD_Shape_int16_t *arg*, By_Reference< Integer > *tp*)

11.5.3.89 native void parma_polyhedra_library::BD_Shape_int16_t::CC76_narrowing_assign (BD_Shape_int16_t *arg*)

11.5.3.90 native void parma_polyhedra_library::BD_Shape_int16_t::concatenate_assign (BD_Shape_int16_t *p*)

11.5.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_int16_t::congruences ()

11.5.3.92 native boolean parma_polyhedra_library::BD_Shape_int16_t::constrains (Variable *var*)

11.5.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_int16_t::constraints ()

11.5.3.94 native boolean parma_polyhedra_library::BD_Shape_int16_t::contains (BD_Shape_int16_t *y*)

11.5.3.95 native boolean parma_polyhedra_library::BD_Shape_int16_t::contains_integer_point ()

11.5.3.96 native void parma_polyhedra_library::BD_Shape_int16_t::difference_assign (BD_Shape_int16_t *p*)

11.5.3.97 native void parma_polyhedra_library::BD_Shape_int16_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.5.3.98 native void parma_polyhedra_library::BD_Shape_int16_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.5.3.99 boolean parma_polyhedra_library::BD_Shape_int16_t::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_int16_t.java.

References equals().

11.5.3.100 native boolean parma_polyhedra_library::BD_Shape_int16_t::equals (BD_Shape_int16_t *p*)

Referenced by equals().

11.5.3.101 native void parma_polyhedra_library::BD_Shape_int16_t::expand_space_dimension (Variable *var*, long *m*)

11.5.3.102 native long parma_polyhedra_library::BD_Shape_int16_t::external_memory_in_bytes ()

11.5.3.103 native void parma_polyhedra_library::BD_Shape_int16_t::finalize () [protected]

11.5.3.104 native void parma_polyhedra_library::BD_Shape_int16_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.5.3.105 native void parma_polyhedra_library::BD_Shape_int16_t::free ()

11.5.3.106 native boolean parma_polyhedra_library::BD_Shape_int16_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.5.3.107 native void parma_polyhedra_library::BD_Shape_int16_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.5.3.108 native void parma_polyhedra_library::BD_Shape_int16_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.5.3.109 native void parma_polyhedra_library::BD_Shape_int16_t::generalized_affine_-preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.5.3.110 native void parma_polyhedra_library::BD_Shape_int16_t::generalized_affine_-preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.5.3.111 native void parma_polyhedra_library::BD_Shape_int16_t::H79_widening_assign (BD_Shape_int16_t *y*, By_Reference< Integer > *tp*)

11.5.3.112 native int parma_polyhedra_library::BD_Shape_int16_t::hashCode ()

11.5.3.113 native void parma_polyhedra_library::BD_Shape_int16_t::intersection_assign (BD_Shape_int16_t *p*)

11.5.3.114 native boolean parma_polyhedra_library::BD_Shape_int16_t::is_bounded ()

11.5.3.115 native boolean parma_polyhedra_library::BD_Shape_int16_t::is_discrete ()

11.5.3.116 native boolean parma_polyhedra_library::BD_Shape_int16_t::is_disjoint_from (BD_Shape_int16_t *y*)

11.5.3.117 native boolean parma_polyhedra_library::BD_Shape_int16_t::is_empty ()

11.5.3.118 native boolean parma_polyhedra_library::BD_Shape_int16_t::is_topologically_closed ()

11.5.3.119 native boolean parma_polyhedra_library::BD_Shape_int16_t::is_universe ()

11.5.3.120 native void parma_polyhedra_library::BD_Shape_int16_t::limited_BHMZ05_extrapolation_assign (BD_Shape_int16_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.5.3.121 native void parma_polyhedra_library::BD_Shape_int16_t::limited_CC76_extrapolation_assign (BD_Shape_int16_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.5.3.122 native void parma_polyhedra_library::BD_Shape_int16_t::limited_H79_-extrapolation_assign (BD_Shape_int16_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.5.3.123 static native Pair<BD_Shape_int16_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_int16_t::linear_partition (BD_Shape_int16_t *p*, BD_Shape_int16_t *q*) `[static]`

11.5.3.124 native void parma_polyhedra_library::BD_Shape_int16_t::map_space_dimensions (Partial_Function *pfunc*)

11.5.3.125 native boolean parma_polyhedra_library::BD_Shape_int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.5.3.126 native boolean parma_polyhedra_library::BD_Shape_int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.5.3.127 native boolean parma_polyhedra_library::BD_Shape_int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.5.3.128 native boolean parma_polyhedra_library::BD_Shape_int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.5.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_int16_-t::minimized_congruences ()

11.5.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_int16_t::minimized_constraints ()

11.5.3.131 native boolean parma_polyhedra_library::BD_Shape_int16_t::OK ()

11.5.3.132 native void parma_polyhedra_library::BD_Shape_int16_t::refine_with_congruence (Congruence *c*)

11.5.3.133 native void parma_polyhedra_library::BD_Shape_int16_t::refine_with_congruences (Congruence_System *c*)

11.5.3.134 native void parma_polyhedra_library::BD_Shape_int16_t::refine_with_constraint (Constraint *c*)

11.5.3.135 native void parma_polyhedra_library::BD_Shape_int16_t::refine_with_constraints (Constraint_System *c*)

11.5.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int16_t::relation_with (Congruence *c*)

11.5.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_int16_t::relation_with (Generator *c*)

11.5.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int16_t::relation_with (Constraint *c*)

11.5.3.139 native void parma_polyhedra_library::BD_Shape_int16_t::remove_higher_space_dimensions (long *new_dimension*)

11.5.3.140 native void parma_polyhedra_library::BD_Shape_int16_t::remove_space_dimensions (Variables_Set *vars*)

11.5.3.141 native boolean parma_polyhedra_library::BD_Shape_int16_t::simplify_using_context_assign (BD_Shape_int16_t *p*)

11.5.3.142 native long parma_polyhedra_library::BD_Shape_int16_t::space_dimension ()

11.5.3.143 native boolean parma_polyhedra_library::BD_Shape_int16_t::strictly_contains (BD_Shape_int16_t *y*)

11.5.3.144 native void parma_polyhedra_library::BD_Shape_int16_t::swap (BD_Shape_int16_t *y*)

11.5.3.145 native void parma_polyhedra_library::BD_Shape_int16_t::time_elapse_assign (BD_Shape_int16_t *p*)

11.5.3.146 native void parma_polyhedra_library::BD_Shape_int16_t::topological_closure_assign ()

11.5.3.147 native String parma_polyhedra_library::BD_Shape_int16_t::toString ()

11.5.3.148 native long parma_polyhedra_library::BD_Shape_int16_t::total_memory_in_bytes ()

11.5.3.149 native void parma_polyhedra_library::BD_Shape_int16_t::unconstrain_space_dimension (Variable *var*)

11.5.3.150 native void parma_polyhedra_library::BD_Shape_int16_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.5.3.151 native void parma_polyhedra_library::BD_Shape_int16_t::upper_bound_assign (BD_Shape_int16_t *p*)

11.5.3.152 native boolean parma_polyhedra_library::BD_Shape_int16_t::upper_bound_assign_if_exact (BD_Shape_int16_t *y*)

11.5.3.153 native void parma_polyhedra_library::BD_Shape_int16_t::widening_assign (BD_Shape_int16_t *y*, By_Reference< Integer > *tp*)

11.5.3.154 native void parma_polyhedra_library::BD_Shape_int16_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_int16_t.java


11.6 parma_polyhedra_library::BD_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

Inheritance diagram for parma_polyhedra_library::BD_Shape_int32_t:



Collaboration diagram for parma_polyhedra_library::BD_Shape_int32_t:



Public Member Functions

- BD_Shape_int32_t (long num_dimensions, Degenerate_Element kind)
- BD_Shape_int32_t (Int8_Box y)
- BD_Shape_int32_t (Int16_Box y)
- BD_Shape_int32_t (Int32_Box y)
- BD_Shape_int32_t (Int64_Box y)
- BD_Shape_int32_t (Uint8_Box y)
- BD_Shape_int32_t (Uint16_Box y)
- BD_Shape_int32_t (Uint32_Box y)
- BD_Shape_int32_t (Uint64_Box y)
- BD_Shape_int32_t (Z_Box y)
- BD_Shape_int32_t (Rational_Box y)
- BD_Shape_int32_t (BD_Shape_int8_t y)
- BD_Shape_int32_t (BD_Shape_int16_t y)
- BD_Shape_int32_t (BD_Shape_int32_t y)
- BD_Shape_int32_t (BD_Shape_int64_t y)
- BD_Shape_int32_t (BD_Shape_mpz_class y)
- BD_Shape_int32_t (BD_Shape_mpq_class y)
- BD_Shape_int32_t (Octagonal_Shape_int8_t y)
- BD_Shape_int32_t (Octagonal_Shape_int16_t y)
- BD_Shape_int32_t (Octagonal_Shape_int32_t y)
- BD_Shape_int32_t (Octagonal_Shape_int64_t y)
- BD_Shape_int32_t (Octagonal_Shape_mpz_class y)
- BD_Shape_int32_t (Octagonal_Shape_mpq_class y)
- BD_Shape_int32_t (C_Polyhedron y)
- BD_Shape_int32_t (NNC_Polyhedron y)
- BD_Shape_int32_t (Grid y)
- BD_Shape_int32_t (Float_Box y)
- BD_Shape_int32_t (BD_Shape_float y)
- BD_Shape_int32_t (Octagonal_Shape_float y)
- BD_Shape_int32_t (Double_Box y)
- BD_Shape_int32_t (BD_Shape_double y)
- BD_Shape_int32_t (Octagonal_Shape_double y)
- BD_Shape_int32_t (Long_Double_Box y)
- BD_Shape_int32_t (BD_Shape_long_double y)
- BD_Shape_int32_t (Octagonal_Shape_long_double y)
- BD_Shape_int32_t (Int8_Box y, Complexity_Class complexity)

- BD_Shape_int32_t (Int16_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Int32_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Int64_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Z_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (Rational_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int32_t (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int32_t (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int32_t (Grid y, Complexity_Class complexity)
- BD_Shape_int32_t (Float_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_int32_t (Double_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_int32_t (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_int32_t (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int32_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int32_t (Constraint_System cs)
- BD_Shape_int32_t (Congruence_System cs)
- BD_Shape_int32_t (Generator_System cs)
- native void swap (BD_Shape_int32_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_int32_t y)
- native boolean strictly_contains (BD_Shape_int32_t y)
- native boolean is_disjoint_from (BD_Shape_int32_t y)
- native boolean equals (BD_Shape_int32_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_int32_t p)
- native void upper_bound_assign (BD_Shape_int32_t p)
- native void difference_assign (BD_Shape_int32_t p)
- native void concatenate_assign (BD_Shape_int32_t p)
- native void time_elapse_assign (BD_Shape_int32_t p)
- native boolean upper_bound_assign_if_exact (BD_Shape_int32_t y)
- native boolean simplify_using_context_assign (BD_Shape_int32_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_int32_t y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_int32_t y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_int32_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_int32_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_int32_t arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_int32_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_int32_t p, BD_Shape_int32_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_int32_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.6.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

Definition at line 33 of file BD_Shape_int32_t.java.

11.6.2 Constructor & Destructor Documentation

11.6.2.1 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.2 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t () [inline, private]

Definition at line 45 of file BD_Shape_int32_t.java.

11.6.2.3 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.4 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.5 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.6 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.7 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.8 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.9 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.10 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.11 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.12 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.13 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.14 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.15 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.16 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.17 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.18 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.19 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.20 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.21 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.22 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.23 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.24 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.25 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.26 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.27 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.28 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.29 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.30 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.31 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.32 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.33 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.34 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.35 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.36 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.37 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.38 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.39 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.40 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.41 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.42 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.43 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.44 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.45 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.46 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.47 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.48 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.49 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.50 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.51 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.52 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.53 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.54 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.55 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.56 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.57 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.58 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.59 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.60 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.61 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.62 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.63 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.64 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.65 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.66 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.67 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.68 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.69 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.70 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.71 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.72 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.2.73 parma_polyhedra_library::BD_Shape_int32_t::BD_Shape_int32_t (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_int32_t.java.

References build_cpp_object().

11.6.3 Member Function Documentation

11.6.3.1 native void parma_polyhedra_library::BD_Shape_int32_t::add_congruence (Congruence *c*)

11.6.3.2 native void parma_polyhedra_library::BD_Shape_int32_t::add_congruences (Congruence_System *c*)

11.6.3.3 native void parma_polyhedra_library::BD_Shape_int32_t::add_constraint (Constraint *c*)

11.6.3.4 native void parma_polyhedra_library::BD_Shape_int32_t::add_constraints (Constraint_System *c*)

11.6.3.5 native void parma_polyhedra_library::BD_Shape_int32_t::add_space_dimensions_and_embed (long *m*)

11.6.3.6 native void parma_polyhedra_library::BD_Shape_int32_t::add_space_dimensions_and_project (long *m*)

11.6.3.7 native long parma_polyhedra_library::BD_Shape_int32_t::affine_dimension ()

11.6.3.8 native void parma_polyhedra_library::BD_Shape_int32_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.6.3.9 native void parma_polyhedra_library::BD_Shape_int32_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.6.3.10 native String parma_polyhedra_library::BD_Shape_int32_t::ascii_dump ()

11.6.3.11 native void parma_polyhedra_library::BD_Shape_int32_t::BHMZ05_widening_assign (BD_Shape_int32_t *y*, By_Reference< Integer > *tp*)

11.6.3.12 native void parma_polyhedra_library::BD_Shape_int32_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.6.3.13 native void parma_polyhedra_library::BD_Shape_int32_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.6.3.14 native boolean parma_polyhedra_library::BD_Shape_int32_t::bounds_from_above (Linear_Expression *expr*)

11.6.3.15 native boolean parma_polyhedra_library::BD_Shape_int32_t::bounds_from_below (Linear_Expression *expr*)

11.6.3.16 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.6.3.17 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.6.3.18 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.6.3.19 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.6.3.20 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.6.3.21 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Long_Double_Box *y*) `[private]`

11.6.3.22 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.6.3.23 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.6.3.24 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.6.3.25 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_double *y*) [private]

11.6.3.26 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.27 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Double_Box *y*) [private]

11.6.3.28 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.6.3.29 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.6.3.30 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.6.3.31 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_float *y*) [private]

11.6.3.32 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.33 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Float_Box *y*) [private]

11.6.3.34 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.6.3.35 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Grid *y*) [private]

11.6.3.36 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.6.3.37 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.6.3.38 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.6.3.39 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (C_Polyhedron *y*) [private]

11.6.3.40 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.6.3.41 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.6.3.42 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.6.3.43 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.6.3.44 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.6.3.45 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.6.3.46 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.6.3.47 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.6.3.48 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.6.3.49 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.6.3.50 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.6.3.51 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.6.3.52 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.6.3.53 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.6.3.54 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.6.3.55 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.6.3.56 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.6.3.57 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.6.3.58 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.6.3.59 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.6.3.60 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.6.3.61 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.6.3.62 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.6.3.63 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.6.3.64 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.65 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Rational_Box *y*) [private]

11.6.3.66 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.67 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Z_Box *y*) [private]

11.6.3.68 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.69 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint64_Box *y*) [private]

11.6.3.70 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.71 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint32_Box *y*) [private]

11.6.3.72 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.73 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint16_Box *y*) [private]

11.6.3.74 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.75 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Uint8_Box *y*) [private]

11.6.3.76 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.77 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int64_Box *y*) [private]

11.6.3.78 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.79 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int32_Box *y*) [private]

11.6.3.80 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.81 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int16_Box *y*) [private]

11.6.3.82 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.6.3.83 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Int8_Box *y*) [private]

11.6.3.84 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.6.3.85 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Generator_System *cs*) [private]

11.6.3.86 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Congruence_System *cs*) [private]

11.6.3.87 native void parma_polyhedra_library::BD_Shape_int32_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_int32_t().

11.6.3.88 native void parma_polyhedra_library::BD_Shape_int32_t::CC76_extrapolation_assign (BD_Shape_int32_t *arg*, By_Reference< Integer > *tp*)

11.6.3.89 native void parma_polyhedra_library::BD_Shape_int32_t::CC76_narrowing_assign (BD_Shape_int32_t *arg*)

11.6.3.90 native void parma_polyhedra_library::BD_Shape_int32_t::concatenate_assign (BD_Shape_int32_t *p*)

11.6.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_int32_t::congruences ()

11.6.3.92 native boolean parma_polyhedra_library::BD_Shape_int32_t::constrains (Variable *var*)

11.6.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_int32_t::constraints ()

11.6.3.94 native boolean parma_polyhedra_library::BD_Shape_int32_t::contains (BD_Shape_int32_t *y*)

11.6.3.95 native boolean parma_polyhedra_library::BD_Shape_int32_t::contains_integer_point ()

11.6.3.96 native void parma_polyhedra_library::BD_Shape_int32_t::difference_assign (BD_Shape_int32_t *p*)

11.6.3.97 native void parma_polyhedra_library::BD_Shape_int32_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.6.3.98 native void parma_polyhedra_library::BD_Shape_int32_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.6.3.99 boolean parma_polyhedra_library::BD_Shape_int32_t::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_int32_t.java.

References equals().

11.6.3.100 native boolean parma_polyhedra_library::BD_Shape_int32_t::equals (BD_Shape_int32_t *p*)

Referenced by equals().

11.6.3.101 native void parma_polyhedra_library::BD_Shape_int32_t::expand_space_dimension (Variable *var*, long *m*)

11.6.3.102 native long parma_polyhedra_library::BD_Shape_int32_t::external_memory_in_bytes ()

11.6.3.103 native void parma_polyhedra_library::BD_Shape_int32_t::finalize () [protected]

11.6.3.104 native void parma_polyhedra_library::BD_Shape_int32_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.6.3.105 native void parma_polyhedra_library::BD_Shape_int32_t::free ()

11.6.3.106 native boolean parma_polyhedra_library::BD_Shape_int32_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.6.3.107 native void parma_polyhedra_library::BD_Shape_int32_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.6.3.108 native void parma_polyhedra_library::BD_Shape_int32_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.6.3.109 native void parma_polyhedra_library::BD_Shape_int32_t::generalized_affine_-preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.6.3.110 native void parma_polyhedra_library::BD_Shape_int32_t::generalized_affine_-preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.6.3.111 native void parma_polyhedra_library::BD_Shape_int32_t::H79_widening_assign (BD_Shape_int32_t *y*, By_Reference< Integer > *tp*)

11.6.3.112 native int parma_polyhedra_library::BD_Shape_int32_t::hashCode ()

11.6.3.113 native void parma_polyhedra_library::BD_Shape_int32_t::intersection_assign (BD_Shape_int32_t *p*)

11.6.3.114 native boolean parma_polyhedra_library::BD_Shape_int32_t::is_bounded ()

11.6.3.115 native boolean parma_polyhedra_library::BD_Shape_int32_t::is_discrete ()

11.6.3.116 native boolean parma_polyhedra_library::BD_Shape_int32_t::is_disjoint_from (BD_Shape_int32_t *y*)

11.6.3.117 native boolean parma_polyhedra_library::BD_Shape_int32_t::is_empty ()

11.6.3.118 native boolean parma_polyhedra_library::BD_Shape_int32_t::is_topologically_closed ()

11.6.3.119 native boolean parma_polyhedra_library::BD_Shape_int32_t::is_universe ()

11.6.3.120 native void parma_polyhedra_library::BD_Shape_int32_t::limited_BHMZ05_extrapolation_assign (BD_Shape_int32_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.6.3.121 native void parma_polyhedra_library::BD_Shape_int32_t::limited_CC76_extrapolation_assign (BD_Shape_int32_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.6.3.122 native void parma_polyhedra_library::BD_Shape_int32_t::limited_H79_-extrapolation_assign (BD_Shape_int32_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.6.3.123 static native Pair<BD_Shape_int32_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_int32_t::linear_partition (BD_Shape_int32_t *p*, BD_Shape_int32_t *q*) [static]

11.6.3.124 native void parma_polyhedra_library::BD_Shape_int32_t::map_space_dimensions (Partial_Function *pfunc*)

11.6.3.125 native boolean parma_polyhedra_library::BD_Shape_int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.6.3.126 native boolean parma_polyhedra_library::BD_Shape_int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.6.3.127 native boolean parma_polyhedra_library::BD_Shape_int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.6.3.128 native boolean parma_polyhedra_library::BD_Shape_int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.6.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_int32_-t::minimized_congruences ()

11.6.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_int32_t::minimized_constraints ()

11.6.3.131 native boolean parma_polyhedra_library::BD_Shape_int32_t::OK ()

11.6.3.132 native void parma_polyhedra_library::BD_Shape_int32_t::refine_with_congruence (Congruence *c*)

11.6.3.133 native void parma_polyhedra_library::BD_Shape_int32_t::refine_with_congruences (Congruence_System *c*)

11.6.3.134 native void parma_polyhedra_library::BD_Shape_int32_t::refine_with_constraint (Constraint *c*)

11.6.3.135 native void parma_polyhedra_library::BD_Shape_int32_t::refine_with_constraints (Constraint_System *c*)

11.6.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int32_t::relation_with (Congruence *c*)

11.6.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_int32_t::relation_with (Generator *c*)

11.6.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int32_t::relation_with (Constraint *c*)

11.6.3.139 native void parma_polyhedra_library::BD_Shape_int32_t::remove_higher_space_dimensions (long *new_dimension*)

11.6.3.140 native void parma_polyhedra_library::BD_Shape_int32_t::remove_space_dimensions (Variables_Set *vars*)

11.6.3.141 native boolean parma_polyhedra_library::BD_Shape_int32_t::simplify_using_context_assign (BD_Shape_int32_t *p*)

11.6.3.142 native long parma_polyhedra_library::BD_Shape_int32_t::space_dimension ()

11.6.3.143 native boolean parma_polyhedra_library::BD_Shape_int32_t::strictly_contains (BD_Shape_int32_t *y*)

11.6.3.144 native void parma_polyhedra_library::BD_Shape_int32_t::swap (BD_Shape_int32_t *y*)

11.6.3.145 native void parma_polyhedra_library::BD_Shape_int32_t::time_elapse_assign (BD_Shape_int32_t *p*)

11.6.3.146 native void parma_polyhedra_library::BD_Shape_int32_t::topological_closure_assign ()

11.6.3.147 native String parma_polyhedra_library::BD_Shape_int32_t::toString ()

11.6.3.148 native long parma_polyhedra_library::BD_Shape_int32_t::total_memory_in_bytes ()

11.6.3.149 native void parma_polyhedra_library::BD_Shape_int32_t::unconstrain_space_dimension (Variable *var*)

11.6.3.150 native void parma_polyhedra_library::BD_Shape_int32_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.6.3.151 native void parma_polyhedra_library::BD_Shape_int32_t::upper_bound_assign (BD_Shape_int32_t *p*)

11.6.3.152 native boolean parma_polyhedra_library::BD_Shape_int32_t::upper_bound_assign_if_exact (BD_Shape_int32_t *y*)

11.6.3.153 native void parma_polyhedra_library::BD_Shape_int32_t::widening_assign (BD_Shape_int32_t *y*, By_Reference< Integer > *tp*)

11.6.3.154 native void parma_polyhedra_library::BD_Shape_int32_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_int32_t.java


11.7 parma_polyhedra_library::BD_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

Inheritance diagram for parma_polyhedra_library::BD_Shape_int64_t:



Collaboration diagram for parma_polyhedra_library::BD_Shape_int64_t:



Public Member Functions

- BD_Shape_int64_t (long num_dimensions, Degenerate_Element kind)
- BD_Shape_int64_t (Int8_Box y)
- BD_Shape_int64_t (Int16_Box y)
- BD_Shape_int64_t (Int32_Box y)
- BD_Shape_int64_t (Int64_Box y)
- BD_Shape_int64_t (Uint8_Box y)
- BD_Shape_int64_t (Uint16_Box y)
- BD_Shape_int64_t (Uint32_Box y)
- BD_Shape_int64_t (Uint64_Box y)
- BD_Shape_int64_t (Z_Box y)
- BD_Shape_int64_t (Rational_Box y)
- BD_Shape_int64_t (BD_Shape_int8_t y)
- BD_Shape_int64_t (BD_Shape_int16_t y)
- BD_Shape_int64_t (BD_Shape_int32_t y)
- BD_Shape_int64_t (BD_Shape_int64_t y)
- BD_Shape_int64_t (BD_Shape_mpz_class y)
- BD_Shape_int64_t (BD_Shape_mpq_class y)
- BD_Shape_int64_t (Octagonal_Shape_int8_t y)
- BD_Shape_int64_t (Octagonal_Shape_int16_t y)
- BD_Shape_int64_t (Octagonal_Shape_int32_t y)
- BD_Shape_int64_t (Octagonal_Shape_int64_t y)
- BD_Shape_int64_t (Octagonal_Shape_mpz_class y)
- BD_Shape_int64_t (Octagonal_Shape_mpq_class y)
- BD_Shape_int64_t (C_Polyhedron y)
- BD_Shape_int64_t (NNC_Polyhedron y)
- BD_Shape_int64_t (Grid y)
- BD_Shape_int64_t (Float_Box y)
- BD_Shape_int64_t (BD_Shape_float y)
- BD_Shape_int64_t (Octagonal_Shape_float y)
- BD_Shape_int64_t (Double_Box y)
- BD_Shape_int64_t (BD_Shape_double y)
- BD_Shape_int64_t (Octagonal_Shape_double y)
- BD_Shape_int64_t (Long_Double_Box y)
- BD_Shape_int64_t (BD_Shape_long_double y)
- BD_Shape_int64_t (Octagonal_Shape_long_double y)
- BD_Shape_int64_t (Int8_Box y, Complexity_Class complexity)

- BD_Shape_int64_t (Int16_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Int32_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Int64_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Z_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (Rational_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int64_t (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int64_t (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int64_t (Grid y, Complexity_Class complexity)
- BD_Shape_int64_t (Float_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_int64_t (Double_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_int64_t (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_int64_t (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int64_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int64_t (Constraint_System cs)
- BD_Shape_int64_t (Congruence_System cs)
- BD_Shape_int64_t (Generator_System cs)
- native void swap (BD_Shape_int64_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_int64_t y)
- native boolean strictly_contains (BD_Shape_int64_t y)
- native boolean is_disjoint_from (BD_Shape_int64_t y)
- native boolean equals (BD_Shape_int64_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_int64_t p)
- native void upper_bound_assign (BD_Shape_int64_t p)
- native void difference_assign (BD_Shape_int64_t p)
- native void concatenate_assign (BD_Shape_int64_t p)
- native void time_elapse_assign (BD_Shape_int64_t p)
- native boolean upper_bound_assign_if_exact (BD_Shape_int64_t y)
- native boolean simplify_using_context_assign (BD_Shape_int64_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_int64_t y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_int64_t y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_int64_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_int64_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_int64_t arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_int64_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_int64_t p, BD_Shape_int64_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_int64_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.7.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

Definition at line 33 of file BD_Shape_int64_t.java.

11.7.2 Constructor & Destructor Documentation

11.7.2.1 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.2 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t () [inline, private]

Definition at line 45 of file BD_Shape_int64_t.java.

11.7.2.3 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.4 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.5 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.6 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.7 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.8 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.9 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.10 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.11 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.12 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.13 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.14 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.15 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.16 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.17 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.18 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.19 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.20 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.21 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.22 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.23 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.24 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.25 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.26 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.27 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.28 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.29 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.30 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.31 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.32 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.33 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.34 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.35 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.36 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.37 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.38 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.39 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.40 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.41 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.42 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.43 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.44 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.45 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.46 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.47 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.48 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.49 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.50 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.51 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.52 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.53 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.54 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.55 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.56 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.57 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.58 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.59 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.60 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.61 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.62 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.63 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.64 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.65 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.66 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.67 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.68 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.69 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.70 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.71 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.72 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.2.73 parma_polyhedra_library::BD_Shape_int64_t::BD_Shape_int64_t (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_int64_t.java.

References build_cpp_object().

11.7.3 Member Function Documentation

11.7.3.1 native void parma_polyhedra_library::BD_Shape_int64_t::add_congruence (Congruence *c*)

11.7.3.2 native void parma_polyhedra_library::BD_Shape_int64_t::add_congruences (Congruence_System *c*)

11.7.3.3 native void parma_polyhedra_library::BD_Shape_int64_t::add_constraint (Constraint *c*)

11.7.3.4 native void parma_polyhedra_library::BD_Shape_int64_t::add_constraints (Constraint_System *c*)

11.7.3.5 native void parma_polyhedra_library::BD_Shape_int64_t::add_space_dimensions_and_embed (long *m*)

11.7.3.6 native void parma_polyhedra_library::BD_Shape_int64_t::add_space_dimensions_and_project (long *m*)

11.7.3.7 native long parma_polyhedra_library::BD_Shape_int64_t::affine_dimension ()

11.7.3.8 native void parma_polyhedra_library::BD_Shape_int64_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.7.3.9 native void parma_polyhedra_library::BD_Shape_int64_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.7.3.10 native String parma_polyhedra_library::BD_Shape_int64_t::ascii_dump ()

11.7.3.11 native void parma_polyhedra_library::BD_Shape_int64_t::BHMZ05_widening_assign (BD_Shape_int64_t *y*, By_Reference< Integer > *tp*)

11.7.3.12 native void parma_polyhedra_library::BD_Shape_int64_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.7.3.13 native void parma_polyhedra_library::BD_Shape_int64_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.7.3.14 native boolean parma_polyhedra_library::BD_Shape_int64_t::bounds_from_above (Linear_Expression *expr*)

11.7.3.15 native boolean parma_polyhedra_library::BD_Shape_int64_t::bounds_from_below (Linear_Expression *expr*)

11.7.3.16 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.7.3.17 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.7.3.18 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.7.3.19 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.7.3.20 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.7.3.21 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Long_Double_Box *y*) `[private]`

11.7.3.22 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.7.3.23 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.7.3.24 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.7.3.25 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_double *y*) [private]

11.7.3.26 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.27 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Double_Box *y*) [private]

11.7.3.28 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.7.3.29 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.7.3.30 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.7.3.31 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_float *y*) [private]

11.7.3.32 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.33 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Float_Box *y*) [private]

11.7.3.34 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.7.3.35 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Grid *y*) [private]

11.7.3.36 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.7.3.37 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.7.3.38 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.7.3.39 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (C_Polyhedron *y*) [private]

11.7.3.40 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.7.3.41 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.7.3.42 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.7.3.43 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.7.3.44 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.7.3.45 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.7.3.46 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.7.3.47 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.7.3.48 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.7.3.49 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.7.3.50 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.7.3.51 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.7.3.52 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.7.3.53 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.7.3.54 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.7.3.55 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.7.3.56 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.7.3.57 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.7.3.58 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.7.3.59 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.7.3.60 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.7.3.61 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.7.3.62 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.7.3.63 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.7.3.64 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.65 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Rational_Box *y*) [private]

11.7.3.66 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.67 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Z_Box *y*) [private]

11.7.3.68 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.69 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint64_Box *y*) [private]

11.7.3.70 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.71 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint32_Box *y*) [private]

11.7.3.72 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.73 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint16_Box *y*) [private]

11.7.3.74 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.75 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Uint8_Box *y*) [private]

11.7.3.76 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.77 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int64_Box *y*) [private]

11.7.3.78 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.79 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int32_Box *y*) [private]

11.7.3.80 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.81 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int16_Box *y*) [private]

11.7.3.82 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.7.3.83 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Int8_Box *y*) [private]

11.7.3.84 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.7.3.85 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Generator_System *cs*) [private]

11.7.3.86 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Congruence_System *cs*) [private]

11.7.3.87 native void parma_polyhedra_library::BD_Shape_int64_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_int64_t().

11.7.3.88 native void parma_polyhedra_library::BD_Shape_int64_t::CC76_extrapolation_assign (BD_Shape_int64_t *arg*, By_Reference< Integer > *tp*)

11.7.3.89 native void parma_polyhedra_library::BD_Shape_int64_t::CC76_narrowing_assign (BD_Shape_int64_t *arg*)

11.7.3.90 native void parma_polyhedra_library::BD_Shape_int64_t::concatenate_assign (BD_Shape_int64_t *p*)

11.7.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_int64_t::congruences ()

11.7.3.92 native boolean parma_polyhedra_library::BD_Shape_int64_t::constrains (Variable *var*)

11.7.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_int64_t::constraints ()

11.7.3.94 native boolean parma_polyhedra_library::BD_Shape_int64_t::contains (BD_Shape_int64_t *y*)

11.7.3.95 native boolean parma_polyhedra_library::BD_Shape_int64_t::contains_integer_point ()

11.7.3.96 native void parma_polyhedra_library::BD_Shape_int64_t::difference_assign (BD_Shape_int64_t *p*)

11.7.3.97 native void parma_polyhedra_library::BD_Shape_int64_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.7.3.98 native void parma_polyhedra_library::BD_Shape_int64_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.7.3.99 boolean parma_polyhedra_library::BD_Shape_int64_t::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_int64_t.java.

References equals().

11.7.3.100 native boolean parma_polyhedra_library::BD_Shape_int64_t::equals (BD_Shape_int64_t *p*)

Referenced by equals().

11.7.3.101 native void parma_polyhedra_library::BD_Shape_int64_t::expand_space_dimension (Variable *var*, long *m*)

11.7.3.102 native long parma_polyhedra_library::BD_Shape_int64_t::external_memory_in_bytes ()

11.7.3.103 native void parma_polyhedra_library::BD_Shape_int64_t::finalize () [protected]

11.7.3.104 native void parma_polyhedra_library::BD_Shape_int64_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.7.3.105 native void parma_polyhedra_library::BD_Shape_int64_t::free ()

11.7.3.106 native boolean parma_polyhedra_library::BD_Shape_int64_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.7.3.107 native void parma_polyhedra_library::BD_Shape_int64_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.7.3.108 native void parma_polyhedra_library::BD_Shape_int64_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.7.3.109 native void parma_polyhedra_library::BD_Shape_int64_t::generalized_affine_-preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.7.3.110 native void parma_polyhedra_library::BD_Shape_int64_t::generalized_affine_-preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.7.3.111 native void parma_polyhedra_library::BD_Shape_int64_t::H79_widening_assign (BD_Shape_int64_t *y*, By_Reference< Integer > *tp*)

11.7.3.112 native int parma_polyhedra_library::BD_Shape_int64_t::hashCode ()

11.7.3.113 native void parma_polyhedra_library::BD_Shape_int64_t::intersection_assign (BD_Shape_int64_t *p*)

11.7.3.114 native boolean parma_polyhedra_library::BD_Shape_int64_t::is_bounded ()

11.7.3.115 native boolean parma_polyhedra_library::BD_Shape_int64_t::is_discrete ()

11.7.3.116 native boolean parma_polyhedra_library::BD_Shape_int64_t::is_disjoint_from (BD_Shape_int64_t *y*)

11.7.3.117 native boolean parma_polyhedra_library::BD_Shape_int64_t::is_empty ()

11.7.3.118 native boolean parma_polyhedra_library::BD_Shape_int64_t::is_topologically_closed ()

11.7.3.119 native boolean parma_polyhedra_library::BD_Shape_int64_t::is_universe ()

11.7.3.120 native void parma_polyhedra_library::BD_Shape_int64_t::limited_BHMZ05_extrapolation_assign (BD_Shape_int64_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.7.3.121 native void parma_polyhedra_library::BD_Shape_int64_t::limited_CC76_extrapolation_assign (BD_Shape_int64_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.7.3.122 native void parma_polyhedra_library::BD_Shape_int64_t::limited_H79_-extrapolation_assign (BD_Shape_int64_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.7.3.123 static native Pair<BD_Shape_int64_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_int64_t::linear_partition (BD_Shape_int64_t *p*, BD_Shape_int64_t *q*) `[static]`

11.7.3.124 native void parma_polyhedra_library::BD_Shape_int64_t::map_space_dimensions (Partial_Function *pfunc*)

11.7.3.125 native boolean parma_polyhedra_library::BD_Shape_int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.7.3.126 native boolean parma_polyhedra_library::BD_Shape_int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.7.3.127 native boolean parma_polyhedra_library::BD_Shape_int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.7.3.128 native boolean parma_polyhedra_library::BD_Shape_int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.7.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_int64_-t::minimized_congruences ()

11.7.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_int64_t::minimized_constraints ()

11.7.3.131 native boolean parma_polyhedra_library::BD_Shape_int64_t::OK ()

11.7.3.132 native void parma_polyhedra_library::BD_Shape_int64_t::refine_with_congruence (Congruence *c*)

11.7.3.133 native void parma_polyhedra_library::BD_Shape_int64_t::refine_with_congruences (Congruence_System *c*)

11.7.3.134 native void parma_polyhedra_library::BD_Shape_int64_t::refine_with_constraint (Constraint *c*)

11.7.3.135 native void parma_polyhedra_library::BD_Shape_int64_t::refine_with_constraints (Constraint_System *c*)

11.7.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int64_t::relation_with (Congruence *c*)

11.7.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_int64_t::relation_with (Generator *c*)

11.7.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int64_t::relation_with (Constraint *c*)

11.7.3.139 native void parma_polyhedra_library::BD_Shape_int64_t::remove_higher_space_dimensions (long *new_dimension*)

11.7.3.140 native void parma_polyhedra_library::BD_Shape_int64_t::remove_space_dimensions (Variables_Set *vars*)

11.7.3.141 native boolean parma_polyhedra_library::BD_Shape_int64_t::simplify_using_context_assign (BD_Shape_int64_t *p*)

11.7.3.142 native long parma_polyhedra_library::BD_Shape_int64_t::space_dimension ()

11.7.3.143 native boolean parma_polyhedra_library::BD_Shape_int64_t::strictly_contains (BD_Shape_int64_t *y*)

11.7.3.144 native void parma_polyhedra_library::BD_Shape_int64_t::swap (BD_Shape_int64_t *y*)

11.7.3.145 native void parma_polyhedra_library::BD_Shape_int64_t::time_elapse_assign (BD_Shape_int64_t *p*)

11.7.3.146 native void parma_polyhedra_library::BD_Shape_int64_t::topological_closure_assign ()

11.7.3.147 native String parma_polyhedra_library::BD_Shape_int64_t::toString ()

11.7.3.148 native long parma_polyhedra_library::BD_Shape_int64_t::total_memory_in_bytes ()

11.7.3.149 native void parma_polyhedra_library::BD_Shape_int64_t::unconstrain_space_dimension (Variable *var*)

11.7.3.150 native void parma_polyhedra_library::BD_Shape_int64_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.7.3.151 native void parma_polyhedra_library::BD_Shape_int64_t::upper_bound_assign (BD_Shape_int64_t *p*)

11.7.3.152 native boolean parma_polyhedra_library::BD_Shape_int64_t::upper_bound_assign_if_exact (BD_Shape_int64_t *y*)

11.7.3.153 native void parma_polyhedra_library::BD_Shape_int64_t::widening_assign (BD_Shape_int64_t *y*, By_Reference< Integer > *tp*)

11.7.3.154 native void parma_polyhedra_library::BD_Shape_int64_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_int64_t.java


11.8 parma_polyhedra_library::BD_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

Inheritance diagram for parma_polyhedra_library::BD_Shape_int8_t:



Collaboration diagram for parma_polyhedra_library::BD_Shape_int8_t:



Public Member Functions

- BD_Shape_int8_t (long num_dimensions, Degenerate_Element kind)
- BD_Shape_int8_t (Int8_Box y)
- BD_Shape_int8_t (Int16_Box y)
- BD_Shape_int8_t (Int32_Box y)
- BD_Shape_int8_t (Int64_Box y)
- BD_Shape_int8_t (Uint8_Box y)
- BD_Shape_int8_t (Uint16_Box y)
- BD_Shape_int8_t (Uint32_Box y)
- BD_Shape_int8_t (Uint64_Box y)
- BD_Shape_int8_t (Z_Box y)
- BD_Shape_int8_t (Rational_Box y)
- BD_Shape_int8_t (BD_Shape_int8_t y)
- BD_Shape_int8_t (BD_Shape_int16_t y)
- BD_Shape_int8_t (BD_Shape_int32_t y)
- BD_Shape_int8_t (BD_Shape_int64_t y)
- BD_Shape_int8_t (BD_Shape_mpz_class y)
- BD_Shape_int8_t (BD_Shape_mpq_class y)
- BD_Shape_int8_t (Octagonal_Shape_int8_t y)
- BD_Shape_int8_t (Octagonal_Shape_int16_t y)
- BD_Shape_int8_t (Octagonal_Shape_int32_t y)
- BD_Shape_int8_t (Octagonal_Shape_int64_t y)
- BD_Shape_int8_t (Octagonal_Shape_mpz_class y)
- BD_Shape_int8_t (Octagonal_Shape_mpq_class y)
- BD_Shape_int8_t (C_Polyhedron y)
- BD_Shape_int8_t (NNC_Polyhedron y)
- BD_Shape_int8_t (Grid y)
- BD_Shape_int8_t (Float_Box y)
- BD_Shape_int8_t (BD_Shape_float y)
- BD_Shape_int8_t (Octagonal_Shape_float y)
- BD_Shape_int8_t (Double_Box y)
- BD_Shape_int8_t (BD_Shape_double y)
- BD_Shape_int8_t (Octagonal_Shape_double y)
- BD_Shape_int8_t (Long_Double_Box y)
- BD_Shape_int8_t (BD_Shape_long_double y)
- BD_Shape_int8_t (Octagonal_Shape_long_double y)
- BD_Shape_int8_t (Int8_Box y, Complexity_Class complexity)

- BD_Shape_int8_t (Int16_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Int32_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Int64_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Z_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (Rational_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_int8_t (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int8_t (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_int8_t (Grid y, Complexity_Class complexity)
- BD_Shape_int8_t (Float_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_int8_t (Double_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_int8_t (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_int8_t (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int8_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_int8_t (Constraint_System cs)
- BD_Shape_int8_t (Congruence_System cs)
- BD_Shape_int8_t (Generator_System cs)
- native void swap (BD_Shape_int8_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_int8_t y)
- native boolean strictly_contains (BD_Shape_int8_t y)
- native boolean is_disjoint_from (BD_Shape_int8_t y)
- native boolean equals (BD_Shape_int8_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_int8_t p)
- native void upper_bound_assign (BD_Shape_int8_t p)
- native void difference_assign (BD_Shape_int8_t p)
- native void concatenate_assign (BD_Shape_int8_t p)
- native void time_elapse_assign (BD_Shape_int8_t p)
- native boolean upper_bound_assign_if_exact (BD_Shape_int8_t y)
- native boolean simplify_using_context_assign (BD_Shape_int8_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_int8_t y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_int8_t y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_int8_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_int8_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_int8_t arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_int8_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_int8_t p, BD_Shape_int8_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_int8_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.8.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

Definition at line 33 of file BD_Shape_int8_t.java.

11.8.2 Constructor & Destructor Documentation

11.8.2.1 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (long *num_dimensions*, Degenerate_Element *kind*) `[inline]`

Definition at line 40 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.2 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t () `[inline, private]`

Definition at line 45 of file BD_Shape_int8_t.java.

11.8.2.3 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int8_Box *y*) `[inline]`

Definition at line 52 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.4 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.5 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.6 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.7 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.8 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.9 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.10 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.11 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.12 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.13 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.14 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.15 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.16 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.17 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.18 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.19 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.20 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.21 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.22 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.23 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.24 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.25 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.26 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.27 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.28 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.29 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.30 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.31 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.32 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.33 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.34 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.35 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.36 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.37 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.38 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.39 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.40 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.41 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.42 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.43 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.44 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.45 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.46 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.47 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.48 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.49 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.50 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.51 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.52 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.53 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.54 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.55 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.56 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.57 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.58 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.59 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.60 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.61 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.62 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.63 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.64 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.65 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.66 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.67 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.68 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.69 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.70 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.71 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.72 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.2.73 parma_polyhedra_library::BD_Shape_int8_t::BD_Shape_int8_t (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_int8_t.java.

References build_cpp_object().

11.8.3 Member Function Documentation

11.8.3.1 native void parma_polyhedra_library::BD_Shape_int8_t::add_congruence (Congruence *c*)

11.8.3.2 native void parma_polyhedra_library::BD_Shape_int8_t::add_congruences (Congruence_System *c*)

11.8.3.3 native void parma_polyhedra_library::BD_Shape_int8_t::add_constraint (Constraint *c*)

11.8.3.4 native void parma_polyhedra_library::BD_Shape_int8_t::add_constraints (Constraint_System *c*)

11.8.3.5 native void parma_polyhedra_library::BD_Shape_int8_t::add_space_dimensions_and_embed (long *m*)

11.8.3.6 native void parma_polyhedra_library::BD_Shape_int8_t::add_space_dimensions_and_project (long *m*)

11.8.3.7 native long parma_polyhedra_library::BD_Shape_int8_t::affine_dimension ()

11.8.3.8 native void parma_polyhedra_library::BD_Shape_int8_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.8.3.9 native void parma_polyhedra_library::BD_Shape_int8_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.8.3.10 native String parma_polyhedra_library::BD_Shape_int8_t::ascii_dump ()

11.8.3.11 native void parma_polyhedra_library::BD_Shape_int8_t::BHMZ05_widening_assign (BD_Shape_int8_t *y*, By_Reference< Integer > *tp*)

11.8.3.12 native void parma_polyhedra_library::BD_Shape_int8_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.8.3.13 native void parma_polyhedra_library::BD_Shape_int8_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.8.3.14 native boolean parma_polyhedra_library::BD_Shape_int8_t::bounds_from_above (Linear_Expression *expr*)

11.8.3.15 native boolean parma_polyhedra_library::BD_Shape_int8_t::bounds_from_below (Linear_Expression *expr*)

11.8.3.16 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.8.3.17 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.8.3.18 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.8.3.19 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.8.3.20 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.8.3.21 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Long_Double_Box *y*) `[private]`

11.8.3.22 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.8.3.23 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.8.3.24 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.8.3.25 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_double *y*) [private]

11.8.3.26 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.27 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Double_Box *y*) [private]

11.8.3.28 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.8.3.29 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.8.3.30 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.8.3.31 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_float *y*) [private]

11.8.3.32 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.33 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Float_Box *y*) [private]

11.8.3.34 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.8.3.35 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Grid *y*) [private]

11.8.3.36 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.8.3.37 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.8.3.38 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.8.3.39 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (C_Polyhedron *y*) [private]

11.8.3.40 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.8.3.41 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.8.3.42 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.8.3.43 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.8.3.44 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.8.3.45 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.8.3.46 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.8.3.47 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.8.3.48 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.8.3.49 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.8.3.50 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.8.3.51 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.8.3.52 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.8.3.53 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.8.3.54 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.8.3.55 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.8.3.56 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.8.3.57 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.8.3.58 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.8.3.59 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.8.3.60 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.8.3.61 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.8.3.62 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.8.3.63 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.8.3.64 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.65 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Rational_Box *y*) [private]

11.8.3.66 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.67 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Z_Box *y*) [private]

11.8.3.68 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.69 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint64_Box *y*) [private]

11.8.3.70 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.71 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint32_Box *y*) [private]

11.8.3.72 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.73 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint16_Box *y*) [private]

11.8.3.74 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.75 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Uint8_Box *y*) [private]

11.8.3.76 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.77 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int64_Box *y*) [private]

11.8.3.78 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.79 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int32_Box *y*) [private]

11.8.3.80 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.81 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int16_Box *y*) [private]

11.8.3.82 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.8.3.83 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Int8_Box *y*) [private]

11.8.3.84 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.8.3.85 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Generator_System *cs*) [private]

11.8.3.86 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Congruence_System *cs*) [private]

11.8.3.87 native void parma_polyhedra_library::BD_Shape_int8_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_int8_t().

11.8.3.88 native void parma_polyhedra_library::BD_Shape_int8_t::CC76_extrapolation_assign (BD_Shape_int8_t *arg*, By_Reference< Integer > *tp*)

11.8.3.89 native void parma_polyhedra_library::BD_Shape_int8_t::CC76_narrowing_assign (BD_Shape_int8_t *arg*)

11.8.3.90 native void parma_polyhedra_library::BD_Shape_int8_t::concatenate_assign (BD_Shape_int8_t *p*)

11.8.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_int8_t::congruences ()

11.8.3.92 native boolean parma_polyhedra_library::BD_Shape_int8_t::constrains (Variable *var*)

11.8.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_int8_t::constraints ()

11.8.3.94 native boolean parma_polyhedra_library::BD_Shape_int8_t::contains (BD_Shape_int8_t *y*)

11.8.3.95 native boolean parma_polyhedra_library::BD_Shape_int8_t::contains_integer_point ()

11.8.3.96 native void parma_polyhedra_library::BD_Shape_int8_t::difference_assign (BD_Shape_int8_t *p*)

11.8.3.97 native void parma_polyhedra_library::BD_Shape_int8_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.8.3.98 native void parma_polyhedra_library::BD_Shape_int8_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.8.3.99 boolean parma_polyhedra_library::BD_Shape_int8_t::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_int8_t.java.

References equals().

11.8.3.100 native boolean parma_polyhedra_library::BD_Shape_int8_t::equals (BD_Shape_int8_t *p*)

Referenced by equals().

11.8.3.101 native void parma_polyhedra_library::BD_Shape_int8_t::expand_space_dimension (Variable *var*, long *m*)

11.8.3.102 native long parma_polyhedra_library::BD_Shape_int8_t::external_memory_in_bytes ()

11.8.3.103 native void parma_polyhedra_library::BD_Shape_int8_t::finalize () [protected]

11.8.3.104 native void parma_polyhedra_library::BD_Shape_int8_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.8.3.105 native void parma_polyhedra_library::BD_Shape_int8_t::free ()

11.8.3.106 native boolean parma_polyhedra_library::BD_Shape_int8_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.8.3.107 native void parma_polyhedra_library::BD_Shape_int8_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.8.3.108 native void parma_polyhedra_library::BD_Shape_int8_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.8.3.109 native void parma_polyhedra_library::BD_Shape_int8_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.8.3.110 native void parma_polyhedra_library::BD_Shape_int8_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.8.3.111 native void parma_polyhedra_library::BD_Shape_int8_t::H79_widening_assign (BD_Shape_int8_t *y*, By_Reference< Integer > *tp*)

11.8.3.112 native int parma_polyhedra_library::BD_Shape_int8_t::hashCode ()

11.8.3.113 native void parma_polyhedra_library::BD_Shape_int8_t::intersection_assign (BD_Shape_int8_t *p*)

11.8.3.114 native boolean parma_polyhedra_library::BD_Shape_int8_t::is_bounded ()

11.8.3.115 native boolean parma_polyhedra_library::BD_Shape_int8_t::is_discrete ()

11.8.3.116 native boolean parma_polyhedra_library::BD_Shape_int8_t::is_disjoint_from (BD_Shape_int8_t *y*)

11.8.3.117 native boolean parma_polyhedra_library::BD_Shape_int8_t::is_empty ()

11.8.3.118 native boolean parma_polyhedra_library::BD_Shape_int8_t::is_topologically_closed ()

11.8.3.119 native boolean parma_polyhedra_library::BD_Shape_int8_t::is_universe ()

11.8.3.120 native void parma_polyhedra_library::BD_Shape_int8_t::limited_BHMZ05_extrapolation_assign (BD_Shape_int8_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.8.3.121 native void parma_polyhedra_library::BD_Shape_int8_t::limited_CC76_extrapolation_assign (BD_Shape_int8_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.8.3.122 native void parma_polyhedra_library::BD_Shape_int8_t::limited_H79_extrapolation_assign (BD_Shape_int8_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.8.3.123 static native Pair<BD_Shape_int8_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_int8_t::linear_partition (BD_Shape_int8_t *p*, BD_Shape_int8_t *q*) `[static]`

11.8.3.124 native void parma_polyhedra_library::BD_Shape_int8_t::map_space_dimensions (Partial_Function *pfunc*)

11.8.3.125 native boolean parma_polyhedra_library::BD_Shape_int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.8.3.126 native boolean parma_polyhedra_library::BD_Shape_int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.8.3.127 native boolean parma_polyhedra_library::BD_Shape_int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.8.3.128 native boolean parma_polyhedra_library::BD_Shape_int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.8.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_int8_t::minimized_congruences ()

11.8.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_int8_t::minimized_constraints ()

11.8.3.131 native boolean parma_polyhedra_library::BD_Shape_int8_t::OK ()

11.8.3.132 native void parma_polyhedra_library::BD_Shape_int8_t::refine_with_congruence (Congruence *c*)

11.8.3.133 native void parma_polyhedra_library::BD_Shape_int8_t::refine_with_congruences (Congruence_System *c*)

11.8.3.134 native void parma_polyhedra_library::BD_Shape_int8_t::refine_with_constraint (Constraint *c*)

11.8.3.135 native void parma_polyhedra_library::BD_Shape_int8_t::refine_with_constraints (Constraint_System *c*)

11.8.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int8_t::relation_with (Congruence *c*)

11.8.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_int8_t::relation_with (Generator *c*)

11.8.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_int8_t::relation_with (Constraint *c*)

11.8.3.139 native void parma_polyhedra_library::BD_Shape_int8_t::remove_higher_space_dimensions (long *new_dimension*)

11.8.3.140 native void parma_polyhedra_library::BD_Shape_int8_t::remove_space_dimensions (Variables_Set *vars*)

11.8.3.141 native boolean parma_polyhedra_library::BD_Shape_int8_t::simplify_using_context_assign (BD_Shape_int8_t *p*)

11.8.3.142 native long parma_polyhedra_library::BD_Shape_int8_t::space_dimension ()

11.8.3.143 native boolean parma_polyhedra_library::BD_Shape_int8_t::strictly_contains (BD_Shape_int8_t *y*)

11.8.3.144 native void parma_polyhedra_library::BD_Shape_int8_t::swap (BD_Shape_int8_t *y*)

11.8.3.145 native void parma_polyhedra_library::BD_Shape_int8_t::time_elapse_assign (BD_Shape_int8_t *p*)

11.8.3.146 native void parma_polyhedra_library::BD_Shape_int8_t::topological_closure_assign ()

11.8.3.147 native String parma_polyhedra_library::BD_Shape_int8_t::toString ()

11.8.3.148 native long parma_polyhedra_library::BD_Shape_int8_t::total_memory_in_bytes ()

11.8.3.149 native void parma_polyhedra_library::BD_Shape_int8_t::unconstrain_space_dimension (Variable *var*)

11.8.3.150 native void parma_polyhedra_library::BD_Shape_int8_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.8.3.151 native void parma_polyhedra_library::BD_Shape_int8_t::upper_bound_assign (BD_Shape_int8_t *p*)

11.8.3.152 native boolean parma_polyhedra_library::BD_Shape_int8_t::upper_bound_assign_if_exact (BD_Shape_int8_t *y*)

11.8.3.153 native void parma_polyhedra_library::BD_Shape_int8_t::widening_assign (BD_Shape_int8_t *y*, By_Reference< Integer > *tp*)

11.8.3.154 native void parma_polyhedra_library::BD_Shape_int8_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_int8_t.java


11.9 parma_polyhedra_library::BD_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

Inheritance diagram for parma_polyhedra_library::BD_Shape_long_double:



Collaboration diagram for parma_polyhedra_library::BD_Shape_long_double:



Public Member Functions

- BD_Shape_long_double (long num_dimensions, Degenerate_Element kind)
- BD_Shape_long_double (Int8_Box y)
- BD_Shape_long_double (Int16_Box y)
- BD_Shape_long_double (Int32_Box y)
- BD_Shape_long_double (Int64_Box y)
- BD_Shape_long_double (Uint8_Box y)
- BD_Shape_long_double (Uint16_Box y)
- BD_Shape_long_double (Uint32_Box y)
- BD_Shape_long_double (Uint64_Box y)
- BD_Shape_long_double (Z_Box y)
- BD_Shape_long_double (Rational_Box y)
- BD_Shape_long_double (BD_Shape_int8_t y)
- BD_Shape_long_double (BD_Shape_int16_t y)
- BD_Shape_long_double (BD_Shape_int32_t y)
- BD_Shape_long_double (BD_Shape_int64_t y)
- BD_Shape_long_double (BD_Shape_mpz_class y)
- BD_Shape_long_double (BD_Shape_mpq_class y)
- BD_Shape_long_double (Octagonal_Shape_int8_t y)
- BD_Shape_long_double (Octagonal_Shape_int16_t y)
- BD_Shape_long_double (Octagonal_Shape_int32_t y)
- BD_Shape_long_double (Octagonal_Shape_int64_t y)
- BD_Shape_long_double (Octagonal_Shape_mpz_class y)
- BD_Shape_long_double (Octagonal_Shape_mpq_class y)
- BD_Shape_long_double (C_Polyhedron y)
- BD_Shape_long_double (NNC_Polyhedron y)
- BD_Shape_long_double (Grid y)
- BD_Shape_long_double (Float_Box y)
- BD_Shape_long_double (BD_Shape_float y)
- BD_Shape_long_double (Octagonal_Shape_float y)
- BD_Shape_long_double (Double_Box y)
- BD_Shape_long_double (BD_Shape_double y)
- BD_Shape_long_double (Octagonal_Shape_double y)
- BD_Shape_long_double (Long_Double_Box y)
- BD_Shape_long_double (BD_Shape_long_double y)
- BD_Shape_long_double (Octagonal_Shape_long_double y)
- BD_Shape_long_double (Int8_Box y, Complexity_Class complexity)

- BD_Shape_long_double (Int16_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Int32_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Int64_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Z_Box y, Complexity_Class complexity)
- BD_Shape_long_double (Rational_Box y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_long_double (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_long_double (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_long_double (Grid y, Complexity_Class complexity)
- BD_Shape_long_double (Float_Box y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_long_double (Double_Box y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_long_double (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_long_double (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_long_double (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_long_double (Constraint_System cs)
- BD_Shape_long_double (Congruence_System cs)
- BD_Shape_long_double (Generator_System cs)
- native void swap (BD_Shape_long_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_long_double y)
- native boolean strictly_contains (BD_Shape_long_double y)
- native boolean is_disjoint_from (BD_Shape_long_double y)
- native boolean equals (BD_Shape_long_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_long_double p)
- native void upper_bound_assign (BD_Shape_long_double p)
- native void difference_assign (BD_Shape_long_double p)
- native void concatenate_assign (BD_Shape_long_double p)
- native void time_elapse_assign (BD_Shape_long_double p)
- native boolean upper_bound_assign_if_exact (BD_Shape_long_double y)
- native boolean simplify_using_context_assign (BD_Shape_long_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_long_double y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_long_double y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_long_double y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_long_double arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_long_double arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_long_double, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_long_double p, BD_Shape_long_double q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_long_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.9.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

Definition at line 33 of file BD_Shape_long_double.java.

11.9.2 Constructor & Destructor Documentation

11.9.2.1 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.2 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double () [inline, private]

Definition at line 45 of file BD_Shape_long_double.java.

11.9.2.3 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.4 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.5 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.6 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.7 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.8 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.9 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.10 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.11 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.12 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.13 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.14 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.15 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.16 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.17 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.18 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.19 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.20 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.21 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.22 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.23 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.24 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.25 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.26 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.27 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.28 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.29 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.30 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.31 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.32 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.33 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.34 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.35 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.36 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.37 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.38 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.39 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.40 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.41 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.42 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.43 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.44 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.45 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.46 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.47 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.48 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.49 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.50 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.51 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.52 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.53 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.54 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.55 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.56 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.57 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.58 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.59 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.60 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.61 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.62 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.63 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.64 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.65 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.66 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.67 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.68 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.69 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.70 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.71 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.72 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.2.73 parma_polyhedra_library::BD_Shape_long_double::BD_Shape_long_double (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_long_double.java.

References build_cpp_object().

11.9.3 Member Function Documentation

11.9.3.1 native void parma_polyhedra_library::BD_Shape_long_double::add_congruence (Congruence *c*)

11.9.3.2 native void parma_polyhedra_library::BD_Shape_long_double::add_congruences (Congruence_System *c*)

11.9.3.3 native void parma_polyhedra_library::BD_Shape_long_double::add_constraint (Constraint *c*)

11.9.3.4 native void parma_polyhedra_library::BD_Shape_long_double::add_constraints (Constraint_System *c*)

11.9.3.5 native void parma_polyhedra_library::BD_Shape_long_double::add_space_dimensions_and_embed (long *m*)

11.9.3.6 native void parma_polyhedra_library::BD_Shape_long_double::add_space_dimensions_and_project (long *m*)

11.9.3.7 native long parma_polyhedra_library::BD_Shape_long_double::affine_dimension ()

11.9.3.8 native void parma_polyhedra_library::BD_Shape_long_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.9.3.9 native void parma_polyhedra_library::BD_Shape_long_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.9.3.10 native String parma_polyhedra_library::BD_Shape_long_double::ascii_dump ()

11.9.3.11 native void parma_polyhedra_library::BD_Shape_long_double::BHMZ05_widening_assign (BD_Shape_long_double *y*, By_Reference< Integer > *tp*)

11.9.3.12 native void parma_polyhedra_library::BD_Shape_long_double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.9.3.13 native void parma_polyhedra_library::BD_Shape_long_double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.9.3.14 native boolean parma_polyhedra_library::BD_Shape_long_double::bounds_from_above (Linear_Expression *expr*)

11.9.3.15 native boolean parma_polyhedra_library::BD_Shape_long_double::bounds_from_below (Linear_Expression *expr*)

11.9.3.16 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.9.3.17 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.9.3.18 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.9.3.19 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.9.3.20 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.9.3.21 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Long_Double_Box *y*) `[private]`

11.9.3.22 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.9.3.23 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.9.3.24 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.9.3.25 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_double *y*) [private]

11.9.3.26 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.27 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Double_Box *y*) [private]

11.9.3.28 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.9.3.29 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.9.3.30 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.9.3.31 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_float *y*) [private]

11.9.3.32 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.33 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Float_Box *y*) [private]

11.9.3.34 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.9.3.35 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Grid *y*) [private]

11.9.3.36 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.9.3.37 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (NNC_Polyhedron *y*) [private]

11.9.3.38 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.9.3.39 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (C_Polyhedron *y*) [private]

11.9.3.40 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.9.3.41 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.9.3.42 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.9.3.43 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.9.3.44 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.9.3.45 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.9.3.46 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.9.3.47 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.9.3.48 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.9.3.49 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.9.3.50 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.9.3.51 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.9.3.52 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.9.3.53 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.9.3.54 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.9.3.55 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.9.3.56 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.9.3.57 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.9.3.58 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.9.3.59 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.9.3.60 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.9.3.61 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.9.3.62 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.9.3.63 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.9.3.64 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.65 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Rational_Box *y*) [private]

11.9.3.66 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.67 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Z_Box *y*) [private]

11.9.3.68 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.69 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint64_Box *y*) [private]

11.9.3.70 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.71 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint32_Box *y*) [private]

11.9.3.72 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.73 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint16_Box *y*) [private]

11.9.3.74 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.75 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Uint8_Box *y*) [private]

11.9.3.76 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.77 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int64_Box *y*) [private]

11.9.3.78 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.79 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int32_Box *y*) [private]

11.9.3.80 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.81 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int16_Box *y*) [private]

11.9.3.82 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.9.3.83 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Int8_Box *y*) [private]

11.9.3.84 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.9.3.85 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Generator_System *cs*) [private]

11.9.3.86 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Congruence_System *cs*) [private]

11.9.3.87 native void parma_polyhedra_library::BD_Shape_long_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_long_double().

11.9.3.88 native void parma_polyhedra_library::BD_Shape_long_double::CC76_-extrapolation_assign (BD_Shape_long_double *arg*, By_Reference< Integer > *tp*)

11.9.3.89 native void parma_polyhedra_library::BD_Shape_long_double::CC76_narrowing_-assign (BD_Shape_long_double *arg*)

11.9.3.90 native void parma_polyhedra_library::BD_Shape_long_double::concatenate_assign (BD_Shape_long_double *p*)

11.9.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_long_-double::congruences ()

11.9.3.92 native boolean parma_polyhedra_library::BD_Shape_long_double::constrains (Variable *var*)

11.9.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_long_-double::constraints ()

11.9.3.94 native boolean parma_polyhedra_library::BD_Shape_long_double::contains (BD_Shape_long_double *y*)

11.9.3.95 native boolean parma_polyhedra_library::BD_Shape_long_double::contains_integer_point ()

11.9.3.96 native void parma_polyhedra_library::BD_Shape_long_double::difference_assign (BD_Shape_long_double *p*)

11.9.3.97 native void parma_polyhedra_library::BD_Shape_long_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.9.3.98 native void parma_polyhedra_library::BD_Shape_long_double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.9.3.99 boolean parma_polyhedra_library::BD_Shape_long_double::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_long_double.java.

References equals().

11.9.3.100 native boolean parma_polyhedra_library::BD_Shape_long_double::equals (BD_Shape_long_double *p*)

Referenced by equals().

11.9.3.101 native void parma_polyhedra_library::BD_Shape_long_double::expand_space_dimension (Variable *var*, long *m*)

11.9.3.102 native long parma_polyhedra_library::BD_Shape_long_double::external_memory_in_bytes ()

11.9.3.103 native void parma_polyhedra_library::BD_Shape_long_double::finalize () [protected]

11.9.3.104 native void parma_polyhedra_library::BD_Shape_long_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.9.3.105 native void parma_polyhedra_library::BD_Shape_long_double::free ()

11.9.3.106 native boolean parma_polyhedra_library::BD_Shape_long_double::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.9.3.107 native void parma_polyhedra_library::BD_Shape_long_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.9.3.108 native void parma_polyhedra_library::BD_Shape_long_double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.9.3.109 native void parma_polyhedra_library::BD_Shape_long_double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.9.3.110 native void parma_polyhedra_library::BD_Shape_long_double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.9.3.111 native void parma_polyhedra_library::BD_Shape_long_double::H79_widening_assign (BD_Shape_long_double *y*, By_Reference< Integer > *tp*)

11.9.3.112 native int parma_polyhedra_library::BD_Shape_long_double::hashCode ()

11.9.3.113 native void parma_polyhedra_library::BD_Shape_long_double::intersection_assign (BD_Shape_long_double *p*)

11.9.3.114 native boolean parma_polyhedra_library::BD_Shape_long_double::is_bounded ()

11.9.3.115 native boolean parma_polyhedra_library::BD_Shape_long_double::is_discrete ()

11.9.3.116 native boolean parma_polyhedra_library::BD_Shape_long_double::is_disjoint_from (BD_Shape_long_double *y*)

11.9.3.117 native boolean parma_polyhedra_library::BD_Shape_long_double::is_empty ()

11.9.3.118 native boolean parma_polyhedra_library::BD_Shape_long_double::is_topologically_-closed ()

11.9.3.119 native boolean parma_polyhedra_library::BD_Shape_long_double::is_universe ()

11.9.3.120 native void parma_polyhedra_library::BD_Shape_long_double::limited_-BHMZ05_extrapolation_assign (BD_Shape_long_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.9.3.121 native void parma_polyhedra_library::BD_Shape_long_double::limited_-CC76_extrapolation_assign (BD_Shape_long_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.9.3.122 native void parma_polyhedra_library::BD_Shape_long_double::limited_-H79_extrapolation_assign (BD_Shape_long_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.9.3.123 static native Pair<BD_Shape_long_double, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_long_double::linear_partition (BD_Shape_long_double *p*, BD_Shape_long_double *q*) `[static]`

11.9.3.124 native void parma_polyhedra_library::BD_Shape_long_double::map_space_-dimensions (Partial_Function *pfunc*)

11.9.3.125 native boolean parma_polyhedra_library::BD_Shape_long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.9.3.126 native boolean parma_polyhedra_library::BD_Shape_long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.9.3.127 native boolean parma_polyhedra_library::BD_Shape_long_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.9.3.128 native boolean parma_polyhedra_library::BD_Shape_long_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.9.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_long_-double::minimized_congruences ()

11.9.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_long_double::minimized_constraints ()

11.9.3.131 native boolean parma_polyhedra_library::BD_Shape_long_double::OK ()

11.9.3.132 native void parma_polyhedra_library::BD_Shape_long_double::refine_with_congruence (Congruence *c*)

11.9.3.133 native void parma_polyhedra_library::BD_Shape_long_double::refine_with_congruences (Congruence_System *c*)

11.9.3.134 native void parma_polyhedra_library::BD_Shape_long_double::refine_with_constraint (Constraint *c*)

11.9.3.135 native void parma_polyhedra_library::BD_Shape_long_double::refine_with_constraints (Constraint_System *c*)

11.9.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_long_double::relation_with (Congruence *c*)

11.9.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_long_double::relation_with (Generator *c*)

11.9.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_long_double::relation_with (Constraint *c*)

11.9.3.139 native void parma_polyhedra_library::BD_Shape_long_double::remove_higher_space_dimensions (long *new_dimension*)

11.9.3.140 native void parma_polyhedra_library::BD_Shape_long_double::remove_space_dimensions (Variables_Set *vars*)

11.9.3.141 native boolean parma_polyhedra_library::BD_Shape_long_double::simplify_using_context_assign (BD_Shape_long_double *p*)

11.9.3.142 native long parma_polyhedra_library::BD_Shape_long_double::space_dimension ()

11.9.3.143 native boolean parma_polyhedra_library::BD_Shape_long_double::strictly_contains (BD_Shape_long_double *y*)

11.9.3.144 native void parma_polyhedra_library::BD_Shape_long_double::swap (BD_Shape_long_double *y*)

11.9.3.145 native void parma_polyhedra_library::BD_Shape_long_double::time_elapse_assign (BD_Shape_long_double *p*)

11.9.3.146 native void parma_polyhedra_library::BD_Shape_long_double::topological_closure_assign ()

11.9.3.147 native String parma_polyhedra_library::BD_Shape_long_double::toString ()

11.9.3.148 native long parma_polyhedra_library::BD_Shape_long_double::total_memory_in_bytes ()

11.9.3.149 native void parma_polyhedra_library::BD_Shape_long_double::unconstrain_space_dimension (Variable *var*)

11.9.3.150 native void parma_polyhedra_library::BD_Shape_long_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.9.3.151 native void parma_polyhedra_library::BD_Shape_long_double::upper_bound_assign (BD_Shape_long_double *p*)

11.9.3.152 native boolean parma_polyhedra_library::BD_Shape_long_double::upper_bound_assign_if_exact (BD_Shape_long_double *y*)

11.9.3.153 native void parma_polyhedra_library::BD_Shape_long_double::widening_assign (BD_Shape_long_double *y*, By_Reference< Integer > *tp*)

11.9.3.154 native void parma_polyhedra_library::BD_Shape_long_double::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_long_double.java


11.10 parma_polyhedra_library::BD_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

Inheritance diagram for parma_polyhedra_library::BD_Shape_mpq_class:



Collaboration diagram for parma_polyhedra_library::BD_Shape_mpq_class:



Public Member Functions

- BD_Shape_mpq_class (long num_dimensions, Degenerate_Element kind)
- BD_Shape_mpq_class (Int8_Box y)
- BD_Shape_mpq_class (Int16_Box y)
- BD_Shape_mpq_class (Int32_Box y)
- BD_Shape_mpq_class (Int64_Box y)
- BD_Shape_mpq_class (Uint8_Box y)
- BD_Shape_mpq_class (Uint16_Box y)
- BD_Shape_mpq_class (Uint32_Box y)
- BD_Shape_mpq_class (Uint64_Box y)
- BD_Shape_mpq_class (Z_Box y)
- BD_Shape_mpq_class (Rational_Box y)
- BD_Shape_mpq_class (BD_Shape_int8_t y)
- BD_Shape_mpq_class (BD_Shape_int16_t y)
- BD_Shape_mpq_class (BD_Shape_int32_t y)
- BD_Shape_mpq_class (BD_Shape_int64_t y)
- BD_Shape_mpq_class (BD_Shape_mpz_class y)
- BD_Shape_mpq_class (BD_Shape_mpq_class y)
- BD_Shape_mpq_class (Octagonal_Shape_int8_t y)
- BD_Shape_mpq_class (Octagonal_Shape_int16_t y)
- BD_Shape_mpq_class (Octagonal_Shape_int32_t y)
- BD_Shape_mpq_class (Octagonal_Shape_int64_t y)
- BD_Shape_mpq_class (Octagonal_Shape_mpz_class y)
- BD_Shape_mpq_class (Octagonal_Shape_mpq_class y)
- BD_Shape_mpq_class (C_Polyhedron y)
- BD_Shape_mpq_class (NNC_Polyhedron y)
- BD_Shape_mpq_class (Grid y)
- BD_Shape_mpq_class (Float_Box y)
- BD_Shape_mpq_class (BD_Shape_float y)
- BD_Shape_mpq_class (Octagonal_Shape_float y)
- BD_Shape_mpq_class (Double_Box y)
- BD_Shape_mpq_class (BD_Shape_double y)
- BD_Shape_mpq_class (Octagonal_Shape_double y)
- BD_Shape_mpq_class (Long_Double_Box y)
- BD_Shape_mpq_class (BD_Shape_long_double y)
- BD_Shape_mpq_class (Octagonal_Shape_long_double y)
- BD_Shape_mpq_class (Int8_Box y, Complexity_Class complexity)

- BD_Shape_mpq_class (Int16_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Int32_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Int64_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Z_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (Rational_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_mpq_class (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_mpq_class (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_mpq_class (Grid y, Complexity_Class complexity)
- BD_Shape_mpq_class (Float_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_mpq_class (Double_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_mpq_class (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_mpq_class (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_mpq_class (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_mpq_class (Constraint_System cs)
- BD_Shape_mpq_class (Congruence_System cs)
- BD_Shape_mpq_class (Generator_System cs)
- native void swap (BD_Shape_mpq_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_mpq_class y)
- native boolean strictly_contains (BD_Shape_mpq_class y)
- native boolean is_disjoint_from (BD_Shape_mpq_class y)
- native boolean equals (BD_Shape_mpq_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_mpq_class p)
- native void upper_bound_assign (BD_Shape_mpq_class p)
- native void difference_assign (BD_Shape_mpq_class p)
- native void concatenate_assign (BD_Shape_mpq_class p)
- native void time_elapse_assign (BD_Shape_mpq_class p)
- native boolean upper_bound_assign_if_exact (BD_Shape_mpq_class y)
- native boolean simplify_using_context_assign (BD_Shape_mpq_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_mpq_class y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_mpq_class y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_mpq_class y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_mpq_class arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_mpq_class arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_-Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_mpq_class, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_mpq_class p, BD_Shape_mpq_class q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_mpq_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.10.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

Definition at line 33 of file BD_Shape_mpq_class.java.

11.10.2 Constructor & Destructor Documentation

11.10.2.1 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.2 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class () [inline, private]

Definition at line 45 of file BD_Shape_mpq_class.java.

11.10.2.3 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.4 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.5 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.6 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.7 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.8 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.9 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.10 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.11 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.12 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.13 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.14 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.15 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.16 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.17 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.18 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.19 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.20 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.21 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.22 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.23 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.24 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.25 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.26 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.27 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.28 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.29 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.30 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.31 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.32 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.33 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.34 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.35 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.36 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.37 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.38 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.39 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.40 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.41 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.42 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.43 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.44 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.45 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.46 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.47 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.48 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.49 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.50 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.51 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.52 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.53 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.54 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.55 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.56 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.57 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.58 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.59 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.60 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.61 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.62 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.63 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.64 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.65 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.66 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.67 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.68 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.69 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.70 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.71 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.72 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.2.73 parma_polyhedra_library::BD_Shape_mpq_class::BD_Shape_mpq_class (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_mpq_class.java.

References build_cpp_object().

11.10.3 Member Function Documentation

11.10.3.1 native void parma_polyhedra_library::BD_Shape_mpq_class::add_congruence (Congruence *c*)

11.10.3.2 native void parma_polyhedra_library::BD_Shape_mpq_class::add_congruences (Congruence_System *c*)

11.10.3.3 native void parma_polyhedra_library::BD_Shape_mpq_class::add_constraint (Constraint *c*)

11.10.3.4 native void parma_polyhedra_library::BD_Shape_mpq_class::add_constraints (Constraint_System *c*)

11.10.3.5 native void parma_polyhedra_library::BD_Shape_mpq_class::add_space_dimensions_and_embed (long *m*)

11.10.3.6 native void parma_polyhedra_library::BD_Shape_mpq_class::add_space_dimensions_and_project (long *m*)

11.10.3.7 native long parma_polyhedra_library::BD_Shape_mpq_class::affine_dimension ()

11.10.3.8 native void parma_polyhedra_library::BD_Shape_mpq_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.10.3.9 native void parma_polyhedra_library::BD_Shape_mpq_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.10.3.10 native String parma_polyhedra_library::BD_Shape_mpq_class::ascii_dump ()

11.10.3.11 native void parma_polyhedra_library::BD_Shape_mpq_class::BHMZ05_widening_assign (BD_Shape_mpq_class *y*, By_Reference< Integer > *tp*)

11.10.3.12 native void parma_polyhedra_library::BD_Shape_mpq_class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.10.3.13 native void parma_polyhedra_library::BD_Shape_mpq_class::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.10.3.14 native boolean parma_polyhedra_library::BD_Shape_mpq_class::bounds_from_above (Linear_Expression *expr*)

11.10.3.15 native boolean parma_polyhedra_library::BD_Shape_mpq_class::bounds_from_below (Linear_Expression *expr*)

11.10.3.16 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.10.3.17 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.10.3.18 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.10.3.19 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.10.3.20 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.10.3.21 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Long_Double_Box *y*) `[private]`

11.10.3.22 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.10.3.23 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.10.3.24 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.10.3.25 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_double *y*) [private]

11.10.3.26 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.27 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Double_Box *y*) [private]

11.10.3.28 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.10.3.29 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.10.3.30 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.10.3.31 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_float *y*) [private]

11.10.3.32 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.33 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Float_Box *y*) [private]

11.10.3.34 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.10.3.35 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Grid *y*) [private]

11.10.3.36 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.10.3.37 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (NNC_Polyhedron *y*) [private]

11.10.3.38 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.10.3.39 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (C_Polyhedron *y*) [private]

11.10.3.40 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.10.3.41 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.10.3.42 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.10.3.43 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.10.3.44 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.10.3.45 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.10.3.46 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.10.3.47 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.10.3.48 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.10.3.49 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.10.3.50 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.10.3.51 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.10.3.52 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.10.3.53 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.10.3.54 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.10.3.55 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.10.3.56 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.10.3.57 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.10.3.58 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.10.3.59 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.10.3.60 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.10.3.61 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.10.3.62 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.10.3.63 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.10.3.64 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.65 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Rational_Box *y*) [private]

11.10.3.66 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.67 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Z_Box *y*) [private]

11.10.3.68 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.69 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint64_Box *y*) [private]

11.10.3.70 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.71 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint32_Box *y*) [private]

11.10.3.72 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.73 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint16_Box *y*) [private]

11.10.3.74 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.75 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Uint8_Box *y*) [private]

11.10.3.76 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.77 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int64_Box *y*) [private]

11.10.3.78 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.79 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int32_Box *y*) [private]

11.10.3.80 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.81 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int16_Box *y*) [private]

11.10.3.82 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.10.3.83 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Int8_Box *y*) [private]

11.10.3.84 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.10.3.85 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Generator_System *cs*) [private]

11.10.3.86 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Congruence_System *cs*) [private]

11.10.3.87 native void parma_polyhedra_library::BD_Shape_mpq_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_mpq_class().

11.10.3.88 native void parma_polyhedra_library::BD_Shape_mpq_class::CC76_-extrapolation_assign (BD_Shape_mpq_class *arg*, By_Reference< Integer > *tp*)

11.10.3.89 native void parma_polyhedra_library::BD_Shape_mpq_class::CC76_narrowing_-assign (BD_Shape_mpq_class *arg*)

11.10.3.90 native void parma_polyhedra_library::BD_Shape_mpq_class::concatenate_assign (BD_Shape_mpq_class *p*)

11.10.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_mpq_-class::congruences ()

11.10.3.92 native boolean parma_polyhedra_library::BD_Shape_mpq_class::constrains (Variable *var*)

11.10.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_mpq_-class::constraints ()

11.10.3.94 native boolean parma_polyhedra_library::BD_Shape_mpq_class::contains (BD_Shape_mpq_class *y*)

11.10.3.95 native boolean parma_polyhedra_library::BD_Shape_mpq_class::contains_integer_point ()

11.10.3.96 native void parma_polyhedra_library::BD_Shape_mpq_class::difference_assign (BD_Shape_mpq_class *p*)

11.10.3.97 native void parma_polyhedra_library::BD_Shape_mpq_class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.10.3.98 native void parma_polyhedra_library::BD_Shape_mpq_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.10.3.99 boolean parma_polyhedra_library::BD_Shape_mpq_class::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_mpq_class.java.

References equals().

11.10.3.100 native boolean parma_polyhedra_library::BD_Shape_mpq_class::equals (BD_Shape_mpq_class *p*)

Referenced by equals().

11.10.3.101 native void parma_polyhedra_library::BD_Shape_mpq_class::expand_space_dimension (Variable *var*, long *m*)

11.10.3.102 native long parma_polyhedra_library::BD_Shape_mpq_class::external_memory_in_bytes ()

11.10.3.103 native void parma_polyhedra_library::BD_Shape_mpq_class::finalize () [protected]

11.10.3.104 native void parma_polyhedra_library::BD_Shape_mpq_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.10.3.105 native void parma_polyhedra_library::BD_Shape_mpq_class::free ()

11.10.3.106 native boolean parma_polyhedra_library::BD_Shape_mpq_class::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.10.3.107 native void parma_polyhedra_library::BD_Shape_mpq_class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.10.3.108 native void parma_polyhedra_library::BD_Shape_mpq_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.10.3.109 native void parma_polyhedra_library::BD_Shape_mpq_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.10.3.110 native void parma_polyhedra_library::BD_Shape_mpq_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.10.3.111 native void parma_polyhedra_library::BD_Shape_mpq_class::H79_widening_assign (BD_Shape_mpq_class *y*, By_Reference< Integer > *tp*)

11.10.3.112 native int parma_polyhedra_library::BD_Shape_mpq_class::hashCode ()

11.10.3.113 native void parma_polyhedra_library::BD_Shape_mpq_class::intersection_assign (BD_Shape_mpq_class *p*)

11.10.3.114 native boolean parma_polyhedra_library::BD_Shape_mpq_class::is_bounded ()

11.10.3.115 native boolean parma_polyhedra_library::BD_Shape_mpq_class::is_discrete ()

11.10.3.116 native boolean parma_polyhedra_library::BD_Shape_mpq_class::is_disjoint_from (BD_Shape_mpq_class *y*)

11.10.3.117 native boolean parma_polyhedra_library::BD_Shape_mpq_class::is_empty ()

11.10.3.118 native boolean parma_polyhedra_library::BD_Shape_mpq_class::is_topologically_closed ()

11.10.3.119 native boolean parma_polyhedra_library::BD_Shape_mpq_class::is_universe ()

11.10.3.120 native void parma_polyhedra_library::BD_Shape_mpq_class::limited_BHMZ05_extrapolation_assign (BD_Shape_mpq_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.10.3.121 native void parma_polyhedra_library::BD_Shape_mpq_class::limited_CC76_extrapolation_assign (BD_Shape_mpq_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.10.3.122 native void parma_polyhedra_library::BD_Shape_mpq_class::limited_-H79_extrapolation_assign (BD_Shape_mpq_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.10.3.123 static native Pair<BD_Shape_mpq_class, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_mpq_class::linear_partition (BD_Shape_mpq_class *p*, BD_Shape_mpq_class *q*) `[static]`

11.10.3.124 native void parma_polyhedra_library::BD_Shape_mpq_class::map_space_-dimensions (Partial_Function *pfunc*)

11.10.3.125 native boolean parma_polyhedra_library::BD_Shape_mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.10.3.126 native boolean parma_polyhedra_library::BD_Shape_mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.10.3.127 native boolean parma_polyhedra_library::BD_Shape_mpq_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.10.3.128 native boolean parma_polyhedra_library::BD_Shape_mpq_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.10.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_mpq_-class::minimized_congruences ()

11.10.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_mpq_class::minimized_constraints ()

11.10.3.131 native boolean parma_polyhedra_library::BD_Shape_mpq_class::OK ()

11.10.3.132 native void parma_polyhedra_library::BD_Shape_mpq_class::refine_with_congruence (Congruence *c*)

11.10.3.133 native void parma_polyhedra_library::BD_Shape_mpq_class::refine_with_congruences (Congruence_System *c*)

11.10.3.134 native void parma_polyhedra_library::BD_Shape_mpq_class::refine_with_constraint (Constraint *c*)

11.10.3.135 native void parma_polyhedra_library::BD_Shape_mpq_class::refine_with_constraints (Constraint_System *c*)

11.10.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_mpq_class::relation_with (Congruence *c*)

11.10.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_mpq_class::relation_with (Generator *c*)

11.10.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_mpq_class::relation_with (Constraint *c*)

11.10.3.139 native void parma_polyhedra_library::BD_Shape_mpq_class::remove_higher_space_dimensions (long *new_dimension*)

11.10.3.140 native void parma_polyhedra_library::BD_Shape_mpq_class::remove_space_-dimensions (Variables_Set *vars*)

11.10.3.141 native boolean parma_polyhedra_library::BD_Shape_mpq_class::simplify_using_-context_assign (BD_Shape_mpq_class *p*)

11.10.3.142 native long parma_polyhedra_library::BD_Shape_mpq_class::space_dimension ()

11.10.3.143 native boolean parma_polyhedra_library::BD_Shape_mpq_class::strictly_contains (BD_Shape_mpq_class *y*)

11.10.3.144 native void parma_polyhedra_library::BD_Shape_mpq_class::swap (BD_Shape_mpq_class *y*)

11.10.3.145 native void parma_polyhedra_library::BD_Shape_mpq_class::time_elapse_assign (BD_Shape_mpq_class *p*)

11.10.3.146 native void parma_polyhedra_library::BD_Shape_mpq_class::topological_closure_-assign ()

11.10.3.147 native String parma_polyhedra_library::BD_Shape_mpq_class::toString ()

11.10.3.148 native long parma_polyhedra_library::BD_Shape_mpq_class::total_memory_in_-bytes ()

11.10.3.149 native void parma_polyhedra_library::BD_Shape_mpq_class::unconstrain_space_-dimension (Variable *var*)

11.10.3.150 native void parma_polyhedra_library::BD_Shape_mpq_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.10.3.151 native void parma_polyhedra_library::BD_Shape_mpq_class::upper_bound_assign (BD_Shape_mpq_class *p*)

11.10.3.152 native boolean parma_polyhedra_library::BD_Shape_mpq_class::upper_bound_assign_if_exact (BD_Shape_mpq_class *y*)

11.10.3.153 native void parma_polyhedra_library::BD_Shape_mpq_class::widening_assign (BD_Shape_mpq_class *y*, By_Reference< Integer > *tp*)

11.10.3.154 native void parma_polyhedra_library::BD_Shape_mpq_class::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- BD_Shape_mpq_class.java


11.11 parma_polyhedra_library::BD_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

Inheritance diagram for parma_polyhedra_library::BD_Shape_mpz_class:



Collaboration diagram for parma_polyhedra_library::BD_Shape_mpz_class:



Public Member Functions

- BD_Shape_mpz_class (long num_dimensions, Degenerate_Element kind)
- BD_Shape_mpz_class (Int8_Box y)
- BD_Shape_mpz_class (Int16_Box y)
- BD_Shape_mpz_class (Int32_Box y)
- BD_Shape_mpz_class (Int64_Box y)
- BD_Shape_mpz_class (Uint8_Box y)
- BD_Shape_mpz_class (Uint16_Box y)
- BD_Shape_mpz_class (Uint32_Box y)
- BD_Shape_mpz_class (Uint64_Box y)
- BD_Shape_mpz_class (Z_Box y)
- BD_Shape_mpz_class (Rational_Box y)
- BD_Shape_mpz_class (BD_Shape_int8_t y)
- BD_Shape_mpz_class (BD_Shape_int16_t y)
- BD_Shape_mpz_class (BD_Shape_int32_t y)
- BD_Shape_mpz_class (BD_Shape_int64_t y)
- BD_Shape_mpz_class (BD_Shape_mpz_class y)
- BD_Shape_mpz_class (BD_Shape_mpq_class y)
- BD_Shape_mpz_class (Octagonal_Shape_int8_t y)
- BD_Shape_mpz_class (Octagonal_Shape_int16_t y)
- BD_Shape_mpz_class (Octagonal_Shape_int32_t y)
- BD_Shape_mpz_class (Octagonal_Shape_int64_t y)
- BD_Shape_mpz_class (Octagonal_Shape_mpz_class y)
- BD_Shape_mpz_class (Octagonal_Shape_mpq_class y)
- BD_Shape_mpz_class (C_Polyhedron y)
- BD_Shape_mpz_class (NNC_Polyhedron y)
- BD_Shape_mpz_class (Grid y)
- BD_Shape_mpz_class (Float_Box y)
- BD_Shape_mpz_class (BD_Shape_float y)
- BD_Shape_mpz_class (Octagonal_Shape_float y)
- BD_Shape_mpz_class (Double_Box y)
- BD_Shape_mpz_class (BD_Shape_double y)
- BD_Shape_mpz_class (Octagonal_Shape_double y)
- BD_Shape_mpz_class (Long_Double_Box y)
- BD_Shape_mpz_class (BD_Shape_long_double y)
- BD_Shape_mpz_class (Octagonal_Shape_long_double y)
- BD_Shape_mpz_class (Int8_Box y, Complexity_Class complexity)

- BD_Shape_mpz_class (Int16_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Int32_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Int64_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Uint8_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Uint16_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Uint32_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Uint64_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Z_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (Rational_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- BD_Shape_mpz_class (C_Polyhedron y, Complexity_Class complexity)
- BD_Shape_mpz_class (NNC_Polyhedron y, Complexity_Class complexity)
- BD_Shape_mpz_class (Grid y, Complexity_Class complexity)
- BD_Shape_mpz_class (Float_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_float y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_float y, Complexity_Class complexity)
- BD_Shape_mpz_class (Double_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_double y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_double y, Complexity_Class complexity)
- BD_Shape_mpz_class (Long_Double_Box y, Complexity_Class complexity)
- BD_Shape_mpz_class (BD_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_mpz_class (Octagonal_Shape_long_double y, Complexity_Class complexity)
- BD_Shape_mpz_class (Constraint_System cs)
- BD_Shape_mpz_class (Congruence_System cs)
- BD_Shape_mpz_class (Generator_System cs)
- native void swap (BD_Shape_mpz_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (BD_Shape_mpz_class y)
- native boolean strictly_contains (BD_Shape_mpz_class y)
- native boolean is_disjoint_from (BD_Shape_mpz_class y)
- native boolean equals (BD_Shape_mpz_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (BD_Shape_mpz_class p)
- native void upper_bound_assign (BD_Shape_mpz_class p)
- native void difference_assign (BD_Shape_mpz_class p)
- native void concatenate_assign (BD_Shape_mpz_class p)
- native void time_elapse_assign (BD_Shape_mpz_class p)
- native boolean upper_bound_assign_if_exact (BD_Shape_mpz_class y)
- native boolean simplify_using_context_assign (BD_Shape_mpz_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (BD_Shape_mpz_class y, By_Reference< Integer > tp)
- native void H79_widening_assign (BD_Shape_mpz_class y, By_Reference< Integer > tp)
- native void widening_assign (BD_Shape_mpz_class y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (BD_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (BD_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (BD_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (BD_Shape_mpz_class arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (BD_Shape_mpz_class arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< BD_Shape_mpz_class, Pointset_Powerset_NNC_Polyhedron > linear_partition (BD_Shape_mpz_class p, BD_Shape_mpz_class q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- BD_Shape_mpz_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.11.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

Definition at line 33 of file BD_Shape_mpz_class.java.

11.11.2 Constructor & Destructor Documentation

11.11.2.1 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.2 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class () [inline, private]

Definition at line 45 of file BD_Shape_mpz_class.java.

11.11.2.3 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int8_Box *y*) [inline]

Definition at line 52 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.4 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int16_Box *y*) [inline]

Definition at line 56 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.5 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int32_Box *y*) [inline]

Definition at line 60 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.6 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int64_Box *y*) [inline]

Definition at line 64 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.7 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint8_Box *y*) [inline]

Definition at line 68 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.8 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint16_Box *y*) [inline]

Definition at line 72 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.9 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint32_Box *y*) [inline]

Definition at line 76 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.10 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint64_Box *y*) [inline]

Definition at line 80 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.11 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Z_Box *y*) [inline]

Definition at line 84 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.12 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Rational_Box *y*) [inline]

Definition at line 88 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.13 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.14 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.15 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.16 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.17 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.18 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.19 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.20 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.21 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.22 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.23 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.24 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.25 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (C_Polyhedron *y*) [inline]

Definition at line 140 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.26 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.27 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Grid *y*) [inline]

Definition at line 148 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.28 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Float_Box *y*) [inline]

Definition at line 152 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.29 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_float *y*) [inline]

Definition at line 156 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.30 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.31 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Double_Box *y*) [inline]

Definition at line 164 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.32 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_double *y*) [inline]

Definition at line 168 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.33 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.34 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Long_Double_Box *y*) [inline]

Definition at line 176 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.35 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.36 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.37 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.38 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.39 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.40 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.41 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.42 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.43 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.44 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.45 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.46 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.47 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.48 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.49 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.50 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.51 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.52 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.53 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.54 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.55 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.56 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.57 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.58 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.59 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.60 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.61 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.62 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.63 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.64 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.65 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.66 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.67 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.68 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.69 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.70 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.71 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Constraint_System *cs*) [inline]

Definition at line 334 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.72 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Congruence_System *cs*) [inline]

Definition at line 338 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.2.73 parma_polyhedra_library::BD_Shape_mpz_class::BD_Shape_mpz_class (Generator_System *cs*) [inline]

Definition at line 342 of file BD_Shape_mpz_class.java.

References build_cpp_object().

11.11.3 Member Function Documentation

11.11.3.1 native void parma_polyhedra_library::BD_Shape_mpz_class::add_congruence (Congruence *c*)

11.11.3.2 native void parma_polyhedra_library::BD_Shape_mpz_class::add_congruences (Congruence_System *c*)

11.11.3.3 native void parma_polyhedra_library::BD_Shape_mpz_class::add_constraint (Constraint *c*)

11.11.3.4 native void parma_polyhedra_library::BD_Shape_mpz_class::add_constraints (Constraint_System *c*)

11.11.3.5 native void parma_polyhedra_library::BD_Shape_mpz_class::add_space_dimensions_and_embed (long *m*)

11.11.3.6 native void parma_polyhedra_library::BD_Shape_mpz_class::add_space_dimensions_and_project (long *m*)

11.11.3.7 native long parma_polyhedra_library::BD_Shape_mpz_class::affine_dimension ()

11.11.3.8 native void parma_polyhedra_library::BD_Shape_mpz_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.11.3.9 native void parma_polyhedra_library::BD_Shape_mpz_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.11.3.10 native String parma_polyhedra_library::BD_Shape_mpz_class::ascii_dump ()

11.11.3.11 native void parma_polyhedra_library::BD_Shape_mpz_class::BHMZ05_widening_assign (BD_Shape_mpz_class *y*, By_Reference< Integer > *tp*)

11.11.3.12 native void parma_polyhedra_library::BD_Shape_mpz_class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.11.3.13 native void parma_polyhedra_library::BD_Shape_mpz_class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.11.3.14 native boolean parma_polyhedra_library::BD_Shape_mpz_class::bounds_from_above (Linear_Expression *expr*)

11.11.3.15 native boolean parma_polyhedra_library::BD_Shape_mpz_class::bounds_from_below (Linear_Expression *expr*)

11.11.3.16 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.11.3.17 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.11.3.18 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.11.3.19 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.11.3.20 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.11.3.21 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Long_Double_Box *y*) `[private]`

11.11.3.22 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.11.3.23 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.11.3.24 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.11.3.25 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_double *y*) [private]

11.11.3.26 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.27 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Double_Box *y*) [private]

11.11.3.28 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.11.3.29 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.11.3.30 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.11.3.31 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_float *y*) [private]

11.11.3.32 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.33 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Float_Box *y*) [private]

11.11.3.34 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.11.3.35 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Grid *y*) [private]

11.11.3.36 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.11.3.37 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (NNC_Polyhedron *y*) [private]

11.11.3.38 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.11.3.39 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (C_Polyhedron *y*) [private]

11.11.3.40 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.11.3.41 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.11.3.42 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.11.3.43 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.11.3.44 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.11.3.45 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.11.3.46 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.11.3.47 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.11.3.48 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.11.3.49 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.11.3.50 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.11.3.51 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.11.3.52 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.11.3.53 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.11.3.54 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.11.3.55 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.11.3.56 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.11.3.57 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.11.3.58 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.11.3.59 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.11.3.60 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.11.3.61 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.11.3.62 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.11.3.63 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.11.3.64 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.65 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Rational_Box *y*) [private]

11.11.3.66 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.67 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Z_Box *y*) [private]

11.11.3.68 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.69 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint64_Box *y*) [private]

11.11.3.70 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.71 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint32_Box *y*) [private]

11.11.3.72 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.73 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint16_Box *y*) [private]

11.11.3.74 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.75 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Uint8_Box *y*) [private]

11.11.3.76 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.77 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int64_Box *y*) [private]

11.11.3.78 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.79 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int32_Box *y*) [private]

11.11.3.80 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.81 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int16_Box *y*) [private]

11.11.3.82 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.11.3.83 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Int8_Box *y*) [private]

11.11.3.84 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.11.3.85 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Generator_System *cs*) [private]

11.11.3.86 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Congruence_System *cs*) [private]

11.11.3.87 native void parma_polyhedra_library::BD_Shape_mpz_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by BD_Shape_mpz_class().

11.11.3.88 native void parma_polyhedra_library::BD_Shape_mpz_class::CC76_-extrapolation_assign (BD_Shape_mpz_class *arg*, By_Reference< Integer > *tp*)

11.11.3.89 native void parma_polyhedra_library::BD_Shape_mpz_class::CC76_narrowing_assign (BD_Shape_mpz_class *arg*)

11.11.3.90 native void parma_polyhedra_library::BD_Shape_mpz_class::concatenate_assign (BD_Shape_mpz_class *p*)

11.11.3.91 native Congruence_System parma_polyhedra_library::BD_Shape_mpz_-class::congruences ()

11.11.3.92 native boolean parma_polyhedra_library::BD_Shape_mpz_class::constrains (Variable *var*)

11.11.3.93 native Constraint_System parma_polyhedra_library::BD_Shape_mpz_-class::constraints ()

11.11.3.94 native boolean parma_polyhedra_library::BD_Shape_mpz_class::contains (BD_Shape_mpz_class *y*)

11.11.3.95 native boolean parma_polyhedra_library::BD_Shape_mpz_class::contains_integer_point ()

11.11.3.96 native void parma_polyhedra_library::BD_Shape_mpz_class::difference_assign (BD_Shape_mpz_class *p*)

11.11.3.97 native void parma_polyhedra_library::BD_Shape_mpz_class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.11.3.98 native void parma_polyhedra_library::BD_Shape_mpz_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.11.3.99 boolean parma_polyhedra_library::BD_Shape_mpz_class::equals (Object *y*) `[inline]`

Definition at line 465 of file BD_Shape_mpz_class.java.

References equals().

11.11.3.100 native boolean parma_polyhedra_library::BD_Shape_mpz_class::equals (BD_Shape_mpz_class *p*)

Referenced by equals().

11.11.3.101 native void parma_polyhedra_library::BD_Shape_mpz_class::expand_space_dimension (Variable *var*, long *m*)

11.11.3.102 native long parma_polyhedra_library::BD_Shape_mpz_class::external_memory_in_bytes ()

11.11.3.103 native void parma_polyhedra_library::BD_Shape_mpz_class::finalize () [protected]

11.11.3.104 native void parma_polyhedra_library::BD_Shape_mpz_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.11.3.105 native void parma_polyhedra_library::BD_Shape_mpz_class::free ()

11.11.3.106 native boolean parma_polyhedra_library::BD_Shape_mpz_class::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.11.3.107 native void parma_polyhedra_library::BD_Shape_mpz_class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.11.3.108 native void parma_polyhedra_library::BD_Shape_mpz_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.11.3.109 native void parma_polyhedra_library::BD_Shape_mpz_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.11.3.110 native void parma_polyhedra_library::BD_Shape_mpz_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.11.3.111 native void parma_polyhedra_library::BD_Shape_mpz_class::H79_widening_assign (BD_Shape_mpz_class *y*, By_Reference< Integer > *tp*)

11.11.3.112 native int parma_polyhedra_library::BD_Shape_mpz_class::hashCode ()

11.11.3.113 native void parma_polyhedra_library::BD_Shape_mpz_class::intersection_assign (BD_Shape_mpz_class *p*)

11.11.3.114 native boolean parma_polyhedra_library::BD_Shape_mpz_class::is_bounded ()

11.11.3.115 native boolean parma_polyhedra_library::BD_Shape_mpz_class::is_discrete ()

11.11.3.116 native boolean parma_polyhedra_library::BD_Shape_mpz_class::is_disjoint_from (BD_Shape_mpz_class *y*)

11.11.3.117 native boolean parma_polyhedra_library::BD_Shape_mpz_class::is_empty ()

11.11.3.118 native boolean parma_polyhedra_library::BD_Shape_mpz_class::is_topologically_closed ()

11.11.3.119 native boolean parma_polyhedra_library::BD_Shape_mpz_class::is_universe ()

11.11.3.120 native void parma_polyhedra_library::BD_Shape_mpz_class::limited_BHMZ05_extrapolation_assign (BD_Shape_mpz_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.11.3.121 native void parma_polyhedra_library::BD_Shape_mpz_class::limited_CC76_extrapolation_assign (BD_Shape_mpz_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.11.3.122 native void parma_polyhedra_library::BD_Shape_mpz_class::limited_-H79_extrapolation_assign (BD_Shape_mpz_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.11.3.123 static native Pair<BD_Shape_mpz_class, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::BD_Shape_mpz_class::linear_partition (BD_Shape_mpz_class *p*, BD_Shape_mpz_class *q*) `[static]`

11.11.3.124 native void parma_polyhedra_library::BD_Shape_mpz_class::map_space_dimensions (Partial_Function *pfunc*)

11.11.3.125 native boolean parma_polyhedra_library::BD_Shape_mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.11.3.126 native boolean parma_polyhedra_library::BD_Shape_mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.11.3.127 native boolean parma_polyhedra_library::BD_Shape_mpz_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.11.3.128 native boolean parma_polyhedra_library::BD_Shape_mpz_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.11.3.129 native Congruence_System parma_polyhedra_library::BD_Shape_mpz_-class::minimized_congruences ()

11.11.3.130 native Constraint_System parma_polyhedra_library::BD_Shape_mpz_-class::minimized_constraints ()

11.11.3.131 native boolean parma_polyhedra_library::BD_Shape_mpz_class::OK ()

11.11.3.132 native void parma_polyhedra_library::BD_Shape_mpz_class::refine_with_-congruence (Congruence *c*)

11.11.3.133 native void parma_polyhedra_library::BD_Shape_mpz_class::refine_with_-congruences (Congruence_System *c*)

11.11.3.134 native void parma_polyhedra_library::BD_Shape_mpz_class::refine_with_constraint (Constraint *c*)

11.11.3.135 native void parma_polyhedra_library::BD_Shape_mpz_class::refine_with_constraints (Constraint_System *c*)

11.11.3.136 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_mpz_-class::relation_with (Congruence *c*)

11.11.3.137 native Poly_Gen_Relation parma_polyhedra_library::BD_Shape_mpz_-class::relation_with (Generator *c*)

11.11.3.138 native Poly_Con_Relation parma_polyhedra_library::BD_Shape_mpz_-class::relation_with (Constraint *c*)

11.11.3.139 native void parma_polyhedra_library::BD_Shape_mpz_class::remove_higher_-space_dimensions (long *new_dimension*)

11.11.3.140 native void parma_polyhedra_library::BD_Shape_mpz_class::remove_space_dimensions (Variables_Set *vars*)

11.11.3.141 native boolean parma_polyhedra_library::BD_Shape_mpz_class::simplify_using_context_assign (BD_Shape_mpz_class *p*)

11.11.3.142 native long parma_polyhedra_library::BD_Shape_mpz_class::space_dimension ()

11.11.3.143 native boolean parma_polyhedra_library::BD_Shape_mpz_class::strictly_contains (BD_Shape_mpz_class *y*)

11.11.3.144 native void parma_polyhedra_library::BD_Shape_mpz_class::swap (BD_Shape_mpz_class *y*)

11.11.3.145 native void parma_polyhedra_library::BD_Shape_mpz_class::time_elapse_assign (BD_Shape_mpz_class *p*)

11.11.3.146 native void parma_polyhedra_library::BD_Shape_mpz_class::topological_closure_assign ()

11.11.3.147 native String parma_polyhedra_library::BD_Shape_mpz_class::toString ()

11.11.3.148 native long parma_polyhedra_library::BD_Shape_mpz_class::total_memory_in_bytes ()

11.11.3.149 native void parma_polyhedra_library::BD_Shape_mpz_class::unconstrain_space_dimension (Variable *var*)

11.11.3.150 native void parma_polyhedra_library::BD_Shape_mpz_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.11.3.151 native void parma_polyhedra_library::BD_Shape_mpz_class::upper_bound_assign (BD_Shape_mpz_class *p*)

11.11.3.152 native boolean parma_polyhedra_library::BD_Shape_mpz_class::upper_bound_assign_if_exact (BD_Shape_mpz_class *y*)

11.11.3.153 native void parma_polyhedra_library::BD_Shape_mpz_class::widening_assign (BD_Shape_mpz_class *y*, By_Reference< Integer > *tp*)

11.11.3.154 native void parma_polyhedra_library::BD_Shape_mpz_class::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- BD_Shape_mpz_class.java

11.12 parma_polyhedra_library::By_Reference< T > Class Reference

An utility class implementing mutable and non-mutable call-by-reference.

Public Member Functions

- By_Reference (T object_value)

  Builds an object encapsulating `object_value`.

- void set (T y)

  Set an object to value `object_value`.

- T get ()

  Returns the value held by `this`.

Static Package Functions

- [static initializer]

Package Attributes

- T obj

  Stores the object.

Static Private Member Functions

- static native void initIDs ()

11.12.1 Detailed Description

An utility class implementing mutable and non-mutable call-by-reference.

Definition at line 28 of file By_Reference.java.

11.12.2 Constructor & Destructor Documentation

11.12.2.1 parma_polyhedra_library::By_Reference< T >::By_Reference (T *object_value*) [inline]

Builds an object encapsulating `object_value`.

Definition at line 33 of file By_Reference.java.

11.12.3 Member Function Documentation

11.12.3.1 parma_polyhedra_library::By_Reference< T >::[static initializer] () [inline, static, package]

11.12.3.2 T parma_polyhedra_library::By_Reference< T >::get () [inline]

Returns the value held by `this`.

Definition at line 43 of file By_Reference.java.

11.12.3.3 static native void parma_polyhedra_library::By_Reference< T >::initIDs () [static, private]

11.12.3.4 void parma_polyhedra_library::By_Reference< T >::set (T *y*) [inline]

Set an object to value `object_value`.

Definition at line 38 of file By_Reference.java.

11.12.4 Member Data Documentation

11.12.4.1 T parma_polyhedra_library::By_Reference< T >::obj [package]

Stores the object.

Definition at line 30 of file By_Reference.java.


The documentation for this class was generated from the following file:

- By_Reference.java


11.13 parma_polyhedra_library::C_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

Inheritance diagram for parma_polyhedra_library::C_Polyhedron:



Collaboration diagram for parma_polyhedra_library::C_Polyhedron:



Public Member Functions

- C_Polyhedron (long num_dimensions, Degenerate_Element kind)
- C_Polyhedron (Int8_Box y)
- C_Polyhedron (Int16_Box y)
- C_Polyhedron (Int32_Box y)
- C_Polyhedron (Int64_Box y)
- C_Polyhedron (Uint8_Box y)
- C_Polyhedron (Uint16_Box y)
- C_Polyhedron (Uint32_Box y)
- C_Polyhedron (Uint64_Box y)
- C_Polyhedron (Z_Box y)
- C_Polyhedron (Rational_Box y)
- C_Polyhedron (BD_Shape_int8_t y)
- C_Polyhedron (BD_Shape_int16_t y)
- C_Polyhedron (BD_Shape_int32_t y)
- C_Polyhedron (BD_Shape_int64_t y)
- C_Polyhedron (BD_Shape_mpz_class y)
- C_Polyhedron (BD_Shape_mpq_class y)
- C_Polyhedron (Octagonal_Shape_int8_t y)
- C_Polyhedron (Octagonal_Shape_int16_t y)
- C_Polyhedron (Octagonal_Shape_int32_t y)
- C_Polyhedron (Octagonal_Shape_int64_t y)
- C_Polyhedron (Octagonal_Shape_mpz_class y)
- C_Polyhedron (Octagonal_Shape_mpq_class y)
- C_Polyhedron (C_Polyhedron y)
- C_Polyhedron (NNC_Polyhedron y)
- C_Polyhedron (Grid y)
- C_Polyhedron (Float_Box y)
- C_Polyhedron (BD_Shape_float y)
- C_Polyhedron (Octagonal_Shape_float y)
- C_Polyhedron (Double_Box y)

- C_Polyhedron (BD_Shape_double y)
- C_Polyhedron (Octagonal_Shape_double y)
- C_Polyhedron (Long_Double_Box y)
- C_Polyhedron (BD_Shape_long_double y)
- C_Polyhedron (Octagonal_Shape_long_double y)
- C_Polyhedron (Int8_Box y, Complexity_Class complexity)
- C_Polyhedron (Int16_Box y, Complexity_Class complexity)
- C_Polyhedron (Int32_Box y, Complexity_Class complexity)
- C_Polyhedron (Int64_Box y, Complexity_Class complexity)
- C_Polyhedron (Uint8_Box y, Complexity_Class complexity)
- C_Polyhedron (Uint16_Box y, Complexity_Class complexity)
- C_Polyhedron (Uint32_Box y, Complexity_Class complexity)
- C_Polyhedron (Uint64_Box y, Complexity_Class complexity)
- C_Polyhedron (Z_Box y, Complexity_Class complexity)
- C_Polyhedron (Rational_Box y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_int8_t y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_int16_t y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_int32_t y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_int64_t y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_mpz_class y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_mpq_class y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- C_Polyhedron (C_Polyhedron y, Complexity_Class complexity)
- C_Polyhedron (NNC_Polyhedron y, Complexity_Class complexity)
- C_Polyhedron (Grid y, Complexity_Class complexity)
- C_Polyhedron (Float_Box y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_float y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_float y, Complexity_Class complexity)
- C_Polyhedron (Double_Box y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_double y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_double y, Complexity_Class complexity)
- C_Polyhedron (Long_Double_Box y, Complexity_Class complexity)
- C_Polyhedron (BD_Shape_long_double y, Complexity_Class complexity)
- C_Polyhedron (Octagonal_Shape_long_double y, Complexity_Class complexity)
- C_Polyhedron (Constraint_System cs)
- C_Polyhedron (Congruence_System cs)
- C_Polyhedron (Generator_System cs)
- native boolean upper_bound_assign_if_exact (C_Polyhedron y)
- native boolean poly_hull_assign_if_exact (C_Polyhedron y)
- native void free ()

Static Public Member Functions

- static native Pair< C_Polyhedron, Pointset_Powerset_NNC_Polyhedron > linear_partition (C_Polyhedron p, C_Polyhedron q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- C_Polyhedron ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)

- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.13.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

Definition at line 30 of file C_Polyhedron.java.

11.13.2 Constructor & Destructor Documentation

11.13.2.1 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 33 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.2 parma_polyhedra_library::C_Polyhedron::C_Polyhedron () [inline, private]

Definition at line 38 of file C_Polyhedron.java.

11.13.2.3 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int8_Box *y*) [inline]

Definition at line 41 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.4 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int16_Box *y*) [inline]

Definition at line 45 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.5 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int32_Box *y*) [inline]

Definition at line 49 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.6 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int64_Box *y*) [inline]

Definition at line 53 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.7 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint8_Box *y*) [inline]

Definition at line 57 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.8 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint16_Box *y*) [inline]

Definition at line 61 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.9 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint32_Box *y*) [inline]

Definition at line 65 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.10 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint64_Box *y*) [inline]

Definition at line 69 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.11 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Z_Box *y*) [inline]

Definition at line 73 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.12 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Rational_Box *y*) [inline]

Definition at line 77 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.13 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int8_t *y*) [inline]

Definition at line 81 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.14 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int16_t *y*) [inline]

Definition at line 85 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.15 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int32_t *y*) [inline]

Definition at line 89 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.16 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int64_t *y*) [inline]

Definition at line 93 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.17 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_mpz_class *y*) [inline]

Definition at line 97 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.18 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_mpq_class *y*) [inline]

Definition at line 101 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.19 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 105 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.20 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 109 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.21 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 113 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.22 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 117 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.23 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 121 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.24 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 125 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.25 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (C_Polyhedron *y*) [inline]

Definition at line 129 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.26 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (NNC_Polyhedron *y*) [inline]

Definition at line 133 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.27 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Grid *y*) [inline]

Definition at line 137 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.28 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Float_Box *y*) [inline]

Definition at line 141 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.29 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_float *y*) [inline]

Definition at line 145 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.30 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_float *y*) [inline]

Definition at line 149 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.31 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Double_Box *y*) [inline]

Definition at line 153 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.32 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_double *y*) [inline]

Definition at line 157 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.33 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_double *y*) [inline]

Definition at line 161 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.34 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Long_Double_Box *y*) [inline]

Definition at line 165 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.35 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_long_double *y*) [inline]

Definition at line 169 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.36 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_long_double *y*) [inline]

Definition at line 173 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.37 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 177 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.38 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 181 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.39 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 185 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.40 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 189 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.41 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.42 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.43 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.44 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.45 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.46 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.47 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.48 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.49 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.50 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.51 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.52 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.53 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.54 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.55 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.56 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.57 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.58 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.59 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.60 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.61 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.62 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.63 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.64 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.65 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.66 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.67 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.68 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.69 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.70 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.71 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Constraint_System *cs*) [inline]

Definition at line 313 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.72 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Congruence_System *cs*) [inline]

Definition at line 317 of file C_Polyhedron.java.

References build_cpp_object().

11.13.2.73 parma_polyhedra_library::C_Polyhedron::C_Polyhedron (Generator_System *cs*) [inline]

Definition at line 321 of file C_Polyhedron.java.

References build_cpp_object().

11.13.3 Member Function Documentation

11.13.3.1 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.13.3.2 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.13.3.3 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.13.3.4 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_long_double *y*) [private]

11.13.3.5 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.6 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Long_Double_Box *y*) [private]

11.13.3.7 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.13.3.8 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.13.3.9 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.13.3.10 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_double *y*) [private]

11.13.3.11 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.12 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Double_Box *y*) [private]

11.13.3.13 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.13.3.14 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.13.3.15 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.13.3.16 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_float *y*) [private]

11.13.3.17 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.18 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Float_Box *y*) [private]

11.13.3.19 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.13.3.20 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Grid *y*) [private]

11.13.3.21 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.13.3.22 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (NNC_Polyhedron *y*) [private]

11.13.3.23 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.13.3.24 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (C_Polyhedron *y*) [private]

11.13.3.25 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.13.3.26 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.13.3.27 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.13.3.28 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.13.3.29 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.13.3.30 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.13.3.31 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.13.3.32 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.13.3.33 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.13.3.34 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.13.3.35 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.13.3.36 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.13.3.37 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.13.3.38 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.13.3.39 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.13.3.40 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.13.3.41 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.13.3.42 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.13.3.43 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.13.3.44 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.13.3.45 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.13.3.46 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.13.3.47 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.13.3.48 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.13.3.49 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.50 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Rational_Box *y*) [private]

11.13.3.51 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.52 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Z_Box *y*) [private]

11.13.3.53 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.54 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint64_Box *y*) [private]

11.13.3.55 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.56 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint32_Box *y*) [private]

11.13.3.57 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.58 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint16_Box *y*) [private]

11.13.3.59 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.60 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Uint8_Box *y*) [private]

11.13.3.61 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.62 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int64_Box *y*) [private]

11.13.3.63 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.64 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int32_Box *y*) [private]

11.13.3.65 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.66 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int16_Box *y*) [private]

11.13.3.67 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.13.3.68 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Int8_Box *y*) [private]

11.13.3.69 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.13.3.70 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Generator_System *cs*) [private]

11.13.3.71 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Congruence_System *cs*) [private]

11.13.3.72 native void parma_polyhedra_library::C_Polyhedron::build_cpp_object (Constraint_System *cs*) [private]

Referenced by C_Polyhedron().

11.13.3.73 native void parma_polyhedra_library::C_Polyhedron::finalize () [protected]

11.13.3.74 native void parma_polyhedra_library::C_Polyhedron::free ()

11.13.3.75 static native Pair<C_Polyhedron, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::C_Polyhedron::linear_partition (C_Polyhedron *p*, C_Polyhedron *q*) [static]

11.13.3.76 native boolean parma_polyhedra_library::C_Polyhedron::poly_hull_assign_if_exact (C_Polyhedron *y*)

11.13.3.77 native boolean parma_polyhedra_library::C_Polyhedron::upper_bound_assign_if_exact (C_Polyhedron *y*)


The documentation for this class was generated from the following file:

- C_Polyhedron.java

11.14 parma_polyhedra_library::Coefficient Class Reference

A PPL coefficient.

Collaboration diagram for parma_polyhedra_library::Coefficient:



Public Member Functions

- Coefficient (int i)

  Builds a coefficient valued `i`.

- Coefficient (long l)

  Builds a coefficient valued `l`.

- Coefficient (BigInteger bi)

  Builds a coefficient valued `bi`.

- Coefficient (String s)

  Builds a coefficient from the decimal representation in `s`.

- Coefficient (Coefficient c)

  Builds a copy of `c`.

- String toString ()

  Returns a String representation of `this`.

- BigInteger getBigInteger ()

  Returns the value held by `this`.

Static Public Member Functions

- static native int bits ()

  Returns the number of bits of PPL coefficients; 0 if unbounded.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- BigInteger value

  Holds the value of `this`.

11.14.1 Detailed Description

A PPL coefficient. Objects of type Coefficient are used to implement the integral valued coefficients occurring in linear expressions, constraints, generators and so on.

Definition at line 34 of file Coefficient.java.

11.14.2 Constructor & Destructor Documentation

11.14.2.1 parma_polyhedra_library::Coefficient::Coefficient (int *i*) [inline]

Builds a coefficient valued `i`.

Definition at line 40 of file Coefficient.java.

References value.

11.14.2.2 parma_polyhedra_library::Coefficient::Coefficient (long *l*) [inline]

Builds a coefficient valued `l`.

Definition at line 45 of file Coefficient.java.

References value.

11.14.2.3 parma_polyhedra_library::Coefficient::Coefficient (BigInteger *bi*) [inline]

Builds a coefficient valued `bi`.

Definition at line 50 of file Coefficient.java.

References value.

11.14.2.4 parma_polyhedra_library::Coefficient::Coefficient (String *s*) [inline]

Builds a coefficient from the decimal representation in `s`.

Exceptions

java.lang.NumberFormatException Thrown if `s` does not contain a valid decimal representation.

Definition at line 59 of file Coefficient.java.

References value.

11.14.2.5 parma_polyhedra_library::Coefficient::Coefficient (Coefficient *c*) [inline]

Builds a copy of `c`.

Definition at line 64 of file Coefficient.java.

References value.

11.14.3 Member Function Documentation

11.14.3.1 parma_polyhedra_library::Coefficient::[static initializer] () [inline, static, package]

11.14.3.2 static native int parma_polyhedra_library::Coefficient::bits () [static]

Returns the number of bits of PPL coefficients; 0 if unbounded.

11.14.3.3 BigInteger parma_polyhedra_library::Coefficient::getBigInteger () [inline]

Returns the value held by `this`.

Definition at line 74 of file Coefficient.java.

References value.

Referenced by parma_polyhedra_library::Generator::closure_point(), and parma_polyhedra_-library::Generator::point().

11.14.3.4 static native void parma_polyhedra_library::Coefficient::initIDs () [static, private]

11.14.3.5 String parma_polyhedra_library::Coefficient::toString () [inline]

Returns a String representation of `this`.

Definition at line 69 of file Coefficient.java.

References value.

11.14.4 Member Data Documentation

11.14.4.1 BigInteger parma_polyhedra_library::Coefficient::value [private]

Holds the value of `this`.

Definition at line 37 of file Coefficient.java.

Referenced by Coefficient(), getBigInteger(), and toString().


The documentation for this class was generated from the following file:

- Coefficient.java

11.15 parma_polyhedra_library::Congruence Class Reference

A linear congruence.

Collaboration diagram for parma_polyhedra_library::Congruence:



Public Member Functions

- Congruence (Linear_Expression e1, Linear_Expression e2, Coefficient m)

  Returns the congruence `e1` $=$ `e2` $\pmod{\texttt{m}}$.

- Linear_Expression left_hand_side ()

  Returns the left hand side of `this`.

- Linear_Expression right_hand_side ()

  Returns the right hand side of `this`.

- Coefficient modulus ()

  Returns the relation symbol of `this`.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Protected Attributes

- Coefficient mod

  The modulus of the congruence.

Static Package Functions

- [static initializer]

Package Attributes

- Linear_Expression lhs

  The value of the left hand side of `this`.

- Linear_Expression rhs

  The value of the right hand side of `this`.

Static Private Member Functions

- static native void initIDs ()

11.15.1 Detailed Description

A linear congruence. An object of the class Congruence is an object represeting a congruence:

- cg $= \sum_{i=0}^{n-1} a_i x_i + b = 0 \pmod{m}$

where n is the dimension of the space, a_i is the integer coefficient of variable x_i, b is the integer inhomogeneous term and m is the integer modulus; if $m = 0$, then cg represents the equality congruence $\sum_{i=0}^{n-1} a_i x_i + b = 0$ and, if $m \neq 0$, then the congruence cg is said to be a proper congruence.

Definition at line 42 of file Congruence.java.

11.15.2 Constructor & Destructor Documentation

11.15.2.1 parma_polyhedra_library::Congruence::Congruence (Linear_Expression *e1*, Linear_Expression *e2*, Coefficient *m*) `[inline]`

Returns the congruence `e1` $=$ `e2` $\pmod{\texttt{m}}$.

Definition at line 57 of file Congruence.java.

References parma_polyhedra_library::Linear_Expression::clone(), lhs, mod, and rhs.

11.15.3 Member Function Documentation

11.15.3.1 parma_polyhedra_library::Congruence::[static initializer] () `[inline, static, package]`

11.15.3.2 native String parma_polyhedra_library::Congruence::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.15.3.3 static native void parma_polyhedra_library::Congruence::initIDs () [static, private]

11.15.3.4 Linear_Expression parma_polyhedra_library::Congruence::left_hand_side () [inline]

Returns the left hand side of `this`.

Definition at line 65 of file Congruence.java.

References lhs.

11.15.3.5 Coefficient parma_polyhedra_library::Congruence::modulus () [inline]

Returns the relation symbol of `this`.

Definition at line 75 of file Congruence.java.

References mod.

11.15.3.6 Linear_Expression parma_polyhedra_library::Congruence::right_hand_side () [inline]

Returns the right hand side of `this`.

Definition at line 70 of file Congruence.java.

References rhs.

11.15.3.7 native String parma_polyhedra_library::Congruence::toString ()

Returns a string representation of `this`.

11.15.4 Member Data Documentation

11.15.4.1 Linear_Expression parma_polyhedra_library::Congruence::lhs [package]

The value of the left hand side of `this`.

Definition at line 48 of file Congruence.java.

Referenced by Congruence(), and left_hand_side().

11.15.4.2 Coefficient parma_polyhedra_library::Congruence::mod [protected]

The modulus of the congruence.

Definition at line 45 of file Congruence.java.

Referenced by Congruence(), and modulus().

11.15.4.3 Linear_Expression parma_polyhedra_library::Congruence::rhs [package]

The value of the right hand side of `this`.

Definition at line 51 of file Congruence.java.

Referenced by Congruence(), and right_hand_side().

The documentation for this class was generated from the following file:

- Congruence.java

11.16 parma_polyhedra_library::Congruence_System Class Reference

A system of congruences.

Public Member Functions

- Congruence_System ()
  Default constructor: builds an empty system of congruences.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.16.1 Detailed Description

A system of congruences. An object of the class Congruence_System is a system of congruences, i.e., a multiset of objects of the class Congruence.

Definition at line 34 of file Congruence_System.java.

11.16.2 Constructor & Destructor Documentation

11.16.2.1 parma_polyhedra_library::Congruence_System::Congruence_System () [inline]

Default constructor: builds an empty system of congruences.

Definition at line 36 of file Congruence_System.java.

11.16.3 Member Function Documentation

11.16.3.1 parma_polyhedra_library::Congruence_System::[static initializer] () [inline, static, package]

11.16.3.2 native String parma_polyhedra_library::Congruence_System::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.16.3.3 static native void parma_polyhedra_library::Congruence_System::initIDs () [static, private]

11.16.3.4 native String parma_polyhedra_library::Congruence_System::toString ()

Returns a string representation of `this`.


The documentation for this class was generated from the following file:

- Congruence_System.java

11.17 parma_polyhedra_library::Constraint Class Reference

A linear equality or inequality.

Collaboration diagram for parma_polyhedra_library::Constraint:



Public Member Functions

- Constraint (Linear_Expression le1, Relation_Symbol rel_sym, Linear_Expression le2)

  Builds a constraint from two linear expressions with a specified relation symbol.

- Linear_Expression left_hand_side ()

  Returns the left hand side of `this`.

- Linear_Expression right_hand_side ()

  Returns the right hand side of `this`.

- Relation_Symbol kind ()

  Returns the relation symbol of `this`.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- Linear_Expression lhs

  The value of the left hand side of `this`.

- Linear_Expression rhs

  The value of the right hand side of `this`.

- Relation_Symbol kind

  The relation symbol of `this`.

11.17.1 Detailed Description

A linear equality or inequality. An object of the class Constraint is either:

- a linear equality;
- a non-strict linear inequality;
- a strict linear inequality.

Definition at line 36 of file Constraint.java.

11.17.2 Constructor & Destructor Documentation

11.17.2.1 parma_polyhedra_library::Constraint::Constraint (Linear_Expression *le1*, Relation_Symbol *rel_sym*, Linear_Expression *le2*) `[inline]`

Builds a constraint from two linear expressions with a specified relation symbol.

Definition at line 51 of file Constraint.java.

References parma_polyhedra_library::Linear_Expression::clone(), kind(), lhs, and rhs.

11.17.3 Member Function Documentation

11.17.3.1 parma_polyhedra_library::Constraint::[static initializer] () `[inline, static, package]`

11.17.3.2 native String parma_polyhedra_library::Constraint::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.17.3.3 static native void parma_polyhedra_library::Constraint::initIDs () `[static, private]`

11.17.3.4 Relation_Symbol parma_polyhedra_library::Constraint::kind () [inline]

Returns the relation symbol of `this`.

Definition at line 69 of file Constraint.java.

Referenced by Constraint().

11.17.3.5 Linear_Expression parma_polyhedra_library::Constraint::left_hand_side () [inline]

Returns the left hand side of `this`.

Definition at line 59 of file Constraint.java.

References lhs.

11.17.3.6 Linear_Expression parma_polyhedra_library::Constraint::right_hand_side () [inline]

Returns the right hand side of `this`.

Definition at line 64 of file Constraint.java.

References rhs.

11.17.3.7 native String parma_polyhedra_library::Constraint::toString ()

Returns a string representation of `this`.

11.17.4 Member Data Documentation

11.17.4.1 Relation_Symbol parma_polyhedra_library::Constraint::kind [private]

The relation symbol of `this`.

Definition at line 45 of file Constraint.java.

11.17.4.2 Linear_Expression parma_polyhedra_library::Constraint::lhs [private]

The value of the left hand side of `this`.

Definition at line 39 of file Constraint.java.

Referenced by Constraint(), and left_hand_side().

11.17.4.3 Linear_Expression parma_polyhedra_library::Constraint::rhs [private]

The value of the right hand side of `this`.

Definition at line 42 of file Constraint.java.

Referenced by Constraint(), and right_hand_side().

The documentation for this class was generated from the following file:

- Constraint.java

11.18 parma_polyhedra_library::Constraint_System Class Reference

A system of constraints.

Public Member Functions

- Constraint_System ()
  Default constructor: builds an empty system of constraints.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.18.1 Detailed Description

A system of constraints. An object of the class Constraint_System is a system of constraints, i.e., a multiset of objects of the class Constraint.

Definition at line 34 of file Constraint_System.java.

11.18.2 Constructor & Destructor Documentation

11.18.2.1 parma_polyhedra_library::Constraint_System::Constraint_System () [inline]

Default constructor: builds an empty system of constraints.

Definition at line 37 of file Constraint_System.java.

11.18.3 Member Function Documentation

11.18.3.1 parma_polyhedra_library::Constraint_System::[static initializer] () [inline, static, package]

11.18.3.2 native String parma_polyhedra_library::Constraint_System::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.18.3.3 static native void parma_polyhedra_library::Constraint_System::initIDs () [static, private]

11.18.3.4 native String parma_polyhedra_library::Constraint_System::toString ()

Returns a string representation of `this`.


The documentation for this class was generated from the following file:

- Constraint_System.java


11.19 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

Inheritance diagram for parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid:



Collaboration diagram for parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid:



Public Member Functions

- Constraints_Product_C_Polyhedron_Grid (long num_dimensions, Degenerate_Element kind)
- Constraints_Product_C_Polyhedron_Grid (Int8_Box y)
- Constraints_Product_C_Polyhedron_Grid (Int16_Box y)
- Constraints_Product_C_Polyhedron_Grid (Int32_Box y)
- Constraints_Product_C_Polyhedron_Grid (Int64_Box y)
- Constraints_Product_C_Polyhedron_Grid (Uint8_Box y)
- Constraints_Product_C_Polyhedron_Grid (Uint16_Box y)
- Constraints_Product_C_Polyhedron_Grid (Uint32_Box y)
- Constraints_Product_C_Polyhedron_Grid (Uint64_Box y)
- Constraints_Product_C_Polyhedron_Grid (Z_Box y)
- Constraints_Product_C_Polyhedron_Grid (Rational_Box y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int8_t y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int16_t y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int32_t y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int64_t y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_mpz_class y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_mpq_class y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int8_t y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int16_t y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int32_t y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int64_t y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpz_class y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpq_class y)
- Constraints_Product_C_Polyhedron_Grid (C_Polyhedron y)
- Constraints_Product_C_Polyhedron_Grid (NNC_Polyhedron y)
- Constraints_Product_C_Polyhedron_Grid (Grid y)
- Constraints_Product_C_Polyhedron_Grid (Float_Box y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_float y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_float y)
- Constraints_Product_C_Polyhedron_Grid (Double_Box y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_double y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_double y)
- Constraints_Product_C_Polyhedron_Grid (Long_Double_Box y)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_long_double y)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_long_double y)
- Constraints_Product_C_Polyhedron_Grid (Constraints_Product_C_Polyhedron_Grid y)

- Constraints_Product_C_Polyhedron_Grid (Int8_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Int16_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Int32_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Int64_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Uint8_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Uint16_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Uint32_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Uint64_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Z_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Rational_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (C_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (NNC_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Grid y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Float_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_float y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_float y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Double_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_double y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_double y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Long_Double_Box y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (BD_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Constraints_Product_C_Polyhedron_Grid y, Complexity_Class complexity)
- Constraints_Product_C_Polyhedron_Grid (Constraint_System cs)
- Constraints_Product_C_Polyhedron_Grid (Congruence_System cs)
- native void swap (Constraints_Product_C_Polyhedron_Grid y)
- native long space_dimension ()
- native long affine_dimension ()

- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Constraints_Product_C_Polyhedron_Grid y)
- native boolean strictly_contains (Constraints_Product_C_Polyhedron_Grid y)
- native boolean is_disjoint_from (Constraints_Product_C_Polyhedron_Grid y)
- native boolean equals (Constraints_Product_C_Polyhedron_Grid p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Constraints_Product_C_Polyhedron_Grid p)
- native void upper_bound_assign (Constraints_Product_C_Polyhedron_Grid p)
- native void difference_assign (Constraints_Product_C_Polyhedron_Grid p)
- native void concatenate_assign (Constraints_Product_C_Polyhedron_Grid p)
- native void time_elapse_assign (Constraints_Product_C_Polyhedron_Grid p)
- native boolean upper_bound_assign_if_exact (Constraints_Product_C_Polyhedron_Grid y)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)

- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void widening_assign (Constraints_Product_C_Polyhedron_Grid y, By_Reference< Integer > tp)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Constraints_Product_C_Polyhedron_Grid ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)

- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)

- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Constraints_Product_C_Polyhedron_Grid y)
- native void build_cpp_object (Constraints_Product_C_Polyhedron_Grid y, Complexity_Class complexity)

11.19.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

Definition at line 33 of file Constraints_Product_C_Polyhedron_Grid.java.

11.19.2 Constructor & Destructor Documentation

11.19.2.1 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.2 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid () [inline, private]

Definition at line 45 of file Constraints_Product_C_Polyhedron_Grid.java.

11.19.2.3 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int8_Box *y*) [inline]

Definition at line 52 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.4 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int16_Box *y*) [inline]

Definition at line 56 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.5 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int32_Box *y*) [inline]

Definition at line 60 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.6 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int64_Box *y*) [inline]

Definition at line 64 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.7 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint8_Box *y*) [inline]

Definition at line 68 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.8 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint16_Box *y*) [inline]

Definition at line 72 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.9 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint32_Box *y*) [inline]

Definition at line 76 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.10 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint64_Box *y*) [inline]

Definition at line 80 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.11 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Z_Box *y*) [inline]

Definition at line 84 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.12 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Rational_Box *y*) [inline]

Definition at line 88 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.13 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.14 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.15 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.16 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.17 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.18 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.19 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.20 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.21 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.22 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.23 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.24 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.25 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (C_Polyhedron *y*) [inline]

Definition at line 140 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.26 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.27 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Grid *y*) [inline]

Definition at line 148 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.28 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Float_Box *y*) [inline]

Definition at line 152 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.29 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_float *y*) [inline]

Definition at line 156 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.30 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.31 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Double_Box *y*) [inline]

Definition at line 164 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.32 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_double *y*) [inline]

Definition at line 168 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.33 parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.34 parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::Constraints_Product_C_Polyhedron_Grid (Long_Double_Box *y*) [inline]

Definition at line 176 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.35 parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.36 parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.37 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (Constraints_Product_C_Polyhedron_Grid *y*) [inline]

Definition at line 188 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.38 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.39 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.40 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.41 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.42 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.43 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.44 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.45 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.46 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.47 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.48 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.49 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.50 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.51 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.52 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.53 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.54 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.55 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.56 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.57 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.58 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.59 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.60 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.61 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.62 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.63 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.64 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.65 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_-Product_C_Polyhedron_Grid (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.66 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.67 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.68 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.69 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.70 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.71 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 329 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.72 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Constraints_Product_C_Polyhedron_Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 333 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.73 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Constraint_System *cs*) [inline]

Definition at line 342 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.2.74 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::Constraints_Product_C_Polyhedron_Grid (Congruence_System *cs*) [inline]

Definition at line 346 of file Constraints_Product_C_Polyhedron_Grid.java.

References build_cpp_object().

11.19.3 Member Function Documentation

11.19.3.1 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::add_congruence (Congruence *c*)

11.19.3.2 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::add_congruences (Congruence_System *c*)

11.19.3.3 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::add_constraint (Constraint *c*)

11.19.3.4 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::add_constraints (Constraint_System *c*)

11.19.3.5 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::add_space_dimensions_and_embed (long *m*)

11.19.3.6 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::add_space_dimensions_and_project (long *m*)

11.19.3.7 native long parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::affine_dimension ()

11.19.3.8 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.19.3.9 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.19.3.10 native String parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::ascii_dump ()

11.19.3.11 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.19.3.12 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.19.3.13 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::bounds_from_above (Linear_Expression *expr*)

11.19.3.14 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::bounds_from_below (Linear_Expression *expr*)

11.19.3.15 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Constraints_Product_C_Polyhedron_Grid *y*, Complexity_Class *complexity*) `[private]`

11.19.3.16 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Constraints_Product_C_Polyhedron_Grid *y*) `[private]`

11.19.3.17 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.19.3.18 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.19.3.19 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.19.3.20 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (BD_Shape_long_double *y*) [private]

11.19.3.21 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.22 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Long_Double_Box *y*) [private]

11.19.3.23 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.19.3.24 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.19.3.25 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.19.3.26 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_double *y*) [private]

11.19.3.27 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.28 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Double_Box *y*) [private]

11.19.3.29 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.19.3.30 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.19.3.31 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.19.3.32 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_float *y*) [private]

11.19.3.33 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.34 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Float_Box *y*) [private]

11.19.3.35 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.19.3.36 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Grid *y*) [private]

11.19.3.37 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.19.3.38 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (NNC_Polyhedron *y*) [private]

11.19.3.39 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.19.3.40 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (C_Polyhedron *y*) [private]

11.19.3.41 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.19.3.42 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.19.3.43 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.19.3.44 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.19.3.45 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.19.3.46 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.19.3.47 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.19.3.48 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.19.3.49 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.19.3.50 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.19.3.51 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.19.3.52 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.19.3.53 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.19.3.54 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.19.3.55 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.19.3.56 native void parma_polyhedra_library::Constraints_Product_-C_Polyhedron_Grid::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.19.3.57 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.19.3.58 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.19.3.59 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.19.3.60 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.19.3.61 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.19.3.62 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.19.3.63 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.19.3.64 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.19.3.65 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.66 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Rational_Box *y*) [private]

11.19.3.67 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.68 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Z_Box *y*) [private]

11.19.3.69 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.70 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint64_Box *y*) [private]

11.19.3.71 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.72 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint32_Box *y*) [private]

11.19.3.73 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.74 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint16_Box *y*) [private]

11.19.3.75 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.76 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::build_cpp_object (Uint8_Box *y*) [private]

11.19.3.77 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.78 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int64_Box *y*) [private]

11.19.3.79 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.80 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int32_Box *y*) [private]

11.19.3.81 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.82 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int16_Box *y*) [private]

11.19.3.83 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.19.3.84 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Int8_Box *y*) [private]

11.19.3.85 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.19.3.86 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Congruence_System *cs*) [private]

11.19.3.87 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Constraints_Product_C_Polyhedron_Grid().

11.19.3.88 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::concatenate_assign (Constraints_Product_C_Polyhedron_Grid *p*)

11.19.3.89 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::constrains (Variable *var*)

11.19.3.90 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::contains (Constraints_Product_C_Polyhedron_Grid *y*)

11.19.3.91 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::difference_assign (Constraints_Product_C_Polyhedron_Grid *p*)

11.19.3.92 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::drop_some_non_integer_points (Integer *complexity_threshold*)

11.19.3.93 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.19.3.94 boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::equals (Object *y*) [inline]

Definition at line 444 of file Constraints_Product_C_Polyhedron_Grid.java.

References equals().

11.19.3.95 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::equals (Constraints_Product_C_Polyhedron_Grid *p*)

Referenced by equals().

11.19.3.96 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::expand_space_dimension (Variable *var*, long *m*)

11.19.3.97 native long parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::external_memory_in_bytes ()

11.19.3.98 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::finalize () [protected]

11.19.3.99 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.19.3.100 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::free ()

11.19.3.101 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.19.3.102 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.19.3.103 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.19.3.104 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.19.3.105 native int parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::hashCode ()

11.19.3.106 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::intersection_assign (Constraints_Product_C_Polyhedron_Grid *p*)

11.19.3.107 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::is_bounded ()

11.19.3.108 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::is_discrete ()

11.19.3.109 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::is_disjoint_from (Constraints_Product_C_Polyhedron_Grid *y*)

11.19.3.110 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::is_empty ()

11.19.3.111 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::is_topologically_closed ()

11.19.3.112 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::is_universe ()

11.19.3.113 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::map_space_dimensions (Partial_Function *pfunc*)

11.19.3.114 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.19.3.115 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.19.3.116 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.19.3.117 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.19.3.118 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::OK ()

11.19.3.119 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::refine_with_congruence (Congruence *c*)

11.19.3.120 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::refine_with_congruences (Congruence_System *c*)

11.19.3.121 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_-Grid::refine_with_constraint (Constraint *c*)

11.19.3.122 native void parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::refine_with_constraints (Constraint_System *c*)

11.19.3.123 native Poly_Con_Relation parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid::relation_with (Congruence *c*)

11.19.3.124 native Poly_Gen_Relation parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::relation_with (Generator *c*)

11.19.3.125 native Poly_Con_Relation parma_polyhedra_library::Constraints_Product_C_-Polyhedron_Grid::relation_with (Constraint *c*)

11.19.3.126 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::remove_higher_space_dimensions (long *new_dimension*)

11.19.3.127 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::remove_space_dimensions (Variables_Set *vars*)

11.19.3.128 native long parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::space_dimension ()

11.19.3.129 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::strictly_contains (Constraints_Product_C_Polyhedron_Grid *y*)

11.19.3.130 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::swap (Constraints_Product_C_Polyhedron_Grid *y*)

11.19.3.131 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::time_elapse_assign (Constraints_Product_C_Polyhedron_Grid *p*)

11.19.3.132 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::topological_closure_assign ()

11.19.3.133 native String parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::toString ()

11.19.3.134 native long parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::total_memory_in_bytes ()

11.19.3.135 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::unconstrain_space_dimension (Variable *var*)

11.19.3.136 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::unconstrain_space_dimensions (Variables_Set *vars*)

11.19.3.137 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::upper_bound_assign (Constraints_Product_C_Polyhedron_Grid *p*)

11.19.3.138 native boolean parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::upper_bound_assign_if_exact (Constraints_Product_C_Polyhedron_Grid *y*)

11.19.3.139 native void parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid::widening_assign (Constraints_Product_C_Polyhedron_Grid *y*, By_Reference< Integer > *tp*)


The documentation for this class was generated from the following file:

- Constraints_Product_C_Polyhedron_Grid.java


11.20 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

Inheritance diagram for parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron:



Collaboration diagram for parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron:



Public Member Functions

- Constraints_Product_Grid_C_Polyhedron (long num_dimensions, Degenerate_Element kind)
- Constraints_Product_Grid_C_Polyhedron (Int8_Box y)
- Constraints_Product_Grid_C_Polyhedron (Int16_Box y)
- Constraints_Product_Grid_C_Polyhedron (Int32_Box y)
- Constraints_Product_Grid_C_Polyhedron (Int64_Box y)
- Constraints_Product_Grid_C_Polyhedron (Uint8_Box y)
- Constraints_Product_Grid_C_Polyhedron (Uint16_Box y)
- Constraints_Product_Grid_C_Polyhedron (Uint32_Box y)
- Constraints_Product_Grid_C_Polyhedron (Uint64_Box y)
- Constraints_Product_Grid_C_Polyhedron (Z_Box y)
- Constraints_Product_Grid_C_Polyhedron (Rational_Box y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int8_t y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int16_t y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int32_t y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int64_t y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpz_class y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpq_class y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int8_t y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int16_t y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int32_t y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int64_t y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpz_class y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpq_class y)
- Constraints_Product_Grid_C_Polyhedron (C_Polyhedron y)

- Constraints_Product_Grid_C_Polyhedron (NNC_Polyhedron y)
- Constraints_Product_Grid_C_Polyhedron (Grid y)
- Constraints_Product_Grid_C_Polyhedron (Float_Box y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_float y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_float y)
- Constraints_Product_Grid_C_Polyhedron (Double_Box y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_double y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_double y)
- Constraints_Product_Grid_C_Polyhedron (Long_Double_Box y)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_long_double y)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_long_double y)
- Constraints_Product_Grid_C_Polyhedron (Constraints_Product_Grid_C_Polyhedron y)
- Constraints_Product_Grid_C_Polyhedron (Int8_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Int16_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Int32_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Int64_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Uint8_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Uint16_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Uint32_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Uint64_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Z_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Rational_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (C_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (NNC_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Grid y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Float_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_float y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_float y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Double_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_double y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_double y, Complexity_Class complexity)

- Constraints_Product_Grid_C_Polyhedron (Long_Double_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (BD_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Constraints_Product_Grid_C_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_Grid_C_Polyhedron (Constraint_System cs)
- Constraints_Product_Grid_C_Polyhedron (Congruence_System cs)
- native void swap (Constraints_Product_Grid_C_Polyhedron y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Constraints_Product_Grid_C_Polyhedron y)
- native boolean strictly_contains (Constraints_Product_Grid_C_Polyhedron y)
- native boolean is_disjoint_from (Constraints_Product_Grid_C_Polyhedron y)
- native boolean equals (Constraints_Product_Grid_C_Polyhedron p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Constraints_Product_Grid_C_Polyhedron p)
- native void upper_bound_assign (Constraints_Product_Grid_C_Polyhedron p)
- native void difference_assign (Constraints_Product_Grid_C_Polyhedron p)
- native void concatenate_assign (Constraints_Product_Grid_C_Polyhedron p)
- native void time_elapse_assign (Constraints_Product_Grid_C_Polyhedron p)
- native boolean upper_bound_assign_if_exact (Constraints_Product_Grid_C_Polyhedron y)

- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void widening_assign (Constraints_Product_Grid_C_Polyhedron y, By_Reference< Integer > tp)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Constraints_Product_Grid_C_Polyhedron ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)

- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)

- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Constraints_Product_Grid_C_Polyhedron y)
- native void build_cpp_object (Constraints_Product_Grid_C_Polyhedron y, Complexity_Class complexity)

11.20.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

Definition at line 33 of file Constraints_Product_Grid_C_Polyhedron.java.

11.20.2 Constructor & Destructor Documentation

11.20.2.1 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.2 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron () [inline, private]

Definition at line 45 of file Constraints_Product_Grid_C_Polyhedron.java.

11.20.2.3 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int8_Box *y*) [inline]

Definition at line 52 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.4 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int16_Box *y*) [inline]

Definition at line 56 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.5 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int32_Box *y*) [inline]

Definition at line 60 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.6 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int64_Box *y*) [inline]

Definition at line 64 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.7 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint8_Box *y*) [inline]

Definition at line 68 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.8 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint16_Box *y*) [inline]

Definition at line 72 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.9 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint32_Box *y*) [inline]

Definition at line 76 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.10 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint64_Box *y*) [inline]

Definition at line 80 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.11 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_-Product_Grid_C_Polyhedron (Z_Box *y*) [inline]

Definition at line 84 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.12 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (Rational_Box *y*) [inline]

Definition at line 88 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.13 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.14 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.15 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.16 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.17 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.18 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.19 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.20 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_-Product_Grid_C_Polyhedron (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.21 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.22 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.23 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.24 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.25 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (C_Polyhedron *y*) [inline]

Definition at line 140 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.26 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.27 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Grid *y*) [inline]

Definition at line 148 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.28 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Float_Box *y*) [inline]

Definition at line 152 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.29 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_float *y*) [inline]

Definition at line 156 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.30 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.31 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Double_Box *y*) [inline]

Definition at line 164 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.32 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_double *y*) [inline]

Definition at line 168 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.33 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.34 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (Long_Double_Box *y*) [inline]

Definition at line 176 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.35 parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.36 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_-Product_Grid_C_Polyhedron (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.37 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_-Product_Grid_C_Polyhedron (Constraints_Product_Grid_C_Polyhedron *y*) [inline]

Definition at line 188 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.38 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.39 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.40 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.41 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.42 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.43 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.44 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.45 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.46 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.47 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.48 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.49 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.50 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.51 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.52 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.53 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.54 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.55 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.56 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.57 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.58 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.59 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.60 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.61 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.62 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.63 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.64 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.65 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.66 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.67 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.68 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.69 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.70 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.71 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 329 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.72 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Constraints_Product_Grid_C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 333 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.73 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Constraint_System *cs*) [inline]

Definition at line 342 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.2.74 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::Constraints_Product_Grid_C_Polyhedron (Congruence_System *cs*) [inline]

Definition at line 346 of file Constraints_Product_Grid_C_Polyhedron.java.

References build_cpp_object().

11.20.3 Member Function Documentation

11.20.3.1 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::add_congruence (Congruence *c*)

11.20.3.2 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::add_congruences (Congruence_System *c*)

11.20.3.3 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::add_constraint (Constraint *c*)

11.20.3.4 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::add_constraints (Constraint_System *c*)

11.20.3.5 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::add_space_dimensions_and_embed (long *m*)

11.20.3.6 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::add_space_dimensions_and_project (long *m*)

11.20.3.7 native long parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::affine_dimension ()

11.20.3.8 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.20.3.9 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.20.3.10 native String parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::ascii_dump ()

11.20.3.11 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.20.3.12 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.20.3.13 native boolean parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::bounds_from_above (Linear_Expression *expr*)

11.20.3.14 native boolean parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::bounds_from_below (Linear_Expression *expr*)

11.20.3.15 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Constraints_Product_Grid_C_Polyhedron *y*, Complexity_Class *complexity*) `[private]`

11.20.3.16 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Constraints_Product_Grid_C_Polyhedron *y*) `[private]`

11.20.3.17 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.20.3.18 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.20.3.19 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.20.3.20 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_long_double *y*) [private]

11.20.3.21 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.22 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (Long_Double_Box *y*) [private]

11.20.3.23 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.20.3.24 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.20.3.25 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.20.3.26 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_double *y*) [private]

11.20.3.27 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.28 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Double_Box *y*) [private]

11.20.3.29 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.20.3.30 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.20.3.31 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.20.3.32 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_float *y*) [private]

11.20.3.33 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.34 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Float_Box *y*) [private]

11.20.3.35 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.20.3.36 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Grid *y*) [private]

11.20.3.37 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.20.3.38 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (NNC_Polyhedron *y*) [private]

11.20.3.39 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.20.3.40 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (C_Polyhedron *y*) [private]

11.20.3.41 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.20.3.42 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.20.3.43 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.20.3.44 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.20.3.45 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.20.3.46 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.20.3.47 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.20.3.48 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.20.3.49 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.20.3.50 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.20.3.51 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.20.3.52 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.20.3.53 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.20.3.54 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.20.3.55 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.20.3.56 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.20.3.57 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.20.3.58 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.20.3.59 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.20.3.60 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.20.3.61 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.20.3.62 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.20.3.63 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.20.3.64 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.20.3.65 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.66 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Rational_Box *y*) [private]

11.20.3.67 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.68 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Z_Box *y*) [private]

11.20.3.69 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.70 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint64_Box *y*) [private]

11.20.3.71 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.72 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint32_Box *y*) [private]

11.20.3.73 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.74 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint16_Box *y*) [private]

11.20.3.75 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.76 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Uint8_Box *y*) [private]

11.20.3.77 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.78 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int64_Box *y*) [private]

11.20.3.79 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.80 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int32_Box *y*) [private]

11.20.3.81 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.82 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int16_Box *y*) [private]

11.20.3.83 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.20.3.84 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (Int8_Box *y*) [private]

11.20.3.85 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.20.3.86 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (Congruence_System *cs*) [private]

11.20.3.87 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Constraints_Product_Grid_C_Polyhedron().

11.20.3.88 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::concatenate_assign (Constraints_Product_Grid_C_Polyhedron *p*)

11.20.3.89 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::constrains (Variable *var*)

11.20.3.90 native boolean parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::contains (Constraints_Product_Grid_C_Polyhedron *y*)

11.20.3.91 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::difference_assign (Constraints_Product_Grid_C_Polyhedron *p*)

11.20.3.92 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::drop_some_non_integer_points (Integer *complexity_threshold*)

11.20.3.93 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.20.3.94 boolean parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::equals (Object *y*) `[inline]`

Definition at line 444 of file Constraints_Product_Grid_C_Polyhedron.java.

References equals().

11.20.3.95 native boolean parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::equals (Constraints_Product_Grid_C_Polyhedron *p*)

Referenced by equals().

11.20.3.96 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::expand_space_dimension (Variable *var*, long *m*)

11.20.3.97 native long parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::external_memory_in_bytes ()

11.20.3.98 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::finalize () `[protected]`

11.20.3.99 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.20.3.100 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::free ()

11.20.3.101 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.20.3.102 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.20.3.103 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.20.3.104 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.20.3.105 native int parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::hashCode ()

11.20.3.106 native void parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron::intersection_assign (Constraints_Product_Grid_C_Polyhedron *p*)

11.20.3.107 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::is_bounded ()

11.20.3.108 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::is_discrete ()

11.20.3.109 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::is_disjoint_from (Constraints_Product_Grid_C_Polyhedron *y*)

11.20.3.110 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::is_empty ()

11.20.3.111 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::is_topologically_closed ()

11.20.3.112 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::is_universe ()

11.20.3.113 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::map_space_dimensions (Partial_Function *pfunc*)

11.20.3.114 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.20.3.115 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.20.3.116 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.20.3.117 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.20.3.118 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::OK ()

11.20.3.119 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::refine_with_congruence (Congruence *c*)

11.20.3.120 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::refine_with_congruences (Congruence_System *c*)

11.20.3.121 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::refine_with_constraint (Constraint *c*)

11.20.3.122 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::refine_with_constraints (Constraint_System *c*)

11.20.3.123 native Poly_Con_Relation parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::relation_with (Congruence *c*)

11.20.3.124 native Poly_Gen_Relation parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::relation_with (Generator *c*)

11.20.3.125 native Poly_Con_Relation parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::relation_with (Constraint *c*)

11.20.3.126 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::remove_higher_space_dimensions (long *new_dimension*)

11.20.3.127 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::remove_space_dimensions (Variables_Set *vars*)

11.20.3.128 native long parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::space_dimension ()

11.20.3.129 native boolean parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::strictly_contains (Constraints_Product_Grid_C_Polyhedron *y*)

11.20.3.130 native void parma_polyhedra_library::Constraints_Product_Grid_-C_Polyhedron::swap (Constraints_Product_Grid_C_Polyhedron *y*)

11.20.3.131 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::time_elapse_assign (Constraints_Product_Grid_C_Polyhedron *p*)

11.20.3.132 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::topological_closure_assign ()

11.20.3.133 native String parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::toString ()

11.20.3.134 native long parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::total_memory_in_bytes ()

11.20.3.135 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::unconstrain_space_dimension (Variable *var*)

11.20.3.136 native void parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron::unconstrain_space_dimensions (Variables_Set *vars*)

11.20.3.137 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::upper_bound_assign (Constraints_Product_Grid_C_Polyhedron *p*)

11.20.3.138 native boolean parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron::upper_bound_assign_if_exact (Constraints_Product_Grid_C_Polyhedron *y*)

11.20.3.139 native void parma_polyhedra_library::Constraints_Product_Grid_C_-Polyhedron::widening_assign (Constraints_Product_Grid_C_Polyhedron *y*, By_Reference< Integer > *tp*)


The documentation for this class was generated from the following file:

- Constraints_Product_Grid_C_Polyhedron.java


11.21 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

Inheritance diagram for parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron:



Collaboration diagram for parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron:



Public Member Functions

- Constraints_Product_Grid_NNC_Polyhedron (long num_dimensions, Degenerate_Element kind)
- Constraints_Product_Grid_NNC_Polyhedron (Int8_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Int16_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Int32_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Int64_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Uint8_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Uint16_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Uint32_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Uint64_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Z_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (Rational_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int8_t y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int16_t y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int32_t y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int64_t y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpz_class y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpq_class y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int8_t y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int16_t y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int32_t y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int64_t y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpz_class y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpq_class y)
- Constraints_Product_Grid_NNC_Polyhedron (C_Polyhedron y)

- Constraints_Product_Grid_NNC_Polyhedron (NNC_Polyhedron y)
- Constraints_Product_Grid_NNC_Polyhedron (Grid y)
- Constraints_Product_Grid_NNC_Polyhedron (Float_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_float y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_float y)
- Constraints_Product_Grid_NNC_Polyhedron (Double_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_double y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_double y)
- Constraints_Product_Grid_NNC_Polyhedron (Long_Double_Box y)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_long_double y)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_long_double y)
- Constraints_Product_Grid_NNC_Polyhedron (Constraints_Product_Grid_NNC_Polyhedron y)
- Constraints_Product_Grid_NNC_Polyhedron (Int8_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Int16_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Int32_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Int64_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Uint8_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Uint16_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Uint32_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Uint64_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Z_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Rational_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (C_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (NNC_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Grid y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Float_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_float y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_float y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Double_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_double y, Complexity_Class complexity)

- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_double y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Long_Double_Box y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Constraints_Product_Grid_NNC_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_Grid_NNC_Polyhedron (Constraint_System cs)
- Constraints_Product_Grid_NNC_Polyhedron (Congruence_System cs)
- native void swap (Constraints_Product_Grid_NNC_Polyhedron y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean strictly_contains (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean is_disjoint_from (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean equals (Constraints_Product_Grid_NNC_Polyhedron p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Constraints_Product_Grid_NNC_Polyhedron p)
- native void upper_bound_assign (Constraints_Product_Grid_NNC_Polyhedron p)
- native void difference_assign (Constraints_Product_Grid_NNC_Polyhedron p)
- native void concatenate_assign (Constraints_Product_Grid_NNC_Polyhedron p)

- native void time_elapse_assign (Constraints_Product_Grid_NNC_Polyhedron p)
- native boolean upper_bound_assign_if_exact (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void widening_assign (Constraints_Product_Grid_NNC_Polyhedron y, By_Reference< Integer > tp)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Constraints_Product_Grid_NNC_Polyhedron ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)

- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)

- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Constraints_Product_Grid_NNC_Polyhedron y)
- native void build_cpp_object (Constraints_Product_Grid_NNC_Polyhedron y, Complexity_Class complexity)

11.21.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

Definition at line 33 of file Constraints_Product_Grid_NNC_Polyhedron.java.

11.21.2 Constructor & Destructor Documentation

11.21.2.1 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.2 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron () [inline, private]

Definition at line 45 of file Constraints_Product_Grid_NNC_Polyhedron.java.

11.21.2.3 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int8_Box *y*) [inline]

Definition at line 52 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.4 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int16_Box *y*) [inline]

Definition at line 56 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.5 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int32_Box *y*) [inline]

Definition at line 60 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.6 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int64_Box *y*) [inline]

Definition at line 64 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.7 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint8_Box *y*) [inline]

Definition at line 68 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.8 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint16_Box *y*) [inline]

Definition at line 72 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.9 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint32_Box *y*) [inline]

Definition at line 76 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.10 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint64_Box *y*) [inline]

Definition at line 80 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.11 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Z_Box *y*) [inline]

Definition at line 84 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.12 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Rational_Box *y*) [inline]

Definition at line 88 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.13 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.14 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.15 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.16 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.17 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.18 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.19 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.20 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.21 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.22 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.23 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.24 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.25 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (C_Polyhedron *y*) [inline]

Definition at line 140 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.26 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.27 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Grid *y*) [inline]

Definition at line 148 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.28 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Float_Box *y*) [inline]

Definition at line 152 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.29 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_float *y*) [inline]

Definition at line 156 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.30 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.31 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Double_Box *y*) [inline]

Definition at line 164 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.32 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_double *y*) [inline]

Definition at line 168 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.33 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.34 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Long_Double_Box *y*) [inline]

Definition at line 176 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.35 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.36 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.37 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Constraints_Product_Grid_NNC_Polyhedron *y*) [inline]

Definition at line 188 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.38 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.39 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.40 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.41 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.42 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.43 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.44 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.45 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.46 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.47 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.48 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.49 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.50 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.51 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.52 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.53 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.54 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.55 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.56 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.57 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.58 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.59 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.60 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.61 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.62 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.63 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.64 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.65 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.66 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.67 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.68 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.69 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.70 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.71 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 329 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.72 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Constraints_Product_Grid_NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 333 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.73 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Constraint_System *cs*) [inline]

Definition at line 342 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.2.74 parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::Constraints_Product_Grid_NNC_Polyhedron (Congruence_System *cs*) [inline]

Definition at line 346 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References build_cpp_object().

11.21.3 Member Function Documentation

11.21.3.1 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::add_congruence (Congruence *c*)

11.21.3.2 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::add_congruences (Congruence_System *c*)

11.21.3.3 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::add_constraint (Constraint *c*)

11.21.3.4 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::add_constraints (Constraint_System *c*)

11.21.3.5 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::add_space_dimensions_and_embed (long *m*)

11.21.3.6 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::add_space_dimensions_and_project (long *m*)

11.21.3.7 native long parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::affine_dimension ()

11.21.3.8 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.21.3.9 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.21.3.10 native String parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::ascii_dump ()

11.21.3.11 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.21.3.12 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.21.3.13 native boolean parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::bounds_from_above (Linear_Expression *expr*)

11.21.3.14 native boolean parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::bounds_from_below (Linear_Expression *expr*)

11.21.3.15 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Constraints_Product_Grid_NNC_Polyhedron *y*, Complexity_Class *complexity*) `[private]`

11.21.3.16 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Constraints_Product_Grid_NNC_Polyhedron *y*) `[private]`

11.21.3.17 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.21.3.18 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.21.3.19 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.21.3.20 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (BD_Shape_long_double *y*) [private]

11.21.3.21 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.22 native void parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::build_cpp_object (Long_Double_Box *y*) [private]

11.21.3.23 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.21.3.24 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.21.3.25 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.21.3.26 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_double *y*) [private]

11.21.3.27 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.28 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Double_Box *y*) [private]

11.21.3.29 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.21.3.30 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.21.3.31 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.21.3.32 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_float *y*) [private]

11.21.3.33 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.34 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Float_Box *y*) [private]

11.21.3.35 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.21.3.36 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Grid *y*) [private]

11.21.3.37 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.21.3.38 native void parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::build_cpp_object (NNC_Polyhedron *y*) [private]

11.21.3.39 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.21.3.40 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (C_Polyhedron *y*) [private]

11.21.3.41 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.21.3.42 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.21.3.43 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.21.3.44 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.21.3.45 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.21.3.46 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.21.3.47 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.21.3.48 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.21.3.49 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.21.3.50 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.21.3.51 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.21.3.52 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.21.3.53 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.21.3.54 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.21.3.55 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.21.3.56 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.21.3.57 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.21.3.58 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.21.3.59 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.21.3.60 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.21.3.61 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.21.3.62 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.21.3.63 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.21.3.64 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.21.3.65 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.66 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Rational_Box *y*) [private]

11.21.3.67 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.68 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Z_Box *y*) [private]

11.21.3.69 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.70 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint64_Box *y*) [private]

11.21.3.71 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.72 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint32_Box *y*) [private]

11.21.3.73 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.74 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint16_Box *y*) [private]

11.21.3.75 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.76 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Uint8_Box *y*) [private]

11.21.3.77 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.78 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int64_Box *y*) [private]

11.21.3.79 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.80 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int32_Box *y*) [private]

11.21.3.81 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.82 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int16_Box *y*) [private]

11.21.3.83 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.21.3.84 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Int8_Box *y*) [private]

11.21.3.85 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.21.3.86 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Congruence_System *cs*) [private]

11.21.3.87 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Constraints_Product_Grid_NNC_Polyhedron().

11.21.3.88 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::concatenate_assign (Constraints_Product_Grid_NNC_Polyhedron *p*)

11.21.3.89 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::constrains (Variable *var*)

11.21.3.90 native boolean parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::contains (Constraints_Product_Grid_NNC_Polyhedron *y*)

11.21.3.91 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::difference_assign (Constraints_Product_Grid_NNC_Polyhedron *p*)

11.21.3.92 native void parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::drop_some_non_integer_points (Integer *complexity_threshold*)

11.21.3.93 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.21.3.94 boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::equals (Object *y*) `[inline]`

Definition at line 444 of file Constraints_Product_Grid_NNC_Polyhedron.java.

References equals().

11.21.3.95 native boolean parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::equals (Constraints_Product_Grid_NNC_Polyhedron *p*)

Referenced by equals().

11.21.3.96 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::expand_space_dimension (Variable *var*, long *m*)

11.21.3.97 native long parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::external_memory_in_bytes ()

11.21.3.98 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::finalize () `[protected]`

11.21.3.99 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.21.3.100 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::free ()

11.21.3.101 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.21.3.102 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.21.3.103 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.21.3.104 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.21.3.105 native int parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::hashCode ()

11.21.3.106 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::intersection_assign (Constraints_Product_Grid_NNC_Polyhedron *p*)

11.21.3.107 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::is_bounded ()

11.21.3.108 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::is_discrete ()

11.21.3.109 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::is_disjoint_from (Constraints_Product_Grid_NNC_Polyhedron *y*)

11.21.3.110 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::is_empty ()

11.21.3.111 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::is_topologically_closed ()

11.21.3.112 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::is_universe ()

11.21.3.113 native void parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::map_space_dimensions (Partial_Function *pfunc*)

11.21.3.114 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.21.3.115 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.21.3.116 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.21.3.117 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.21.3.118 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::OK ()

11.21.3.119 native void parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::refine_with_congruence (Congruence *c*)

11.21.3.120 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::refine_with_congruences (Congruence_System *c*)

11.21.3.121 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::refine_with_constraint (Constraint *c*)

11.21.3.122 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::refine_with_constraints (Constraint_System *c*)

11.21.3.123 native Poly_Con_Relation parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::relation_with (Congruence *c*)

11.21.3.124 native Poly_Gen_Relation parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::relation_with (Generator *c*)

11.21.3.125 native Poly_Con_Relation parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::relation_with (Constraint *c*)

11.21.3.126 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::remove_higher_space_dimensions (long *new_dimension*)

11.21.3.127 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::remove_space_dimensions (Variables_Set *vars*)

11.21.3.128 native long parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::space_dimension ()

11.21.3.129 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::strictly_contains (Constraints_Product_Grid_NNC_Polyhedron *y*)

11.21.3.130 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::swap (Constraints_Product_Grid_NNC_Polyhedron *y*)

11.21.3.131 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::time_elapse_assign (Constraints_Product_Grid_NNC_Polyhedron *p*)

11.21.3.132 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::topological_closure_assign ()

11.21.3.133 native String parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::toString ()

11.21.3.134 native long parma_polyhedra_library::Constraints_Product_Grid_NNC_-Polyhedron::total_memory_in_bytes ()

11.21.3.135 native void parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron::unconstrain_space_dimension (Variable *var*)

11.21.3.136 native void parma_polyhedra_library::Constraints_Product_Grid_-NNC_Polyhedron::unconstrain_space_dimensions (Variables_Set *vars*)

11.21.3.137 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::upper_bound_assign (Constraints_Product_Grid_NNC_Polyhedron *p*)

11.21.3.138 native boolean parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::upper_bound_assign_if_exact (Constraints_Product_Grid_NNC_Polyhedron *y*)

11.21.3.139 native void parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron::widening_assign (Constraints_Product_Grid_NNC_Polyhedron *y*, By_Reference< Integer > *tp*)


The documentation for this class was generated from the following file:

- Constraints_Product_Grid_NNC_Polyhedron.java


11.22 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

Inheritance diagram for parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid:



Collaboration diagram for parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid:



Public Member Functions

- Constraints_Product_NNC_Polyhedron_Grid (long num_dimensions, Degenerate_Element kind)
- Constraints_Product_NNC_Polyhedron_Grid (Int8_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Int16_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Int32_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Int64_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Uint8_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Uint16_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Uint32_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Uint64_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Z_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (Rational_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int8_t y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int16_t y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int32_t y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int64_t y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpz_class y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpq_class y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int8_t y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int16_t y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int32_t y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int64_t y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpz_class y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpq_class y)
- Constraints_Product_NNC_Polyhedron_Grid (C_Polyhedron y)
- Constraints_Product_NNC_Polyhedron_Grid (NNC_Polyhedron y)
- Constraints_Product_NNC_Polyhedron_Grid (Grid y)
- Constraints_Product_NNC_Polyhedron_Grid (Float_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_float y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_float y)
- Constraints_Product_NNC_Polyhedron_Grid (Double_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_double y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_double y)
- Constraints_Product_NNC_Polyhedron_Grid (Long_Double_Box y)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_long_double y)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_long_double y)
- Constraints_Product_NNC_Polyhedron_Grid (Constraints_Product_NNC_Polyhedron_Grid y)
- Constraints_Product_NNC_Polyhedron_Grid (Int8_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Int16_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Int32_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Int64_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Uint8_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Uint16_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Uint32_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Uint64_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Z_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Rational_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int16_t y, Complexity_Class complexity)

- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (C_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (NNC_Polyhedron y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Grid y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Float_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_float y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_float y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Double_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_double y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_double y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Long_Double_Box y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Constraints_Product_NNC_Polyhedron_Grid y, Complexity_Class complexity)
- Constraints_Product_NNC_Polyhedron_Grid (Constraint_System cs)
- Constraints_Product_NNC_Polyhedron_Grid (Congruence_System cs)
- native void swap (Constraints_Product_NNC_Polyhedron_Grid y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean strictly_contains (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean is_disjoint_from (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean equals (Constraints_Product_NNC_Polyhedron_Grid p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Constraints_Product_NNC_Polyhedron_Grid p)
- native void upper_bound_assign (Constraints_Product_NNC_Polyhedron_Grid p)
- native void difference_assign (Constraints_Product_NNC_Polyhedron_Grid p)
- native void concatenate_assign (Constraints_Product_NNC_Polyhedron_Grid p)
- native void time_elapse_assign (Constraints_Product_NNC_Polyhedron_Grid p)
- native boolean upper_bound_assign_if_exact (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)

- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void widening_assign (Constraints_Product_NNC_Polyhedron_Grid y, By_Reference< Integer > tp)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Constraints_Product_NNC_Polyhedron_Grid ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)

- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Constraints_Product_NNC_Polyhedron_Grid y)
- native void build_cpp_object (Constraints_Product_NNC_Polyhedron_Grid y, Complexity_Class complexity)

11.22.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

Definition at line 33 of file Constraints_Product_NNC_Polyhedron_Grid.java.

11.22.2 Constructor & Destructor Documentation

11.22.2.1 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.2 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid () [inline, private]

Definition at line 45 of file Constraints_Product_NNC_Polyhedron_Grid.java.

11.22.2.3 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int8_Box *y*) [inline]

Definition at line 52 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.4 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int16_Box *y*) [inline]

Definition at line 56 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.5 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int32_Box *y*) [inline]

Definition at line 60 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.6 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int64_Box *y*) [inline]

Definition at line 64 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.7 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint8_Box *y*) [inline]

Definition at line 68 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.8 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint16_Box *y*) [inline]

Definition at line 72 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.9 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint32_Box *y*) [inline]

Definition at line 76 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.10 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint64_Box *y*) [inline]

Definition at line 80 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.11 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Z_Box *y*) [inline]

Definition at line 84 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.12 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Rational_Box *y*) [inline]

Definition at line 88 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.13 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.14 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.15 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.16 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.17 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.18 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.19 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.20 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.21 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.22 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.23 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.24 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.25 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (C_Polyhedron *y*) [inline]

Definition at line 140 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.26 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.27 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Grid *y*) [inline]

Definition at line 148 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.28 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Float_Box *y*) [inline]

Definition at line 152 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.29 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_float *y*) [inline]

Definition at line 156 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.30 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.31 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Double_Box *y*) [inline]

Definition at line 164 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.32 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_double *y*) [inline]

Definition at line 168 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.33 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.34 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Long_Double_Box *y*) [inline]

Definition at line 176 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.35 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.36 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.37 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Constraints_Product_NNC_Polyhedron_Grid *y*) [inline]

Definition at line 188 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.38 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.39 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.40 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.41 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.42 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.43 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.44 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.45 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.46 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.47 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.48 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.49 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.50 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.51 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.52 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.53 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.54 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.55 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.56 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.57 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.58 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.59 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.60 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.61 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.62 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.63 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.64 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.65 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.66 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.67 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.68 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.69 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.70 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.71 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 329 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.72 parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::Constraints_Product_NNC_Polyhedron_Grid (Constraints_Product_NNC_Polyhedron_Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 333 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.73 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::Constraints_Product_NNC_Polyhedron_Grid (Constraint_System *cs*) [inline]

Definition at line 342 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.2.74 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::Constraints_Product_NNC_Polyhedron_Grid (Congruence_System *cs*) [inline]

Definition at line 346 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References build_cpp_object().

11.22.3 Member Function Documentation

11.22.3.1 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::add_congruence (Congruence *c*)

11.22.3.2 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::add_congruences (Congruence_System *c*)

11.22.3.3 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::add_constraint (Constraint *c*)

11.22.3.4 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::add_constraints (Constraint_System *c*)

11.22.3.5 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::add_space_dimensions_and_embed (long *m*)

11.22.3.6 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::add_space_dimensions_and_project (long *m*)

11.22.3.7 native long parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::affine_dimension ()

11.22.3.8 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.22.3.9 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.22.3.10 native String parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::ascii_dump ()

11.22.3.11 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.22.3.12 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.22.3.13 native boolean parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid::bounds_from_above (Linear_Expression *expr*)

11.22.3.14 native boolean parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid::bounds_from_below (Linear_Expression *expr*)

11.22.3.15 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Constraints_Product_NNC_Polyhedron_Grid *y*, Complexity_Class *complexity*) `[private]`

11.22.3.16 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Constraints_Product_NNC_Polyhedron_Grid *y*) `[private]`

11.22.3.17 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.22.3.18 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.22.3.19 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.22.3.20 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.22.3.21 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.22 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Long_Double_Box *y*) [private]

11.22.3.23 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.22.3.24 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.22.3.25 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.22.3.26 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_double *y*) [private]

11.22.3.27 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.28 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Double_Box *y*) [private]

11.22.3.29 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.22.3.30 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.22.3.31 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.22.3.32 native void parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_float *y*) [private]

11.22.3.33 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.34 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Float_Box *y*) [private]

11.22.3.35 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.22.3.36 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Grid *y*) [private]

11.22.3.37 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.22.3.38 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (NNC_Polyhedron *y*) [private]

11.22.3.39 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.22.3.40 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (C_Polyhedron *y*) [private]

11.22.3.41 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.22.3.42 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.22.3.43 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.22.3.44 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.22.3.45 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.22.3.46 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.22.3.47 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.22.3.48 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.22.3.49 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.22.3.50 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.22.3.51 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.22.3.52 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.22.3.53 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.22.3.54 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.22.3.55 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.22.3.56 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.22.3.57 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.22.3.58 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.22.3.59 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.22.3.60 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.22.3.61 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.22.3.62 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.22.3.63 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.22.3.64 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.22.3.65 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.66 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Rational_Box *y*) [private]

11.22.3.67 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.68 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Z_Box *y*) [private]

11.22.3.69 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.70 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint64_Box *y*) [private]

11.22.3.71 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.72 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint32_Box *y*) [private]

11.22.3.73 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.74 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint16_Box *y*) [private]

11.22.3.75 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.76 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Uint8_Box *y*) [private]

11.22.3.77 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.78 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int64_Box *y*) [private]

11.22.3.79 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.80 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int32_Box *y*) [private]

11.22.3.81 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.82 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int16_Box *y*) [private]

11.22.3.83 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.22.3.84 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::build_cpp_object (Int8_Box *y*) [private]

11.22.3.85 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.22.3.86 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Congruence_System *cs*) [private]

11.22.3.87 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Constraints_Product_NNC_Polyhedron_Grid().

11.22.3.88 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::concatenate_assign (Constraints_Product_NNC_Polyhedron_Grid *p*)

11.22.3.89 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::constrains (Variable *var*)

11.22.3.90 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::contains (Constraints_Product_NNC_Polyhedron_Grid *y*)

11.22.3.91 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::difference_assign (Constraints_Product_NNC_Polyhedron_Grid *p*)

11.22.3.92 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::drop_some_non_integer_points (Integer *complexity_threshold*)

11.22.3.93 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.22.3.94 boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::equals (Object *y*) [inline]

Definition at line 444 of file Constraints_Product_NNC_Polyhedron_Grid.java.

References equals().

11.22.3.95 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::equals (Constraints_Product_NNC_Polyhedron_Grid *p*)

Referenced by equals().

11.22.3.96 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::expand_space_dimension (Variable *var*, long *m*)

11.22.3.97 native long parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::external_memory_in_bytes ()

11.22.3.98 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::finalize () [protected]

11.22.3.99 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.22.3.100 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::free ()

11.22.3.101 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.22.3.102 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.22.3.103 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.22.3.104 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.22.3.105 native int parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::hashCode ()

11.22.3.106 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::intersection_assign (Constraints_Product_NNC_Polyhedron_Grid *p*)

11.22.3.107 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::is_bounded ()

11.22.3.108 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::is_discrete ()

11.22.3.109 native boolean parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::is_disjoint_from (Constraints_Product_NNC_Polyhedron_Grid *y*)

11.22.3.110 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::is_empty ()

11.22.3.111 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::is_topologically_closed ()

11.22.3.112 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::is_universe ()

11.22.3.113 native void parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid::map_space_dimensions (Partial_Function *pfunc*)

11.22.3.114 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.22.3.115 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.22.3.116 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.22.3.117 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.22.3.118 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::OK ()

11.22.3.119 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::refine_with_congruence (Congruence *c*)

11.22.3.120 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::refine_with_congruences (Congruence_System *c*)

11.22.3.121 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::refine_with_constraint (Constraint *c*)

11.22.3.122 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::refine_with_constraints (Constraint_System *c*)

11.22.3.123 native Poly_Con_Relation parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::relation_with (Congruence *c*)

11.22.3.124 native Poly_Gen_Relation parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::relation_with (Generator *c*)

11.22.3.125 native Poly_Con_Relation parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid::relation_with (Constraint *c*)

11.22.3.126 native void parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid::remove_higher_space_dimensions (long *new_dimension*)

11.22.3.127 native void parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid::remove_space_dimensions (Variables_Set *vars*)

11.22.3.128 native long parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::space_dimension ()

11.22.3.129 native boolean parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::strictly_contains (Constraints_Product_NNC_Polyhedron_Grid *y*)

11.22.3.130 native void parma_polyhedra_library::Constraints_Product_NNC_-Polyhedron_Grid::swap (Constraints_Product_NNC_Polyhedron_Grid *y*)

11.22.3.131 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::time_elapse_assign (Constraints_Product_NNC_Polyhedron_Grid *p*)

11.22.3.132 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_-Grid::topological_closure_assign ()

11.22.3.133 native String parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::toString ()

11.22.3.134 native long parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::total_memory_in_bytes ()

11.22.3.135 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::unconstrain_space_dimension (Variable *var*)

11.22.3.136 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::unconstrain_space_dimensions (Variables_Set *vars*)

11.22.3.137 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::upper_bound_assign (Constraints_Product_NNC_Polyhedron_Grid *p*)

11.22.3.138 native boolean parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::upper_bound_assign_if_exact (Constraints_Product_NNC_Polyhedron_Grid *y*)

11.22.3.139 native void parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid::widening_assign (Constraints_Product_NNC_Polyhedron_Grid *y*, By_Reference< Integer > *tp*)

The documentation for this class was generated from the following file:

- Constraints_Product_NNC_Polyhedron_Grid.java

11.23 Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception Class Reference

`#include <ppl_java_common.defs.hh>`

Public Member Functions

- void throw_me () const
- int priority () const

11.23.1 Detailed Description

Definition at line 133 of file ppl_java_common.defs.hh.

11.23.2 Member Function Documentation

11.23.2.1 int Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception::priority () const [inline]

Definition at line 139 of file ppl_java_common.defs.hh.

11.23.2.2 void Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception::throw_me () const [inline]

Definition at line 136 of file ppl_java_common.defs.hh.

The documentation for this class was generated from the following file:

- ppl_java_common.defs.hh

11.24 parma_polyhedra_library::Domain_Error_Exception Class Reference

Exceptions caused by domain errors.

Public Member Functions

- Domain_Error_Exception (String s)
  Constructor.

11.24.1 Detailed Description

Exceptions caused by domain errors.

Definition at line 28 of file Domain_Error_Exception.java.

11.24.2 Constructor & Destructor Documentation

11.24.2.1 parma_polyhedra_library::Domain_Error_Exception::Domain_Error_Exception (String *s*) [inline]

Constructor.

Definition at line 30 of file Domain_Error_Exception.java.


The documentation for this class was generated from the following file:

- Domain_Error_Exception.java


11.25 parma_polyhedra_library::Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

Inheritance diagram for parma_polyhedra_library::Double_Box:



Collaboration diagram for parma_polyhedra_library::Double_Box:



Public Member Functions

- Double_Box (long num_dimensions, Degenerate_Element kind)
- Double_Box (Int8_Box y)
- Double_Box (Int16_Box y)
- Double_Box (Int32_Box y)
- Double_Box (Int64_Box y)
- Double_Box (Uint8_Box y)
- Double_Box (Uint16_Box y)
- Double_Box (Uint32_Box y)
- Double_Box (Uint64_Box y)
- Double_Box (Z_Box y)
- Double_Box (Rational_Box y)
- Double_Box (BD_Shape_int8_t y)
- Double_Box (BD_Shape_int16_t y)

- Double_Box (BD_Shape_int32_t y)
- Double_Box (BD_Shape_int64_t y)
- Double_Box (BD_Shape_mpz_class y)
- Double_Box (BD_Shape_mpq_class y)
- Double_Box (Octagonal_Shape_int8_t y)
- Double_Box (Octagonal_Shape_int16_t y)
- Double_Box (Octagonal_Shape_int32_t y)
- Double_Box (Octagonal_Shape_int64_t y)
- Double_Box (Octagonal_Shape_mpz_class y)
- Double_Box (Octagonal_Shape_mpq_class y)
- Double_Box (C_Polyhedron y)
- Double_Box (NNC_Polyhedron y)
- Double_Box (Grid y)
- Double_Box (Float_Box y)
- Double_Box (BD_Shape_float y)
- Double_Box (Octagonal_Shape_float y)
- Double_Box (Double_Box y)
- Double_Box (BD_Shape_double y)
- Double_Box (Octagonal_Shape_double y)
- Double_Box (Long_Double_Box y)
- Double_Box (BD_Shape_long_double y)
- Double_Box (Octagonal_Shape_long_double y)
- Double_Box (Int8_Box y, Complexity_Class complexity)
- Double_Box (Int16_Box y, Complexity_Class complexity)
- Double_Box (Int32_Box y, Complexity_Class complexity)
- Double_Box (Int64_Box y, Complexity_Class complexity)
- Double_Box (Uint8_Box y, Complexity_Class complexity)
- Double_Box (Uint16_Box y, Complexity_Class complexity)
- Double_Box (Uint32_Box y, Complexity_Class complexity)
- Double_Box (Uint64_Box y, Complexity_Class complexity)
- Double_Box (Z_Box y, Complexity_Class complexity)
- Double_Box (Rational_Box y, Complexity_Class complexity)
- Double_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Double_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Double_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Double_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Double_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Double_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Double_Box (C_Polyhedron y, Complexity_Class complexity)
- Double_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Double_Box (Grid y, Complexity_Class complexity)
- Double_Box (Float_Box y, Complexity_Class complexity)
- Double_Box (BD_Shape_float y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_float y, Complexity_Class complexity)

- Double_Box (Double_Box y, Complexity_Class complexity)
- Double_Box (BD_Shape_double y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Double_Box (Long_Double_Box y, Complexity_Class complexity)
- Double_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Double_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Double_Box (Constraint_System cs)
- Double_Box (Congruence_System cs)
- Double_Box (Generator_System cs)
- native void swap (Double_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Double_Box y)
- native boolean strictly_contains (Double_Box y)
- native boolean is_disjoint_from (Double_Box y)
- native boolean equals (Double_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)

- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Double_Box p)
- native void upper_bound_assign (Double_Box p)
- native void difference_assign (Double_Box p)
- native void concatenate_assign (Double_Box p)
- native void time_elapse_assign (Double_Box p)
- native boolean upper_bound_assign_if_exact (Double_Box y)
- native boolean simplify_using_context_assign (Double_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Double_Box y, By_Reference< Integer > tp)
- native void widening_assign (Double_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Double_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Double_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Double_Box p, Double_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Double_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)

- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.25.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

Definition at line 33 of file Double_Box.java.

11.25.2 Constructor & Destructor Documentation

11.25.2.1 parma_polyhedra_library::Double_Box::Double_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Double_Box.java.

References build_cpp_object().

11.25.2.2 parma_polyhedra_library::Double_Box::Double_Box () [inline, private]

Definition at line 45 of file Double_Box.java.

11.25.2.3 parma_polyhedra_library::Double_Box::Double_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Double_Box.java.

References build_cpp_object().

11.25.2.4 parma_polyhedra_library::Double_Box::Double_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Double_Box.java.

References build_cpp_object().

11.25.2.5 parma_polyhedra_library::Double_Box::Double_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Double_Box.java.

References build_cpp_object().

11.25.2.6 parma_polyhedra_library::Double_Box::Double_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Double_Box.java.

References build_cpp_object().

11.25.2.7 parma_polyhedra_library::Double_Box::Double_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Double_Box.java.

References build_cpp_object().

11.25.2.8 parma_polyhedra_library::Double_Box::Double_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Double_Box.java.

References build_cpp_object().

11.25.2.9 parma_polyhedra_library::Double_Box::Double_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Double_Box.java.

References build_cpp_object().

11.25.2.10 parma_polyhedra_library::Double_Box::Double_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Double_Box.java.

References build_cpp_object().

11.25.2.11 parma_polyhedra_library::Double_Box::Double_Box (Z_Box *y*) [inline]

Definition at line 84 of file Double_Box.java.

References build_cpp_object().

11.25.2.12 parma_polyhedra_library::Double_Box::Double_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Double_Box.java.

References build_cpp_object().

11.25.2.13 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Double_Box.java.

References build_cpp_object().

11.25.2.14 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Double_Box.java.

References build_cpp_object().

11.25.2.15 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Double_Box.java.

References build_cpp_object().

11.25.2.16 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Double_Box.java.

References build_cpp_object().

11.25.2.17 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Double_Box.java.

References build_cpp_object().

11.25.2.18 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Double_Box.java.

References build_cpp_object().

11.25.2.19 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Double_Box.java.

References build_cpp_object().

11.25.2.20 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Double_Box.java.

References build_cpp_object().

11.25.2.21 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Double_Box.java.

References build_cpp_object().

11.25.2.22 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Double_Box.java.

References build_cpp_object().

11.25.2.23 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Double_Box.java.

References build_cpp_object().

11.25.2.24 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Double_Box.java.

References build_cpp_object().

11.25.2.25 parma_polyhedra_library::Double_Box::Double_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Double_Box.java.

References build_cpp_object().

11.25.2.26 parma_polyhedra_library::Double_Box::Double_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Double_Box.java.

References build_cpp_object().

11.25.2.27 parma_polyhedra_library::Double_Box::Double_Box (Grid *y*) [inline]

Definition at line 148 of file Double_Box.java.

References build_cpp_object().

11.25.2.28 parma_polyhedra_library::Double_Box::Double_Box (Float_Box *y*) [inline]

Definition at line 152 of file Double_Box.java.

References build_cpp_object().

11.25.2.29 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Double_Box.java.

References build_cpp_object().

11.25.2.30 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Double_Box.java.

References build_cpp_object().

11.25.2.31 parma_polyhedra_library::Double_Box::Double_Box (Double_Box *y*) [inline]

Definition at line 164 of file Double_Box.java.

References build_cpp_object().

11.25.2.32 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Double_Box.java.

References build_cpp_object().

11.25.2.33 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Double_Box.java.

References build_cpp_object().

11.25.2.34 parma_polyhedra_library::Double_Box::Double_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Double_Box.java.

References build_cpp_object().

11.25.2.35 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Double_Box.java.

References build_cpp_object().

11.25.2.36 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Double_Box.java.

References build_cpp_object().

11.25.2.37 parma_polyhedra_library::Double_Box::Double_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Double_Box.java.

References build_cpp_object().

11.25.2.38 parma_polyhedra_library::Double_Box::Double_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Double_Box.java.

References build_cpp_object().

11.25.2.39 parma_polyhedra_library::Double_Box::Double_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Double_Box.java.

References build_cpp_object().

11.25.2.40 parma_polyhedra_library::Double_Box::Double_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Double_Box.java.

References build_cpp_object().

11.25.2.41 parma_polyhedra_library::Double_Box::Double_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Double_Box.java.

References build_cpp_object().

11.25.2.42 parma_polyhedra_library::Double_Box::Double_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Double_Box.java.

References build_cpp_object().

11.25.2.43 parma_polyhedra_library::Double_Box::Double_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Double_Box.java.

References build_cpp_object().

11.25.2.44 parma_polyhedra_library::Double_Box::Double_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Double_Box.java.

References build_cpp_object().

11.25.2.45 parma_polyhedra_library::Double_Box::Double_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Double_Box.java.

References build_cpp_object().

11.25.2.46 parma_polyhedra_library::Double_Box::Double_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Double_Box.java.

References build_cpp_object().

11.25.2.47 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Double_Box.java.

References build_cpp_object().

11.25.2.48 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Double_Box.java.

References build_cpp_object().

11.25.2.49 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Double_Box.java.

References build_cpp_object().

11.25.2.50 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Double_Box.java.

References build_cpp_object().

11.25.2.51 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Double_Box.java.

References build_cpp_object().

11.25.2.52 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Double_Box.java.

References build_cpp_object().

11.25.2.53 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Double_Box.java.

References build_cpp_object().

11.25.2.54 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Double_Box.java.

References build_cpp_object().

11.25.2.55 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Double_Box.java.

References build_cpp_object().

11.25.2.56 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Double_Box.java.

References build_cpp_object().

11.25.2.57 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Double_Box.java.

References build_cpp_object().

11.25.2.58 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Double_Box.java.

References build_cpp_object().

11.25.2.59 parma_polyhedra_library::Double_Box::Double_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Double_Box.java.

References build_cpp_object().

11.25.2.60 parma_polyhedra_library::Double_Box::Double_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Double_Box.java.

References build_cpp_object().

11.25.2.61 parma_polyhedra_library::Double_Box::Double_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Double_Box.java.

References build_cpp_object().

11.25.2.62 parma_polyhedra_library::Double_Box::Double_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Double_Box.java.

References build_cpp_object().

11.25.2.63 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Double_Box.java.

References build_cpp_object().

11.25.2.64 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Double_Box.java.

References build_cpp_object().

11.25.2.65 parma_polyhedra_library::Double_Box::Double_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Double_Box.java.

References build_cpp_object().

11.25.2.66 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Double_Box.java.

References build_cpp_object().

11.25.2.67 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Double_Box.java.

References build_cpp_object().

11.25.2.68 parma_polyhedra_library::Double_Box::Double_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Double_Box.java.

References build_cpp_object().

11.25.2.69 parma_polyhedra_library::Double_Box::Double_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Double_Box.java.

References build_cpp_object().

11.25.2.70 parma_polyhedra_library::Double_Box::Double_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Double_Box.java.

References build_cpp_object().

11.25.2.71 parma_polyhedra_library::Double_Box::Double_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Double_Box.java.

References build_cpp_object().

11.25.2.72 parma_polyhedra_library::Double_Box::Double_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Double_Box.java.

References build_cpp_object().

11.25.2.73 parma_polyhedra_library::Double_Box::Double_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Double_Box.java.

References build_cpp_object().

11.25.3 Member Function Documentation

11.25.3.1 native void parma_polyhedra_library::Double_Box::add_congruence (Congruence *c*)

11.25.3.2 native void parma_polyhedra_library::Double_Box::add_congruences (Congruence_System *c*)

11.25.3.3 native void parma_polyhedra_library::Double_Box::add_constraint (Constraint *c*)

11.25.3.4 native void parma_polyhedra_library::Double_Box::add_constraints (Constraint_System *c*)

11.25.3.5 native void parma_polyhedra_library::Double_Box::add_space_dimensions_and_embed (long *m*)

11.25.3.6 native void parma_polyhedra_library::Double_Box::add_space_dimensions_and_project (long *m*)

11.25.3.7 native long parma_polyhedra_library::Double_Box::affine_dimension ()

11.25.3.8 native void parma_polyhedra_library::Double_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.25.3.9 native void parma_polyhedra_library::Double_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.25.3.10 native String parma_polyhedra_library::Double_Box::ascii_dump ()

11.25.3.11 native void parma_polyhedra_library::Double_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.25.3.12 native void parma_polyhedra_library::Double_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.25.3.13 native boolean parma_polyhedra_library::Double_Box::bounds_from_above (Linear_Expression *expr*)

11.25.3.14 native boolean parma_polyhedra_library::Double_Box::bounds_from_below (Linear_Expression *expr*)

11.25.3.15 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.25.3.16 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.25.3.17 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.25.3.18 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_long_double *y*) [private]

11.25.3.19 native void parma_polyhedra_library::Double_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.20 native void parma_polyhedra_library::Double_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.25.3.21 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.25.3.22 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.25.3.23 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.25.3.24 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.25.3.25 native void parma_polyhedra_library::Double_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.26 native void parma_polyhedra_library::Double_Box::build_cpp_object (Double_Box *y*) [private]

11.25.3.27 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.25.3.28 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.25.3.29 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.25.3.30 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.25.3.31 native void parma_polyhedra_library::Double_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.32 native void parma_polyhedra_library::Double_Box::build_cpp_object (Float_Box *y*) [private]

11.25.3.33 native void parma_polyhedra_library::Double_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.25.3.34 native void parma_polyhedra_library::Double_Box::build_cpp_object (Grid *y*) [private]

11.25.3.35 native void parma_polyhedra_library::Double_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.25.3.36 native void parma_polyhedra_library::Double_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.25.3.37 native void parma_polyhedra_library::Double_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.25.3.38 native void parma_polyhedra_library::Double_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.25.3.39 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.25.3.40 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.25.3.41 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.25.3.42 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.25.3.43 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.25.3.44 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.25.3.45 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.25.3.46 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.25.3.47 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.25.3.48 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.25.3.49 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.25.3.50 native void parma_polyhedra_library::Double_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.25.3.51 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.25.3.52 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.25.3.53 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.25.3.54 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.25.3.55 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.25.3.56 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.25.3.57 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.25.3.58 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.25.3.59 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.25.3.60 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.25.3.61 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.25.3.62 native void parma_polyhedra_library::Double_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.25.3.63 native void parma_polyhedra_library::Double_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.64 native void parma_polyhedra_library::Double_Box::build_cpp_object (Rational_Box *y*) [private]

11.25.3.65 native void parma_polyhedra_library::Double_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.66 native void parma_polyhedra_library::Double_Box::build_cpp_object (Z_Box *y*) [private]

11.25.3.67 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.68 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint64_Box *y*) [private]

11.25.3.69 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.70 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint32_Box *y*) [private]

11.25.3.71 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.72 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint16_Box *y*) [private]

11.25.3.73 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.74 native void parma_polyhedra_library::Double_Box::build_cpp_object (Uint8_Box *y*) [private]

11.25.3.75 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.76 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int64_Box *y*) [private]

11.25.3.77 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.78 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int32_Box *y*) [private]

11.25.3.79 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.80 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int16_Box *y*) [private]

11.25.3.81 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.25.3.82 native void parma_polyhedra_library::Double_Box::build_cpp_object (Int8_Box *y*) [private]

11.25.3.83 native void parma_polyhedra_library::Double_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.25.3.84 native void parma_polyhedra_library::Double_Box::build_cpp_object (Generator_System *cs*) [private]

11.25.3.85 native void parma_polyhedra_library::Double_Box::build_cpp_object (Congruence_System *cs*) [private]

11.25.3.86 native void parma_polyhedra_library::Double_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Double_Box().

11.25.3.87 native void parma_polyhedra_library::Double_Box::CC76_widening_assign (Double_Box *y*, By_Reference< Integer > *tp*)

11.25.3.88 native void parma_polyhedra_library::Double_Box::concatenate_assign (Double_Box *p*)

11.25.3.89 native Congruence_System parma_polyhedra_library::Double_Box::congruences ()

11.25.3.90 native boolean parma_polyhedra_library::Double_Box::constrains (Variable *var*)

11.25.3.91 native Constraint_System parma_polyhedra_library::Double_Box::constraints ()

11.25.3.92 native boolean parma_polyhedra_library::Double_Box::contains (Double_Box *y*)

11.25.3.93 native boolean parma_polyhedra_library::Double_Box::contains_integer_point ()

11.25.3.94 native void parma_polyhedra_library::Double_Box::difference_assign (Double_Box *p*)

11.25.3.95 native void parma_polyhedra_library::Double_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.25.3.96 native void parma_polyhedra_library::Double_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.25.3.97 boolean parma_polyhedra_library::Double_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Double_Box.java.

References equals().

11.25.3.98 native boolean parma_polyhedra_library::Double_Box::equals (Double_Box *p*)

Referenced by equals().

11.25.3.99 native void parma_polyhedra_library::Double_Box::expand_space_dimension (Variable *var*, long *m*)

11.25.3.100 native long parma_polyhedra_library::Double_Box::external_memory_in_bytes ()

11.25.3.101 native void parma_polyhedra_library::Double_Box::finalize () [protected]

11.25.3.102 native void parma_polyhedra_library::Double_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.25.3.103 native void parma_polyhedra_library::Double_Box::free ()

11.25.3.104 native boolean parma_polyhedra_library::Double_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.25.3.105 native void parma_polyhedra_library::Double_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.25.3.106 native void parma_polyhedra_library::Double_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.25.3.107 native void parma_polyhedra_library::Double_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.25.3.108 native void parma_polyhedra_library::Double_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.25.3.109 native void parma_polyhedra_library::Double_Box::intersection_assign (Double_Box *p*)

11.25.3.110 native boolean parma_polyhedra_library::Double_Box::is_bounded ()

11.25.3.111 native boolean parma_polyhedra_library::Double_Box::is_discrete ()

11.25.3.112 native boolean parma_polyhedra_library::Double_Box::is_disjoint_from (Double_Box *y*)

11.25.3.113 native boolean parma_polyhedra_library::Double_Box::is_empty ()

11.25.3.114 native boolean parma_polyhedra_library::Double_Box::is_topologically_closed ()

11.25.3.115 native boolean parma_polyhedra_library::Double_Box::is_universe ()

11.25.3.116 native void parma_polyhedra_library::Double_Box::limited_CC76_extrapolation_assign (Double_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.25.3.117 static native Pair<Double_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Double_Box::linear_partition (Double_Box *p*, Double_Box *q*) `[static]`

11.25.3.118 native void parma_polyhedra_library::Double_Box::map_space_dimensions (Partial_Function *pfunc*)

11.25.3.119 native boolean parma_polyhedra_library::Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.25.3.120 native boolean parma_polyhedra_library::Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.25.3.121 native boolean parma_polyhedra_library::Double_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.25.3.122 native boolean parma_polyhedra_library::Double_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.25.3.123 native Congruence_System parma_polyhedra_library::Double_Box::minimized_congruences ()

11.25.3.124 native Constraint_System parma_polyhedra_library::Double_Box::minimized_constraints ()

11.25.3.125 native boolean parma_polyhedra_library::Double_Box::OK ()

11.25.3.126 native void parma_polyhedra_library::Double_Box::refine_with_congruence (Congruence *c*)

11.25.3.127 native void parma_polyhedra_library::Double_Box::refine_with_congruences (Congruence_System *c*)

11.25.3.128 native void parma_polyhedra_library::Double_Box::refine_with_constraint (Constraint *c*)

11.25.3.129 native void parma_polyhedra_library::Double_Box::refine_with_constraints (Constraint_System *c*)

11.25.3.130 native Poly_Con_Relation parma_polyhedra_library::Double_Box::relation_with (Congruence *c*)

11.25.3.131 native Poly_Gen_Relation parma_polyhedra_library::Double_Box::relation_with (Generator *c*)

11.25.3.132 native Poly_Con_Relation parma_polyhedra_library::Double_Box::relation_with (Constraint *c*)

11.25.3.133 native void parma_polyhedra_library::Double_Box::remove_higher_space_dimensions (long *new_dimension*)

11.25.3.134 native void parma_polyhedra_library::Double_Box::remove_space_dimensions (Variables_Set *vars*)

11.25.3.135 native boolean parma_polyhedra_library::Double_Box::simplify_using_context_assign (Double_Box *p*)

11.25.3.136 native long parma_polyhedra_library::Double_Box::space_dimension ()

11.25.3.137 native boolean parma_polyhedra_library::Double_Box::strictly_contains (Double_Box *y*)

11.25.3.138 native void parma_polyhedra_library::Double_Box::swap (Double_Box *y*)

11.25.3.139 native void parma_polyhedra_library::Double_Box::time_elapse_assign (Double_Box *p*)

11.25.3.140 native void parma_polyhedra_library::Double_Box::topological_closure_assign ()

11.25.3.141 native String parma_polyhedra_library::Double_Box::toString ()

11.25.3.142 native long parma_polyhedra_library::Double_Box::total_memory_in_bytes ()

11.25.3.143 native void parma_polyhedra_library::Double_Box::unconstrain_space_dimension (Variable *var*)

11.25.3.144 native void parma_polyhedra_library::Double_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.25.3.145 native void parma_polyhedra_library::Double_Box::upper_bound_assign (Double_Box *p*)

11.25.3.146 native boolean parma_polyhedra_library::Double_Box::upper_bound_assign_if_exact (Double_Box *y*)

11.25.3.147 native void parma_polyhedra_library::Double_Box::widening_assign (Double_Box *y*, By_Reference< Integer > *tp*)

11.25.3.148 native void parma_polyhedra_library::Double_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Double_Box.java


11.26 parma_polyhedra_library::Float_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

Inheritance diagram for parma_polyhedra_library::Float_Box:



Collaboration diagram for parma_polyhedra_library::Float_Box:



Public Member Functions

- Float_Box (long num_dimensions, Degenerate_Element kind)
- Float_Box (Int8_Box y)
- Float_Box (Int16_Box y)
- Float_Box (Int32_Box y)

- Float_Box (Int64_Box y)
- Float_Box (Uint8_Box y)
- Float_Box (Uint16_Box y)
- Float_Box (Uint32_Box y)
- Float_Box (Uint64_Box y)
- Float_Box (Z_Box y)
- Float_Box (Rational_Box y)
- Float_Box (BD_Shape_int8_t y)
- Float_Box (BD_Shape_int16_t y)
- Float_Box (BD_Shape_int32_t y)
- Float_Box (BD_Shape_int64_t y)
- Float_Box (BD_Shape_mpz_class y)
- Float_Box (BD_Shape_mpq_class y)
- Float_Box (Octagonal_Shape_int8_t y)
- Float_Box (Octagonal_Shape_int16_t y)
- Float_Box (Octagonal_Shape_int32_t y)
- Float_Box (Octagonal_Shape_int64_t y)
- Float_Box (Octagonal_Shape_mpz_class y)
- Float_Box (Octagonal_Shape_mpq_class y)
- Float_Box (C_Polyhedron y)
- Float_Box (NNC_Polyhedron y)
- Float_Box (Grid y)
- Float_Box (Float_Box y)
- Float_Box (BD_Shape_float y)
- Float_Box (Octagonal_Shape_float y)
- Float_Box (Double_Box y)
- Float_Box (BD_Shape_double y)
- Float_Box (Octagonal_Shape_double y)
- Float_Box (Long_Double_Box y)
- Float_Box (BD_Shape_long_double y)
- Float_Box (Octagonal_Shape_long_double y)
- Float_Box (Int8_Box y, Complexity_Class complexity)
- Float_Box (Int16_Box y, Complexity_Class complexity)
- Float_Box (Int32_Box y, Complexity_Class complexity)
- Float_Box (Int64_Box y, Complexity_Class complexity)
- Float_Box (Uint8_Box y, Complexity_Class complexity)
- Float_Box (Uint16_Box y, Complexity_Class complexity)
- Float_Box (Uint32_Box y, Complexity_Class complexity)
- Float_Box (Uint64_Box y, Complexity_Class complexity)
- Float_Box (Z_Box y, Complexity_Class complexity)
- Float_Box (Rational_Box y, Complexity_Class complexity)
- Float_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Float_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Float_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Float_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Float_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Float_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)

- Float_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Float_Box (C_Polyhedron y, Complexity_Class complexity)
- Float_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Float_Box (Grid y, Complexity_Class complexity)
- Float_Box (Float_Box y, Complexity_Class complexity)
- Float_Box (BD_Shape_float y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Float_Box (Double_Box y, Complexity_Class complexity)
- Float_Box (BD_Shape_double y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Float_Box (Long_Double_Box y, Complexity_Class complexity)
- Float_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Float_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Float_Box (Constraint_System cs)
- Float_Box (Congruence_System cs)
- Float_Box (Generator_System cs)
- native void swap (Float_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Float_Box y)
- native boolean strictly_contains (Float_Box y)
- native boolean is_disjoint_from (Float_Box y)

- native boolean equals (Float_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Float_Box p)
- native void upper_bound_assign (Float_Box p)
- native void difference_assign (Float_Box p)
- native void concatenate_assign (Float_Box p)
- native void time_elapse_assign (Float_Box p)
- native boolean upper_bound_assign_if_exact (Float_Box y)
- native boolean simplify_using_context_assign (Float_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Float_Box y, By_Reference< Integer > tp)
- native void widening_assign (Float_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Float_Box y, Constraint_System cs, By_Reference< Integer > tp)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Float_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Float_Box p, Float_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Float_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)

- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.26.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

Definition at line 33 of file Float_Box.java.

11.26.2 Constructor & Destructor Documentation

11.26.2.1 parma_polyhedra_library::Float_Box::Float_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Float_Box.java.

References build_cpp_object().

11.26.2.2 parma_polyhedra_library::Float_Box::Float_Box () [inline, private]

Definition at line 45 of file Float_Box.java.

11.26.2.3 parma_polyhedra_library::Float_Box::Float_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Float_Box.java.

References build_cpp_object().

11.26.2.4 parma_polyhedra_library::Float_Box::Float_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Float_Box.java.

References build_cpp_object().

11.26.2.5 parma_polyhedra_library::Float_Box::Float_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Float_Box.java.

References build_cpp_object().

11.26.2.6 parma_polyhedra_library::Float_Box::Float_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Float_Box.java.

References build_cpp_object().

11.26.2.7 parma_polyhedra_library::Float_Box::Float_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Float_Box.java.

References build_cpp_object().

11.26.2.8 parma_polyhedra_library::Float_Box::Float_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Float_Box.java.

References build_cpp_object().

11.26.2.9 parma_polyhedra_library::Float_Box::Float_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Float_Box.java.

References build_cpp_object().

11.26.2.10 parma_polyhedra_library::Float_Box::Float_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Float_Box.java.

References build_cpp_object().

11.26.2.11 parma_polyhedra_library::Float_Box::Float_Box (Z_Box *y*) [inline]

Definition at line 84 of file Float_Box.java.

References build_cpp_object().

11.26.2.12 parma_polyhedra_library::Float_Box::Float_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Float_Box.java.

References build_cpp_object().

11.26.2.13 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Float_Box.java.

References build_cpp_object().

11.26.2.14 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Float_Box.java.

References build_cpp_object().

11.26.2.15 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Float_Box.java.

References build_cpp_object().

11.26.2.16 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Float_Box.java.

References build_cpp_object().

11.26.2.17 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Float_Box.java.

References build_cpp_object().

11.26.2.18 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Float_Box.java.

References build_cpp_object().

11.26.2.19 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Float_Box.java.

References build_cpp_object().

11.26.2.20 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Float_Box.java.

References build_cpp_object().

11.26.2.21 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Float_Box.java.

References build_cpp_object().

11.26.2.22 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Float_Box.java.

References build_cpp_object().

11.26.2.23 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Float_Box.java.

References build_cpp_object().

11.26.2.24 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Float_Box.java.

References build_cpp_object().

11.26.2.25 parma_polyhedra_library::Float_Box::Float_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Float_Box.java.

References build_cpp_object().

11.26.2.26 parma_polyhedra_library::Float_Box::Float_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Float_Box.java.

References build_cpp_object().

11.26.2.27 parma_polyhedra_library::Float_Box::Float_Box (Grid *y*) [inline]

Definition at line 148 of file Float_Box.java.

References build_cpp_object().

11.26.2.28 parma_polyhedra_library::Float_Box::Float_Box (Float_Box *y*) [inline]

Definition at line 152 of file Float_Box.java.

References build_cpp_object().

11.26.2.29 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Float_Box.java.

References build_cpp_object().

11.26.2.30 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Float_Box.java.

References build_cpp_object().

11.26.2.31 parma_polyhedra_library::Float_Box::Float_Box (Double_Box *y*) [inline]

Definition at line 164 of file Float_Box.java.

References build_cpp_object().

11.26.2.32 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Float_Box.java.

References build_cpp_object().

11.26.2.33 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Float_Box.java.

References build_cpp_object().

11.26.2.34 parma_polyhedra_library::Float_Box::Float_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Float_Box.java.

References build_cpp_object().

11.26.2.35 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Float_Box.java.

References build_cpp_object().

11.26.2.36 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Float_Box.java.

References build_cpp_object().

11.26.2.37 parma_polyhedra_library::Float_Box::Float_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Float_Box.java.

References build_cpp_object().

11.26.2.38 parma_polyhedra_library::Float_Box::Float_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Float_Box.java.

References build_cpp_object().

11.26.2.39 parma_polyhedra_library::Float_Box::Float_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Float_Box.java.

References build_cpp_object().

11.26.2.40 parma_polyhedra_library::Float_Box::Float_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Float_Box.java.

References build_cpp_object().

11.26.2.41 parma_polyhedra_library::Float_Box::Float_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Float_Box.java.

References build_cpp_object().

11.26.2.42 parma_polyhedra_library::Float_Box::Float_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Float_Box.java.

References build_cpp_object().

11.26.2.43 parma_polyhedra_library::Float_Box::Float_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Float_Box.java.

References build_cpp_object().

11.26.2.44 parma_polyhedra_library::Float_Box::Float_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Float_Box.java.

References build_cpp_object().

11.26.2.45 parma_polyhedra_library::Float_Box::Float_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Float_Box.java.

References build_cpp_object().

11.26.2.46 parma_polyhedra_library::Float_Box::Float_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Float_Box.java.

References build_cpp_object().

11.26.2.47 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Float_Box.java.

References build_cpp_object().

11.26.2.48 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Float_Box.java.

References build_cpp_object().

11.26.2.49 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Float_Box.java.

References build_cpp_object().

11.26.2.50 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Float_Box.java.

References build_cpp_object().

11.26.2.51 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Float_Box.java.

References build_cpp_object().

11.26.2.52 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Float_Box.java.

References build_cpp_object().

11.26.2.53 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Float_Box.java.

References build_cpp_object().

11.26.2.54 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Float_Box.java.

References build_cpp_object().

11.26.2.55 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Float_Box.java.

References build_cpp_object().

11.26.2.56 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Float_Box.java.

References build_cpp_object().

11.26.2.57 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Float_Box.java.

References build_cpp_object().

11.26.2.58 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Float_Box.java.

References build_cpp_object().

11.26.2.59 parma_polyhedra_library::Float_Box::Float_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Float_Box.java.

References build_cpp_object().

11.26.2.60 parma_polyhedra_library::Float_Box::Float_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Float_Box.java.

References build_cpp_object().

11.26.2.61 parma_polyhedra_library::Float_Box::Float_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Float_Box.java.

References build_cpp_object().

11.26.2.62 parma_polyhedra_library::Float_Box::Float_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Float_Box.java.

References build_cpp_object().

11.26.2.63 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Float_Box.java.

References build_cpp_object().

11.26.2.64 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Float_Box.java.

References build_cpp_object().

11.26.2.65 parma_polyhedra_library::Float_Box::Float_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Float_Box.java.

References build_cpp_object().

11.26.2.66 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Float_Box.java.

References build_cpp_object().

11.26.2.67 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Float_Box.java.

References build_cpp_object().

11.26.2.68 parma_polyhedra_library::Float_Box::Float_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Float_Box.java.

References build_cpp_object().

11.26.2.69 parma_polyhedra_library::Float_Box::Float_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Float_Box.java.

References build_cpp_object().

11.26.2.70 parma_polyhedra_library::Float_Box::Float_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Float_Box.java.

References build_cpp_object().

11.26.2.71 parma_polyhedra_library::Float_Box::Float_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Float_Box.java.

References build_cpp_object().

11.26.2.72 parma_polyhedra_library::Float_Box::Float_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Float_Box.java.

References build_cpp_object().

11.26.2.73 parma_polyhedra_library::Float_Box::Float_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Float_Box.java.

References build_cpp_object().

11.26.3 Member Function Documentation

11.26.3.1 native void parma_polyhedra_library::Float_Box::add_congruence (Congruence *c*)

11.26.3.2 native void parma_polyhedra_library::Float_Box::add_congruences (Congruence_System *c*)

11.26.3.3 native void parma_polyhedra_library::Float_Box::add_constraint (Constraint *c*)

11.26.3.4 native void parma_polyhedra_library::Float_Box::add_constraints (Constraint_System *c*)

11.26.3.5 native void parma_polyhedra_library::Float_Box::add_space_dimensions_and_embed (long *m*)

11.26.3.6 native void parma_polyhedra_library::Float_Box::add_space_dimensions_and_project (long *m*)

11.26.3.7 native long parma_polyhedra_library::Float_Box::affine_dimension ()

11.26.3.8 native void parma_polyhedra_library::Float_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.26.3.9 native void parma_polyhedra_library::Float_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.26.3.10 native String parma_polyhedra_library::Float_Box::ascii_dump ()

11.26.3.11 native void parma_polyhedra_library::Float_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.26.3.12 native void parma_polyhedra_library::Float_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.26.3.13 native boolean parma_polyhedra_library::Float_Box::bounds_from_above (Linear_Expression *expr*)

11.26.3.14 native boolean parma_polyhedra_library::Float_Box::bounds_from_below (Linear_Expression *expr*)

11.26.3.15 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.26.3.16 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.26.3.17 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.26.3.18 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_long_double *y*) [private]

11.26.3.19 native void parma_polyhedra_library::Float_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.20 native void parma_polyhedra_library::Float_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.26.3.21 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.26.3.22 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.26.3.23 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.26.3.24 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.26.3.25 native void parma_polyhedra_library::Float_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.26 native void parma_polyhedra_library::Float_Box::build_cpp_object (Double_Box *y*) [private]

11.26.3.27 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.26.3.28 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.26.3.29 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.26.3.30 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.26.3.31 native void parma_polyhedra_library::Float_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.32 native void parma_polyhedra_library::Float_Box::build_cpp_object (Float_Box *y*) [private]

11.26.3.33 native void parma_polyhedra_library::Float_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.26.3.34 native void parma_polyhedra_library::Float_Box::build_cpp_object (Grid *y*) [private]

11.26.3.35 native void parma_polyhedra_library::Float_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.26.3.36 native void parma_polyhedra_library::Float_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.26.3.37 native void parma_polyhedra_library::Float_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.26.3.38 native void parma_polyhedra_library::Float_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.26.3.39 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.26.3.40 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.26.3.41 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.26.3.42 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.26.3.43 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.26.3.44 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.26.3.45 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.26.3.46 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.26.3.47 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.26.3.48 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.26.3.49 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.26.3.50 native void parma_polyhedra_library::Float_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.26.3.51 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.26.3.52 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.26.3.53 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.26.3.54 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.26.3.55 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.26.3.56 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.26.3.57 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.26.3.58 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.26.3.59 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.26.3.60 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.26.3.61 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.26.3.62 native void parma_polyhedra_library::Float_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.26.3.63 native void parma_polyhedra_library::Float_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.64 native void parma_polyhedra_library::Float_Box::build_cpp_object (Rational_Box *y*) [private]

11.26.3.65 native void parma_polyhedra_library::Float_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.66 native void parma_polyhedra_library::Float_Box::build_cpp_object (Z_Box *y*) [private]

11.26.3.67 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.68 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint64_Box *y*) [private]

11.26.3.69 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.70 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint32_Box *y*) [private]

11.26.3.71 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.72 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint16_Box *y*) [private]

11.26.3.73 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.74 native void parma_polyhedra_library::Float_Box::build_cpp_object (Uint8_Box *y*) [private]

11.26.3.75 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.76 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int64_Box *y*) [private]

11.26.3.77 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.78 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int32_Box *y*) [private]

11.26.3.79 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.80 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int16_Box *y*) [private]

11.26.3.81 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.26.3.82 native void parma_polyhedra_library::Float_Box::build_cpp_object (Int8_Box *y*) [private]

11.26.3.83 native void parma_polyhedra_library::Float_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.26.3.84 native void parma_polyhedra_library::Float_Box::build_cpp_object (Generator_System *cs*) [private]

11.26.3.85 native void parma_polyhedra_library::Float_Box::build_cpp_object (Congruence_System *cs*) [private]

11.26.3.86 native void parma_polyhedra_library::Float_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Float_Box().

11.26.3.87 native void parma_polyhedra_library::Float_Box::CC76_widening_assign (Float_Box *y*, By_Reference< Integer > *tp*)

11.26.3.88 native void parma_polyhedra_library::Float_Box::concatenate_assign (Float_Box *p*)

11.26.3.89 native Congruence_System parma_polyhedra_library::Float_Box::congruences ()

11.26.3.90 native boolean parma_polyhedra_library::Float_Box::constrains (Variable *var*)

11.26.3.91 native Constraint_System parma_polyhedra_library::Float_Box::constraints ()

11.26.3.92 native boolean parma_polyhedra_library::Float_Box::contains (Float_Box *y*)

11.26.3.93 native boolean parma_polyhedra_library::Float_Box::contains_integer_point ()

11.26.3.94 native void parma_polyhedra_library::Float_Box::difference_assign (Float_Box *p*)

11.26.3.95 native void parma_polyhedra_library::Float_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.26.3.96 native void parma_polyhedra_library::Float_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.26.3.97 boolean parma_polyhedra_library::Float_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Float_Box.java.

References equals().

11.26.3.98 native boolean parma_polyhedra_library::Float_Box::equals (Float_Box *p*)

Referenced by equals().

11.26.3.99 native void parma_polyhedra_library::Float_Box::expand_space_dimension (Variable *var*, long *m*)

11.26.3.100 native long parma_polyhedra_library::Float_Box::external_memory_in_bytes ()

11.26.3.101 native void parma_polyhedra_library::Float_Box::finalize () `[protected]`

11.26.3.102 native void parma_polyhedra_library::Float_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.26.3.103 native void parma_polyhedra_library::Float_Box::free ()

11.26.3.104 native boolean parma_polyhedra_library::Float_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.26.3.105 native void parma_polyhedra_library::Float_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.26.3.106 native void parma_polyhedra_library::Float_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.26.3.107 native void parma_polyhedra_library::Float_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.26.3.108 native void parma_polyhedra_library::Float_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.26.3.109 native void parma_polyhedra_library::Float_Box::intersection_assign (Float_Box *p*)

11.26.3.110 native boolean parma_polyhedra_library::Float_Box::is_bounded ()

11.26.3.111 native boolean parma_polyhedra_library::Float_Box::is_discrete ()

11.26.3.112 native boolean parma_polyhedra_library::Float_Box::is_disjoint_from (Float_Box *y*)

11.26.3.113 native boolean parma_polyhedra_library::Float_Box::is_empty ()

11.26.3.114 native boolean parma_polyhedra_library::Float_Box::is_topologically_closed ()

11.26.3.115 native boolean parma_polyhedra_library::Float_Box::is_universe ()

11.26.3.116 native void parma_polyhedra_library::Float_Box::limited_CC76_extrapolation_assign (Float_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.26.3.117 static native Pair<Float_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Float_Box::linear_partition (Float_Box *p*, Float_Box *q*) `[static]`

11.26.3.118 native void parma_polyhedra_library::Float_Box::map_space_dimensions (Partial_Function *pfunc*)

11.26.3.119 native boolean parma_polyhedra_library::Float_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.26.3.120 native boolean parma_polyhedra_library::Float_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.26.3.121 native boolean parma_polyhedra_library::Float_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.26.3.122 native boolean parma_polyhedra_library::Float_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.26.3.123 native Congruence_System parma_polyhedra_library::Float_Box::minimized_congruences ()

11.26.3.124 native Constraint_System parma_polyhedra_library::Float_Box::minimized_constraints ()

11.26.3.125 native boolean parma_polyhedra_library::Float_Box::OK ()

11.26.3.126 native void parma_polyhedra_library::Float_Box::refine_with_congruence (Congruence *c*)

11.26.3.127 native void parma_polyhedra_library::Float_Box::refine_with_congruences (Congruence_System *c*)

11.26.3.128 native void parma_polyhedra_library::Float_Box::refine_with_constraint (Constraint *c*)

11.26.3.129 native void parma_polyhedra_library::Float_Box::refine_with_constraints (Constraint_System *c*)

11.26.3.130 native Poly_Con_Relation parma_polyhedra_library::Float_Box::relation_with (Congruence *c*)

11.26.3.131 native Poly_Gen_Relation parma_polyhedra_library::Float_Box::relation_with (Generator *c*)

11.26.3.132 native Poly_Con_Relation parma_polyhedra_library::Float_Box::relation_with (Constraint *c*)

11.26.3.133 native void parma_polyhedra_library::Float_Box::remove_higher_space_dimensions (long *new_dimension*)

11.26.3.134 native void parma_polyhedra_library::Float_Box::remove_space_dimensions (Variables_Set *vars*)

11.26.3.135 native boolean parma_polyhedra_library::Float_Box::simplify_using_context_assign (Float_Box *p*)

11.26.3.136 native long parma_polyhedra_library::Float_Box::space_dimension ()

11.26.3.137 native boolean parma_polyhedra_library::Float_Box::strictly_contains (Float_Box *y*)

11.26.3.138 native void parma_polyhedra_library::Float_Box::swap (Float_Box *y*)

11.26.3.139 native void parma_polyhedra_library::Float_Box::time_elapse_assign (Float_Box *p*)

11.26.3.140 native void parma_polyhedra_library::Float_Box::topological_closure_assign ()

11.26.3.141 native String parma_polyhedra_library::Float_Box::toString ()

11.26.3.142 native long parma_polyhedra_library::Float_Box::total_memory_in_bytes ()

11.26.3.143 native void parma_polyhedra_library::Float_Box::unconstrain_space_dimension (Variable *var*)

11.26.3.144 native void parma_polyhedra_library::Float_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.26.3.145 native void parma_polyhedra_library::Float_Box::upper_bound_assign (Float_Box *p*)

11.26.3.146 native boolean parma_polyhedra_library::Float_Box::upper_bound_assign_if_exact (Float_Box *y*)

11.26.3.147 native void parma_polyhedra_library::Float_Box::widening_assign (Float_Box *y*, By_Reference< Integer > *tp*)

11.26.3.148 native void parma_polyhedra_library::Float_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Float_Box.java

11.27 parma_polyhedra_library::Generator Class Reference

A line, ray, point or closure point.

Collaboration diagram for parma_polyhedra_library::Generator:



Public Member Functions

- Generator_Type type ()

  Returns the generator type.

- Linear_Expression linear_expression ()

  Returns the linear expression in `this`.

- Coefficient divisor ()

  If `this` *is either a point or a closure point, returns its divisor.*

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Public Member Functions

- static Generator closure_point (Linear_Expression e, Coefficient d)

  Returns the closure point at `e` / `d`.

- static Generator line (Linear_Expression e)

  Returns the line of direction `e`.

- static Generator point (Linear_Expression e, Coefficient d)

  Returns the point at `e` / `d`.

- static Generator ray (Linear_Expression e)

  Returns the ray of direction `e`.

Static Package Functions

- [static initializer]

Private Member Functions

- Generator (Linear_Expression e, Generator_Type g_type)

  Builds a generator of type `g_type`*, stealing the coefficients from* `e`.

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- Generator_Type gt

  The generator type.

- Linear_Expression le

  The linear expression.

- Coefficient div

  The divisor (valid if the generator is a point or a closure point).

11.27.1 Detailed Description

A line, ray, point or closure point. An object of the class Generator is one of the following:

- a line;
- a ray;
- a point;

- a closure point.

Definition at line 40 of file Generator.java.

11.27.2 Constructor & Destructor Documentation

11.27.2.1 parma_polyhedra_library::Generator::Generator (Linear_Expression *e*, Generator_Type *g_type*) [inline, private]

Builds a generator of type `g_type`, stealing the coefficients from `e`.

Definition at line 54 of file Generator.java.

References parma_polyhedra_library::Linear_Expression::clone(), gt, and le.

Referenced by closure_point(), line(), point(), and ray().

11.27.3 Member Function Documentation

11.27.3.1 parma_polyhedra_library::Generator::[static initializer] () [inline, static, package]

11.27.3.2 native String parma_polyhedra_library::Generator::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.27.3.3 static Generator parma_polyhedra_library::Generator::closure_point (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the closure point at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

Definition at line 64 of file Generator.java.

References div, Generator(), and parma_polyhedra_library::Coefficient::getBigInteger().

11.27.3.4 Coefficient parma_polyhedra_library::Generator::divisor () [inline]

If `this` is either a point or a closure point, returns its divisor.

Exceptions

RuntimeErrorException Thrown if `this` is neither a point nor a closure point.

Definition at line 129 of file Generator.java.

References div, and gt.

11.27.3.5 static native void parma_polyhedra_library::Generator::initIDs () [static, private]

11.27.3.6 static Generator parma_polyhedra_library::Generator::line (Linear_Expression *e*) [inline, static]

Returns the line of direction `e`.

Exceptions

RuntimeErrorException Thrown if the homogeneous part of `e` represents the origin of the vector space.

Definition at line 82 of file Generator.java.

References Generator().

11.27.3.7 Linear_Expression parma_polyhedra_library::Generator::linear_expression () [inline]

Returns the linear expression in `this`.

Definition at line 120 of file Generator.java.

References le.

11.27.3.8 static Generator parma_polyhedra_library::Generator::point (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the point at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

Definition at line 91 of file Generator.java.

References div, Generator(), and parma_polyhedra_library::Coefficient::getBigInteger().

11.27.3.9 static Generator parma_polyhedra_library::Generator::ray (Linear_Expression *e*) [inline, static]

Returns the ray of direction `e`.

Exceptions

RuntimeErrorException Thrown if the homogeneous part of `e` represents the origin of the vector space.

Definition at line 110 of file Generator.java.

References Generator().

11.27.3.10 native String parma_polyhedra_library::Generator::toString ()

Returns a string representation of `this`.

11.27.3.11 Generator_Type parma_polyhedra_library::Generator::type () [inline]

Returns the generator type.

Definition at line 115 of file Generator.java.

References gt.

11.27.4 Member Data Documentation

11.27.4.1 Coefficient parma_polyhedra_library::Generator::div [private]

The divisor (valid if the generator is a point or a closure point).

Definition at line 48 of file Generator.java.

Referenced by closure_point(), divisor(), and point().

11.27.4.2 Generator_Type parma_polyhedra_library::Generator::gt [private]

The generator type.

Definition at line 42 of file Generator.java.

Referenced by divisor(), Generator(), and type().

11.27.4.3 Linear_Expression parma_polyhedra_library::Generator::le [private]

The linear expression.

Definition at line 45 of file Generator.java.

Referenced by Generator(), and linear_expression().

The documentation for this class was generated from the following file:

- Generator.java

11.28 parma_polyhedra_library::Generator_System Class Reference

A system of generators.

Public Member Functions

- Generator_System ()

  Default constructor: builds an empty system of generators.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.28.1 Detailed Description

A system of generators. An object of the class Generator_System is a system of generators, i.e., a multiset of objects of the class Generator (lines, rays, points and closure points).

Definition at line 35 of file Generator_System.java.

11.28.2 Constructor & Destructor Documentation

11.28.2.1 parma_polyhedra_library::Generator_System::Generator_System () [inline]

Default constructor: builds an empty system of generators.

Definition at line 38 of file Generator_System.java.

11.28.3 Member Function Documentation

11.28.3.1 parma_polyhedra_library::Generator_System::[static initializer] () [inline, static, package]

11.28.3.2 native String parma_polyhedra_library::Generator_System::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.28.3.3 static native void parma_polyhedra_library::Generator_System::initIDs () [static, private]

11.28.3.4 native String parma_polyhedra_library::Generator_System::toString ()

Returns a string representation of `this`.


The documentation for this class was generated from the following file:

- Generator_System.java


11.29 parma_polyhedra_library::Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Grid.

Inheritance diagram for parma_polyhedra_library::Grid:



Collaboration diagram for parma_polyhedra_library::Grid:



Public Member Functions

- Grid (long num_dimensions, Degenerate_Element kind)
- Grid (Int8_Box y)
- Grid (Int16_Box y)
- Grid (Int32_Box y)
- Grid (Int64_Box y)
- Grid (Uint8_Box y)
- Grid (Uint16_Box y)
- Grid (Uint32_Box y)
- Grid (Uint64_Box y)
- Grid (Z_Box y)
- Grid (Rational_Box y)
- Grid (BD_Shape_int8_t y)
- Grid (BD_Shape_int16_t y)
- Grid (BD_Shape_int32_t y)
- Grid (BD_Shape_int64_t y)
- Grid (BD_Shape_mpz_class y)
- Grid (BD_Shape_mpq_class y)
- Grid (Octagonal_Shape_int8_t y)
- Grid (Octagonal_Shape_int16_t y)
- Grid (Octagonal_Shape_int32_t y)
- Grid (Octagonal_Shape_int64_t y)
- Grid (Octagonal_Shape_mpz_class y)
- Grid (Octagonal_Shape_mpq_class y)
- Grid (C_Polyhedron y)
- Grid (NNC_Polyhedron y)
- Grid (Grid y)
- Grid (Float_Box y)
- Grid (BD_Shape_float y)
- Grid (Octagonal_Shape_float y)
- Grid (Double_Box y)
- Grid (BD_Shape_double y)
- Grid (Octagonal_Shape_double y)
- Grid (Long_Double_Box y)
- Grid (BD_Shape_long_double y)
- Grid (Octagonal_Shape_long_double y)
- Grid (Int8_Box y, Complexity_Class complexity)

- Grid (Int16_Box y, Complexity_Class complexity)
- Grid (Int32_Box y, Complexity_Class complexity)
- Grid (Int64_Box y, Complexity_Class complexity)
- Grid (Uint8_Box y, Complexity_Class complexity)
- Grid (Uint16_Box y, Complexity_Class complexity)
- Grid (Uint32_Box y, Complexity_Class complexity)
- Grid (Uint64_Box y, Complexity_Class complexity)
- Grid (Z_Box y, Complexity_Class complexity)
- Grid (Rational_Box y, Complexity_Class complexity)
- Grid (BD_Shape_int8_t y, Complexity_Class complexity)
- Grid (BD_Shape_int16_t y, Complexity_Class complexity)
- Grid (BD_Shape_int32_t y, Complexity_Class complexity)
- Grid (BD_Shape_int64_t y, Complexity_Class complexity)
- Grid (BD_Shape_mpz_class y, Complexity_Class complexity)
- Grid (BD_Shape_mpq_class y, Complexity_Class complexity)
- Grid (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Grid (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Grid (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Grid (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Grid (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Grid (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Grid (C_Polyhedron y, Complexity_Class complexity)
- Grid (NNC_Polyhedron y, Complexity_Class complexity)
- Grid (Grid y, Complexity_Class complexity)
- Grid (Float_Box y, Complexity_Class complexity)
- Grid (BD_Shape_float y, Complexity_Class complexity)
- Grid (Octagonal_Shape_float y, Complexity_Class complexity)
- Grid (Double_Box y, Complexity_Class complexity)
- Grid (BD_Shape_double y, Complexity_Class complexity)
- Grid (Octagonal_Shape_double y, Complexity_Class complexity)
- Grid (Long_Double_Box y, Complexity_Class complexity)
- Grid (BD_Shape_long_double y, Complexity_Class complexity)
- Grid (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Grid (Constraint_System cs)
- Grid (Congruence_System cs)
- Grid (Grid_Generator_System cs)
- native void swap (Grid y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Poly_Gen_Relation relation_with (Grid_Generator c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Grid_Generator_System grid_generators ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native Grid_Generator_System minimized_grid_generators ()
- native boolean is_empty ()

- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Grid y)
- native boolean strictly_contains (Grid y)
- native boolean is_disjoint_from (Grid y)
- native boolean equals (Grid p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_grid_generator (Grid_Generator c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void add_grid_generators (Grid_Generator_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Grid p)
- native void upper_bound_assign (Grid p)
- native void difference_assign (Grid p)
- native void concatenate_assign (Grid p)
- native void time_elapse_assign (Grid p)
- native boolean upper_bound_assign_if_exact (Grid y)
- native boolean simplify_using_context_assign (Grid p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_image_with_congruence (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator, Coefficient modulus)
- native void generalized_affine_preimage_with_congruence (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator, Coefficient modulus)
- native void generalized_affine_image_lhs_rhs_with_congruence (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs, Coefficient modulus)
- native void generalized_affine_preimage_lhs_rhs_with_congruence (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs, Coefficient modulus)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void congruence_widening_assign (Grid y, By_Reference< Integer > tp)
- native void generator_widening_assign (Grid y, By_Reference< Integer > tp)
- native void widening_assign (Grid y, By_Reference< Integer > tp)
- native void limited_congruence_extrapolation_assign (Grid y, Congruence_System cs, By_Reference< Integer > tp)
- native void limited_generator_extrapolation_assign (Grid y, Congruence_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Grid, Pointset_Powerset_Grid > approximate_partition (Grid p, Grid q, By_Reference< Boolean > finite)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Grid ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Grid_Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.29.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Grid.

Definition at line 33 of file Grid.java.

11.29.2 Constructor & Destructor Documentation

11.29.2.1 parma_polyhedra_library::Grid::Grid (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Grid.java.

References build_cpp_object().

11.29.2.2 parma_polyhedra_library::Grid::Grid () [inline, private]

Definition at line 45 of file Grid.java.

11.29.2.3 parma_polyhedra_library::Grid::Grid (Int8_Box *y*) [inline]

Definition at line 52 of file Grid.java.

References build_cpp_object().

11.29.2.4 parma_polyhedra_library::Grid::Grid (Int16_Box *y*) [inline]

Definition at line 56 of file Grid.java.

References build_cpp_object().

11.29.2.5 parma_polyhedra_library::Grid::Grid (Int32_Box *y*) [inline]

Definition at line 60 of file Grid.java.

References build_cpp_object().

11.29.2.6 parma_polyhedra_library::Grid::Grid (Int64_Box *y*) [inline]

Definition at line 64 of file Grid.java.

References build_cpp_object().

11.29.2.7 parma_polyhedra_library::Grid::Grid (Uint8_Box *y*) [inline]

Definition at line 68 of file Grid.java.

References build_cpp_object().

11.29.2.8 parma_polyhedra_library::Grid::Grid (Uint16_Box *y*) [inline]

Definition at line 72 of file Grid.java.

References build_cpp_object().

11.29.2.9 parma_polyhedra_library::Grid::Grid (Uint32_Box *y*) [inline]

Definition at line 76 of file Grid.java.

References build_cpp_object().

11.29.2.10 parma_polyhedra_library::Grid::Grid (Uint64_Box *y*) [inline]

Definition at line 80 of file Grid.java.

References build_cpp_object().

11.29.2.11 parma_polyhedra_library::Grid::Grid (Z_Box *y*) [inline]

Definition at line 84 of file Grid.java.

References build_cpp_object().

11.29.2.12 parma_polyhedra_library::Grid::Grid (Rational_Box *y*) [inline]

Definition at line 88 of file Grid.java.

References build_cpp_object().

11.29.2.13 parma_polyhedra_library::Grid::Grid (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Grid.java.

References build_cpp_object().

11.29.2.14 parma_polyhedra_library::Grid::Grid (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Grid.java.

References build_cpp_object().

11.29.2.15 parma_polyhedra_library::Grid::Grid (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Grid.java.

References build_cpp_object().

11.29.2.16 parma_polyhedra_library::Grid::Grid (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Grid.java.

References build_cpp_object().

11.29.2.17 parma_polyhedra_library::Grid::Grid (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Grid.java.

References build_cpp_object().

11.29.2.18 parma_polyhedra_library::Grid::Grid (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Grid.java.

References build_cpp_object().

11.29.2.19 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Grid.java.

References build_cpp_object().

11.29.2.20 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Grid.java.

References build_cpp_object().

11.29.2.21 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Grid.java.

References build_cpp_object().

11.29.2.22 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Grid.java.

References build_cpp_object().

11.29.2.23 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Grid.java.

References build_cpp_object().

11.29.2.24 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Grid.java.

References build_cpp_object().

11.29.2.25 parma_polyhedra_library::Grid::Grid (C_Polyhedron *y*) [inline]

Definition at line 140 of file Grid.java.

References build_cpp_object().

11.29.2.26 parma_polyhedra_library::Grid::Grid (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Grid.java.

References build_cpp_object().

11.29.2.27 parma_polyhedra_library::Grid::Grid (Grid *y*) [inline]

Definition at line 148 of file Grid.java.

References build_cpp_object().

11.29.2.28 parma_polyhedra_library::Grid::Grid (Float_Box *y*) [inline]

Definition at line 152 of file Grid.java.

References build_cpp_object().

11.29.2.29 parma_polyhedra_library::Grid::Grid (BD_Shape_float *y*) [inline]

Definition at line 156 of file Grid.java.

References build_cpp_object().

11.29.2.30 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Grid.java.

References build_cpp_object().

11.29.2.31 parma_polyhedra_library::Grid::Grid (Double_Box *y*) [inline]

Definition at line 164 of file Grid.java.

References build_cpp_object().

11.29.2.32 parma_polyhedra_library::Grid::Grid (BD_Shape_double *y*) [inline]

Definition at line 168 of file Grid.java.

References build_cpp_object().

11.29.2.33 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Grid.java.

References build_cpp_object().

11.29.2.34 parma_polyhedra_library::Grid::Grid (Long_Double_Box *y*) [inline]

Definition at line 176 of file Grid.java.

References build_cpp_object().

11.29.2.35 parma_polyhedra_library::Grid::Grid (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Grid.java.

References build_cpp_object().

11.29.2.36 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Grid.java.

References build_cpp_object().

11.29.2.37 parma_polyhedra_library::Grid::Grid (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Grid.java.

References build_cpp_object().

11.29.2.38 parma_polyhedra_library::Grid::Grid (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Grid.java.

References build_cpp_object().

11.29.2.39 parma_polyhedra_library::Grid::Grid (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Grid.java.

References build_cpp_object().

11.29.2.40 parma_polyhedra_library::Grid::Grid (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Grid.java.

References build_cpp_object().

11.29.2.41 parma_polyhedra_library::Grid::Grid (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Grid.java.

References build_cpp_object().

11.29.2.42 parma_polyhedra_library::Grid::Grid (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Grid.java.

References build_cpp_object().

11.29.2.43 parma_polyhedra_library::Grid::Grid (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Grid.java.

References build_cpp_object().

11.29.2.44 parma_polyhedra_library::Grid::Grid (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Grid.java.

References build_cpp_object().

11.29.2.45 parma_polyhedra_library::Grid::Grid (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Grid.java.

References build_cpp_object().

11.29.2.46 parma_polyhedra_library::Grid::Grid (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Grid.java.

References build_cpp_object().

11.29.2.47 parma_polyhedra_library::Grid::Grid (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Grid.java.

References build_cpp_object().

11.29.2.48 parma_polyhedra_library::Grid::Grid (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Grid.java.

References build_cpp_object().

11.29.2.49 parma_polyhedra_library::Grid::Grid (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Grid.java.

References build_cpp_object().

11.29.2.50 parma_polyhedra_library::Grid::Grid (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Grid.java.

References build_cpp_object().

11.29.2.51 parma_polyhedra_library::Grid::Grid (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Grid.java.

References build_cpp_object().

11.29.2.52 parma_polyhedra_library::Grid::Grid (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Grid.java.

References build_cpp_object().

11.29.2.53 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Grid.java.

References build_cpp_object().

11.29.2.54 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Grid.java.

References build_cpp_object().

11.29.2.55 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Grid.java.

References build_cpp_object().

11.29.2.56 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Grid.java.

References build_cpp_object().

11.29.2.57 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Grid.java.

References build_cpp_object().

11.29.2.58 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Grid.java.

References build_cpp_object().

11.29.2.59 parma_polyhedra_library::Grid::Grid (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Grid.java.

References build_cpp_object().

11.29.2.60 parma_polyhedra_library::Grid::Grid (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Grid.java.

References build_cpp_object().

11.29.2.61 parma_polyhedra_library::Grid::Grid (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Grid.java.

References build_cpp_object().

11.29.2.62 parma_polyhedra_library::Grid::Grid (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Grid.java.

References build_cpp_object().

11.29.2.63 parma_polyhedra_library::Grid::Grid (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Grid.java.

References build_cpp_object().

11.29.2.64 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Grid.java.

References build_cpp_object().

11.29.2.65 parma_polyhedra_library::Grid::Grid (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Grid.java.

References build_cpp_object().

11.29.2.66 parma_polyhedra_library::Grid::Grid (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Grid.java.

References build_cpp_object().

11.29.2.67 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Grid.java.

References build_cpp_object().

11.29.2.68 parma_polyhedra_library::Grid::Grid (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Grid.java.

References build_cpp_object().

11.29.2.69 parma_polyhedra_library::Grid::Grid (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Grid.java.

References build_cpp_object().

11.29.2.70 parma_polyhedra_library::Grid::Grid (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Grid.java.

References build_cpp_object().

11.29.2.71 parma_polyhedra_library::Grid::Grid (Constraint_System *cs*) [inline]

Definition at line 334 of file Grid.java.

References build_cpp_object().

11.29.2.72 parma_polyhedra_library::Grid::Grid (Congruence_System *cs*) [inline]

Definition at line 338 of file Grid.java.

References build_cpp_object().

11.29.2.73 parma_polyhedra_library::Grid::Grid (Grid_Generator_System *cs*) [inline]

Definition at line 342 of file Grid.java.

References build_cpp_object().

11.29.3 Member Function Documentation

11.29.3.1 native void parma_polyhedra_library::Grid::add_congruence (Congruence *c*)

11.29.3.2 native void parma_polyhedra_library::Grid::add_congruences (Congruence_System *c*)

11.29.3.3 native void parma_polyhedra_library::Grid::add_constraint (Constraint *c*)

11.29.3.4 native void parma_polyhedra_library::Grid::add_constraints (Constraint_System *c*)

11.29.3.5 native void parma_polyhedra_library::Grid::add_grid_generator (Grid_Generator *c*)

11.29.3.6 native void parma_polyhedra_library::Grid::add_grid_generators (Grid_Generator_System *c*)

11.29.3.7 native void parma_polyhedra_library::Grid::add_space_dimensions_and_embed (long *m*)

11.29.3.8 native void parma_polyhedra_library::Grid::add_space_dimensions_and_project (long *m*)

11.29.3.9 native long parma_polyhedra_library::Grid::affine_dimension ()

11.29.3.10 native void parma_polyhedra_library::Grid::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.29.3.11 native void parma_polyhedra_library::Grid::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.29.3.12 static native Pair<Grid, Pointset_Powerset_Grid > parma_polyhedra_library::Grid::approximate_partition (Grid *p*, Grid *q*, By_Reference< Boolean > *finite*) [static]

11.29.3.13 native String parma_polyhedra_library::Grid::ascii_dump ()

11.29.3.14 native void parma_polyhedra_library::Grid::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.29.3.15 native void parma_polyhedra_library::Grid::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.29.3.16 native boolean parma_polyhedra_library::Grid::bounds_from_above (Linear_Expression *expr*)

11.29.3.17 native boolean parma_polyhedra_library::Grid::bounds_from_below (Linear_Expression *expr*)

11.29.3.18 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.29.3.19 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.29.3.20 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.29.3.21 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_long_double *y*) [private]

11.29.3.22 native void parma_polyhedra_library::Grid::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.23 native void parma_polyhedra_library::Grid::build_cpp_object (Long_Double_Box *y*) [private]

11.29.3.24 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.29.3.25 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.29.3.26 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.29.3.27 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_double *y*) [private]

11.29.3.28 native void parma_polyhedra_library::Grid::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.29 native void parma_polyhedra_library::Grid::build_cpp_object (Double_Box *y*) [private]

11.29.3.30 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.29.3.31 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.29.3.32 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.29.3.33 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_float *y*) [private]

11.29.3.34 native void parma_polyhedra_library::Grid::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.35 native void parma_polyhedra_library::Grid::build_cpp_object (Float_Box *y*) [private]

11.29.3.36 native void parma_polyhedra_library::Grid::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.29.3.37 native void parma_polyhedra_library::Grid::build_cpp_object (Grid *y*) [private]

11.29.3.38 native void parma_polyhedra_library::Grid::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.29.3.39 native void parma_polyhedra_library::Grid::build_cpp_object (NNC_Polyhedron *y*) [private]

11.29.3.40 native void parma_polyhedra_library::Grid::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.29.3.41 native void parma_polyhedra_library::Grid::build_cpp_object (C_Polyhedron *y*) [private]

11.29.3.42 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.29.3.43 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.29.3.44 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.29.3.45 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.29.3.46 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.29.3.47 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.29.3.48 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.29.3.49 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.29.3.50 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.29.3.51 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.29.3.52 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.29.3.53 native void parma_polyhedra_library::Grid::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.29.3.54 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.29.3.55 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.29.3.56 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.29.3.57 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.29.3.58 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.29.3.59 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.29.3.60 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.29.3.61 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.29.3.62 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.29.3.63 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.29.3.64 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.29.3.65 native void parma_polyhedra_library::Grid::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.29.3.66 native void parma_polyhedra_library::Grid::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.67 native void parma_polyhedra_library::Grid::build_cpp_object (Rational_Box *y*) [private]

11.29.3.68 native void parma_polyhedra_library::Grid::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.69 native void parma_polyhedra_library::Grid::build_cpp_object (Z_Box *y*) [private]

11.29.3.70 native void parma_polyhedra_library::Grid::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.71 native void parma_polyhedra_library::Grid::build_cpp_object (Uint64_Box *y*) [private]

11.29.3.72 native void parma_polyhedra_library::Grid::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.73 native void parma_polyhedra_library::Grid::build_cpp_object (Uint32_Box *y*) [private]

11.29.3.74 native void parma_polyhedra_library::Grid::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.75 native void parma_polyhedra_library::Grid::build_cpp_object (Uint16_Box *y*) [private]

11.29.3.76 native void parma_polyhedra_library::Grid::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.77 native void parma_polyhedra_library::Grid::build_cpp_object (Uint8_Box *y*) [private]

11.29.3.78 native void parma_polyhedra_library::Grid::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.79 native void parma_polyhedra_library::Grid::build_cpp_object (Int64_Box *y*) [private]

11.29.3.80 native void parma_polyhedra_library::Grid::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.81 native void parma_polyhedra_library::Grid::build_cpp_object (Int32_Box *y*) [private]

11.29.3.82 native void parma_polyhedra_library::Grid::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.83 native void parma_polyhedra_library::Grid::build_cpp_object (Int16_Box *y*) [private]

11.29.3.84 native void parma_polyhedra_library::Grid::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.29.3.85 native void parma_polyhedra_library::Grid::build_cpp_object (Int8_Box *y*) [private]

11.29.3.86 native void parma_polyhedra_library::Grid::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.29.3.87 native void parma_polyhedra_library::Grid::build_cpp_object (Grid_Generator_System *cs*) [private]

11.29.3.88 native void parma_polyhedra_library::Grid::build_cpp_object (Congruence_System *cs*) [private]

11.29.3.89 native void parma_polyhedra_library::Grid::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Grid().

11.29.3.90 native void parma_polyhedra_library::Grid::concatenate_assign (Grid *p*)

11.29.3.91 native void parma_polyhedra_library::Grid::congruence_widening_assign (Grid *y*, By_Reference< Integer > *tp*)

11.29.3.92 native Congruence_System parma_polyhedra_library::Grid::congruences ()

11.29.3.93 native boolean parma_polyhedra_library::Grid::constrains (Variable *var*)

11.29.3.94 native Constraint_System parma_polyhedra_library::Grid::constraints ()

11.29.3.95 native boolean parma_polyhedra_library::Grid::contains (Grid *y*)

11.29.3.96 native boolean parma_polyhedra_library::Grid::contains_integer_point ()

11.29.3.97 native void parma_polyhedra_library::Grid::difference_assign (Grid *p*)

11.29.3.98 native void parma_polyhedra_library::Grid::drop_some_non_integer_points (Integer *complexity_threshold*)

11.29.3.99 native void parma_polyhedra_library::Grid::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.29.3.100 boolean parma_polyhedra_library::Grid::equals (Object *y*) `[inline]`

Definition at line 471 of file Grid.java.

References equals().

11.29.3.101 native boolean parma_polyhedra_library::Grid::equals (Grid *p*)

Referenced by equals().

11.29.3.102 native void parma_polyhedra_library::Grid::expand_space_dimension (Variable *var*, long *m*)

11.29.3.103 native long parma_polyhedra_library::Grid::external_memory_in_bytes ()

11.29.3.104 native void parma_polyhedra_library::Grid::finalize () `[protected]`

11.29.3.105 native void parma_polyhedra_library::Grid::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.29.3.106 native void parma_polyhedra_library::Grid::free ()

11.29.3.107 native boolean parma_polyhedra_library::Grid::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.29.3.108 native void parma_polyhedra_library::Grid::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.29.3.109 native void parma_polyhedra_library::Grid::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.29.3.110 native void parma_polyhedra_library::Grid::generalized_affine_image_lhs_rhs_with_congruence (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*, Coefficient *modulus*)

11.29.3.111 native void parma_polyhedra_library::Grid::generalized_affine_image_with_congruence (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*, Coefficient *modulus*)

11.29.3.112 native void parma_polyhedra_library::Grid::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.29.3.113 native void parma_polyhedra_library::Grid::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.29.3.114 native void parma_polyhedra_library::Grid::generalized_affine_preimage_lhs_rhs_with_congruence (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*, Coefficient *modulus*)

11.29.3.115 native void parma_polyhedra_library::Grid::generalized_affine_preimage_with_congruence (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*, Coefficient *modulus*)

11.29.3.116 native void parma_polyhedra_library::Grid::generator_widening_assign (Grid *y*, By_Reference< Integer > *tp*)

11.29.3.117 native Grid_Generator_System parma_polyhedra_library::Grid::grid_generators ()

11.29.3.118 native int parma_polyhedra_library::Grid::hashCode ()

11.29.3.119 native void parma_polyhedra_library::Grid::intersection_assign (Grid *p*)

11.29.3.120 native boolean parma_polyhedra_library::Grid::is_bounded ()

11.29.3.121 native boolean parma_polyhedra_library::Grid::is_discrete ()

11.29.3.122 native boolean parma_polyhedra_library::Grid::is_disjoint_from (Grid *y*)

11.29.3.123 native boolean parma_polyhedra_library::Grid::is_empty ()

11.29.3.124 native boolean parma_polyhedra_library::Grid::is_topologically_closed ()

11.29.3.125 native boolean parma_polyhedra_library::Grid::is_universe ()

11.29.3.126 native void parma_polyhedra_library::Grid::limited_congruence_extrapolation_assign (Grid *y*, Congruence_System *cs*, By_Reference< Integer > *tp*)

11.29.3.127 native void parma_polyhedra_library::Grid::limited_generator_extrapolation_assign (Grid *y*, Congruence_System *cs*, By_Reference< Integer > *tp*)

11.29.3.128 native void parma_polyhedra_library::Grid::map_space_dimensions (Partial_Function *pfunc*)

11.29.3.129 native boolean parma_polyhedra_library::Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.29.3.130 native boolean parma_polyhedra_library::Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.29.3.131 native boolean parma_polyhedra_library::Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.29.3.132 native boolean parma_polyhedra_library::Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.29.3.133 native Congruence_System parma_polyhedra_library::Grid::minimized_congruences ()

11.29.3.134 native Constraint_System parma_polyhedra_library::Grid::minimized_constraints ()

11.29.3.135 native Grid_Generator_System parma_polyhedra_library::Grid::minimized_grid_generators ()

11.29.3.136 native boolean parma_polyhedra_library::Grid::OK ()

11.29.3.137 native void parma_polyhedra_library::Grid::refine_with_congruence (Congruence *c*)

11.29.3.138 native void parma_polyhedra_library::Grid::refine_with_congruences (Congruence_System *c*)

11.29.3.139 native void parma_polyhedra_library::Grid::refine_with_constraint (Constraint *c*)

11.29.3.140 native void parma_polyhedra_library::Grid::refine_with_constraints (Constraint_System *c*)

11.29.3.141 native Poly_Gen_Relation parma_polyhedra_library::Grid::relation_with (Grid_Generator *c*)

11.29.3.142 native Poly_Con_Relation parma_polyhedra_library::Grid::relation_with (Congruence *c*)

11.29.3.143 native Poly_Gen_Relation parma_polyhedra_library::Grid::relation_with (Generator *c*)

11.29.3.144 native Poly_Con_Relation parma_polyhedra_library::Grid::relation_with (Constraint *c*)

11.29.3.145 native void parma_polyhedra_library::Grid::remove_higher_space_dimensions (long *new_dimension*)

11.29.3.146 native void parma_polyhedra_library::Grid::remove_space_dimensions (Variables_Set *vars*)

11.29.3.147 native boolean parma_polyhedra_library::Grid::simplify_using_context_assign (Grid *p*)

11.29.3.148 native long parma_polyhedra_library::Grid::space_dimension ()

11.29.3.149 native boolean parma_polyhedra_library::Grid::strictly_contains (Grid *y*)

11.29.3.150 native void parma_polyhedra_library::Grid::swap (Grid *y*)

11.29.3.151 native void parma_polyhedra_library::Grid::time_elapse_assign (Grid *p*)

11.29.3.152 native void parma_polyhedra_library::Grid::topological_closure_assign ()

11.29.3.153 native String parma_polyhedra_library::Grid::toString ()

11.29.3.154 native long parma_polyhedra_library::Grid::total_memory_in_bytes ()

11.29.3.155 native void parma_polyhedra_library::Grid::unconstrain_space_dimension (Variable *var*)

11.29.3.156 native void parma_polyhedra_library::Grid::unconstrain_space_dimensions (Variables_Set *vars*)

11.29.3.157 native void parma_polyhedra_library::Grid::upper_bound_assign (Grid *p*)

11.29.3.158 native boolean parma_polyhedra_library::Grid::upper_bound_assign_if_exact (Grid *y*)

11.29.3.159 native void parma_polyhedra_library::Grid::widening_assign (Grid *y*, By_Reference< Integer > *tp*)

11.29.3.160 native void parma_polyhedra_library::Grid::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Grid.java

11.30 parma_polyhedra_library::Grid_Generator Class Reference

A grid line, parameter or grid point.

Collaboration diagram for parma_polyhedra_library::Grid_Generator:



Public Member Functions

- Grid_Generator_Type type ()
  Returns the generator type.
- Linear_Expression linear_expression ()
  Returns the linear expression in `this`.
- Coefficient divisor ()
  If `this` *is either a grid point or a parameter, returns its divisor.*
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Public Member Functions

- static Grid_Generator grid_line (Linear_Expression e)
  Returns the line of direction `e`.
- static Grid_Generator parameter (Linear_Expression e, Coefficient d)
  Returns the parameter at `e` / `d`.
- static Grid_Generator grid_point (Linear_Expression e, Coefficient d)
  Returns the point at `e` / `d`.

Static Package Functions

- [static initializer]

Private Member Functions

- Grid_Generator (Linear_Expression e, Coefficient d, Grid_Generator_Type generator_type)

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- Grid_Generator_Type gt

  The grid generator type.

- Linear_Expression le

  The linear expression.

- Coefficient div

  The coefficient used if the grid generator is a parameter or a grid point a parameter.

11.30.1 Detailed Description

A grid line, parameter or grid point. An object of the class Grid_Generator is one of the following:

- a grid_line;
- a parameter;
- a grid_point.

Definition at line 37 of file Grid_Generator.java.

11.30.2 Constructor & Destructor Documentation

11.30.2.1 parma_polyhedra_library::Grid_Generator::Grid_Generator (Linear_Expression *e*, Coefficient *d*, Grid_Generator_Type *generator_type*) `[inline, private]`

Definition at line 51 of file Grid_Generator.java.

References parma_polyhedra_library::Linear_Expression::clone(), div, gt, and le.

Referenced by grid_line(), grid_point(), and parameter().

11.30.3 Member Function Documentation

11.30.3.1 parma_polyhedra_library::Grid_Generator::[static initializer] () `[inline, static, package]`

11.30.3.2 native String parma_polyhedra_library::Grid_Generator::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.30.3.3 Coefficient parma_polyhedra_library::Grid_Generator::divisor () [inline]

If `this` is either a grid point or a parameter, returns its divisor.

Exceptions

RuntimeErrorException Thrown if `this` is a line.

Definition at line 104 of file Grid_Generator.java.

References div, and gt.

11.30.3.4 static Grid_Generator parma_polyhedra_library::Grid_Generator::grid_line (Linear_Expression *e*) [inline, static]

Returns the line of direction `e`.

Exceptions

RuntimeErrorException Thrown if the homogeneous part of `e` represents the origin of the vector space.

Definition at line 64 of file Grid_Generator.java.

References Grid_Generator().

11.30.3.5 static Grid_Generator parma_polyhedra_library::Grid_Generator::grid_point (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the point at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

Definition at line 84 of file Grid_Generator.java.

References Grid_Generator().

11.30.3.6 static native void parma_polyhedra_library::Grid_Generator::initIDs () [static, private]

11.30.3.7 Linear_Expression parma_polyhedra_library::Grid_Generator::linear_expression () [inline]

Returns the linear expression in `this`.

Definition at line 95 of file Grid_Generator.java.

References le.

11.30.3.8 static Grid_Generator parma_polyhedra_library::Grid_Generator::parameter (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the parameter at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

Definition at line 74 of file Grid_Generator.java.

References Grid_Generator().

11.30.3.9 native String parma_polyhedra_library::Grid_Generator::toString ()

Returns a string representation of `this`.

11.30.3.10 Grid_Generator_Type parma_polyhedra_library::Grid_Generator::type () [inline]

Returns the generator type.

Definition at line 90 of file Grid_Generator.java.

References gt.

11.30.4 Member Data Documentation

11.30.4.1 Coefficient parma_polyhedra_library::Grid_Generator::div [private]

The coefficient used if the grid generator is a parameter or a grid point a parameter.

Definition at line 49 of file Grid_Generator.java.

Referenced by divisor(), and Grid_Generator().

11.30.4.2 Grid_Generator_Type parma_polyhedra_library::Grid_Generator::gt [private]

The grid generator type.

Definition at line 40 of file Grid_Generator.java.

Referenced by divisor(), Grid_Generator(), and type().

11.30.4.3 Linear_Expression parma_polyhedra_library::Grid_Generator::le [private]

The linear expression.

Definition at line 43 of file Grid_Generator.java.

Referenced by Grid_Generator(), and linear_expression().

The documentation for this class was generated from the following file:

- Grid_Generator.java

11.31 parma_polyhedra_library::Grid_Generator_System Class Reference

A system of grid generators.

Public Member Functions

- Grid_Generator_System ()
  Default constructor: builds an empty system of grid generators.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.31.1 Detailed Description

A system of grid generators. An object of the class Grid_Generator_System is a system of grid generators, i.e., a multiset of objects of the class Grid_Generator.

Definition at line 35 of file Grid_Generator_System.java.

11.31.2 Constructor & Destructor Documentation

11.31.2.1 parma_polyhedra_library::Grid_Generator_System::Grid_Generator_System () [inline]

Default constructor: builds an empty system of grid generators.

Definition at line 38 of file Grid_Generator_System.java.

11.31.3 Member Function Documentation

11.31.3.1 parma_polyhedra_library::Grid_Generator_System::[static initializer] () [inline, static, package]

11.31.3.2 native String parma_polyhedra_library::Grid_Generator_System::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.31.3.3 static native void parma_polyhedra_library::Grid_Generator_System::initIDs () [static, private]

11.31.3.4 native String parma_polyhedra_library::Grid_Generator_System::toString ()

Returns a string representation of `this`.


The documentation for this class was generated from the following file:

- Grid_Generator_System.java


11.32 parma_polyhedra_library::Int16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

Inheritance diagram for parma_polyhedra_library::Int16_Box:



Collaboration diagram for parma_polyhedra_library::Int16_Box:



Public Member Functions

- Int16_Box (long num_dimensions, Degenerate_Element kind)
- Int16_Box (Int8_Box y)
- Int16_Box (Int16_Box y)
- Int16_Box (Int32_Box y)
- Int16_Box (Int64_Box y)
- Int16_Box (Uint8_Box y)
- Int16_Box (Uint16_Box y)
- Int16_Box (Uint32_Box y)
- Int16_Box (Uint64_Box y)
- Int16_Box (Z_Box y)
- Int16_Box (Rational_Box y)
- Int16_Box (BD_Shape_int8_t y)
- Int16_Box (BD_Shape_int16_t y)
- Int16_Box (BD_Shape_int32_t y)
- Int16_Box (BD_Shape_int64_t y)
- Int16_Box (BD_Shape_mpz_class y)
- Int16_Box (BD_Shape_mpq_class y)
- Int16_Box (Octagonal_Shape_int8_t y)
- Int16_Box (Octagonal_Shape_int16_t y)
- Int16_Box (Octagonal_Shape_int32_t y)
- Int16_Box (Octagonal_Shape_int64_t y)
- Int16_Box (Octagonal_Shape_mpz_class y)
- Int16_Box (Octagonal_Shape_mpq_class y)

- Int16_Box (C_Polyhedron y)
- Int16_Box (NNC_Polyhedron y)
- Int16_Box (Grid y)
- Int16_Box (Float_Box y)
- Int16_Box (BD_Shape_float y)
- Int16_Box (Octagonal_Shape_float y)
- Int16_Box (Double_Box y)
- Int16_Box (BD_Shape_double y)
- Int16_Box (Octagonal_Shape_double y)
- Int16_Box (Long_Double_Box y)
- Int16_Box (BD_Shape_long_double y)
- Int16_Box (Octagonal_Shape_long_double y)
- Int16_Box (Int8_Box y, Complexity_Class complexity)
- Int16_Box (Int16_Box y, Complexity_Class complexity)
- Int16_Box (Int32_Box y, Complexity_Class complexity)
- Int16_Box (Int64_Box y, Complexity_Class complexity)
- Int16_Box (Uint8_Box y, Complexity_Class complexity)
- Int16_Box (Uint16_Box y, Complexity_Class complexity)
- Int16_Box (Uint32_Box y, Complexity_Class complexity)
- Int16_Box (Uint64_Box y, Complexity_Class complexity)
- Int16_Box (Z_Box y, Complexity_Class complexity)
- Int16_Box (Rational_Box y, Complexity_Class complexity)
- Int16_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Int16_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Int16_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Int16_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Int16_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Int16_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Int16_Box (C_Polyhedron y, Complexity_Class complexity)
- Int16_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Int16_Box (Grid y, Complexity_Class complexity)
- Int16_Box (Float_Box y, Complexity_Class complexity)
- Int16_Box (BD_Shape_float y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Int16_Box (Double_Box y, Complexity_Class complexity)
- Int16_Box (BD_Shape_double y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Int16_Box (Long_Double_Box y, Complexity_Class complexity)
- Int16_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Int16_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Int16_Box (Constraint_System cs)
- Int16_Box (Congruence_System cs)
- Int16_Box (Generator_System cs)
- native void swap (Int16_Box y)

- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Int16_Box y)
- native boolean strictly_contains (Int16_Box y)
- native boolean is_disjoint_from (Int16_Box y)
- native boolean equals (Int16_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Int16_Box p)
- native void upper_bound_assign (Int16_Box p)
- native void difference_assign (Int16_Box p)
- native void concatenate_assign (Int16_Box p)
- native void time_elapse_assign (Int16_Box p)
- native boolean upper_bound_assign_if_exact (Int16_Box y)
- native boolean simplify_using_context_assign (Int16_Box p)
- native boolean constrains (Variable var)

- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Int16_Box y, By_Reference< Integer > tp)
- native void widening_assign (Int16_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Int16_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Int16_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Int16_Box p, Int16_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Int16_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.32.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

Definition at line 33 of file Int16_Box.java.

11.32.2 Constructor & Destructor Documentation

11.32.2.1 parma_polyhedra_library::Int16_Box::Int16_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Int16_Box.java.

References build_cpp_object().

11.32.2.2 parma_polyhedra_library::Int16_Box::Int16_Box () [inline, private]

Definition at line 45 of file Int16_Box.java.

11.32.2.3 parma_polyhedra_library::Int16_Box::Int16_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Int16_Box.java.

References build_cpp_object().

11.32.2.4 parma_polyhedra_library::Int16_Box::Int16_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Int16_Box.java.

References build_cpp_object().

11.32.2.5 parma_polyhedra_library::Int16_Box::Int16_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Int16_Box.java.

References build_cpp_object().

11.32.2.6 parma_polyhedra_library::Int16_Box::Int16_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Int16_Box.java.

References build_cpp_object().

11.32.2.7 parma_polyhedra_library::Int16_Box::Int16_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Int16_Box.java.

References build_cpp_object().

11.32.2.8 parma_polyhedra_library::Int16_Box::Int16_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Int16_Box.java.

References build_cpp_object().

11.32.2.9 parma_polyhedra_library::Int16_Box::Int16_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Int16_Box.java.

References build_cpp_object().

11.32.2.10 parma_polyhedra_library::Int16_Box::Int16_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Int16_Box.java.

References build_cpp_object().

11.32.2.11 parma_polyhedra_library::Int16_Box::Int16_Box (Z_Box *y*) [inline]

Definition at line 84 of file Int16_Box.java.

References build_cpp_object().

11.32.2.12 parma_polyhedra_library::Int16_Box::Int16_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Int16_Box.java.

References build_cpp_object().

11.32.2.13 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Int16_Box.java.

References build_cpp_object().

11.32.2.14 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Int16_Box.java.

References build_cpp_object().

11.32.2.15 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Int16_Box.java.

References build_cpp_object().

11.32.2.16 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Int16_Box.java.

References build_cpp_object().

11.32.2.17 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Int16_Box.java.

References build_cpp_object().

11.32.2.18 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Int16_Box.java.

References build_cpp_object().

11.32.2.19 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Int16_Box.java.

References build_cpp_object().

11.32.2.20 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Int16_Box.java.

References build_cpp_object().

11.32.2.21 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Int16_Box.java.

References build_cpp_object().

11.32.2.22 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Int16_Box.java.

References build_cpp_object().

11.32.2.23 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Int16_Box.java.

References build_cpp_object().

11.32.2.24 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Int16_Box.java.

References build_cpp_object().

11.32.2.25 parma_polyhedra_library::Int16_Box::Int16_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Int16_Box.java.

References build_cpp_object().

11.32.2.26 parma_polyhedra_library::Int16_Box::Int16_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Int16_Box.java.

References build_cpp_object().

11.32.2.27 parma_polyhedra_library::Int16_Box::Int16_Box (Grid *y*) [inline]

Definition at line 148 of file Int16_Box.java.

References build_cpp_object().

11.32.2.28 parma_polyhedra_library::Int16_Box::Int16_Box (Float_Box *y*) [inline]

Definition at line 152 of file Int16_Box.java.

References build_cpp_object().

11.32.2.29 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Int16_Box.java.

References build_cpp_object().

11.32.2.30 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Int16_Box.java.

References build_cpp_object().

11.32.2.31 parma_polyhedra_library::Int16_Box::Int16_Box (Double_Box *y*) [inline]

Definition at line 164 of file Int16_Box.java.

References build_cpp_object().

11.32.2.32 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Int16_Box.java.

References build_cpp_object().

11.32.2.33 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Int16_Box.java.

References build_cpp_object().

11.32.2.34 parma_polyhedra_library::Int16_Box::Int16_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Int16_Box.java.

References build_cpp_object().

11.32.2.35 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Int16_Box.java.

References build_cpp_object().

11.32.2.36 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Int16_Box.java.

References build_cpp_object().

11.32.2.37 parma_polyhedra_library::Int16_Box::Int16_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Int16_Box.java.

References build_cpp_object().

11.32.2.38 parma_polyhedra_library::Int16_Box::Int16_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Int16_Box.java.

References build_cpp_object().

11.32.2.39 parma_polyhedra_library::Int16_Box::Int16_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Int16_Box.java.

References build_cpp_object().

11.32.2.40 parma_polyhedra_library::Int16_Box::Int16_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Int16_Box.java.

References build_cpp_object().

11.32.2.41 parma_polyhedra_library::Int16_Box::Int16_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Int16_Box.java.

References build_cpp_object().

11.32.2.42 parma_polyhedra_library::Int16_Box::Int16_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Int16_Box.java.

References build_cpp_object().

11.32.2.43 parma_polyhedra_library::Int16_Box::Int16_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Int16_Box.java.

References build_cpp_object().

11.32.2.44 parma_polyhedra_library::Int16_Box::Int16_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Int16_Box.java.

References build_cpp_object().

11.32.2.45 parma_polyhedra_library::Int16_Box::Int16_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Int16_Box.java.

References build_cpp_object().

11.32.2.46 parma_polyhedra_library::Int16_Box::Int16_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Int16_Box.java.

References build_cpp_object().

11.32.2.47 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Int16_Box.java.

References build_cpp_object().

11.32.2.48 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Int16_Box.java.

References build_cpp_object().

11.32.2.49 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Int16_Box.java.

References build_cpp_object().

11.32.2.50 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Int16_Box.java.

References build_cpp_object().

11.32.2.51 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Int16_Box.java.

References build_cpp_object().

11.32.2.52 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Int16_Box.java.

References build_cpp_object().

11.32.2.53 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Int16_Box.java.

References build_cpp_object().

11.32.2.54 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Int16_Box.java.

References build_cpp_object().

11.32.2.55 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Int16_Box.java.

References build_cpp_object().

11.32.2.56 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Int16_Box.java.

References build_cpp_object().

11.32.2.57 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Int16_Box.java.

References build_cpp_object().

11.32.2.58 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Int16_Box.java.

References build_cpp_object().

11.32.2.59 parma_polyhedra_library::Int16_Box::Int16_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Int16_Box.java.

References build_cpp_object().

11.32.2.60 parma_polyhedra_library::Int16_Box::Int16_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Int16_Box.java.

References build_cpp_object().

11.32.2.61 parma_polyhedra_library::Int16_Box::Int16_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Int16_Box.java.

References build_cpp_object().

11.32.2.62 parma_polyhedra_library::Int16_Box::Int16_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Int16_Box.java.

References build_cpp_object().

11.32.2.63 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Int16_Box.java.

References build_cpp_object().

11.32.2.64 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Int16_Box.java.

References build_cpp_object().

11.32.2.65 parma_polyhedra_library::Int16_Box::Int16_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Int16_Box.java.

References build_cpp_object().

11.32.2.66 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Int16_Box.java.

References build_cpp_object().

11.32.2.67 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Int16_Box.java.

References build_cpp_object().

11.32.2.68 parma_polyhedra_library::Int16_Box::Int16_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Int16_Box.java.

References build_cpp_object().

11.32.2.69 parma_polyhedra_library::Int16_Box::Int16_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Int16_Box.java.

References build_cpp_object().

11.32.2.70 parma_polyhedra_library::Int16_Box::Int16_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Int16_Box.java.

References build_cpp_object().

11.32.2.71 parma_polyhedra_library::Int16_Box::Int16_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Int16_Box.java.

References build_cpp_object().

11.32.2.72 parma_polyhedra_library::Int16_Box::Int16_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Int16_Box.java.

References build_cpp_object().

11.32.2.73 parma_polyhedra_library::Int16_Box::Int16_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Int16_Box.java.

References build_cpp_object().

11.32.3 Member Function Documentation

11.32.3.1 native void parma_polyhedra_library::Int16_Box::add_congruence (Congruence *c*)

11.32.3.2 native void parma_polyhedra_library::Int16_Box::add_congruences (Congruence_System *c*)

11.32.3.3 native void parma_polyhedra_library::Int16_Box::add_constraint (Constraint *c*)

11.32.3.4 native void parma_polyhedra_library::Int16_Box::add_constraints (Constraint_System *c*)

11.32.3.5 native void parma_polyhedra_library::Int16_Box::add_space_dimensions_and_embed (long *m*)

11.32.3.6 native void parma_polyhedra_library::Int16_Box::add_space_dimensions_and_project (long *m*)

11.32.3.7 native long parma_polyhedra_library::Int16_Box::affine_dimension ()

11.32.3.8 native void parma_polyhedra_library::Int16_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.32.3.9 native void parma_polyhedra_library::Int16_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.32.3.10 native String parma_polyhedra_library::Int16_Box::ascii_dump ()

11.32.3.11 native void parma_polyhedra_library::Int16_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.32.3.12 native void parma_polyhedra_library::Int16_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.32.3.13 native boolean parma_polyhedra_library::Int16_Box::bounds_from_above (Linear_Expression *expr*)

11.32.3.14 native boolean parma_polyhedra_library::Int16_Box::bounds_from_below (Linear_Expression *expr*)

11.32.3.15 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.32.3.16 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.32.3.17 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.32.3.18 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.32.3.19 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.32.3.20 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.32.3.21 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.32.3.22 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.32.3.23 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.32.3.24 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.32.3.25 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.26 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Double_Box *y*) [private]

11.32.3.27 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.32.3.28 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.32.3.29 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.32.3.30 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.32.3.31 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.32 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Float_Box *y*) [private]

11.32.3.33 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.32.3.34 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Grid *y*) [private]

11.32.3.35 native void parma_polyhedra_library::Int16_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.32.3.36 native void parma_polyhedra_library::Int16_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.32.3.37 native void parma_polyhedra_library::Int16_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.32.3.38 native void parma_polyhedra_library::Int16_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.32.3.39 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.32.3.40 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.32.3.41 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.32.3.42 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.32.3.43 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.32.3.44 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.32.3.45 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.32.3.46 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.32.3.47 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.32.3.48 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.32.3.49 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.32.3.50 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.32.3.51 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.32.3.52 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.32.3.53 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.32.3.54 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.32.3.55 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.32.3.56 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.32.3.57 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.32.3.58 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.32.3.59 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.32.3.60 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.32.3.61 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.32.3.62 native void parma_polyhedra_library::Int16_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.32.3.63 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.64 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Rational_Box *y*) [private]

11.32.3.65 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.66 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Z_Box *y*) [private]

11.32.3.67 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.68 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint64_Box *y*) [private]

11.32.3.69 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.70 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint32_Box *y*) [private]

11.32.3.71 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.72 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint16_Box *y*) [private]

11.32.3.73 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.74 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Uint8_Box *y*) [private]

11.32.3.75 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.76 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int64_Box *y*) [private]

11.32.3.77 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.78 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int32_Box *y*) [private]

11.32.3.79 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.80 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int16_Box *y*) [private]

11.32.3.81 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.32.3.82 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Int8_Box *y*) [private]

11.32.3.83 native void parma_polyhedra_library::Int16_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.32.3.84 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Generator_System *cs*) [private]

11.32.3.85 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Congruence_System *cs*) [private]

11.32.3.86 native void parma_polyhedra_library::Int16_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Int16_Box().

11.32.3.87 native void parma_polyhedra_library::Int16_Box::CC76_widening_assign (Int16_Box *y*, By_Reference< Integer > *tp*)

11.32.3.88 native void parma_polyhedra_library::Int16_Box::concatenate_assign (Int16_Box *p*)

11.32.3.89 native Congruence_System parma_polyhedra_library::Int16_Box::congruences ()

11.32.3.90 native boolean parma_polyhedra_library::Int16_Box::constrains (Variable *var*)

11.32.3.91 native Constraint_System parma_polyhedra_library::Int16_Box::constraints ()

11.32.3.92 native boolean parma_polyhedra_library::Int16_Box::contains (Int16_Box *y*)

11.32.3.93 native boolean parma_polyhedra_library::Int16_Box::contains_integer_point ()

11.32.3.94 native void parma_polyhedra_library::Int16_Box::difference_assign (Int16_Box *p*)

11.32.3.95 native void parma_polyhedra_library::Int16_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.32.3.96 native void parma_polyhedra_library::Int16_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.32.3.97 boolean parma_polyhedra_library::Int16_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Int16_Box.java.

References equals().

11.32.3.98 native boolean parma_polyhedra_library::Int16_Box::equals (Int16_Box *p*)

Referenced by equals().

11.32.3.99 native void parma_polyhedra_library::Int16_Box::expand_space_dimension (Variable *var*, long *m*)

11.32.3.100 native long parma_polyhedra_library::Int16_Box::external_memory_in_bytes ()

11.32.3.101 native void parma_polyhedra_library::Int16_Box::finalize () `[protected]`

11.32.3.102 native void parma_polyhedra_library::Int16_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.32.3.103 native void parma_polyhedra_library::Int16_Box::free ()

11.32.3.104 native boolean parma_polyhedra_library::Int16_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.32.3.105 native void parma_polyhedra_library::Int16_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.32.3.106 native void parma_polyhedra_library::Int16_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.32.3.107 native void parma_polyhedra_library::Int16_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.32.3.108 native void parma_polyhedra_library::Int16_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.32.3.109 native void parma_polyhedra_library::Int16_Box::intersection_assign (Int16_Box *p*)

11.32.3.110 native boolean parma_polyhedra_library::Int16_Box::is_bounded ()

11.32.3.111 native boolean parma_polyhedra_library::Int16_Box::is_discrete ()

11.32.3.112 native boolean parma_polyhedra_library::Int16_Box::is_disjoint_from (Int16_Box *y*)

11.32.3.113 native boolean parma_polyhedra_library::Int16_Box::is_empty ()

11.32.3.114 native boolean parma_polyhedra_library::Int16_Box::is_topologically_closed ()

11.32.3.115 native boolean parma_polyhedra_library::Int16_Box::is_universe ()

11.32.3.116 native void parma_polyhedra_library::Int16_Box::limited_CC76_extrapolation_assign (Int16_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.32.3.117 static native Pair<Int16_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Int16_Box::linear_partition (Int16_Box *p*, Int16_Box *q*) `[static]`

11.32.3.118 native void parma_polyhedra_library::Int16_Box::map_space_dimensions (Partial_Function *pfunc*)

11.32.3.119 native boolean parma_polyhedra_library::Int16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.32.3.120 native boolean parma_polyhedra_library::Int16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.32.3.121 native boolean parma_polyhedra_library::Int16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.32.3.122 native boolean parma_polyhedra_library::Int16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.32.3.123 native Congruence_System parma_polyhedra_library::Int16_Box::minimized_congruences ()

11.32.3.124 native Constraint_System parma_polyhedra_library::Int16_Box::minimized_constraints ()

11.32.3.125 native boolean parma_polyhedra_library::Int16_Box::OK ()

11.32.3.126 native void parma_polyhedra_library::Int16_Box::refine_with_congruence (Congruence *c*)

11.32.3.127 native void parma_polyhedra_library::Int16_Box::refine_with_congruences (Congruence_System *c*)

11.32.3.128 native void parma_polyhedra_library::Int16_Box::refine_with_constraint (Constraint *c*)

11.32.3.129 native void parma_polyhedra_library::Int16_Box::refine_with_constraints (Constraint_System *c*)

11.32.3.130 native Poly_Con_Relation parma_polyhedra_library::Int16_Box::relation_with (Congruence *c*)

11.32.3.131 native Poly_Gen_Relation parma_polyhedra_library::Int16_Box::relation_with (Generator *c*)

11.32.3.132 native Poly_Con_Relation parma_polyhedra_library::Int16_Box::relation_with (Constraint *c*)

11.32.3.133 native void parma_polyhedra_library::Int16_Box::remove_higher_space_dimensions (long *new_dimension*)

11.32.3.134 native void parma_polyhedra_library::Int16_Box::remove_space_dimensions (Variables_Set *vars*)

11.32.3.135 native boolean parma_polyhedra_library::Int16_Box::simplify_using_context_assign (Int16_Box *p*)

11.32.3.136 native long parma_polyhedra_library::Int16_Box::space_dimension ()

11.32.3.137 native boolean parma_polyhedra_library::Int16_Box::strictly_contains (Int16_Box *y*)

11.32.3.138 native void parma_polyhedra_library::Int16_Box::swap (Int16_Box *y*)

11.32.3.139 native void parma_polyhedra_library::Int16_Box::time_elapse_assign (Int16_Box *p*)

11.32.3.140 native void parma_polyhedra_library::Int16_Box::topological_closure_assign ()

11.32.3.141 native String parma_polyhedra_library::Int16_Box::toString ()

11.32.3.142 native long parma_polyhedra_library::Int16_Box::total_memory_in_bytes ()

11.32.3.143 native void parma_polyhedra_library::Int16_Box::unconstrain_space_dimension (Variable *var*)

11.32.3.144 native void parma_polyhedra_library::Int16_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.32.3.145 native void parma_polyhedra_library::Int16_Box::upper_bound_assign (Int16_Box *p*)

11.32.3.146 native boolean parma_polyhedra_library::Int16_Box::upper_bound_assign_if_exact (Int16_Box *y*)

11.32.3.147 native void parma_polyhedra_library::Int16_Box::widening_assign (Int16_Box *y*, By_Reference< Integer > *tp*)

11.32.3.148 native void parma_polyhedra_library::Int16_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Int16_Box.java


11.33 parma_polyhedra_library::Int32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

Inheritance diagram for parma_polyhedra_library::Int32_Box:



Collaboration diagram for parma_polyhedra_library::Int32_Box:



Public Member Functions

- Int32_Box (long num_dimensions, Degenerate_Element kind)
- Int32_Box (Int8_Box y)
- Int32_Box (Int16_Box y)
- Int32_Box (Int32_Box y)
- Int32_Box (Int64_Box y)
- Int32_Box (Uint8_Box y)
- Int32_Box (Uint16_Box y)
- Int32_Box (Uint32_Box y)
- Int32_Box (Uint64_Box y)
- Int32_Box (Z_Box y)
- Int32_Box (Rational_Box y)
- Int32_Box (BD_Shape_int8_t y)
- Int32_Box (BD_Shape_int16_t y)
- Int32_Box (BD_Shape_int32_t y)
- Int32_Box (BD_Shape_int64_t y)
- Int32_Box (BD_Shape_mpz_class y)
- Int32_Box (BD_Shape_mpq_class y)
- Int32_Box (Octagonal_Shape_int8_t y)
- Int32_Box (Octagonal_Shape_int16_t y)
- Int32_Box (Octagonal_Shape_int32_t y)
- Int32_Box (Octagonal_Shape_int64_t y)
- Int32_Box (Octagonal_Shape_mpz_class y)
- Int32_Box (Octagonal_Shape_mpq_class y)

- Int32_Box (C_Polyhedron y)
- Int32_Box (NNC_Polyhedron y)
- Int32_Box (Grid y)
- Int32_Box (Float_Box y)
- Int32_Box (BD_Shape_float y)
- Int32_Box (Octagonal_Shape_float y)
- Int32_Box (Double_Box y)
- Int32_Box (BD_Shape_double y)
- Int32_Box (Octagonal_Shape_double y)
- Int32_Box (Long_Double_Box y)
- Int32_Box (BD_Shape_long_double y)
- Int32_Box (Octagonal_Shape_long_double y)
- Int32_Box (Int8_Box y, Complexity_Class complexity)
- Int32_Box (Int16_Box y, Complexity_Class complexity)
- Int32_Box (Int32_Box y, Complexity_Class complexity)
- Int32_Box (Int64_Box y, Complexity_Class complexity)
- Int32_Box (Uint8_Box y, Complexity_Class complexity)
- Int32_Box (Uint16_Box y, Complexity_Class complexity)
- Int32_Box (Uint32_Box y, Complexity_Class complexity)
- Int32_Box (Uint64_Box y, Complexity_Class complexity)
- Int32_Box (Z_Box y, Complexity_Class complexity)
- Int32_Box (Rational_Box y, Complexity_Class complexity)
- Int32_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Int32_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Int32_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Int32_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Int32_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Int32_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Int32_Box (C_Polyhedron y, Complexity_Class complexity)
- Int32_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Int32_Box (Grid y, Complexity_Class complexity)
- Int32_Box (Float_Box y, Complexity_Class complexity)
- Int32_Box (BD_Shape_float y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Int32_Box (Double_Box y, Complexity_Class complexity)
- Int32_Box (BD_Shape_double y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Int32_Box (Long_Double_Box y, Complexity_Class complexity)
- Int32_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Int32_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Int32_Box (Constraint_System cs)
- Int32_Box (Congruence_System cs)
- Int32_Box (Generator_System cs)
- native void swap (Int32_Box y)

- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Int32_Box y)
- native boolean strictly_contains (Int32_Box y)
- native boolean is_disjoint_from (Int32_Box y)
- native boolean equals (Int32_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Int32_Box p)
- native void upper_bound_assign (Int32_Box p)
- native void difference_assign (Int32_Box p)
- native void concatenate_assign (Int32_Box p)
- native void time_elapse_assign (Int32_Box p)
- native boolean upper_bound_assign_if_exact (Int32_Box y)
- native boolean simplify_using_context_assign (Int32_Box p)
- native boolean constrains (Variable var)

- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Int32_Box y, By_Reference< Integer > tp)
- native void widening_assign (Int32_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Int32_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Int32_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Int32_Box p, Int32_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Int32_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.33.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

Definition at line 33 of file Int32_Box.java.

11.33.2 Constructor & Destructor Documentation

11.33.2.1 parma_polyhedra_library::Int32_Box::Int32_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Int32_Box.java.

References build_cpp_object().

11.33.2.2 parma_polyhedra_library::Int32_Box::Int32_Box () [inline, private]

Definition at line 45 of file Int32_Box.java.

11.33.2.3 parma_polyhedra_library::Int32_Box::Int32_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Int32_Box.java.

References build_cpp_object().

11.33.2.4 parma_polyhedra_library::Int32_Box::Int32_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Int32_Box.java.

References build_cpp_object().

11.33.2.5 parma_polyhedra_library::Int32_Box::Int32_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Int32_Box.java.

References build_cpp_object().

11.33.2.6 parma_polyhedra_library::Int32_Box::Int32_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Int32_Box.java.

References build_cpp_object().

11.33.2.7 parma_polyhedra_library::Int32_Box::Int32_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Int32_Box.java.

References build_cpp_object().

11.33.2.8 parma_polyhedra_library::Int32_Box::Int32_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Int32_Box.java.

References build_cpp_object().

11.33.2.9 parma_polyhedra_library::Int32_Box::Int32_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Int32_Box.java.

References build_cpp_object().

11.33.2.10 parma_polyhedra_library::Int32_Box::Int32_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Int32_Box.java.

References build_cpp_object().

11.33.2.11 parma_polyhedra_library::Int32_Box::Int32_Box (Z_Box *y*) [inline]

Definition at line 84 of file Int32_Box.java.

References build_cpp_object().

11.33.2.12 parma_polyhedra_library::Int32_Box::Int32_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Int32_Box.java.

References build_cpp_object().

11.33.2.13 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Int32_Box.java.

References build_cpp_object().

11.33.2.14 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Int32_Box.java.

References build_cpp_object().

11.33.2.15 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Int32_Box.java.

References build_cpp_object().

11.33.2.16 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Int32_Box.java.

References build_cpp_object().

11.33.2.17 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Int32_Box.java.

References build_cpp_object().

11.33.2.18 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Int32_Box.java.

References build_cpp_object().

11.33.2.19 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Int32_Box.java.

References build_cpp_object().

11.33.2.20 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Int32_Box.java.

References build_cpp_object().

11.33.2.21 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Int32_Box.java.

References build_cpp_object().

11.33.2.22 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Int32_Box.java.

References build_cpp_object().

11.33.2.23 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Int32_Box.java.

References build_cpp_object().

11.33.2.24 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Int32_Box.java.

References build_cpp_object().

11.33.2.25 parma_polyhedra_library::Int32_Box::Int32_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Int32_Box.java.

References build_cpp_object().

11.33.2.26 parma_polyhedra_library::Int32_Box::Int32_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Int32_Box.java.

References build_cpp_object().

11.33.2.27 parma_polyhedra_library::Int32_Box::Int32_Box (Grid *y*) [inline]

Definition at line 148 of file Int32_Box.java.

References build_cpp_object().

11.33.2.28 parma_polyhedra_library::Int32_Box::Int32_Box (Float_Box *y*) [inline]

Definition at line 152 of file Int32_Box.java.

References build_cpp_object().

11.33.2.29 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Int32_Box.java.

References build_cpp_object().

11.33.2.30 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Int32_Box.java.

References build_cpp_object().

11.33.2.31 parma_polyhedra_library::Int32_Box::Int32_Box (Double_Box *y*) [inline]

Definition at line 164 of file Int32_Box.java.

References build_cpp_object().

11.33.2.32 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Int32_Box.java.

References build_cpp_object().

11.33.2.33 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Int32_Box.java.

References build_cpp_object().

11.33.2.34 parma_polyhedra_library::Int32_Box::Int32_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Int32_Box.java.

References build_cpp_object().

11.33.2.35 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Int32_Box.java.

References build_cpp_object().

11.33.2.36 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Int32_Box.java.

References build_cpp_object().

11.33.2.37 parma_polyhedra_library::Int32_Box::Int32_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Int32_Box.java.

References build_cpp_object().

11.33.2.38 parma_polyhedra_library::Int32_Box::Int32_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Int32_Box.java.

References build_cpp_object().

11.33.2.39 parma_polyhedra_library::Int32_Box::Int32_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Int32_Box.java.

References build_cpp_object().

11.33.2.40 parma_polyhedra_library::Int32_Box::Int32_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Int32_Box.java.

References build_cpp_object().

11.33.2.41 parma_polyhedra_library::Int32_Box::Int32_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Int32_Box.java.

References build_cpp_object().

11.33.2.42 parma_polyhedra_library::Int32_Box::Int32_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Int32_Box.java.

References build_cpp_object().

11.33.2.43 parma_polyhedra_library::Int32_Box::Int32_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Int32_Box.java.

References build_cpp_object().

11.33.2.44 parma_polyhedra_library::Int32_Box::Int32_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Int32_Box.java.

References build_cpp_object().

11.33.2.45 parma_polyhedra_library::Int32_Box::Int32_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Int32_Box.java.

References build_cpp_object().

11.33.2.46 parma_polyhedra_library::Int32_Box::Int32_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Int32_Box.java.

References build_cpp_object().

11.33.2.47 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Int32_Box.java.

References build_cpp_object().

11.33.2.48 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Int32_Box.java.

References build_cpp_object().

11.33.2.49 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Int32_Box.java.

References build_cpp_object().

11.33.2.50 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Int32_Box.java.

References build_cpp_object().

11.33.2.51 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Int32_Box.java.

References build_cpp_object().

11.33.2.52 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Int32_Box.java.

References build_cpp_object().

11.33.2.53 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Int32_Box.java.

References build_cpp_object().

11.33.2.54 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Int32_Box.java.

References build_cpp_object().

11.33.2.55 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Int32_Box.java.

References build_cpp_object().

11.33.2.56 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Int32_Box.java.

References build_cpp_object().

11.33.2.57 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Int32_Box.java.

References build_cpp_object().

11.33.2.58 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Int32_Box.java.

References build_cpp_object().

11.33.2.59 parma_polyhedra_library::Int32_Box::Int32_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Int32_Box.java.

References build_cpp_object().

11.33.2.60 parma_polyhedra_library::Int32_Box::Int32_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Int32_Box.java.

References build_cpp_object().

11.33.2.61 parma_polyhedra_library::Int32_Box::Int32_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Int32_Box.java.

References build_cpp_object().

11.33.2.62 parma_polyhedra_library::Int32_Box::Int32_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Int32_Box.java.

References build_cpp_object().

11.33.2.63 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Int32_Box.java.

References build_cpp_object().

11.33.2.64 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Int32_Box.java.

References build_cpp_object().

11.33.2.65 parma_polyhedra_library::Int32_Box::Int32_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Int32_Box.java.

References build_cpp_object().

11.33.2.66 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Int32_Box.java.

References build_cpp_object().

11.33.2.67 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Int32_Box.java.

References build_cpp_object().

11.33.2.68 parma_polyhedra_library::Int32_Box::Int32_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Int32_Box.java.

References build_cpp_object().

11.33.2.69 parma_polyhedra_library::Int32_Box::Int32_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Int32_Box.java.

References build_cpp_object().

11.33.2.70 parma_polyhedra_library::Int32_Box::Int32_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Int32_Box.java.

References build_cpp_object().

11.33.2.71 parma_polyhedra_library::Int32_Box::Int32_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Int32_Box.java.

References build_cpp_object().

11.33.2.72 parma_polyhedra_library::Int32_Box::Int32_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Int32_Box.java.

References build_cpp_object().

11.33.2.73 parma_polyhedra_library::Int32_Box::Int32_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Int32_Box.java.

References build_cpp_object().

11.33.3 Member Function Documentation

11.33.3.1 native void parma_polyhedra_library::Int32_Box::add_congruence (Congruence *c*)

11.33.3.2 native void parma_polyhedra_library::Int32_Box::add_congruences (Congruence_System *c*)

11.33.3.3 native void parma_polyhedra_library::Int32_Box::add_constraint (Constraint *c*)

11.33.3.4 native void parma_polyhedra_library::Int32_Box::add_constraints (Constraint_System *c*)

11.33.3.5 native void parma_polyhedra_library::Int32_Box::add_space_dimensions_and_embed (long *m*)

11.33.3.6 native void parma_polyhedra_library::Int32_Box::add_space_dimensions_and_project (long *m*)

11.33.3.7 native long parma_polyhedra_library::Int32_Box::affine_dimension ()

11.33.3.8 native void parma_polyhedra_library::Int32_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.33.3.9 native void parma_polyhedra_library::Int32_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.33.3.10 native String parma_polyhedra_library::Int32_Box::ascii_dump ()

11.33.3.11 native void parma_polyhedra_library::Int32_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.33.3.12 native void parma_polyhedra_library::Int32_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.33.3.13 native boolean parma_polyhedra_library::Int32_Box::bounds_from_above (Linear_Expression *expr*)

11.33.3.14 native boolean parma_polyhedra_library::Int32_Box::bounds_from_below (Linear_Expression *expr*)

11.33.3.15 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.33.3.16 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.33.3.17 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.33.3.18 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.33.3.19 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.33.3.20 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.33.3.21 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.33.3.22 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.33.3.23 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.33.3.24 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.33.3.25 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.26 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Double_Box *y*) [private]

11.33.3.27 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.33.3.28 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.33.3.29 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.33.3.30 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.33.3.31 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.32 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Float_Box *y*) [private]

11.33.3.33 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.33.3.34 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Grid *y*) [private]

11.33.3.35 native void parma_polyhedra_library::Int32_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.33.3.36 native void parma_polyhedra_library::Int32_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.33.3.37 native void parma_polyhedra_library::Int32_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.33.3.38 native void parma_polyhedra_library::Int32_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.33.3.39 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.33.3.40 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.33.3.41 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.33.3.42 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.33.3.43 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.33.3.44 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.33.3.45 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.33.3.46 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.33.3.47 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.33.3.48 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.33.3.49 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.33.3.50 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.33.3.51 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.33.3.52 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.33.3.53 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.33.3.54 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.33.3.55 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.33.3.56 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.33.3.57 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.33.3.58 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.33.3.59 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.33.3.60 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.33.3.61 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.33.3.62 native void parma_polyhedra_library::Int32_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.33.3.63 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.64 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Rational_Box *y*) [private]

11.33.3.65 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.66 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Z_Box *y*) [private]

11.33.3.67 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.68 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint64_Box *y*) [private]

11.33.3.69 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.70 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint32_Box *y*) [private]

11.33.3.71 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.72 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint16_Box *y*) [private]

11.33.3.73 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.74 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Uint8_Box *y*) [private]

11.33.3.75 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.76 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int64_Box *y*) [private]

11.33.3.77 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.78 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int32_Box *y*) [private]

11.33.3.79 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.80 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int16_Box *y*) [private]

11.33.3.81 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.33.3.82 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Int8_Box *y*) [private]

11.33.3.83 native void parma_polyhedra_library::Int32_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.33.3.84 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Generator_System *cs*) [private]

11.33.3.85 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Congruence_System *cs*) [private]

11.33.3.86 native void parma_polyhedra_library::Int32_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Int32_Box().

11.33.3.87 native void parma_polyhedra_library::Int32_Box::CC76_widening_assign (Int32_Box *y*, By_Reference< Integer > *tp*)

11.33.3.88 native void parma_polyhedra_library::Int32_Box::concatenate_assign (Int32_Box *p*)

11.33.3.89 native Congruence_System parma_polyhedra_library::Int32_Box::congruences ()

11.33.3.90 native boolean parma_polyhedra_library::Int32_Box::constrains (Variable *var*)

11.33.3.91 native Constraint_System parma_polyhedra_library::Int32_Box::constraints ()

11.33.3.92 native boolean parma_polyhedra_library::Int32_Box::contains (Int32_Box *y*)

11.33.3.93 native boolean parma_polyhedra_library::Int32_Box::contains_integer_point ()

11.33.3.94 native void parma_polyhedra_library::Int32_Box::difference_assign (Int32_Box *p*)

11.33.3.95 native void parma_polyhedra_library::Int32_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.33.3.96 native void parma_polyhedra_library::Int32_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.33.3.97 boolean parma_polyhedra_library::Int32_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Int32_Box.java.

References equals().

11.33.3.98 native boolean parma_polyhedra_library::Int32_Box::equals (Int32_Box *p*)

Referenced by equals().

11.33.3.99 native void parma_polyhedra_library::Int32_Box::expand_space_dimension (Variable *var*, long *m*)

11.33.3.100 native long parma_polyhedra_library::Int32_Box::external_memory_in_bytes ()

11.33.3.101 native void parma_polyhedra_library::Int32_Box::finalize () `[protected]`

11.33.3.102 native void parma_polyhedra_library::Int32_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.33.3.103 native void parma_polyhedra_library::Int32_Box::free ()

11.33.3.104 native boolean parma_polyhedra_library::Int32_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.33.3.105 native void parma_polyhedra_library::Int32_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.33.3.106 native void parma_polyhedra_library::Int32_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.33.3.107 native void parma_polyhedra_library::Int32_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.33.3.108 native void parma_polyhedra_library::Int32_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.33.3.109 native void parma_polyhedra_library::Int32_Box::intersection_assign (Int32_Box *p*)

11.33.3.110 native boolean parma_polyhedra_library::Int32_Box::is_bounded ()

11.33.3.111 native boolean parma_polyhedra_library::Int32_Box::is_discrete ()

11.33.3.112 native boolean parma_polyhedra_library::Int32_Box::is_disjoint_from (Int32_Box *y*)

11.33.3.113 native boolean parma_polyhedra_library::Int32_Box::is_empty ()

11.33.3.114 native boolean parma_polyhedra_library::Int32_Box::is_topologically_closed ()

11.33.3.115 native boolean parma_polyhedra_library::Int32_Box::is_universe ()

11.33.3.116 native void parma_polyhedra_library::Int32_Box::limited_CC76_extrapolation_assign (Int32_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.33.3.117 static native Pair<Int32_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Int32_Box::linear_partition (Int32_Box *p*, Int32_Box *q*) `[static]`

11.33.3.118 native void parma_polyhedra_library::Int32_Box::map_space_dimensions (Partial_Function *pfunc*)

11.33.3.119 native boolean parma_polyhedra_library::Int32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.33.3.120 native boolean parma_polyhedra_library::Int32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.33.3.121 native boolean parma_polyhedra_library::Int32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.33.3.122 native boolean parma_polyhedra_library::Int32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.33.3.123 native Congruence_System parma_polyhedra_library::Int32_Box::minimized_congruences ()

11.33.3.124 native Constraint_System parma_polyhedra_library::Int32_Box::minimized_constraints ()

11.33.3.125 native boolean parma_polyhedra_library::Int32_Box::OK ()

11.33.3.126 native void parma_polyhedra_library::Int32_Box::refine_with_congruence (Congruence *c*)

11.33.3.127 native void parma_polyhedra_library::Int32_Box::refine_with_congruences (Congruence_System *c*)

11.33.3.128 native void parma_polyhedra_library::Int32_Box::refine_with_constraint (Constraint *c*)

11.33.3.129 native void parma_polyhedra_library::Int32_Box::refine_with_constraints (Constraint_System *c*)

11.33.3.130 native Poly_Con_Relation parma_polyhedra_library::Int32_Box::relation_with (Congruence *c*)

11.33.3.131 native Poly_Gen_Relation parma_polyhedra_library::Int32_Box::relation_with (Generator *c*)

11.33.3.132 native Poly_Con_Relation parma_polyhedra_library::Int32_Box::relation_with (Constraint *c*)

11.33.3.133 native void parma_polyhedra_library::Int32_Box::remove_higher_space_dimensions (long *new_dimension*)

11.33.3.134 native void parma_polyhedra_library::Int32_Box::remove_space_dimensions (Variables_Set *vars*)

11.33.3.135 native boolean parma_polyhedra_library::Int32_Box::simplify_using_context_assign (Int32_Box *p*)

11.33.3.136 native long parma_polyhedra_library::Int32_Box::space_dimension ()

11.33.3.137 native boolean parma_polyhedra_library::Int32_Box::strictly_contains (Int32_Box *y*)

11.33.3.138 native void parma_polyhedra_library::Int32_Box::swap (Int32_Box *y*)

11.33.3.139 native void parma_polyhedra_library::Int32_Box::time_elapse_assign (Int32_Box *p*)

11.33.3.140 native void parma_polyhedra_library::Int32_Box::topological_closure_assign ()

11.33.3.141 native String parma_polyhedra_library::Int32_Box::toString ()

11.33.3.142 native long parma_polyhedra_library::Int32_Box::total_memory_in_bytes ()

11.33.3.143 native void parma_polyhedra_library::Int32_Box::unconstrain_space_dimension (Variable *var*)

11.33.3.144 native void parma_polyhedra_library::Int32_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.33.3.145 native void parma_polyhedra_library::Int32_Box::upper_bound_assign (Int32_Box *p*)

11.33.3.146 native boolean parma_polyhedra_library::Int32_Box::upper_bound_assign_if_exact (Int32_Box *y*)

11.33.3.147 native void parma_polyhedra_library::Int32_Box::widening_assign (Int32_Box *y*, By_Reference< Integer > *tp*)

11.33.3.148 native void parma_polyhedra_library::Int32_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Int32_Box.java


11.34 parma_polyhedra_library::Int64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

Inheritance diagram for parma_polyhedra_library::Int64_Box:



Collaboration diagram for parma_polyhedra_library::Int64_Box:



Public Member Functions

- Int64_Box (long num_dimensions, Degenerate_Element kind)
- Int64_Box (Int8_Box y)
- Int64_Box (Int16_Box y)
- Int64_Box (Int32_Box y)
- Int64_Box (Int64_Box y)
- Int64_Box (Uint8_Box y)
- Int64_Box (Uint16_Box y)
- Int64_Box (Uint32_Box y)
- Int64_Box (Uint64_Box y)
- Int64_Box (Z_Box y)
- Int64_Box (Rational_Box y)
- Int64_Box (BD_Shape_int8_t y)
- Int64_Box (BD_Shape_int16_t y)
- Int64_Box (BD_Shape_int32_t y)
- Int64_Box (BD_Shape_int64_t y)
- Int64_Box (BD_Shape_mpz_class y)
- Int64_Box (BD_Shape_mpq_class y)
- Int64_Box (Octagonal_Shape_int8_t y)
- Int64_Box (Octagonal_Shape_int16_t y)
- Int64_Box (Octagonal_Shape_int32_t y)
- Int64_Box (Octagonal_Shape_int64_t y)
- Int64_Box (Octagonal_Shape_mpz_class y)
- Int64_Box (Octagonal_Shape_mpq_class y)

- Int64_Box (C_Polyhedron y)
- Int64_Box (NNC_Polyhedron y)
- Int64_Box (Grid y)
- Int64_Box (Float_Box y)
- Int64_Box (BD_Shape_float y)
- Int64_Box (Octagonal_Shape_float y)
- Int64_Box (Double_Box y)
- Int64_Box (BD_Shape_double y)
- Int64_Box (Octagonal_Shape_double y)
- Int64_Box (Long_Double_Box y)
- Int64_Box (BD_Shape_long_double y)
- Int64_Box (Octagonal_Shape_long_double y)
- Int64_Box (Int8_Box y, Complexity_Class complexity)
- Int64_Box (Int16_Box y, Complexity_Class complexity)
- Int64_Box (Int32_Box y, Complexity_Class complexity)
- Int64_Box (Int64_Box y, Complexity_Class complexity)
- Int64_Box (Uint8_Box y, Complexity_Class complexity)
- Int64_Box (Uint16_Box y, Complexity_Class complexity)
- Int64_Box (Uint32_Box y, Complexity_Class complexity)
- Int64_Box (Uint64_Box y, Complexity_Class complexity)
- Int64_Box (Z_Box y, Complexity_Class complexity)
- Int64_Box (Rational_Box y, Complexity_Class complexity)
- Int64_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Int64_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Int64_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Int64_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Int64_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Int64_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Int64_Box (C_Polyhedron y, Complexity_Class complexity)
- Int64_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Int64_Box (Grid y, Complexity_Class complexity)
- Int64_Box (Float_Box y, Complexity_Class complexity)
- Int64_Box (BD_Shape_float y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Int64_Box (Double_Box y, Complexity_Class complexity)
- Int64_Box (BD_Shape_double y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Int64_Box (Long_Double_Box y, Complexity_Class complexity)
- Int64_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Int64_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Int64_Box (Constraint_System cs)
- Int64_Box (Congruence_System cs)
- Int64_Box (Generator_System cs)
- native void swap (Int64_Box y)

- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Int64_Box y)
- native boolean strictly_contains (Int64_Box y)
- native boolean is_disjoint_from (Int64_Box y)
- native boolean equals (Int64_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Int64_Box p)
- native void upper_bound_assign (Int64_Box p)
- native void difference_assign (Int64_Box p)
- native void concatenate_assign (Int64_Box p)
- native void time_elapse_assign (Int64_Box p)
- native boolean upper_bound_assign_if_exact (Int64_Box y)
- native boolean simplify_using_context_assign (Int64_Box p)
- native boolean constrains (Variable var)

- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Int64_Box y, By_Reference< Integer > tp)
- native void widening_assign (Int64_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Int64_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Int64_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Int64_Box p, Int64_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Int64_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.34.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

Definition at line 33 of file Int64_Box.java.

11.34.2 Constructor & Destructor Documentation

11.34.2.1 parma_polyhedra_library::Int64_Box::Int64_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Int64_Box.java.

References build_cpp_object().

11.34.2.2 parma_polyhedra_library::Int64_Box::Int64_Box () [inline, private]

Definition at line 45 of file Int64_Box.java.

11.34.2.3 parma_polyhedra_library::Int64_Box::Int64_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Int64_Box.java.

References build_cpp_object().

11.34.2.4 parma_polyhedra_library::Int64_Box::Int64_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Int64_Box.java.

References build_cpp_object().

11.34.2.5 parma_polyhedra_library::Int64_Box::Int64_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Int64_Box.java.

References build_cpp_object().

11.34.2.6 parma_polyhedra_library::Int64_Box::Int64_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Int64_Box.java.

References build_cpp_object().

11.34.2.7 parma_polyhedra_library::Int64_Box::Int64_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Int64_Box.java.

References build_cpp_object().

11.34.2.8 parma_polyhedra_library::Int64_Box::Int64_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Int64_Box.java.

References build_cpp_object().

11.34.2.9 parma_polyhedra_library::Int64_Box::Int64_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Int64_Box.java.

References build_cpp_object().

11.34.2.10 parma_polyhedra_library::Int64_Box::Int64_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Int64_Box.java.

References build_cpp_object().

11.34.2.11 parma_polyhedra_library::Int64_Box::Int64_Box (Z_Box *y*) [inline]

Definition at line 84 of file Int64_Box.java.

References build_cpp_object().

11.34.2.12 parma_polyhedra_library::Int64_Box::Int64_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Int64_Box.java.

References build_cpp_object().

11.34.2.13 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Int64_Box.java.

References build_cpp_object().

11.34.2.14 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Int64_Box.java.

References build_cpp_object().

11.34.2.15 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Int64_Box.java.

References build_cpp_object().

11.34.2.16 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Int64_Box.java.

References build_cpp_object().

11.34.2.17 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Int64_Box.java.

References build_cpp_object().

11.34.2.18 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Int64_Box.java.

References build_cpp_object().

11.34.2.19 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Int64_Box.java.

References build_cpp_object().

11.34.2.20 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Int64_Box.java.

References build_cpp_object().

11.34.2.21 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Int64_Box.java.

References build_cpp_object().

11.34.2.22 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Int64_Box.java.

References build_cpp_object().

11.34.2.23 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Int64_Box.java.

References build_cpp_object().

11.34.2.24 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Int64_Box.java.

References build_cpp_object().

11.34.2.25 parma_polyhedra_library::Int64_Box::Int64_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Int64_Box.java.

References build_cpp_object().

11.34.2.26 parma_polyhedra_library::Int64_Box::Int64_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Int64_Box.java.

References build_cpp_object().

11.34.2.27 parma_polyhedra_library::Int64_Box::Int64_Box (Grid *y*) [inline]

Definition at line 148 of file Int64_Box.java.

References build_cpp_object().

11.34.2.28 parma_polyhedra_library::Int64_Box::Int64_Box (Float_Box *y*) [inline]

Definition at line 152 of file Int64_Box.java.

References build_cpp_object().

11.34.2.29 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Int64_Box.java.

References build_cpp_object().

11.34.2.30 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Int64_Box.java.

References build_cpp_object().

11.34.2.31 parma_polyhedra_library::Int64_Box::Int64_Box (Double_Box *y*) [inline]

Definition at line 164 of file Int64_Box.java.

References build_cpp_object().

11.34.2.32 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Int64_Box.java.

References build_cpp_object().

11.34.2.33 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Int64_Box.java.

References build_cpp_object().

11.34.2.34 parma_polyhedra_library::Int64_Box::Int64_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Int64_Box.java.

References build_cpp_object().

11.34.2.35 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Int64_Box.java.

References build_cpp_object().

11.34.2.36 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Int64_Box.java.

References build_cpp_object().

11.34.2.37 parma_polyhedra_library::Int64_Box::Int64_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Int64_Box.java.

References build_cpp_object().

11.34.2.38 parma_polyhedra_library::Int64_Box::Int64_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Int64_Box.java.

References build_cpp_object().

11.34.2.39 parma_polyhedra_library::Int64_Box::Int64_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Int64_Box.java.

References build_cpp_object().

11.34.2.40 parma_polyhedra_library::Int64_Box::Int64_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Int64_Box.java.

References build_cpp_object().

11.34.2.41 parma_polyhedra_library::Int64_Box::Int64_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Int64_Box.java.

References build_cpp_object().

11.34.2.42 parma_polyhedra_library::Int64_Box::Int64_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Int64_Box.java.

References build_cpp_object().

11.34.2.43 parma_polyhedra_library::Int64_Box::Int64_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Int64_Box.java.

References build_cpp_object().

11.34.2.44 parma_polyhedra_library::Int64_Box::Int64_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Int64_Box.java.

References build_cpp_object().

11.34.2.45 parma_polyhedra_library::Int64_Box::Int64_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Int64_Box.java.

References build_cpp_object().

11.34.2.46 parma_polyhedra_library::Int64_Box::Int64_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Int64_Box.java.

References build_cpp_object().

11.34.2.47 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Int64_Box.java.

References build_cpp_object().

11.34.2.48 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Int64_Box.java.

References build_cpp_object().

11.34.2.49 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Int64_Box.java.

References build_cpp_object().

11.34.2.50 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Int64_Box.java.

References build_cpp_object().

11.34.2.51 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Int64_Box.java.

References build_cpp_object().

11.34.2.52 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Int64_Box.java.

References build_cpp_object().

11.34.2.53 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Int64_Box.java.

References build_cpp_object().

11.34.2.54 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Int64_Box.java.

References build_cpp_object().

11.34.2.55 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Int64_Box.java.

References build_cpp_object().

11.34.2.56 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Int64_Box.java.

References build_cpp_object().

11.34.2.57 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Int64_Box.java.

References build_cpp_object().

11.34.2.58 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Int64_Box.java.

References build_cpp_object().

11.34.2.59 parma_polyhedra_library::Int64_Box::Int64_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Int64_Box.java.

References build_cpp_object().

11.34.2.60 parma_polyhedra_library::Int64_Box::Int64_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Int64_Box.java.

References build_cpp_object().

11.34.2.61 parma_polyhedra_library::Int64_Box::Int64_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Int64_Box.java.

References build_cpp_object().

11.34.2.62 parma_polyhedra_library::Int64_Box::Int64_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Int64_Box.java.

References build_cpp_object().

11.34.2.63 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Int64_Box.java.

References build_cpp_object().

11.34.2.64 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Int64_Box.java.

References build_cpp_object().

11.34.2.65 parma_polyhedra_library::Int64_Box::Int64_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Int64_Box.java.

References build_cpp_object().

11.34.2.66 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Int64_Box.java.

References build_cpp_object().

11.34.2.67 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Int64_Box.java.

References build_cpp_object().

11.34.2.68 parma_polyhedra_library::Int64_Box::Int64_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Int64_Box.java.

References build_cpp_object().

11.34.2.69 parma_polyhedra_library::Int64_Box::Int64_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Int64_Box.java.

References build_cpp_object().

11.34.2.70 parma_polyhedra_library::Int64_Box::Int64_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Int64_Box.java.

References build_cpp_object().

11.34.2.71 parma_polyhedra_library::Int64_Box::Int64_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Int64_Box.java.

References build_cpp_object().

11.34.2.72 parma_polyhedra_library::Int64_Box::Int64_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Int64_Box.java.

References build_cpp_object().

11.34.2.73 parma_polyhedra_library::Int64_Box::Int64_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Int64_Box.java.

References build_cpp_object().

11.34.3 Member Function Documentation

11.34.3.1 native void parma_polyhedra_library::Int64_Box::add_congruence (Congruence *c*)

11.34.3.2 native void parma_polyhedra_library::Int64_Box::add_congruences (Congruence_System *c*)

11.34.3.3 native void parma_polyhedra_library::Int64_Box::add_constraint (Constraint *c*)

11.34.3.4 native void parma_polyhedra_library::Int64_Box::add_constraints (Constraint_System *c*)

11.34.3.5 native void parma_polyhedra_library::Int64_Box::add_space_dimensions_and_embed (long *m*)

11.34.3.6 native void parma_polyhedra_library::Int64_Box::add_space_dimensions_and_project (long *m*)

11.34.3.7 native long parma_polyhedra_library::Int64_Box::affine_dimension ()

11.34.3.8 native void parma_polyhedra_library::Int64_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.34.3.9 native void parma_polyhedra_library::Int64_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.34.3.10 native String parma_polyhedra_library::Int64_Box::ascii_dump ()

11.34.3.11 native void parma_polyhedra_library::Int64_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.34.3.12 native void parma_polyhedra_library::Int64_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.34.3.13 native boolean parma_polyhedra_library::Int64_Box::bounds_from_above (Linear_Expression *expr*)

11.34.3.14 native boolean parma_polyhedra_library::Int64_Box::bounds_from_below (Linear_Expression *expr*)

11.34.3.15 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.34.3.16 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.34.3.17 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.34.3.18 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.34.3.19 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.34.3.20 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.34.3.21 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.34.3.22 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.34.3.23 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.34.3.24 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.34.3.25 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.26 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Double_Box *y*) [private]

11.34.3.27 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.34.3.28 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.34.3.29 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.34.3.30 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.34.3.31 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.32 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Float_Box *y*) [private]

11.34.3.33 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.34.3.34 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Grid *y*) [private]

11.34.3.35 native void parma_polyhedra_library::Int64_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.34.3.36 native void parma_polyhedra_library::Int64_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.34.3.37 native void parma_polyhedra_library::Int64_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.34.3.38 native void parma_polyhedra_library::Int64_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.34.3.39 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.34.3.40 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.34.3.41 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.34.3.42 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.34.3.43 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.34.3.44 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.34.3.45 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.34.3.46 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.34.3.47 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.34.3.48 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.34.3.49 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.34.3.50 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.34.3.51 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.34.3.52 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.34.3.53 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.34.3.54 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.34.3.55 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.34.3.56 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.34.3.57 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.34.3.58 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.34.3.59 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.34.3.60 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.34.3.61 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.34.3.62 native void parma_polyhedra_library::Int64_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.34.3.63 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.64 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Rational_Box *y*) [private]

11.34.3.65 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.66 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Z_Box *y*) [private]

11.34.3.67 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.68 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint64_Box *y*) [private]

11.34.3.69 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.70 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint32_Box *y*) [private]

11.34.3.71 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.72 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint16_Box *y*) [private]

11.34.3.73 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.74 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Uint8_Box *y*) [private]

11.34.3.75 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.76 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int64_Box *y*) [private]

11.34.3.77 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.78 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int32_Box *y*) [private]

11.34.3.79 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.80 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int16_Box *y*) [private]

11.34.3.81 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.34.3.82 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Int8_Box *y*) [private]

11.34.3.83 native void parma_polyhedra_library::Int64_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.34.3.84 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Generator_System *cs*) [private]

11.34.3.85 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Congruence_System *cs*) [private]

11.34.3.86 native void parma_polyhedra_library::Int64_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Int64_Box().

11.34.3.87 native void parma_polyhedra_library::Int64_Box::CC76_widening_assign (Int64_Box *y*, By_Reference< Integer > *tp*)

11.34.3.88 native void parma_polyhedra_library::Int64_Box::concatenate_assign (Int64_Box *p*)

11.34.3.89 native Congruence_System parma_polyhedra_library::Int64_Box::congruences ()

11.34.3.90 native boolean parma_polyhedra_library::Int64_Box::constrains (Variable *var*)

11.34.3.91 native Constraint_System parma_polyhedra_library::Int64_Box::constraints ()

11.34.3.92 native boolean parma_polyhedra_library::Int64_Box::contains (Int64_Box *y*)

11.34.3.93 native boolean parma_polyhedra_library::Int64_Box::contains_integer_point ()

11.34.3.94 native void parma_polyhedra_library::Int64_Box::difference_assign (Int64_Box *p*)

11.34.3.95 native void parma_polyhedra_library::Int64_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.34.3.96 native void parma_polyhedra_library::Int64_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.34.3.97 boolean parma_polyhedra_library::Int64_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Int64_Box.java.

References equals().

11.34.3.98 native boolean parma_polyhedra_library::Int64_Box::equals (Int64_Box *p*)

Referenced by equals().

11.34.3.99 native void parma_polyhedra_library::Int64_Box::expand_space_dimension (Variable *var*, long *m*)

11.34.3.100 native long parma_polyhedra_library::Int64_Box::external_memory_in_bytes ()

11.34.3.101 native void parma_polyhedra_library::Int64_Box::finalize () `[protected]`

11.34.3.102 native void parma_polyhedra_library::Int64_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.34.3.103 native void parma_polyhedra_library::Int64_Box::free ()

11.34.3.104 native boolean parma_polyhedra_library::Int64_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.34.3.105 native void parma_polyhedra_library::Int64_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.34.3.106 native void parma_polyhedra_library::Int64_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.34.3.107 native void parma_polyhedra_library::Int64_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.34.3.108 native void parma_polyhedra_library::Int64_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.34.3.109 native void parma_polyhedra_library::Int64_Box::intersection_assign (Int64_Box *p*)

11.34.3.110 native boolean parma_polyhedra_library::Int64_Box::is_bounded ()

11.34.3.111 native boolean parma_polyhedra_library::Int64_Box::is_discrete ()

11.34.3.112 native boolean parma_polyhedra_library::Int64_Box::is_disjoint_from (Int64_Box *y*)

11.34.3.113 native boolean parma_polyhedra_library::Int64_Box::is_empty ()

11.34.3.114 native boolean parma_polyhedra_library::Int64_Box::is_topologically_closed ()

11.34.3.115 native boolean parma_polyhedra_library::Int64_Box::is_universe ()

11.34.3.116 native void parma_polyhedra_library::Int64_Box::limited_CC76_extrapolation_assign (Int64_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.34.3.117 static native Pair<Int64_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Int64_Box::linear_partition (Int64_Box *p*, Int64_Box *q*) [static]

11.34.3.118 native void parma_polyhedra_library::Int64_Box::map_space_dimensions (Partial_Function *pfunc*)

11.34.3.119 native boolean parma_polyhedra_library::Int64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.34.3.120 native boolean parma_polyhedra_library::Int64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.34.3.121 native boolean parma_polyhedra_library::Int64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.34.3.122 native boolean parma_polyhedra_library::Int64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.34.3.123 native Congruence_System parma_polyhedra_library::Int64_Box::minimized_congruences ()

11.34.3.124 native Constraint_System parma_polyhedra_library::Int64_Box::minimized_constraints ()

11.34.3.125 native boolean parma_polyhedra_library::Int64_Box::OK ()

11.34.3.126 native void parma_polyhedra_library::Int64_Box::refine_with_congruence (Congruence *c*)

11.34.3.127 native void parma_polyhedra_library::Int64_Box::refine_with_congruences (Congruence_System *c*)

11.34.3.128 native void parma_polyhedra_library::Int64_Box::refine_with_constraint (Constraint *c*)

11.34.3.129 native void parma_polyhedra_library::Int64_Box::refine_with_constraints (Constraint_System *c*)

11.34.3.130 native Poly_Con_Relation parma_polyhedra_library::Int64_Box::relation_with (Congruence *c*)

11.34.3.131 native Poly_Gen_Relation parma_polyhedra_library::Int64_Box::relation_with (Generator *c*)

11.34.3.132 native Poly_Con_Relation parma_polyhedra_library::Int64_Box::relation_with (Constraint *c*)

11.34.3.133 native void parma_polyhedra_library::Int64_Box::remove_higher_space_dimensions (long *new_dimension*)

11.34.3.134 native void parma_polyhedra_library::Int64_Box::remove_space_dimensions (Variables_Set *vars*)

11.34.3.135 native boolean parma_polyhedra_library::Int64_Box::simplify_using_context_assign (Int64_Box *p*)

11.34.3.136 native long parma_polyhedra_library::Int64_Box::space_dimension ()

11.34.3.137 native boolean parma_polyhedra_library::Int64_Box::strictly_contains (Int64_Box *y*)

11.34.3.138 native void parma_polyhedra_library::Int64_Box::swap (Int64_Box *y*)

11.34.3.139 native void parma_polyhedra_library::Int64_Box::time_elapse_assign (Int64_Box *p*)

11.34.3.140 native void parma_polyhedra_library::Int64_Box::topological_closure_assign ()

11.34.3.141 native String parma_polyhedra_library::Int64_Box::toString ()

11.34.3.142 native long parma_polyhedra_library::Int64_Box::total_memory_in_bytes ()

11.34.3.143 native void parma_polyhedra_library::Int64_Box::unconstrain_space_dimension (Variable *var*)

11.34.3.144 native void parma_polyhedra_library::Int64_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.34.3.145 native void parma_polyhedra_library::Int64_Box::upper_bound_assign (Int64_Box *p*)

11.34.3.146 native boolean parma_polyhedra_library::Int64_Box::upper_bound_assign_if_exact (Int64_Box *y*)

11.34.3.147 native void parma_polyhedra_library::Int64_Box::widening_assign (Int64_Box *y*, By_Reference< Integer > *tp*)

11.34.3.148 native void parma_polyhedra_library::Int64_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Int64_Box.java


11.35 parma_polyhedra_library::Int8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

Inheritance diagram for parma_polyhedra_library::Int8_Box:



Collaboration diagram for parma_polyhedra_library::Int8_Box:



Public Member Functions

- Int8_Box (long num_dimensions, Degenerate_Element kind)
- Int8_Box (Int8_Box y)
- Int8_Box (Int16_Box y)
- Int8_Box (Int32_Box y)
- Int8_Box (Int64_Box y)
- Int8_Box (Uint8_Box y)
- Int8_Box (Uint16_Box y)
- Int8_Box (Uint32_Box y)
- Int8_Box (Uint64_Box y)
- Int8_Box (Z_Box y)
- Int8_Box (Rational_Box y)
- Int8_Box (BD_Shape_int8_t y)
- Int8_Box (BD_Shape_int16_t y)
- Int8_Box (BD_Shape_int32_t y)
- Int8_Box (BD_Shape_int64_t y)
- Int8_Box (BD_Shape_mpz_class y)
- Int8_Box (BD_Shape_mpq_class y)
- Int8_Box (Octagonal_Shape_int8_t y)
- Int8_Box (Octagonal_Shape_int16_t y)
- Int8_Box (Octagonal_Shape_int32_t y)
- Int8_Box (Octagonal_Shape_int64_t y)
- Int8_Box (Octagonal_Shape_mpz_class y)
- Int8_Box (Octagonal_Shape_mpq_class y)

- Int8_Box (C_Polyhedron y)
- Int8_Box (NNC_Polyhedron y)
- Int8_Box (Grid y)
- Int8_Box (Float_Box y)
- Int8_Box (BD_Shape_float y)
- Int8_Box (Octagonal_Shape_float y)
- Int8_Box (Double_Box y)
- Int8_Box (BD_Shape_double y)
- Int8_Box (Octagonal_Shape_double y)
- Int8_Box (Long_Double_Box y)
- Int8_Box (BD_Shape_long_double y)
- Int8_Box (Octagonal_Shape_long_double y)
- Int8_Box (Int8_Box y, Complexity_Class complexity)
- Int8_Box (Int16_Box y, Complexity_Class complexity)
- Int8_Box (Int32_Box y, Complexity_Class complexity)
- Int8_Box (Int64_Box y, Complexity_Class complexity)
- Int8_Box (Uint8_Box y, Complexity_Class complexity)
- Int8_Box (Uint16_Box y, Complexity_Class complexity)
- Int8_Box (Uint32_Box y, Complexity_Class complexity)
- Int8_Box (Uint64_Box y, Complexity_Class complexity)
- Int8_Box (Z_Box y, Complexity_Class complexity)
- Int8_Box (Rational_Box y, Complexity_Class complexity)
- Int8_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Int8_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Int8_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Int8_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Int8_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Int8_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Int8_Box (C_Polyhedron y, Complexity_Class complexity)
- Int8_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Int8_Box (Grid y, Complexity_Class complexity)
- Int8_Box (Float_Box y, Complexity_Class complexity)
- Int8_Box (BD_Shape_float y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Int8_Box (Double_Box y, Complexity_Class complexity)
- Int8_Box (BD_Shape_double y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Int8_Box (Long_Double_Box y, Complexity_Class complexity)
- Int8_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Int8_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Int8_Box (Constraint_System cs)
- Int8_Box (Congruence_System cs)
- Int8_Box (Generator_System cs)
- native void swap (Int8_Box y)

- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Int8_Box y)
- native boolean strictly_contains (Int8_Box y)
- native boolean is_disjoint_from (Int8_Box y)
- native boolean equals (Int8_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Int8_Box p)
- native void upper_bound_assign (Int8_Box p)
- native void difference_assign (Int8_Box p)
- native void concatenate_assign (Int8_Box p)
- native void time_elapse_assign (Int8_Box p)
- native boolean upper_bound_assign_if_exact (Int8_Box y)
- native boolean simplify_using_context_assign (Int8_Box p)
- native boolean constrains (Variable var)

- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Int8_Box y, By_Reference< Integer > tp)
- native void widening_assign (Int8_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Int8_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Int8_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Int8_Box p, Int8_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Int8_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.35.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

Definition at line 33 of file Int8_Box.java.

11.35.2 Constructor & Destructor Documentation

11.35.2.1 parma_polyhedra_library::Int8_Box::Int8_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Int8_Box.java.

References build_cpp_object().

11.35.2.2 parma_polyhedra_library::Int8_Box::Int8_Box () [inline, private]

Definition at line 45 of file Int8_Box.java.

11.35.2.3 parma_polyhedra_library::Int8_Box::Int8_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Int8_Box.java.

References build_cpp_object().

11.35.2.4 parma_polyhedra_library::Int8_Box::Int8_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Int8_Box.java.

References build_cpp_object().

11.35.2.5 parma_polyhedra_library::Int8_Box::Int8_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Int8_Box.java.

References build_cpp_object().

11.35.2.6 parma_polyhedra_library::Int8_Box::Int8_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Int8_Box.java.

References build_cpp_object().

11.35.2.7 parma_polyhedra_library::Int8_Box::Int8_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Int8_Box.java.

References build_cpp_object().

11.35.2.8 parma_polyhedra_library::Int8_Box::Int8_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Int8_Box.java.

References build_cpp_object().

11.35.2.9 parma_polyhedra_library::Int8_Box::Int8_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Int8_Box.java.

References build_cpp_object().

11.35.2.10 parma_polyhedra_library::Int8_Box::Int8_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Int8_Box.java.

References build_cpp_object().

11.35.2.11 parma_polyhedra_library::Int8_Box::Int8_Box (Z_Box *y*) [inline]

Definition at line 84 of file Int8_Box.java.

References build_cpp_object().

11.35.2.12 parma_polyhedra_library::Int8_Box::Int8_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Int8_Box.java.

References build_cpp_object().

11.35.2.13 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Int8_Box.java.

References build_cpp_object().

11.35.2.14 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Int8_Box.java.

References build_cpp_object().

11.35.2.15 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Int8_Box.java.

References build_cpp_object().

11.35.2.16 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Int8_Box.java.

References build_cpp_object().

11.35.2.17 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Int8_Box.java.

References build_cpp_object().

11.35.2.18 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Int8_Box.java.

References build_cpp_object().

11.35.2.19 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Int8_Box.java.

References build_cpp_object().

11.35.2.20 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Int8_Box.java.

References build_cpp_object().

11.35.2.21 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Int8_Box.java.

References build_cpp_object().

11.35.2.22 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Int8_Box.java.

References build_cpp_object().

11.35.2.23 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Int8_Box.java.

References build_cpp_object().

11.35.2.24 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Int8_Box.java.

References build_cpp_object().

11.35.2.25 parma_polyhedra_library::Int8_Box::Int8_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Int8_Box.java.

References build_cpp_object().

11.35.2.26 parma_polyhedra_library::Int8_Box::Int8_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Int8_Box.java.

References build_cpp_object().

11.35.2.27 parma_polyhedra_library::Int8_Box::Int8_Box (Grid *y*) [inline]

Definition at line 148 of file Int8_Box.java.

References build_cpp_object().

11.35.2.28 parma_polyhedra_library::Int8_Box::Int8_Box (Float_Box *y*) [inline]

Definition at line 152 of file Int8_Box.java.

References build_cpp_object().

11.35.2.29 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Int8_Box.java.

References build_cpp_object().

11.35.2.30 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Int8_Box.java.

References build_cpp_object().

11.35.2.31 parma_polyhedra_library::Int8_Box::Int8_Box (Double_Box *y*) [inline]

Definition at line 164 of file Int8_Box.java.

References build_cpp_object().

11.35.2.32 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Int8_Box.java.

References build_cpp_object().

11.35.2.33 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Int8_Box.java.

References build_cpp_object().

11.35.2.34 parma_polyhedra_library::Int8_Box::Int8_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Int8_Box.java.

References build_cpp_object().

11.35.2.35 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Int8_Box.java.

References build_cpp_object().

11.35.2.36 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Int8_Box.java.

References build_cpp_object().

11.35.2.37 parma_polyhedra_library::Int8_Box::Int8_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Int8_Box.java.

References build_cpp_object().

11.35.2.38 parma_polyhedra_library::Int8_Box::Int8_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Int8_Box.java.

References build_cpp_object().

11.35.2.39 parma_polyhedra_library::Int8_Box::Int8_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Int8_Box.java.

References build_cpp_object().

11.35.2.40 parma_polyhedra_library::Int8_Box::Int8_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Int8_Box.java.

References build_cpp_object().

11.35.2.41 parma_polyhedra_library::Int8_Box::Int8_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Int8_Box.java.

References build_cpp_object().

11.35.2.42 parma_polyhedra_library::Int8_Box::Int8_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Int8_Box.java.

References build_cpp_object().

11.35.2.43 parma_polyhedra_library::Int8_Box::Int8_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Int8_Box.java.

References build_cpp_object().

11.35.2.44 parma_polyhedra_library::Int8_Box::Int8_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Int8_Box.java.

References build_cpp_object().

11.35.2.45 parma_polyhedra_library::Int8_Box::Int8_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Int8_Box.java.

References build_cpp_object().

11.35.2.46 parma_polyhedra_library::Int8_Box::Int8_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Int8_Box.java.

References build_cpp_object().

11.35.2.47 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Int8_Box.java.

References build_cpp_object().

11.35.2.48 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Int8_Box.java.

References build_cpp_object().

11.35.2.49 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Int8_Box.java.

References build_cpp_object().

11.35.2.50 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Int8_Box.java.

References build_cpp_object().

11.35.2.51 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Int8_Box.java.

References build_cpp_object().

11.35.2.52 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Int8_Box.java.

References build_cpp_object().

11.35.2.53 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Int8_Box.java.

References build_cpp_object().

11.35.2.54 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Int8_Box.java.

References build_cpp_object().

11.35.2.55 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Int8_Box.java.

References build_cpp_object().

11.35.2.56 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Int8_Box.java.

References build_cpp_object().

11.35.2.57 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Int8_Box.java.

References build_cpp_object().

11.35.2.58 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Int8_Box.java.

References build_cpp_object().

11.35.2.59 parma_polyhedra_library::Int8_Box::Int8_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Int8_Box.java.

References build_cpp_object().

11.35.2.60 parma_polyhedra_library::Int8_Box::Int8_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Int8_Box.java.

References build_cpp_object().

11.35.2.61 parma_polyhedra_library::Int8_Box::Int8_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Int8_Box.java.

References build_cpp_object().

11.35.2.62 parma_polyhedra_library::Int8_Box::Int8_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Int8_Box.java.

References build_cpp_object().

11.35.2.63 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Int8_Box.java.

References build_cpp_object().

11.35.2.64 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Int8_Box.java.

References build_cpp_object().

11.35.2.65 parma_polyhedra_library::Int8_Box::Int8_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Int8_Box.java.

References build_cpp_object().

11.35.2.66 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Int8_Box.java.

References build_cpp_object().

11.35.2.67 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Int8_Box.java.

References build_cpp_object().

11.35.2.68 parma_polyhedra_library::Int8_Box::Int8_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Int8_Box.java.

References build_cpp_object().

11.35.2.69 parma_polyhedra_library::Int8_Box::Int8_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Int8_Box.java.

References build_cpp_object().

11.35.2.70 parma_polyhedra_library::Int8_Box::Int8_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Int8_Box.java.

References build_cpp_object().

11.35.2.71 parma_polyhedra_library::Int8_Box::Int8_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Int8_Box.java.

References build_cpp_object().

11.35.2.72 parma_polyhedra_library::Int8_Box::Int8_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Int8_Box.java.

References build_cpp_object().

11.35.2.73 parma_polyhedra_library::Int8_Box::Int8_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Int8_Box.java.

References build_cpp_object().

11.35.3 Member Function Documentation

11.35.3.1 native void parma_polyhedra_library::Int8_Box::add_congruence (Congruence *c*)

11.35.3.2 native void parma_polyhedra_library::Int8_Box::add_congruences (Congruence_System *c*)

11.35.3.3 native void parma_polyhedra_library::Int8_Box::add_constraint (Constraint *c*)

11.35.3.4 native void parma_polyhedra_library::Int8_Box::add_constraints (Constraint_System *c*)

11.35.3.5 native void parma_polyhedra_library::Int8_Box::add_space_dimensions_and_embed (long *m*)

11.35.3.6 native void parma_polyhedra_library::Int8_Box::add_space_dimensions_and_project (long *m*)

11.35.3.7 native long parma_polyhedra_library::Int8_Box::affine_dimension ()

11.35.3.8 native void parma_polyhedra_library::Int8_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.35.3.9 native void parma_polyhedra_library::Int8_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.35.3.10 native String parma_polyhedra_library::Int8_Box::ascii_dump ()

11.35.3.11 native void parma_polyhedra_library::Int8_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.35.3.12 native void parma_polyhedra_library::Int8_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.35.3.13 native boolean parma_polyhedra_library::Int8_Box::bounds_from_above (Linear_Expression *expr*)

11.35.3.14 native boolean parma_polyhedra_library::Int8_Box::bounds_from_below (Linear_Expression *expr*)

11.35.3.15 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.35.3.16 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.35.3.17 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.35.3.18 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.35.3.19 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.35.3.20 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.35.3.21 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.35.3.22 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.35.3.23 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.35.3.24 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.35.3.25 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.26 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Double_Box *y*) [private]

11.35.3.27 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.35.3.28 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.35.3.29 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.35.3.30 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.35.3.31 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.32 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Float_Box *y*) [private]

11.35.3.33 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.35.3.34 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Grid *y*) [private]

11.35.3.35 native void parma_polyhedra_library::Int8_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.35.3.36 native void parma_polyhedra_library::Int8_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.35.3.37 native void parma_polyhedra_library::Int8_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.35.3.38 native void parma_polyhedra_library::Int8_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.35.3.39 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.35.3.40 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.35.3.41 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.35.3.42 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.35.3.43 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.35.3.44 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.35.3.45 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.35.3.46 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.35.3.47 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.35.3.48 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.35.3.49 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.35.3.50 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.35.3.51 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.35.3.52 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.35.3.53 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.35.3.54 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.35.3.55 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.35.3.56 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.35.3.57 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.35.3.58 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.35.3.59 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.35.3.60 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.35.3.61 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.35.3.62 native void parma_polyhedra_library::Int8_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.35.3.63 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.64 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Rational_Box *y*) [private]

11.35.3.65 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.66 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Z_Box *y*) [private]

11.35.3.67 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.68 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint64_Box *y*) [private]

11.35.3.69 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.70 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint32_Box *y*) [private]

11.35.3.71 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.72 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint16_Box *y*) [private]

11.35.3.73 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.74 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Uint8_Box *y*) [private]

11.35.3.75 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.76 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int64_Box *y*) [private]

11.35.3.77 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.78 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int32_Box *y*) [private]

11.35.3.79 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.80 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int16_Box *y*) [private]

11.35.3.81 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.35.3.82 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Int8_Box *y*) [private]

11.35.3.83 native void parma_polyhedra_library::Int8_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.35.3.84 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Generator_System *cs*) [private]

11.35.3.85 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Congruence_System *cs*) [private]

11.35.3.86 native void parma_polyhedra_library::Int8_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Int8_Box().

11.35.3.87 native void parma_polyhedra_library::Int8_Box::CC76_widening_assign (Int8_Box *y*, By_Reference< Integer > *tp*)

11.35.3.88 native void parma_polyhedra_library::Int8_Box::concatenate_assign (Int8_Box *p*)

11.35.3.89 native Congruence_System parma_polyhedra_library::Int8_Box::congruences ()

11.35.3.90 native boolean parma_polyhedra_library::Int8_Box::constrains (Variable *var*)

11.35.3.91 native Constraint_System parma_polyhedra_library::Int8_Box::constraints ()

11.35.3.92 native boolean parma_polyhedra_library::Int8_Box::contains (Int8_Box *y*)

11.35.3.93 native boolean parma_polyhedra_library::Int8_Box::contains_integer_point ()

11.35.3.94 native void parma_polyhedra_library::Int8_Box::difference_assign (Int8_Box *p*)

11.35.3.95 native void parma_polyhedra_library::Int8_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.35.3.96 native void parma_polyhedra_library::Int8_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.35.3.97 boolean parma_polyhedra_library::Int8_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Int8_Box.java.

References equals().

11.35.3.98 native boolean parma_polyhedra_library::Int8_Box::equals (Int8_Box *p*)

Referenced by equals().

11.35.3.99 native void parma_polyhedra_library::Int8_Box::expand_space_dimension (Variable *var*, long *m*)

11.35.3.100 native long parma_polyhedra_library::Int8_Box::external_memory_in_bytes ()

11.35.3.101 native void parma_polyhedra_library::Int8_Box::finalize () `[protected]`

11.35.3.102 native void parma_polyhedra_library::Int8_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.35.3.103 native void parma_polyhedra_library::Int8_Box::free ()

11.35.3.104 native boolean parma_polyhedra_library::Int8_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.35.3.105 native void parma_polyhedra_library::Int8_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.35.3.106 native void parma_polyhedra_library::Int8_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.35.3.107 native void parma_polyhedra_library::Int8_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.35.3.108 native void parma_polyhedra_library::Int8_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.35.3.109 native void parma_polyhedra_library::Int8_Box::intersection_assign (Int8_Box *p*)

11.35.3.110 native boolean parma_polyhedra_library::Int8_Box::is_bounded ()

11.35.3.111 native boolean parma_polyhedra_library::Int8_Box::is_discrete ()

11.35.3.112 native boolean parma_polyhedra_library::Int8_Box::is_disjoint_from (Int8_Box *y*)

11.35.3.113 native boolean parma_polyhedra_library::Int8_Box::is_empty ()

11.35.3.114 native boolean parma_polyhedra_library::Int8_Box::is_topologically_closed ()

11.35.3.115 native boolean parma_polyhedra_library::Int8_Box::is_universe ()

11.35.3.116 native void parma_polyhedra_library::Int8_Box::limited_CC76_extrapolation_assign (Int8_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.35.3.117 static native Pair<Int8_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Int8_Box::linear_partition (Int8_Box *p*, Int8_Box *q*) [static]

11.35.3.118 native void parma_polyhedra_library::Int8_Box::map_space_dimensions (Partial_Function *pfunc*)

11.35.3.119 native boolean parma_polyhedra_library::Int8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.35.3.120 native boolean parma_polyhedra_library::Int8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.35.3.121 native boolean parma_polyhedra_library::Int8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.35.3.122 native boolean parma_polyhedra_library::Int8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.35.3.123 native Congruence_System parma_polyhedra_library::Int8_Box::minimized_congruences ()

11.35.3.124 native Constraint_System parma_polyhedra_library::Int8_Box::minimized_constraints ()

11.35.3.125 native boolean parma_polyhedra_library::Int8_Box::OK ()

11.35.3.126 native void parma_polyhedra_library::Int8_Box::refine_with_congruence (Congruence *c*)

11.35.3.127 native void parma_polyhedra_library::Int8_Box::refine_with_congruences (Congruence_System *c*)

11.35.3.128 native void parma_polyhedra_library::Int8_Box::refine_with_constraint (Constraint *c*)

11.35.3.129 native void parma_polyhedra_library::Int8_Box::refine_with_constraints (Constraint_System *c*)

11.35.3.130 native Poly_Con_Relation parma_polyhedra_library::Int8_Box::relation_with (Congruence *c*)

11.35.3.131 native Poly_Gen_Relation parma_polyhedra_library::Int8_Box::relation_with (Generator *c*)

11.35.3.132 native Poly_Con_Relation parma_polyhedra_library::Int8_Box::relation_with (Constraint *c*)

11.35.3.133 native void parma_polyhedra_library::Int8_Box::remove_higher_space_dimensions (long *new_dimension*)

11.35.3.134 native void parma_polyhedra_library::Int8_Box::remove_space_dimensions (Variables_Set *vars*)

11.35.3.135 native boolean parma_polyhedra_library::Int8_Box::simplify_using_context_assign (Int8_Box *p*)

11.35.3.136 native long parma_polyhedra_library::Int8_Box::space_dimension ()

11.35.3.137 native boolean parma_polyhedra_library::Int8_Box::strictly_contains (Int8_Box *y*)

11.35.3.138 native void parma_polyhedra_library::Int8_Box::swap (Int8_Box *y*)

11.35.3.139 native void parma_polyhedra_library::Int8_Box::time_elapse_assign (Int8_Box *p*)

11.35.3.140 native void parma_polyhedra_library::Int8_Box::topological_closure_assign ()

11.35.3.141 native String parma_polyhedra_library::Int8_Box::toString ()

11.35.3.142 native long parma_polyhedra_library::Int8_Box::total_memory_in_bytes ()

11.35.3.143 native void parma_polyhedra_library::Int8_Box::unconstrain_space_dimension (Variable *var*)

11.35.3.144 native void parma_polyhedra_library::Int8_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.35.3.145 native void parma_polyhedra_library::Int8_Box::upper_bound_assign (Int8_Box *p*)

11.35.3.146 native boolean parma_polyhedra_library::Int8_Box::upper_bound_assign_if_exact (Int8_Box *y*)

11.35.3.147 native void parma_polyhedra_library::Int8_Box::widening_assign (Int8_Box *y*, By_Reference< Integer > *tp*)

11.35.3.148 native void parma_polyhedra_library::Int8_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- Int8_Box.java

11.36 parma_polyhedra_library::Invalid_Argument_Exception Class Reference

Exceptions caused by invalid arguments.

Public Member Functions

- Invalid_Argument_Exception (String s)

  Constructor.

11.36.1 Detailed Description

Exceptions caused by invalid arguments.

Definition at line 29 of file Invalid_Argument_Exception.java.

11.36.2 Constructor & Destructor Documentation

11.36.2.1 parma_polyhedra_library::Invalid_Argument_Exception::Invalid_Argument_Exception (String *s*) [inline]

Constructor.

Definition at line 31 of file Invalid_Argument_Exception.java.

The documentation for this class was generated from the following file:

- Invalid_Argument_Exception.java

11.37 parma_polyhedra_library::IO Class Reference

A class collecting I/O functions.

Static Public Member Functions

- static native String wrap_string (String str, int indent_depth, int preferred_first_line_length, int preferred_line_length)

  Utility function for the wrapping of lines of text.

11.37.1 Detailed Description

A class collecting I/O functions.

Definition at line 28 of file IO.java.

11.37.2 Member Function Documentation

11.37.2.1 static native String parma_polyhedra_library::IO::wrap_string (String *str*, int *indent_depth*, int *preferred_first_line_length*, int *preferred_line_length*) [static]

Utility function for the wrapping of lines of text.

Parameters

str The source string holding the lines to wrap.

indent_depth The indentation depth.

preferred_first_line_length The preferred length for the first line of text.

preferred_line_length The preferred length for all the lines but the first one.

Returns

The wrapped string.

The documentation for this class was generated from the following file:

- IO.java

11.38 Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache Class Reference

A cache for global references to Java classes.

`#include <ppl_java_common.defs.hh>`

Public Member Functions

- Java_Class_Cache ()
  Default constructor.
- void init_cache (JNIEnv *env)
  Initializes all cache fields.
- void clear_cache (JNIEnv *env)
  Resets all fields to `NULL`.

Public Attributes

- jclass Boolean
- jclass Integer
- jclass Long
- jclass Iterator
- jclass Artificial_Parameter
- jclass Artificial_Parameter_Sequence
- jclass Bounded_Integer_Type_Overflow
- jclass Bounded_Integer_Type_Representation
- jclass Bounded_Integer_Type_Width
- jclass By_Reference
- jclass Coefficient
- jclass Congruence
- jclass Constraint
- jclass Generator
- jclass Grid_Generator
- jclass Generator_Type
- jclass Grid_Generator_Type
- jclass Constraint_System
- jclass Congruence_System

- jclass Generator_System
- jclass Grid_Generator_System
- jclass Linear_Expression
- jclass Linear_Expression_Coefficient
- jclass Linear_Expression_Difference
- jclass Linear_Expression_Sum
- jclass Linear_Expression_Times
- jclass Linear_Expression_Unary_Minus
- jclass Linear_Expression_Variable
- jclass MIP_Problem_Status
- jclass Optimization_Mode
- jclass Pair
- jclass PIP_Problem_Control_Parameter_Name
- jclass PIP_Problem_Control_Parameter_Value
- jclass PIP_Problem_Status
- jclass Poly_Con_Relation
- jclass Poly_Gen_Relation
- jclass PPL_Object
- jclass Relation_Symbol
- jclass Variable
- jclass Variables_Set

Private Member Functions

- void init_cache (JNIEnv *env, jclass &field, const char *name)

  Sets `field` to a global reference to Java class called `name`.

- void clear_cache (JNIEnv *env, jclass &field)

  Resets `field` to `NULL`, deleting the global reference (if any).

- Java_Class_Cache (const Java_Class_Cache &)
- Java_Class_Cache & operator= (const Java_Class_Cache &)

11.38.1 Detailed Description

A cache for global references to Java classes. The cache is loaded by `Parma_Polyhedra_Library.initialize_library();` It is cleared by `Parma_Polyhedra_Library.finalize_library().`

Definition at line 193 of file ppl_java_common.defs.hh.

11.38.2 Constructor & Destructor Documentation

11.38.2.1 Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Java_Class_Cache ()

Default constructor.

Definition at line 31 of file ppl_java_common.cc.

References Artificial_Parameter, Artificial_Parameter_Sequence, Boolean, Bounded_Integer_Type_-Overflow, Bounded_Integer_Type_Representation, Bounded_Integer_Type_Width, By_Reference, Coefficient, Congruence, Congruence_System, Constraint, Constraint_System, Generator, Generator_-System, Generator_Type, Grid_Generator, Grid_Generator_System, Grid_Generator_Type, Integer, Iterator, Linear_Expression, Linear_Expression_Coefficient, Linear_Expression_Difference, Linear_-Expression_Sum, Linear_Expression_Times, Linear_Expression_Unary_Minus, Linear_Expression_-Variable, Long, MIP_Problem_Status, Optimization_Mode, Pair, PIP_Problem_Control_Parameter_-Name, PIP_Problem_Control_Parameter_Value, PIP_Problem_Status, Poly_Con_Relation, Poly_Gen_-Relation, PPL_Object, and Relation_Symbol.

11.38.2.2 Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Java_Class_Cache (const Java_Class_Cache &) [private]

11.38.3 Member Function Documentation

11.38.3.1 void Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::clear_cache (JNIEnv * *env*, jclass & *field*) [private]

Resets `field` to `NULL`, deleting the global reference (if any).

Definition at line 157 of file ppl_java_common.cc.

11.38.3.2 void Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::clear_cache (JNIEnv * *env*)

Resets all fields to `NULL`.

Definition at line 166 of file ppl_java_common.cc.

Referenced by Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_finalize_1library().

11.38.3.3 void Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::init_cache (JNIEnv * *env*, jclass & *field*, const char * *name*) [private]

Sets `field` to a global reference to Java class called `name`.

Definition at line 77 of file ppl_java_common.cc.

11.38.3.4 void Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::init_cache (JNIEnv * *env*)

Initializes all cache fields.

Definition at line 89 of file ppl_java_common.cc.

Referenced by Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_initialize_1library().

11.38.3.5 Java_Class_Cache& Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::operator= (const Java_Class_Cache &) [private]

11.38.4 Member Data Documentation

11.38.4.1 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Artificial_Parameter

Definition at line 201 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.2 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Artificial_Parameter_Sequence

Definition at line 202 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache(), and Java_parma_1polyhedra_1library_PIP_1Tree_1Node_artificials().

11.38.4.3 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Boolean

Definition at line 196 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache(), and Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.38.4.4 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Bounded_Integer_Type_Overflow

Definition at line 203 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.5 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Bounded_Integer_Type_Representation

Definition at line 204 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.6 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Bounded_Integer_Type_Width

Definition at line 205 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.7 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::By_Reference

Definition at line 206 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.8 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Coefficient

Definition at line 207 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff(), and Java_Class_Cache().

11.38.4.9 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Congruence

Definition at line 208 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.10 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Congruence_System

Definition at line 215 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.11 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Constraint

Definition at line 209 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.12 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Constraint_System

Definition at line 214 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache(), Java_parma_1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_constraints(), and Java_parma_1polyhedra_1library_-PIP_1Tree_1Node_constraints().

11.38.4.13 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Generator

Definition at line 210 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.14 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Generator_-System

Definition at line 216 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.15 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Generator_-Type

Definition at line 212 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.16 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Grid_-Generator

Definition at line 211 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.17 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Grid_-Generator_System

Definition at line 217 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.18 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Grid_-Generator_Type

Definition at line 213 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.19 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Integer

Definition at line 197 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache(), and Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.38.4.20 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Iterator

Definition at line 199 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache(), and Java_parma_1polyhedra_1library_Constraint_1System_initIDs().

11.38.4.21 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression

Definition at line 218 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.22 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression_Coefficient

Definition at line 219 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression(), Java_Class_Cache(), and Java_parma_1polyhedra_1library_MIP_1Problem_objective_1function().

11.38.4.23 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression_Difference

Definition at line 220 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.24 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression_Sum

Definition at line 221 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.25 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_-Expression_Times

Definition at line 222 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression(), and Java_Class_-Cache().

11.38.4.26 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_-Expression_Unary_Minus

Definition at line 223 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.27 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_-Expression_Variable

Definition at line 224 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.28 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Long

Definition at line 198 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache(), and Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.38.4.29 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::MIP_-Problem_Status

Definition at line 225 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.30 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_-Cache::Optimization_Mode

Definition at line 226 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.31 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Pair

Definition at line 227 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.32 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::PIP_-Problem_Control_Parameter_Name

Definition at line 228 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.33 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::PIP_-Problem_Control_Parameter_Value

Definition at line 229 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.34 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::PIP_-Problem_Status

Definition at line 230 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.35 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Poly_Con_-Relation

Definition at line 231 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.36 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Poly_Gen_-Relation

Definition at line 232 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.37 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::PPL_Object

Definition at line 233 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.38 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Relation_-Symbol

Definition at line 234 of file ppl_java_common.defs.hh.

Referenced by Java_Class_Cache().

11.38.4.39 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Variable

Definition at line 235 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_java_variable().

11.38.4.40 jclass Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Variables_Set

Definition at line 236 of file ppl_java_common.defs.hh.

The documentation for this class was generated from the following files:

- ppl_java_common.defs.hh
- ppl_java_common.cc

11.39 Parma_Polyhedra_Library::Interfaces::Java::Java_ExceptionOccurred Struct Reference

`#include <ppl_java_common.defs.hh>`

11.39.1 Detailed Description

Definition at line 119 of file ppl_java_common.defs.hh.

The documentation for this struct was generated from the following file:

- ppl_java_common.defs.hh

11.40 Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache Struct Reference

A cache for field and method IDs of Java classes.

`#include <ppl_java_common.defs.hh>`

Public Attributes

- jmethodID Boolean_valueOf_ID
- jmethodID Boolean_boolValue_ID
- jmethodID Integer_valueOf_ID
- jmethodID Integer_intValue_ID
- jmethodID Long_valueOf_ID
- jmethodID Long_longValue_ID
- jfieldID Artificial_Parameter_le_ID
- jfieldID Artificial_Parameter_den_ID
- jmethodID Artificial_Parameter_init_ID
- jmethodID Artificial_Parameter_Sequence_init_ID
- jmethodID Artificial_Parameter_Sequence_add_ID
- jfieldID Bounded_Integer_Type_Overflow_OVERFLOW_WRAPS_ID
- jfieldID Bounded_Integer_Type_Overflow_OVERFLOW_UNDEFINED_ID
- jfieldID Bounded_Integer_Type_Overflow_OVERFLOW_IMPOSSIBLE_ID
- jmethodID Bounded_Integer_Type_Overflow_ordinal_ID
- jfieldID Bounded_Integer_Type_Representation_UNSIGNED_ID
- jfieldID Bounded_Integer_Type_Representation_SIGNED_2_COMPLEMENT_ID
- jmethodID Bounded_Integer_Type_Representation_ordinal_ID
- jfieldID Bounded_Integer_Type_Width_BITS_8_ID
- jfieldID Bounded_Integer_Type_Width_BITS_16_ID
- jfieldID Bounded_Integer_Type_Width_BITS_32_ID
- jfieldID Bounded_Integer_Type_Width_BITS_64_ID
- jfieldID Bounded_Integer_Type_Width_BITS_128_ID
- jmethodID Bounded_Integer_Type_Width_ordinal_ID
- jfieldID By_Reference_obj_ID
- jmethodID By_Reference_init_ID
- jfieldID Coefficient_value_ID
- jmethodID Coefficient_init_from_String_ID
- jmethodID Coefficient_toString_ID
- jmethodID Complexity_Class_ordinal_ID
- jfieldID Congruence_mod_ID
- jfieldID Congruence_lhs_ID
- jfieldID Congruence_rhs_ID
- jmethodID Congruence_init_ID
- jfieldID Constraint_lhs_ID
- jfieldID Constraint_rhs_ID
- jfieldID Constraint_kind_ID
- jmethodID Constraint_init_ID
- jmethodID Degenerate_Element_ordinal_ID
- jfieldID Generator_gt_ID
- jfieldID Generator_le_ID
- jfieldID Generator_div_ID
- jmethodID Generator_line_ID
- jmethodID Generator_ray_ID
- jmethodID Generator_point_ID
- jmethodID Generator_closure_point_ID
- jfieldID Grid_Generator_gt_ID
- jfieldID Grid_Generator_le_ID

- jfieldID Grid_Generator_div_ID
- jmethodID Grid_Generator_grid_line_ID
- jmethodID Grid_Generator_parameter_ID
- jmethodID Grid_Generator_grid_point_ID
- jmethodID Generator_Type_ordinal_ID
- jmethodID Grid_Generator_Type_ordinal_ID
- jmethodID Constraint_System_init_ID
- jmethodID Constraint_System_add_ID
- jmethodID Congruence_System_init_ID
- jmethodID Congruence_System_add_ID
- jmethodID Generator_System_init_ID
- jmethodID Generator_System_add_ID
- jmethodID Grid_Generator_System_init_ID
- jmethodID Grid_Generator_System_add_ID
- jmethodID System_iterator_ID
- jmethodID System_Iterator_has_next_ID
- jmethodID System_Iterator_next_ID
- jmethodID Linear_Expression_sum_ID
- jmethodID Linear_Expression_times_ID
- jfieldID Linear_Expression_Coefficient_coeff_ID
- jmethodID Linear_Expression_Coefficient_init_ID
- jfieldID Linear_Expression_Difference_lhs_ID
- jfieldID Linear_Expression_Difference_rhs_ID
- jfieldID Linear_Expression_Sum_lhs_ID
- jfieldID Linear_Expression_Sum_rhs_ID
- jfieldID Linear_Expression_Times_coeff_ID
- jfieldID Linear_Expression_Times_lin_expr_ID
- jmethodID Linear_Expression_Times_init_from_coeff_var_ID
- jfieldID Linear_Expression_Unary_Minus_arg_ID
- jmethodID Linear_Expression_Variable_init_ID
- jmethodID Linear_Expression_Variable_var_id_ID
- jfieldID MIP_Problem_Status_UNFEASIBLE_MIP_PROBLEM_ID
- jfieldID MIP_Problem_Status_UNBOUNDED_MIP_PROBLEM_ID
- jfieldID MIP_Problem_Status_OPTIMIZED_MIP_PROBLEM_ID
- jmethodID MIP_Problem_Status_ordinal_ID
- jfieldID Optimization_Mode_MAXIMIZATION_ID
- jfieldID Optimization_Mode_MINIMIZATION_ID
- jmethodID Optimization_Mode_ordinal_ID
- jfieldID PIP_Problem_Control_Parameter_Name_CUTTING_STRATEGY_ID
- jfieldID PIP_Problem_Control_Parameter_Name_PIVOT_ROW_STRATEGY
- jmethodID PIP_Problem_Control_Parameter_Name_ordinal_ID
- jfieldID PIP_Problem_Control_Parameter_Value_CUTTING_STRATEGY_FIRST_ID
- jfieldID PIP_Problem_Control_Parameter_Value_CUTTING_STRATEGY_DEEPEST_ID
- jfieldID PIP_Problem_Control_Parameter_Value_CUTTING_STRATEGY_ALL_ID
- jfieldID PIP_Problem_Control_Parameter_Value_PIVOT_ROW_STRATEGY_FIRST_ID
- jfieldID PIP_Problem_Control_Parameter_Value_PIVOT_ROW_STRATEGY_MAX_COLUMN_-ID
- jmethodID PIP_Problem_Control_Parameter_Value_ordinal_ID
- jfieldID PIP_Problem_Status_UNFEASIBLE_PIP_PROBLEM_ID
- jfieldID PIP_Problem_Status_OPTIMIZED_PIP_PROBLEM_ID

- jmethodID PIP_Problem_Status_ordinal_ID
- jfieldID Pair_first_ID
- jfieldID Pair_second_ID
- jmethodID Poly_Con_Relation_init_ID
- jmethodID Poly_Gen_Relation_init_ID
- jfieldID PPL_Object_ptr_ID
- jfieldID Relation_Symbol_EQUAL_ID
- jfieldID Relation_Symbol_GREATER_OR_EQUAL_ID
- jfieldID Relation_Symbol_GREATER_THAN_ID
- jmethodID Relation_Symbol_ordinal_ID
- jfieldID Variable_varid_ID
- jmethodID Variable_init_ID
- jmethodID Variables_Set_init_ID
- jmethodID Variables_Set_add_ID
- jmethodID Variables_Set_iterator_ID
- jmethodID Variables_Set_Iterator_has_next_ID
- jmethodID Variables_Set_Iterator_next_ID

11.40.1 Detailed Description

A cache for field and method IDs of Java classes. The IDs for fields and methods of PPL Java classes are automatically by the static initializer of the corresponding Java class. The static initializers of some PPL Java class also stores the IDs for fields and methods of non-PPL classes (e.g., Boolean, Long, etc.).

Definition at line 267 of file ppl_java_common.defs.hh.

11.40.2 Member Data Documentation

11.40.2.1 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_den_ID

Definition at line 279 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_initIDs().

11.40.2.2 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_init_ID

Definition at line 280 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_initIDs().

11.40.2.3 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_le_ID

Definition at line 278 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_initIDs().

11.40.2.4 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Artificial_Parameter_Sequence_add_ID

Definition at line 282 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_1Sequence_initIDs(), and Java_-parma_1polyhedra_1library_PIP_1Tree_1Node_artificials().

11.40.2.5 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Artificial_Parameter_Sequence_init_ID

Definition at line 281 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_1Sequence_initIDs(), and Java_-parma_1polyhedra_1library_PIP_1Tree_1Node_artificials().

11.40.2.6 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Boolean_boolValue_ID

Definition at line 270 of file ppl_java_common.defs.hh.

11.40.2.7 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Boolean_valueOf_ID

Definition at line 269 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.40.2.8 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Bounded_Integer_Type_Overflow_ordinal_ID

Definition at line 287 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Overflow_initIDs().

11.40.2.9 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Overflow_OVERFLOW_IMPOSSIBLE_ID

Definition at line 286 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Overflow_initIDs().

11.40.2.10 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Overflow_OVERFLOW_UNDEFINED_ID

Definition at line 285 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Overflow_initIDs().

11.40.2.11 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Overflow_OVERFLOW_WRAPS_ID

Definition at line 284 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Overflow_initIDs().

11.40.2.12 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Representation_ordinal_ID

Definition at line 291 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Representation_initIDs().

11.40.2.13 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Representation_SIGNED_2_COMPLEMENT_ID

Definition at line 290 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Representation_initIDs().

11.40.2.14 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Representation_UNSIGNED_ID

Definition at line 289 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Representation_initIDs().

11.40.2.15 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Width_BITS_128_ID

Definition at line 297 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs().

11.40.2.16 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Width_BITS_16_ID

Definition at line 294 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs().

11.40.2.17 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Width_BITS_32_ID

Definition at line 295 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs().

11.40.2.18 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Width_BITS_64_ID

Definition at line 296 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs().

11.40.2.19 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Width_BITS_8_ID

Definition at line 293 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs().

11.40.2.20 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Bounded_Integer_Type_Width_ordinal_ID

Definition at line 298 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs().

11.40.2.21 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::By_-Reference_init_ID

Definition at line 301 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_By_1Reference_initIDs().

11.40.2.22 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::By_-Reference_obj_ID

Definition at line 300 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::get_by_reference(), Java_parma_-1polyhedra_1library_By_1Reference_initIDs(), and Parma_Polyhedra_Library::Interfaces::Java::set_by_-reference().

11.40.2.23 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Coefficient_init_from_String_ID

Definition at line 304 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff(), and Java_parma_-1polyhedra_1library_Coefficient_initIDs().

11.40.2.24 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Coefficient_toString_ID

Definition at line 305 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_coeff(), and Java_parma_-1polyhedra_1library_Coefficient_initIDs().

11.40.2.25 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Coefficient_value_ID

Definition at line 303 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Coefficient_initIDs(), and Parma_Polyhedra_-Library::Interfaces::Java::set_coefficient().

11.40.2.26 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Complexity_Class_ordinal_ID

Definition at line 307 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Complexity_1Class_initIDs().

11.40.2.27 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Congruence_init_ID

Definition at line 312 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Congruence_initIDs().

11.40.2.28 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Congruence_lhs_ID

Definition at line 310 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Congruence_initIDs().

11.40.2.29 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Congruence_mod_ID

Definition at line 309 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Congruence_initIDs().

11.40.2.30 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Congruence_rhs_ID

Definition at line 311 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Congruence_initIDs().

11.40.2.31 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Congruence_System_add_ID

Definition at line 342 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Congruence_1System_initIDs().

11.40.2.32 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Congruence_System_init_ID

Definition at line 341 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Congruence_1System_initIDs().

11.40.2.33 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Constraint_init_ID

Definition at line 317 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Constraint_initIDs().

11.40.2.34 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Constraint_kind_ID

Definition at line 316 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Constraint_initIDs().

11.40.2.35 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Constraint_lhs_ID

Definition at line 314 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Constraint_initIDs().

11.40.2.36 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Constraint_rhs_ID

Definition at line 315 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Constraint_initIDs().

11.40.2.37 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Constraint_System_add_ID

Definition at line 340 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Constraint_1System_initIDs(), Java_parma_-1polyhedra_1library_MIP_1Problem_constraints(), and Java_parma_1polyhedra_1library_PIP_-1Problem_constraints().

11.40.2.38 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Constraint_System_init_ID

Definition at line 339 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Constraint_1System_initIDs(), Java_parma_-1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_-constraints(), and Java_parma_1polyhedra_1library_PIP_1Tree_1Node_constraints().

11.40.2.39 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Degenerate_Element_ordinal_ID

Definition at line 319 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Degenerate_1Element_initIDs().

11.40.2.40 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_closure_point_ID

Definition at line 327 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.41 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_div_ID

Definition at line 323 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.42 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_gt_ID

Definition at line 321 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.43 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_le_ID

Definition at line 322 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.44 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_line_ID

Definition at line 324 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.45 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_point_ID

Definition at line 326 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.46 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_ray_ID

Definition at line 325 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_initIDs().

11.40.2.47 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_System_add_ID

Definition at line 344 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_1System_initIDs().

11.40.2.48 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_System_init_ID

Definition at line 343 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_1System_initIDs().

11.40.2.49 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Generator_Type_ordinal_ID

Definition at line 336 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Generator_1Type_initIDs().

11.40.2.50 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_-Generator_div_ID

Definition at line 331 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_initIDs().

11.40.2.51 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_-Generator_grid_line_ID

Definition at line 332 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_initIDs().

11.40.2.52 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_grid_point_ID

Definition at line 334 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_initIDs().

11.40.2.53 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_gt_ID

Definition at line 329 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_initIDs().

11.40.2.54 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_le_ID

Definition at line 330 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_initIDs().

11.40.2.55 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_parameter_ID

Definition at line 333 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_initIDs().

11.40.2.56 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_System_add_ID

Definition at line 346 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_1System_initIDs().

11.40.2.57 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_System_init_ID

Definition at line 345 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_1System_initIDs().

11.40.2.58 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_Type_ordinal_ID

Definition at line 337 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Grid_1Generator_1Type_initIDs().

11.40.2.59 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Integer_intValue_ID

Definition at line 272 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.40.2.60 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Integer_valueOf_ID

Definition at line 271 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.40.2.61 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Coefficient_coeff_ID

Definition at line 355 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Coefficient_initIDs().

11.40.2.62 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Coefficient_init_ID

Definition at line 356 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression(), Java_parma_1polyhedra_1library_Linear_1Expression_1Coefficient_initIDs(), and Java_parma_1polyhedra_1library_MIP_1Problem_objective_1function().

11.40.2.63 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Difference_lhs_ID

Definition at line 357 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Difference_initIDs().

11.40.2.64 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_-Expression_Difference_rhs_ID

Definition at line 358 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Difference_initIDs().

11.40.2.65 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Linear_Expression_sum_ID

Definition at line 352 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression(), Java_parma_-1polyhedra_1library_Linear_1Expression_initIDs(), and Java_parma_1polyhedra_1library_MIP_-1Problem_objective_1function().

11.40.2.66 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_-Expression_Sum_lhs_ID

Definition at line 359 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Sum_initIDs().

11.40.2.67 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_-Expression_Sum_rhs_ID

Definition at line 360 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Sum_initIDs().

11.40.2.68 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_-Expression_Times_coeff_ID

Definition at line 361 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Times_initIDs().

11.40.2.69 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Linear_Expression_times_ID

Definition at line 353 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_initIDs().

11.40.2.70 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Linear_Expression_Times_init_from_coeff_var_ID

Definition at line 363 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression(), and Java_parma_-1polyhedra_1library_Linear_1Expression_1Times_initIDs().

11.40.2.71 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_-Expression_Times_lin_expr_ID

Definition at line 362 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Times_initIDs().

11.40.2.72 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_-Expression_Unary_Minus_arg_ID

Definition at line 364 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Unary_1Minus_initIDs().

11.40.2.73 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Linear_Expression_Variable_init_ID

Definition at line 365 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Variable_initIDs().

11.40.2.74 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Linear_Expression_Variable_var_id_ID

Definition at line 366 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Linear_1Expression_1Variable_initIDs().

11.40.2.75 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Long_-longValue_ID

Definition at line 274 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.40.2.76 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Long_-valueOf_ID

Definition at line 273 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Coefficient_initIDs().

11.40.2.77 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_-Problem_Status_OPTIMIZED_MIP_PROBLEM_ID

Definition at line 370 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_1Status_initIDs().

11.40.2.78 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_-Problem_Status_ordinal_ID

Definition at line 371 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_1Status_initIDs().

11.40.2.79 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_-Problem_Status_UNBOUNDED_MIP_PROBLEM_ID

Definition at line 369 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_1Status_initIDs().

11.40.2.80 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_-Problem_Status_UNFEASIBLE_MIP_PROBLEM_ID

Definition at line 368 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_1Status_initIDs().

11.40.2.81 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Optimization_Mode_MAXIMIZATION_ID

Definition at line 373 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Optimization_1Mode_initIDs().

11.40.2.82 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Optimization_Mode_MINIMIZATION_ID

Definition at line 374 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Optimization_1Mode_initIDs().

11.40.2.83 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Optimization_Mode_ordinal_ID

Definition at line 375 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Optimization_1Mode_initIDs().

11.40.2.84 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Pair_first_-ID

Definition at line 392 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Pair_initIDs().

11.40.2.85 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Pair_-second_ID

Definition at line 393 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Pair_initIDs().

11.40.2.86 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Name_CUTTING_STRATEGY_ID

Definition at line 377 of file ppl_java_common.defs.hh.

11.40.2.87 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Name_ordinal_ID

Definition at line 379 of file ppl_java_common.defs.hh.

11.40.2.88 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Name_PIVOT_ROW_STRATEGY

Definition at line 378 of file ppl_java_common.defs.hh.

11.40.2.89 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Value_CUTTING_STRATEGY_ALL_ID

Definition at line 383 of file ppl_java_common.defs.hh.

11.40.2.90 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Value_CUTTING_STRATEGY_DEEPEST_ID

Definition at line 382 of file ppl_java_common.defs.hh.

11.40.2.91 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Value_CUTTING_STRATEGY_FIRST_ID

Definition at line 381 of file ppl_java_common.defs.hh.

11.40.2.92 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Value_ordinal_ID

Definition at line 386 of file ppl_java_common.defs.hh.

11.40.2.93 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Value_PIVOT_ROW_STRATEGY_FIRST_ID

Definition at line 384 of file ppl_java_common.defs.hh.

11.40.2.94 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Control_Parameter_Value_PIVOT_ROW_STRATEGY_MAX_COLUMN_-ID

Definition at line 385 of file ppl_java_common.defs.hh.

11.40.2.95 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Status_OPTIMIZED_PIP_PROBLEM_ID

Definition at line 389 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs().

11.40.2.96 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Status_ordinal_ID

Definition at line 390 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs().

11.40.2.97 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_-Problem_Status_UNFEASIBLE_PIP_PROBLEM_ID

Definition at line 388 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs().

11.40.2.98 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Poly_-Con_Relation_init_ID

Definition at line 395 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Poly_1Con_1Relation_initIDs().

11.40.2.99 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Poly_-Gen_Relation_init_ID

Definition at line 396 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Poly_1Gen_1Relation_initIDs().

11.40.2.100 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PPL_-Object_ptr_ID

Definition at line 398 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked(), Java_parma_1polyhedra_1library_PPL_1Object_initIDs(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

11.40.2.101 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Relation_Symbol_EQUAL_ID

Definition at line 400 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Relation_1Symbol_initIDs().

11.40.2.102 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Relation_Symbol_GREATER_OR_EQUAL_ID

Definition at line 401 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Relation_1Symbol_initIDs().

11.40.2.103 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Relation_Symbol_GREATER_THAN_ID

Definition at line 402 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Relation_1Symbol_initIDs().

11.40.2.104 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Relation_Symbol_ordinal_ID

Definition at line 403 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Relation_1Symbol_initIDs().

11.40.2.105 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::System_Iterator_has_next_ID

Definition at line 349 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_system(), and Java_parma_-1polyhedra_1library_Constraint_1System_initIDs().

11.40.2.106 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::System_iterator_ID

Definition at line 348 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_system(), and Java_parma_-1polyhedra_1library_Constraint_1System_initIDs().

11.40.2.107 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::System_Iterator_next_ID

Definition at line 350 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_system(), and Java_parma_-1polyhedra_1library_Constraint_1System_initIDs().

11.40.2.108 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variable_init_ID

Definition at line 406 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_java_variable(), and Java_parma_-1polyhedra_1library_Variable_initIDs().

11.40.2.109 jfieldID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variable_varid_ID

Definition at line 405 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variable(), and Java_parma_-1polyhedra_1library_Variable_initIDs().

11.40.2.110 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variables_Set_add_ID

Definition at line 409 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Variables_1Set_initIDs().

11.40.2.111 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variables_Set_init_ID

Definition at line 408 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Variables_1Set_initIDs().

11.40.2.112 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variables_Set_Iterator_has_next_ID

Definition at line 412 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Variables_1Set_initIDs().

11.40.2.113 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variables_Set_iterator_ID

Definition at line 410 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Variables_1Set_initIDs().

11.40.2.114 jmethodID Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Variables_Set_Iterator_next_ID

Definition at line 413 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Variables_1Set_initIDs().

The documentation for this struct was generated from the following file:

- ppl_java_common.defs.hh

11.41 parma_polyhedra_library::Length_Error_Exception Class Reference

Exceptions caused by too big length/size values.

Public Member Functions

- Length_Error_Exception (String s)

  Constructor.

11.41.1 Detailed Description

Exceptions caused by too big length/size values.

Definition at line 28 of file Length_Error_Exception.java.

11.41.2 Constructor & Destructor Documentation

11.41.2.1 parma_polyhedra_library::Length_Error_Exception::Length_Error_Exception (String *s*) `[inline]`

Constructor.

Definition at line 30 of file Length_Error_Exception.java.


The documentation for this class was generated from the following file:

- Length_Error_Exception.java

11.42 parma_polyhedra_library::Linear_Expression Class Reference

A linear expression.

Inheritance diagram for parma_polyhedra_library::Linear_Expression:



Public Member Functions

- Linear_Expression sum (Linear_Expression y)
  Returns the sum of `this` *and* `y`.
- Linear_Expression subtract (Linear_Expression y)
  Returns the difference of `this` *and* `y`.
- Linear_Expression times (Coefficient c)
  Returns the product of `this` *times* `c`.
- Linear_Expression unary_minus ()
  Returns the negation of `this`.
- abstract Linear_Expression clone ()
  Returns a copy of the linear expression.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.
- native boolean is_zero ()
  Returns `true` *if and only if* `*this` *is* 0.
- native boolean all_homogeneous_terms_are_zero ()
  Returns `true` *if and only if all the homogeneous terms of* `*this` *are* 0.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.42.1 Detailed Description

A linear expression. An object of the class Linear_Expression represents a linear expression that can be built from a Linear_Expression_Variable, Linear_Expression_Coefficient, Linear_Expression_Sum, Linear_Expression_Difference, Linear_Expression_Unary_Minus.

Definition at line 36 of file Linear_Expression.java.

11.42.2 Member Function Documentation

11.42.2.1 parma_polyhedra_library::Linear_Expression::[static initializer] () [inline, static, package]

Reimplemented in parma_polyhedra_library::Linear_Expression_Coefficient, parma_polyhedra_library::Linear_Expression_Difference, parma_polyhedra_library::Linear_Expression_Sum, parma_polyhedra_library::Linear_Expression_Times, parma_polyhedra_library::Linear_Expression_Unary_Minus, and parma_polyhedra_library::Linear_Expression_Variable.

11.42.2.2 native boolean parma_polyhedra_library::Linear_Expression::all_homogeneous_terms_are_zero ()

Returns `true` if and only if all the homogeneous terms of `*this` are 0.

11.42.2.3 native String parma_polyhedra_library::Linear_Expression::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.42.2.4 abstract Linear_Expression parma_polyhedra_library::Linear_Expression::clone () [pure virtual]

Returns a copy of the linear expression.

Implemented in parma_polyhedra_library::Linear_Expression_Coefficient, parma_polyhedra_library::Linear_Expression_Difference, parma_polyhedra_library::Linear_Expression_Sum, parma_polyhedra_library::Linear_Expression_Times, parma_polyhedra_library::Linear_Expression_Unary_Minus, and parma_polyhedra_library::Linear_Expression_Variable.

Referenced by parma_polyhedra_library::Artificial_Parameter::Artificial_Parameter(), parma_polyhedra_library::Congruence::Congruence(), parma_polyhedra_library::Constraint::Constraint(), parma_polyhedra_library::Generator::Generator(), parma_polyhedra_library::Grid_Generator::Grid_Generator(), parma_polyhedra_library::Linear_Expression_Difference::Linear_Expression_Difference(),

parma_polyhedra_library::Linear_Expression_Sum::Linear_Expression_Sum(), parma_polyhedra_library::Linear_Expression_Times::Linear_Expression_Times(), and parma_polyhedra_library::Linear_Expression_Unary_Minus::Linear_Expression_Unary_Minus().

11.42.2.5 static native void parma_polyhedra_library::Linear_Expression::initIDs () [static, private]

Reimplemented in parma_polyhedra_library::Linear_Expression_Coefficient, parma_polyhedra_library::Linear_Expression_Difference, parma_polyhedra_library::Linear_Expression_Sum, parma_polyhedra_library::Linear_Expression_Times, parma_polyhedra_library::Linear_Expression_Unary_Minus, and parma_polyhedra_library::Linear_Expression_Variable.

11.42.2.6 native boolean parma_polyhedra_library::Linear_Expression::is_zero ()

Returns `true` if and only if `*this` is 0.

11.42.2.7 Linear_Expression parma_polyhedra_library::Linear_Expression::subtract (Linear_Expression *y*) [inline]

Returns the difference of `this` and `y`.

Definition at line 44 of file Linear_Expression.java.

11.42.2.8 Linear_Expression parma_polyhedra_library::Linear_Expression::sum (Linear_Expression *y*) [inline]

Returns the sum of `this` and `y`.

Definition at line 39 of file Linear_Expression.java.

11.42.2.9 Linear_Expression parma_polyhedra_library::Linear_Expression::times (Coefficient *c*) [inline]

Returns the product of `this` times `c`.

Definition at line 49 of file Linear_Expression.java.

11.42.2.10 native String parma_polyhedra_library::Linear_Expression::toString ()

Returns a string representation of `this`.

11.42.2.11 Linear_Expression parma_polyhedra_library::Linear_Expression::unary_minus () [inline]

Returns the negation of `this`.

Definition at line 54 of file Linear_Expression.java.


The documentation for this class was generated from the following file:

- Linear_Expression.java


11.43 parma_polyhedra_library::Linear_Expression_Coefficient Class Reference

A linear expression built from a coefficient.

Inheritance diagram for parma_polyhedra_library::Linear_Expression_Coefficient:



Collaboration diagram for parma_polyhedra_library::Linear_Expression_Coefficient:



Public Member Functions

- Linear_Expression_Coefficient (Coefficient c)

  Builds the object corresponding to a copy of the coefficient c.

- Coefficient argument ()

Returns coefficient representing the linear expression.

- Linear_Expression_Coefficient clone ()

  Builds a copy of this.

Protected Attributes

- Coefficient coeff

  The coefficient representing the linear expression.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.43.1 Detailed Description

A linear expression built from a coefficient.

Definition at line 28 of file Linear_Expression_Coefficient.java.

11.43.2 Constructor & Destructor Documentation

11.43.2.1 parma_polyhedra_library::Linear_Expression_Coefficient::Linear_Expression_Coefficient (Coefficient *c*) [inline]

Builds the object corresponding to a copy of the coefficient `c`.

Definition at line 35 of file Linear_Expression_Coefficient.java.

References coeff.

Referenced by clone().

11.43.3 Member Function Documentation

11.43.3.1 parma_polyhedra_library::Linear_Expression_Coefficient::[static initializer] () [inline, static, package]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.43.3.2 Coefficient parma_polyhedra_library::Linear_Expression_Coefficient::argument () [inline]

Returns coefficient representing the linear expression.

Definition at line 40 of file Linear_Expression_Coefficient.java.

References coeff.

11.43.3.3 Linear_Expression_Coefficient parma_polyhedra_library::Linear_Expression_Coefficient::clone () [inline, virtual]

Builds a copy of this.

Implements parma_polyhedra_library::Linear_Expression.

Definition at line 45 of file Linear_Expression_Coefficient.java.

References coeff, and Linear_Expression_Coefficient().

11.43.3.4 static native void parma_polyhedra_library::Linear_Expression_Coefficient::initIDs () [static, private]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.43.4 Member Data Documentation

11.43.4.1 Coefficient parma_polyhedra_library::Linear_Expression_Coefficient::coeff [protected]

The coefficient representing the linear expression.

Definition at line 32 of file Linear_Expression_Coefficient.java.

Referenced by argument(), clone(), and Linear_Expression_Coefficient().


The documentation for this class was generated from the following file:

- Linear_Expression_Coefficient.java


11.44 parma_polyhedra_library::Linear_Expression_Difference Class Reference

The difference of two linear expressions.

Inheritance diagram for parma_polyhedra_library::Linear_Expression_Difference:



Collaboration diagram for parma_polyhedra_library::Linear_Expression_Difference:



Public Member Functions

- Linear_Expression_Difference (Linear_Expression x, Linear_Expression y)

  Builds an object that represents the difference of the copy `x` *and* `y`*.*

- Linear_Expression left_hand_side ()

  Returns the left hand side of `this`*.*

- Linear_Expression right_hand_side ()

  Returns the left hand side of `this`*.*

- Linear_Expression_Difference clone ()

  Builds a copy of this.

Protected Attributes

- Linear_Expression lhs

  The value of the left hand side of `this`*.*

- Linear_Expression rhs

  The value of the right hand side of `this`*.*

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.44.1 Detailed Description

The difference of two linear expressions.

Definition at line 28 of file Linear_Expression_Difference.java.

11.44.2 Constructor & Destructor Documentation

11.44.2.1 parma_polyhedra_library::Linear_Expression_Difference::Linear_Expression_Difference (Linear_Expression *x*, Linear_Expression *y*) [inline]

Builds an object that represents the difference of the copy `x` and `y`.

Definition at line 41 of file Linear_Expression_Difference.java.

References parma_polyhedra_library::Linear_Expression::clone(), lhs, and rhs.

Referenced by clone().

11.44.3 Member Function Documentation

11.44.3.1 parma_polyhedra_library::Linear_Expression_Difference::[static initializer] () [inline, static, package]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.44.3.2 Linear_Expression_Difference parma_polyhedra_library::Linear_Expression_Difference::clone () [inline, virtual]

Builds a copy of this.

Implements parma_polyhedra_library::Linear_Expression.

Definition at line 58 of file Linear_Expression_Difference.java.

References lhs, Linear_Expression_Difference(), and rhs.

11.44.3.3 static native void parma_polyhedra_library::Linear_Expression_Difference::initIDs () [static, private]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.44.3.4 Linear_Expression parma_polyhedra_library::Linear_Expression_Difference::left_hand_side () [inline]

Returns the left hand side of `this`.

Definition at line 48 of file Linear_Expression_Difference.java.

References lhs.

11.44.3.5 Linear_Expression parma_polyhedra_library::Linear_Expression_Difference::right_hand_side () [inline]

Returns the left hand side of `this`.

Definition at line 53 of file Linear_Expression_Difference.java.

References rhs.

11.44.4 Member Data Documentation

11.44.4.1 Linear_Expression parma_polyhedra_library::Linear_Expression_Difference::lhs [protected]

The value of the left hand side of `this`.

Definition at line 32 of file Linear_Expression_Difference.java.

Referenced by clone(), left_hand_side(), and Linear_Expression_Difference().

11.44.4.2 Linear_Expression parma_polyhedra_library::Linear_Expression_Difference::rhs [protected]

The value of the right hand side of `this`.

Definition at line 35 of file Linear_Expression_Difference.java.

Referenced by clone(), Linear_Expression_Difference(), and right_hand_side().


The documentation for this class was generated from the following file:

- Linear_Expression_Difference.java


11.45 parma_polyhedra_library::Linear_Expression_Sum Class Reference

The sum of two linear expressions.

Inheritance diagram for parma_polyhedra_library::Linear_Expression_Sum:



Collaboration diagram for parma_polyhedra_library::Linear_Expression_Sum:



Public Member Functions

- Linear_Expression_Sum (Linear_Expression x, Linear_Expression y)

  Builds an object that represents the sum of the copy of `x` *and* `y`.

- Linear_Expression left_hand_side ()

  Returns the left hand side of `this`.

- Linear_Expression right_hand_side ()

  Returns the right hand side of `this`.

- Linear_Expression_Sum clone ()

  Builds a copy of this.

Protected Attributes

- Linear_Expression lhs

  The value of the left hand side of `this`.

- Linear_Expression rhs

  The value of the right hand side of `this`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.45.1 Detailed Description

The sum of two linear expressions.

Definition at line 28 of file Linear_Expression_Sum.java.

11.45.2 Constructor & Destructor Documentation

11.45.2.1 parma_polyhedra_library::Linear_Expression_Sum::Linear_Expression_Sum (Linear_Expression *x*, Linear_Expression *y*) [inline]

Builds an object that represents the sum of the copy of `x` and `y`.

Definition at line 38 of file Linear_Expression_Sum.java.

References parma_polyhedra_library::Linear_Expression::clone(), lhs, and rhs.

Referenced by clone().

11.45.3 Member Function Documentation

11.45.3.1 parma_polyhedra_library::Linear_Expression_Sum::[static initializer] () [inline, static, package]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.45.3.2 Linear_Expression_Sum parma_polyhedra_library::Linear_Expression_Sum::clone () [inline, virtual]

Builds a copy of this.

Implements parma_polyhedra_library::Linear_Expression.

Definition at line 54 of file Linear_Expression_Sum.java.

References lhs, Linear_Expression_Sum(), and rhs.

11.45.3.3 static native void parma_polyhedra_library::Linear_Expression_Sum::initIDs () [static, private]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.45.3.4 Linear_Expression parma_polyhedra_library::Linear_Expression_Sum::left_hand_side () [inline]

Returns the left hand side of `this`.

Definition at line 44 of file Linear_Expression_Sum.java.

References lhs.

11.45.3.5 Linear_Expression parma_polyhedra_library::Linear_Expression_Sum::right_hand_side () [inline]

Returns the right hand side of `this`.

Definition at line 49 of file Linear_Expression_Sum.java.

References rhs.

11.45.4 Member Data Documentation

11.45.4.1 Linear_Expression parma_polyhedra_library::Linear_Expression_Sum::lhs [protected]

The value of the left hand side of `this`.

Definition at line 32 of file Linear_Expression_Sum.java.

Referenced by clone(), left_hand_side(), and Linear_Expression_Sum().

11.45.4.2 Linear_Expression parma_polyhedra_library::Linear_Expression_Sum::rhs [protected]

The value of the right hand side of `this`.

Definition at line 35 of file Linear_Expression_Sum.java.

Referenced by clone(), Linear_Expression_Sum(), and right_hand_side().


The documentation for this class was generated from the following file:

- Linear_Expression_Sum.java


11.46 parma_polyhedra_library::Linear_Expression_Times Class Reference

The product of a linear expression and a coefficient.

Inheritance diagram for parma_polyhedra_library::Linear_Expression_Times:



Collaboration diagram for parma_polyhedra_library::Linear_Expression_Times:



Public Member Functions

- Linear_Expression_Times (Coefficient c, Variable v)

  Builds an object cloning the input arguments.

- Linear_Expression_Times (Coefficient c, Linear_Expression l)

  Builds an object cloning the input arguments.

- Linear_Expression_Times (Linear_Expression l, Coefficient c)

  Builds an object cloning the input arguments.

- Coefficient coefficient ()

  Returns the coefficient of `this`.

- Linear_Expression linear_expression ()

  Returns the linear expression subobject of `this`.

- Linear_Expression_Times clone ()

  Builds a copy of this.

Protected Attributes

- Coefficient coeff

  The value of the coefficient.

- Linear_Expression lin_expr

  The value of the inner linear expression.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.46.1 Detailed Description

The product of a linear expression and a coefficient.

Definition at line 28 of file Linear_Expression_Times.java.

11.46.2 Constructor & Destructor Documentation

11.46.2.1 parma_polyhedra_library::Linear_Expression_Times::Linear_Expression_Times (Coefficient *c*, Variable *v*) `[inline]`

Builds an object cloning the input arguments.

Definition at line 38 of file Linear_Expression_Times.java.

References coeff, and lin_expr.

Referenced by clone().

11.46.2.2 parma_polyhedra_library::Linear_Expression_Times::Linear_Expression_Times (Coefficient *c*, Linear_Expression *l*) `[inline]`

Builds an object cloning the input arguments.

Definition at line 44 of file Linear_Expression_Times.java.

References parma_polyhedra_library::Linear_Expression::clone(), coeff, and lin_expr.

11.46.2.3 parma_polyhedra_library::Linear_Expression_Times::Linear_Expression_Times (Linear_Expression *l*, Coefficient *c*) [inline]

Builds an object cloning the input arguments.

Definition at line 50 of file Linear_Expression_Times.java.

References parma_polyhedra_library::Linear_Expression::clone(), coeff, and lin_expr.

11.46.3 Member Function Documentation

11.46.3.1 parma_polyhedra_library::Linear_Expression_Times::[static initializer] () [inline, static, package]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.46.3.2 Linear_Expression_Times parma_polyhedra_library::Linear_Expression_Times::clone () [inline, virtual]

Builds a copy of this.

Implements parma_polyhedra_library::Linear_Expression.

Definition at line 66 of file Linear_Expression_Times.java.

References coeff, lin_expr, and Linear_Expression_Times().

11.46.3.3 Coefficient parma_polyhedra_library::Linear_Expression_Times::coefficient () [inline]

Returns the coefficient of `this`.

Definition at line 56 of file Linear_Expression_Times.java.

References coeff.

11.46.3.4 static native void parma_polyhedra_library::Linear_Expression_Times::initIDs () [static, private]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.46.3.5 Linear_Expression parma_polyhedra_library::Linear_Expression_Times::linear_expression () [inline]

Returns the linear expression subobject of `this`.

Definition at line 61 of file Linear_Expression_Times.java.

References lin_expr.

11.46.4 Member Data Documentation

11.46.4.1 Coefficient parma_polyhedra_library::Linear_Expression_Times::coeff [protected]

The value of the coefficient.

Definition at line 32 of file Linear_Expression_Times.java.

Referenced by clone(), coefficient(), and Linear_Expression_Times().

11.46.4.2 Linear_Expression parma_polyhedra_library::Linear_Expression_Times::lin_expr [protected]

The value of the inner linear expression.

Definition at line 35 of file Linear_Expression_Times.java.

Referenced by clone(), linear_expression(), and Linear_Expression_Times().


The documentation for this class was generated from the following file:

- Linear_Expression_Times.java


11.47 parma_polyhedra_library::Linear_Expression_Unary_Minus Class Reference

The negation of a linear expression.

Inheritance diagram for parma_polyhedra_library::Linear_Expression_Unary_Minus:



Collaboration diagram for parma_polyhedra_library::Linear_Expression_Unary_Minus:



Public Member Functions

- Linear_Expression_Unary_Minus (Linear_Expression x)

  Builds an object that represents the negation of the copy `x`*.*

- Linear_Expression argument ()

  Returns the value that `this` *negates.*

- Linear_Expression_Unary_Minus clone ()

  Builds a copy of this.

Protected Attributes

- Linear_Expression arg

  The value that `this` *negates.*

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.47.1 Detailed Description

The negation of a linear expression.

Definition at line 28 of file Linear_Expression_Unary_Minus.java.

11.47.2 Constructor & Destructor Documentation

11.47.2.1 parma_polyhedra_library::Linear_Expression_Unary_Minus::Linear_Expression_-Unary_Minus (Linear_Expression *x*) [inline]

Builds an object that represents the negation of the copy `x`.

Definition at line 35 of file Linear_Expression_Unary_Minus.java.

References arg, and parma_polyhedra_library::Linear_Expression::clone().

Referenced by clone().

11.47.3 Member Function Documentation

11.47.3.1 parma_polyhedra_library::Linear_Expression_Unary_Minus::[static initializer] () [inline, static, package]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.47.3.2 Linear_Expression parma_polyhedra_library::Linear_Expression_Unary_-Minus::argument () [inline]

Returns the value that `this` negates.

Definition at line 40 of file Linear_Expression_Unary_Minus.java.

References arg.

11.47.3.3 Linear_Expression_Unary_Minus parma_polyhedra_library::Linear_Expression_-Unary_Minus::clone () [inline, virtual]

Builds a copy of this.

Implements parma_polyhedra_library::Linear_Expression.

Definition at line 45 of file Linear_Expression_Unary_Minus.java.

References arg, and Linear_Expression_Unary_Minus().

11.47.3.4 static native void parma_polyhedra_library::Linear_Expression_Unary_Minus::initIDs () [static, private]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.47.4 Member Data Documentation

11.47.4.1 Linear_Expression parma_polyhedra_library::Linear_Expression_Unary_Minus::arg [protected]

The value that `this` negates.

Definition at line 32 of file Linear_Expression_Unary_Minus.java.

Referenced by argument(), clone(), and Linear_Expression_Unary_Minus().


The documentation for this class was generated from the following file:

- Linear_Expression_Unary_Minus.java


11.48 parma_polyhedra_library::Linear_Expression_Variable Class Reference

A linear expression built from a variable.

Inheritance diagram for parma_polyhedra_library::Linear_Expression_Variable:



Collaboration diagram for parma_polyhedra_library::Linear_Expression_Variable:



Public Member Functions

- Linear_Expression_Variable (Variable v)

  Builds the object associated to the copy of `v`.

- Variable argument ()

  Returns the variable representing the linear expression.

- Linear_Expression_Variable clone ()

  Builds a copy of this.

Protected Attributes

- Variable arg

Static Package Functions

- [static initializer]

Private Member Functions

- int var_id ()

Static Private Member Functions

- static native void initIDs ()

11.48.1 Detailed Description

A linear expression built from a variable.

Definition at line 28 of file Linear_Expression_Variable.java.

11.48.2 Constructor & Destructor Documentation

11.48.2.1 parma_polyhedra_library::Linear_Expression_Variable::Linear_Expression_Variable (Variable *v*) [inline]

Builds the object associated to the copy of `v`.

Definition at line 34 of file Linear_Expression_Variable.java.

References arg, and parma_polyhedra_library::Variable::id().

Referenced by clone().

11.48.3 Member Function Documentation

11.48.3.1 parma_polyhedra_library::Linear_Expression_Variable::[static initializer] () [inline, static, package]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.48.3.2 Variable parma_polyhedra_library::Linear_Expression_Variable::argument () [inline]

Returns the variable representing the linear expression.

Definition at line 39 of file Linear_Expression_Variable.java.

References arg.

11.48.3.3 Linear_Expression_Variable parma_polyhedra_library::Linear_Expression_-Variable::clone () [inline, virtual]

Builds a copy of this.

Implements parma_polyhedra_library::Linear_Expression.

Definition at line 44 of file Linear_Expression_Variable.java.

References arg, and Linear_Expression_Variable().

11.48.3.4 static native void parma_polyhedra_library::Linear_Expression_Variable::initIDs () [static, private]

Reimplemented from parma_polyhedra_library::Linear_Expression.

11.48.3.5 int parma_polyhedra_library::Linear_Expression_Variable::var_id () [inline, private]

Definition at line 48 of file Linear_Expression_Variable.java.

References arg, and parma_polyhedra_library::Variable::id().

11.48.4 Member Data Documentation

11.48.4.1 Variable parma_polyhedra_library::Linear_Expression_Variable::arg [protected]

Definition at line 31 of file Linear_Expression_Variable.java.

Referenced by argument(), clone(), Linear_Expression_Variable(), and var_id().

The documentation for this class was generated from the following file:

- Linear_Expression_Variable.java

11.49 parma_polyhedra_library::Logic_Error_Exception Class Reference

Exceptions due to errors in low-level routines.

Public Member Functions

- Logic_Error_Exception (String s)

  Constructor.

11.49.1 Detailed Description

Exceptions due to errors in low-level routines. These exceptions may be generated, for instance, by the inability of querying/controlling the FPU behavior with respect to rounding modes.

Definition at line 31 of file Logic_Error_Exception.java.

11.49.2 Constructor & Destructor Documentation

11.49.2.1 parma_polyhedra_library::Logic_Error_Exception::Logic_Error_Exception (String *s*) [inline]

Constructor.

Definition at line 34 of file Logic_Error_Exception.java.


The documentation for this class was generated from the following file:

- Logic_Error_Exception.java


11.50 parma_polyhedra_library::Long_Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

Inheritance diagram for parma_polyhedra_library::Long_Double_Box:



Collaboration diagram for parma_polyhedra_library::Long_Double_Box:



Public Member Functions

- Long_Double_Box (long num_dimensions, Degenerate_Element kind)
- Long_Double_Box (Int8_Box y)
- Long_Double_Box (Int16_Box y)
- Long_Double_Box (Int32_Box y)
- Long_Double_Box (Int64_Box y)
- Long_Double_Box (Uint8_Box y)
- Long_Double_Box (Uint16_Box y)
- Long_Double_Box (Uint32_Box y)
- Long_Double_Box (Uint64_Box y)
- Long_Double_Box (Z_Box y)
- Long_Double_Box (Rational_Box y)
- Long_Double_Box (BD_Shape_int8_t y)
- Long_Double_Box (BD_Shape_int16_t y)
- Long_Double_Box (BD_Shape_int32_t y)
- Long_Double_Box (BD_Shape_int64_t y)
- Long_Double_Box (BD_Shape_mpz_class y)
- Long_Double_Box (BD_Shape_mpq_class y)
- Long_Double_Box (Octagonal_Shape_int8_t y)
- Long_Double_Box (Octagonal_Shape_int16_t y)
- Long_Double_Box (Octagonal_Shape_int32_t y)
- Long_Double_Box (Octagonal_Shape_int64_t y)
- Long_Double_Box (Octagonal_Shape_mpz_class y)
- Long_Double_Box (Octagonal_Shape_mpq_class y)
- Long_Double_Box (C_Polyhedron y)
- Long_Double_Box (NNC_Polyhedron y)
- Long_Double_Box (Grid y)
- Long_Double_Box (Float_Box y)
- Long_Double_Box (BD_Shape_float y)
- Long_Double_Box (Octagonal_Shape_float y)
- Long_Double_Box (Double_Box y)
- Long_Double_Box (BD_Shape_double y)
- Long_Double_Box (Octagonal_Shape_double y)
- Long_Double_Box (Long_Double_Box y)
- Long_Double_Box (BD_Shape_long_double y)
- Long_Double_Box (Octagonal_Shape_long_double y)
- Long_Double_Box (Int8_Box y, Complexity_Class complexity)

- Long_Double_Box (Int16_Box y, Complexity_Class complexity)
- Long_Double_Box (Int32_Box y, Complexity_Class complexity)
- Long_Double_Box (Int64_Box y, Complexity_Class complexity)
- Long_Double_Box (Uint8_Box y, Complexity_Class complexity)
- Long_Double_Box (Uint16_Box y, Complexity_Class complexity)
- Long_Double_Box (Uint32_Box y, Complexity_Class complexity)
- Long_Double_Box (Uint64_Box y, Complexity_Class complexity)
- Long_Double_Box (Z_Box y, Complexity_Class complexity)
- Long_Double_Box (Rational_Box y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Long_Double_Box (C_Polyhedron y, Complexity_Class complexity)
- Long_Double_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Long_Double_Box (Grid y, Complexity_Class complexity)
- Long_Double_Box (Float_Box y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_float y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Long_Double_Box (Double_Box y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_double y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Long_Double_Box (Long_Double_Box y, Complexity_Class complexity)
- Long_Double_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Long_Double_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Long_Double_Box (Constraint_System cs)
- Long_Double_Box (Congruence_System cs)
- Long_Double_Box (Generator_System cs)
- native void swap (Long_Double_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Long_Double_Box y)
- native boolean strictly_contains (Long_Double_Box y)
- native boolean is_disjoint_from (Long_Double_Box y)
- native boolean equals (Long_Double_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Long_Double_Box p)
- native void upper_bound_assign (Long_Double_Box p)
- native void difference_assign (Long_Double_Box p)
- native void concatenate_assign (Long_Double_Box p)
- native void time_elapse_assign (Long_Double_Box p)
- native boolean upper_bound_assign_if_exact (Long_Double_Box y)
- native boolean simplify_using_context_assign (Long_Double_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Long_Double_Box y, By_Reference< Integer > tp)
- native void widening_assign (Long_Double_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Long_Double_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Long_Double_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Long_Double_Box p, Long_Double_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Long_Double_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)

- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.50.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

Definition at line 33 of file Long_Double_Box.java.

11.50.2 Constructor & Destructor Documentation

11.50.2.1 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.2 parma_polyhedra_library::Long_Double_Box::Long_Double_Box () [inline, private]

Definition at line 45 of file Long_Double_Box.java.

11.50.2.3 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.4 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.5 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.6 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.7 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.8 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.9 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.10 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.11 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Z_Box *y*) [inline]

Definition at line 84 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.12 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.13 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.14 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.15 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.16 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.17 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.18 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.19 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.20 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.21 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.22 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.23 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.24 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.25 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.26 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.27 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Grid *y*) [inline]

Definition at line 148 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.28 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Float_Box *y*) [inline]

Definition at line 152 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.29 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.30 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.31 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Double_Box *y*) [inline]

Definition at line 164 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.32 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.33 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.34 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.35 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.36 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.37 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.38 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.39 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.40 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.41 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.42 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.43 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.44 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.45 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.46 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.47 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.48 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.49 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.50 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.51 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.52 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.53 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.54 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.55 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.56 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.57 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.58 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.59 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.60 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.61 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.62 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.63 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.64 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.65 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.66 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.67 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.68 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.69 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.70 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.71 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.72 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Long_Double_Box.java.

References build_cpp_object().

11.50.2.73 parma_polyhedra_library::Long_Double_Box::Long_Double_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Long_Double_Box.java.

References build_cpp_object().

11.50.3 Member Function Documentation

11.50.3.1 native void parma_polyhedra_library::Long_Double_Box::add_congruence (Congruence *c*)

11.50.3.2 native void parma_polyhedra_library::Long_Double_Box::add_congruences (Congruence_System *c*)

11.50.3.3 native void parma_polyhedra_library::Long_Double_Box::add_constraint (Constraint *c*)

11.50.3.4 native void parma_polyhedra_library::Long_Double_Box::add_constraints (Constraint_System *c*)

11.50.3.5 native void parma_polyhedra_library::Long_Double_Box::add_space_dimensions_and_embed (long *m*)

11.50.3.6 native void parma_polyhedra_library::Long_Double_Box::add_space_dimensions_and_project (long *m*)

11.50.3.7 native long parma_polyhedra_library::Long_Double_Box::affine_dimension ()

11.50.3.8 native void parma_polyhedra_library::Long_Double_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.50.3.9 native void parma_polyhedra_library::Long_Double_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.50.3.10 native String parma_polyhedra_library::Long_Double_Box::ascii_dump ()

11.50.3.11 native void parma_polyhedra_library::Long_Double_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.50.3.12 native void parma_polyhedra_library::Long_Double_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.50.3.13 native boolean parma_polyhedra_library::Long_Double_Box::bounds_from_above (Linear_Expression *expr*)

11.50.3.14 native boolean parma_polyhedra_library::Long_Double_Box::bounds_from_below (Linear_Expression *expr*)

11.50.3.15 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.50.3.16 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.50.3.17 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.50.3.18 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_long_double *y*) [private]

11.50.3.19 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.20 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.50.3.21 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.50.3.22 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.50.3.23 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.50.3.24 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.50.3.25 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.26 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Double_Box *y*) [private]

11.50.3.27 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.50.3.28 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.50.3.29 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.50.3.30 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.50.3.31 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.32 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Float_Box *y*) [private]

11.50.3.33 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.50.3.34 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Grid *y*) [private]

11.50.3.35 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.50.3.36 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.50.3.37 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.50.3.38 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.50.3.39 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.50.3.40 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.50.3.41 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.50.3.42 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.50.3.43 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.50.3.44 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.50.3.45 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.50.3.46 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.50.3.47 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.50.3.48 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.50.3.49 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.50.3.50 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.50.3.51 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.50.3.52 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.50.3.53 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.50.3.54 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.50.3.55 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.50.3.56 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.50.3.57 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.50.3.58 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.50.3.59 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.50.3.60 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.50.3.61 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.50.3.62 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.50.3.63 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.64 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Rational_Box *y*) [private]

11.50.3.65 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.66 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Z_Box *y*) [private]

11.50.3.67 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.68 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint64_Box *y*) [private]

11.50.3.69 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.70 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint32_Box *y*) [private]

11.50.3.71 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.72 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint16_Box *y*) [private]

11.50.3.73 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.74 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Uint8_Box *y*) [private]

11.50.3.75 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.76 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int64_Box *y*) [private]

11.50.3.77 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.78 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int32_Box *y*) [private]

11.50.3.79 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.80 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int16_Box *y*) [private]

11.50.3.81 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.50.3.82 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Int8_Box *y*) [private]

11.50.3.83 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.50.3.84 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Generator_System *cs*) [private]

11.50.3.85 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Congruence_System *cs*) [private]

11.50.3.86 native void parma_polyhedra_library::Long_Double_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Long_Double_Box().

11.50.3.87 native void parma_polyhedra_library::Long_Double_Box::CC76_widening_assign (Long_Double_Box *y*, By_Reference< Integer > *tp*)

11.50.3.88 native void parma_polyhedra_library::Long_Double_Box::concatenate_assign (Long_Double_Box *p*)

11.50.3.89 native Congruence_System parma_polyhedra_library::Long_Double_Box::congruences ()

11.50.3.90 native boolean parma_polyhedra_library::Long_Double_Box::constrains (Variable *var*)

11.50.3.91 native Constraint_System parma_polyhedra_library::Long_Double_Box::constraints ()

11.50.3.92 native boolean parma_polyhedra_library::Long_Double_Box::contains (Long_Double_Box *y*)

11.50.3.93 native boolean parma_polyhedra_library::Long_Double_Box::contains_integer_point ()

11.50.3.94 native void parma_polyhedra_library::Long_Double_Box::difference_assign (Long_Double_Box *p*)

11.50.3.95 native void parma_polyhedra_library::Long_Double_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.50.3.96 native void parma_polyhedra_library::Long_Double_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.50.3.97 boolean parma_polyhedra_library::Long_Double_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Long_Double_Box.java.

References equals().

11.50.3.98 native boolean parma_polyhedra_library::Long_Double_Box::equals (Long_Double_Box *p*)

Referenced by equals().

11.50.3.99 native void parma_polyhedra_library::Long_Double_Box::expand_space_dimension (Variable *var*, long *m*)

11.50.3.100 native long parma_polyhedra_library::Long_Double_Box::external_memory_in_bytes ()

11.50.3.101 native void parma_polyhedra_library::Long_Double_Box::finalize () `[protected]`

11.50.3.102 native void parma_polyhedra_library::Long_Double_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.50.3.103 native void parma_polyhedra_library::Long_Double_Box::free ()

11.50.3.104 native boolean parma_polyhedra_library::Long_Double_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.50.3.105 native void parma_polyhedra_library::Long_Double_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.50.3.106 native void parma_polyhedra_library::Long_Double_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.50.3.107 native void parma_polyhedra_library::Long_Double_Box::generalized_affine_-preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.50.3.108 native void parma_polyhedra_library::Long_Double_Box::generalized_affine_-preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.50.3.109 native void parma_polyhedra_library::Long_Double_Box::intersection_assign (Long_Double_Box *p*)

11.50.3.110 native boolean parma_polyhedra_library::Long_Double_Box::is_bounded ()

11.50.3.111 native boolean parma_polyhedra_library::Long_Double_Box::is_discrete ()

11.50.3.112 native boolean parma_polyhedra_library::Long_Double_Box::is_disjoint_from (Long_Double_Box *y*)

11.50.3.113 native boolean parma_polyhedra_library::Long_Double_Box::is_empty ()

11.50.3.114 native boolean parma_polyhedra_library::Long_Double_Box::is_topologically_closed ()

11.50.3.115 native boolean parma_polyhedra_library::Long_Double_Box::is_universe ()

11.50.3.116 native void parma_polyhedra_library::Long_Double_Box::limited_CC76_-extrapolation_assign (Long_Double_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.50.3.117 static native Pair<Long_Double_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Long_Double_Box::linear_partition (Long_Double_Box *p*, Long_Double_Box *q*) `[static]`

11.50.3.118 native void parma_polyhedra_library::Long_Double_Box::map_space_dimensions (Partial_Function *pfunc*)

11.50.3.119 native boolean parma_polyhedra_library::Long_Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.50.3.120 native boolean parma_polyhedra_library::Long_Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.50.3.121 native boolean parma_polyhedra_library::Long_Double_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.50.3.122 native boolean parma_polyhedra_library::Long_Double_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.50.3.123 native Congruence_System parma_polyhedra_library::Long_Double_Box::minimized_congruences ()

11.50.3.124 native Constraint_System parma_polyhedra_library::Long_Double_Box::minimized_constraints ()

11.50.3.125 native boolean parma_polyhedra_library::Long_Double_Box::OK ()

11.50.3.126 native void parma_polyhedra_library::Long_Double_Box::refine_with_congruence (Congruence *c*)

11.50.3.127 native void parma_polyhedra_library::Long_Double_Box::refine_with_congruences (Congruence_System *c*)

11.50.3.128 native void parma_polyhedra_library::Long_Double_Box::refine_with_constraint (Constraint *c*)

11.50.3.129 native void parma_polyhedra_library::Long_Double_Box::refine_with_constraints (Constraint_System *c*)

11.50.3.130 native Poly_Con_Relation parma_polyhedra_library::Long_Double_Box::relation_with (Congruence *c*)

11.50.3.131 native Poly_Gen_Relation parma_polyhedra_library::Long_Double_Box::relation_with (Generator *c*)

11.50.3.132 native Poly_Con_Relation parma_polyhedra_library::Long_Double_Box::relation_with (Constraint *c*)

11.50.3.133 native void parma_polyhedra_library::Long_Double_Box::remove_higher_space_dimensions (long *new_dimension*)

11.50.3.134 native void parma_polyhedra_library::Long_Double_Box::remove_space_dimensions (Variables_Set *vars*)

11.50.3.135 native boolean parma_polyhedra_library::Long_Double_Box::simplify_using_context_assign (Long_Double_Box *p*)

11.50.3.136 native long parma_polyhedra_library::Long_Double_Box::space_dimension ()

11.50.3.137 native boolean parma_polyhedra_library::Long_Double_Box::strictly_contains (Long_Double_Box *y*)

11.50.3.138 native void parma_polyhedra_library::Long_Double_Box::swap (Long_Double_Box *y*)

11.50.3.139 native void parma_polyhedra_library::Long_Double_Box::time_elapse_assign (Long_Double_Box *p*)

11.50.3.140 native void parma_polyhedra_library::Long_Double_Box::topological_closure_assign ()

11.50.3.141 native String parma_polyhedra_library::Long_Double_Box::toString ()

11.50.3.142 native long parma_polyhedra_library::Long_Double_Box::total_memory_in_bytes ()

11.50.3.143 native void parma_polyhedra_library::Long_Double_Box::unconstrain_space_dimension (Variable *var*)

11.50.3.144 native void parma_polyhedra_library::Long_Double_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.50.3.145 native void parma_polyhedra_library::Long_Double_Box::upper_bound_assign (Long_Double_Box *p*)

11.50.3.146 native boolean parma_polyhedra_library::Long_Double_Box::upper_bound_assign_if_exact (Long_Double_Box *y*)

11.50.3.147 native void parma_polyhedra_library::Long_Double_Box::widening_assign (Long_Double_Box *y*, By_Reference< Integer > *tp*)

11.50.3.148 native void parma_polyhedra_library::Long_Double_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Long_Double_Box.java


11.51 parma_polyhedra_library::MIP_Problem Class Reference

A Mixed Integer (linear) Programming problem.

Inheritance diagram for parma_polyhedra_library::MIP_Problem:



Collaboration diagram for parma_polyhedra_library::MIP_Problem:



Public Member Functions

Functions that Do Not Modify the MIP_Problem

- native long max_space_dimension ()
  Returns the maximum space dimension an MIP_Problem can handle.
- native long space_dimension ()
  Returns the space dimension of the MIP problem.
- native Variables_Set integer_space_dimensions ()
  Returns a set containing all the variables' indexes constrained to be integral.
- native Constraint_System constraints ()
  Returns the constraints .
- native Linear_Expression objective_function ()
  Returns the objective function.
- native Optimization_Mode optimization_mode ()
  Returns the optimization mode.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

- native long total_memory_in_bytes ()
  Returns the total size in bytes of the memory occupied by the underlying C++ object.

- native boolean OK ()
  Checks if all the invariants are satisfied.

Functions that May Modify the MIP_Problem

- native void clear ()
  Resets `this` to be equal to the trivial MIP problem.

- native void add_space_dimensions_and_embed (long m)
  Adds `m` new space dimensions and embeds the old MIP problem in the new vector space.

- native void add_to_integer_space_dimensions (Variables_Set i_vars)
  Sets the variables whose indexes are in set `i_vars` to be integer space dimensions.

- native void add_constraint (Constraint c)
  Adds a copy of constraint `c` to the MIP problem.

- native void add_constraints (Constraint_System cs)
  Adds a copy of the constraints in `cs` to the MIP problem.

- native void set_objective_function (Linear_Expression obj)
  Sets the objective function to `obj`.

- native void set_optimization_mode (Optimization_Mode mode)
  Sets the optimization mode to `mode`.

Computing the Solution of the MIP_Problem

- native boolean is_satisfiable ()
  Checks satisfiability of `*this`.

- native MIP_Problem_Status solve ()
  Optimizes the MIP problem.

- native void evaluate_objective_function (Generator evaluating_point, Coefficient num, Coefficient den)
  Sets `num` and `den` so that $\frac{num}{den}$ is the result of evaluating the objective function on `evaluating_point`.

- native Generator feasible_point ()
  Returns a feasible point for `*this`, if it exists.

- native Generator optimizing_point ()
  Returns an optimal point for `this`, if it exists.

- native void optimal_value (Coefficient num, Coefficient den)
  Sets `num` and `den` so that $\frac{num}{den}$ is the solution of the optimization problem.

Querying/Setting Control Parameters

- native Control_Parameter_Value get_control_parameter (Control_Parameter_Name name)
  Returns the value of control parameter `name`.
- native void set_control_parameter (Control_Parameter_Value value)
  Sets control parameter `value`.

Private Member Functions

- native void build_cpp_object (long dim)
  Builds the underlying C++ object.
- native void build_cpp_object (long dim, Constraint_System cs, Linear_Expression obj, Optimization_Mode mode)
  Builds the underlying C++ object.
- native void build_cpp_object (MIP_Problem y)
  Builds the underlying C++ object.

Constructors and Destructor

- MIP_Problem (long dim)
  Builds a trivial MIP problem.
- MIP_Problem (long dim, Constraint_System cs, Linear_Expression obj, Optimization_Mode mode)
  Builds an MIP problem having space dimension `dim` *from the constraint system* `cs`*, the objective function* `obj` *and optimization mode* `mode`.
- MIP_Problem (MIP_Problem y)
  Builds a copy of `y`.
- native void free ()
  Releases all resources managed by `this`*, also resetting it to a null reference.*
- native void finalize ()
  Releases all resources managed by `this`.

11.51.1 Detailed Description

A Mixed Integer (linear) Programming problem. An object of this class encodes a mixed integer (linear) programming problem. The MIP problem is specified by providing:

- the dimension of the vector space;
- the feasible region, by means of a finite set of linear equality and non-strict inequality constraints;
- the subset of the unknown variables that range over the integers (the other variables implicitly ranging over the reals);

- the objective function, described by a Linear_Expression;
- the optimization mode (either maximization or minimization).

The class provides support for the (incremental) solution of the MIP problem based on variations of the revised simplex method and on branch-and-bound techniques. The result of the resolution process is expressed in terms of an enumeration, encoding the feasibility and the unboundedness of the optimization problem. The class supports simple feasibility tests (i.e., no optimization), as well as the extraction of an optimal (resp., feasible) point, provided the MIP_Problem is optimizable (resp., feasible).

By exploiting the incremental nature of the solver, it is possible to reuse part of the computational work already done when solving variants of a given MIP_Problem: currently, incremental resolution supports the addition of space dimensions, the addition of constraints, the change of objective function and the change of optimization mode.

Definition at line 57 of file MIP_Problem.java.

11.51.2 Constructor & Destructor Documentation

11.51.2.1 parma_polyhedra_library::MIP_Problem::MIP_Problem (long *dim*) [inline]

Builds a trivial MIP problem.

A trivial MIP problem requires to maximize the objective function 0 on a vector space under no constraints at all: the origin of the vector space is an optimal solution.

Parameters

dim The dimension of the vector space enclosing `this`.

Exceptions

std::length_error Thrown if `dim` exceeds `max_space_dimension()`.

Definition at line 74 of file MIP_Problem.java.

References build_cpp_object().

11.51.2.2 parma_polyhedra_library::MIP_Problem::MIP_Problem (long *dim*, Constraint_System *cs*, Linear_Expression *obj*, Optimization_Mode *mode*) [inline]

Builds an MIP problem having space dimension `dim` from the constraint system `cs`, the objective function `obj` and optimization mode `mode`.

Parameters

dim The dimension of the vector space enclosing `this`.

cs The constraint system defining the feasible region.

obj The objective function.

mode The optimization mode.

Exceptions

std::length_error Thrown if `dim` exceeds `max_space_dimension()`.

std::invalid_argument Thrown if the constraint system contains any strict inequality or if the space dimension of the constraint system (resp., the objective function) is strictly greater than `dim`.

Definition at line 103 of file MIP_Problem.java.

References build_cpp_object().

11.51.2.3 parma_polyhedra_library::MIP_Problem::MIP_Problem (MIP_Problem *y*) [inline]

Builds a copy of `y`.

Definition at line 109 of file MIP_Problem.java.

References build_cpp_object().

11.51.3 Member Function Documentation

11.51.3.1 native void parma_polyhedra_library::MIP_Problem::add_constraint (Constraint *c*)

Adds a copy of constraint `c` to the MIP problem.

Exceptions

std::invalid_argument Thrown if the constraint `c` is a strict inequality or if its space dimension is strictly greater than the space dimension of `this`.

11.51.3.2 native void parma_polyhedra_library::MIP_Problem::add_constraints (Constraint_System *cs*)

Adds a copy of the constraints in `cs` to the MIP problem.

Exceptions

std::invalid_argument Thrown if the constraint system `cs` contains any strict inequality or if its space dimension is strictly greater than the space dimension of `*this`.

11.51.3.3 native void parma_polyhedra_library::MIP_Problem::add_space_dimensions_and_embed (long *m*)

Adds `m` new space dimensions and embeds the old MIP problem in the new vector space.

Parameters

m The number of dimensions to add.

Exceptions

std::length_error Thrown if adding `m` new space dimensions would cause the vector space to exceed dimension `max_space_dimension()`.

The new space dimensions will be those having the highest indexes in the new MIP problem; they are initially unconstrained.

11.51.3.4 native void parma_polyhedra_library::MIP_Problem::add_to_integer_space_dimensions (Variables_Set *i_vars*)

Sets the variables whose indexes are in set `i_vars` to be integer space dimensions.

Exceptions

std::invalid_argument Thrown if some index in `i_vars` does not correspond to a space dimension in `this`.

11.51.3.5 native String parma_polyhedra_library::MIP_Problem::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.51.3.6 native void parma_polyhedra_library::MIP_Problem::build_cpp_object (MIP_Problem *y*) `[private]`

Builds the underlying C++ object.

11.51.3.7 native void parma_polyhedra_library::MIP_Problem::build_cpp_object (long *dim*, Constraint_System *cs*, Linear_Expression *obj*, Optimization_Mode *mode*) `[private]`

Builds the underlying C++ object.

11.51.3.8 native void parma_polyhedra_library::MIP_Problem::build_cpp_object (long *dim*) `[private]`

Builds the underlying C++ object.

Referenced by MIP_Problem().

11.51.3.9 native void parma_polyhedra_library::MIP_Problem::clear ()

Resets `this` to be equal to the trivial MIP problem.

The space dimension is reset to 0.

11.51.3.10 native Constraint_System parma_polyhedra_library::MIP_Problem::constraints ()

Returns the constraints .

11.51.3.11 native void parma_polyhedra_library::MIP_Problem::evaluate_objective_function (Generator *evaluating_point*, Coefficient *num*, Coefficient *den*)

Sets `num` and `den` so that $\frac{num}{den}$ is the result of evaluating the objective function on `evaluating_point`.

Parameters

evaluating_point The point on which the objective function will be evaluated.

num On exit will contain the numerator of the evaluated value.

den On exit will contain the denominator of the evaluated value.

Exceptions

std::invalid_argument Thrown if `this` and `evaluating_point` are dimension-incompatible or if the generator `evaluating_point` is not a point.

11.51.3.12 native Generator parma_polyhedra_library::MIP_Problem::feasible_point ()

Returns a feasible point for `*this`, if it exists.

Exceptions

std::domain_error Thrown if the MIP problem is not satisfiable.

11.51.3.13 native void parma_polyhedra_library::MIP_Problem::finalize () [protected]

Releases all resources managed by `this`.

11.51.3.14 native void parma_polyhedra_library::MIP_Problem::free ()

Releases all resources managed by `this`, also resetting it to a null reference.

11.51.3.15 native Control_Parameter_Value parma_polyhedra_library::MIP_Problem::get_control_parameter (Control_Parameter_Name *name*)

Returns the value of control parameter `name`.

11.51.3.16 native Variables_Set parma_polyhedra_library::MIP_Problem::integer_space_dimensions ()

Returns a set containing all the variables' indexes constrained to be integral.

11.51.3.17 native boolean parma_polyhedra_library::MIP_Problem::is_satisfiable ()

Checks satisfiability of `*this`.

Returns

`true` if and only if the MIP problem is satisfiable.

11.51.3.18 native long parma_polyhedra_library::MIP_Problem::max_space_dimension ()

Returns the maximum space dimension an MIP_Problem can handle.

11.51.3.19 native Linear_Expression parma_polyhedra_library::MIP_Problem::objective_function ()

Returns the objective function.

11.51.3.20 native boolean parma_polyhedra_library::MIP_Problem::OK ()

Checks if all the invariants are satisfied.

11.51.3.21 native void parma_polyhedra_library::MIP_Problem::optimal_value (Coefficient *num*, Coefficient *den*)

Sets `num` and `den` so that $\frac{num}{den}$ is the solution of the optimization problem.

Exceptions

std::domain_error Thrown if `*this` doesn't not have an optimizing point, i.e., if the MIP problem is unbounded or not satisfiable.

11.51.3.22 native Optimization_Mode parma_polyhedra_library::MIP_Problem::optimization_mode ()

Returns the optimization mode.

11.51.3.23 native Generator parma_polyhedra_library::MIP_Problem::optimizing_point ()

Returns an optimal point for `this`, if it exists.

Exceptions

std::domain_error Thrown if `this` doesn't not have an optimizing point, i.e., if the MIP problem is unbounded or not satisfiable.

11.51.3.24 native void parma_polyhedra_library::MIP_Problem::set_control_parameter (Control_Parameter_Value *value*)

Sets control parameter `value`.

11.51.3.25 native void parma_polyhedra_library::MIP_Problem::set_objective_function (Linear_Expression *obj*)

Sets the objective function to `obj`.

Exceptions

std::invalid_argument Thrown if the space dimension of `obj` is strictly greater than the space dimension of `this`.

11.51.3.26 native void parma_polyhedra_library::MIP_Problem::set_optimization_mode (Optimization_Mode *mode*)

Sets the optimization mode to `mode`.

11.51.3.27 native MIP_Problem_Status parma_polyhedra_library::MIP_Problem::solve ()

Optimizes the MIP problem.

Returns

An MIP_Problem_Status flag indicating the outcome of the optimization attempt (unfeasible, unbounded or optimized problem).

11.51.3.28 native long parma_polyhedra_library::MIP_Problem::space_dimension ()

Returns the space dimension of the MIP problem.

11.51.3.29 native String parma_polyhedra_library::MIP_Problem::toString ()

Returns a string representation of `this`.

11.51.3.30 native long parma_polyhedra_library::MIP_Problem::total_memory_in_bytes ()

Returns the total size in bytes of the memory occupied by the underlying C++ object.


The documentation for this class was generated from the following file:

- MIP_Problem.java


11.52 parma_polyhedra_library::NNC_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

Inheritance diagram for parma_polyhedra_library::NNC_Polyhedron:



Collaboration diagram for parma_polyhedra_library::NNC_Polyhedron:



Public Member Functions

- NNC_Polyhedron (long num_dimensions, Degenerate_Element kind)
- NNC_Polyhedron (Int8_Box y)
- NNC_Polyhedron (Int16_Box y)
- NNC_Polyhedron (Int32_Box y)
- NNC_Polyhedron (Int64_Box y)
- NNC_Polyhedron (Uint8_Box y)
- NNC_Polyhedron (Uint16_Box y)
- NNC_Polyhedron (Uint32_Box y)
- NNC_Polyhedron (Uint64_Box y)
- NNC_Polyhedron (Z_Box y)
- NNC_Polyhedron (Rational_Box y)
- NNC_Polyhedron (BD_Shape_int8_t y)
- NNC_Polyhedron (BD_Shape_int16_t y)
- NNC_Polyhedron (BD_Shape_int32_t y)
- NNC_Polyhedron (BD_Shape_int64_t y)
- NNC_Polyhedron (BD_Shape_mpz_class y)
- NNC_Polyhedron (BD_Shape_mpq_class y)
- NNC_Polyhedron (Octagonal_Shape_int8_t y)
- NNC_Polyhedron (Octagonal_Shape_int16_t y)
- NNC_Polyhedron (Octagonal_Shape_int32_t y)
- NNC_Polyhedron (Octagonal_Shape_int64_t y)
- NNC_Polyhedron (Octagonal_Shape_mpz_class y)
- NNC_Polyhedron (Octagonal_Shape_mpq_class y)
- NNC_Polyhedron (C_Polyhedron y)
- NNC_Polyhedron (NNC_Polyhedron y)
- NNC_Polyhedron (Grid y)
- NNC_Polyhedron (Float_Box y)
- NNC_Polyhedron (BD_Shape_float y)
- NNC_Polyhedron (Octagonal_Shape_float y)
- NNC_Polyhedron (Double_Box y)
- NNC_Polyhedron (BD_Shape_double y)

- NNC_Polyhedron (Octagonal_Shape_double y)
- NNC_Polyhedron (Long_Double_Box y)
- NNC_Polyhedron (BD_Shape_long_double y)
- NNC_Polyhedron (Octagonal_Shape_long_double y)
- NNC_Polyhedron (Int8_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Int16_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Int32_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Int64_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Uint8_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Uint16_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Uint32_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Uint64_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Z_Box y, Complexity_Class complexity)
- NNC_Polyhedron (Rational_Box y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_int8_t y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_int16_t y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_int32_t y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_int64_t y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_mpz_class y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_mpq_class y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- NNC_Polyhedron (C_Polyhedron y, Complexity_Class complexity)
- NNC_Polyhedron (NNC_Polyhedron y, Complexity_Class complexity)
- NNC_Polyhedron (Grid y, Complexity_Class complexity)
- NNC_Polyhedron (Float_Box y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_float y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_float y, Complexity_Class complexity)
- NNC_Polyhedron (Double_Box y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_double y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_double y, Complexity_Class complexity)
- NNC_Polyhedron (Long_Double_Box y, Complexity_Class complexity)
- NNC_Polyhedron (BD_Shape_long_double y, Complexity_Class complexity)
- NNC_Polyhedron (Octagonal_Shape_long_double y, Complexity_Class complexity)
- NNC_Polyhedron (Constraint_System cs)
- NNC_Polyhedron (Congruence_System cs)
- NNC_Polyhedron (Generator_System cs)
- native boolean upper_bound_assign_if_exact (NNC_Polyhedron y)
- native boolean poly_hull_assign_if_exact (NNC_Polyhedron y)
- native void free ()

Static Public Member Functions

- static native Pair< NNC_Polyhedron, Pointset_Powerset_NNC_Polyhedron > linear_partition (NNC_Polyhedron p, NNC_Polyhedron q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- NNC_Polyhedron ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)

- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.52.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

Definition at line 30 of file NNC_Polyhedron.java.

11.52.2 Constructor & Destructor Documentation

11.52.2.1 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 38 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.2 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron () [inline, private]

Definition at line 43 of file NNC_Polyhedron.java.

11.52.2.3 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int8_Box *y*) [inline]

Definition at line 50 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.4 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int16_Box *y*) [inline]

Definition at line 54 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.5 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int32_Box *y*) [inline]

Definition at line 58 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.6 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int64_Box *y*) [inline]

Definition at line 62 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.7 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint8_Box *y*) [inline]

Definition at line 66 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.8 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint16_Box *y*) [inline]

Definition at line 70 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.9 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint32_Box *y*) [inline]

Definition at line 74 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.10 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint64_Box *y*) [inline]

Definition at line 78 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.11 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Z_Box *y*) [inline]

Definition at line 82 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.12 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Rational_Box *y*) [inline]

Definition at line 86 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.13 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int8_t *y*) [inline]

Definition at line 90 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.14 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int16_t *y*) [inline]

Definition at line 94 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.15 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int32_t *y*) [inline]

Definition at line 98 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.16 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int64_t *y*) [inline]

Definition at line 102 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.17 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_mpz_class *y*) [inline]

Definition at line 106 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.18 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_mpq_class *y*) [inline]

Definition at line 110 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.19 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 114 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.20 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 118 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.21 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 122 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.22 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 126 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.23 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 130 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.24 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 134 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.25 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (C_Polyhedron *y*) [inline]

Definition at line 138 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.26 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (NNC_Polyhedron *y*) [inline]

Definition at line 142 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.27 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Grid *y*) [inline]

Definition at line 146 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.28 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Float_Box *y*) [inline]

Definition at line 150 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.29 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_float *y*) [inline]

Definition at line 154 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.30 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_float *y*) [inline]

Definition at line 158 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.31 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Double_Box *y*) [inline]

Definition at line 162 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.32 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_double *y*) [inline]

Definition at line 166 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.33 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_double *y*) [inline]

Definition at line 170 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.34 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Long_Double_Box *y*) [inline]

Definition at line 174 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.35 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_long_double *y*) [inline]

Definition at line 178 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.36 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_long_double *y*) [inline]

Definition at line 182 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.37 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 191 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.38 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 195 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.39 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 199 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.40 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 203 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.41 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 207 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.42 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 211 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.43 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 215 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.44 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 219 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.45 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 223 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.46 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 227 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.47 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 231 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.48 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 235 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.49 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 239 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.50 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 243 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.51 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 247 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.52 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 251 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.53 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 255 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.54 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 259 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.55 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 263 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.56 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 267 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.57 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 271 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.58 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 275 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.59 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 279 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.60 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 283 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.61 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 287 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.62 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 291 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.63 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 295 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.64 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 299 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.65 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 303 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.66 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 307 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.67 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 311 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.68 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 315 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.69 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 319 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.70 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 323 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.71 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Constraint_System *cs*) [inline]

Definition at line 332 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.72 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Congruence_System *cs*) [inline]

Definition at line 336 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.2.73 parma_polyhedra_library::NNC_Polyhedron::NNC_Polyhedron (Generator_System *cs*) [inline]

Definition at line 340 of file NNC_Polyhedron.java.

References build_cpp_object().

11.52.3 Member Function Documentation

11.52.3.1 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.52.3.2 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.52.3.3 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.52.3.4 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_long_double *y*) [private]

11.52.3.5 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.6 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Long_Double_Box *y*) [private]

11.52.3.7 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.52.3.8 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.52.3.9 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.52.3.10 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_double *y*) [private]

11.52.3.11 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.12 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Double_Box *y*) [private]

11.52.3.13 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.52.3.14 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.52.3.15 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.52.3.16 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_float *y*) [private]

11.52.3.17 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.18 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Float_Box *y*) [private]

11.52.3.19 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.52.3.20 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Grid *y*) [private]

11.52.3.21 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.52.3.22 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (NNC_Polyhedron *y*) [private]

11.52.3.23 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.52.3.24 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (C_Polyhedron *y*) [private]

11.52.3.25 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.52.3.26 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.52.3.27 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.52.3.28 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.52.3.29 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.52.3.30 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.52.3.31 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.52.3.32 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.52.3.33 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.52.3.34 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.52.3.35 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.52.3.36 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.52.3.37 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.52.3.38 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.52.3.39 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.52.3.40 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.52.3.41 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.52.3.42 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.52.3.43 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.52.3.44 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.52.3.45 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.52.3.46 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.52.3.47 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.52.3.48 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.52.3.49 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.50 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Rational_Box *y*) [private]

11.52.3.51 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.52 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Z_Box *y*) [private]

11.52.3.53 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.54 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint64_Box *y*) [private]

11.52.3.55 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.56 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint32_Box *y*) [private]

11.52.3.57 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.58 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint16_Box *y*) [private]

11.52.3.59 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.60 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Uint8_Box *y*) [private]

11.52.3.61 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.62 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int64_Box *y*) [private]

11.52.3.63 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.64 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int32_Box *y*) [private]

11.52.3.65 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.66 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int16_Box *y*) [private]

11.52.3.67 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.52.3.68 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Int8_Box *y*) [private]

11.52.3.69 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.52.3.70 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Generator_System *cs*) [private]

11.52.3.71 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Congruence_System *cs*) [private]

11.52.3.72 native void parma_polyhedra_library::NNC_Polyhedron::build_cpp_object (Constraint_System *cs*) [private]

Referenced by NNC_Polyhedron().

11.52.3.73 native void parma_polyhedra_library::NNC_Polyhedron::finalize () [protected]

11.52.3.74 native void parma_polyhedra_library::NNC_Polyhedron::free ()

11.52.3.75 static native Pair<NNC_Polyhedron, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::NNC_Polyhedron::linear_partition (NNC_Polyhedron *p*, NNC_Polyhedron *q*) [static]

11.52.3.76 native boolean parma_polyhedra_library::NNC_Polyhedron::poly_hull_assign_if_exact (NNC_Polyhedron *y*)

11.52.3.77 native boolean parma_polyhedra_library::NNC_Polyhedron::upper_bound_assign_if_exact (NNC_Polyhedron *y*)


The documentation for this class was generated from the following file:

- NNC_Polyhedron.java


11.53 parma_polyhedra_library::Octagonal_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_double:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_double:



Public Member Functions

- Octagonal_Shape_double (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_double (Int8_Box y)
- Octagonal_Shape_double (Int16_Box y)
- Octagonal_Shape_double (Int32_Box y)
- Octagonal_Shape_double (Int64_Box y)
- Octagonal_Shape_double (Uint8_Box y)
- Octagonal_Shape_double (Uint16_Box y)
- Octagonal_Shape_double (Uint32_Box y)
- Octagonal_Shape_double (Uint64_Box y)
- Octagonal_Shape_double (Z_Box y)
- Octagonal_Shape_double (Rational_Box y)
- Octagonal_Shape_double (BD_Shape_int8_t y)
- Octagonal_Shape_double (BD_Shape_int16_t y)
- Octagonal_Shape_double (BD_Shape_int32_t y)
- Octagonal_Shape_double (BD_Shape_int64_t y)
- Octagonal_Shape_double (BD_Shape_mpz_class y)
- Octagonal_Shape_double (BD_Shape_mpq_class y)
- Octagonal_Shape_double (Octagonal_Shape_int8_t y)
- Octagonal_Shape_double (Octagonal_Shape_int16_t y)
- Octagonal_Shape_double (Octagonal_Shape_int32_t y)
- Octagonal_Shape_double (Octagonal_Shape_int64_t y)
- Octagonal_Shape_double (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_double (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_double (C_Polyhedron y)
- Octagonal_Shape_double (NNC_Polyhedron y)
- Octagonal_Shape_double (Grid y)
- Octagonal_Shape_double (Float_Box y)
- Octagonal_Shape_double (BD_Shape_float y)
- Octagonal_Shape_double (Octagonal_Shape_float y)
- Octagonal_Shape_double (Double_Box y)
- Octagonal_Shape_double (BD_Shape_double y)
- Octagonal_Shape_double (Octagonal_Shape_double y)
- Octagonal_Shape_double (Long_Double_Box y)
- Octagonal_Shape_double (BD_Shape_long_double y)
- Octagonal_Shape_double (Octagonal_Shape_long_double y)
- Octagonal_Shape_double (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_int32_t y, Complexity_Class complexity)

- Octagonal_Shape_double (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_double (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_double (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_double (Grid y, Complexity_Class complexity)
- Octagonal_Shape_double (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_double (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_double (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_double (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_double (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_double (Constraint_System cs)
- Octagonal_Shape_double (Congruence_System cs)
- Octagonal_Shape_double (Generator_System cs)
- native void swap (Octagonal_Shape_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)

- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_double y)
- native boolean strictly_contains (Octagonal_Shape_double y)
- native boolean is_disjoint_from (Octagonal_Shape_double y)
- native boolean equals (Octagonal_Shape_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_double p)
- native void upper_bound_assign (Octagonal_Shape_double p)
- native void difference_assign (Octagonal_Shape_double p)
- native void concatenate_assign (Octagonal_Shape_double p)
- native void time_elapse_assign (Octagonal_Shape_double p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_double y)
- native boolean simplify_using_context_assign (Octagonal_Shape_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)

- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_double y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_double y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_double arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_double arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_double, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_double p, Octagonal_Shape_double q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)

- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.53.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

Definition at line 33 of file Octagonal_Shape_double.java.

11.53.2 Constructor & Destructor Documentation

11.53.2.1 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.2 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double () [inline, private]

Definition at line 45 of file Octagonal_Shape_double.java.

11.53.2.3 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.4 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.5 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.6 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.7 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.8 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.9 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.10 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.11 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.12 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.13 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.14 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.15 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.16 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.17 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.18 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.19 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.20 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.21 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.22 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.23 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.24 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.25 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.26 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.27 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.28 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.29 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.30 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.31 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.32 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.33 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.34 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.35 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.36 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.37 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.38 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.39 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.40 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.41 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.42 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.43 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.44 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.45 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.46 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.47 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.48 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.49 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.50 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.51 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.52 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.53 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.54 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.55 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.56 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.57 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.58 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.59 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.60 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.61 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.62 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.63 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.64 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.65 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.66 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.67 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.68 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.69 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.70 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.71 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.72 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.2.73 parma_polyhedra_library::Octagonal_Shape_double::Octagonal_Shape_double (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_double.java.

References build_cpp_object().

11.53.3 Member Function Documentation

11.53.3.1 native void parma_polyhedra_library::Octagonal_Shape_double::add_congruence (Congruence *c*)

11.53.3.2 native void parma_polyhedra_library::Octagonal_Shape_double::add_congruences (Congruence_System *c*)

11.53.3.3 native void parma_polyhedra_library::Octagonal_Shape_double::add_constraint (Constraint *c*)

11.53.3.4 native void parma_polyhedra_library::Octagonal_Shape_double::add_constraints (Constraint_System *c*)

11.53.3.5 native void parma_polyhedra_library::Octagonal_Shape_double::add_space_dimensions_and_embed (long *m*)

11.53.3.6 native void parma_polyhedra_library::Octagonal_Shape_double::add_space_dimensions_and_project (long *m*)

11.53.3.7 native long parma_polyhedra_library::Octagonal_Shape_double::affine_dimension ()

11.53.3.8 native void parma_polyhedra_library::Octagonal_Shape_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.53.3.9 native void parma_polyhedra_library::Octagonal_Shape_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.53.3.10 native String parma_polyhedra_library::Octagonal_Shape_double::ascii_dump ()

11.53.3.11 native void parma_polyhedra_library::Octagonal_Shape_double::BHMZ05_-widening_assign (Octagonal_Shape_double *y*, By_Reference< Integer > *tp*)

11.53.3.12 native void parma_polyhedra_library::Octagonal_Shape_double::bounded_affine_-image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.53.3.13 native void parma_polyhedra_library::Octagonal_Shape_double::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.53.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_double::bounds_from_-above (Linear_Expression *expr*)

11.53.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_double::bounds_from_-below (Linear_Expression *expr*)

11.53.3.16 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.53.3.17 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.53.3.18 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.53.3.19 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_long_double *y*) [private]

11.53.3.20 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.21 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Long_Double_Box *y*) [private]

11.53.3.22 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.53.3.23 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.53.3.24 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.53.3.25 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_double *y*) [private]

11.53.3.26 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.27 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Double_Box *y*) [private]

11.53.3.28 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.53.3.29 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.53.3.30 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.53.3.31 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_float *y*) [private]

11.53.3.32 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.33 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Float_Box *y*) [private]

11.53.3.34 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.53.3.35 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Grid *y*) [private]

11.53.3.36 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.53.3.37 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (NNC_Polyhedron *y*) [private]

11.53.3.38 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.53.3.39 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (C_Polyhedron *y*) [private]

11.53.3.40 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.53.3.41 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.53.3.42 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.53.3.43 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.53.3.44 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.53.3.45 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.53.3.46 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.53.3.47 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.53.3.48 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.53.3.49 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.53.3.50 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.53.3.51 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.53.3.52 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.53.3.53 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.53.3.54 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.53.3.55 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.53.3.56 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.53.3.57 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.53.3.58 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.53.3.59 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.53.3.60 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.53.3.61 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.53.3.62 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.53.3.63 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.53.3.64 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.65 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Rational_Box *y*) [private]

11.53.3.66 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.67 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Z_Box *y*) [private]

11.53.3.68 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.69 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint64_Box *y*) [private]

11.53.3.70 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.71 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint32_Box *y*) [private]

11.53.3.72 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.73 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint16_Box *y*) [private]

11.53.3.74 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.75 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Uint8_Box *y*) [private]

11.53.3.76 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.77 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int64_Box *y*) [private]

11.53.3.78 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.79 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int32_Box *y*) [private]

11.53.3.80 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.81 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int16_Box *y*) [private]

11.53.3.82 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.53.3.83 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Int8_Box *y*) [private]

11.53.3.84 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.53.3.85 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Generator_System *cs*) [private]

11.53.3.86 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Congruence_System *cs*) [private]

11.53.3.87 native void parma_polyhedra_library::Octagonal_Shape_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_double().

11.53.3.88 native void parma_polyhedra_library::Octagonal_Shape_double::CC76_-extrapolation_assign (Octagonal_Shape_double *arg*, By_Reference< Integer > *tp*)

11.53.3.89 native void parma_polyhedra_library::Octagonal_Shape_double::CC76_narrowing_-assign (Octagonal_Shape_double *arg*)

11.53.3.90 native void parma_polyhedra_library::Octagonal_Shape_double::concatenate_assign (Octagonal_Shape_double *p*)

11.53.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_double::congruences ()

11.53.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_double::constrains (Variable *var*)

11.53.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_double::constraints ()

11.53.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_double::contains (Octagonal_Shape_double *y*)

11.53.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_double::contains_integer_point ()

11.53.3.96 native void parma_polyhedra_library::Octagonal_Shape_double::difference_assign (Octagonal_Shape_double *p*)

11.53.3.97 native void parma_polyhedra_library::Octagonal_Shape_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.53.3.98 native void parma_polyhedra_library::Octagonal_Shape_double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.53.3.99 boolean parma_polyhedra_library::Octagonal_Shape_double::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_double.java.

References equals().

11.53.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_double::equals (Octagonal_Shape_double *p*)

Referenced by equals().

11.53.3.101 native void parma_polyhedra_library::Octagonal_Shape_double::expand_space_dimension (Variable *var*, long *m*)

11.53.3.102 native long parma_polyhedra_library::Octagonal_Shape_double::external_memory_in_bytes ()

11.53.3.103 native void parma_polyhedra_library::Octagonal_Shape_double::finalize () [protected]

11.53.3.104 native void parma_polyhedra_library::Octagonal_Shape_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.53.3.105 native void parma_polyhedra_library::Octagonal_Shape_double::free ()

11.53.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_double::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.53.3.107 native void parma_polyhedra_library::Octagonal_Shape_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.53.3.108 native void parma_polyhedra_library::Octagonal_Shape_double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.53.3.109 native void parma_polyhedra_library::Octagonal_Shape_double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.53.3.110 native void parma_polyhedra_library::Octagonal_Shape_double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.53.3.111 native int parma_polyhedra_library::Octagonal_Shape_double::hashCode ()

11.53.3.112 native void parma_polyhedra_library::Octagonal_Shape_double::intersection_assign (Octagonal_Shape_double *p*)

11.53.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_double::is_bounded ()

11.53.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_double::is_discrete ()

11.53.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_double::is_disjoint_from (Octagonal_Shape_double *y*)

11.53.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_double::is_empty ()

11.53.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_double::is_topologically_closed ()

11.53.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_double::is_universe ()

11.53.3.119 native void parma_polyhedra_library::Octagonal_Shape_double::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.53.3.120 native void parma_polyhedra_library::Octagonal_Shape_double::limited_CC76_extrapolation_assign (Octagonal_Shape_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.53.3.121 static native Pair<Octagonal_Shape_double, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_double::linear_partition (Octagonal_Shape_double *p*, Octagonal_Shape_double *q*) `[static]`

11.53.3.122 native void parma_polyhedra_library::Octagonal_Shape_double::map_space_dimensions (Partial_Function *pfunc*)

11.53.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.53.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.53.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.53.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.53.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_double::minimized_congruences ()

11.53.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_double::minimized_constraints ()

11.53.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_double::OK ()

11.53.3.130 native void parma_polyhedra_library::Octagonal_Shape_double::refine_with_congruence (Congruence *c*)

11.53.3.131 native void parma_polyhedra_library::Octagonal_Shape_double::refine_with_congruences (Congruence_System *c*)

11.53.3.132 native void parma_polyhedra_library::Octagonal_Shape_double::refine_with_constraint (Constraint *c*)

11.53.3.133 native void parma_polyhedra_library::Octagonal_Shape_double::refine_with_constraints (Constraint_System *c*)

11.53.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_-double::relation_with (Congruence *c*)

11.53.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_-double::relation_with (Generator *c*)

11.53.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_-double::relation_with (Constraint *c*)

11.53.3.137 native void parma_polyhedra_library::Octagonal_Shape_double::remove_higher_-space_dimensions (long *new_dimension*)

11.53.3.138 native void parma_polyhedra_library::Octagonal_Shape_double::remove_space_-dimensions (Variables_Set *vars*)

11.53.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_-double::simplify_using_context_assign (Octagonal_Shape_double *p*)

11.53.3.140 native long parma_polyhedra_library::Octagonal_Shape_double::space_dimension ()

11.53.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_double::strictly_-contains (Octagonal_Shape_double *y*)

11.53.3.142 native void parma_polyhedra_library::Octagonal_Shape_double::swap (Octagonal_Shape_double *y*)

11.53.3.143 native void parma_polyhedra_library::Octagonal_Shape_double::time_elapse_assign (Octagonal_Shape_double *p*)

11.53.3.144 native void parma_polyhedra_library::Octagonal_Shape_double::topological_closure_assign ()

11.53.3.145 native String parma_polyhedra_library::Octagonal_Shape_double::toString ()

11.53.3.146 native long parma_polyhedra_library::Octagonal_Shape_double::total_memory_in_bytes ()

11.53.3.147 native void parma_polyhedra_library::Octagonal_Shape_double::unconstrain_space_dimension (Variable *var*)

11.53.3.148 native void parma_polyhedra_library::Octagonal_Shape_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.53.3.149 native void parma_polyhedra_library::Octagonal_Shape_double::upper_bound_assign (Octagonal_Shape_double *p*)

11.53.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_double::upper_bound_assign_if_exact (Octagonal_Shape_double *y*)

11.53.3.151 native void parma_polyhedra_library::Octagonal_Shape_double::widening_assign (Octagonal_Shape_double *y*, By_Reference< Integer > *tp*)

11.53.3.152 native void parma_polyhedra_library::Octagonal_Shape_double::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_double.java


11.54 parma_polyhedra_library::Octagonal_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_float:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_float:



Public Member Functions

- Octagonal_Shape_float (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_float (Int8_Box y)
- Octagonal_Shape_float (Int16_Box y)
- Octagonal_Shape_float (Int32_Box y)
- Octagonal_Shape_float (Int64_Box y)
- Octagonal_Shape_float (Uint8_Box y)
- Octagonal_Shape_float (Uint16_Box y)
- Octagonal_Shape_float (Uint32_Box y)
- Octagonal_Shape_float (Uint64_Box y)
- Octagonal_Shape_float (Z_Box y)

- Octagonal_Shape_float (Rational_Box y)
- Octagonal_Shape_float (BD_Shape_int8_t y)
- Octagonal_Shape_float (BD_Shape_int16_t y)
- Octagonal_Shape_float (BD_Shape_int32_t y)
- Octagonal_Shape_float (BD_Shape_int64_t y)
- Octagonal_Shape_float (BD_Shape_mpz_class y)
- Octagonal_Shape_float (BD_Shape_mpq_class y)
- Octagonal_Shape_float (Octagonal_Shape_int8_t y)
- Octagonal_Shape_float (Octagonal_Shape_int16_t y)
- Octagonal_Shape_float (Octagonal_Shape_int32_t y)
- Octagonal_Shape_float (Octagonal_Shape_int64_t y)
- Octagonal_Shape_float (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_float (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_float (C_Polyhedron y)
- Octagonal_Shape_float (NNC_Polyhedron y)
- Octagonal_Shape_float (Grid y)
- Octagonal_Shape_float (Float_Box y)
- Octagonal_Shape_float (BD_Shape_float y)
- Octagonal_Shape_float (Octagonal_Shape_float y)
- Octagonal_Shape_float (Double_Box y)
- Octagonal_Shape_float (BD_Shape_double y)
- Octagonal_Shape_float (Octagonal_Shape_double y)
- Octagonal_Shape_float (Long_Double_Box y)
- Octagonal_Shape_float (BD_Shape_long_double y)
- Octagonal_Shape_float (Octagonal_Shape_long_double y)
- Octagonal_Shape_float (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_float (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_float (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_float (Grid y, Complexity_Class complexity)

- Octagonal_Shape_float (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_float (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_float (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_float (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_float (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_float (Constraint_System cs)
- Octagonal_Shape_float (Congruence_System cs)
- Octagonal_Shape_float (Generator_System cs)
- native void swap (Octagonal_Shape_float y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_float y)
- native boolean strictly_contains (Octagonal_Shape_float y)
- native boolean is_disjoint_from (Octagonal_Shape_float y)
- native boolean equals (Octagonal_Shape_float p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)

- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_float p)
- native void upper_bound_assign (Octagonal_Shape_float p)
- native void difference_assign (Octagonal_Shape_float p)
- native void concatenate_assign (Octagonal_Shape_float p)
- native void time_elapse_assign (Octagonal_Shape_float p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_float y)
- native boolean simplify_using_context_assign (Octagonal_Shape_float p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_float y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_float y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_float arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_float arg)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_float, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_float p, Octagonal_Shape_float q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_float ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.54.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

Definition at line 33 of file Octagonal_Shape_float.java.

11.54.2 Constructor & Destructor Documentation

11.54.2.1 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.2 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float () [inline, private]

Definition at line 45 of file Octagonal_Shape_float.java.

11.54.2.3 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.4 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.5 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.6 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.7 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.8 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.9 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.10 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.11 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.12 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.13 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.14 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.15 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.16 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.17 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.18 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.19 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.20 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.21 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.22 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.23 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.24 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.25 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.26 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.27 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.28 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.29 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.30 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.31 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.32 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.33 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.34 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.35 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.36 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.37 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.38 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.39 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.40 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.41 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.42 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.43 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.44 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.45 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.46 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.47 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.48 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.49 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.50 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.51 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.52 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.53 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.54 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.55 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.56 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.57 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.58 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.59 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.60 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.61 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.62 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.63 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.64 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.65 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.66 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.67 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.68 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.69 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.70 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.71 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.72 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.2.73 parma_polyhedra_library::Octagonal_Shape_float::Octagonal_Shape_float (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_float.java.

References build_cpp_object().

11.54.3 Member Function Documentation

11.54.3.1 native void parma_polyhedra_library::Octagonal_Shape_float::add_congruence (Congruence *c*)

11.54.3.2 native void parma_polyhedra_library::Octagonal_Shape_float::add_congruences (Congruence_System *c*)

11.54.3.3 native void parma_polyhedra_library::Octagonal_Shape_float::add_constraint (Constraint *c*)

11.54.3.4 native void parma_polyhedra_library::Octagonal_Shape_float::add_constraints (Constraint_System *c*)

11.54.3.5 native void parma_polyhedra_library::Octagonal_Shape_float::add_space_dimensions_and_embed (long *m*)

11.54.3.6 native void parma_polyhedra_library::Octagonal_Shape_float::add_space_dimensions_and_project (long *m*)

11.54.3.7 native long parma_polyhedra_library::Octagonal_Shape_float::affine_dimension ()

11.54.3.8 native void parma_polyhedra_library::Octagonal_Shape_float::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.54.3.9 native void parma_polyhedra_library::Octagonal_Shape_float::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.54.3.10 native String parma_polyhedra_library::Octagonal_Shape_float::ascii_dump ()

11.54.3.11 native void parma_polyhedra_library::Octagonal_Shape_float::BHMZ05_-widening_assign (Octagonal_Shape_float *y*, By_Reference< Integer > *tp*)

11.54.3.12 native void parma_polyhedra_library::Octagonal_Shape_float::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.54.3.13 native void parma_polyhedra_library::Octagonal_Shape_float::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.54.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_float::bounds_from_-above (Linear_Expression *expr*)

11.54.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_float::bounds_from_-below (Linear_Expression *expr*)

11.54.3.16 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.54.3.17 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.54.3.18 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.54.3.19 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_long_double *y*) [private]

11.54.3.20 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.21 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Long_Double_Box *y*) [private]

11.54.3.22 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.54.3.23 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.54.3.24 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.54.3.25 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_double *y*) [private]

11.54.3.26 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.27 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Double_Box *y*) [private]

11.54.3.28 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.54.3.29 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.54.3.30 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.54.3.31 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_float *y*) [private]

11.54.3.32 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.33 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Float_Box *y*) [private]

11.54.3.34 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.54.3.35 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Grid *y*) [private]

11.54.3.36 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.54.3.37 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (NNC_Polyhedron *y*) [private]

11.54.3.38 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.54.3.39 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (C_Polyhedron *y*) [private]

11.54.3.40 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.54.3.41 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.54.3.42 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.54.3.43 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.54.3.44 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.54.3.45 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.54.3.46 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.54.3.47 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.54.3.48 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.54.3.49 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.54.3.50 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.54.3.51 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.54.3.52 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.54.3.53 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.54.3.54 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.54.3.55 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.54.3.56 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.54.3.57 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.54.3.58 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.54.3.59 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.54.3.60 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.54.3.61 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.54.3.62 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.54.3.63 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.54.3.64 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.65 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Rational_Box *y*) [private]

11.54.3.66 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.67 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Z_Box *y*) [private]

11.54.3.68 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.69 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint64_Box *y*) [private]

11.54.3.70 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.71 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint32_Box *y*) [private]

11.54.3.72 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.73 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint16_Box *y*) [private]

11.54.3.74 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.75 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Uint8_Box *y*) [private]

11.54.3.76 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.77 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int64_Box *y*) [private]

11.54.3.78 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.79 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int32_Box *y*) [private]

11.54.3.80 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.81 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int16_Box *y*) [private]

11.54.3.82 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.54.3.83 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Int8_Box *y*) [private]

11.54.3.84 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.54.3.85 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Generator_System *cs*) [private]

11.54.3.86 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Congruence_System *cs*) [private]

11.54.3.87 native void parma_polyhedra_library::Octagonal_Shape_float::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_float().

11.54.3.88 native void parma_polyhedra_library::Octagonal_Shape_float::CC76_-extrapolation_assign (Octagonal_Shape_float *arg*, By_Reference< Integer > *tp*)

11.54.3.89 native void parma_polyhedra_library::Octagonal_Shape_float::CC76_narrowing_-assign (Octagonal_Shape_float *arg*)

11.54.3.90 native void parma_polyhedra_library::Octagonal_Shape_float::concatenate_assign (Octagonal_Shape_float *p*)

11.54.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_-float::congruences ()

11.54.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_float::constrains (Variable *var*)

11.54.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_-float::constraints ()

11.54.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_float::contains (Octagonal_Shape_float *y*)

11.54.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_float::contains_integer_-point ()

11.54.3.96 native void parma_polyhedra_library::Octagonal_Shape_float::difference_assign (Octagonal_Shape_float *p*)

11.54.3.97 native void parma_polyhedra_library::Octagonal_Shape_float::drop_some_non_-integer_points (Integer *complexity_threshold*)

11.54.3.98 native void parma_polyhedra_library::Octagonal_Shape_float::drop_some_non_-integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.54.3.99 boolean parma_polyhedra_library::Octagonal_Shape_float::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_float.java.

References equals().

11.54.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_float::equals (Octagonal_Shape_float *p*)

Referenced by equals().

11.54.3.101 native void parma_polyhedra_library::Octagonal_Shape_float::expand_space_dimension (Variable *var*, long *m*)

11.54.3.102 native long parma_polyhedra_library::Octagonal_Shape_float::external_memory_in_bytes ()

11.54.3.103 native void parma_polyhedra_library::Octagonal_Shape_float::finalize () [protected]

11.54.3.104 native void parma_polyhedra_library::Octagonal_Shape_float::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.54.3.105 native void parma_polyhedra_library::Octagonal_Shape_float::free ()

11.54.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_float::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.54.3.107 native void parma_polyhedra_library::Octagonal_Shape_float::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.54.3.108 native void parma_polyhedra_library::Octagonal_Shape_float::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.54.3.109 native void parma_polyhedra_library::Octagonal_Shape_float::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.54.3.110 native void parma_polyhedra_library::Octagonal_Shape_float::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.54.3.111 native int parma_polyhedra_library::Octagonal_Shape_float::hashCode ()

11.54.3.112 native void parma_polyhedra_library::Octagonal_Shape_float::intersection_assign (Octagonal_Shape_float *p*)

11.54.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_float::is_bounded ()

11.54.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_float::is_discrete ()

11.54.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_float::is_disjoint_from (Octagonal_Shape_float *y*)

11.54.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_float::is_empty ()

11.54.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_float::is_topologically_-closed ()

11.54.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_float::is_universe ()

11.54.3.119 native void parma_polyhedra_library::Octagonal_Shape_float::limited_-BHMZ05_extrapolation_assign (Octagonal_Shape_float *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.54.3.120 native void parma_polyhedra_library::Octagonal_Shape_float::limited_-CC76_extrapolation_assign (Octagonal_Shape_float *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.54.3.121 static native Pair<Octagonal_Shape_float, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_float::linear_partition (Octagonal_Shape_float *p*, Octagonal_Shape_float *q*) `[static]`

11.54.3.122 native void parma_polyhedra_library::Octagonal_Shape_float::map_space_-dimensions (Partial_Function *pfunc*)

11.54.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.54.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.54.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.54.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.54.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_-float::minimized_congruences ()

11.54.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_-float::minimized_constraints ()

11.54.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_float::OK ()

11.54.3.130 native void parma_polyhedra_library::Octagonal_Shape_float::refine_with_-congruence (Congruence *c*)

11.54.3.131 native void parma_polyhedra_library::Octagonal_Shape_float::refine_with_-congruences (Congruence_System *c*)

11.54.3.132 native void parma_polyhedra_library::Octagonal_Shape_float::refine_with_-constraint (Constraint *c*)

11.54.3.133 native void parma_polyhedra_library::Octagonal_Shape_float::refine_with_-constraints (Constraint_System *c*)

11.54.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_-float::relation_with (Congruence *c*)

11.54.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_-float::relation_with (Generator *c*)

11.54.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_-float::relation_with (Constraint *c*)

11.54.3.137 native void parma_polyhedra_library::Octagonal_Shape_float::remove_higher_-space_dimensions (long *new_dimension*)

11.54.3.138 native void parma_polyhedra_library::Octagonal_Shape_float::remove_space_-dimensions (Variables_Set *vars*)

11.54.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_-float::simplify_using_context_assign (Octagonal_Shape_float *p*)

11.54.3.140 native long parma_polyhedra_library::Octagonal_Shape_float::space_dimension ()

11.54.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_float::strictly_contains (Octagonal_Shape_float *y*)

11.54.3.142 native void parma_polyhedra_library::Octagonal_Shape_float::swap (Octagonal_Shape_float *y*)

11.54.3.143 native void parma_polyhedra_library::Octagonal_Shape_float::time_elapse_assign (Octagonal_Shape_float *p*)

11.54.3.144 native void parma_polyhedra_library::Octagonal_Shape_float::topological_closure_assign ()

11.54.3.145 native String parma_polyhedra_library::Octagonal_Shape_float::toString ()

11.54.3.146 native long parma_polyhedra_library::Octagonal_Shape_float::total_memory_in_bytes ()

11.54.3.147 native void parma_polyhedra_library::Octagonal_Shape_float::unconstrain_space_dimension (Variable *var*)

11.54.3.148 native void parma_polyhedra_library::Octagonal_Shape_float::unconstrain_space_dimensions (Variables_Set *vars*)

11.54.3.149 native void parma_polyhedra_library::Octagonal_Shape_float::upper_bound_assign (Octagonal_Shape_float *p*)

11.54.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_float::upper_bound_assign_if_exact (Octagonal_Shape_float *y*)

11.54.3.151 native void parma_polyhedra_library::Octagonal_Shape_float::widening_assign (Octagonal_Shape_float *y*, By_Reference< Integer > *tp*)

11.54.3.152 native void parma_polyhedra_library::Octagonal_Shape_float::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_float.java


11.55 parma_polyhedra_library::Octagonal_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_int16_t:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_int16_t:



Public Member Functions

- Octagonal_Shape_int16_t (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_int16_t (Int8_Box y)
- Octagonal_Shape_int16_t (Int16_Box y)
- Octagonal_Shape_int16_t (Int32_Box y)
- Octagonal_Shape_int16_t (Int64_Box y)
- Octagonal_Shape_int16_t (Uint8_Box y)
- Octagonal_Shape_int16_t (Uint16_Box y)
- Octagonal_Shape_int16_t (Uint32_Box y)
- Octagonal_Shape_int16_t (Uint64_Box y)
- Octagonal_Shape_int16_t (Z_Box y)

- Octagonal_Shape_int16_t (Rational_Box y)
- Octagonal_Shape_int16_t (BD_Shape_int8_t y)
- Octagonal_Shape_int16_t (BD_Shape_int16_t y)
- Octagonal_Shape_int16_t (BD_Shape_int32_t y)
- Octagonal_Shape_int16_t (BD_Shape_int64_t y)
- Octagonal_Shape_int16_t (BD_Shape_mpz_class y)
- Octagonal_Shape_int16_t (BD_Shape_mpq_class y)
- Octagonal_Shape_int16_t (Octagonal_Shape_int8_t y)
- Octagonal_Shape_int16_t (Octagonal_Shape_int16_t y)
- Octagonal_Shape_int16_t (Octagonal_Shape_int32_t y)
- Octagonal_Shape_int16_t (Octagonal_Shape_int64_t y)
- Octagonal_Shape_int16_t (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_int16_t (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_int16_t (C_Polyhedron y)
- Octagonal_Shape_int16_t (NNC_Polyhedron y)
- Octagonal_Shape_int16_t (Grid y)
- Octagonal_Shape_int16_t (Float_Box y)
- Octagonal_Shape_int16_t (BD_Shape_float y)
- Octagonal_Shape_int16_t (Octagonal_Shape_float y)
- Octagonal_Shape_int16_t (Double_Box y)
- Octagonal_Shape_int16_t (BD_Shape_double y)
- Octagonal_Shape_int16_t (Octagonal_Shape_double y)
- Octagonal_Shape_int16_t (Long_Double_Box y)
- Octagonal_Shape_int16_t (BD_Shape_long_double y)
- Octagonal_Shape_int16_t (Octagonal_Shape_long_double y)
- Octagonal_Shape_int16_t (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Grid y, Complexity_Class complexity)

- Octagonal_Shape_int16_t (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int16_t (Constraint_System cs)
- Octagonal_Shape_int16_t (Congruence_System cs)
- Octagonal_Shape_int16_t (Generator_System cs)
- native void swap (Octagonal_Shape_int16_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_int16_t y)
- native boolean strictly_contains (Octagonal_Shape_int16_t y)
- native boolean is_disjoint_from (Octagonal_Shape_int16_t y)
- native boolean equals (Octagonal_Shape_int16_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)

- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_int16_t p)
- native void upper_bound_assign (Octagonal_Shape_int16_t p)
- native void difference_assign (Octagonal_Shape_int16_t p)
- native void concatenate_assign (Octagonal_Shape_int16_t p)
- native void time_elapse_assign (Octagonal_Shape_int16_t p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_int16_t y)
- native boolean simplify_using_context_assign (Octagonal_Shape_int16_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_int16_t y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_int16_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int16_t y, Constraint_-System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_int16_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_int16_t arg)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int16_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_int16_t p, Octagonal_Shape_int16_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_int16_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.55.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

Definition at line 33 of file Octagonal_Shape_int16_t.java.

11.55.2 Constructor & Destructor Documentation

11.55.2.1 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.2 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t () [inline, private]

Definition at line 45 of file Octagonal_Shape_int16_t.java.

11.55.2.3 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.4 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.5 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.6 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.7 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.8 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.9 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.10 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.11 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.12 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.13 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.14 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.15 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.16 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.17 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.18 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.19 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.20 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.21 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.22 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.23 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.24 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.25 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.26 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.27 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.28 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.29 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.30 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.31 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.32 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.33 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.34 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.35 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.36 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.37 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.38 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.39 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.40 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.41 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.42 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.43 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.44 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.45 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.46 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.47 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.48 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.49 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.50 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.51 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.52 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.53 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.54 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.55 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.56 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.57 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.58 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.59 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.60 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.61 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.62 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.63 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.64 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.65 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.66 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.67 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.68 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.69 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.70 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.71 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.72 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.2.73 parma_polyhedra_library::Octagonal_Shape_int16_t::Octagonal_Shape_int16_t (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.55.3 Member Function Documentation

11.55.3.1 native void parma_polyhedra_library::Octagonal_Shape_int16_t::add_congruence (Congruence *c*)

11.55.3.2 native void parma_polyhedra_library::Octagonal_Shape_int16_t::add_congruences (Congruence_System *c*)

11.55.3.3 native void parma_polyhedra_library::Octagonal_Shape_int16_t::add_constraint (Constraint *c*)

11.55.3.4 native void parma_polyhedra_library::Octagonal_Shape_int16_t::add_constraints (Constraint_System *c*)

11.55.3.5 native void parma_polyhedra_library::Octagonal_Shape_int16_t::add_space_dimensions_and_embed (long *m*)

11.55.3.6 native void parma_polyhedra_library::Octagonal_Shape_int16_t::add_space_dimensions_and_project (long *m*)

11.55.3.7 native long parma_polyhedra_library::Octagonal_Shape_int16_t::affine_dimension ()

11.55.3.8 native void parma_polyhedra_library::Octagonal_Shape_int16_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.55.3.9 native void parma_polyhedra_library::Octagonal_Shape_int16_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.55.3.10 native String parma_polyhedra_library::Octagonal_Shape_int16_t::ascii_dump ()

11.55.3.11 native void parma_polyhedra_library::Octagonal_Shape_int16_t::BHMZ05_-widening_assign (Octagonal_Shape_int16_t *y*, By_Reference< Integer > *tp*)

11.55.3.12 native void parma_polyhedra_library::Octagonal_Shape_int16_t::bounded_affine_-image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.55.3.13 native void parma_polyhedra_library::Octagonal_Shape_int16_t::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.55.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::bounds_from_-above (Linear_Expression *expr*)

11.55.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::bounds_from_-below (Linear_Expression *expr*)

11.55.3.16 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.55.3.17 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.55.3.18 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.55.3.19 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_long_double *y*) [private]

11.55.3.20 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.21 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Long_Double_Box *y*) [private]

11.55.3.22 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.55.3.23 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.55.3.24 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.55.3.25 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_double *y*) [private]

11.55.3.26 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.27 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Double_Box *y*) [private]

11.55.3.28 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.55.3.29 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.55.3.30 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.55.3.31 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_float *y*) [private]

11.55.3.32 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.33 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Float_Box *y*) [private]

11.55.3.34 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.55.3.35 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Grid *y*) [private]

11.55.3.36 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.55.3.37 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.55.3.38 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.55.3.39 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (C_Polyhedron *y*) [private]

11.55.3.40 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.55.3.41 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.55.3.42 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.55.3.43 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.55.3.44 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.55.3.45 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.55.3.46 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.55.3.47 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.55.3.48 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.55.3.49 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.55.3.50 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.55.3.51 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.55.3.52 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.55.3.53 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.55.3.54 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.55.3.55 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.55.3.56 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.55.3.57 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.55.3.58 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.55.3.59 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.55.3.60 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.55.3.61 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.55.3.62 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.55.3.63 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.55.3.64 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.65 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Rational_Box *y*) [private]

11.55.3.66 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.67 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Z_Box *y*) [private]

11.55.3.68 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.69 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint64_Box *y*) [private]

11.55.3.70 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.71 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint32_Box *y*) [private]

11.55.3.72 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.73 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint16_Box *y*) [private]

11.55.3.74 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.75 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Uint8_Box *y*) [private]

11.55.3.76 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.77 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int64_Box *y*) [private]

11.55.3.78 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.79 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int32_Box *y*) [private]

11.55.3.80 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.81 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int16_Box *y*) [private]

11.55.3.82 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.55.3.83 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Int8_Box *y*) [private]

11.55.3.84 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.55.3.85 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Generator_System *cs*) [private]

11.55.3.86 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Congruence_System *cs*) [private]

11.55.3.87 native void parma_polyhedra_library::Octagonal_Shape_int16_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_int16_t().

11.55.3.88 native void parma_polyhedra_library::Octagonal_Shape_int16_t::CC76_-extrapolation_assign (Octagonal_Shape_int16_t *arg*, By_Reference< Integer > *tp*)

11.55.3.89 native void parma_polyhedra_library::Octagonal_Shape_int16_t::CC76_narrowing_-assign (Octagonal_Shape_int16_t *arg*)

11.55.3.90 native void parma_polyhedra_library::Octagonal_Shape_int16_t::concatenate_assign (Octagonal_Shape_int16_t *p*)

11.55.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int16_t::congruences ()

11.55.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::constrains (Variable *var*)

11.55.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int16_t::constraints ()

11.55.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::contains (Octagonal_Shape_int16_t *y*)

11.55.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::contains_integer_point ()

11.55.3.96 native void parma_polyhedra_library::Octagonal_Shape_int16_t::difference_assign (Octagonal_Shape_int16_t *p*)

11.55.3.97 native void parma_polyhedra_library::Octagonal_Shape_int16_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.55.3.98 native void parma_polyhedra_library::Octagonal_Shape_int16_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.55.3.99 boolean parma_polyhedra_library::Octagonal_Shape_int16_t::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_int16_t.java.

References equals().

11.55.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::equals (Octagonal_Shape_int16_t *p*)

Referenced by equals().

11.55.3.101 native void parma_polyhedra_library::Octagonal_Shape_int16_t::expand_space_dimension (Variable *var*, long *m*)

11.55.3.102 native long parma_polyhedra_library::Octagonal_Shape_int16_t::external_memory_in_bytes ()

11.55.3.103 native void parma_polyhedra_library::Octagonal_Shape_int16_t::finalize () [protected]

11.55.3.104 native void parma_polyhedra_library::Octagonal_Shape_int16_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.55.3.105 native void parma_polyhedra_library::Octagonal_Shape_int16_t::free ()

11.55.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.55.3.107 native void parma_polyhedra_library::Octagonal_Shape_int16_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.55.3.108 native void parma_polyhedra_library::Octagonal_Shape_int16_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.55.3.109 native void parma_polyhedra_library::Octagonal_Shape_int16_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.55.3.110 native void parma_polyhedra_library::Octagonal_Shape_int16_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.55.3.111 native int parma_polyhedra_library::Octagonal_Shape_int16_t::hashCode ()

11.55.3.112 native void parma_polyhedra_library::Octagonal_Shape_int16_t::intersection_assign (Octagonal_Shape_int16_t *p*)

11.55.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::is_bounded ()

11.55.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::is_discrete ()

11.55.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::is_disjoint_from (Octagonal_Shape_int16_t *y*)

11.55.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::is_empty ()

11.55.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::is_topologically_closed ()

11.55.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::is_universe ()

11.55.3.119 native void parma_polyhedra_library::Octagonal_Shape_int16_t::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int16_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.55.3.120 native void parma_polyhedra_library::Octagonal_Shape_int16_t::limited_CC76_extrapolation_assign (Octagonal_Shape_int16_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.55.3.121 static native Pair<Octagonal_Shape_int16_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_int16_t::linear_partition (Octagonal_Shape_int16_t *p*, Octagonal_Shape_int16_t *q*) `[static]`

11.55.3.122 native void parma_polyhedra_library::Octagonal_Shape_int16_t::map_space_dimensions (Partial_Function *pfunc*)

11.55.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.55.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.55.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.55.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.55.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int16_t::minimized_congruences ()

11.55.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int16_t::minimized_constraints ()

11.55.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::OK ()

11.55.3.130 native void parma_polyhedra_library::Octagonal_Shape_int16_t::refine_with_congruence (Congruence *c*)

11.55.3.131 native void parma_polyhedra_library::Octagonal_Shape_int16_t::refine_with_congruences (Congruence_System *c*)

11.55.3.132 native void parma_polyhedra_library::Octagonal_Shape_int16_t::refine_with_constraint (Constraint *c*)

11.55.3.133 native void parma_polyhedra_library::Octagonal_Shape_int16_t::refine_with_constraints (Constraint_System *c*)

11.55.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int16_t::relation_with (Congruence *c*)

11.55.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_int16_t::relation_with (Generator *c*)

11.55.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int16_t::relation_with (Constraint *c*)

11.55.3.137 native void parma_polyhedra_library::Octagonal_Shape_int16_t::remove_higher_space_dimensions (long *new_dimension*)

11.55.3.138 native void parma_polyhedra_library::Octagonal_Shape_int16_t::remove_space_dimensions (Variables_Set *vars*)

11.55.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::simplify_using_context_assign (Octagonal_Shape_int16_t *p*)

11.55.3.140 native long parma_polyhedra_library::Octagonal_Shape_int16_t::space_dimension ()

11.55.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::strictly_contains (Octagonal_Shape_int16_t *y*)

11.55.3.142 native void parma_polyhedra_library::Octagonal_Shape_int16_t::swap (Octagonal_Shape_int16_t *y*)

11.55.3.143 native void parma_polyhedra_library::Octagonal_Shape_int16_t::time_elapse_assign (Octagonal_Shape_int16_t *p*)

11.55.3.144 native void parma_polyhedra_library::Octagonal_Shape_int16_t::topological_closure_assign ()

11.55.3.145 native String parma_polyhedra_library::Octagonal_Shape_int16_t::toString ()

11.55.3.146 native long parma_polyhedra_library::Octagonal_Shape_int16_t::total_memory_in_bytes ()

11.55.3.147 native void parma_polyhedra_library::Octagonal_Shape_int16_t::unconstrain_space_dimension (Variable *var*)

11.55.3.148 native void parma_polyhedra_library::Octagonal_Shape_int16_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.55.3.149 native void parma_polyhedra_library::Octagonal_Shape_int16_t::upper_bound_assign (Octagonal_Shape_int16_t *p*)

11.55.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_int16_t::upper_bound_assign_if_exact (Octagonal_Shape_int16_t *y*)

11.55.3.151 native void parma_polyhedra_library::Octagonal_Shape_int16_t::widening_assign (Octagonal_Shape_int16_t *y*, By_Reference< Integer > *tp*)

11.55.3.152 native void parma_polyhedra_library::Octagonal_Shape_int16_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_int16_t.java


11.56 parma_polyhedra_library::Octagonal_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_int32_t:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_int32_t:



Public Member Functions

- Octagonal_Shape_int32_t (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_int32_t (Int8_Box y)
- Octagonal_Shape_int32_t (Int16_Box y)
- Octagonal_Shape_int32_t (Int32_Box y)
- Octagonal_Shape_int32_t (Int64_Box y)
- Octagonal_Shape_int32_t (Uint8_Box y)
- Octagonal_Shape_int32_t (Uint16_Box y)
- Octagonal_Shape_int32_t (Uint32_Box y)
- Octagonal_Shape_int32_t (Uint64_Box y)
- Octagonal_Shape_int32_t (Z_Box y)

- Octagonal_Shape_int32_t (Rational_Box y)
- Octagonal_Shape_int32_t (BD_Shape_int8_t y)
- Octagonal_Shape_int32_t (BD_Shape_int16_t y)
- Octagonal_Shape_int32_t (BD_Shape_int32_t y)
- Octagonal_Shape_int32_t (BD_Shape_int64_t y)
- Octagonal_Shape_int32_t (BD_Shape_mpz_class y)
- Octagonal_Shape_int32_t (BD_Shape_mpq_class y)
- Octagonal_Shape_int32_t (Octagonal_Shape_int8_t y)
- Octagonal_Shape_int32_t (Octagonal_Shape_int16_t y)
- Octagonal_Shape_int32_t (Octagonal_Shape_int32_t y)
- Octagonal_Shape_int32_t (Octagonal_Shape_int64_t y)
- Octagonal_Shape_int32_t (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_int32_t (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_int32_t (C_Polyhedron y)
- Octagonal_Shape_int32_t (NNC_Polyhedron y)
- Octagonal_Shape_int32_t (Grid y)
- Octagonal_Shape_int32_t (Float_Box y)
- Octagonal_Shape_int32_t (BD_Shape_float y)
- Octagonal_Shape_int32_t (Octagonal_Shape_float y)
- Octagonal_Shape_int32_t (Double_Box y)
- Octagonal_Shape_int32_t (BD_Shape_double y)
- Octagonal_Shape_int32_t (Octagonal_Shape_double y)
- Octagonal_Shape_int32_t (Long_Double_Box y)
- Octagonal_Shape_int32_t (BD_Shape_long_double y)
- Octagonal_Shape_int32_t (Octagonal_Shape_long_double y)
- Octagonal_Shape_int32_t (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Grid y, Complexity_Class complexity)

- Octagonal_Shape_int32_t (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int32_t (Constraint_System cs)
- Octagonal_Shape_int32_t (Congruence_System cs)
- Octagonal_Shape_int32_t (Generator_System cs)
- native void swap (Octagonal_Shape_int32_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_int32_t y)
- native boolean strictly_contains (Octagonal_Shape_int32_t y)
- native boolean is_disjoint_from (Octagonal_Shape_int32_t y)
- native boolean equals (Octagonal_Shape_int32_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)

- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_int32_t p)
- native void upper_bound_assign (Octagonal_Shape_int32_t p)
- native void difference_assign (Octagonal_Shape_int32_t p)
- native void concatenate_assign (Octagonal_Shape_int32_t p)
- native void time_elapse_assign (Octagonal_Shape_int32_t p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_int32_t y)
- native boolean simplify_using_context_assign (Octagonal_Shape_int32_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_int32_t y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_int32_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int32_t y, Constraint_-System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_int32_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_int32_t arg)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int32_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_int32_t p, Octagonal_Shape_int32_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_int32_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.56.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

Definition at line 33 of file Octagonal_Shape_int32_t.java.

11.56.2 Constructor & Destructor Documentation

11.56.2.1 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.2 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t () [inline, private]

Definition at line 45 of file Octagonal_Shape_int32_t.java.

11.56.2.3 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.4 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.5 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.6 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.7 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.8 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.9 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.10 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.11 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.12 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.13 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.14 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.15 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.16 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.17 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.18 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.19 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.20 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.21 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.22 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.23 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.24 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.25 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.26 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.27 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.28 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.29 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.30 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.31 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.32 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.33 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.34 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.35 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.36 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.37 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.38 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.39 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.40 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.41 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.42 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.43 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.44 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.45 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.46 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.47 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.48 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.49 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.50 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.51 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.52 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.53 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.54 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.55 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.56 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.57 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.58 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.59 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.60 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.61 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.62 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.63 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.64 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.65 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.66 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.67 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.68 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.69 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.70 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.71 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.72 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.2.73 parma_polyhedra_library::Octagonal_Shape_int32_t::Octagonal_Shape_int32_t (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.56.3 Member Function Documentation

11.56.3.1 native void parma_polyhedra_library::Octagonal_Shape_int32_t::add_congruence (Congruence *c*)

11.56.3.2 native void parma_polyhedra_library::Octagonal_Shape_int32_t::add_congruences (Congruence_System *c*)

11.56.3.3 native void parma_polyhedra_library::Octagonal_Shape_int32_t::add_constraint (Constraint *c*)

11.56.3.4 native void parma_polyhedra_library::Octagonal_Shape_int32_t::add_constraints (Constraint_System *c*)

11.56.3.5 native void parma_polyhedra_library::Octagonal_Shape_int32_t::add_space_dimensions_and_embed (long *m*)

11.56.3.6 native void parma_polyhedra_library::Octagonal_Shape_int32_t::add_space_dimensions_and_project (long *m*)

11.56.3.7 native long parma_polyhedra_library::Octagonal_Shape_int32_t::affine_dimension ()

11.56.3.8 native void parma_polyhedra_library::Octagonal_Shape_int32_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.56.3.9 native void parma_polyhedra_library::Octagonal_Shape_int32_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.56.3.10 native String parma_polyhedra_library::Octagonal_Shape_int32_t::ascii_dump ()

11.56.3.11 native void parma_polyhedra_library::Octagonal_Shape_int32_t::BHMZ05_-widening_assign (Octagonal_Shape_int32_t *y*, By_Reference< Integer > *tp*)

11.56.3.12 native void parma_polyhedra_library::Octagonal_Shape_int32_t::bounded_affine_-image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.56.3.13 native void parma_polyhedra_library::Octagonal_Shape_int32_t::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.56.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::bounds_from_-above (Linear_Expression *expr*)

11.56.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::bounds_from_-below (Linear_Expression *expr*)

11.56.3.16 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.56.3.17 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.56.3.18 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.56.3.19 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_long_double *y*) [private]

11.56.3.20 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.21 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Long_Double_Box *y*) [private]

11.56.3.22 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.56.3.23 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.56.3.24 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.56.3.25 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_double *y*) [private]

11.56.3.26 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.27 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Double_Box *y*) [private]

11.56.3.28 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.56.3.29 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.56.3.30 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.56.3.31 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_float *y*) [private]

11.56.3.32 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.33 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Float_Box *y*) [private]

11.56.3.34 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.56.3.35 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Grid *y*) [private]

11.56.3.36 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.56.3.37 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.56.3.38 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.56.3.39 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (C_Polyhedron *y*) [private]

11.56.3.40 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.56.3.41 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.56.3.42 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.56.3.43 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.56.3.44 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.56.3.45 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.56.3.46 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.56.3.47 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.56.3.48 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.56.3.49 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.56.3.50 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.56.3.51 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.56.3.52 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.56.3.53 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.56.3.54 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.56.3.55 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.56.3.56 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.56.3.57 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.56.3.58 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.56.3.59 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.56.3.60 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.56.3.61 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.56.3.62 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.56.3.63 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.56.3.64 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.65 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Rational_Box *y*) [private]

11.56.3.66 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.67 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Z_Box *y*) [private]

11.56.3.68 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.69 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint64_Box *y*) [private]

11.56.3.70 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.71 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint32_Box *y*) [private]

11.56.3.72 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.73 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint16_Box *y*) [private]

11.56.3.74 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.75 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Uint8_Box *y*) [private]

11.56.3.76 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.77 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int64_Box *y*) [private]

11.56.3.78 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.79 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int32_Box *y*) [private]

11.56.3.80 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.81 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int16_Box *y*) [private]

11.56.3.82 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.56.3.83 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Int8_Box *y*) [private]

11.56.3.84 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.56.3.85 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Generator_System *cs*) [private]

11.56.3.86 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Congruence_System *cs*) [private]

11.56.3.87 native void parma_polyhedra_library::Octagonal_Shape_int32_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_int32_t().

11.56.3.88 native void parma_polyhedra_library::Octagonal_Shape_int32_t::CC76_-extrapolation_assign (Octagonal_Shape_int32_t *arg*, By_Reference< Integer > *tp*)

11.56.3.89 native void parma_polyhedra_library::Octagonal_Shape_int32_t::CC76_narrowing_-assign (Octagonal_Shape_int32_t *arg*)

11.56.3.90 native void parma_polyhedra_library::Octagonal_Shape_int32_t::concatenate_assign (Octagonal_Shape_int32_t *p*)

11.56.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int32_t::congruences ()

11.56.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::constrains (Variable *var*)

11.56.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int32_t::constraints ()

11.56.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::contains (Octagonal_Shape_int32_t *y*)

11.56.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::contains_integer_point ()

11.56.3.96 native void parma_polyhedra_library::Octagonal_Shape_int32_t::difference_assign (Octagonal_Shape_int32_t *p*)

11.56.3.97 native void parma_polyhedra_library::Octagonal_Shape_int32_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.56.3.98 native void parma_polyhedra_library::Octagonal_Shape_int32_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.56.3.99 boolean parma_polyhedra_library::Octagonal_Shape_int32_t::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_int32_t.java.

References equals().

11.56.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::equals (Octagonal_Shape_int32_t *p*)

Referenced by equals().

11.56.3.101 native void parma_polyhedra_library::Octagonal_Shape_int32_t::expand_space_dimension (Variable *var*, long *m*)

11.56.3.102 native long parma_polyhedra_library::Octagonal_Shape_int32_t::external_memory_in_bytes ()

11.56.3.103 native void parma_polyhedra_library::Octagonal_Shape_int32_t::finalize () [protected]

11.56.3.104 native void parma_polyhedra_library::Octagonal_Shape_int32_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.56.3.105 native void parma_polyhedra_library::Octagonal_Shape_int32_t::free ()

11.56.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.56.3.107 native void parma_polyhedra_library::Octagonal_Shape_int32_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.56.3.108 native void parma_polyhedra_library::Octagonal_Shape_int32_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.56.3.109 native void parma_polyhedra_library::Octagonal_Shape_int32_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.56.3.110 native void parma_polyhedra_library::Octagonal_Shape_int32_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.56.3.111 native int parma_polyhedra_library::Octagonal_Shape_int32_t::hashCode ()

11.56.3.112 native void parma_polyhedra_library::Octagonal_Shape_int32_t::intersection_assign (Octagonal_Shape_int32_t *p*)

11.56.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::is_bounded ()

11.56.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::is_discrete ()

11.56.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::is_disjoint_from (Octagonal_Shape_int32_t *y*)

11.56.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::is_empty ()

11.56.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::is_topologically_closed ()

11.56.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::is_universe ()

11.56.3.119 native void parma_polyhedra_library::Octagonal_Shape_int32_t::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int32_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.56.3.120 native void parma_polyhedra_library::Octagonal_Shape_int32_t::limited_CC76_extrapolation_assign (Octagonal_Shape_int32_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.56.3.121 static native Pair<Octagonal_Shape_int32_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_int32_t::linear_partition (Octagonal_Shape_int32_t *p*, Octagonal_Shape_int32_t *q*) `[static]`

11.56.3.122 native void parma_polyhedra_library::Octagonal_Shape_int32_t::map_space_dimensions (Partial_Function *pfunc*)

11.56.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.56.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.56.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.56.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.56.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int32_t::minimized_congruences ()

11.56.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int32_t::minimized_constraints ()

11.56.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::OK ()

11.56.3.130 native void parma_polyhedra_library::Octagonal_Shape_int32_t::refine_with_congruence (Congruence *c*)

11.56.3.131 native void parma_polyhedra_library::Octagonal_Shape_int32_t::refine_with_congruences (Congruence_System *c*)

11.56.3.132 native void parma_polyhedra_library::Octagonal_Shape_int32_t::refine_with_constraint (Constraint *c*)

11.56.3.133 native void parma_polyhedra_library::Octagonal_Shape_int32_t::refine_with_constraints (Constraint_System *c*)

11.56.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int32_t::relation_with (Congruence *c*)

11.56.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_int32_t::relation_with (Generator *c*)

11.56.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int32_t::relation_with (Constraint *c*)

11.56.3.137 native void parma_polyhedra_library::Octagonal_Shape_int32_t::remove_higher_space_dimensions (long *new_dimension*)

11.56.3.138 native void parma_polyhedra_library::Octagonal_Shape_int32_t::remove_space_dimensions (Variables_Set *vars*)

11.56.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::simplify_using_context_assign (Octagonal_Shape_int32_t *p*)

11.56.3.140 native long parma_polyhedra_library::Octagonal_Shape_int32_t::space_dimension ()

11.56.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::strictly_contains (Octagonal_Shape_int32_t *y*)

11.56.3.142 native void parma_polyhedra_library::Octagonal_Shape_int32_t::swap (Octagonal_Shape_int32_t *y*)

11.56.3.143 native void parma_polyhedra_library::Octagonal_Shape_int32_t::time_elapse_assign (Octagonal_Shape_int32_t *p*)

11.56.3.144 native void parma_polyhedra_library::Octagonal_Shape_int32_t::topological_closure_assign ()

11.56.3.145 native String parma_polyhedra_library::Octagonal_Shape_int32_t::toString ()

11.56.3.146 native long parma_polyhedra_library::Octagonal_Shape_int32_t::total_memory_in_bytes ()

11.56.3.147 native void parma_polyhedra_library::Octagonal_Shape_int32_t::unconstrain_space_dimension (Variable *var*)

11.56.3.148 native void parma_polyhedra_library::Octagonal_Shape_int32_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.56.3.149 native void parma_polyhedra_library::Octagonal_Shape_int32_t::upper_bound_assign (Octagonal_Shape_int32_t *p*)

11.56.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_int32_t::upper_bound_assign_if_exact (Octagonal_Shape_int32_t *y*)

11.56.3.151 native void parma_polyhedra_library::Octagonal_Shape_int32_t::widening_assign (Octagonal_Shape_int32_t *y*, By_Reference< Integer > *tp*)

11.56.3.152 native void parma_polyhedra_library::Octagonal_Shape_int32_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_int32_t.java


11.57 parma_polyhedra_library::Octagonal_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_int64_t:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_int64_t:



Public Member Functions

- Octagonal_Shape_int64_t (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_int64_t (Int8_Box y)
- Octagonal_Shape_int64_t (Int16_Box y)
- Octagonal_Shape_int64_t (Int32_Box y)
- Octagonal_Shape_int64_t (Int64_Box y)
- Octagonal_Shape_int64_t (Uint8_Box y)
- Octagonal_Shape_int64_t (Uint16_Box y)
- Octagonal_Shape_int64_t (Uint32_Box y)
- Octagonal_Shape_int64_t (Uint64_Box y)
- Octagonal_Shape_int64_t (Z_Box y)

- Octagonal_Shape_int64_t (Rational_Box y)
- Octagonal_Shape_int64_t (BD_Shape_int8_t y)
- Octagonal_Shape_int64_t (BD_Shape_int16_t y)
- Octagonal_Shape_int64_t (BD_Shape_int32_t y)
- Octagonal_Shape_int64_t (BD_Shape_int64_t y)
- Octagonal_Shape_int64_t (BD_Shape_mpz_class y)
- Octagonal_Shape_int64_t (BD_Shape_mpq_class y)
- Octagonal_Shape_int64_t (Octagonal_Shape_int8_t y)
- Octagonal_Shape_int64_t (Octagonal_Shape_int16_t y)
- Octagonal_Shape_int64_t (Octagonal_Shape_int32_t y)
- Octagonal_Shape_int64_t (Octagonal_Shape_int64_t y)
- Octagonal_Shape_int64_t (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_int64_t (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_int64_t (C_Polyhedron y)
- Octagonal_Shape_int64_t (NNC_Polyhedron y)
- Octagonal_Shape_int64_t (Grid y)
- Octagonal_Shape_int64_t (Float_Box y)
- Octagonal_Shape_int64_t (BD_Shape_float y)
- Octagonal_Shape_int64_t (Octagonal_Shape_float y)
- Octagonal_Shape_int64_t (Double_Box y)
- Octagonal_Shape_int64_t (BD_Shape_double y)
- Octagonal_Shape_int64_t (Octagonal_Shape_double y)
- Octagonal_Shape_int64_t (Long_Double_Box y)
- Octagonal_Shape_int64_t (BD_Shape_long_double y)
- Octagonal_Shape_int64_t (Octagonal_Shape_long_double y)
- Octagonal_Shape_int64_t (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Grid y, Complexity_Class complexity)

- Octagonal_Shape_int64_t (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int64_t (Constraint_System cs)
- Octagonal_Shape_int64_t (Congruence_System cs)
- Octagonal_Shape_int64_t (Generator_System cs)
- native void swap (Octagonal_Shape_int64_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_int64_t y)
- native boolean strictly_contains (Octagonal_Shape_int64_t y)
- native boolean is_disjoint_from (Octagonal_Shape_int64_t y)
- native boolean equals (Octagonal_Shape_int64_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)

- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_int64_t p)
- native void upper_bound_assign (Octagonal_Shape_int64_t p)
- native void difference_assign (Octagonal_Shape_int64_t p)
- native void concatenate_assign (Octagonal_Shape_int64_t p)
- native void time_elapse_assign (Octagonal_Shape_int64_t p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_int64_t y)
- native boolean simplify_using_context_assign (Octagonal_Shape_int64_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_int64_t y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_int64_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int64_t y, Constraint_-System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_int64_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_int64_t arg)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int64_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_int64_t p, Octagonal_Shape_int64_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_int64_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.57.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

Definition at line 33 of file Octagonal_Shape_int64_t.java.

11.57.2 Constructor & Destructor Documentation

11.57.2.1 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.2 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t () [inline, private]

Definition at line 45 of file Octagonal_Shape_int64_t.java.

11.57.2.3 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.4 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.5 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.6 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.7 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.8 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.9 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.10 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.11 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.12 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.13 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.14 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.15 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.16 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.17 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.18 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.19 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.20 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.21 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.22 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.23 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.24 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.25 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.26 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.27 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.28 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.29 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.30 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.31 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.32 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.33 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.34 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.35 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.36 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.37 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.38 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.39 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.40 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.41 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.42 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.43 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.44 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.45 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.46 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.47 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.48 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.49 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.50 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.51 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.52 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.53 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.54 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.55 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.56 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.57 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.58 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.59 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.60 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.61 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.62 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.63 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.64 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.65 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.66 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.67 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.68 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.69 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.70 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.71 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.72 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.2.73 parma_polyhedra_library::Octagonal_Shape_int64_t::Octagonal_Shape_int64_t (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.57.3 Member Function Documentation

11.57.3.1 native void parma_polyhedra_library::Octagonal_Shape_int64_t::add_congruence (Congruence *c*)

11.57.3.2 native void parma_polyhedra_library::Octagonal_Shape_int64_t::add_congruences (Congruence_System *c*)

11.57.3.3 native void parma_polyhedra_library::Octagonal_Shape_int64_t::add_constraint (Constraint *c*)

11.57.3.4 native void parma_polyhedra_library::Octagonal_Shape_int64_t::add_constraints (Constraint_System *c*)

11.57.3.5 native void parma_polyhedra_library::Octagonal_Shape_int64_t::add_space_dimensions_and_embed (long *m*)

11.57.3.6 native void parma_polyhedra_library::Octagonal_Shape_int64_t::add_space_dimensions_and_project (long *m*)

11.57.3.7 native long parma_polyhedra_library::Octagonal_Shape_int64_t::affine_dimension ()

11.57.3.8 native void parma_polyhedra_library::Octagonal_Shape_int64_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.57.3.9 native void parma_polyhedra_library::Octagonal_Shape_int64_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.57.3.10 native String parma_polyhedra_library::Octagonal_Shape_int64_t::ascii_dump ()

11.57.3.11 native void parma_polyhedra_library::Octagonal_Shape_int64_t::BHMZ05_-widening_assign (Octagonal_Shape_int64_t *y*, By_Reference< Integer > *tp*)

11.57.3.12 native void parma_polyhedra_library::Octagonal_Shape_int64_t::bounded_affine_-image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.57.3.13 native void parma_polyhedra_library::Octagonal_Shape_int64_t::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.57.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::bounds_from_-above (Linear_Expression *expr*)

11.57.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::bounds_from_-below (Linear_Expression *expr*)

11.57.3.16 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.57.3.17 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.57.3.18 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.57.3.19 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_long_double *y*) [private]

11.57.3.20 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.21 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Long_Double_Box *y*) [private]

11.57.3.22 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.57.3.23 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.57.3.24 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.57.3.25 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_double *y*) [private]

11.57.3.26 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.27 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Double_Box *y*) [private]

11.57.3.28 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.57.3.29 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.57.3.30 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.57.3.31 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_float *y*) [private]

11.57.3.32 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.33 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Float_Box *y*) [private]

11.57.3.34 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.57.3.35 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Grid *y*) [private]

11.57.3.36 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.57.3.37 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.57.3.38 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.57.3.39 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (C_Polyhedron *y*) [private]

11.57.3.40 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.57.3.41 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.57.3.42 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.57.3.43 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.57.3.44 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.57.3.45 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.57.3.46 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.57.3.47 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.57.3.48 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.57.3.49 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.57.3.50 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.57.3.51 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.57.3.52 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.57.3.53 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.57.3.54 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.57.3.55 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.57.3.56 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.57.3.57 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.57.3.58 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.57.3.59 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.57.3.60 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.57.3.61 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.57.3.62 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.57.3.63 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.57.3.64 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.65 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Rational_Box *y*) [private]

11.57.3.66 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.67 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Z_Box *y*) [private]

11.57.3.68 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.69 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint64_Box *y*) [private]

11.57.3.70 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.71 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint32_Box *y*) [private]

11.57.3.72 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.73 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint16_Box *y*) [private]

11.57.3.74 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.75 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Uint8_Box *y*) [private]

11.57.3.76 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.77 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int64_Box *y*) [private]

11.57.3.78 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.79 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int32_Box *y*) [private]

11.57.3.80 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.81 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int16_Box *y*) [private]

11.57.3.82 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.57.3.83 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Int8_Box *y*) [private]

11.57.3.84 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.57.3.85 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Generator_System *cs*) [private]

11.57.3.86 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Congruence_System *cs*) [private]

11.57.3.87 native void parma_polyhedra_library::Octagonal_Shape_int64_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_int64_t().

11.57.3.88 native void parma_polyhedra_library::Octagonal_Shape_int64_t::CC76_-extrapolation_assign (Octagonal_Shape_int64_t *arg*, By_Reference< Integer > *tp*)

11.57.3.89 native void parma_polyhedra_library::Octagonal_Shape_int64_t::CC76_narrowing_-assign (Octagonal_Shape_int64_t *arg*)

11.57.3.90 native void parma_polyhedra_library::Octagonal_Shape_int64_t::concatenate_assign (Octagonal_Shape_int64_t *p*)

11.57.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int64_t::congruences ()

11.57.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::constrains (Variable *var*)

11.57.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int64_t::constraints ()

11.57.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::contains (Octagonal_Shape_int64_t *y*)

11.57.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::contains_integer_point ()

11.57.3.96 native void parma_polyhedra_library::Octagonal_Shape_int64_t::difference_assign (Octagonal_Shape_int64_t *p*)

11.57.3.97 native void parma_polyhedra_library::Octagonal_Shape_int64_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.57.3.98 native void parma_polyhedra_library::Octagonal_Shape_int64_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.57.3.99 boolean parma_polyhedra_library::Octagonal_Shape_int64_t::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_int64_t.java.

References equals().

11.57.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::equals (Octagonal_Shape_int64_t *p*)

Referenced by equals().

11.57.3.101 native void parma_polyhedra_library::Octagonal_Shape_int64_t::expand_space_dimension (Variable *var*, long *m*)

11.57.3.102 native long parma_polyhedra_library::Octagonal_Shape_int64_t::external_memory_in_bytes ()

11.57.3.103 native void parma_polyhedra_library::Octagonal_Shape_int64_t::finalize () [protected]

11.57.3.104 native void parma_polyhedra_library::Octagonal_Shape_int64_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.57.3.105 native void parma_polyhedra_library::Octagonal_Shape_int64_t::free ()

11.57.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.57.3.107 native void parma_polyhedra_library::Octagonal_Shape_int64_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.57.3.108 native void parma_polyhedra_library::Octagonal_Shape_int64_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.57.3.109 native void parma_polyhedra_library::Octagonal_Shape_int64_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.57.3.110 native void parma_polyhedra_library::Octagonal_Shape_int64_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.57.3.111 native int parma_polyhedra_library::Octagonal_Shape_int64_t::hashCode ()

11.57.3.112 native void parma_polyhedra_library::Octagonal_Shape_int64_t::intersection_assign (Octagonal_Shape_int64_t *p*)

11.57.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::is_bounded ()

11.57.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::is_discrete ()

11.57.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::is_disjoint_from (Octagonal_Shape_int64_t *y*)

11.57.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::is_empty ()

11.57.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::is_topologically_closed ()

11.57.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::is_universe ()

11.57.3.119 native void parma_polyhedra_library::Octagonal_Shape_int64_t::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int64_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.57.3.120 native void parma_polyhedra_library::Octagonal_Shape_int64_t::limited_CC76_extrapolation_assign (Octagonal_Shape_int64_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.57.3.121 static native Pair<Octagonal_Shape_int64_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_int64_t::linear_partition (Octagonal_Shape_int64_t *p*, Octagonal_Shape_int64_t *q*) `[static]`

11.57.3.122 native void parma_polyhedra_library::Octagonal_Shape_int64_t::map_space_dimensions (Partial_Function *pfunc*)

11.57.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.57.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.57.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.57.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.57.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int64_t::minimized_congruences ()

11.57.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int64_t::minimized_constraints ()

11.57.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::OK ()

11.57.3.130 native void parma_polyhedra_library::Octagonal_Shape_int64_t::refine_with_congruence (Congruence *c*)

11.57.3.131 native void parma_polyhedra_library::Octagonal_Shape_int64_t::refine_with_congruences (Congruence_System *c*)

11.57.3.132 native void parma_polyhedra_library::Octagonal_Shape_int64_t::refine_with_constraint (Constraint *c*)

11.57.3.133 native void parma_polyhedra_library::Octagonal_Shape_int64_t::refine_with_constraints (Constraint_System *c*)

11.57.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int64_t::relation_with (Congruence *c*)

11.57.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_int64_t::relation_with (Generator *c*)

11.57.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int64_t::relation_with (Constraint *c*)

11.57.3.137 native void parma_polyhedra_library::Octagonal_Shape_int64_t::remove_higher_space_dimensions (long *new_dimension*)

11.57.3.138 native void parma_polyhedra_library::Octagonal_Shape_int64_t::remove_space_dimensions (Variables_Set *vars*)

11.57.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::simplify_using_context_assign (Octagonal_Shape_int64_t *p*)

11.57.3.140 native long parma_polyhedra_library::Octagonal_Shape_int64_t::space_dimension ()

11.57.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::strictly_contains (Octagonal_Shape_int64_t *y*)

11.57.3.142 native void parma_polyhedra_library::Octagonal_Shape_int64_t::swap (Octagonal_Shape_int64_t *y*)

11.57.3.143 native void parma_polyhedra_library::Octagonal_Shape_int64_t::time_elapse_assign (Octagonal_Shape_int64_t *p*)

11.57.3.144 native void parma_polyhedra_library::Octagonal_Shape_int64_t::topological_closure_assign ()

11.57.3.145 native String parma_polyhedra_library::Octagonal_Shape_int64_t::toString ()

11.57.3.146 native long parma_polyhedra_library::Octagonal_Shape_int64_t::total_memory_in_bytes ()

11.57.3.147 native void parma_polyhedra_library::Octagonal_Shape_int64_t::unconstrain_space_dimension (Variable *var*)

11.57.3.148 native void parma_polyhedra_library::Octagonal_Shape_int64_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.57.3.149 native void parma_polyhedra_library::Octagonal_Shape_int64_t::upper_bound_assign (Octagonal_Shape_int64_t *p*)

11.57.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_int64_t::upper_bound_assign_if_exact (Octagonal_Shape_int64_t *y*)

11.57.3.151 native void parma_polyhedra_library::Octagonal_Shape_int64_t::widening_assign (Octagonal_Shape_int64_t *y*, By_Reference< Integer > *tp*)

11.57.3.152 native void parma_polyhedra_library::Octagonal_Shape_int64_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_int64_t.java


11.58 parma_polyhedra_library::Octagonal_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_int8_t:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_int8_t:



Public Member Functions

- Octagonal_Shape_int8_t (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_int8_t (Int8_Box y)
- Octagonal_Shape_int8_t (Int16_Box y)
- Octagonal_Shape_int8_t (Int32_Box y)
- Octagonal_Shape_int8_t (Int64_Box y)
- Octagonal_Shape_int8_t (Uint8_Box y)
- Octagonal_Shape_int8_t (Uint16_Box y)
- Octagonal_Shape_int8_t (Uint32_Box y)
- Octagonal_Shape_int8_t (Uint64_Box y)
- Octagonal_Shape_int8_t (Z_Box y)

- Octagonal_Shape_int8_t (Rational_Box y)
- Octagonal_Shape_int8_t (BD_Shape_int8_t y)
- Octagonal_Shape_int8_t (BD_Shape_int16_t y)
- Octagonal_Shape_int8_t (BD_Shape_int32_t y)
- Octagonal_Shape_int8_t (BD_Shape_int64_t y)
- Octagonal_Shape_int8_t (BD_Shape_mpz_class y)
- Octagonal_Shape_int8_t (BD_Shape_mpq_class y)
- Octagonal_Shape_int8_t (Octagonal_Shape_int8_t y)
- Octagonal_Shape_int8_t (Octagonal_Shape_int16_t y)
- Octagonal_Shape_int8_t (Octagonal_Shape_int32_t y)
- Octagonal_Shape_int8_t (Octagonal_Shape_int64_t y)
- Octagonal_Shape_int8_t (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_int8_t (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_int8_t (C_Polyhedron y)
- Octagonal_Shape_int8_t (NNC_Polyhedron y)
- Octagonal_Shape_int8_t (Grid y)
- Octagonal_Shape_int8_t (Float_Box y)
- Octagonal_Shape_int8_t (BD_Shape_float y)
- Octagonal_Shape_int8_t (Octagonal_Shape_float y)
- Octagonal_Shape_int8_t (Double_Box y)
- Octagonal_Shape_int8_t (BD_Shape_double y)
- Octagonal_Shape_int8_t (Octagonal_Shape_double y)
- Octagonal_Shape_int8_t (Long_Double_Box y)
- Octagonal_Shape_int8_t (BD_Shape_long_double y)
- Octagonal_Shape_int8_t (Octagonal_Shape_long_double y)
- Octagonal_Shape_int8_t (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Grid y, Complexity_Class complexity)

- Octagonal_Shape_int8_t (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_int8_t (Constraint_System cs)
- Octagonal_Shape_int8_t (Congruence_System cs)
- Octagonal_Shape_int8_t (Generator_System cs)
- native void swap (Octagonal_Shape_int8_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_int8_t y)
- native boolean strictly_contains (Octagonal_Shape_int8_t y)
- native boolean is_disjoint_from (Octagonal_Shape_int8_t y)
- native boolean equals (Octagonal_Shape_int8_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)

- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_int8_t p)
- native void upper_bound_assign (Octagonal_Shape_int8_t p)
- native void difference_assign (Octagonal_Shape_int8_t p)
- native void concatenate_assign (Octagonal_Shape_int8_t p)
- native void time_elapse_assign (Octagonal_Shape_int8_t p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_int8_t y)
- native boolean simplify_using_context_assign (Octagonal_Shape_int8_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_int8_t y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_int8_t y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_int8_t arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_int8_t arg)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int8_t, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_int8_t p, Octagonal_Shape_int8_t q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_int8_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.58.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

Definition at line 33 of file Octagonal_Shape_int8_t.java.

11.58.2 Constructor & Destructor Documentation

11.58.2.1 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.2 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t () [inline, private]

Definition at line 45 of file Octagonal_Shape_int8_t.java.

11.58.2.3 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.4 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.5 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.6 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.7 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.8 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.9 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.10 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.11 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.12 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.13 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.14 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.15 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.16 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.17 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.18 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.19 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.20 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.21 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.22 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.23 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.24 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.25 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.26 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.27 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.28 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.29 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.30 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.31 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.32 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.33 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.34 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.35 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.36 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.37 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.38 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.39 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.40 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.41 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.42 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.43 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.44 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.45 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.46 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.47 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.48 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.49 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.50 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.51 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.52 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.53 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.54 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.55 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.56 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.57 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.58 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.59 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.60 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.61 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.62 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.63 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.64 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.65 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.66 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.67 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.68 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.69 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.70 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.71 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.72 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.2.73 parma_polyhedra_library::Octagonal_Shape_int8_t::Octagonal_Shape_int8_t (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.58.3 Member Function Documentation

11.58.3.1 native void parma_polyhedra_library::Octagonal_Shape_int8_t::add_congruence (Congruence *c*)

11.58.3.2 native void parma_polyhedra_library::Octagonal_Shape_int8_t::add_congruences (Congruence_System *c*)

11.58.3.3 native void parma_polyhedra_library::Octagonal_Shape_int8_t::add_constraint (Constraint *c*)

11.58.3.4 native void parma_polyhedra_library::Octagonal_Shape_int8_t::add_constraints (Constraint_System *c*)

11.58.3.5 native void parma_polyhedra_library::Octagonal_Shape_int8_t::add_space_dimensions_and_embed (long *m*)

11.58.3.6 native void parma_polyhedra_library::Octagonal_Shape_int8_t::add_space_dimensions_and_project (long *m*)

11.58.3.7 native long parma_polyhedra_library::Octagonal_Shape_int8_t::affine_dimension ()

11.58.3.8 native void parma_polyhedra_library::Octagonal_Shape_int8_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.58.3.9 native void parma_polyhedra_library::Octagonal_Shape_int8_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.58.3.10 native String parma_polyhedra_library::Octagonal_Shape_int8_t::ascii_dump ()

11.58.3.11 native void parma_polyhedra_library::Octagonal_Shape_int8_t::BHMZ05_widening_assign (Octagonal_Shape_int8_t *y*, By_Reference< Integer > *tp*)

11.58.3.12 native void parma_polyhedra_library::Octagonal_Shape_int8_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.58.3.13 native void parma_polyhedra_library::Octagonal_Shape_int8_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.58.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::bounds_from_above (Linear_Expression *expr*)

11.58.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::bounds_from_below (Linear_Expression *expr*)

11.58.3.16 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.58.3.17 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.58.3.18 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.58.3.19 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_long_double *y*) [private]

11.58.3.20 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.21 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Long_Double_Box *y*) [private]

11.58.3.22 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.58.3.23 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.58.3.24 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.58.3.25 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_double *y*) [private]

11.58.3.26 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.27 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Double_Box *y*) [private]

11.58.3.28 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.58.3.29 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.58.3.30 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.58.3.31 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_float *y*) [private]

11.58.3.32 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.33 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Float_Box *y*) [private]

11.58.3.34 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.58.3.35 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Grid *y*) [private]

11.58.3.36 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.58.3.37 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (NNC_Polyhedron *y*) [private]

11.58.3.38 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.58.3.39 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (C_Polyhedron *y*) [private]

11.58.3.40 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.58.3.41 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.58.3.42 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.58.3.43 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.58.3.44 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.58.3.45 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.58.3.46 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.58.3.47 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.58.3.48 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.58.3.49 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.58.3.50 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.58.3.51 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.58.3.52 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.58.3.53 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.58.3.54 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.58.3.55 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.58.3.56 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.58.3.57 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.58.3.58 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.58.3.59 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.58.3.60 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.58.3.61 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.58.3.62 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.58.3.63 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.58.3.64 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.65 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Rational_Box *y*) [private]

11.58.3.66 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.67 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Z_Box *y*) [private]

11.58.3.68 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.69 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint64_Box *y*) [private]

11.58.3.70 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.71 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint32_Box *y*) [private]

11.58.3.72 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.73 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint16_Box *y*) [private]

11.58.3.74 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.75 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Uint8_Box *y*) [private]

11.58.3.76 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.77 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int64_Box *y*) [private]

11.58.3.78 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.79 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int32_Box *y*) [private]

11.58.3.80 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.81 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int16_Box *y*) [private]

11.58.3.82 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.58.3.83 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Int8_Box *y*) [private]

11.58.3.84 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.58.3.85 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Generator_System *cs*) [private]

11.58.3.86 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Congruence_System *cs*) [private]

11.58.3.87 native void parma_polyhedra_library::Octagonal_Shape_int8_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_int8_t().

11.58.3.88 native void parma_polyhedra_library::Octagonal_Shape_int8_t::CC76_-extrapolation_assign (Octagonal_Shape_int8_t *arg*, By_Reference< Integer > *tp*)

11.58.3.89 native void parma_polyhedra_library::Octagonal_Shape_int8_t::CC76_narrowing_-assign (Octagonal_Shape_int8_t *arg*)

11.58.3.90 native void parma_polyhedra_library::Octagonal_Shape_int8_t::concatenate_assign (Octagonal_Shape_int8_t *p*)

11.58.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int8_t::congruences ()

11.58.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::constrains (Variable *var*)

11.58.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int8_t::constraints ()

11.58.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::contains (Octagonal_Shape_int8_t *y*)

11.58.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::contains_integer_point ()

11.58.3.96 native void parma_polyhedra_library::Octagonal_Shape_int8_t::difference_assign (Octagonal_Shape_int8_t *p*)

11.58.3.97 native void parma_polyhedra_library::Octagonal_Shape_int8_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.58.3.98 native void parma_polyhedra_library::Octagonal_Shape_int8_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.58.3.99 boolean parma_polyhedra_library::Octagonal_Shape_int8_t::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_int8_t.java.

References equals().

11.58.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::equals (Octagonal_Shape_int8_t *p*)

Referenced by equals().

11.58.3.101 native void parma_polyhedra_library::Octagonal_Shape_int8_t::expand_space_dimension (Variable *var*, long *m*)

11.58.3.102 native long parma_polyhedra_library::Octagonal_Shape_int8_t::external_memory_in_bytes ()

11.58.3.103 native void parma_polyhedra_library::Octagonal_Shape_int8_t::finalize () [protected]

11.58.3.104 native void parma_polyhedra_library::Octagonal_Shape_int8_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.58.3.105 native void parma_polyhedra_library::Octagonal_Shape_int8_t::free ()

11.58.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.58.3.107 native void parma_polyhedra_library::Octagonal_Shape_int8_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.58.3.108 native void parma_polyhedra_library::Octagonal_Shape_int8_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.58.3.109 native void parma_polyhedra_library::Octagonal_Shape_int8_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.58.3.110 native void parma_polyhedra_library::Octagonal_Shape_int8_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.58.3.111 native int parma_polyhedra_library::Octagonal_Shape_int8_t::hashCode ()

11.58.3.112 native void parma_polyhedra_library::Octagonal_Shape_int8_t::intersection_assign (Octagonal_Shape_int8_t *p*)

11.58.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::is_bounded ()

11.58.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::is_discrete ()

11.58.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::is_disjoint_from (Octagonal_Shape_int8_t *y*)

11.58.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::is_empty ()

11.58.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::is_topologically_closed ()

11.58.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::is_universe ()

11.58.3.119 native void parma_polyhedra_library::Octagonal_Shape_int8_t::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_int8_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.58.3.120 native void parma_polyhedra_library::Octagonal_Shape_int8_t::limited_CC76_extrapolation_assign (Octagonal_Shape_int8_t *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.58.3.121 static native Pair<Octagonal_Shape_int8_t, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_int8_t::linear_partition (Octagonal_Shape_int8_t *p*, Octagonal_Shape_int8_t *q*) `[static]`

11.58.3.122 native void parma_polyhedra_library::Octagonal_Shape_int8_t::map_space_dimensions (Partial_Function *pfunc*)

11.58.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.58.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.58.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.58.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.58.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_int8_t::minimized_congruences ()

11.58.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_int8_t::minimized_constraints ()

11.58.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::OK ()

11.58.3.130 native void parma_polyhedra_library::Octagonal_Shape_int8_t::refine_with_congruence (Congruence *c*)

11.58.3.131 native void parma_polyhedra_library::Octagonal_Shape_int8_t::refine_with_congruences (Congruence_System *c*)

11.58.3.132 native void parma_polyhedra_library::Octagonal_Shape_int8_t::refine_with_constraint (Constraint *c*)

11.58.3.133 native void parma_polyhedra_library::Octagonal_Shape_int8_t::refine_with_constraints (Constraint_System *c*)

11.58.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int8_t::relation_with (Congruence *c*)

11.58.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_int8_t::relation_with (Generator *c*)

11.58.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_int8_t::relation_with (Constraint *c*)

11.58.3.137 native void parma_polyhedra_library::Octagonal_Shape_int8_t::remove_higher_space_dimensions (long *new_dimension*)

11.58.3.138 native void parma_polyhedra_library::Octagonal_Shape_int8_t::remove_space_dimensions (Variables_Set *vars*)

11.58.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::simplify_using_context_assign (Octagonal_Shape_int8_t *p*)

11.58.3.140 native long parma_polyhedra_library::Octagonal_Shape_int8_t::space_dimension ()

11.58.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::strictly_contains (Octagonal_Shape_int8_t *y*)

11.58.3.142 native void parma_polyhedra_library::Octagonal_Shape_int8_t::swap (Octagonal_Shape_int8_t *y*)

11.58.3.143 native void parma_polyhedra_library::Octagonal_Shape_int8_t::time_elapse_assign (Octagonal_Shape_int8_t *p*)

11.58.3.144 native void parma_polyhedra_library::Octagonal_Shape_int8_t::topological_closure_assign ()

11.58.3.145 native String parma_polyhedra_library::Octagonal_Shape_int8_t::toString ()

11.58.3.146 native long parma_polyhedra_library::Octagonal_Shape_int8_t::total_memory_in_bytes ()

11.58.3.147 native void parma_polyhedra_library::Octagonal_Shape_int8_t::unconstrain_space_dimension (Variable *var*)

11.58.3.148 native void parma_polyhedra_library::Octagonal_Shape_int8_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.58.3.149 native void parma_polyhedra_library::Octagonal_Shape_int8_t::upper_bound_assign (Octagonal_Shape_int8_t *p*)

11.58.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_int8_t::upper_bound_assign_if_exact (Octagonal_Shape_int8_t *y*)

11.58.3.151 native void parma_polyhedra_library::Octagonal_Shape_int8_t::widening_assign (Octagonal_Shape_int8_t *y*, By_Reference< Integer > *tp*)

11.58.3.152 native void parma_polyhedra_library::Octagonal_Shape_int8_t::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_int8_t.java


11.59 parma_polyhedra_library::Octagonal_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_long_double:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_long_double:



Public Member Functions

- Octagonal_Shape_long_double (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_long_double (Int8_Box y)
- Octagonal_Shape_long_double (Int16_Box y)
- Octagonal_Shape_long_double (Int32_Box y)
- Octagonal_Shape_long_double (Int64_Box y)
- Octagonal_Shape_long_double (Uint8_Box y)
- Octagonal_Shape_long_double (Uint16_Box y)
- Octagonal_Shape_long_double (Uint32_Box y)
- Octagonal_Shape_long_double (Uint64_Box y)
- Octagonal_Shape_long_double (Z_Box y)

- Octagonal_Shape_long_double (Rational_Box y)
- Octagonal_Shape_long_double (BD_Shape_int8_t y)
- Octagonal_Shape_long_double (BD_Shape_int16_t y)
- Octagonal_Shape_long_double (BD_Shape_int32_t y)
- Octagonal_Shape_long_double (BD_Shape_int64_t y)
- Octagonal_Shape_long_double (BD_Shape_mpz_class y)
- Octagonal_Shape_long_double (BD_Shape_mpq_class y)
- Octagonal_Shape_long_double (Octagonal_Shape_int8_t y)
- Octagonal_Shape_long_double (Octagonal_Shape_int16_t y)
- Octagonal_Shape_long_double (Octagonal_Shape_int32_t y)
- Octagonal_Shape_long_double (Octagonal_Shape_int64_t y)
- Octagonal_Shape_long_double (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_long_double (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_long_double (C_Polyhedron y)
- Octagonal_Shape_long_double (NNC_Polyhedron y)
- Octagonal_Shape_long_double (Grid y)
- Octagonal_Shape_long_double (Float_Box y)
- Octagonal_Shape_long_double (BD_Shape_float y)
- Octagonal_Shape_long_double (Octagonal_Shape_float y)
- Octagonal_Shape_long_double (Double_Box y)
- Octagonal_Shape_long_double (BD_Shape_double y)
- Octagonal_Shape_long_double (Octagonal_Shape_double y)
- Octagonal_Shape_long_double (Long_Double_Box y)
- Octagonal_Shape_long_double (BD_Shape_long_double y)
- Octagonal_Shape_long_double (Octagonal_Shape_long_double y)
- Octagonal_Shape_long_double (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_long_double (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_long_double (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Grid y, Complexity_Class complexity)

- Octagonal_Shape_long_double (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_long_double (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_long_double (Constraint_System cs)
- Octagonal_Shape_long_double (Congruence_System cs)
- Octagonal_Shape_long_double (Generator_System cs)
- native void swap (Octagonal_Shape_long_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_long_double y)
- native boolean strictly_contains (Octagonal_Shape_long_double y)
- native boolean is_disjoint_from (Octagonal_Shape_long_double y)
- native boolean equals (Octagonal_Shape_long_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)

- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_long_double p)
- native void upper_bound_assign (Octagonal_Shape_long_double p)
- native void difference_assign (Octagonal_Shape_long_double p)
- native void concatenate_assign (Octagonal_Shape_long_double p)
- native void time_elapse_assign (Octagonal_Shape_long_double p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_long_double y)
- native boolean simplify_using_context_assign (Octagonal_Shape_long_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_long_double y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_long_double y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_long_double arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_long_double arg)

- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_long_double, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_long_double p, Octagonal_Shape_long_double q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_long_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.59.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

Definition at line 33 of file Octagonal_Shape_long_double.java.

11.59.2 Constructor & Destructor Documentation

11.59.2.1 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.2 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double () [inline, private]

Definition at line 45 of file Octagonal_Shape_long_double.java.

11.59.2.3 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.4 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.5 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.6 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.7 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.8 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.9 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.10 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.11 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.12 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.13 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.14 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.15 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.16 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.17 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.18 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.19 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.20 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.21 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.22 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.23 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.24 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.25 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.26 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.27 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.28 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.29 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.30 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.31 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.32 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.33 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.34 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.35 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.36 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.37 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.38 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.39 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.40 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.41 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.42 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.43 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.44 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.45 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.46 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.47 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.48 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.49 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.50 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.51 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.52 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.53 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.54 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.55 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.56 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.57 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.58 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.59 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.60 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.61 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.62 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.63 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.64 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.65 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.66 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.67 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.68 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.69 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.70 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.71 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.72 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.2.73 parma_polyhedra_library::Octagonal_Shape_long_double::Octagonal_Shape_long_double (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_long_double.java.

References build_cpp_object().

11.59.3 Member Function Documentation

11.59.3.1 native void parma_polyhedra_library::Octagonal_Shape_long_double::add_congruence (Congruence *c*)

11.59.3.2 native void parma_polyhedra_library::Octagonal_Shape_long_double::add_congruences (Congruence_System *c*)

11.59.3.3 native void parma_polyhedra_library::Octagonal_Shape_long_double::add_constraint (Constraint *c*)

11.59.3.4 native void parma_polyhedra_library::Octagonal_Shape_long_double::add_constraints (Constraint_System *c*)

11.59.3.5 native void parma_polyhedra_library::Octagonal_Shape_long_double::add_space_dimensions_and_embed (long *m*)

11.59.3.6 native void parma_polyhedra_library::Octagonal_Shape_long_double::add_space_dimensions_and_project (long *m*)

11.59.3.7 native long parma_polyhedra_library::Octagonal_Shape_long_double::affine_dimension ()

11.59.3.8 native void parma_polyhedra_library::Octagonal_Shape_long_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.59.3.9 native void parma_polyhedra_library::Octagonal_Shape_long_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.59.3.10 native String parma_polyhedra_library::Octagonal_Shape_long_double::ascii_dump ()

11.59.3.11 native void parma_polyhedra_library::Octagonal_Shape_long_double::BHMZ05_widening_assign (Octagonal_Shape_long_double *y*, By_Reference< Integer > *tp*)

11.59.3.12 native void parma_polyhedra_library::Octagonal_Shape_long_double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.59.3.13 native void parma_polyhedra_library::Octagonal_Shape_long_double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.59.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::bounds_from_above (Linear_Expression *expr*)

11.59.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::bounds_from_below (Linear_Expression *expr*)

11.59.3.16 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.59.3.17 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.59.3.18 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.59.3.19 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.59.3.20 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.59.3.21 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Long_Double_Box *y*) `[private]`

11.59.3.22 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.59.3.23 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.59.3.24 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.59.3.25 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_double *y*) [private]

11.59.3.26 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.27 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Double_Box *y*) [private]

11.59.3.28 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.59.3.29 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.59.3.30 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.59.3.31 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_float *y*) [private]

11.59.3.32 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.33 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Float_Box *y*) [private]

11.59.3.34 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.59.3.35 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Grid *y*) [private]

11.59.3.36 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.59.3.37 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (NNC_Polyhedron *y*) [private]

11.59.3.38 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.59.3.39 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (C_Polyhedron *y*) [private]

11.59.3.40 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.59.3.41 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.59.3.42 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.59.3.43 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.59.3.44 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.59.3.45 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.59.3.46 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.59.3.47 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.59.3.48 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.59.3.49 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.59.3.50 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.59.3.51 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.59.3.52 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.59.3.53 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.59.3.54 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.59.3.55 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.59.3.56 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.59.3.57 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.59.3.58 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.59.3.59 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.59.3.60 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.59.3.61 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.59.3.62 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.59.3.63 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.59.3.64 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.65 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Rational_Box *y*) [private]

11.59.3.66 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.67 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Z_Box *y*) [private]

11.59.3.68 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.69 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint64_Box *y*) [private]

11.59.3.70 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.71 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint32_Box *y*) [private]

11.59.3.72 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.73 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint16_Box *y*) [private]

11.59.3.74 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.75 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Uint8_Box *y*) [private]

11.59.3.76 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.77 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int64_Box *y*) [private]

11.59.3.78 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.79 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int32_Box *y*) [private]

11.59.3.80 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.81 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int16_Box *y*) [private]

11.59.3.82 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.59.3.83 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Int8_Box *y*) [private]

11.59.3.84 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.59.3.85 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Generator_System *cs*) [private]

11.59.3.86 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_object (Congruence_System *cs*) [private]

11.59.3.87 native void parma_polyhedra_library::Octagonal_Shape_long_double::build_cpp_-object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_long_double().

11.59.3.88 native void parma_polyhedra_library::Octagonal_Shape_long_double::CC76_-extrapolation_assign (Octagonal_Shape_long_double *arg*, By_Reference< Integer > *tp*)

11.59.3.89 native void parma_polyhedra_library::Octagonal_Shape_long_-double::CC76_narrowing_assign (Octagonal_Shape_long_double *arg*)

11.59.3.90 native void parma_polyhedra_library::Octagonal_Shape_long_double::concatenate_-assign (Octagonal_Shape_long_double *p*)

11.59.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_long_-double::congruences ()

11.59.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::constrains (Variable *var*)

11.59.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_long_-double::constraints ()

11.59.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::contains (Octagonal_Shape_long_double *y*)

11.59.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::contains_-integer_point ()

11.59.3.96 native void parma_polyhedra_library::Octagonal_Shape_long_double::difference_assign (Octagonal_Shape_long_double *p*)

11.59.3.97 native void parma_polyhedra_library::Octagonal_Shape_long_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.59.3.98 native void parma_polyhedra_library::Octagonal_Shape_long_double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.59.3.99 boolean parma_polyhedra_library::Octagonal_Shape_long_double::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_long_double.java.

References equals().

11.59.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::equals (Octagonal_Shape_long_double *p*)

Referenced by equals().

11.59.3.101 native void parma_polyhedra_library::Octagonal_Shape_long_double::expand_space_dimension (Variable *var*, long *m*)

11.59.3.102 native long parma_polyhedra_library::Octagonal_Shape_long_double::external_memory_in_bytes ()

11.59.3.103 native void parma_polyhedra_library::Octagonal_Shape_long_double::finalize () [protected]

11.59.3.104 native void parma_polyhedra_library::Octagonal_Shape_long_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.59.3.105 native void parma_polyhedra_library::Octagonal_Shape_long_double::free ()

11.59.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.59.3.107 native void parma_polyhedra_library::Octagonal_Shape_long_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.59.3.108 native void parma_polyhedra_library::Octagonal_Shape_long_double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.59.3.109 native void parma_polyhedra_library::Octagonal_Shape_long_double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.59.3.110 native void parma_polyhedra_library::Octagonal_Shape_long_double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.59.3.111 native int parma_polyhedra_library::Octagonal_Shape_long_double::hashCode ()

11.59.3.112 native void parma_polyhedra_library::Octagonal_Shape_long_double::intersection_assign (Octagonal_Shape_long_double *p*)

11.59.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::is_bounded ()

11.59.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::is_discrete ()

11.59.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::is_disjoint_from (Octagonal_Shape_long_double *y*)

11.59.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::is_empty ()

11.59.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::is_topologically_closed ()

11.59.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::is_universe ()

11.59.3.119 native void parma_polyhedra_library::Octagonal_Shape_long_double::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_long_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.59.3.120 native void parma_polyhedra_library::Octagonal_Shape_long_double::limited_CC76_extrapolation_assign (Octagonal_Shape_long_double *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.59.3.121 static native Pair<Octagonal_Shape_long_double, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_long_double::linear_partition (Octagonal_Shape_long_double *p*, Octagonal_Shape_long_double *q*) [static]

11.59.3.122 native void parma_polyhedra_library::Octagonal_Shape_long_double::map_space_dimensions (Partial_Function *pfunc*)

11.59.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.59.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.59.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.59.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.59.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_long_double::minimized_congruences ()

11.59.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_long_double::minimized_constraints ()

11.59.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::OK ()

11.59.3.130 native void parma_polyhedra_library::Octagonal_Shape_long_double::refine_with_congruence (Congruence *c*)

11.59.3.131 native void parma_polyhedra_library::Octagonal_Shape_long_double::refine_with_congruences (Congruence_System *c*)

11.59.3.132 native void parma_polyhedra_library::Octagonal_Shape_long_double::refine_with_constraint (Constraint *c*)

11.59.3.133 native void parma_polyhedra_library::Octagonal_Shape_long_double::refine_with_constraints (Constraint_System *c*)

11.59.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_long_double::relation_with (Congruence *c*)

11.59.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_long_double::relation_with (Generator *c*)

11.59.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_long_double::relation_with (Constraint *c*)

11.59.3.137 native void parma_polyhedra_library::Octagonal_Shape_long_double::remove_higher_space_dimensions (long *new_dimension*)

11.59.3.138 native void parma_polyhedra_library::Octagonal_Shape_long_double::remove_space_dimensions (Variables_Set *vars*)

11.59.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::simplify_using_context_assign (Octagonal_Shape_long_double *p*)

11.59.3.140 native long parma_polyhedra_library::Octagonal_Shape_long_double::space_dimension ()

11.59.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::strictly_contains (Octagonal_Shape_long_double *y*)

11.59.3.142 native void parma_polyhedra_library::Octagonal_Shape_long_double::swap (Octagonal_Shape_long_double *y*)

11.59.3.143 native void parma_polyhedra_library::Octagonal_Shape_long_double::time_elapse_assign (Octagonal_Shape_long_double *p*)

11.59.3.144 native void parma_polyhedra_library::Octagonal_Shape_long_double::topological_closure_assign ()

11.59.3.145 native String parma_polyhedra_library::Octagonal_Shape_long_double::toString ()

11.59.3.146 native long parma_polyhedra_library::Octagonal_Shape_long_double::total_memory_in_bytes ()

11.59.3.147 native void parma_polyhedra_library::Octagonal_Shape_long_double::unconstrain_space_dimension (Variable *var*)

11.59.3.148 native void parma_polyhedra_library::Octagonal_Shape_long_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.59.3.149 native void parma_polyhedra_library::Octagonal_Shape_long_double::upper_bound_assign (Octagonal_Shape_long_double *p*)

11.59.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_long_double::upper_bound_assign_if_exact (Octagonal_Shape_long_double *y*)

11.59.3.151 native void parma_polyhedra_library::Octagonal_Shape_long_double::widening_assign (Octagonal_Shape_long_double *y*, By_Reference< Integer > *tp*)

11.59.3.152 native void parma_polyhedra_library::Octagonal_Shape_long_double::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_long_double.java


11.60 parma_polyhedra_library::Octagonal_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_mpq_class:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_mpq_class:



Public Member Functions

- Octagonal_Shape_mpq_class (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_mpq_class (Int8_Box y)
- Octagonal_Shape_mpq_class (Int16_Box y)
- Octagonal_Shape_mpq_class (Int32_Box y)
- Octagonal_Shape_mpq_class (Int64_Box y)
- Octagonal_Shape_mpq_class (Uint8_Box y)
- Octagonal_Shape_mpq_class (Uint16_Box y)
- Octagonal_Shape_mpq_class (Uint32_Box y)
- Octagonal_Shape_mpq_class (Uint64_Box y)
- Octagonal_Shape_mpq_class (Z_Box y)
- Octagonal_Shape_mpq_class (Rational_Box y)
- Octagonal_Shape_mpq_class (BD_Shape_int8_t y)
- Octagonal_Shape_mpq_class (BD_Shape_int16_t y)
- Octagonal_Shape_mpq_class (BD_Shape_int32_t y)
- Octagonal_Shape_mpq_class (BD_Shape_int64_t y)
- Octagonal_Shape_mpq_class (BD_Shape_mpz_class y)
- Octagonal_Shape_mpq_class (BD_Shape_mpq_class y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int8_t y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int16_t y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int32_t y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int64_t y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_mpq_class (C_Polyhedron y)
- Octagonal_Shape_mpq_class (NNC_Polyhedron y)
- Octagonal_Shape_mpq_class (Grid y)
- Octagonal_Shape_mpq_class (Float_Box y)
- Octagonal_Shape_mpq_class (BD_Shape_float y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_float y)
- Octagonal_Shape_mpq_class (Double_Box y)
- Octagonal_Shape_mpq_class (BD_Shape_double y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_double y)
- Octagonal_Shape_mpq_class (Long_Double_Box y)
- Octagonal_Shape_mpq_class (BD_Shape_long_double y)
- Octagonal_Shape_mpq_class (Octagonal_Shape_long_double y)
- Octagonal_Shape_mpq_class (Int8_Box y, Complexity_Class complexity)

- Octagonal_Shape_mpq_class (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Grid y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_mpq_class (Constraint_System cs)
- Octagonal_Shape_mpq_class (Congruence_System cs)
- Octagonal_Shape_mpq_class (Generator_System cs)
- native void swap (Octagonal_Shape_mpq_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_mpq_class y)
- native boolean strictly_contains (Octagonal_Shape_mpq_class y)
- native boolean is_disjoint_from (Octagonal_Shape_mpq_class y)
- native boolean equals (Octagonal_Shape_mpq_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_mpq_class p)
- native void upper_bound_assign (Octagonal_Shape_mpq_class p)
- native void difference_assign (Octagonal_Shape_mpq_class p)
- native void concatenate_assign (Octagonal_Shape_mpq_class p)
- native void time_elapse_assign (Octagonal_Shape_mpq_class p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_mpq_class y)
- native boolean simplify_using_context_assign (Octagonal_Shape_mpq_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_mpq_class y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_mpq_class y, By_Reference< Integer > tp)
- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_mpq_class arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_mpq_class arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_mpq_class, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_mpq_class p, Octagonal_Shape_mpq_class q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_mpq_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)

- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)

- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.60.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

Definition at line 33 of file Octagonal_Shape_mpq_class.java.

11.60.2 Constructor & Destructor Documentation

11.60.2.1 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.2 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class () [inline, private]

Definition at line 45 of file Octagonal_Shape_mpq_class.java.

11.60.2.3 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.4 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.5 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.6 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.7 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.8 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.9 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.10 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.11 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.12 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.13 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.14 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.15 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.16 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.17 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.18 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.19 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.20 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.21 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.22 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.23 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.24 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.25 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.26 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.27 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.28 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.29 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.30 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.31 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.32 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.33 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.34 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.35 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.36 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.37 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.38 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.39 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.40 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.41 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.42 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.43 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.44 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.45 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.46 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.47 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.48 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.49 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.50 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.51 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.52 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.53 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.54 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.55 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.56 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.57 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.58 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.59 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.60 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.61 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.62 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.63 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.64 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.65 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.66 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.67 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.68 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.69 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.70 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.71 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.72 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.2.73 parma_polyhedra_library::Octagonal_Shape_mpq_class::Octagonal_Shape_mpq_class (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.60.3 Member Function Documentation

11.60.3.1 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::add_congruence (Congruence *c*)

11.60.3.2 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::add_congruences (Congruence_System *c*)

11.60.3.3 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::add_constraint (Constraint *c*)

11.60.3.4 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::add_constraints (Constraint_System *c*)

11.60.3.5 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::add_space_dimensions_and_embed (long *m*)

11.60.3.6 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::add_space_dimensions_and_project (long *m*)

11.60.3.7 native long parma_polyhedra_library::Octagonal_Shape_mpq_class::affine_dimension ()

11.60.3.8 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.60.3.9 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.60.3.10 native String parma_polyhedra_library::Octagonal_Shape_mpq_class::ascii_dump ()

11.60.3.11 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::BHMZ05_widening_assign (Octagonal_Shape_mpq_class *y*, By_Reference< Integer > *tp*)

11.60.3.12 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.60.3.13 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.60.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::bounds_from_above (Linear_Expression *expr*)

11.60.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::bounds_from_below (Linear_Expression *expr*)

11.60.3.16 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.60.3.17 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.60.3.18 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.60.3.19 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_long_double *y*) [private]

11.60.3.20 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.21 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Long_Double_Box *y*) [private]

11.60.3.22 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.60.3.23 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.60.3.24 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.60.3.25 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_double *y*) [private]

11.60.3.26 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.27 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Double_Box *y*) [private]

11.60.3.28 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.60.3.29 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.60.3.30 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.60.3.31 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_float *y*) [private]

11.60.3.32 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.33 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Float_Box *y*) [private]

11.60.3.34 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.60.3.35 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Grid *y*) [private]

11.60.3.36 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.60.3.37 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (NNC_Polyhedron *y*) [private]

11.60.3.38 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.60.3.39 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (C_Polyhedron *y*) [private]

11.60.3.40 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.60.3.41 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.60.3.42 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.60.3.43 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.60.3.44 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.60.3.45 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.60.3.46 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.60.3.47 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.60.3.48 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.60.3.49 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.60.3.50 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.60.3.51 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.60.3.52 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.60.3.53 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.60.3.54 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.60.3.55 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.60.3.56 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.60.3.57 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.60.3.58 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.60.3.59 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.60.3.60 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.60.3.61 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.60.3.62 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.60.3.63 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.60.3.64 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.65 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Rational_Box *y*) [private]

11.60.3.66 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.67 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Z_Box *y*) [private]

11.60.3.68 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.69 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint64_Box *y*) [private]

11.60.3.70 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.71 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint32_Box *y*) [private]

11.60.3.72 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.73 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint16_Box *y*) [private]

11.60.3.74 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.75 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Uint8_Box *y*) [private]

11.60.3.76 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.77 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int64_Box *y*) [private]

11.60.3.78 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.79 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int32_Box *y*) [private]

11.60.3.80 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.81 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int16_Box *y*) [private]

11.60.3.82 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.60.3.83 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Int8_Box *y*) [private]

11.60.3.84 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.60.3.85 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Generator_System *cs*) [private]

11.60.3.86 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Congruence_System *cs*) [private]

11.60.3.87 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_mpq_class().

11.60.3.88 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::CC76_-extrapolation_assign (Octagonal_Shape_mpq_class *arg*, By_Reference< Integer > *tp*)

11.60.3.89 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::CC76_narrowing_assign (Octagonal_Shape_mpq_class *arg*)

11.60.3.90 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::concatenate_assign (Octagonal_Shape_mpq_class *p*)

11.60.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_mpq_class::congruences ()

11.60.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::constrains (Variable *var*)

11.60.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_mpq_class::constraints ()

11.60.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::contains (Octagonal_Shape_mpq_class *y*)

11.60.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::contains_integer_point ()

11.60.3.96 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::difference_assign (Octagonal_Shape_mpq_class *p*)

11.60.3.97 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.60.3.98 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.60.3.99 boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_mpq_class.java.

References equals().

11.60.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::equals (Octagonal_Shape_mpq_class *p*)

Referenced by equals().

11.60.3.101 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::expand_space_dimension (Variable *var*, long *m*)

11.60.3.102 native long parma_polyhedra_library::Octagonal_Shape_mpq_class::external_memory_in_bytes ()

11.60.3.103 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::finalize () [protected]

11.60.3.104 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.60.3.105 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::free ()

11.60.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.60.3.107 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.60.3.108 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.60.3.109 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.60.3.110 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.60.3.111 native int parma_polyhedra_library::Octagonal_Shape_mpq_class::hashCode ()

11.60.3.112 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::intersection_assign (Octagonal_Shape_mpq_class *p*)

11.60.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::is_bounded ()

11.60.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::is_discrete ()

11.60.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::is_disjoint_from (Octagonal_Shape_mpq_class *y*)

11.60.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::is_empty ()

11.60.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::is_topologically_closed ()

11.60.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::is_universe ()

11.60.3.119 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::limited_BHMZ05_extrapolation_assign (Octagonal_Shape_mpq_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.60.3.120 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::limited_CC76_extrapolation_assign (Octagonal_Shape_mpq_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.60.3.121 static native Pair<Octagonal_Shape_mpq_class, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_mpq_class::linear_partition (Octagonal_Shape_mpq_class *p*, Octagonal_Shape_mpq_class *q*) `[static]`

11.60.3.122 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::map_space_dimensions (Partial_Function *pfunc*)

11.60.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.60.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.60.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.60.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.60.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_mpq_class::minimized_congruences ()

11.60.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_mpq_class::minimized_constraints ()

11.60.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::OK ()

11.60.3.130 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::refine_with_congruence (Congruence *c*)

11.60.3.131 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::refine_with_congruences (Congruence_System *c*)

11.60.3.132 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::refine_with_constraint (Constraint *c*)

11.60.3.133 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::refine_with_constraints (Constraint_System *c*)

11.60.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_mpq_class::relation_with (Congruence *c*)

11.60.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_mpq_class::relation_with (Generator *c*)

11.60.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_mpq_class::relation_with (Constraint *c*)

11.60.3.137 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::remove_higher_space_dimensions (long *new_dimension*)

11.60.3.138 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::remove_space_dimensions (Variables_Set *vars*)

11.60.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::simplify_using_context_assign (Octagonal_Shape_mpq_class *p*)

11.60.3.140 native long parma_polyhedra_library::Octagonal_Shape_mpq_class::space_dimension ()

11.60.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::strictly_contains (Octagonal_Shape_mpq_class *y*)

11.60.3.142 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::swap (Octagonal_Shape_mpq_class *y*)

11.60.3.143 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::time_elapse_assign (Octagonal_Shape_mpq_class *p*)

11.60.3.144 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::topological_closure_assign ()

11.60.3.145 native String parma_polyhedra_library::Octagonal_Shape_mpq_class::toString ()

11.60.3.146 native long parma_polyhedra_library::Octagonal_Shape_mpq_class::total_memory_in_bytes ()

11.60.3.147 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::unconstrain_space_dimension (Variable *var*)

11.60.3.148 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.60.3.149 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::upper_bound_assign (Octagonal_Shape_mpq_class *p*)

11.60.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_mpq_class::upper_bound_assign_if_exact (Octagonal_Shape_mpq_class *y*)

11.60.3.151 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::widening_assign (Octagonal_Shape_mpq_class *y*, By_Reference< Integer > *tp*)

11.60.3.152 native void parma_polyhedra_library::Octagonal_Shape_mpq_class::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Octagonal_Shape_mpq_class.java


11.61 parma_polyhedra_library::Octagonal_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

Inheritance diagram for parma_polyhedra_library::Octagonal_Shape_mpz_class:



Collaboration diagram for parma_polyhedra_library::Octagonal_Shape_mpz_class:



Public Member Functions

- Octagonal_Shape_mpz_class (long num_dimensions, Degenerate_Element kind)
- Octagonal_Shape_mpz_class (Int8_Box y)
- Octagonal_Shape_mpz_class (Int16_Box y)
- Octagonal_Shape_mpz_class (Int32_Box y)

- Octagonal_Shape_mpz_class (Int64_Box y)
- Octagonal_Shape_mpz_class (Uint8_Box y)
- Octagonal_Shape_mpz_class (Uint16_Box y)
- Octagonal_Shape_mpz_class (Uint32_Box y)
- Octagonal_Shape_mpz_class (Uint64_Box y)
- Octagonal_Shape_mpz_class (Z_Box y)
- Octagonal_Shape_mpz_class (Rational_Box y)
- Octagonal_Shape_mpz_class (BD_Shape_int8_t y)
- Octagonal_Shape_mpz_class (BD_Shape_int16_t y)
- Octagonal_Shape_mpz_class (BD_Shape_int32_t y)
- Octagonal_Shape_mpz_class (BD_Shape_int64_t y)
- Octagonal_Shape_mpz_class (BD_Shape_mpz_class y)
- Octagonal_Shape_mpz_class (BD_Shape_mpq_class y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int8_t y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int16_t y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int32_t y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int64_t y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_mpq_class y)
- Octagonal_Shape_mpz_class (C_Polyhedron y)
- Octagonal_Shape_mpz_class (NNC_Polyhedron y)
- Octagonal_Shape_mpz_class (Grid y)
- Octagonal_Shape_mpz_class (Float_Box y)
- Octagonal_Shape_mpz_class (BD_Shape_float y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_float y)
- Octagonal_Shape_mpz_class (Double_Box y)
- Octagonal_Shape_mpz_class (BD_Shape_double y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_double y)
- Octagonal_Shape_mpz_class (Long_Double_Box y)
- Octagonal_Shape_mpz_class (BD_Shape_long_double y)
- Octagonal_Shape_mpz_class (Octagonal_Shape_long_double y)
- Octagonal_Shape_mpz_class (Int8_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Int16_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Int32_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Int64_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Uint8_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Uint16_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Uint32_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Uint64_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Z_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Rational_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_int32_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_int32_t y, Complexity_Class complexity)

- Octagonal_Shape_mpz_class (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (C_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (NNC_Polyhedron y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Grid y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Float_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_float y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_double y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Long_Double_Box y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (BD_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Octagonal_Shape_mpz_class (Constraint_System cs)
- Octagonal_Shape_mpz_class (Congruence_System cs)
- Octagonal_Shape_mpz_class (Generator_System cs)
- native void swap (Octagonal_Shape_mpz_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Octagonal_Shape_mpz_class y)
- native boolean strictly_contains (Octagonal_Shape_mpz_class y)
- native boolean is_disjoint_from (Octagonal_Shape_mpz_class y)

- native boolean equals (Octagonal_Shape_mpz_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Octagonal_Shape_mpz_class p)
- native void upper_bound_assign (Octagonal_Shape_mpz_class p)
- native void difference_assign (Octagonal_Shape_mpz_class p)
- native void concatenate_assign (Octagonal_Shape_mpz_class p)
- native void time_elapse_assign (Octagonal_Shape_mpz_class p)
- native boolean upper_bound_assign_if_exact (Octagonal_Shape_mpz_class y)
- native boolean simplify_using_context_assign (Octagonal_Shape_mpz_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHMZ05_widening_assign (Octagonal_Shape_mpz_class y, By_Reference< Integer > tp)
- native void widening_assign (Octagonal_Shape_mpz_class y, By_Reference< Integer > tp)

- native void limited_BHMZ05_extrapolation_assign (Octagonal_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Octagonal_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void CC76_extrapolation_assign (Octagonal_Shape_mpz_class arg, By_Reference< Integer > tp)
- native void CC76_narrowing_assign (Octagonal_Shape_mpz_class arg)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native int hashCode ()
- native String toString ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_mpz_class, Pointset_Powerset_NNC_Polyhedron > linear_partition (Octagonal_Shape_mpz_class p, Octagonal_Shape_mpz_class q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Octagonal_Shape_mpz_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.61.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

Definition at line 33 of file Octagonal_Shape_mpz_class.java.

11.61.2 Constructor & Destructor Documentation

11.61.2.1 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.2 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class () [inline, private]

Definition at line 45 of file Octagonal_Shape_mpz_class.java.

11.61.2.3 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int8_Box *y*) [inline]

Definition at line 52 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.4 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int16_Box *y*) [inline]

Definition at line 56 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.5 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int32_Box *y*) [inline]

Definition at line 60 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.6 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int64_Box *y*) [inline]

Definition at line 64 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.7 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint8_Box *y*) [inline]

Definition at line 68 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.8 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint16_Box *y*) [inline]

Definition at line 72 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.9 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint32_Box *y*) [inline]

Definition at line 76 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.10 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint64_Box *y*) [inline]

Definition at line 80 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.11 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Z_Box *y*) [inline]

Definition at line 84 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.12 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Rational_Box *y*) [inline]

Definition at line 88 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.13 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.14 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.15 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.16 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.17 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.18 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.19 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.20 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.21 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.22 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.23 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.24 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.25 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (C_Polyhedron *y*) [inline]

Definition at line 140 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.26 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.27 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Grid *y*) [inline]

Definition at line 148 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.28 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Float_Box *y*) [inline]

Definition at line 152 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.29 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_float *y*) [inline]

Definition at line 156 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.30 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.31 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Double_Box *y*) [inline]

Definition at line 164 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.32 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_double *y*) [inline]

Definition at line 168 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.33 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.34 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Long_Double_Box *y*) [inline]

Definition at line 176 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.35 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.36 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.37 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.38 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.39 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.40 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.41 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.42 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.43 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.44 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.45 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.46 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.47 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.48 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.49 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.50 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.51 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.52 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.53 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.54 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.55 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.56 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.57 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.58 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.59 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.60 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.61 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.62 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.63 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.64 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.65 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.66 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.67 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.68 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.69 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.70 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.71 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Constraint_System *cs*) [inline]

Definition at line 334 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.72 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Congruence_System *cs*) [inline]

Definition at line 338 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.2.73 parma_polyhedra_library::Octagonal_Shape_mpz_class::Octagonal_Shape_mpz_class (Generator_System *cs*) [inline]

Definition at line 342 of file Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.61.3 Member Function Documentation

11.61.3.1 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::add_congruence (Congruence *c*)

11.61.3.2 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::add_congruences (Congruence_System *c*)

11.61.3.3 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::add_constraint (Constraint *c*)

11.61.3.4 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::add_constraints (Constraint_System *c*)

11.61.3.5 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::add_space_dimensions_and_embed (long *m*)

11.61.3.6 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::add_space_dimensions_and_project (long *m*)

11.61.3.7 native long parma_polyhedra_library::Octagonal_Shape_mpz_class::affine_dimension ()

11.61.3.8 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.61.3.9 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.61.3.10 native String parma_polyhedra_library::Octagonal_Shape_mpz_class::ascii_dump ()

11.61.3.11 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::BHMZ05_widening_assign (Octagonal_Shape_mpz_class *y*, By_Reference< Integer > *tp*)

11.61.3.12 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.61.3.13 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.61.3.14 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::bounds_from_above (Linear_Expression *expr*)

11.61.3.15 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::bounds_from_below (Linear_Expression *expr*)

11.61.3.16 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.61.3.17 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.61.3.18 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.61.3.19 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_long_double *y*) [private]

11.61.3.20 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.21 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Long_Double_Box *y*) [private]

11.61.3.22 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.61.3.23 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.61.3.24 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.61.3.25 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_double *y*) [private]

11.61.3.26 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.27 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Double_Box *y*) [private]

11.61.3.28 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.61.3.29 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.61.3.30 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.61.3.31 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_float *y*) [private]

11.61.3.32 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.33 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Float_Box *y*) [private]

11.61.3.34 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.61.3.35 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Grid *y*) [private]

11.61.3.36 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.61.3.37 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (NNC_Polyhedron *y*) [private]

11.61.3.38 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.61.3.39 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (C_Polyhedron *y*) [private]

11.61.3.40 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.61.3.41 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.61.3.42 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.61.3.43 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.61.3.44 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.61.3.45 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.61.3.46 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.61.3.47 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.61.3.48 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.61.3.49 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.61.3.50 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.61.3.51 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.61.3.52 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.61.3.53 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.61.3.54 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.61.3.55 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.61.3.56 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.61.3.57 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.61.3.58 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.61.3.59 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.61.3.60 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.61.3.61 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.61.3.62 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.61.3.63 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.61.3.64 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.65 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Rational_Box *y*) [private]

11.61.3.66 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.67 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Z_Box *y*) [private]

11.61.3.68 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.69 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint64_Box *y*) [private]

11.61.3.70 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.71 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint32_Box *y*) [private]

11.61.3.72 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.73 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint16_Box *y*) [private]

11.61.3.74 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.75 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Uint8_Box *y*) [private]

11.61.3.76 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.77 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int64_Box *y*) [private]

11.61.3.78 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.79 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int32_Box *y*) [private]

11.61.3.80 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.81 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int16_Box *y*) [private]

11.61.3.82 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.61.3.83 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Int8_Box *y*) [private]

11.61.3.84 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.61.3.85 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Generator_System *cs*) [private]

11.61.3.86 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Congruence_System *cs*) [private]

11.61.3.87 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Octagonal_Shape_mpz_class().

11.61.3.88 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::CC76_-extrapolation_assign (Octagonal_Shape_mpz_class *arg*, By_Reference< Integer > *tp*)

11.61.3.89 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::CC76_narrowing_assign (Octagonal_Shape_mpz_class *arg*)

11.61.3.90 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::concatenate_assign (Octagonal_Shape_mpz_class *p*)

11.61.3.91 native Congruence_System parma_polyhedra_library::Octagonal_Shape_mpz_class::congruences ()

11.61.3.92 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::constrains (Variable *var*)

11.61.3.93 native Constraint_System parma_polyhedra_library::Octagonal_Shape_mpz_class::constraints ()

11.61.3.94 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::contains (Octagonal_Shape_mpz_class *y*)

11.61.3.95 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::contains_integer_point ()

11.61.3.96 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::difference_assign (Octagonal_Shape_mpz_class *p*)

11.61.3.97 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.61.3.98 native void parma_polyhedra_library::Octagonal_Shape_mpz_-class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.61.3.99 boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::equals (Object *y*) [inline]

Definition at line 465 of file Octagonal_Shape_mpz_class.java.

References equals().

11.61.3.100 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::equals (Octagonal_Shape_mpz_class *p*)

Referenced by equals().

11.61.3.101 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::expand_space_-dimension (Variable *var*, long *m*)

11.61.3.102 native long parma_polyhedra_library::Octagonal_Shape_mpz_class::external_-memory_in_bytes ()

11.61.3.103 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::finalize () [protected]

11.61.3.104 native void parma_polyhedra_library::Octagonal_Shape_mpz_-class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.61.3.105 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::free ()

11.61.3.106 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.61.3.107 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.61.3.108 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.61.3.109 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.61.3.110 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.61.3.111 native int parma_polyhedra_library::Octagonal_Shape_mpz_class::hashCode ()

11.61.3.112 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::intersection_assign (Octagonal_Shape_mpz_class *p*)

11.61.3.113 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::is_bounded ()

11.61.3.114 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::is_discrete ()

11.61.3.115 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::is_disjoint_-from (Octagonal_Shape_mpz_class *y*)

11.61.3.116 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::is_empty ()

11.61.3.117 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::is_-topologically_closed ()

11.61.3.118 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::is_universe ()

11.61.3.119 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::limited_-BHMZ05_extrapolation_assign (Octagonal_Shape_mpz_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.61.3.120 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::limited_-CC76_extrapolation_assign (Octagonal_Shape_mpz_class *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.61.3.121 static native Pair<Octagonal_Shape_mpz_class, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Octagonal_Shape_mpz_class::linear_partition (Octagonal_Shape_mpz_class *p*, Octagonal_Shape_mpz_class *q*) `[static]`

11.61.3.122 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::map_space_-dimensions (Partial_Function *pfunc*)

11.61.3.123 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.61.3.124 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.61.3.125 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.61.3.126 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.61.3.127 native Congruence_System parma_polyhedra_library::Octagonal_Shape_mpz_class::minimized_congruences ()

11.61.3.128 native Constraint_System parma_polyhedra_library::Octagonal_Shape_mpz_class::minimized_constraints ()

11.61.3.129 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::OK ()

11.61.3.130 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::refine_with_congruence (Congruence *c*)

11.61.3.131 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::refine_with_congruences (Congruence_System *c*)

11.61.3.132 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::refine_with_constraint (Constraint *c*)

11.61.3.133 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::refine_with_constraints (Constraint_System *c*)

11.61.3.134 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_mpz_class::relation_with (Congruence *c*)

11.61.3.135 native Poly_Gen_Relation parma_polyhedra_library::Octagonal_Shape_mpz_class::relation_with (Generator *c*)

11.61.3.136 native Poly_Con_Relation parma_polyhedra_library::Octagonal_Shape_mpz_class::relation_with (Constraint *c*)

11.61.3.137 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::remove_higher_space_dimensions (long *new_dimension*)

11.61.3.138 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::remove_space_dimensions (Variables_Set *vars*)

11.61.3.139 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::simplify_using_context_assign (Octagonal_Shape_mpz_class *p*)

11.61.3.140 native long parma_polyhedra_library::Octagonal_Shape_mpz_class::space_dimension ()

11.61.3.141 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::strictly_contains (Octagonal_Shape_mpz_class *y*)

11.61.3.142 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::swap (Octagonal_Shape_mpz_class *y*)

11.61.3.143 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::time_elapse_assign (Octagonal_Shape_mpz_class *p*)

11.61.3.144 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::topological_closure_assign ()

11.61.3.145 native String parma_polyhedra_library::Octagonal_Shape_mpz_class::toString ()

11.61.3.146 native long parma_polyhedra_library::Octagonal_Shape_mpz_class::total_memory_in_bytes ()

11.61.3.147 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::unconstrain_space_dimension (Variable *var*)

11.61.3.148 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.61.3.149 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::upper_bound_assign (Octagonal_Shape_mpz_class *p*)

11.61.3.150 native boolean parma_polyhedra_library::Octagonal_Shape_mpz_class::upper_bound_assign_if_exact (Octagonal_Shape_mpz_class *y*)

11.61.3.151 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::widening_assign (Octagonal_Shape_mpz_class *y*, By_Reference< Integer > *tp*)

11.61.3.152 native void parma_polyhedra_library::Octagonal_Shape_mpz_class::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- Octagonal_Shape_mpz_class.java

11.62 parma_polyhedra_library::Overflow_Error_Exception Class Reference

Exceptions due to overflow errors.

Public Member Functions

- Overflow_Error_Exception (String s)
  Constructor.

11.62.1 Detailed Description

Exceptions due to overflow errors. These exceptions can be obtained when the library has been configured to use integer coefficients having bounded size.

Definition at line 31 of file Overflow_Error_Exception.java.

11.62.2 Constructor & Destructor Documentation

11.62.2.1 parma_polyhedra_library::Overflow_Error_Exception::Overflow_Error_Exception (String *s*) `[inline]`

Constructor.

Definition at line 33 of file Overflow_Error_Exception.java.

The documentation for this class was generated from the following file:

- Overflow_Error_Exception.java

11.63 parma_polyhedra_library::Pair< K, V > Class Reference

A pair of values of type K and V.

Public Member Functions

- K getFirst ()

  Returns the object of type K.

- V getSecond ()

  Returns the object of type V.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- K first

  Stores an object of type K.

- V second

  Stores an object of type V.

11.63.1 Detailed Description

A pair of values of type K and V. An object of this class holds an ordered pair of values of type K and V.

Definition at line 30 of file Pair.java.

11.63.2 Member Function Documentation

11.63.2.1 parma_polyhedra_library::Pair< K, V >::[static initializer] () `[inline, static, package]`

11.63.2.2 K parma_polyhedra_library::Pair< K, V >::getFirst () `[inline]`

Returns the object of type K.

Definition at line 39 of file Pair.java.

11.63.2.3 V parma_polyhedra_library::Pair< K, V >::getSecond () [inline]

Returns the object of type V.

Definition at line 44 of file Pair.java.

11.63.2.4 static native void parma_polyhedra_library::Pair< K, V >::initIDs () [static, private]

11.63.3 Member Data Documentation

11.63.3.1 K parma_polyhedra_library::Pair< K, V >::first [private]

Stores an object of type K.

Definition at line 33 of file Pair.java.

11.63.3.2 V parma_polyhedra_library::Pair< K, V >::second [private]

Stores an object of type V.

Definition at line 36 of file Pair.java.

The documentation for this class was generated from the following file:

- Pair.java

11.64 parma_polyhedra_library::Parma_Polyhedra_Library Class Reference

A class collecting library-level functions.

Static Public Member Functions

Library initialization and finalization

- static native void initialize_library ()
  Initializes the Parma Polyhedra Library.
- static native void finalize_library ()
  Finalizes the Parma Polyhedra Library.

Version Checking

- static native int version_major ()
  Returns the major number of the PPL version.

- static native int version_minor ()
  Returns the minor number of the PPL version.
- static native int version_revision ()
  Returns the revision number of the PPL version.
- static native int version_beta ()
  Returns the beta number of the PPL version.
- static native String version ()
  Returns a string containing the PPL version.
- static native String banner ()
  Returns a string containing the PPL banner.

Floating-point rounding and precision settings.

- static native void set_rounding_for_PPL ()
  Sets the FPU rounding mode so that the PPL abstractions based on floating point numbers work correctly.
- static native void restore_pre_PPL_rounding ()
  Sets the FPU rounding mode as it was before initialization of the PPL.
- static native int irrational_precision ()
  Returns the precision parameter for irrational calculations.
- static native void set_irrational_precision (int p)
  Sets the precision parameter used for irrational calculations.

Timeout handling

- static native void set_timeout (int hsecs)
  Sets the timeout for computations whose completion could require an exponential amount of time.
- static native void reset_timeout ()
  Resets the timeout time so that the computation is not interrupted.
- static native void set_deterministic_timeout (int weight)
  Sets a threshold for computations whose completion could require an exponential amount of time.
- static native void reset_deterministic_timeout ()
  Resets the deterministic timeout so that the computation is not interrupted.

11.64.1 Detailed Description

A class collecting library-level functions.

Definition at line 144 of file Parma_Polyhedra_Library.java.

11.64.2 Member Function Documentation

11.64.2.1 static native String parma_polyhedra_library::Parma_Polyhedra_Library::banner () [static]

Returns a string containing the PPL banner.

The banner provides information about the PPL version, the licensing, the lack of any warranty whatsoever, the C++ compiler used to build the library, where to report bugs and where to look for further information.

11.64.2.2 static native void parma_polyhedra_library::Parma_Polyhedra_Library::finalize_library () [static]

Finalizes the Parma Polyhedra Library.

This method must be called when work with the library is done. After finalization, no other library method can be called (except those in class Parma_Polyhedra_Library), unless the library is re-initialized by calling `initialize_library()`.

11.64.2.3 static native void parma_polyhedra_library::Parma_Polyhedra_Library::initialize_library () [static]

Initializes the Parma Polyhedra Library.

This method must be called after loading the library and before calling any other method from any other PPL package class.

11.64.2.4 static native int parma_polyhedra_library::Parma_Polyhedra_Library::irrational_precision () [static]

Returns the precision parameter for irrational calculations.

11.64.2.5 static native void parma_polyhedra_library::Parma_Polyhedra_Library::reset_deterministic_timeout () [static]

Resets the deterministic timeout so that the computation is not interrupted.

11.64.2.6 static native void parma_polyhedra_library::Parma_Polyhedra_Library::reset_timeout () [static]

Resets the timeout time so that the computation is not interrupted.

11.64.2.7 static native void parma_polyhedra_library::Parma_Polyhedra_Library::restore_pre_PPL_rounding () [static]

Sets the FPU rounding mode as it was before initialization of the PPL.

After calling this function it is absolutely necessary to call set_rounding_for_PPL() before using any PPL abstractions based on floating point numbers. This is performed automatically at finalization-time.

11.64.2.8 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_deterministic_timeout (int *weight*) [static]

Sets a threshold for computations whose completion could require an exponential amount of time.

Parameters

weight The maximum computational weight allowed. It must be strictly greater than zero.

Computations taking exponential time will be interrupted some time after reaching the `weight` complexity threshold, by throwing a `Timeout_Exception` object. Otherwise, if the computation completes without being interrupted, then the deterministic timeout should be reset by calling `reset_deterministic_timeout()`.

Note

This "timeout" checking functionality is said to be *deterministic* because it is not based on actual elapsed time. Its behavior will only depend on (some of the) computations performed in the PPL library and it will be otherwise independent from the computation environment (CPU, operating system, compiler, etc.).

Warning

The weight mechanism is under alpha testing. In particular, there is still no clear relation between the weight threshold and the actual computational complexity. As a consequence, client applications should be ready to reconsider the tuning of these weight thresholds when upgrading to newer version of the PPL.

11.64.2.9 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_irrational_precision (int *p*) [static]

Sets the precision parameter used for irrational calculations.

If `p` is less than or equal to `INT_MAX`, sets the precision parameter used for irrational calculations to `p`. Then, in the irrational calculations returning an unbounded rational, (e.g., when computing a square root), the lesser between numerator and denominator will be limited to `2**p`.

11.64.2.10 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_rounding_for_PPL () [static]

Sets the FPU rounding mode so that the PPL abstractions based on floating point numbers work correctly.

This is performed automatically at initialization-time. Calling this function is needed only if restore_pre_PPL_rounding() has been previously called.

11.64.2.11 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_timeout (int *hsecs*) [static]

Sets the timeout for computations whose completion could require an exponential amount of time.

Parameters

hsecs The number of hundreths of seconds. It must be strictly greater than zero.

Computations taking exponential time will be interrupted some time after `hsecs` hundreths of seconds have elapsed since the call to the timeout setting function, by throwing a `Timeout_Exception` object. Otherwise, if the computation completes without being interrupted, then the timeout should be reset by calling `reset_timeout()`.

11.64.2.12 static native String parma_polyhedra_library::Parma_Polyhedra_Library::version () [static]

Returns a string containing the PPL version.

11.64.2.13 static native int parma_polyhedra_library::Parma_Polyhedra_Library::version_beta () [static]

Returns the beta number of the PPL version.

11.64.2.14 static native int parma_polyhedra_library::Parma_Polyhedra_Library::version_major () [static]

Returns the major number of the PPL version.

11.64.2.15 static native int parma_polyhedra_library::Parma_Polyhedra_Library::version_minor () [static]

Returns the minor number of the PPL version.

11.64.2.16 static native int parma_polyhedra_library::Parma_Polyhedra_Library::version_revision () [static]

Returns the revision number of the PPL version.


The documentation for this class was generated from the following file:

- Parma_Polyhedra_Library.java


11.65 parma_polyhedra_library::Partial_Function Class Reference

A partial function on space dimension indices.

Inheritance diagram for parma_polyhedra_library::Partial_Function:



Collaboration diagram for parma_polyhedra_library::Partial_Function:



Public Member Functions

- Partial_Function ()

  Builds the empty map.

- native void insert (long i, long j)

  Inserts mapping from `i` to `j`.

- native boolean has_empty_codomain ()

  Returns `true` if and only if the partial function has an empty codomain (i.e., it is always undefined).

- native long max_in_codomain ()

  Returns the maximum value that belongs to the codomain of the partial function.

- native long maps (long i)

  If the partial function is defined on index `i`, returns its value.

- native void free ()

  Releases all resources managed by `this`, also resetting it to a null reference.

Protected Member Functions

- native void finalize ()

  Releases all resources managed by `this`.

Private Member Functions

- native void build_cpp_object ()

  Builds the underlying C++ object.

11.65.1 Detailed Description

A partial function on space dimension indices. This class is used in order to specify how space dimensions should be mapped by methods named `map_space_dimensions`.

Definition at line 31 of file Partial_Function.java.

11.65.2 Constructor & Destructor Documentation

11.65.2.1 parma_polyhedra_library::Partial_Function::Partial_Function () `[inline]`

Builds the empty map.

Definition at line 36 of file Partial_Function.java.

References build_cpp_object().

11.65.3 Member Function Documentation

11.65.3.1 native void parma_polyhedra_library::Partial_Function::build_cpp_object () `[private]`

Builds the underlying C++ object.

Referenced by Partial_Function().

11.65.3.2 native void parma_polyhedra_library::Partial_Function::finalize () `[protected]`

Releases all resources managed by `this`.

11.65.3.3 native void parma_polyhedra_library::Partial_Function::free ()

Releases all resources managed by `this`, also resetting it to a null reference.

11.65.3.4 native boolean parma_polyhedra_library::Partial_Function::has_empty_codomain ()

Returns `true` if and only if the partial function has an empty codomain (i.e., it is always undefined).

This method will always be called before the other methods of the interface. Moreover, if `true` is returned, then none of the other interface methods will be called.

11.65.3.5 native void parma_polyhedra_library::Partial_Function::insert (long *i*, long *j*)

Inserts mapping from `i` to `j`.

11.65.3.6 native long parma_polyhedra_library::Partial_Function::maps (long *i*)

If the partial function is defined on index `i`, returns its value.

The function returns a negative value if the partial function is not defined on domain value `i`.

11.65.3.7 native long parma_polyhedra_library::Partial_Function::max_in_codomain ()

Returns the maximum value that belongs to the codomain of the partial function.


The documentation for this class was generated from the following file:

- Partial_Function.java


11.66 parma_polyhedra_library::PIP_Decision_Node Class Reference

An internal node of the PIP solution tree.

Inheritance diagram for parma_polyhedra_library::PIP_Decision_Node:



Collaboration diagram for parma_polyhedra_library::PIP_Decision_Node:



Public Member Functions

- native PIP_Tree_Node child_node (boolean branch)

  Returns the true branch (if `branch` *is true) or the false branch (if* `branch` *is false) of* `this`*.*

11.66.1 Detailed Description

An internal node of the PIP solution tree.

Definition at line 31 of file PIP_Decision_Node.java.

11.66.2 Member Function Documentation

11.66.2.1 native PIP_Tree_Node parma_polyhedra_library::PIP_Decision_Node::child_node (boolean *branch*)

Returns the true branch (if `branch` is true) or the false branch (if `branch` is false) of `this`.


The documentation for this class was generated from the following file:

- PIP_Decision_Node.java


11.67 parma_polyhedra_library::PIP_Problem Class Reference

A Parametric Integer Programming problem.

Inheritance diagram for parma_polyhedra_library::PIP_Problem:



Collaboration diagram for parma_polyhedra_library::PIP_Problem:



Public Member Functions

- PIP_Problem (long dim)

  Builds a trivial PIP problem.

- PIP_Problem (long dim, Constraint_System cs, Variables_Set params)

  Builds a PIP problem from a sequence of constraints.

- PIP_Problem (PIP_Problem y)

  Builds a copy of y.

- native void free ()

  Releases all resources managed by `this`, also resetting it to a null reference.

Functions that Do Not Modify the PIP_Problem

- native long max_space_dimension ()

  Returns the maximum space dimension an PIP_Problem can handle.

- native long space_dimension ()

  Returns the space dimension of the PIP problem.

- native long number_of_parameter_space_dimensions ()

  Returns the number of parameter space dimensions of the PIP problem.

- native Variables_Set parameter_space_dimensions ()

  Returns all the parameter space dimensions of problem `pip`.

- native long get_big_parameter_dimension ()

  Returns the big parameter dimension of PIP problem `pip`.

- native long number_of_constraints ()

  Returns the number of constraints defining the feasible region of `pip`.

- native Constraint constraint_at_index (long dim)

  Returns the `i-th` constraint defining the feasible region of the PIP problem `pip`.

- native Constraint_System constraints ()

  Returns the constraints .

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

- native long total_memory_in_bytes ()

  Returns the size in bytes of the memory occupied by the underlying C++ object.

- native long external_memory_in_bytes ()

  Returns the size in bytes of the memory managed by the underlying C++ object.

- native boolean OK ()

  Returns true if the pip problem is well formed, i.e., if it satisfies all its implementation invariants; returns 0 and perhaps makes some noise if broken. Useful for debugging purposes.

Functions that May Modify the PIP_Problem

- native void clear ()

  Resets `this` to be equal to the trivial PIP problem.

- native void add_space_dimensions_and_embed (long pip_vars, long pip_params)

Adds `pip_vars + pip_params` new space dimensions and embeds the PIP problem in the new vector space.

- native void add_to_parameter_space_dimensions (Variables_Set vars)
  Sets the space dimensions in `vars` to be parameter dimensions of the PIP problem.
- native void set_big_parameter_dimension (long d)
  Sets the big parameter dimension of PIP problem to `d`.
- native void add_constraint (Constraint c)
  Adds a copy of constraint `c` to the PIP problem.
- native void add_constraints (Constraint_System cs)
  Adds a copy of the constraints in `cs` to the PIP problem.

Computing the Solution of the PIP_Problem

- native boolean is_satisfiable ()
  Checks satisfiability of `*this`.
- native PIP_Problem_Status solve ()
  Optimizes the PIP problem.
- native PIP_Tree_Node solution ()
  Returns a solution for the PIP problem, if it exists.
- native PIP_Tree_Node optimizing_solution ()
  Returns an optimizing solution for the PIP problem, if it exists.

Querying/Setting Control Parameters

- native PIP_Problem_Control_Parameter_Value get_pip_problem_control_parameter (PIP_Problem_Control_Parameter_Name name)
  Returns the value of control parameter `name`.
- native void set_pip_problem_control_parameter (PIP_Problem_Control_Parameter_Value value)
  Sets control parameter `value`.

Protected Member Functions

- native void finalize ()
  Releases all resources managed by `this`.

Private Member Functions

- native void build_cpp_object (long dim)
  Builds the underlying C++ object.

- native void build_cpp_object (long dim, Constraint_System cs, Variables_Set vars)

  Builds the underlying C++ object.

- native void build_cpp_object (PIP_Problem y)

  Builds the underlying C++ object.

11.67.1 Detailed Description

A Parametric Integer Programming problem. An object of this class encodes a parametric integer (linear) programming problem. The PIP problem is specified by providing:

- the dimension of the vector space;
- the subset of those dimensions of the vector space that are interpreted as integer parameters (the other space dimensions are interpreted as non-parameter integer variables);
- a finite set of linear equality and (strict or non-strict) inequality constraints involving variables and/or parameters; these constraints are used to define:
  - the *feasible region*, if they involve one or more problem variable (and maybe some parameters);
  - the *initial context*, if they only involve the parameters;
- optionally, the so-called *big parameter*, i.e., a problem parameter to be considered arbitrarily big.

Note that all problem variables and problem parameters are assumed to take non-negative integer values, so that there is no need to specify non-negativity constraints.

The class provides support for the (incremental) solution of the PIP problem based on variations of the revised simplex method and on Gomory cut generation techniques.

The solution for a PIP problem is the lexicographic minimum of the integer points of the feasible region, expressed in terms of the parameters. As the problem to be solved only involves non-negative variables and parameters, the problem will always be either unfeasible or optimizable.

As the feasibility and the solution value of a PIP problem depend on the values of the parameters, the solution is a binary decision tree, dividing the context parameter set into subsets. The tree nodes are of two kinds:

- *Decision* nodes. These are internal tree nodes encoding one or more linear tests on the parameters; if all the tests are satisfied, then the solution is the node's *true* child; otherwise, the solution is the node's *false* child;
- *Solution* nodes. These are leaf nodes in the tree, encoding the solution of the problem in the current context subset, where each variable is defined in terms of a linear expression of the parameters. Solution nodes also optionally embed a set of parameter constraints: if all these constraints are satisfied, the solution is described by the node, otherwise the problem has no solution.

It may happen that a decision node has no *false* child. This means that there is no solution if at least one of the corresponding constraints is not satisfied. Decision nodes having two or more linear tests on the parameters cannot have a *false* child. Decision nodes always have a *true* child.

Both kinds of tree nodes may also contain the definition of extra parameters which are artificially introduced by the solver to enforce an integral solution. Such artificial parameters are defined by the integer division of a linear expression on the parameters by an integer coefficient.

By exploiting the incremental nature of the solver, it is possible to reuse part of the computational work already done when solving variants of a given PIP_Problem: currently, incremental resolution supports the addition of space dimensions, the addition of parameters and the addition of constraints.

Definition at line 97 of file PIP_Problem.java.

11.67.2 Constructor & Destructor Documentation

11.67.2.1 parma_polyhedra_library::PIP_Problem::PIP_Problem (long *dim*) [inline]

Builds a trivial PIP problem.

A trivial PIP problem requires to compute the lexicographic minimum on a vector space under no constraints and with no parameters: due to the implicit non-negativity constraints, the origin of the vector space is an optimal solution.

Parameters

dim The dimension of the vector space enclosing `*this` (optional argument with default value 0).

Exceptions

std::length_error Thrown if `dim` exceeds `max_space_dimension()`.

Definition at line 113 of file PIP_Problem.java.

References build_cpp_object().

11.67.2.2 parma_polyhedra_library::PIP_Problem::PIP_Problem (long *dim*, Constraint_System *cs*, Variables_Set *params*) [inline]

Builds a PIP problem from a sequence of constraints.

Builds a PIP problem having space dimension `dim` from the constraint system cs; the dimensions `vars` are interpreted as parameters.

Definition at line 123 of file PIP_Problem.java.

References build_cpp_object().

11.67.2.3 parma_polyhedra_library::PIP_Problem::PIP_Problem (PIP_Problem *y*) [inline]

Builds a copy of `y`.

Definition at line 128 of file PIP_Problem.java.

References build_cpp_object().

11.67.3 Member Function Documentation

11.67.3.1 native void parma_polyhedra_library::PIP_Problem::add_constraint (Constraint *c*)

Adds a copy of constraint `c` to the PIP problem.

Exceptions

std::invalid_argument Thrown if the constraint `c` is a strict inequality or if its space dimension is strictly greater than the space dimension of `this`.

11.67.3.2 native void parma_polyhedra_library::PIP_Problem::add_constraints (Constraint_System *cs*)

Adds a copy of the constraints in `cs` to the PIP problem.

Exceptions

std::invalid_argument Thrown if the constraint system `cs` contains any strict inequality or if its space dimension is strictly greater than the space dimension of `*this`.

11.67.3.3 native void parma_polyhedra_library::PIP_Problem::add_space_dimensions_and_embed (long *pip_vars*, long *pip_params*)

Adds `pip_vars + pip_params` new space dimensions and embeds the PIP problem in the new vector space.

Parameters

pip_vars The number of space dimensions to add that are interpreted as PIP problem variables (i.e., non parameters). These are added before adding the `pip_params` parameters.

pip_params The number of space dimensions to add that are interpreted as PIP problem parameters. These are added after having added the `pip_vars` problem variables.

The new space dimensions will be those having the highest indexes in the new PIP problem; they are initially unconstrained.

11.67.3.4 native void parma_polyhedra_library::PIP_Problem::add_to_parameter_space_dimensions (Variables_Set *vars*)

Sets the space dimensions in `vars` to be parameter dimensions of the PIP problem.

11.67.3.5 native String parma_polyhedra_library::PIP_Problem::ascii_dump ()

Returns an ascii formatted internal representation of `this`.

11.67.3.6 native void parma_polyhedra_library::PIP_Problem::build_cpp_object (PIP_Problem *y*) [private]

Builds the underlying C++ object.

11.67.3.7 native void parma_polyhedra_library::PIP_Problem::build_cpp_object (long *dim*, Constraint_System *cs*, Variables_Set *vars*) [private]

Builds the underlying C++ object.

11.67.3.8 native void parma_polyhedra_library::PIP_Problem::build_cpp_object (long *dim*) [private]

Builds the underlying C++ object.

Referenced by PIP_Problem().

11.67.3.9 native void parma_polyhedra_library::PIP_Problem::clear ()

Resets `this` to be equal to the trivial PIP problem.

The space dimension is reset to 0.

11.67.3.10 native Constraint parma_polyhedra_library::PIP_Problem::constraint_at_index (long *dim*)

Returns the `i-th` constraint defining the feasible region of the PIP problem `pip`.

11.67.3.11 native Constraint_System parma_polyhedra_library::PIP_Problem::constraints ()

Returns the constraints .

11.67.3.12 native long parma_polyhedra_library::PIP_Problem::external_memory_in_bytes ()

Returns the size in bytes of the memory managed by the underlying C++ object.

11.67.3.13 native void parma_polyhedra_library::PIP_Problem::finalize () [protected]

Releases all resources managed by `this`.

11.67.3.14 native void parma_polyhedra_library::PIP_Problem::free ()

Releases all resources managed by `this`, also resetting it to a null reference.

11.67.3.15 native long parma_polyhedra_library::PIP_Problem::get_big_parameter_dimension ()

Returns the big parameter dimension of PIP problem `pip`.

11.67.3.16 native PIP_Problem_Control_Parameter_Value parma_polyhedra_library::PIP_Problem::get_pip_problem_control_parameter (PIP_Problem_Control_Parameter_Name *name*)

Returns the value of control parameter `name`.

11.67.3.17 native boolean parma_polyhedra_library::PIP_Problem::is_satisfiable ()

Checks satisfiability of `*this`.

Returns

`true` if and only if the PIP problem is satisfiable.

11.67.3.18 native long parma_polyhedra_library::PIP_Problem::max_space_dimension ()

Returns the maximum space dimension an PIP_Problem can handle.

11.67.3.19 native long parma_polyhedra_library::PIP_Problem::number_of_constraints ()

Returns the number of constraints defining the feasible region of `pip`.

11.67.3.20 native long parma_polyhedra_library::PIP_Problem::number_of_parameter_space_dimensions ()

Returns the number of parameter space dimensions of the PIP problem.

11.67.3.21 native boolean parma_polyhedra_library::PIP_Problem::OK ()

Returns true if the pip problem is well formed, i.e., if it satisfies all its implementation invariants; returns 0 and perhaps makes some noise if broken. Useful for debugging purposes.

11.67.3.22 native PIP_Tree_Node parma_polyhedra_library::PIP_Problem::optimizing_solution ()

Returns an optimizing solution for the PIP problem, if it exists.

11.67.3.23 native Variables_Set parma_polyhedra_library::PIP_Problem::parameter_space_dimensions ()

Returns all the parameter space dimensions of problem `pip`.

11.67.3.24 native void parma_polyhedra_library::PIP_Problem::set_big_parameter_dimension (long *d*)

Sets the big parameter dimension of PIP problem to `d`.

11.67.3.25 native void parma_polyhedra_library::PIP_Problem::set_pip_problem_control_parameter (PIP_Problem_Control_Parameter_Value *value*)

Sets control parameter `value`.

11.67.3.26 native PIP_Tree_Node parma_polyhedra_library::PIP_Problem::solution ()

Returns a solution for the PIP problem, if it exists.

11.67.3.27 native PIP_Problem_Status parma_polyhedra_library::PIP_Problem::solve ()

Optimizes the PIP problem.

Solves the PIP problem, returning an exit status.

Returns

`UNFEASIBLE_PIP_PROBLEM` if the PIP problem is not satisfiable; `OPTIMIZED_PIP_PROBLEM` if the PIP problem admits an optimal solution.

11.67.3.28 native long parma_polyhedra_library::PIP_Problem::space_dimension ()

Returns the space dimension of the PIP problem.

11.67.3.29 native String parma_polyhedra_library::PIP_Problem::toString ()

Returns a string representation of `this`.

11.67.3.30 native long parma_polyhedra_library::PIP_Problem::total_memory_in_bytes ()

Returns the size in bytes of the memory occupied by the underlying C++ object.


The documentation for this class was generated from the following file:

- PIP_Problem.java


11.68 parma_polyhedra_library::PIP_Solution_Node Class Reference

A leaf node of the PIP solution tree.

Inheritance diagram for parma_polyhedra_library::PIP_Solution_Node:



Collaboration diagram for parma_polyhedra_library::PIP_Solution_Node:



Public Member Functions

- native Linear_Expression parametric_values (Variable var)

  Returns the parametric expression of the values of variable `var` *in solution node* `this`.

11.68.1 Detailed Description

A leaf node of the PIP solution tree.

Definition at line 31 of file PIP_Solution_Node.java.

11.68.2 Member Function Documentation

11.68.2.1 native Linear_Expression parma_polyhedra_library::PIP_Solution_Node::parametric_values (Variable *var*)

Returns the parametric expression of the values of variable `var` in solution node `this`.

The returned parametric expression will only refer to (problem or artificial) parameters.

Parameters

var The variable being queried.


The documentation for this class was generated from the following file:

- PIP_Solution_Node.java


11.69 parma_polyhedra_library::PIP_Tree_Node Class Reference

A node of the PIP solution tree.

Inheritance diagram for parma_polyhedra_library::PIP_Tree_Node:



Collaboration diagram for parma_polyhedra_library::PIP_Tree_Node:



Public Member Functions

- native PIP_Solution_Node as_solution ()

  Returns the solution node if `this` *is a solution node, and 0 otherwise.*

- native PIP_Decision_Node as_decision ()

  Returns the decision node if `this` *is a decision node, and 0 otherwise.*

- native boolean OK ()

  Returns true if the pip tree is well formed, i.e., if it satisfies all its implementation invariants; returns 0 and perhaps makes some noise if broken. Useful for debugging purposes.

- native long number_of_artificials ()

  Returns the number of artificial parameters in the PIP_Tree_Node.

- native Artificial_Parameter_Sequence artificials ()

  Returns the sequence of (Java) artificial parameters in the PIP_Tree_Node.

- native Constraint_System constraints ()

  Returns the system of parameter constraints controlling the PIP_Tree_Node.

- native String toString ()

  Returns a string representation of `this`.

11.69.1 Detailed Description

A node of the PIP solution tree. This is the base class for the nodes of the binary trees representing the solutions of PIP problems. From this one, two classes are derived:

- PIP_Decision_Node, for the internal nodes of the tree;
- PIP_Solution_Node, for the leaves of the tree.

Definition at line 37 of file PIP_Tree_Node.java.

11.69.2 Member Function Documentation

11.69.2.1 native Artificial_Parameter_Sequence parma_polyhedra_library::PIP_Tree_Node::artificials ()

Returns the sequence of (Java) artificial parameters in the PIP_Tree_Node.

11.69.2.2 native PIP_Decision_Node parma_polyhedra_library::PIP_Tree_Node::as_decision ()

Returns the decision node if `this` is a decision node, and 0 otherwise.

11.69.2.3 native PIP_Solution_Node parma_polyhedra_library::PIP_Tree_Node::as_solution ()

Returns the solution node if `this` is a solution node, and 0 otherwise.

11.69.2.4 native Constraint_System parma_polyhedra_library::PIP_Tree_Node::constraints ()

Returns the system of parameter constraints controlling the PIP_Tree_Node.

The indices in the constraints are the same as the original variables and parameters. Coefficients in indices corresponding to variables always are zero.

11.69.2.5 native long parma_polyhedra_library::PIP_Tree_Node::number_of_artificials ()

Returns the number of artificial parameters in the PIP_Tree_Node.

11.69.2.6 native boolean parma_polyhedra_library::PIP_Tree_Node::OK ()

Returns true if the pip tree is well formed, i.e., if it satisfies all its implementation invariants; returns 0 and perhaps makes some noise if broken. Useful for debugging purposes.

11.69.2.7 native String parma_polyhedra_library::PIP_Tree_Node::toString ()

Returns a string representation of `this`.


The documentation for this class was generated from the following file:

- PIP_Tree_Node.java


11.70 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_double:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_double:



Public Member Functions

- Pointset_Powerset_BD_Shape_double (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_double (Pointset_Powerset_BD_Shape_double y)
- Pointset_Powerset_BD_Shape_double (BD_Shape_double y)
- Pointset_Powerset_BD_Shape_double (Pointset_Powerset_BD_Shape_double y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_double (BD_Shape_double y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_double (Constraint_System cs)
- Pointset_Powerset_BD_Shape_double (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)

- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_double y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_double y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_double y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_double y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_double y)
- native boolean equals (Pointset_Powerset_BD_Shape_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_double p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_double p)
- native void difference_assign (Pointset_Powerset_BD_Shape_double p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_double p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_double p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_double y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_double_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_double_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_double j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_double_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_double_Iterator itr1, Pointset_Powerset_BD_Shape_double_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_double y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_double y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_double y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_double y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_double y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)

11.70.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_double.java.

11.70.2 Constructor & Destructor Documentation

11.70.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_double.java.

11.70.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (Pointset_Powerset_BD_Shape_double *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (BD_Shape_double *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (Pointset_Powerset_BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::Pointset_Powerset_BD_Shape_double (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_double.java.

References build_cpp_object().

11.70.3 Member Function Documentation

11.70.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_congruence (Congruence *c*)

11.70.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_congruences (Congruence_System *c*)

11.70.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_constraint (Constraint *c*)

11.70.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_constraints (Constraint_System *c*)

11.70.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_disjunct (BD_Shape_double *j_disj*)

11.70.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_space_dimensions_and_embed (long *m*)

11.70.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::add_space_dimensions_and_project (long *m*)

11.70.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::affine_dimension ()

11.70.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.70.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.70.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::ascii_dump ()

11.70.3.12 native Pointset_Powerset_BD_Shape_double_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::begin_iterator ()

11.70.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_double *y*, Integer *d*)

11.70.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_double *y*, Integer *d*)

11.70.3.15 native void parma_polyhedra_library::Pointset_Powerset_-BD_Shape_double::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.70.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.70.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::bounds_from_above (Linear_Expression *expr*)

11.70.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::bounds_from_below (Linear_Expression *expr*)

11.70.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) `[private]`

11.70.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::build_cpp_object (BD_Shape_double *y*) [private]

11.70.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::build_cpp_object (Pointset_Powerset_BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.70.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::build_cpp_object (Pointset_Powerset_BD_Shape_double *y*) [private]

11.70.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.70.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::build_cpp_object (Congruence_System *cs*) [private]

11.70.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_double().

11.70.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::concatenate_assign (Pointset_Powerset_BD_Shape_double *p*)

11.70.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::constrains (Variable *var*)

11.70.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_double::contains (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::contains_integer_point ()

11.70.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::difference_assign (Pointset_Powerset_BD_Shape_double *p*)

11.70.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::drop_disjunct (Pointset_Powerset_BD_Shape_double_Iterator *itr*)

11.70.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::drop_disjuncts (Pointset_Powerset_BD_Shape_double_Iterator *itr1*, Pointset_Powerset_BD_Shape_double_Iterator *itr2*)

11.70.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::drop_-some_non_integer_points (Integer *complexity_threshold*)

11.70.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.70.3.37 native Pointset_Powerset_BD_Shape_double_Iterator parma_-polyhedra_library::Pointset_Powerset_BD_Shape_double::end_iterator ()

11.70.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_BD_Shape_double.java.

References equals().

11.70.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::equals (Pointset_Powerset_BD_Shape_double *p*)

Referenced by equals().

11.70.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::expand_space_dimension (Variable *var*, long *m*)

11.70.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::external_memory_in_bytes ()

11.70.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::finalize () [protected]

11.70.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.70.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::free ()

11.70.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.70.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.70.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.70.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.70.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::geometrically_covers (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::geometrically_equals (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::hashCode ()

11.70.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::intersection_assign (Pointset_Powerset_BD_Shape_double *p*)

11.70.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::is_-bounded ()

11.70.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::is_discrete ()

11.70.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::is_disjoint_from (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::is_empty ()

11.70.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::is_topologically_closed ()

11.70.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::is_universe ()

11.70.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::map_space_dimensions (Partial_Function *pfunc*)

11.70.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.70.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.70.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.70.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.70.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::OK ()

11.70.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::omega_-reduce ()

11.70.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::pairwise_reduce ()

11.70.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::refine_-with_congruence (Congruence *c*)

11.70.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_double::refine_with_congruences (Congruence_System *c*)

11.70.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::refine_-with_constraint (Constraint *c*)

11.70.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::refine_-with_constraints (Constraint_System *c*)

11.70.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::relation_with (Congruence *c*)

11.70.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::relation_with (Generator *c*)

11.70.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::relation_with (Constraint *c*)

11.70.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::remove_higher_space_dimensions (long *new_dimension*)

11.70.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::remove_space_dimensions (Variables_Set *vars*)

11.70.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::simplify_using_context_assign (Pointset_Powerset_BD_Shape_double *p*)

11.70.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::size ()

11.70.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::space_-dimension ()

11.70.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_double::strictly_contains (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::swap (Pointset_Powerset_BD_Shape_double *y*)

11.70.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::time_elapse_assign (Pointset_Powerset_BD_Shape_double *p*)

11.70.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::topological_closure_assign ()

11.70.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::toString ()

11.70.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_double::total_-memory_in_bytes ()

11.70.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::unconstrain_space_dimension (Variable *var*)

11.70.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.70.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::upper_bound_assign (Pointset_Powerset_BD_Shape_double *p*)

11.70.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_double *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_double.java


11.71 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_double_Iterator (Pointset_Powerset_BD_Shape_double_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_double_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_double get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_double_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_double obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_double_Iterator y)

11.71.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_double_Iterator.java.

11.71.2 Constructor & Destructor Documentation

11.71.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator::Pointset_Powerset_BD_Shape_double_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_double_Iterator.java.

11.71.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator::Pointset_Powerset_BD_Shape_double_Iterator (Pointset_Powerset_BD_Shape_double_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_double_Iterator.java.

References build_cpp_object().

11.71.3 Member Function Documentation

11.71.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_double_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_double_Iterator().

11.71.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_double *obj*) [private]

11.71.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator::equals (Pointset_Powerset_BD_Shape_double_Iterator *itr*)

11.71.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_-Iterator::finalize () [protected]

11.71.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_-Iterator::free ()

11.71.3.6 native BD_Shape_double parma_polyhedra_library::Pointset_Powerset_BD_Shape_-double_Iterator::get_disjunct ()

11.71.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_-Iterator::next ()

11.71.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_double_Iterator.java


11.72 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_float:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_float:



Public Member Functions

- Pointset_Powerset_BD_Shape_float (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_float (Pointset_Powerset_BD_Shape_float y)
- Pointset_Powerset_BD_Shape_float (BD_Shape_float y)
- Pointset_Powerset_BD_Shape_float (Pointset_Powerset_BD_Shape_float y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_float (BD_Shape_float y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_float (Constraint_System cs)
- Pointset_Powerset_BD_Shape_float (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_float y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_float y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_float y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_float y)

- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_float y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_float y)
- native boolean equals (Pointset_Powerset_BD_Shape_float p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_float p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_float p)
- native void difference_assign (Pointset_Powerset_BD_Shape_float p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_float p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_float p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_float y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_float p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()

- native Pointset_Powerset_BD_Shape_float_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_float_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_float j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_float_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_float_Iterator itr1, Pointset_Powerset_-BD_Shape_float_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_float y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_float y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_float y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_float y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_float ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_float y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)

11.72.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_float.java.

11.72.2 Constructor & Destructor Documentation

11.72.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_-Powerset_BD_Shape_float (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_float.java.

11.72.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float (Pointset_Powerset_BD_Shape_float *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float (BD_Shape_float *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float (Pointset_Powerset_BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::Pointset_Powerset_BD_Shape_float (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_float.java.

References build_cpp_object().

11.72.3 Member Function Documentation

11.72.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_congruence (Congruence *c*)

11.72.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_congruences (Congruence_System *c*)

11.72.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_constraint (Constraint *c*)

11.72.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_constraints (Constraint_System *c*)

11.72.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_disjunct (BD_Shape_float *j_disj*)

11.72.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_space_dimensions_and_embed (long *m*)

11.72.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::add_space_dimensions_and_project (long *m*)

11.72.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::affine_dimension ()

11.72.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.72.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.72.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::ascii_dump ()

11.72.3.12 native Pointset_Powerset_BD_Shape_float_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::begin_iterator ()

11.72.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_float *y*, Integer *d*)

11.72.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_float *y*, Integer *d*)

11.72.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::bounded_-affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.72.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::bounded_-affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.72.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::bounds_from_above (Linear_Expression *expr*)

11.72.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::bounds_from_below (Linear_Expression *expr*)

11.72.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) `[private]`

11.72.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::build_-cpp_object (BD_Shape_float *y*) `[private]`

11.72.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::build_-cpp_object (Pointset_Powerset_BD_Shape_float *y*, Complexity_Class *complexity*) `[private]`

11.72.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::build_cpp_object (Pointset_Powerset_BD_Shape_float *y*) [private]

11.72.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.72.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::build_cpp_object (Congruence_System *cs*) [private]

11.72.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_float().

11.72.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::concatenate_assign (Pointset_Powerset_BD_Shape_float *p*)

11.72.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::constrains (Variable *var*)

11.72.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::contains (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::contains_integer_point ()

11.72.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::difference_assign (Pointset_Powerset_BD_Shape_float *p*)

11.72.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::drop_disjunct (Pointset_Powerset_BD_Shape_float_Iterator *itr*)

11.72.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::drop_disjuncts (Pointset_Powerset_BD_Shape_float_Iterator *itr1*, Pointset_Powerset_BD_Shape_float_Iterator *itr2*)

11.72.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::drop_some_non_integer_points (Integer *complexity_threshold*)

11.72.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.72.3.37 native Pointset_Powerset_BD_Shape_float_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::end_iterator ()

11.72.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_BD_Shape_float.java.

References equals().

11.72.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::equals (Pointset_Powerset_BD_Shape_float *p*)

Referenced by equals().

11.72.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::expand_space_dimension (Variable *var*, long *m*)

11.72.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::external_memory_in_bytes ()

11.72.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::finalize () [protected]

11.72.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.72.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::free ()

11.72.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.72.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.72.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.72.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.72.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_float::geometrically_covers (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_float::geometrically_equals (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::hashCode ()

11.72.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_float::intersection_assign (Pointset_Powerset_BD_Shape_float *p*)

11.72.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::is_-bounded ()

11.72.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::is_-discrete ()

11.72.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_float::is_disjoint_from (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::is_-empty ()

11.72.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::is_-topologically_closed ()

11.72.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::is_universe ()

11.72.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::map_space_dimensions (Partial_Function *pfunc*)

11.72.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.72.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.72.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.72.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.72.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::OK ()

11.72.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::omega_reduce ()

11.72.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::pairwise_reduce ()

11.72.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::refine_-with_congruence (Congruence *c*)

11.72.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::refine_-with_congruences (Congruence_System *c*)

11.72.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::refine_-with_constraint (Constraint *c*)

11.72.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::refine_-with_constraints (Constraint_System *c*)

11.72.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::relation_with (Congruence *c*)

11.72.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::relation_with (Generator *c*)

11.72.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::relation_with (Constraint *c*)

11.72.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::remove_-higher_space_dimensions (long *new_dimension*)

11.72.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::remove_-space_dimensions (Variables_Set *vars*)

11.72.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::simplify_using_context_assign (Pointset_Powerset_BD_Shape_float *p*)

11.72.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::size ()

11.72.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::space_dimension ()

11.72.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::strictly_contains (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::swap (Pointset_Powerset_BD_Shape_float *y*)

11.72.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::time_elapse_assign (Pointset_Powerset_BD_Shape_float *p*)

11.72.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::topological_closure_assign ()

11.72.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::toString ()

11.72.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_float::total_memory_in_bytes ()

11.72.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::unconstrain_space_dimension (Variable *var*)

11.72.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::unconstrain_space_dimensions (Variables_Set *vars*)

11.72.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_float::upper_bound_assign (Pointset_Powerset_BD_Shape_float *p*)

11.72.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-float::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_float *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_float.java


11.73 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_float_Iterator (Pointset_Powerset_BD_Shape_float_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_float_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_float get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_float_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_float obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_float_Iterator y)

11.73.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_float_Iterator.java.

11.73.2 Constructor & Destructor Documentation

11.73.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_-Iterator::Pointset_Powerset_BD_Shape_float_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_float_Iterator.java.

11.73.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::Pointset_Powerset_BD_Shape_float_Iterator (Pointset_Powerset_BD_Shape_float_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_float_Iterator.java.

References build_cpp_object().

11.73.3 Member Function Documentation

11.73.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_float_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_float_Iterator().

11.73.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_float *obj*) [private]

11.73.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::equals (Pointset_Powerset_BD_Shape_float_Iterator *itr*)

11.73.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::finalize () [protected]

11.73.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::free ()

11.73.3.6 native BD_Shape_float parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator::get_disjunct ()

11.73.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_-Iterator::next ()

11.73.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_float_Iterator.java


11.74 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t:



Public Member Functions

- Pointset_Powerset_BD_Shape_int16_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_int16_t (Pointset_Powerset_BD_Shape_int16_t y)
- Pointset_Powerset_BD_Shape_int16_t (BD_Shape_int16_t y)
- Pointset_Powerset_BD_Shape_int16_t (Pointset_Powerset_BD_Shape_int16_t y, Complexity_-Class complexity)
- Pointset_Powerset_BD_Shape_int16_t (BD_Shape_int16_t y, Complexity_Class complexity)

- Pointset_Powerset_BD_Shape_int16_t (Constraint_System cs)
- Pointset_Powerset_BD_Shape_int16_t (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_int16_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean equals (Pointset_Powerset_BD_Shape_int16_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_int16_t p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_int16_t p)
- native void difference_assign (Pointset_Powerset_BD_Shape_int16_t p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_int16_t p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_int16_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_int16_t p)

- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_int16_t_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_int16_t_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_int16_t j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_int16_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_int16_t_Iterator itr1, Pointset_Powerset_BD_Shape_int16_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int16_t y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int16_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int16_t y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int16_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int16_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int16_t y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)

11.74.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_int16_t.java.

11.74.2 Constructor & Destructor Documentation

11.74.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_int16_t.java.

11.74.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (Pointset_Powerset_BD_Shape_int16_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (BD_Shape_int16_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (Pointset_Powerset_BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::Pointset_Powerset_BD_Shape_int16_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_int16_t.java.

References build_cpp_object().

11.74.3 Member Function Documentation

11.74.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_congruence (Congruence *c*)

11.74.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_congruences (Congruence_System *c*)

11.74.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_constraint (Constraint *c*)

11.74.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_constraints (Constraint_System *c*)

11.74.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_disjunct (BD_Shape_int16_t *j_disj*)

11.74.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_space_dimensions_and_embed (long *m*)

11.74.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::add_space_dimensions_and_project (long *m*)

11.74.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::affine_dimension ()

11.74.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.74.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.74.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::ascii_dump ()

11.74.3.12 native Pointset_Powerset_BD_Shape_int16_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::begin_iterator ()

11.74.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int16_t *y*, Integer *d*)

11.74.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int16_t *y*, Integer *d*)

11.74.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.74.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.74.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_-t::bounds_from_above (Linear_Expression *expr*)

11.74.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_-t::bounds_from_below (Linear_Expression *expr*)

11.74.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_-t::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.74.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::build_-cpp_object (BD_Shape_int16_t *y*) [private]

11.74.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::build_-cpp_object (Pointset_Powerset_BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.74.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int16_t::build_cpp_object (Pointset_Powerset_BD_Shape_int16_t *y*) [private]

11.74.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_-t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.74.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::build_-cpp_object (Congruence_System *cs*) [private]

11.74.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::build_-cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_int16_t().

11.74.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::concatenate_assign (Pointset_Powerset_BD_Shape_int16_t *p*)

11.74.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::constrains (Variable *var*)

11.74.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::contains (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::contains_integer_point ()

11.74.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::difference_assign (Pointset_Powerset_BD_Shape_int16_t *p*)

11.74.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::drop_disjunct (Pointset_Powerset_BD_Shape_int16_t_Iterator *itr*)

11.74.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::drop_disjuncts (Pointset_Powerset_BD_Shape_int16_t_Iterator *itr1*, Pointset_Powerset_BD_Shape_int16_t_Iterator *itr2*)

11.74.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.74.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.74.3.37 native Pointset_Powerset_BD_Shape_int16_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::end_iterator ()

11.74.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_BD_Shape_int16_t.java.

References equals().

11.74.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::equals (Pointset_Powerset_BD_Shape_int16_t *p*)

Referenced by equals().

11.74.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::expand_space_dimension (Variable *var*, long *m*)

11.74.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::external_memory_in_bytes ()

11.74.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::finalize () `[protected]`

11.74.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.74.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::free ()

11.74.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.74.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.74.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.74.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.74.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::geometrically_covers (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::geometrically_equals (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::hashCode ()

11.74.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::intersection_assign (Pointset_Powerset_BD_Shape_int16_t *p*)

11.74.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::is_bounded ()

11.74.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::is_discrete ()

11.74.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::is_disjoint_from (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::is_empty ()

11.74.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::is_topologically_closed ()

11.74.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::is_universe ()

11.74.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::map_space_dimensions (Partial_Function *pfunc*)

11.74.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.74.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.74.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.74.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.74.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::OK ()

11.74.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::omega_reduce ()

11.74.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::pairwise_reduce ()

11.74.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::refine_with_congruence (Congruence *c*)

11.74.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::refine_with_congruences (Congruence_System *c*)

11.74.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::refine_with_constraint (Constraint *c*)

11.74.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::refine_with_constraints (Constraint_System *c*)

11.74.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::relation_with (Congruence *c*)

11.74.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::relation_with (Generator *c*)

11.74.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::relation_with (Constraint *c*)

11.74.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::remove_higher_space_dimensions (long *new_dimension*)

11.74.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::remove_space_dimensions (Variables_Set *vars*)

11.74.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::simplify_using_context_assign (Pointset_Powerset_BD_Shape_int16_t *p*)

11.74.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::size ()

11.74.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::space_dimension ()

11.74.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::strictly_contains (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::swap (Pointset_Powerset_BD_Shape_int16_t *y*)

11.74.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::time_elapse_assign (Pointset_Powerset_BD_Shape_int16_t *p*)

11.74.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::topological_closure_assign ()

11.74.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::toString ()

11.74.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::total_memory_in_bytes ()

11.74.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::unconstrain_space_dimension (Variable *var*)

11.74.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.74.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::upper_bound_assign (Pointset_Powerset_BD_Shape_int16_t *p*)

11.74.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int16_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int16_t.java


11.75 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_int16_t_Iterator (Pointset_Powerset_BD_Shape_int16_t_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_int16_t_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_int16_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int16_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_int16_t obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int16_t_Iterator y)

11.75.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_int16_t_Iterator.java.

11.75.2 Constructor & Destructor Documentation

11.75.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::Pointset_Powerset_BD_Shape_int16_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_int16_t_Iterator.java.

11.75.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::Pointset_Powerset_BD_Shape_int16_t_Iterator (Pointset_Powerset_BD_Shape_int16_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_int16_t_Iterator.java.

References build_cpp_object().

11.75.3 Member Function Documentation

11.75.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_int16_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_int16_t_Iterator().

11.75.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_int16_t *obj*) [private]

11.75.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::equals (Pointset_Powerset_BD_Shape_int16_t_Iterator *itr*)

11.75.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::finalize () [protected]

11.75.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::free ()

11.75.3.6 native BD_Shape_int16_t parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::get_disjunct ()

11.75.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::next ()

11.75.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int16_t_Iterator.java


11.76 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t:



Public Member Functions

- Pointset_Powerset_BD_Shape_int32_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_int32_t (Pointset_Powerset_BD_Shape_int32_t y)
- Pointset_Powerset_BD_Shape_int32_t (BD_Shape_int32_t y)
- Pointset_Powerset_BD_Shape_int32_t (Pointset_Powerset_BD_Shape_int32_t y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_int32_t (BD_Shape_int32_t y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_int32_t (Constraint_System cs)
- Pointset_Powerset_BD_Shape_int32_t (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_int32_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean equals (Pointset_Powerset_BD_Shape_int32_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_int32_t p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_int32_t p)
- native void difference_assign (Pointset_Powerset_BD_Shape_int32_t p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_int32_t p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_int32_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_int32_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_int32_t_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_int32_t_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_int32_t j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_int32_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_int32_t_Iterator itr1, Pointset_Powerset_BD_Shape_int32_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int32_t y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int32_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int32_t y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int32_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int32_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int32_t y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)

11.76.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_int32_t.java.

11.76.2 Constructor & Destructor Documentation

11.76.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_int32_t.java.

11.76.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (Pointset_Powerset_BD_Shape_int32_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (BD_Shape_int32_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (Pointset_Powerset_BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::Pointset_Powerset_BD_Shape_int32_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_int32_t.java.

References build_cpp_object().

11.76.3 Member Function Documentation

11.76.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_congruence (Congruence *c*)

11.76.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_congruences (Congruence_System *c*)

11.76.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_constraint (Constraint *c*)

11.76.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_constraints (Constraint_System *c*)

11.76.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_disjunct (BD_Shape_int32_t *j_disj*)

11.76.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_space_dimensions_and_embed (long *m*)

11.76.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::add_space_dimensions_and_project (long *m*)

11.76.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::affine_dimension ()

11.76.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.76.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.76.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::ascii_dump ()

11.76.3.12 native Pointset_Powerset_BD_Shape_int32_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::begin_iterator ()

11.76.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int32_t *y*, Integer *d*)

11.76.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int32_t *y*, Integer *d*)

11.76.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.76.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.76.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::bounds_from_above (Linear_Expression *expr*)

11.76.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::bounds_from_below (Linear_Expression *expr*)

11.76.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.76.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.76.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (Pointset_Powerset_BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.76.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (Pointset_Powerset_BD_Shape_int32_t *y*) [private]

11.76.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.76.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (Congruence_System *cs*) [private]

11.76.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_int32_t().

11.76.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::concatenate_assign (Pointset_Powerset_BD_Shape_int32_t *p*)

11.76.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::constrains (Variable *var*)

11.76.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::contains (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::contains_integer_point ()

11.76.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::difference_assign (Pointset_Powerset_BD_Shape_int32_t *p*)

11.76.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::drop_disjunct (Pointset_Powerset_BD_Shape_int32_t_Iterator *itr*)

11.76.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::drop_disjuncts (Pointset_Powerset_BD_Shape_int32_t_Iterator *itr1*, Pointset_Powerset_BD_Shape_int32_t_Iterator *itr2*)

11.76.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.76.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.76.3.37 native Pointset_Powerset_BD_Shape_int32_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::end_iterator ()

11.76.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_BD_Shape_int32_t.java.

References equals().

11.76.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::equals (Pointset_Powerset_BD_Shape_int32_t *p*)

Referenced by equals().

11.76.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::expand_space_dimension (Variable *var*, long *m*)

11.76.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::external_memory_in_bytes ()

11.76.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::finalize () [protected]

11.76.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.76.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::free ()

11.76.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.76.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.76.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.76.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.76.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::geometrically_covers (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::geometrically_equals (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::hashCode ()

11.76.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::intersection_assign (Pointset_Powerset_BD_Shape_int32_t *p*)

11.76.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::is_bounded ()

11.76.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::is_discrete ()

11.76.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::is_disjoint_from (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::is_empty ()

11.76.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::is_topologically_closed ()

11.76.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::is_universe ()

11.76.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::map_space_dimensions (Partial_Function *pfunc*)

11.76.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.76.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.76.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.76.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.76.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::OK ()

11.76.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::omega_reduce ()

11.76.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::pairwise_reduce ()

11.76.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::refine_with_congruence (Congruence *c*)

11.76.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::refine_with_congruences (Congruence_System *c*)

11.76.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::refine_with_constraint (Constraint *c*)

11.76.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::refine_with_constraints (Constraint_System *c*)

11.76.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::relation_with (Congruence *c*)

11.76.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int32_t::relation_with (Generator *c*)

11.76.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int32_t::relation_with (Constraint *c*)

11.76.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_-t::remove_higher_space_dimensions (long *new_dimension*)

11.76.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_-t::remove_space_dimensions (Variables_Set *vars*)

11.76.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int32_t::simplify_using_context_assign (Pointset_Powerset_BD_Shape_int32_t *p*)

11.76.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::size ()

11.76.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::space_-dimension ()

11.76.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_int32_t::strictly_contains (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::swap (Pointset_Powerset_BD_Shape_int32_t *y*)

11.76.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::time_elapse_assign (Pointset_Powerset_BD_Shape_int32_t *p*)

11.76.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::topological_closure_assign ()

11.76.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::toString ()

11.76.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::total_memory_in_bytes ()

11.76.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::unconstrain_space_dimension (Variable *var*)

11.76.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.76.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::upper_bound_assign (Pointset_Powerset_BD_Shape_int32_t *p*)

11.76.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int32_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int32_t.java


11.77 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_int32_t_Iterator (Pointset_Powerset_BD_Shape_int32_t_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_int32_t_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_int32_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int32_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_int32_t obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int32_t_Iterator y)

11.77.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_int32_t_Iterator.java.

11.77.2 Constructor & Destructor Documentation

11.77.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::Pointset_Powerset_BD_Shape_int32_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_int32_t_Iterator.java.

11.77.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::Pointset_Powerset_BD_Shape_int32_t_Iterator (Pointset_Powerset_BD_Shape_int32_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_int32_t_Iterator.java.

References build_cpp_object().

11.77.3 Member Function Documentation

11.77.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_int32_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_int32_t_Iterator().

11.77.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_int32_t *obj*) [private]

11.77.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::equals (Pointset_Powerset_BD_Shape_int32_t_Iterator *itr*)

11.77.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::finalize () [protected]

11.77.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::free ()

11.77.3.6 native BD_Shape_int32_t parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::get_disjunct ()

11.77.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::next ()

11.77.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int32_t_Iterator.java


11.78 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t:



Public Member Functions

- Pointset_Powerset_BD_Shape_int64_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_int64_t (Pointset_Powerset_BD_Shape_int64_t y)
- Pointset_Powerset_BD_Shape_int64_t (BD_Shape_int64_t y)
- Pointset_Powerset_BD_Shape_int64_t (Pointset_Powerset_BD_Shape_int64_t y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_int64_t (BD_Shape_int64_t y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_int64_t (Constraint_System cs)
- Pointset_Powerset_BD_Shape_int64_t (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_int64_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_int64_t y)

- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean equals (Pointset_Powerset_BD_Shape_int64_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_int64_t p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_int64_t p)
- native void difference_assign (Pointset_Powerset_BD_Shape_int64_t p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_int64_t p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_int64_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_int64_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_int64_t_Iterator begin_iterator ()

- native Pointset_Powerset_BD_Shape_int64_t_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_int64_t j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_int64_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_int64_t_Iterator itr1, Pointset_Powerset_BD_Shape_int64_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int64_t y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int64_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int64_t y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int64_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int64_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int64_t y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)

11.78.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_int64_t.java.

11.78.2 Constructor & Destructor Documentation

11.78.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_int64_t.java.

11.78.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (Pointset_Powerset_BD_Shape_int64_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (BD_Shape_int64_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (Pointset_Powerset_BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::Pointset_Powerset_BD_Shape_int64_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_int64_t.java.

References build_cpp_object().

11.78.3 Member Function Documentation

11.78.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_congruence (Congruence *c*)

11.78.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_congruences (Congruence_System *c*)

11.78.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_constraint (Constraint *c*)

11.78.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_constraints (Constraint_System *c*)

11.78.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_disjunct (BD_Shape_int64_t *j_disj*)

11.78.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_space_dimensions_and_embed (long *m*)

11.78.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::add_space_dimensions_and_project (long *m*)

11.78.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::affine_dimension ()

11.78.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.78.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.78.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::ascii_dump ()

11.78.3.12 native Pointset_Powerset_BD_Shape_int64_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::begin_iterator ()

11.78.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int64_t *y*, Integer *d*)

11.78.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int64_t *y*, Integer *d*)

11.78.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.78.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.78.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::bounds_from_above (Linear_Expression *expr*)

11.78.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::bounds_from_below (Linear_Expression *expr*)

11.78.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) `[private]`

11.78.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (BD_Shape_int64_t *y*) `[private]`

11.78.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (Pointset_Powerset_BD_Shape_int64_t *y*, Complexity_Class *complexity*) `[private]`

11.78.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (Pointset_Powerset_BD_Shape_int64_t *y*) [private]

11.78.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.78.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (Congruence_System *cs*) [private]

11.78.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_int64_t().

11.78.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::concatenate_assign (Pointset_Powerset_BD_Shape_int64_t *p*)

11.78.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::constrains (Variable *var*)

11.78.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::contains (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::contains_integer_point ()

11.78.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::difference_assign (Pointset_Powerset_BD_Shape_int64_t *p*)

11.78.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::drop_disjunct (Pointset_Powerset_BD_Shape_int64_t_Iterator *itr*)

11.78.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::drop_disjuncts (Pointset_Powerset_BD_Shape_int64_t_Iterator *itr1*, Pointset_Powerset_BD_Shape_int64_t_Iterator *itr2*)

11.78.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.78.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.78.3.37 native Pointset_Powerset_BD_Shape_int64_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::end_iterator ()

11.78.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_BD_Shape_int64_t.java.

References equals().

11.78.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::equals (Pointset_Powerset_BD_Shape_int64_t *p*)

Referenced by equals().

11.78.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::expand_space_dimension (Variable *var*, long *m*)

11.78.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::external_memory_in_bytes ()

11.78.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::finalize () `[protected]`

11.78.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.78.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::free ()

11.78.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.78.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.78.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.78.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.78.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::geometrically_covers (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::geometrically_equals (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::hashCode ()

11.78.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::intersection_assign (Pointset_Powerset_BD_Shape_int64_t *p*)

11.78.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::is_bounded ()

11.78.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::is_discrete ()

11.78.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::is_disjoint_from (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::is_empty ()

11.78.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::is_topologically_closed ()

11.78.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::is_universe ()

11.78.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::map_space_dimensions (Partial_Function *pfunc*)

11.78.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.78.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.78.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.78.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.78.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::OK ()

11.78.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::omega_reduce ()

11.78.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::pairwise_reduce ()

11.78.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::refine_with_congruence (Congruence *c*)

11.78.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::refine_with_congruences (Congruence_System *c*)

11.78.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::refine_with_constraint (Constraint *c*)

11.78.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::refine_with_constraints (Constraint_System *c*)

11.78.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::relation_with (Congruence *c*)

11.78.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::relation_with (Generator *c*)

11.78.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::relation_with (Constraint *c*)

11.78.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_-t::remove_higher_space_dimensions (long *new_dimension*)

11.78.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_-t::remove_space_dimensions (Variables_Set *vars*)

11.78.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int64_t::simplify_using_context_assign (Pointset_Powerset_BD_Shape_int64_t *p*)

11.78.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::size ()

11.78.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::space_-dimension ()

11.78.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_int64_t::strictly_contains (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::swap (Pointset_Powerset_BD_Shape_int64_t *y*)

11.78.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int64_t::time_elapse_assign (Pointset_Powerset_BD_Shape_int64_t *p*)

11.78.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_-t::topological_closure_assign ()

11.78.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::toString ()

11.78.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::total_memory_in_bytes ()

11.78.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::unconstrain_space_dimension (Variable *var*)

11.78.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.78.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::upper_bound_assign (Pointset_Powerset_BD_Shape_int64_t *p*)

11.78.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int64_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int64_t.java


11.79 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_int64_t_Iterator (Pointset_Powerset_BD_Shape_int64_t_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_int64_t_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_int64_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int64_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_int64_t obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int64_t_Iterator y)

11.79.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_int64_t_Iterator.java.

11.79.2 Constructor & Destructor Documentation

11.79.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::Pointset_Powerset_BD_Shape_int64_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_int64_t_Iterator.java.

11.79.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::Pointset_Powerset_BD_Shape_int64_t_Iterator (Pointset_Powerset_BD_Shape_int64_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_int64_t_Iterator.java.

References build_cpp_object().

11.79.3 Member Function Documentation

11.79.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_int64_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_int64_t_Iterator().

11.79.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_int64_t *obj*) [private]

11.79.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::equals (Pointset_Powerset_BD_Shape_int64_t_Iterator *itr*)

11.79.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::finalize () [protected]

11.79.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::free ()

11.79.3.6 native BD_Shape_int64_t parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::get_disjunct ()

11.79.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::next ()

11.79.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int64_t_Iterator.java


11.80 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t:



Public Member Functions

- Pointset_Powerset_BD_Shape_int8_t (long num_dimensions, Degenerate_Element kind)

- Pointset_Powerset_BD_Shape_int8_t (Pointset_Powerset_BD_Shape_int8_t y)
- Pointset_Powerset_BD_Shape_int8_t (BD_Shape_int8_t y)
- Pointset_Powerset_BD_Shape_int8_t (Pointset_Powerset_BD_Shape_int8_t y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_int8_t (BD_Shape_int8_t y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_int8_t (Constraint_System cs)
- Pointset_Powerset_BD_Shape_int8_t (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_int8_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean equals (Pointset_Powerset_BD_Shape_int8_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_int8_t p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_int8_t p)

- native void difference_assign (Pointset_Powerset_BD_Shape_int8_t p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_int8_t p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_int8_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_int8_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_int8_t_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_int8_t_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_int8_t j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_int8_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_int8_t_Iterator itr1, Pointset_Powerset_BD_Shape_int8_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int8_t y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int8_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int8_t y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int8_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int8_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int8_t y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)

11.80.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_int8_t.java.

11.80.2 Constructor & Destructor Documentation

11.80.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_int8_t.java.

11.80.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (Pointset_Powerset_BD_Shape_int8_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (BD_Shape_int8_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (Pointset_Powerset_BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::Pointset_Powerset_BD_Shape_int8_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_int8_t.java.

References build_cpp_object().

11.80.3 Member Function Documentation

11.80.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_congruence (Congruence *c*)

11.80.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_congruences (Congruence_System *c*)

11.80.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_constraint (Constraint *c*)

11.80.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_constraints (Constraint_System *c*)

11.80.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_disjunct (BD_Shape_int8_t *j_disj*)

11.80.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_space_dimensions_and_embed (long *m*)

11.80.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::add_space_dimensions_and_project (long *m*)

11.80.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::affine_dimension ()

11.80.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.80.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.80.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::ascii_dump ()

11.80.3.12 native Pointset_Powerset_BD_Shape_int8_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::begin_iterator ()

11.80.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_int8_t *y*, Integer *d*)

11.80.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_int8_t *y*, Integer *d*)

11.80.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.80.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.80.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::bounds_from_above (Linear_Expression *expr*)

11.80.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::bounds_from_below (Linear_Expression *expr*)

11.80.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.80.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.80.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (Pointset_Powerset_BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.80.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (Pointset_Powerset_BD_Shape_int8_t *y*) [private]

11.80.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.80.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (Congruence_System *cs*) [private]

11.80.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_int8_t().

11.80.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::concatenate_assign (Pointset_Powerset_BD_Shape_int8_t *p*)

11.80.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::constrains (Variable *var*)

11.80.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::contains (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::contains_integer_point ()

11.80.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::difference_assign (Pointset_Powerset_BD_Shape_int8_t *p*)

11.80.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::drop_disjunct (Pointset_Powerset_BD_Shape_int8_t_Iterator *itr*)

11.80.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::drop_disjuncts (Pointset_Powerset_BD_Shape_int8_t_Iterator *itr1*, Pointset_Powerset_BD_Shape_int8_t_Iterator *itr2*)

11.80.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.80.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.80.3.37 native Pointset_Powerset_BD_Shape_int8_t_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::end_iterator ()

11.80.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_BD_Shape_int8_t.java.

References equals().

11.80.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::equals (Pointset_Powerset_BD_Shape_int8_t *p*)

Referenced by equals().

11.80.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::expand_space_dimension (Variable *var*, long *m*)

11.80.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::external_memory_in_bytes ()

11.80.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::finalize () `[protected]`

11.80.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.80.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::free ()

11.80.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.80.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.80.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.80.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.80.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::geometrically_covers (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::geometrically_equals (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::hashCode ()

11.80.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::intersection_assign (Pointset_Powerset_BD_Shape_int8_t *p*)

11.80.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::is_bounded ()

11.80.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::is_discrete ()

11.80.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::is_disjoint_from (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::is_empty ()

11.80.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::is_topologically_closed ()

11.80.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::is_universe ()

11.80.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::map_space_dimensions (Partial_Function *pfunc*)

11.80.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.80.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.80.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.80.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.80.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::OK ()

11.80.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::omega_reduce ()

11.80.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::pairwise_reduce ()

11.80.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::refine_with_congruence (Congruence *c*)

11.80.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::refine_with_congruences (Congruence_System *c*)

11.80.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::refine_with_constraint (Constraint *c*)

11.80.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::refine_with_constraints (Constraint_System *c*)

11.80.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::relation_with (Congruence *c*)

11.80.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::relation_with (Generator *c*)

11.80.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::relation_with (Constraint *c*)

11.80.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::remove_higher_space_dimensions (long *new_dimension*)

11.80.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::remove_space_dimensions (Variables_Set *vars*)

11.80.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::simplify_using_context_assign (Pointset_Powerset_BD_Shape_int8_t *p*)

11.80.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::size ()

11.80.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::space_dimension ()

11.80.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::strictly_contains (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::swap (Pointset_Powerset_BD_Shape_int8_t *y*)

11.80.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::time_elapse_assign (Pointset_Powerset_BD_Shape_int8_t *p*)

11.80.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::topological_closure_assign ()

11.80.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::toString ()

11.80.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::total_memory_in_bytes ()

11.80.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::unconstrain_space_dimension (Variable *var*)

11.80.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.80.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::upper_bound_assign (Pointset_Powerset_BD_Shape_int8_t *p*)

11.80.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_int8_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int8_t.java


11.81 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_int8_t_Iterator (Pointset_Powerset_BD_Shape_int8_t_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_int8_t_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_int8_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_int8_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_int8_t obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_int8_t_Iterator y)

11.81.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_int8_t_Iterator.java.

11.81.2 Constructor & Destructor Documentation

11.81.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator::Pointset_Powerset_BD_Shape_int8_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_int8_t_Iterator.java.

11.81.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator::Pointset_Powerset_BD_Shape_int8_t_Iterator (Pointset_Powerset_BD_Shape_int8_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_int8_t_Iterator.java.

References build_cpp_object().

11.81.3 Member Function Documentation

11.81.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_int8_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_int8_t_Iterator().

11.81.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_int8_t *obj*) [private]

11.81.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int8_t_Iterator::equals (Pointset_Powerset_BD_Shape_int8_t_Iterator *itr*)

11.81.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_-Iterator::finalize () [protected]

11.81.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_-Iterator::free ()

11.81.3.6 native BD_Shape_int8_t parma_polyhedra_library::Pointset_Powerset_BD_Shape_-int8_t_Iterator::get_disjunct ()

11.81.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_-Iterator::next ()

11.81.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int8_t_Iterator.java


11.82 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double:



Public Member Functions

- Pointset_Powerset_BD_Shape_long_double (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_long_double (Pointset_Powerset_BD_Shape_long_double y)
- Pointset_Powerset_BD_Shape_long_double (BD_Shape_long_double y)
- Pointset_Powerset_BD_Shape_long_double (Pointset_Powerset_BD_Shape_long_double y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_long_double (BD_Shape_long_double y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_long_double (Constraint_System cs)
- Pointset_Powerset_BD_Shape_long_double (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_long_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_long_double y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_long_double y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_long_double y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_long_double y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_long_double y)
- native boolean equals (Pointset_Powerset_BD_Shape_long_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_long_double p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_long_double p)
- native void difference_assign (Pointset_Powerset_BD_Shape_long_double p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_long_double p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_long_double p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_long_double y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_long_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_long_double_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_long_double_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_long_double j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_long_double_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_long_double_Iterator itr1, Pointset_Powerset_BD_Shape_long_double_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_long_double y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_long_double y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_long_double y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_long_double y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_long_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_long_double y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)

11.82.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_long_double.java.

11.82.2 Constructor & Destructor Documentation

11.82.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_long_double.java.

11.82.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (Pointset_Powerset_BD_Shape_long_double *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (BD_Shape_long_double *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (Pointset_Powerset_BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::Pointset_Powerset_BD_Shape_long_double (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_long_double.java.

References build_cpp_object().

11.82.3 Member Function Documentation

11.82.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_congruence (Congruence *c*)

11.82.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_congruences (Congruence_System *c*)

11.82.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_constraint (Constraint *c*)

11.82.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_constraints (Constraint_System *c*)

11.82.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_disjunct (BD_Shape_long_double *j_disj*)

11.82.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_space_dimensions_and_embed (long *m*)

11.82.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::add_space_dimensions_and_project (long *m*)

11.82.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::affine_dimension ()

11.82.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.82.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.82.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::ascii_dump ()

11.82.3.12 native Pointset_Powerset_BD_Shape_long_double_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::begin_iterator ()

11.82.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_long_double *y*, Integer *d*)

11.82.3.14 native void parma_polyhedra_library::Pointset_Powerset_-BD_Shape_long_double::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_long_double *y*, Integer *d*)

11.82.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.16 native void parma_polyhedra_library::Pointset_Powerset_-BD_Shape_long_double::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.82.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.82.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_-BD_Shape_long_double::bounds_from_above (Linear_Expression *expr*)

11.82.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_-BD_Shape_long_double::bounds_from_below (Linear_Expression *expr*)

11.82.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.82.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::build_cpp_object (BD_Shape_long_double *y*) [private]

11.82.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::build_cpp_object (Pointset_Powerset_BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.82.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::build_cpp_object (Pointset_Powerset_BD_Shape_long_double *y*) [private]

11.82.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.82.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::build_cpp_object (Congruence_System *cs*) [private]

11.82.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_long_double().

11.82.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::concatenate_assign (Pointset_Powerset_BD_Shape_long_double *p*)

11.82.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::constrains (Variable *var*)

11.82.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::contains (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::contains_integer_point ()

11.82.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-long_double::difference_assign (Pointset_Powerset_BD_Shape_long_double *p*)

11.82.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::drop_disjunct (Pointset_Powerset_BD_Shape_long_double_Iterator *itr*)

11.82.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::drop_disjuncts (Pointset_Powerset_BD_Shape_long_double_Iterator *itr1*, Pointset_Powerset_BD_Shape_long_double_Iterator *itr2*)

11.82.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.82.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.82.3.37 native Pointset_Powerset_BD_Shape_long_double_Iterator parma_-polyhedra_library::Pointset_Powerset_BD_Shape_long_double::end_iterator ()

11.82.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_BD_Shape_long_double.java.

References equals().

11.82.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::equals (Pointset_Powerset_BD_Shape_long_double *p*)

Referenced by equals().

11.82.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::expand_space_dimension (Variable *var*, long *m*)

11.82.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::external_memory_in_bytes ()

11.82.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::finalize () [protected]

11.82.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.82.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::free ()

11.82.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.82.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.82.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.82.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.82.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-long_double::geometrically_covers (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-long_double::geometrically_equals (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::hashCode ()

11.82.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::intersection_assign (Pointset_Powerset_BD_Shape_long_double *p*)

11.82.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::is_bounded ()

11.82.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::is_discrete ()

11.82.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::is_disjoint_from (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::is_empty ()

11.82.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::is_topologically_closed ()

11.82.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::is_universe ()

11.82.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::map_space_dimensions (Partial_Function *pfunc*)

11.82.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.82.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.82.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.82.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.82.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::OK ()

11.82.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::omega_reduce ()

11.82.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::pairwise_reduce ()

11.82.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::refine_with_congruence (Congruence *c*)

11.82.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::refine_with_congruences (Congruence_System *c*)

11.82.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::refine_with_constraint (Constraint *c*)

11.82.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::refine_with_constraints (Constraint_System *c*)

11.82.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::relation_with (Congruence *c*)

11.82.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::relation_with (Generator *c*)

11.82.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::relation_with (Constraint *c*)

11.82.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::remove_higher_space_dimensions (long *new_dimension*)

11.82.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::remove_space_dimensions (Variables_Set *vars*)

11.82.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::simplify_using_context_assign (Pointset_Powerset_BD_Shape_long_double *p*)

11.82.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::size ()

11.82.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double::space_dimension ()

11.82.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-long_double::strictly_contains (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::swap (Pointset_Powerset_BD_Shape_long_double *y*)

11.82.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::time_elapse_assign (Pointset_Powerset_BD_Shape_long_double *p*)

11.82.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::topological_closure_assign ()

11.82.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::toString ()

11.82.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::total_memory_in_bytes ()

11.82.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::unconstrain_space_dimension (Variable *var*)

11.82.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_long_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.82.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::upper_bound_assign (Pointset_Powerset_BD_Shape_long_double *p*)

11.82.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_long_double *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_long_double.java


11.83 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_-Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_long_double_Iterator (Pointset_Powerset_BD_Shape_long_-double_Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_long_double_Iterator itr)

- native void next ()
- native void prev ()
- native BD_Shape_long_double get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_long_double_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_long_double obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_long_double_Iterator y)

11.83.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_long_double_Iterator.java.

11.83.2 Constructor & Destructor Documentation

11.83.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_-Iterator::Pointset_Powerset_BD_Shape_long_double_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_long_double_Iterator.java.

11.83.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_-double_Iterator::Pointset_Powerset_BD_Shape_long_double_Iterator (Pointset_Powerset_BD_Shape_long_double_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_long_double_Iterator.java.

References build_cpp_object().

11.83.3 Member Function Documentation

11.83.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_-Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_long_double_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_long_double_Iterator().

11.83.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_long_double *obj*) [private]

11.83.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::equals (Pointset_Powerset_BD_Shape_long_double_Iterator *itr*)

11.83.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::finalize () [protected]

11.83.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::free ()

11.83.3.6 native BD_Shape_long_double parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::get_disjunct ()

11.83.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::next ()

11.83.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_long_double_Iterator.java


11.84 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class:



Public Member Functions

- Pointset_Powerset_BD_Shape_mpq_class (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_mpq_class (Pointset_Powerset_BD_Shape_mpq_class y)
- Pointset_Powerset_BD_Shape_mpq_class (BD_Shape_mpq_class y)
- Pointset_Powerset_BD_Shape_mpq_class (Pointset_Powerset_BD_Shape_mpq_class y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_mpq_class (BD_Shape_mpq_class y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_mpq_class (Constraint_System cs)
- Pointset_Powerset_BD_Shape_mpq_class (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_mpq_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean equals (Pointset_Powerset_BD_Shape_mpq_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_mpq_class p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_mpq_class p)
- native void difference_assign (Pointset_Powerset_BD_Shape_mpq_class p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_mpq_class p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_mpq_class p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_mpq_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_mpq_class_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_mpq_class_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_mpq_class j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_mpq_class_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_mpq_class_Iterator itr1, Pointset_Powerset_BD_Shape_mpq_class_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_mpq_class y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_mpq_class y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_mpq_class y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_mpq_class y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_mpq_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_mpq_class y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)

11.84.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_mpq_class.java.

11.84.2 Constructor & Destructor Documentation

11.84.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_mpq_class.java.

11.84.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (Pointset_Powerset_BD_Shape_mpq_class *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (BD_Shape_mpq_class *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (Pointset_Powerset_BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::Pointset_Powerset_BD_Shape_mpq_class (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References build_cpp_object().

11.84.3 Member Function Documentation

11.84.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_congruence (Congruence *c*)

11.84.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_congruences (Congruence_System *c*)

11.84.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_constraint (Constraint *c*)

11.84.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_constraints (Constraint_System *c*)

11.84.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_disjunct (BD_Shape_mpq_class *j_disj*)

11.84.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_space_dimensions_and_embed (long *m*)

11.84.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::add_space_dimensions_and_project (long *m*)

11.84.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::affine_dimension ()

11.84.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.84.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.84.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::ascii_dump ()

11.84.3.12 native Pointset_Powerset_BD_Shape_mpq_class_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::begin_iterator ()

11.84.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_mpq_class *y*, Integer *d*)

11.84.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_mpq_class *y*, Integer *d*)

11.84.3.15 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpq_class::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.84.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.84.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpq_class::bounds_from_above (Linear_Expression *expr*)

11.84.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpq_class::bounds_from_below (Linear_Expression *expr*)

11.84.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) `[private]`

11.84.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.84.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::build_cpp_object (Pointset_Powerset_BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.84.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::build_cpp_object (Pointset_Powerset_BD_Shape_mpq_class *y*) [private]

11.84.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.84.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::build_cpp_object (Congruence_System *cs*) [private]

11.84.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_mpq_class().

11.84.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::concatenate_assign (Pointset_Powerset_BD_Shape_mpq_class *p*)

11.84.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::constrains (Variable *var*)

11.84.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpq_class::contains (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::contains_integer_point ()

11.84.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpq_class::difference_assign (Pointset_Powerset_BD_Shape_mpq_class *p*)

11.84.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::drop_disjunct (Pointset_Powerset_BD_Shape_mpq_class_Iterator *itr*)

11.84.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::drop_disjuncts (Pointset_Powerset_BD_Shape_mpq_class_Iterator *itr1*, Pointset_Powerset_BD_Shape_mpq_class_Iterator *itr2*)

11.84.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.84.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpq_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.84.3.37 native Pointset_Powerset_BD_Shape_mpq_class_Iterator parma_-polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::end_iterator ()

11.84.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_BD_Shape_mpq_class.java.

References equals().

11.84.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::equals (Pointset_Powerset_BD_Shape_mpq_class *p*)

Referenced by equals().

11.84.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::expand_space_dimension (Variable *var*, long *m*)

11.84.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::external_memory_in_bytes ()

11.84.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::finalize () [protected]

11.84.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.84.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::free ()

11.84.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.84.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.84.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.84.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.84.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::geometrically_covers (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::geometrically_equals (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::hashCode ()

11.84.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::intersection_assign (Pointset_Powerset_BD_Shape_mpq_class *p*)

11.84.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::is_bounded ()

11.84.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::is_discrete ()

11.84.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::is_disjoint_from (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::is_empty ()

11.84.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::is_topologically_closed ()

11.84.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::is_universe ()

11.84.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::map_space_dimensions (Partial_Function *pfunc*)

11.84.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.84.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.84.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.84.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.84.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::OK ()

11.84.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::omega_reduce ()

11.84.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::pairwise_reduce ()

11.84.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::refine_with_congruence (Congruence *c*)

11.84.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpq_class::refine_with_congruences (Congruence_System *c*)

11.84.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::refine_with_constraint (Constraint *c*)

11.84.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpq_class::refine_with_constraints (Constraint_System *c*)

11.84.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::relation_with (Congruence *c*)

11.84.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::relation_with (Generator *c*)

11.84.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::relation_with (Constraint *c*)

11.84.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::remove_higher_space_dimensions (long *new_dimension*)

11.84.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::remove_space_dimensions (Variables_Set *vars*)

11.84.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::simplify_using_context_assign (Pointset_Powerset_BD_Shape_mpq_class *p*)

11.84.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::size ()

11.84.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::space_dimension ()

11.84.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::strictly_contains (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class::swap (Pointset_Powerset_BD_Shape_mpq_class *y*)

11.84.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpq_class::time_elapse_assign (Pointset_Powerset_BD_Shape_mpq_class *p*)

11.84.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::topological_closure_assign ()

11.84.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::toString ()

11.84.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::total_memory_in_bytes ()

11.84.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::unconstrain_space_dimension (Variable *var*)

11.84.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpq_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.84.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpq_class::upper_bound_assign (Pointset_Powerset_BD_Shape_mpq_class *p*)

11.84.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_mpq_class *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpq_class.java


11.85 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_mpq_class_Iterator (Pointset_Powerset_BD_Shape_mpq_class_-Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_mpq_class_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_mpq_class get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_mpq_class_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_mpq_class obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_mpq_class_Iterator y)

11.85.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_mpq_class_Iterator.java.

11.85.2 Constructor & Destructor Documentation

11.85.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator::Pointset_Powerset_BD_Shape_mpq_class_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_mpq_class_Iterator.java.

11.85.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class_Iterator::Pointset_Powerset_BD_Shape_mpq_class_Iterator (Pointset_Powerset_BD_Shape_mpq_class_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_mpq_class_Iterator.java.

References build_cpp_object().

11.85.3 Member Function Documentation

11.85.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_mpq_class_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_mpq_class_Iterator().

11.85.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_-class_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_mpq_class *obj*) [private]

11.85.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpq_class_Iterator::equals (Pointset_Powerset_BD_Shape_mpq_class_Iterator *itr*)

11.85.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator::finalize () [protected]

11.85.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator::free ()

11.85.3.6 native BD_Shape_mpq_class parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpq_class_Iterator::get_disjunct ()

11.85.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator::next ()

11.85.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpq_class_Iterator.java


11.86 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class:



Public Member Functions

- Pointset_Powerset_BD_Shape_mpz_class (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_BD_Shape_mpz_class (Pointset_Powerset_BD_Shape_mpz_class y)
- Pointset_Powerset_BD_Shape_mpz_class (BD_Shape_mpz_class y)
- Pointset_Powerset_BD_Shape_mpz_class (Pointset_Powerset_BD_Shape_mpz_class y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_mpz_class (BD_Shape_mpz_class y, Complexity_Class complexity)
- Pointset_Powerset_BD_Shape_mpz_class (Constraint_System cs)
- Pointset_Powerset_BD_Shape_mpz_class (Congruence_System cs)
- native void swap (Pointset_Powerset_BD_Shape_mpz_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean strictly_contains (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean is_disjoint_from (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean geometrically_covers (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean geometrically_equals (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean equals (Pointset_Powerset_BD_Shape_mpz_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_BD_Shape_mpz_class p)
- native void upper_bound_assign (Pointset_Powerset_BD_Shape_mpz_class p)
- native void difference_assign (Pointset_Powerset_BD_Shape_mpz_class p)
- native void concatenate_assign (Pointset_Powerset_BD_Shape_mpz_class p)
- native void time_elapse_assign (Pointset_Powerset_BD_Shape_mpz_class p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean simplify_using_context_assign (Pointset_Powerset_BD_Shape_mpz_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_BD_Shape_mpz_class_Iterator begin_iterator ()
- native Pointset_Powerset_BD_Shape_mpz_class_Iterator end_iterator ()
- native void add_disjunct (BD_Shape_mpz_class j_disj)
- native void drop_disjunct (Pointset_Powerset_BD_Shape_mpz_class_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_BD_Shape_mpz_class_Iterator itr1, Pointset_Powerset_BD_Shape_mpz_class_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_mpz_class y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_mpz_class y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_mpz_class y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_mpz_class y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_mpz_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_mpz_class y)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)

11.86.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

Definition at line 33 of file Pointset_Powerset_BD_Shape_mpz_class.java.

11.86.2 Constructor & Destructor Documentation

11.86.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class () [inline, private]

Definition at line 45 of file Pointset_Powerset_BD_Shape_mpz_class.java.

11.86.2.3 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (Pointset_Powerset_BD_Shape_mpz_class *y*) [inline]

Definition at line 52 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.2.4 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (BD_Shape_mpz_class *y*) [inline]

Definition at line 56 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.2.5 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (Pointset_Powerset_BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.2.6 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.2.7 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.2.8 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::Pointset_Powerset_BD_Shape_mpz_class (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References build_cpp_object().

11.86.3 Member Function Documentation

11.86.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_congruence (Congruence *c*)

11.86.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_congruences (Congruence_System *c*)

11.86.3.3 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_constraint (Constraint *c*)

11.86.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_constraints (Constraint_System *c*)

11.86.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_disjunct (BD_Shape_mpz_class *j_disj*)

11.86.3.6 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_space_dimensions_and_embed (long *m*)

11.86.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::add_space_dimensions_and_project (long *m*)

11.86.3.8 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::affine_dimension ()

11.86.3.9 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.86.3.10 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.86.3.11 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::ascii_dump ()

11.86.3.12 native Pointset_Powerset_BD_Shape_mpz_class_Iterator parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::begin_iterator ()

11.86.3.13 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_BD_Shape_mpz_class *y*, Integer *d*)

11.86.3.14 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::BGP99_H79_extrapolation_assign (Pointset_Powerset_BD_Shape_mpz_class *y*, Integer *d*)

11.86.3.15 native void parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpz_class::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.16 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::BHZ03_H79_H79_widening_assign (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.17 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.86.3.18 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.86.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpz_class::bounds_from_above (Linear_Expression *expr*)

11.86.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpz_class::bounds_from_below (Linear_Expression *expr*)

11.86.3.21 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) `[private]`

11.86.3.22 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.86.3.23 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::build_cpp_object (Pointset_Powerset_BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.86.3.24 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::build_cpp_object (Pointset_Powerset_BD_Shape_mpz_class *y*) [private]

11.86.3.25 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.86.3.26 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::build_cpp_object (Congruence_System *cs*) [private]

11.86.3.27 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_BD_Shape_mpz_class().

11.86.3.28 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::concatenate_assign (Pointset_Powerset_BD_Shape_mpz_class *p*)

11.86.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::constrains (Variable *var*)

11.86.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpz_class::contains (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::contains_integer_point ()

11.86.3.32 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::difference_assign (Pointset_Powerset_BD_Shape_mpz_class *p*)

11.86.3.33 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::drop_disjunct (Pointset_Powerset_BD_Shape_mpz_class_Iterator *itr*)

11.86.3.34 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::drop_disjuncts (Pointset_Powerset_BD_Shape_mpz_class_Iterator *itr1*, Pointset_Powerset_BD_Shape_mpz_class_Iterator *itr2*)

11.86.3.35 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.86.3.36 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.86.3.37 native Pointset_Powerset_BD_Shape_mpz_class_Iterator parma_-polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::end_iterator ()

11.86.3.38 boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_BD_Shape_mpz_class.java.

References equals().

11.86.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::equals (Pointset_Powerset_BD_Shape_mpz_class *p*)

Referenced by equals().

11.86.3.40 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::expand_space_dimension (Variable *var*, long *m*)

11.86.3.41 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::external_memory_in_bytes ()

11.86.3.42 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::finalize () [protected]

11.86.3.43 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.86.3.44 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::free ()

11.86.3.45 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.86.3.46 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.86.3.47 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.86.3.48 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.86.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::geometrically_covers (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::geometrically_equals (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.51 native int parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::hashCode ()

11.86.3.52 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::intersection_assign (Pointset_Powerset_BD_Shape_mpz_class *p*)

11.86.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::is_bounded ()

11.86.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::is_discrete ()

11.86.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::is_disjoint_from (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::is_empty ()

11.86.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::is_topologically_closed ()

11.86.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::is_universe ()

11.86.3.59 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::map_space_dimensions (Partial_Function *pfunc*)

11.86.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.86.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.86.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.86.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.86.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::OK ()

11.86.3.65 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::omega_reduce ()

11.86.3.66 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::pairwise_reduce ()

11.86.3.67 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::refine_with_congruence (Congruence *c*)

11.86.3.68 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpz_class::refine_with_congruences (Congruence_System *c*)

11.86.3.69 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::refine_with_constraint (Constraint *c*)

11.86.3.70 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpz_class::refine_with_constraints (Constraint_System *c*)

11.86.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::relation_with (Congruence *c*)

11.86.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::relation_with (Generator *c*)

11.86.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::relation_with (Constraint *c*)

11.86.3.74 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::remove_higher_space_dimensions (long *new_dimension*)

11.86.3.75 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::remove_space_dimensions (Variables_Set *vars*)

11.86.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::simplify_using_context_assign (Pointset_Powerset_BD_Shape_mpz_class *p*)

11.86.3.77 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::size ()

11.86.3.78 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::space_dimension ()

11.86.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::strictly_contains (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.80 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class::swap (Pointset_Powerset_BD_Shape_mpz_class *y*)

11.86.3.81 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::time_elapse_assign (Pointset_Powerset_BD_Shape_mpz_class *p*)

11.86.3.82 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::topological_closure_assign ()

11.86.3.83 native String parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::toString ()

11.86.3.84 native long parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::total_memory_in_bytes ()

11.86.3.85 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::unconstrain_space_dimension (Variable *var*)

11.86.3.86 native void parma_polyhedra_library::Pointset_Powerset_BD_-Shape_mpz_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.86.3.87 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_-mpz_class::upper_bound_assign (Pointset_Powerset_BD_Shape_mpz_class *p*)

11.86.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class::upper_bound_assign_if_exact (Pointset_Powerset_BD_Shape_mpz_class *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpz_class.java


11.87 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator:



Public Member Functions

- Pointset_Powerset_BD_Shape_mpz_class_Iterator (Pointset_Powerset_BD_Shape_mpz_class_-Iterator y)
- native boolean equals (Pointset_Powerset_BD_Shape_mpz_class_Iterator itr)
- native void next ()
- native void prev ()
- native BD_Shape_mpz_class get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_BD_Shape_mpz_class_Iterator ()
- native void build_ppl_object (Pointset_Powerset_BD_Shape_mpz_class obj)
- native void build_cpp_object (Pointset_Powerset_BD_Shape_mpz_class_Iterator y)

11.87.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

Definition at line 30 of file Pointset_Powerset_BD_Shape_mpz_class_Iterator.java.

11.87.2 Constructor & Destructor Documentation

11.87.2.1 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_-Iterator::Pointset_Powerset_BD_Shape_mpz_class_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_BD_Shape_mpz_class_Iterator.java.

11.87.2.2 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class_Iterator::Pointset_Powerset_BD_Shape_mpz_class_Iterator (Pointset_Powerset_BD_Shape_mpz_class_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_BD_Shape_mpz_class_Iterator.java.

References build_cpp_object().

11.87.3 Member Function Documentation

11.87.3.1 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_-Iterator::build_cpp_object (Pointset_Powerset_BD_Shape_mpz_class_Iterator *y*) [private]

Referenced by Pointset_Powerset_BD_Shape_mpz_class_Iterator().

11.87.3.2 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_-class_Iterator::build_ppl_object (Pointset_Powerset_BD_Shape_mpz_class *obj*) [private]

11.87.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator::equals (Pointset_Powerset_BD_Shape_mpz_class_Iterator *itr*)

11.87.3.4 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator::finalize () [protected]

11.87.3.5 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator::free ()

11.87.3.6 native BD_Shape_mpz_class parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator::get_disjunct ()

11.87.3.7 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator::next ()

11.87.3.8 native void parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpz_class_Iterator.java


11.88 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_C_Polyhedron:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_C_Polyhedron:



Public Member Functions

- Pointset_Powerset_C_Polyhedron (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_C_Polyhedron (Pointset_Powerset_C_Polyhedron y)
- Pointset_Powerset_C_Polyhedron (C_Polyhedron y)
- Pointset_Powerset_C_Polyhedron (Pointset_Powerset_C_Polyhedron y, Complexity_Class complexity)
- Pointset_Powerset_C_Polyhedron (C_Polyhedron y, Complexity_Class complexity)
- Pointset_Powerset_C_Polyhedron (Constraint_System cs)
- Pointset_Powerset_C_Polyhedron (Congruence_System cs)
- native void swap (Pointset_Powerset_C_Polyhedron y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_C_Polyhedron y)
- native boolean strictly_contains (Pointset_Powerset_C_Polyhedron y)
- native boolean is_disjoint_from (Pointset_Powerset_C_Polyhedron y)
- native boolean geometrically_covers (Pointset_Powerset_C_Polyhedron y)
- native boolean geometrically_equals (Pointset_Powerset_C_Polyhedron y)
- native boolean equals (Pointset_Powerset_C_Polyhedron p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_C_Polyhedron p)
- native void upper_bound_assign (Pointset_Powerset_C_Polyhedron p)
- native void difference_assign (Pointset_Powerset_C_Polyhedron p)
- native void concatenate_assign (Pointset_Powerset_C_Polyhedron p)
- native void time_elapse_assign (Pointset_Powerset_C_Polyhedron p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_C_Polyhedron y)
- native boolean simplify_using_context_assign (Pointset_Powerset_C_Polyhedron p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_C_Polyhedron_Iterator begin_iterator ()
- native Pointset_Powerset_C_Polyhedron_Iterator end_iterator ()
- native void add_disjunct (C_Polyhedron j_disj)
- native void drop_disjunct (Pointset_Powerset_C_Polyhedron_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_C_Polyhedron_Iterator itr1, Pointset_Powerset_C_-Polyhedron_Iterator itr2)
- native void BHZ03_BHRZ03_BHRZ03_widening_assign (Pointset_Powerset_C_Polyhedron y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_C_Polyhedron y)
- native void BGP99_BHRZ03_extrapolation_assign (Pointset_Powerset_C_Polyhedron y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_C_Polyhedron y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_C_Polyhedron ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_C_Polyhedron y)
- native void build_cpp_object (Pointset_Powerset_C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)

11.88.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

Definition at line 33 of file Pointset_Powerset_C_Polyhedron.java.

11.88.2 Constructor & Destructor Documentation

11.88.2.1 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.2.2 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron () [inline, private]

Definition at line 45 of file Pointset_Powerset_C_Polyhedron.java.

11.88.2.3 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (Pointset_Powerset_C_Polyhedron *y*) [inline]

Definition at line 52 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.2.4 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (C_Polyhedron *y*) [inline]

Definition at line 56 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.2.5 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (Pointset_Powerset_C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.2.6 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.2.7 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.2.8 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::Pointset_Powerset_C_Polyhedron (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_C_Polyhedron.java.

References build_cpp_object().

11.88.3 Member Function Documentation

11.88.3.1 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_congruence (Congruence *c*)

11.88.3.2 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_congruences (Congruence_System *c*)

11.88.3.3 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_constraint (Constraint *c*)

11.88.3.4 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_constraints (Constraint_System *c*)

11.88.3.5 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_disjunct (C_Polyhedron *j_disj*)

11.88.3.6 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_space_dimensions_and_embed (long *m*)

11.88.3.7 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::add_space_dimensions_and_project (long *m*)

11.88.3.8 native long parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::affine_dimension ()

11.88.3.9 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.88.3.10 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.88.3.11 native String parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::ascii_dump ()

11.88.3.12 native Pointset_Powerset_C_Polyhedron_Iterator parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::begin_iterator ()

11.88.3.13 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::BGP99_BHRZ03_extrapolation_assign (Pointset_Powerset_C_Polyhedron *y*, Integer *d*)

11.88.3.14 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::BGP99_H79_extrapolation_assign (Pointset_Powerset_C_Polyhedron *y*, Integer *d*)

11.88.3.15 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::BHZ03_-BHRZ03_BHRZ03_widening_assign (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.16 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::BHZ03_H79_H79_widening_assign (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.17 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::bounded_-affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.88.3.18 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::bounded_-affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.88.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::bounds_-from_above (Linear_Expression *expr*)

11.88.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::bounds_-from_below (Linear_Expression *expr*)

11.88.3.21 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) `[private]`

11.88.3.22 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::build_cpp_-object (C_Polyhedron *y*) `[private]`

11.88.3.23 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::build_cpp_object (Pointset_Powerset_C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.88.3.24 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::build_cpp_object (Pointset_Powerset_C_Polyhedron *y*) [private]

11.88.3.25 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.88.3.26 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::build_cpp_object (Congruence_System *cs*) [private]

11.88.3.27 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_C_Polyhedron().

11.88.3.28 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::concatenate_assign (Pointset_Powerset_C_Polyhedron *p*)

11.88.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::constrains (Variable *var*)

11.88.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::contains (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::contains_integer_point ()

11.88.3.32 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::difference_assign (Pointset_Powerset_C_Polyhedron *p*)

11.88.3.33 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::drop_disjunct (Pointset_Powerset_C_Polyhedron_Iterator *itr*)

11.88.3.34 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::drop_disjuncts (Pointset_Powerset_C_Polyhedron_Iterator *itr1*, Pointset_Powerset_C_Polyhedron_Iterator *itr2*)

11.88.3.35 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::drop_-some_non_integer_points (Integer *complexity_threshold*)

11.88.3.36 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.88.3.37 native Pointset_Powerset_C_Polyhedron_Iterator parma_-polyhedra_library::Pointset_Powerset_C_Polyhedron::end_iterator ()

11.88.3.38 boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_C_Polyhedron.java.

References equals().

11.88.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::equals (Pointset_Powerset_C_Polyhedron *p*)

Referenced by equals().

11.88.3.40 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::expand_space_dimension (Variable *var*, long *m*)

11.88.3.41 native long parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::external_memory_in_bytes ()

11.88.3.42 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::finalize () `[protected]`

11.88.3.43 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.88.3.44 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::free ()

11.88.3.45 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.88.3.46 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.88.3.47 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.88.3.48 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.88.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::geometrically_covers (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::geometrically_equals (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.51 native int parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::hashCode ()

11.88.3.52 native void parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::intersection_assign (Pointset_Powerset_C_Polyhedron *p*)

11.88.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::is_-bounded ()

11.88.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::is_-discrete ()

11.88.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron::is_disjoint_from (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::is_empty ()

11.88.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::is_topologically_closed ()

11.88.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::is_universe ()

11.88.3.59 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::map_space_dimensions (Partial_Function *pfunc*)

11.88.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.88.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.88.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.88.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.88.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::OK ()

11.88.3.65 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::omega_reduce ()

11.88.3.66 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::pairwise_reduce ()

11.88.3.67 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::refine_with_congruence (Congruence *c*)

11.88.3.68 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::refine_with_congruences (Congruence_System *c*)

11.88.3.69 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::refine_with_constraint (Constraint *c*)

11.88.3.70 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::refine_with_constraints (Constraint_System *c*)

11.88.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::relation_with (Congruence *c*)

11.88.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::relation_with (Generator *c*)

11.88.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::relation_with (Constraint *c*)

11.88.3.74 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::remove_higher_space_dimensions (long *new_dimension*)

11.88.3.75 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::remove_space_dimensions (Variables_Set *vars*)

11.88.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::simplify_using_context_assign (Pointset_Powerset_C_Polyhedron *p*)

11.88.3.77 native long parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::size ()

11.88.3.78 native long parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::space_dimension ()

11.88.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::strictly_contains (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.80 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::swap (Pointset_Powerset_C_Polyhedron *y*)

11.88.3.81 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::time_elapse_assign (Pointset_Powerset_C_Polyhedron *p*)

11.88.3.82 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::topological_closure_assign ()

11.88.3.83 native String parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::toString ()

11.88.3.84 native long parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::total_memory_in_bytes ()

11.88.3.85 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::unconstrain_space_dimension (Variable *var*)

11.88.3.86 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::unconstrain_space_dimensions (Variables_Set *vars*)

11.88.3.87 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::upper_bound_assign (Pointset_Powerset_C_Polyhedron *p*)

11.88.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron::upper_bound_assign_if_exact (Pointset_Powerset_C_Polyhedron *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_C_Polyhedron.java


11.89 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator:



Public Member Functions

- Pointset_Powerset_C_Polyhedron_Iterator (Pointset_Powerset_C_Polyhedron_Iterator y)
- native boolean equals (Pointset_Powerset_C_Polyhedron_Iterator itr)
- native void next ()
- native void prev ()
- native C_Polyhedron get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_C_Polyhedron_Iterator ()
- native void build_ppl_object (Pointset_Powerset_C_Polyhedron obj)
- native void build_cpp_object (Pointset_Powerset_C_Polyhedron_Iterator y)

11.89.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

Definition at line 30 of file Pointset_Powerset_C_Polyhedron_Iterator.java.

11.89.2 Constructor & Destructor Documentation

11.89.2.1 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_-Iterator::Pointset_Powerset_C_Polyhedron_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_C_Polyhedron_Iterator.java.

11.89.2.2 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::Pointset_Powerset_C_Polyhedron_Iterator (Pointset_Powerset_C_Polyhedron_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_C_Polyhedron_Iterator.java.

References build_cpp_object().

11.89.3 Member Function Documentation

11.89.3.1 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::build_cpp_object (Pointset_Powerset_C_Polyhedron_Iterator *y*) [private]

Referenced by Pointset_Powerset_C_Polyhedron_Iterator().

11.89.3.2 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::build_ppl_object (Pointset_Powerset_C_Polyhedron *obj*) [private]

11.89.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::equals (Pointset_Powerset_C_Polyhedron_Iterator *itr*)

11.89.3.4 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::finalize () [protected]

11.89.3.5 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::free ()

11.89.3.6 native C_Polyhedron parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::get_disjunct ()

11.89.3.7 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::next ()

11.89.3.8 native void parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_C_Polyhedron_Iterator.java


11.90 parma_polyhedra_library::Pointset_Powerset_Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Double_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Double_Box:



Public Member Functions

- Pointset_Powerset_Double_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Double_Box (Pointset_Powerset_Double_Box y)
- Pointset_Powerset_Double_Box (Double_Box y)
- Pointset_Powerset_Double_Box (Pointset_Powerset_Double_Box y, Complexity_Class complexity)
- Pointset_Powerset_Double_Box (Double_Box y, Complexity_Class complexity)
- Pointset_Powerset_Double_Box (Constraint_System cs)

- Pointset_Powerset_Double_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Double_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Double_Box y)
- native boolean strictly_contains (Pointset_Powerset_Double_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Double_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Double_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Double_Box y)
- native boolean equals (Pointset_Powerset_Double_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Double_Box p)
- native void upper_bound_assign (Pointset_Powerset_Double_Box p)
- native void difference_assign (Pointset_Powerset_Double_Box p)
- native void concatenate_assign (Pointset_Powerset_Double_Box p)
- native void time_elapse_assign (Pointset_Powerset_Double_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Double_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Double_Box p)
- native boolean constrains (Variable var)

- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Double_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Double_Box_Iterator end_iterator ()
- native void add_disjunct (Double_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Double_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Double_Box_Iterator itr1, Pointset_Powerset_Double_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Double_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Double_Box y)

- native void build_cpp_object (Pointset_Powerset_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)

11.90.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

Definition at line 33 of file Pointset_Powerset_Double_Box.java.

11.90.2 Constructor & Destructor Documentation

11.90.2.1 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.2.2 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Double_Box.java.

11.90.2.3 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (Pointset_Powerset_Double_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.2.4 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (Double_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.2.5 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (Pointset_Powerset_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.2.6 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.2.7 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.2.8 parma_polyhedra_library::Pointset_Powerset_Double_Box::Pointset_Powerset_Double_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Double_Box.java.

References build_cpp_object().

11.90.3 Member Function Documentation

11.90.3.1 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_congruence (Congruence *c*)

11.90.3.2 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_congruences (Congruence_System *c*)

11.90.3.3 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_constraint (Constraint *c*)

11.90.3.4 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_constraints (Constraint_System *c*)

11.90.3.5 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_disjunct (Double_Box *j_disj*)

11.90.3.6 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_space_dimensions_and_embed (long *m*)

11.90.3.7 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::add_space_dimensions_and_project (long *m*)

11.90.3.8 native long parma_polyhedra_library::Pointset_Powerset_Double_Box::affine_dimension ()

11.90.3.9 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.90.3.10 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.90.3.11 native String parma_polyhedra_library::Pointset_Powerset_Double_Box::ascii_dump ()

11.90.3.12 native Pointset_Powerset_Double_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Double_Box::begin_iterator ()

11.90.3.13 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.90.3.14 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.90.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::bounds_from_above (Linear_Expression *expr*)

11.90.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::bounds_from_below (Linear_Expression *expr*)

11.90.3.17 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.90.3.18 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_object (Double_Box *y*) `[private]`

11.90.3.19 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_object (Pointset_Powerset_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.90.3.20 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_object (Pointset_Powerset_Double_Box *y*) `[private]`

11.90.3.21 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) `[private]`

11.90.3.22 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_object (Congruence_System *cs*) `[private]`

11.90.3.23 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::build_cpp_-object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Double_Box().

11.90.3.24 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::concatenate_-assign (Pointset_Powerset_Double_Box *p*)

11.90.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::constrains (Variable *var*)

11.90.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::contains (Pointset_Powerset_Double_Box *y*)

11.90.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::contains_-integer_point ()

11.90.3.28 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::difference_-assign (Pointset_Powerset_Double_Box *p*)

11.90.3.29 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::drop_disjunct (Pointset_Powerset_Double_Box_Iterator *itr*)

11.90.3.30 native void parma_polyhedra_library::Pointset_Powerset_Double_-Box::drop_disjuncts (Pointset_Powerset_Double_Box_Iterator *itr1*, Pointset_Powerset_Double_Box_Iterator *itr2*)

11.90.3.31 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::drop_some_-non_integer_points (Integer *complexity_threshold*)

11.90.3.32 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.90.3.33 native Pointset_Powerset_Double_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Double_Box::end_iterator ()

11.90.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Double_Box.java.

References equals().

11.90.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::equals (Pointset_Powerset_Double_Box *p*)

Referenced by equals().

11.90.3.36 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::expand_space_dimension (Variable *var*, long *m*)

11.90.3.37 native long parma_polyhedra_library::Pointset_Powerset_Double_Box::external_memory_in_bytes ()

11.90.3.38 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::finalize () `[protected]`

11.90.3.39 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.90.3.40 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::free ()

11.90.3.41 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.90.3.42 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.90.3.43 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.90.3.44 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.90.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::geometrically_covers (Pointset_Powerset_Double_Box *y*)

11.90.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::geometrically_equals (Pointset_Powerset_Double_Box *y*)

11.90.3.47 native int parma_polyhedra_library::Pointset_Powerset_Double_Box::hashCode ()

11.90.3.48 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::intersection_assign (Pointset_Powerset_Double_Box *p*)

11.90.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::is_bounded ()

11.90.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::is_discrete ()

11.90.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::is_disjoint_from (Pointset_Powerset_Double_Box *y*)

11.90.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::is_empty ()

11.90.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::is_topologically_closed ()

11.90.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::is_universe ()

11.90.3.55 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::map_space_dimensions (Partial_Function *pfunc*)

11.90.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.90.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.90.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.90.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.90.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::OK ()

11.90.3.61 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::omega_reduce ()

11.90.3.62 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::pairwise_reduce ()

11.90.3.63 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::refine_with_congruence (Congruence *c*)

11.90.3.64 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::refine_with_congruences (Congruence_System *c*)

11.90.3.65 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::refine_with_constraint (Constraint *c*)

11.90.3.66 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::refine_with_constraints (Constraint_System *c*)

11.90.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Double_Box::relation_with (Congruence *c*)

11.90.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Double_Box::relation_with (Generator *c*)

11.90.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Double_Box::relation_with (Constraint *c*)

11.90.3.70 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::remove_higher_space_dimensions (long *new_dimension*)

11.90.3.71 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::remove_space_dimensions (Variables_Set *vars*)

11.90.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::simplify_using_context_assign (Pointset_Powerset_Double_Box *p*)

11.90.3.73 native long parma_polyhedra_library::Pointset_Powerset_Double_Box::size ()

11.90.3.74 native long parma_polyhedra_library::Pointset_Powerset_Double_Box::space_dimension ()

11.90.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::strictly_contains (Pointset_Powerset_Double_Box *y*)

11.90.3.76 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::swap (Pointset_Powerset_Double_Box *y*)

11.90.3.77 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::time_elapse_assign (Pointset_Powerset_Double_Box *p*)

11.90.3.78 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::topological_closure_assign ()

11.90.3.79 native String parma_polyhedra_library::Pointset_Powerset_Double_Box::toString ()

11.90.3.80 native long parma_polyhedra_library::Pointset_Powerset_Double_Box::total_memory_in_bytes ()

11.90.3.81 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::unconstrain_space_dimension (Variable *var*)

11.90.3.82 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.90.3.83 native void parma_polyhedra_library::Pointset_Powerset_Double_Box::upper_bound_assign (Pointset_Powerset_Double_Box *p*)

11.90.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box::upper_bound_assign_if_exact (Pointset_Powerset_Double_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Double_Box.java


11.91 parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Double_Box_Iterator (Pointset_Powerset_Double_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Double_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Double_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Double_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Double_Box obj)
- native void build_cpp_object (Pointset_Powerset_Double_Box_Iterator y)

11.91.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Double_Box_Iterator.java.

11.91.2 Constructor & Destructor Documentation

11.91.2.1 parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::Pointset_Powerset_Double_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Double_Box_Iterator.java.

11.91.2.2 parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::Pointset_Powerset_Double_Box_Iterator (Pointset_Powerset_Double_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Double_Box_Iterator.java.

References build_cpp_object().

11.91.3 Member Function Documentation

11.91.3.1 native void parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::build_cpp_object (Pointset_Powerset_Double_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Double_Box_Iterator().

11.91.3.2 native void parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::build_ppl_object (Pointset_Powerset_Double_Box *obj*) [private]

11.91.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::equals (Pointset_Powerset_Double_Box_Iterator *itr*)

11.91.3.4 native void parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::finalize () [protected]

11.91.3.5 native void parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::free ()

11.91.3.6 native Double_Box parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::get_disjunct ()

11.91.3.7 native void parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::next ()

11.91.3.8 native void parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Double_Box_Iterator.java


11.92 parma_polyhedra_library::Pointset_Powerset_Float_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Float_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Float_Box:



Public Member Functions

- Pointset_Powerset_Float_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Float_Box (Pointset_Powerset_Float_Box y)
- Pointset_Powerset_Float_Box (Float_Box y)
- Pointset_Powerset_Float_Box (Pointset_Powerset_Float_Box y, Complexity_Class complexity)
- Pointset_Powerset_Float_Box (Float_Box y, Complexity_Class complexity)
- Pointset_Powerset_Float_Box (Constraint_System cs)
- Pointset_Powerset_Float_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Float_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Float_Box y)
- native boolean strictly_contains (Pointset_Powerset_Float_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Float_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Float_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Float_Box y)
- native boolean equals (Pointset_Powerset_Float_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Float_Box p)

- native void upper_bound_assign (Pointset_Powerset_Float_Box p)
- native void difference_assign (Pointset_Powerset_Float_Box p)
- native void concatenate_assign (Pointset_Powerset_Float_Box p)
- native void time_elapse_assign (Pointset_Powerset_Float_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Float_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Float_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Float_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Float_Box_Iterator end_iterator ()
- native void add_disjunct (Float_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Float_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Float_Box_Iterator itr1, Pointset_Powerset_Float_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Float_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Float_Box y)
- native void build_cpp_object (Pointset_Powerset_Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)

11.92.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

Definition at line 33 of file Pointset_Powerset_Float_Box.java.

11.92.2 Constructor & Destructor Documentation

11.92.2.1 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.2.2 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Float_Box.java.

11.92.2.3 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (Pointset_Powerset_Float_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.2.4 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (Float_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.2.5 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (Pointset_Powerset_Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.2.6 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.2.7 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.2.8 parma_polyhedra_library::Pointset_Powerset_Float_Box::Pointset_Powerset_Float_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Float_Box.java.

References build_cpp_object().

11.92.3 Member Function Documentation

11.92.3.1 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_congruence (Congruence *c*)

11.92.3.2 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_congruences (Congruence_System *c*)

11.92.3.3 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_constraint (Constraint *c*)

11.92.3.4 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_constraints (Constraint_System *c*)

11.92.3.5 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_disjunct (Float_Box *j_disj*)

11.92.3.6 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_space_dimensions_and_embed (long *m*)

11.92.3.7 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::add_space_dimensions_and_project (long *m*)

11.92.3.8 native long parma_polyhedra_library::Pointset_Powerset_Float_Box::affine_dimension ()

11.92.3.9 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.92.3.10 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.92.3.11 native String parma_polyhedra_library::Pointset_Powerset_Float_Box::ascii_dump ()

11.92.3.12 native Pointset_Powerset_Float_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Float_Box::begin_iterator ()

11.92.3.13 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.92.3.14 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.92.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::bounds_from_above (Linear_Expression *expr*)

11.92.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::bounds_from_below (Linear_Expression *expr*)

11.92.3.17 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) `[private]`

11.92.3.18 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (Float_Box *y*) `[private]`

11.92.3.19 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (Pointset_Powerset_Float_Box *y*, Complexity_Class *complexity*) `[private]`

11.92.3.20 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (Pointset_Powerset_Float_Box *y*) `[private]`

11.92.3.21 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.92.3.22 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (Congruence_System *cs*) [private]

11.92.3.23 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Float_Box().

11.92.3.24 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::concatenate_assign (Pointset_Powerset_Float_Box *p*)

11.92.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::constrains (Variable *var*)

11.92.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::contains (Pointset_Powerset_Float_Box *y*)

11.92.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::contains_integer_point ()

11.92.3.28 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::difference_assign (Pointset_Powerset_Float_Box *p*)

11.92.3.29 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::drop_disjunct (Pointset_Powerset_Float_Box_Iterator *itr*)

11.92.3.30 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::drop_disjuncts (Pointset_Powerset_Float_Box_Iterator *itr1*, Pointset_Powerset_Float_Box_Iterator *itr2*)

11.92.3.31 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.92.3.32 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.92.3.33 native Pointset_Powerset_Float_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Float_Box::end_iterator ()

11.92.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Float_Box.java.

References equals().

11.92.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::equals (Pointset_Powerset_Float_Box *p*)

Referenced by equals().

11.92.3.36 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::expand_space_dimension (Variable *var*, long *m*)

11.92.3.37 native long parma_polyhedra_library::Pointset_Powerset_Float_Box::external_memory_in_bytes ()

11.92.3.38 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::finalize () [protected]

11.92.3.39 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.92.3.40 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::free ()

11.92.3.41 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.92.3.42 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.92.3.43 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.92.3.44 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.92.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::geometrically_covers (Pointset_Powerset_Float_Box *y*)

11.92.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::geometrically_equals (Pointset_Powerset_Float_Box *y*)

11.92.3.47 native int parma_polyhedra_library::Pointset_Powerset_Float_Box::hashCode ()

11.92.3.48 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::intersection_assign (Pointset_Powerset_Float_Box *p*)

11.92.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::is_bounded ()

11.92.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::is_discrete ()

11.92.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::is_disjoint_from (Pointset_Powerset_Float_Box *y*)

11.92.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::is_empty ()

11.92.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::is_topologically_closed ()

11.92.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::is_universe ()

11.92.3.55 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::map_space_dimensions (Partial_Function *pfunc*)

11.92.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.92.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.92.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.92.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.92.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::OK ()

11.92.3.61 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::omega_reduce ()

11.92.3.62 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::pairwise_reduce ()

11.92.3.63 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::refine_with_congruence (Congruence *c*)

11.92.3.64 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::refine_with_congruences (Congruence_System *c*)

11.92.3.65 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::refine_with_constraint (Constraint *c*)

11.92.3.66 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::refine_with_constraints (Constraint_System *c*)

11.92.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Float_Box::relation_with (Congruence *c*)

11.92.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Float_Box::relation_with (Generator *c*)

11.92.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Float_Box::relation_with (Constraint *c*)

11.92.3.70 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::remove_higher_space_dimensions (long *new_dimension*)

11.92.3.71 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::remove_space_dimensions (Variables_Set *vars*)

11.92.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::simplify_using_context_assign (Pointset_Powerset_Float_Box *p*)

11.92.3.73 native long parma_polyhedra_library::Pointset_Powerset_Float_Box::size ()

11.92.3.74 native long parma_polyhedra_library::Pointset_Powerset_Float_Box::space_dimension ()

11.92.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::strictly_contains (Pointset_Powerset_Float_Box *y*)

11.92.3.76 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::swap (Pointset_Powerset_Float_Box *y*)

11.92.3.77 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::time_elapse_assign (Pointset_Powerset_Float_Box *p*)

11.92.3.78 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::topological_closure_assign ()

11.92.3.79 native String parma_polyhedra_library::Pointset_Powerset_Float_Box::toString ()

11.92.3.80 native long parma_polyhedra_library::Pointset_Powerset_Float_Box::total_memory_in_bytes ()

11.92.3.81 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::unconstrain_space_dimension (Variable *var*)

11.92.3.82 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.92.3.83 native void parma_polyhedra_library::Pointset_Powerset_Float_Box::upper_bound_assign (Pointset_Powerset_Float_Box *p*)

11.92.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box::upper_bound_assign_if_exact (Pointset_Powerset_Float_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Float_Box.java


11.93 parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Float_Box_Iterator (Pointset_Powerset_Float_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Float_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Float_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Float_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Float_Box obj)
- native void build_cpp_object (Pointset_Powerset_Float_Box_Iterator y)

11.93.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Float_Box_Iterator.java.

11.93.2 Constructor & Destructor Documentation

11.93.2.1 parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::Pointset_Powerset_Float_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Float_Box_Iterator.java.

11.93.2.2 parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::Pointset_Powerset_Float_Box_Iterator (Pointset_Powerset_Float_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Float_Box_Iterator.java.

References build_cpp_object().

11.93.3 Member Function Documentation

11.93.3.1 native void parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::build_cpp_object (Pointset_Powerset_Float_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Float_Box_Iterator().

11.93.3.2 native void parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::build_ppl_object (Pointset_Powerset_Float_Box *obj*) [private]

11.93.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::equals (Pointset_Powerset_Float_Box_Iterator *itr*)

11.93.3.4 native void parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::finalize () [protected]

11.93.3.5 native void parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::free ()

11.93.3.6 native Float_Box parma_polyhedra_library::Pointset_Powerset_Float_Box_-Iterator::get_disjunct ()

11.93.3.7 native void parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::next ()

11.93.3.8 native void parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Float_Box_Iterator.java


11.94 parma_polyhedra_library::Pointset_Powerset_Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Grid:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Grid:



Public Member Functions

- Pointset_Powerset_Grid (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Grid (Pointset_Powerset_Grid y)
- Pointset_Powerset_Grid (Grid y)
- Pointset_Powerset_Grid (Pointset_Powerset_Grid y, Complexity_Class complexity)
- Pointset_Powerset_Grid (Grid y, Complexity_Class complexity)
- Pointset_Powerset_Grid (Constraint_System cs)
- Pointset_Powerset_Grid (Congruence_System cs)
- native void swap (Pointset_Powerset_Grid y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Grid y)
- native boolean strictly_contains (Pointset_Powerset_Grid y)
- native boolean is_disjoint_from (Pointset_Powerset_Grid y)
- native boolean geometrically_covers (Pointset_Powerset_Grid y)

- native boolean geometrically_equals (Pointset_Powerset_Grid y)
- native boolean equals (Pointset_Powerset_Grid p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Grid p)
- native void upper_bound_assign (Pointset_Powerset_Grid p)
- native void difference_assign (Pointset_Powerset_Grid p)
- native void concatenate_assign (Pointset_Powerset_Grid p)
- native void time_elapse_assign (Pointset_Powerset_Grid p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Grid y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Grid p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Grid_Iterator begin_iterator ()

- native Pointset_Powerset_Grid_Iterator end_iterator ()
- native void add_disjunct (Grid j_disj)
- native void drop_disjunct (Pointset_Powerset_Grid_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Grid_Iterator itr1, Pointset_Powerset_Grid_Iterator itr2)
- native void BHZ03_Grid_congruence_widening_assign (Pointset_Powerset_Grid y)
- native void BHZ03_Grid_generator_widening_assign (Pointset_Powerset_Grid y)
- native void BGP99_congruence_extrapolation_assign (Pointset_Powerset_Grid y, Integer d)
- native void BGP99_generator_extrapolation_assign (Pointset_Powerset_Grid y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Grid ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Grid y)
- native void build_cpp_object (Pointset_Powerset_Grid y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)

11.94.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

Definition at line 33 of file Pointset_Powerset_Grid.java.

11.94.2 Constructor & Destructor Documentation

11.94.2.1 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.2.2 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid () [inline, private]

Definition at line 45 of file Pointset_Powerset_Grid.java.

11.94.2.3 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (Pointset_Powerset_Grid *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.2.4 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (Grid *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.2.5 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (Pointset_Powerset_Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.2.6 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.2.7 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.2.8 parma_polyhedra_library::Pointset_Powerset_Grid::Pointset_Powerset_Grid (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Grid.java.

References build_cpp_object().

11.94.3 Member Function Documentation

11.94.3.1 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_congruence (Congruence *c*)

11.94.3.2 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_congruences (Congruence_System *c*)

11.94.3.3 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_constraint (Constraint *c*)

11.94.3.4 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_constraints (Constraint_System *c*)

11.94.3.5 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_disjunct (Grid *j_disj*)

11.94.3.6 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_space_dimensions_and_embed (long *m*)

11.94.3.7 native void parma_polyhedra_library::Pointset_Powerset_Grid::add_space_dimensions_and_project (long *m*)

11.94.3.8 native long parma_polyhedra_library::Pointset_Powerset_Grid::affine_dimension ()

11.94.3.9 native void parma_polyhedra_library::Pointset_Powerset_Grid::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.94.3.10 native void parma_polyhedra_library::Pointset_Powerset_Grid::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.94.3.11 native String parma_polyhedra_library::Pointset_Powerset_Grid::ascii_dump ()

11.94.3.12 native Pointset_Powerset_Grid_Iterator parma_polyhedra_library::Pointset_Powerset_Grid::begin_iterator ()

11.94.3.13 native void parma_polyhedra_library::Pointset_Powerset_Grid::BGP99_congruence_extrapolation_assign (Pointset_Powerset_Grid *y*, Integer *d*)

11.94.3.14 native void parma_polyhedra_library::Pointset_Powerset_Grid::BGP99_generator_extrapolation_assign (Pointset_Powerset_Grid *y*, Integer *d*)

11.94.3.15 native void parma_polyhedra_library::Pointset_Powerset_Grid::BHZ03_Grid_congruence_widening_assign (Pointset_Powerset_Grid *y*)

11.94.3.16 native void parma_polyhedra_library::Pointset_Powerset_Grid::BHZ03_Grid_generator_widening_assign (Pointset_Powerset_Grid *y*)

11.94.3.17 native void parma_polyhedra_library::Pointset_Powerset_Grid::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.94.3.18 native void parma_polyhedra_library::Pointset_Powerset_Grid::bounded_affine_-preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.94.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::bounds_from_-above (Linear_Expression *expr*)

11.94.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::bounds_from_-below (Linear_Expression *expr*)

11.94.3.21 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (Grid *y*, Complexity_Class *complexity*) `[private]`

11.94.3.22 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (Grid *y*) `[private]`

11.94.3.23 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (Pointset_Powerset_Grid *y*, Complexity_Class *complexity*) `[private]`

11.94.3.24 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (Pointset_Powerset_Grid *y*) `[private]`

11.94.3.25 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) `[private]`

11.94.3.26 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (Congruence_System *cs*) `[private]`

11.94.3.27 native void parma_polyhedra_library::Pointset_Powerset_Grid::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Grid().

11.94.3.28 native void parma_polyhedra_library::Pointset_Powerset_Grid::concatenate_assign (Pointset_Powerset_Grid *p*)

11.94.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::constrains (Variable *var*)

11.94.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::contains (Pointset_Powerset_Grid *y*)

11.94.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::contains_integer_point ()

11.94.3.32 native void parma_polyhedra_library::Pointset_Powerset_Grid::difference_assign (Pointset_Powerset_Grid *p*)

11.94.3.33 native void parma_polyhedra_library::Pointset_Powerset_Grid::drop_disjunct (Pointset_Powerset_Grid_Iterator *itr*)

11.94.3.34 native void parma_polyhedra_library::Pointset_Powerset_Grid::drop_disjuncts (Pointset_Powerset_Grid_Iterator *itr1*, Pointset_Powerset_Grid_Iterator *itr2*)

11.94.3.35 native void parma_polyhedra_library::Pointset_Powerset_Grid::drop_some_non_integer_points (Integer *complexity_threshold*)

11.94.3.36 native void parma_polyhedra_library::Pointset_Powerset_Grid::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.94.3.37 native Pointset_Powerset_Grid_Iterator parma_polyhedra_library::Pointset_Powerset_Grid::end_iterator ()

11.94.3.38 boolean parma_polyhedra_library::Pointset_Powerset_Grid::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_Grid.java.

References equals().

11.94.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::equals (Pointset_Powerset_Grid *p*)

Referenced by equals().

11.94.3.40 native void parma_polyhedra_library::Pointset_Powerset_Grid::expand_space_dimension (Variable *var*, long *m*)

11.94.3.41 native long parma_polyhedra_library::Pointset_Powerset_Grid::external_memory_in_bytes ()

11.94.3.42 native void parma_polyhedra_library::Pointset_Powerset_Grid::finalize () [protected]

11.94.3.43 native void parma_polyhedra_library::Pointset_Powerset_Grid::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.94.3.44 native void parma_polyhedra_library::Pointset_Powerset_Grid::free ()

11.94.3.45 native void parma_polyhedra_library::Pointset_Powerset_Grid::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.94.3.46 native void parma_polyhedra_library::Pointset_Powerset_Grid::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.94.3.47 native void parma_polyhedra_library::Pointset_Powerset_Grid::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.94.3.48 native void parma_polyhedra_library::Pointset_Powerset_Grid::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.94.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::geometrically_covers (Pointset_Powerset_Grid *y*)

11.94.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::geometrically_equals (Pointset_Powerset_Grid *y*)

11.94.3.51 native int parma_polyhedra_library::Pointset_Powerset_Grid::hashCode ()

11.94.3.52 native void parma_polyhedra_library::Pointset_Powerset_Grid::intersection_assign (Pointset_Powerset_Grid *p*)

11.94.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::is_bounded ()

11.94.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::is_discrete ()

11.94.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::is_disjoint_from (Pointset_Powerset_Grid *y*)

11.94.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::is_empty ()

11.94.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::is_topologically_closed ()

11.94.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::is_universe ()

11.94.3.59 native void parma_polyhedra_library::Pointset_Powerset_Grid::map_space_dimensions (Partial_Function *pfunc*)

11.94.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.94.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.94.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.94.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.94.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::OK ()

11.94.3.65 native void parma_polyhedra_library::Pointset_Powerset_Grid::omega_reduce ()

11.94.3.66 native void parma_polyhedra_library::Pointset_Powerset_Grid::pairwise_reduce ()

11.94.3.67 native void parma_polyhedra_library::Pointset_Powerset_Grid::refine_with_congruence (Congruence *c*)

11.94.3.68 native void parma_polyhedra_library::Pointset_Powerset_Grid::refine_with_congruences (Congruence_System *c*)

11.94.3.69 native void parma_polyhedra_library::Pointset_Powerset_Grid::refine_with_constraint (Constraint *c*)

11.94.3.70 native void parma_polyhedra_library::Pointset_Powerset_Grid::refine_with_constraints (Constraint_System *c*)

11.94.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Grid::relation_with (Congruence *c*)

11.94.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Grid::relation_with (Generator *c*)

11.94.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Grid::relation_with (Constraint *c*)

11.94.3.74 native void parma_polyhedra_library::Pointset_Powerset_Grid::remove_higher_space_dimensions (long *new_dimension*)

11.94.3.75 native void parma_polyhedra_library::Pointset_Powerset_Grid::remove_space_dimensions (Variables_Set *vars*)

11.94.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::simplify_using_context_assign (Pointset_Powerset_Grid *p*)

11.94.3.77 native long parma_polyhedra_library::Pointset_Powerset_Grid::size ()

11.94.3.78 native long parma_polyhedra_library::Pointset_Powerset_Grid::space_dimension ()

11.94.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::strictly_contains (Pointset_Powerset_Grid *y*)

11.94.3.80 native void parma_polyhedra_library::Pointset_Powerset_Grid::swap (Pointset_Powerset_Grid *y*)

11.94.3.81 native void parma_polyhedra_library::Pointset_Powerset_Grid::time_elapse_assign (Pointset_Powerset_Grid *p*)

11.94.3.82 native void parma_polyhedra_library::Pointset_Powerset_Grid::topological_closure_assign ()

11.94.3.83 native String parma_polyhedra_library::Pointset_Powerset_Grid::toString ()

11.94.3.84 native long parma_polyhedra_library::Pointset_Powerset_Grid::total_memory_in_bytes ()

11.94.3.85 native void parma_polyhedra_library::Pointset_Powerset_Grid::unconstrain_space_dimension (Variable *var*)

11.94.3.86 native void parma_polyhedra_library::Pointset_Powerset_Grid::unconstrain_space_dimensions (Variables_Set *vars*)

11.94.3.87 native void parma_polyhedra_library::Pointset_Powerset_Grid::upper_bound_assign (Pointset_Powerset_Grid *p*)

11.94.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_Grid::upper_bound_assign_if_exact (Pointset_Powerset_Grid *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Grid.java


11.95 parma_polyhedra_library::Pointset_Powerset_Grid_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Grid_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Grid_Iterator:



Public Member Functions

- Pointset_Powerset_Grid_Iterator (Pointset_Powerset_Grid_Iterator y)
- native boolean equals (Pointset_Powerset_Grid_Iterator itr)
- native void next ()
- native void prev ()
- native Grid get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Grid_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Grid obj)
- native void build_cpp_object (Pointset_Powerset_Grid_Iterator y)

11.95.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

Definition at line 30 of file Pointset_Powerset_Grid_Iterator.java.

11.95.2 Constructor & Destructor Documentation

11.95.2.1 parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::Pointset_Powerset_Grid_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Grid_Iterator.java.

11.95.2.2 parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::Pointset_Powerset_Grid_Iterator (Pointset_Powerset_Grid_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Grid_Iterator.java.

References build_cpp_object().

11.95.3 Member Function Documentation

11.95.3.1 native void parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::build_cpp_object (Pointset_Powerset_Grid_Iterator *y*) [private]

Referenced by Pointset_Powerset_Grid_Iterator().

11.95.3.2 native void parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::build_ppl_object (Pointset_Powerset_Grid *obj*) [private]

11.95.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::equals (Pointset_Powerset_Grid_Iterator *itr*)

11.95.3.4 native void parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::finalize () [protected]

11.95.3.5 native void parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::free ()

11.95.3.6 native Grid parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::get_disjunct ()

11.95.3.7 native void parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::next ()

11.95.3.8 native void parma_polyhedra_library::Pointset_Powerset_Grid_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Grid_Iterator.java


11.96 parma_polyhedra_library::Pointset_Powerset_Int16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int16_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int16_Box:



Public Member Functions

- Pointset_Powerset_Int16_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Int16_Box (Pointset_Powerset_Int16_Box y)
- Pointset_Powerset_Int16_Box (Int16_Box y)
- Pointset_Powerset_Int16_Box (Pointset_Powerset_Int16_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int16_Box (Int16_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int16_Box (Constraint_System cs)
- Pointset_Powerset_Int16_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Int16_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)

- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Int16_Box y)
- native boolean strictly_contains (Pointset_Powerset_Int16_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Int16_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Int16_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Int16_Box y)
- native boolean equals (Pointset_Powerset_Int16_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Int16_Box p)
- native void upper_bound_assign (Pointset_Powerset_Int16_Box p)
- native void difference_assign (Pointset_Powerset_Int16_Box p)
- native void concatenate_assign (Pointset_Powerset_Int16_Box p)
- native void time_elapse_assign (Pointset_Powerset_Int16_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Int16_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Int16_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Int16_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Int16_Box_Iterator end_iterator ()
- native void add_disjunct (Int16_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Int16_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Int16_Box_Iterator itr1, Pointset_Powerset_Int16_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int16_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Int16_Box y)
- native void build_cpp_object (Pointset_Powerset_Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)

11.96.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

Definition at line 33 of file Pointset_Powerset_Int16_Box.java.

11.96.2 Constructor & Destructor Documentation

11.96.2.1 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.2.2 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Int16_Box.java.

11.96.2.3 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_Box (Pointset_Powerset_Int16_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.2.4 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.2.5 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_Box (Pointset_Powerset_Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.2.6 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.2.7 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_-Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.2.8 parma_polyhedra_library::Pointset_Powerset_Int16_Box::Pointset_Powerset_Int16_-Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Int16_Box.java.

References build_cpp_object().

11.96.3 Member Function Documentation

11.96.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_congruence (Congruence *c*)

11.96.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_congruences (Congruence_System *c*)

11.96.3.3 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_constraint (Constraint *c*)

11.96.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_constraints (Constraint_System *c*)

11.96.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_disjunct (Int16_Box *j_disj*)

11.96.3.6 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_space_-dimensions_and_embed (long *m*)

11.96.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::add_space_dimensions_and_project (long *m*)

11.96.3.8 native long parma_polyhedra_library::Pointset_Powerset_Int16_Box::affine_dimension ()

11.96.3.9 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.96.3.10 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.96.3.11 native String parma_polyhedra_library::Pointset_Powerset_Int16_Box::ascii_dump ()

11.96.3.12 native Pointset_Powerset_Int16_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int16_Box::begin_iterator ()

11.96.3.13 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.96.3.14 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.96.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::bounds_from_above (Linear_Expression *expr*)

11.96.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::bounds_from_below (Linear_Expression *expr*)

11.96.3.17 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.96.3.18 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (Int16_Box *y*) [private]

11.96.3.19 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (Pointset_Powerset_Int16_Box *y*, Complexity_Class *complexity*) [private]

11.96.3.20 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (Pointset_Powerset_Int16_Box *y*) [private]

11.96.3.21 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.96.3.22 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (Congruence_System *cs*) [private]

11.96.3.23 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Int16_Box().

11.96.3.24 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::concatenate_assign (Pointset_Powerset_Int16_Box *p*)

11.96.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::constrains (Variable *var*)

11.96.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::contains (Pointset_Powerset_Int16_Box *y*)

11.96.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::contains_integer_point ()

11.96.3.28 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::difference_assign (Pointset_Powerset_Int16_Box *p*)

11.96.3.29 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::drop_disjunct (Pointset_Powerset_Int16_Box_Iterator *itr*)

11.96.3.30 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::drop_disjuncts (Pointset_Powerset_Int16_Box_Iterator *itr1*, Pointset_Powerset_Int16_Box_Iterator *itr2*)

11.96.3.31 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.96.3.32 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.96.3.33 native Pointset_Powerset_Int16_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int16_Box::end_iterator ()

11.96.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_Int16_Box.java.

References equals().

11.96.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::equals (Pointset_Powerset_Int16_Box *p*)

Referenced by equals().

11.96.3.36 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::expand_space_dimension (Variable *var*, long *m*)

11.96.3.37 native long parma_polyhedra_library::Pointset_Powerset_Int16_Box::external_memory_in_bytes ()

11.96.3.38 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::finalize () [protected]

11.96.3.39 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.96.3.40 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::free ()

11.96.3.41 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.96.3.42 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.96.3.43 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.96.3.44 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.96.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::geometrically_covers (Pointset_Powerset_Int16_Box *y*)

11.96.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::geometrically_equals (Pointset_Powerset_Int16_Box *y*)

11.96.3.47 native int parma_polyhedra_library::Pointset_Powerset_Int16_Box::hashCode ()

11.96.3.48 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::intersection_assign (Pointset_Powerset_Int16_Box *p*)

11.96.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::is_bounded ()

11.96.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::is_discrete ()

11.96.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::is_disjoint_-from (Pointset_Powerset_Int16_Box *y*)

11.96.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::is_empty ()

11.96.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::is_-topologically_closed ()

11.96.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::is_universe ()

11.96.3.55 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::map_space_-dimensions (Partial_Function *pfunc*)

11.96.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.96.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.96.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.96.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.96.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::OK ()

11.96.3.61 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::omega_reduce ()

11.96.3.62 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::pairwise_reduce ()

11.96.3.63 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::refine_with_congruence (Congruence *c*)

11.96.3.64 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::refine_with_congruences (Congruence_System *c*)

11.96.3.65 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::refine_with_constraint (Constraint *c*)

11.96.3.66 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::refine_with_constraints (Constraint_System *c*)

11.96.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int16_Box::relation_with (Congruence *c*)

11.96.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Int16_Box::relation_with (Generator *c*)

11.96.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int16_Box::relation_with (Constraint *c*)

11.96.3.70 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::remove_higher_space_dimensions (long *new_dimension*)

11.96.3.71 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::remove_space_dimensions (Variables_Set *vars*)

11.96.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::simplify_using_context_assign (Pointset_Powerset_Int16_Box *p*)

11.96.3.73 native long parma_polyhedra_library::Pointset_Powerset_Int16_Box::size ()

11.96.3.74 native long parma_polyhedra_library::Pointset_Powerset_Int16_Box::space_dimension ()

11.96.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::strictly_contains (Pointset_Powerset_Int16_Box *y*)

11.96.3.76 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::swap (Pointset_Powerset_Int16_Box *y*)

11.96.3.77 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::time_elapse_assign (Pointset_Powerset_Int16_Box *p*)

11.96.3.78 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::topological_closure_assign ()

11.96.3.79 native String parma_polyhedra_library::Pointset_Powerset_Int16_Box::toString ()

11.96.3.80 native long parma_polyhedra_library::Pointset_Powerset_Int16_Box::total_memory_in_bytes ()

11.96.3.81 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::unconstrain_space_dimension (Variable *var*)

11.96.3.82 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.96.3.83 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box::upper_bound_assign (Pointset_Powerset_Int16_Box *p*)

11.96.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box::upper_bound_assign_if_exact (Pointset_Powerset_Int16_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int16_Box.java


11.97 parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Int16_Box_Iterator (Pointset_Powerset_Int16_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Int16_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Int16_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int16_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Int16_Box obj)
- native void build_cpp_object (Pointset_Powerset_Int16_Box_Iterator y)

11.97.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Int16_Box_Iterator.java.

11.97.2 Constructor & Destructor Documentation

11.97.2.1 parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::Pointset_Powerset_Int16_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Int16_Box_Iterator.java.

11.97.2.2 parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::Pointset_Powerset_Int16_Box_Iterator (Pointset_Powerset_Int16_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Int16_Box_Iterator.java.

References build_cpp_object().

11.97.3 Member Function Documentation

11.97.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::build_cpp_object (Pointset_Powerset_Int16_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Int16_Box_Iterator().

11.97.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::build_ppl_object (Pointset_Powerset_Int16_Box *obj*) [private]

11.97.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::equals (Pointset_Powerset_Int16_Box_Iterator *itr*)

11.97.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::finalize () [protected]

11.97.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::free ()

11.97.3.6 native Int16_Box parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::get_disjunct ()

11.97.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::next ()

11.97.3.8 native void parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int16_Box_Iterator.java


11.98 parma_polyhedra_library::Pointset_Powerset_Int32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int32_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int32_Box:



Public Member Functions

- Pointset_Powerset_Int32_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Int32_Box (Pointset_Powerset_Int32_Box y)
- Pointset_Powerset_Int32_Box (Int32_Box y)
- Pointset_Powerset_Int32_Box (Pointset_Powerset_Int32_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int32_Box (Int32_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int32_Box (Constraint_System cs)
- Pointset_Powerset_Int32_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Int32_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)

- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Int32_Box y)
- native boolean strictly_contains (Pointset_Powerset_Int32_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Int32_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Int32_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Int32_Box y)
- native boolean equals (Pointset_Powerset_Int32_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Int32_Box p)
- native void upper_bound_assign (Pointset_Powerset_Int32_Box p)
- native void difference_assign (Pointset_Powerset_Int32_Box p)
- native void concatenate_assign (Pointset_Powerset_Int32_Box p)
- native void time_elapse_assign (Pointset_Powerset_Int32_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Int32_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Int32_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Int32_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Int32_Box_Iterator end_iterator ()
- native void add_disjunct (Int32_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Int32_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Int32_Box_Iterator itr1, Pointset_Powerset_Int32_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int32_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Int32_Box y)
- native void build_cpp_object (Pointset_Powerset_Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)

11.98.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

Definition at line 33 of file Pointset_Powerset_Int32_Box.java.

11.98.2 Constructor & Destructor Documentation

11.98.2.1 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.2.2 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Int32_Box.java.

11.98.2.3 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (Pointset_Powerset_Int32_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.2.4 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (Int32_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.2.5 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (Pointset_Powerset_Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.2.6 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.2.7 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.2.8 parma_polyhedra_library::Pointset_Powerset_Int32_Box::Pointset_Powerset_Int32_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Int32_Box.java.

References build_cpp_object().

11.98.3 Member Function Documentation

11.98.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_congruence (Congruence *c*)

11.98.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_congruences (Congruence_System *c*)

11.98.3.3 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_constraint (Constraint *c*)

11.98.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_constraints (Constraint_System *c*)

11.98.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_disjunct (Int32_Box *j_disj*)

11.98.3.6 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_space_dimensions_and_embed (long *m*)

11.98.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::add_space_dimensions_and_project (long *m*)

11.98.3.8 native long parma_polyhedra_library::Pointset_Powerset_Int32_Box::affine_dimension ()

11.98.3.9 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.98.3.10 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.98.3.11 native String parma_polyhedra_library::Pointset_Powerset_Int32_Box::ascii_dump ()

11.98.3.12 native Pointset_Powerset_Int32_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int32_Box::begin_iterator ()

11.98.3.13 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.98.3.14 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.98.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::bounds_from_above (Linear_Expression *expr*)

11.98.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::bounds_from_below (Linear_Expression *expr*)

11.98.3.17 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.98.3.18 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (Int32_Box *y*) [private]

11.98.3.19 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (Pointset_Powerset_Int32_Box *y*, Complexity_Class *complexity*) [private]

11.98.3.20 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (Pointset_Powerset_Int32_Box *y*) [private]

11.98.3.21 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.98.3.22 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (Congruence_System *cs*) [private]

11.98.3.23 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Int32_Box().

11.98.3.24 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::concatenate_assign (Pointset_Powerset_Int32_Box *p*)

11.98.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::constrains (Variable *var*)

11.98.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::contains (Pointset_Powerset_Int32_Box *y*)

11.98.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::contains_integer_point ()

11.98.3.28 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::difference_assign (Pointset_Powerset_Int32_Box *p*)

11.98.3.29 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::drop_disjunct (Pointset_Powerset_Int32_Box_Iterator *itr*)

11.98.3.30 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::drop_disjuncts (Pointset_Powerset_Int32_Box_Iterator *itr1*, Pointset_Powerset_Int32_Box_Iterator *itr2*)

11.98.3.31 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.98.3.32 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.98.3.33 native Pointset_Powerset_Int32_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int32_Box::end_iterator ()

11.98.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_Int32_Box.java.

References equals().

11.98.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::equals (Pointset_Powerset_Int32_Box *p*)

Referenced by equals().

11.98.3.36 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::expand_space_dimension (Variable *var*, long *m*)

11.98.3.37 native long parma_polyhedra_library::Pointset_Powerset_Int32_Box::external_memory_in_bytes ()

11.98.3.38 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::finalize () [protected]

11.98.3.39 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.98.3.40 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::free ()

11.98.3.41 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.98.3.42 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.98.3.43 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.98.3.44 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.98.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::geometrically_covers (Pointset_Powerset_Int32_Box *y*)

11.98.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::geometrically_equals (Pointset_Powerset_Int32_Box *y*)

11.98.3.47 native int parma_polyhedra_library::Pointset_Powerset_Int32_Box::hashCode ()

11.98.3.48 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::intersection_assign (Pointset_Powerset_Int32_Box *p*)

11.98.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::is_bounded ()

11.98.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::is_discrete ()

11.98.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::is_disjoint_-from (Pointset_Powerset_Int32_Box *y*)

11.98.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::is_empty ()

11.98.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::is_-topologically_closed ()

11.98.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::is_universe ()

11.98.3.55 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::map_space_-dimensions (Partial_Function *pfunc*)

11.98.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.98.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.98.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.98.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.98.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::OK ()

11.98.3.61 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::omega_reduce ()

11.98.3.62 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::pairwise_reduce ()

11.98.3.63 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::refine_with_congruence (Congruence *c*)

11.98.3.64 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::refine_with_congruences (Congruence_System *c*)

11.98.3.65 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::refine_with_constraint (Constraint *c*)

11.98.3.66 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::refine_with_constraints (Constraint_System *c*)

11.98.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int32_Box::relation_with (Congruence *c*)

11.98.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Int32_Box::relation_with (Generator *c*)

11.98.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int32_Box::relation_with (Constraint *c*)

11.98.3.70 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::remove_higher_space_dimensions (long *new_dimension*)

11.98.3.71 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::remove_space_dimensions (Variables_Set *vars*)

11.98.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::simplify_using_context_assign (Pointset_Powerset_Int32_Box *p*)

11.98.3.73 native long parma_polyhedra_library::Pointset_Powerset_Int32_Box::size ()

11.98.3.74 native long parma_polyhedra_library::Pointset_Powerset_Int32_Box::space_dimension ()

11.98.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::strictly_contains (Pointset_Powerset_Int32_Box *y*)

11.98.3.76 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::swap (Pointset_Powerset_Int32_Box *y*)

11.98.3.77 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::time_elapse_assign (Pointset_Powerset_Int32_Box *p*)

11.98.3.78 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::topological_closure_assign ()

11.98.3.79 native String parma_polyhedra_library::Pointset_Powerset_Int32_Box::toString ()

11.98.3.80 native long parma_polyhedra_library::Pointset_Powerset_Int32_Box::total_memory_in_bytes ()

11.98.3.81 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::unconstrain_space_dimension (Variable *var*)

11.98.3.82 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.98.3.83 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box::upper_bound_assign (Pointset_Powerset_Int32_Box *p*)

11.98.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box::upper_bound_assign_if_exact (Pointset_Powerset_Int32_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int32_Box.java


11.99 parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Int32_Box_Iterator (Pointset_Powerset_Int32_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Int32_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Int32_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int32_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Int32_Box obj)
- native void build_cpp_object (Pointset_Powerset_Int32_Box_Iterator y)

11.99.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Int32_Box_Iterator.java.

11.99.2 Constructor & Destructor Documentation

11.99.2.1 parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::Pointset_Powerset_Int32_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Int32_Box_Iterator.java.

11.99.2.2 parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::Pointset_Powerset_Int32_Box_Iterator (Pointset_Powerset_Int32_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Int32_Box_Iterator.java.

References build_cpp_object().

11.99.3 Member Function Documentation

11.99.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::build_cpp_object (Pointset_Powerset_Int32_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Int32_Box_Iterator().

11.99.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::build_ppl_object (Pointset_Powerset_Int32_Box *obj*) [private]

11.99.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::equals (Pointset_Powerset_Int32_Box_Iterator *itr*)

11.99.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::finalize () [protected]

11.99.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::free ()

11.99.3.6 native Int32_Box parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::get_disjunct ()

11.99.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::next ()

11.99.3.8 native void parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int32_Box_Iterator.java


11.100 parma_polyhedra_library::Pointset_Powerset_Int64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int64_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int64_Box:



Public Member Functions

- Pointset_Powerset_Int64_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Int64_Box (Pointset_Powerset_Int64_Box y)
- Pointset_Powerset_Int64_Box (Int64_Box y)
- Pointset_Powerset_Int64_Box (Pointset_Powerset_Int64_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int64_Box (Int64_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int64_Box (Constraint_System cs)
- Pointset_Powerset_Int64_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Int64_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)

- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Int64_Box y)
- native boolean strictly_contains (Pointset_Powerset_Int64_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Int64_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Int64_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Int64_Box y)
- native boolean equals (Pointset_Powerset_Int64_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Int64_Box p)
- native void upper_bound_assign (Pointset_Powerset_Int64_Box p)
- native void difference_assign (Pointset_Powerset_Int64_Box p)
- native void concatenate_assign (Pointset_Powerset_Int64_Box p)
- native void time_elapse_assign (Pointset_Powerset_Int64_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Int64_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Int64_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Int64_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Int64_Box_Iterator end_iterator ()
- native void add_disjunct (Int64_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Int64_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Int64_Box_Iterator itr1, Pointset_Powerset_Int64_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int64_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Int64_Box y)
- native void build_cpp_object (Pointset_Powerset_Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)

11.100.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

Definition at line 33 of file Pointset_Powerset_Int64_Box.java.

11.100.2 Constructor & Destructor Documentation

11.100.2.1 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.2.2 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Int64_Box.java.

11.100.2.3 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (Pointset_Powerset_Int64_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.2.4 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (Int64_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.2.5 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (Pointset_Powerset_Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.2.6 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.2.7 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.2.8 parma_polyhedra_library::Pointset_Powerset_Int64_Box::Pointset_Powerset_Int64_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Int64_Box.java.

References build_cpp_object().

11.100.3 Member Function Documentation

11.100.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_congruence (Congruence *c*)

11.100.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_congruences (Congruence_System *c*)

11.100.3.3 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_constraint (Constraint *c*)

11.100.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_constraints (Constraint_System *c*)

11.100.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_disjunct (Int64_Box *j_disj*)

11.100.3.6 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_space_dimensions_and_embed (long *m*)

11.100.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::add_space_dimensions_and_project (long *m*)

11.100.3.8 native long parma_polyhedra_library::Pointset_Powerset_Int64_Box::affine_dimension ()

11.100.3.9 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.100.3.10 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.100.3.11 native String parma_polyhedra_library::Pointset_Powerset_Int64_Box::ascii_dump ()

11.100.3.12 native Pointset_Powerset_Int64_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int64_Box::begin_iterator ()

11.100.3.13 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.100.3.14 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.100.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::bounds_from_above (Linear_Expression *expr*)

11.100.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::bounds_from_below (Linear_Expression *expr*)

11.100.3.17 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.100.3.18 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (Int64_Box *y*) [private]

11.100.3.19 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (Pointset_Powerset_Int64_Box *y*, Complexity_Class *complexity*) [private]

11.100.3.20 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (Pointset_Powerset_Int64_Box *y*) [private]

11.100.3.21 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.100.3.22 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (Congruence_System *cs*) [private]

11.100.3.23 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Int64_Box().

11.100.3.24 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::concatenate_assign (Pointset_Powerset_Int64_Box *p*)

11.100.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::constrains (Variable *var*)

11.100.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::contains (Pointset_Powerset_Int64_Box *y*)

11.100.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::contains_integer_point ()

11.100.3.28 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::difference_assign (Pointset_Powerset_Int64_Box *p*)

11.100.3.29 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::drop_disjunct (Pointset_Powerset_Int64_Box_Iterator *itr*)

11.100.3.30 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::drop_disjuncts (Pointset_Powerset_Int64_Box_Iterator *itr1*, Pointset_Powerset_Int64_Box_Iterator *itr2*)

11.100.3.31 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.100.3.32 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.100.3.33 native Pointset_Powerset_Int64_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int64_Box::end_iterator ()

11.100.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Int64_Box.java.

References equals().

11.100.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::equals (Pointset_Powerset_Int64_Box *p*)

Referenced by equals().

11.100.3.36 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::expand_space_dimension (Variable *var*, long *m*)

11.100.3.37 native long parma_polyhedra_library::Pointset_Powerset_Int64_Box::external_memory_in_bytes ()

11.100.3.38 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::finalize () `[protected]`

11.100.3.39 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.100.3.40 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::free ()

11.100.3.41 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.100.3.42 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.100.3.43 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.100.3.44 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.100.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::geometrically_covers (Pointset_Powerset_Int64_Box *y*)

11.100.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::geometrically_equals (Pointset_Powerset_Int64_Box *y*)

11.100.3.47 native int parma_polyhedra_library::Pointset_Powerset_Int64_Box::hashCode ()

11.100.3.48 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::intersection_assign (Pointset_Powerset_Int64_Box *p*)

11.100.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::is_bounded ()

11.100.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::is_discrete ()

11.100.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::is_disjoint_from (Pointset_Powerset_Int64_Box *y*)

11.100.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::is_empty ()

11.100.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::is_topologically_closed ()

11.100.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::is_universe ()

11.100.3.55 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::map_space_dimensions (Partial_Function *pfunc*)

11.100.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.100.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.100.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.100.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.100.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::OK ()

11.100.3.61 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::omega_reduce ()

11.100.3.62 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::pairwise_reduce ()

11.100.3.63 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::refine_with_congruence (Congruence *c*)

11.100.3.64 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::refine_with_congruences (Congruence_System *c*)

11.100.3.65 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::refine_with_constraint (Constraint *c*)

11.100.3.66 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::refine_with_constraints (Constraint_System *c*)

11.100.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int64_-Box::relation_with (Congruence *c*)

11.100.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Int64_-Box::relation_with (Generator *c*)

11.100.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int64_-Box::relation_with (Constraint *c*)

11.100.3.70 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::remove_-higher_space_dimensions (long *new_dimension*)

11.100.3.71 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::remove_-space_dimensions (Variables_Set *vars*)

11.100.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_-Box::simplify_using_context_assign (Pointset_Powerset_Int64_Box *p*)

11.100.3.73 native long parma_polyhedra_library::Pointset_Powerset_Int64_Box::size ()

11.100.3.74 native long parma_polyhedra_library::Pointset_Powerset_Int64_Box::space_-dimension ()

11.100.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_-Int64_Box::strictly_contains (Pointset_Powerset_Int64_Box *y*)

11.100.3.76 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::swap (Pointset_Powerset_Int64_Box *y*)

11.100.3.77 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::time_elapse_assign (Pointset_Powerset_Int64_Box *p*)

11.100.3.78 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::topological_closure_assign ()

11.100.3.79 native String parma_polyhedra_library::Pointset_Powerset_Int64_Box::toString ()

11.100.3.80 native long parma_polyhedra_library::Pointset_Powerset_Int64_Box::total_memory_in_bytes ()

11.100.3.81 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::unconstrain_space_dimension (Variable *var*)

11.100.3.82 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.100.3.83 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box::upper_bound_assign (Pointset_Powerset_Int64_Box *p*)

11.100.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box::upper_bound_assign_if_exact (Pointset_Powerset_Int64_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int64_Box.java


11.101 parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Int64_Box_Iterator (Pointset_Powerset_Int64_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Int64_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Int64_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int64_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Int64_Box obj)
- native void build_cpp_object (Pointset_Powerset_Int64_Box_Iterator y)

11.101.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Int64_Box_Iterator.java.

11.101.2 Constructor & Destructor Documentation

11.101.2.1 parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::Pointset_Powerset_Int64_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Int64_Box_Iterator.java.

11.101.2.2 parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::Pointset_Powerset_Int64_Box_Iterator (Pointset_Powerset_Int64_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Int64_Box_Iterator.java.

References build_cpp_object().

11.101.3 Member Function Documentation

11.101.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::build_cpp_object (Pointset_Powerset_Int64_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Int64_Box_Iterator().

11.101.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::build_ppl_object (Pointset_Powerset_Int64_Box *obj*) [private]

11.101.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::equals (Pointset_Powerset_Int64_Box_Iterator *itr*)

11.101.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::finalize () [protected]

11.101.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::free ()

11.101.3.6 native Int64_Box parma_polyhedra_library::Pointset_Powerset_Int64_Box_-Iterator::get_disjunct ()

11.101.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::next ()

11.101.3.8 native void parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int64_Box_Iterator.java


11.102 parma_polyhedra_library::Pointset_Powerset_Int8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int8_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int8_Box:



Public Member Functions

- Pointset_Powerset_Int8_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Int8_Box (Pointset_Powerset_Int8_Box y)
- Pointset_Powerset_Int8_Box (Int8_Box y)
- Pointset_Powerset_Int8_Box (Pointset_Powerset_Int8_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int8_Box (Int8_Box y, Complexity_Class complexity)
- Pointset_Powerset_Int8_Box (Constraint_System cs)
- Pointset_Powerset_Int8_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Int8_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Int8_Box y)
- native boolean strictly_contains (Pointset_Powerset_Int8_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Int8_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Int8_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Int8_Box y)
- native boolean equals (Pointset_Powerset_Int8_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Int8_Box p)

- native void upper_bound_assign (Pointset_Powerset_Int8_Box p)
- native void difference_assign (Pointset_Powerset_Int8_Box p)
- native void concatenate_assign (Pointset_Powerset_Int8_Box p)
- native void time_elapse_assign (Pointset_Powerset_Int8_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Int8_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Int8_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Int8_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Int8_Box_Iterator end_iterator ()
- native void add_disjunct (Int8_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Int8_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Int8_Box_Iterator itr1, Pointset_Powerset_Int8_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int8_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Int8_Box y)
- native void build_cpp_object (Pointset_Powerset_Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)

11.102.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

Definition at line 33 of file Pointset_Powerset_Int8_Box.java.

11.102.2 Constructor & Destructor Documentation

11.102.2.1 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.2.2 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Int8_Box.java.

11.102.2.3 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (Pointset_Powerset_Int8_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.2.4 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (Int8_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.2.5 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (Pointset_Powerset_Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.2.6 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.2.7 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.2.8 parma_polyhedra_library::Pointset_Powerset_Int8_Box::Pointset_Powerset_Int8_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Int8_Box.java.

References build_cpp_object().

11.102.3 Member Function Documentation

11.102.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_congruence (Congruence *c*)

11.102.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_congruences (Congruence_System *c*)

11.102.3.3 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_constraint (Constraint *c*)

11.102.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_constraints (Constraint_System *c*)

11.102.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_disjunct (Int8_Box *j_disj*)

11.102.3.6 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_space_dimensions_and_embed (long *m*)

11.102.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::add_space_dimensions_and_project (long *m*)

11.102.3.8 native long parma_polyhedra_library::Pointset_Powerset_Int8_Box::affine_dimension ()

11.102.3.9 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.102.3.10 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.102.3.11 native String parma_polyhedra_library::Pointset_Powerset_Int8_Box::ascii_dump ()

11.102.3.12 native Pointset_Powerset_Int8_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int8_Box::begin_iterator ()

11.102.3.13 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.102.3.14 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.102.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::bounds_from_above (Linear_Expression *expr*)

11.102.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::bounds_from_below (Linear_Expression *expr*)

11.102.3.17 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) `[private]`

11.102.3.18 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (Int8_Box *y*) `[private]`

11.102.3.19 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (Pointset_Powerset_Int8_Box *y*, Complexity_Class *complexity*) `[private]`

11.102.3.20 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (Pointset_Powerset_Int8_Box *y*) `[private]`

11.102.3.21 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.102.3.22 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (Congruence_System *cs*) [private]

11.102.3.23 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Int8_Box().

11.102.3.24 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::concatenate_assign (Pointset_Powerset_Int8_Box *p*)

11.102.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::constrains (Variable *var*)

11.102.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::contains (Pointset_Powerset_Int8_Box *y*)

11.102.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::contains_integer_point ()

11.102.3.28 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::difference_assign (Pointset_Powerset_Int8_Box *p*)

11.102.3.29 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::drop_disjunct (Pointset_Powerset_Int8_Box_Iterator *itr*)

11.102.3.30 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::drop_disjuncts (Pointset_Powerset_Int8_Box_Iterator *itr1*, Pointset_Powerset_Int8_Box_Iterator *itr2*)

11.102.3.31 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.102.3.32 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.102.3.33 native Pointset_Powerset_Int8_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Int8_Box::end_iterator ()

11.102.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Int8_Box.java.

References equals().

11.102.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::equals (Pointset_Powerset_Int8_Box *p*)

Referenced by equals().

11.102.3.36 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::expand_space_dimension (Variable *var*, long *m*)

11.102.3.37 native long parma_polyhedra_library::Pointset_Powerset_Int8_Box::external_memory_in_bytes ()

11.102.3.38 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::finalize () [protected]

11.102.3.39 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.102.3.40 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::free ()

11.102.3.41 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.102.3.42 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.102.3.43 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.102.3.44 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.102.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::geometrically_covers (Pointset_Powerset_Int8_Box *y*)

11.102.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::geometrically_equals (Pointset_Powerset_Int8_Box *y*)

11.102.3.47 native int parma_polyhedra_library::Pointset_Powerset_Int8_Box::hashCode ()

11.102.3.48 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::intersection_assign (Pointset_Powerset_Int8_Box *p*)

11.102.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::is_bounded ()

11.102.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::is_discrete ()

11.102.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::is_disjoint_from (Pointset_Powerset_Int8_Box *y*)

11.102.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::is_empty ()

11.102.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::is_topologically_closed ()

11.102.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::is_universe ()

11.102.3.55 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::map_space_dimensions (Partial_Function *pfunc*)

11.102.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.102.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.102.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.102.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.102.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::OK ()

11.102.3.61 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::omega_reduce ()

11.102.3.62 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::pairwise_reduce ()

11.102.3.63 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::refine_with_congruence (Congruence *c*)

11.102.3.64 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::refine_with_congruences (Congruence_System *c*)

11.102.3.65 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::refine_with_constraint (Constraint *c*)

11.102.3.66 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::refine_with_constraints (Constraint_System *c*)

11.102.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int8_Box::relation_with (Congruence *c*)

11.102.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Int8_Box::relation_with (Generator *c*)

11.102.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Int8_Box::relation_with (Constraint *c*)

11.102.3.70 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::remove_higher_space_dimensions (long *new_dimension*)

11.102.3.71 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::remove_space_dimensions (Variables_Set *vars*)

11.102.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::simplify_using_context_assign (Pointset_Powerset_Int8_Box *p*)

11.102.3.73 native long parma_polyhedra_library::Pointset_Powerset_Int8_Box::size ()

11.102.3.74 native long parma_polyhedra_library::Pointset_Powerset_Int8_Box::space_dimension ()

11.102.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::strictly_contains (Pointset_Powerset_Int8_Box *y*)

11.102.3.76 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::swap (Pointset_Powerset_Int8_Box *y*)

11.102.3.77 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::time_elapse_assign (Pointset_Powerset_Int8_Box *p*)

11.102.3.78 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::topological_closure_assign ()

11.102.3.79 native String parma_polyhedra_library::Pointset_Powerset_Int8_Box::toString ()

11.102.3.80 native long parma_polyhedra_library::Pointset_Powerset_Int8_Box::total_memory_in_bytes ()

11.102.3.81 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::unconstrain_space_dimension (Variable *var*)

11.102.3.82 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.102.3.83 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box::upper_bound_assign (Pointset_Powerset_Int8_Box *p*)

11.102.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box::upper_bound_assign_if_exact (Pointset_Powerset_Int8_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int8_Box.java


11.103 parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Int8_Box_Iterator (Pointset_Powerset_Int8_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Int8_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Int8_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Int8_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Int8_Box obj)
- native void build_cpp_object (Pointset_Powerset_Int8_Box_Iterator y)

11.103.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Int8_Box_Iterator.java.

11.103.2 Constructor & Destructor Documentation

11.103.2.1 parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::Pointset_Powerset_Int8_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Int8_Box_Iterator.java.

11.103.2.2 parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::Pointset_Powerset_Int8_Box_Iterator (Pointset_Powerset_Int8_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Int8_Box_Iterator.java.

References build_cpp_object().

11.103.3 Member Function Documentation

11.103.3.1 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::build_cpp_object (Pointset_Powerset_Int8_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Int8_Box_Iterator().

11.103.3.2 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::build_ppl_object (Pointset_Powerset_Int8_Box *obj*) [private]

11.103.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::equals (Pointset_Powerset_Int8_Box_Iterator *itr*)

11.103.3.4 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::finalize () [protected]

11.103.3.5 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::free ()

11.103.3.6 native Int8_Box parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::get_disjunct ()

11.103.3.7 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::next ()

11.103.3.8 native void parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Int8_Box_Iterator.java


11.104 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Long_Double_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Long_Double_Box:



Public Member Functions

- Pointset_Powerset_Long_Double_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Long_Double_Box (Pointset_Powerset_Long_Double_Box y)
- Pointset_Powerset_Long_Double_Box (Long_Double_Box y)
- Pointset_Powerset_Long_Double_Box (Pointset_Powerset_Long_Double_Box y, Complexity_Class complexity)
- Pointset_Powerset_Long_Double_Box (Long_Double_Box y, Complexity_Class complexity)
- Pointset_Powerset_Long_Double_Box (Constraint_System cs)
- Pointset_Powerset_Long_Double_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Long_Double_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Long_Double_Box y)
- native boolean strictly_contains (Pointset_Powerset_Long_Double_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Long_Double_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Long_Double_Box y)

- native boolean geometrically_equals (Pointset_Powerset_Long_Double_Box y)
- native boolean equals (Pointset_Powerset_Long_Double_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Long_Double_Box p)
- native void upper_bound_assign (Pointset_Powerset_Long_Double_Box p)
- native void difference_assign (Pointset_Powerset_Long_Double_Box p)
- native void concatenate_assign (Pointset_Powerset_Long_Double_Box p)
- native void time_elapse_assign (Pointset_Powerset_Long_Double_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Long_Double_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Long_Double_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Long_Double_Box_Iterator begin_iterator ()

- native Pointset_Powerset_Long_Double_Box_Iterator end_iterator ()
- native void add_disjunct (Long_Double_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Long_Double_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Long_Double_Box_Iterator itr1, Pointset_Powerset_Long_Double_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Long_Double_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Long_Double_Box y)
- native void build_cpp_object (Pointset_Powerset_Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)

11.104.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

Definition at line 33 of file Pointset_Powerset_Long_Double_Box.java.

11.104.2 Constructor & Destructor Documentation

11.104.2.1 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.2.2 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Long_Double_Box.java.

11.104.2.3 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (Pointset_Powerset_Long_Double_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.2.4 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (Long_Double_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.2.5 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (Pointset_Powerset_Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.2.6 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.2.7 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.2.8 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::Pointset_Powerset_Long_Double_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Long_Double_Box.java.

References build_cpp_object().

11.104.3 Member Function Documentation

11.104.3.1 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_congruence (Congruence *c*)

11.104.3.2 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_congruences (Congruence_System *c*)

11.104.3.3 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_constraint (Constraint *c*)

11.104.3.4 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_constraints (Constraint_System *c*)

11.104.3.5 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_disjunct (Long_Double_Box *j_disj*)

11.104.3.6 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_space_dimensions_and_embed (long *m*)

11.104.3.7 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::add_space_dimensions_and_project (long *m*)

11.104.3.8 native long parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::affine_dimension ()

11.104.3.9 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.104.3.10 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.104.3.11 native String parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::ascii_dump ()

11.104.3.12 native Pointset_Powerset_Long_Double_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::begin_iterator ()

11.104.3.13 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.104.3.14 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.104.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::bounds_from_above (Linear_Expression *expr*)

11.104.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::bounds_from_below (Linear_Expression *expr*)

11.104.3.17 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.104.3.18 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.104.3.19 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (Pointset_Powerset_Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.104.3.20 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (Pointset_Powerset_Long_Double_Box *y*) [private]

11.104.3.21 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.104.3.22 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (Congruence_System *cs*) [private]

11.104.3.23 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Long_Double_Box().

11.104.3.24 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::concatenate_assign (Pointset_Powerset_Long_Double_Box *p*)

11.104.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::constrains (Variable *var*)

11.104.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::contains (Pointset_Powerset_Long_Double_Box *y*)

11.104.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::contains_integer_point ()

11.104.3.28 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::difference_assign (Pointset_Powerset_Long_Double_Box *p*)

11.104.3.29 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::drop_disjunct (Pointset_Powerset_Long_Double_Box_Iterator *itr*)

11.104.3.30 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::drop_disjuncts (Pointset_Powerset_Long_Double_Box_Iterator *itr1*, Pointset_Powerset_Long_Double_Box_Iterator *itr2*)

11.104.3.31 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.104.3.32 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.104.3.33 native Pointset_Powerset_Long_Double_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::end_iterator ()

11.104.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Long_Double_Box.java.

References equals().

11.104.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::equals (Pointset_Powerset_Long_Double_Box *p*)

Referenced by equals().

11.104.3.36 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::expand_space_dimension (Variable *var*, long *m*)

11.104.3.37 native long parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::external_memory_in_bytes ()

11.104.3.38 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::finalize () `[protected]`

11.104.3.39 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.104.3.40 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::free ()

11.104.3.41 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.104.3.42 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.104.3.43 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.104.3.44 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.104.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Long_-Double_Box::geometrically_covers (Pointset_Powerset_Long_Double_Box *y*)

11.104.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Long_-Double_Box::geometrically_equals (Pointset_Powerset_Long_Double_Box *y*)

11.104.3.47 native int parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::hashCode ()

11.104.3.48 native void parma_polyhedra_library::Pointset_Powerset_Long_-Double_Box::intersection_assign (Pointset_Powerset_Long_Double_Box *p*)

11.104.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::is_bounded ()

11.104.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::is_discrete ()

11.104.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::is_disjoint_from (Pointset_Powerset_Long_Double_Box *y*)

11.104.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::is_empty ()

11.104.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::is_topologically_closed ()

11.104.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::is_universe ()

11.104.3.55 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::map_space_dimensions (Partial_Function *pfunc*)

11.104.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.104.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.104.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.104.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.104.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::OK ()

11.104.3.61 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::omega_reduce ()

11.104.3.62 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::pairwise_reduce ()

11.104.3.63 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::refine_with_congruence (Congruence *c*)

11.104.3.64 native void parma_polyhedra_library::Pointset_Powerset_Long_-Double_Box::refine_with_congruences (Congruence_System *c*)

11.104.3.65 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box::refine_with_constraint (Constraint *c*)

11.104.3.66 native void parma_polyhedra_library::Pointset_Powerset_-Long_Double_Box::refine_with_constraints (Constraint_System *c*)

11.104.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::relation_with (Congruence *c*)

11.104.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::relation_with (Generator *c*)

11.104.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::relation_with (Constraint *c*)

11.104.3.70 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::remove_higher_space_dimensions (long *new_dimension*)

11.104.3.71 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::remove_space_dimensions (Variables_Set *vars*)

11.104.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::simplify_using_context_assign (Pointset_Powerset_Long_Double_Box *p*)

11.104.3.73 native long parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::size ()

11.104.3.74 native long parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::space_dimension ()

11.104.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::strictly_contains (Pointset_Powerset_Long_Double_Box *y*)

11.104.3.76 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::swap (Pointset_Powerset_Long_Double_Box *y*)

11.104.3.77 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::time_elapse_assign (Pointset_Powerset_Long_Double_Box *p*)

11.104.3.78 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::topological_closure_assign ()

11.104.3.79 native String parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::toString ()

11.104.3.80 native long parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::total_memory_in_bytes ()

11.104.3.81 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::unconstrain_space_dimension (Variable *var*)

11.104.3.82 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.104.3.83 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::upper_bound_assign (Pointset_Powerset_Long_Double_Box *p*)

11.104.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Long_Double_Box::upper_bound_assign_if_exact (Pointset_Powerset_Long_Double_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Long_Double_Box.java


11.105 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Long_Double_Box_Iterator (Pointset_Powerset_Long_Double_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Long_Double_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Long_Double_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Long_Double_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Long_Double_Box obj)
- native void build_cpp_object (Pointset_Powerset_Long_Double_Box_Iterator y)

11.105.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Long_Double_Box_Iterator.java.

11.105.2 Constructor & Destructor Documentation

11.105.2.1 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator::Pointset_Powerset_Long_Double_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Long_Double_Box_Iterator.java.

11.105.2.2 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator::Pointset_-Powerset_Long_Double_Box_Iterator (Pointset_Powerset_Long_Double_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Long_Double_Box_Iterator.java.

References build_cpp_object().

11.105.3 Member Function Documentation

11.105.3.1 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator::build_cpp_object (Pointset_Powerset_Long_Double_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Long_Double_Box_Iterator().

11.105.3.2 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_-Box_Iterator::build_ppl_object (Pointset_Powerset_Long_Double_Box *obj*) [private]

11.105.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Long_-Double_Box_Iterator::equals (Pointset_Powerset_Long_Double_Box_Iterator *itr*)

11.105.3.4 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator::finalize () [protected]

11.105.3.5 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator::free ()

11.105.3.6 native Long_Double_Box parma_polyhedra_library::Pointset_Powerset_Long_-Double_Box_Iterator::get_disjunct ()

11.105.3.7 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator::next ()

11.105.3.8 native void parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Long_Double_Box_Iterator.java


11.106 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron:



Public Member Functions

- Pointset_Powerset_NNC_Polyhedron (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_NNC_Polyhedron (Pointset_Powerset_NNC_Polyhedron y)
- Pointset_Powerset_NNC_Polyhedron (NNC_Polyhedron y)
- Pointset_Powerset_NNC_Polyhedron (Pointset_Powerset_NNC_Polyhedron y, Complexity_Class complexity)
- Pointset_Powerset_NNC_Polyhedron (NNC_Polyhedron y, Complexity_Class complexity)
- Pointset_Powerset_NNC_Polyhedron (Constraint_System cs)
- Pointset_Powerset_NNC_Polyhedron (Congruence_System cs)
- native void swap (Pointset_Powerset_NNC_Polyhedron y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_NNC_Polyhedron y)
- native boolean strictly_contains (Pointset_Powerset_NNC_Polyhedron y)
- native boolean is_disjoint_from (Pointset_Powerset_NNC_Polyhedron y)

- native boolean geometrically_covers (Pointset_Powerset_NNC_Polyhedron y)
- native boolean geometrically_equals (Pointset_Powerset_NNC_Polyhedron y)
- native boolean equals (Pointset_Powerset_NNC_Polyhedron p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_NNC_Polyhedron p)
- native void upper_bound_assign (Pointset_Powerset_NNC_Polyhedron p)
- native void difference_assign (Pointset_Powerset_NNC_Polyhedron p)
- native void concatenate_assign (Pointset_Powerset_NNC_Polyhedron p)
- native void time_elapse_assign (Pointset_Powerset_NNC_Polyhedron p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_NNC_Polyhedron y)
- native boolean simplify_using_context_assign (Pointset_Powerset_NNC_Polyhedron p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()

- native Pointset_Powerset_NNC_Polyhedron_Iterator begin_iterator ()
- native Pointset_Powerset_NNC_Polyhedron_Iterator end_iterator ()
- native void add_disjunct (NNC_Polyhedron j_disj)
- native void drop_disjunct (Pointset_Powerset_NNC_Polyhedron_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_NNC_Polyhedron_Iterator itr1, Pointset_Powerset_NNC_Polyhedron_Iterator itr2)
- native void BHZ03_BHRZ03_BHRZ03_widening_assign (Pointset_Powerset_NNC_Polyhedron y)
- native void BHZ03_H79_H79_widening_assign (Pointset_Powerset_NNC_Polyhedron y)
- native void BGP99_BHRZ03_extrapolation_assign (Pointset_Powerset_NNC_Polyhedron y, Integer d)
- native void BGP99_H79_extrapolation_assign (Pointset_Powerset_NNC_Polyhedron y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_NNC_Polyhedron ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_NNC_Polyhedron y)
- native void build_cpp_object (Pointset_Powerset_NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)

11.106.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

Definition at line 33 of file Pointset_Powerset_NNC_Polyhedron.java.

11.106.2 Constructor & Destructor Documentation

11.106.2.1 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.2.2 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron () [inline, private]

Definition at line 45 of file Pointset_Powerset_NNC_Polyhedron.java.

11.106.2.3 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (Pointset_Powerset_NNC_Polyhedron *y*) [inline]

Definition at line 52 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.2.4 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (NNC_Polyhedron *y*) [inline]

Definition at line 56 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.2.5 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (Pointset_Powerset_NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.2.6 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.2.7 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.2.8 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::Pointset_Powerset_NNC_Polyhedron (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_NNC_Polyhedron.java.

References build_cpp_object().

11.106.3 Member Function Documentation

11.106.3.1 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_congruence (Congruence *c*)

11.106.3.2 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_congruences (Congruence_System *c*)

11.106.3.3 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_constraint (Constraint *c*)

11.106.3.4 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_constraints (Constraint_System *c*)

11.106.3.5 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_disjunct (NNC_Polyhedron *j_disj*)

11.106.3.6 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_space_dimensions_and_embed (long *m*)

11.106.3.7 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::add_space_dimensions_and_project (long *m*)

11.106.3.8 native long parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::affine_dimension ()

11.106.3.9 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.106.3.10 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.106.3.11 native String parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::ascii_dump ()

11.106.3.12 native Pointset_Powerset_NNC_Polyhedron_Iterator parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::begin_iterator ()

11.106.3.13 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::BGP99_BHRZ03_extrapolation_assign (Pointset_Powerset_NNC_Polyhedron *y*, Integer *d*)

11.106.3.14 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::BGP99_H79_extrapolation_assign (Pointset_Powerset_NNC_Polyhedron *y*, Integer *d*)

11.106.3.15 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::BHZ03_BHRZ03_BHRZ03_widening_assign (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.16 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::BHZ03_H79_H79_widening_assign (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.17 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.106.3.18 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.106.3.19 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::bounds_from_above (Linear_Expression *expr*)

11.106.3.20 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::bounds_from_below (Linear_Expression *expr*)

11.106.3.21 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) `[private]`

11.106.3.22 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (NNC_Polyhedron *y*) `[private]`

11.106.3.23 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (Pointset_Powerset_NNC_Polyhedron *y*, Complexity_Class *complexity*) `[private]`

11.106.3.24 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (Pointset_Powerset_NNC_Polyhedron *y*) [private]

11.106.3.25 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.106.3.26 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (Congruence_System *cs*) [private]

11.106.3.27 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_NNC_Polyhedron().

11.106.3.28 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::concatenate_assign (Pointset_Powerset_NNC_Polyhedron *p*)

11.106.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::constrains (Variable *var*)

11.106.3.30 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::contains (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.31 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::contains_integer_point ()

11.106.3.32 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::difference_assign (Pointset_Powerset_NNC_Polyhedron *p*)

11.106.3.33 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::drop_disjunct (Pointset_Powerset_NNC_Polyhedron_Iterator *itr*)

11.106.3.34 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::drop_disjuncts (Pointset_Powerset_NNC_Polyhedron_Iterator *itr1*, Pointset_Powerset_NNC_Polyhedron_Iterator *itr2*)

11.106.3.35 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::drop_some_non_integer_points (Integer *complexity_threshold*)

11.106.3.36 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.106.3.37 native Pointset_Powerset_NNC_Polyhedron_Iterator parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::end_iterator ()

11.106.3.38 boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_NNC_Polyhedron.java.

References equals().

11.106.3.39 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::equals (Pointset_Powerset_NNC_Polyhedron *p*)

Referenced by equals().

11.106.3.40 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::expand_space_dimension (Variable *var*, long *m*)

11.106.3.41 native long parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::external_memory_in_bytes ()

11.106.3.42 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::finalize () `[protected]`

11.106.3.43 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.106.3.44 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::free ()

11.106.3.45 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.106.3.46 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.106.3.47 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.106.3.48 native void parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.106.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron::geometrically_covers (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron::geometrically_equals (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.51 native int parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron::hashCode ()

11.106.3.52 native void parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron::intersection_assign (Pointset_Powerset_NNC_Polyhedron *p*)

11.106.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::is_-bounded ()

11.106.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::is_-discrete ()

11.106.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron::is_disjoint_from (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::is_empty ()

11.106.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::is_topologically_closed ()

11.106.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::is_universe ()

11.106.3.59 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::map_space_dimensions (Partial_Function *pfunc*)

11.106.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.106.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.106.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.106.3.63 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.106.3.64 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::OK ()

11.106.3.65 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::omega_reduce ()

11.106.3.66 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::pairwise_reduce ()

11.106.3.67 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::refine_with_congruence (Congruence *c*)

11.106.3.68 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::refine_with_congruences (Congruence_System *c*)

11.106.3.69 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::refine_with_constraint (Constraint *c*)

11.106.3.70 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::refine_with_constraints (Constraint_System *c*)

11.106.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::relation_with (Congruence *c*)

11.106.3.72 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::relation_with (Generator *c*)

11.106.3.73 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::relation_with (Constraint *c*)

11.106.3.74 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::remove_higher_space_dimensions (long *new_dimension*)

11.106.3.75 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::remove_space_dimensions (Variables_Set *vars*)

11.106.3.76 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::simplify_using_context_assign (Pointset_Powerset_NNC_Polyhedron *p*)

11.106.3.77 native long parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::size ()

11.106.3.78 native long parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::space_dimension ()

11.106.3.79 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::strictly_contains (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.80 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::swap (Pointset_Powerset_NNC_Polyhedron *y*)

11.106.3.81 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::time_elapse_assign (Pointset_Powerset_NNC_Polyhedron *p*)

11.106.3.82 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::topological_closure_assign ()

11.106.3.83 native String parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::toString ()

11.106.3.84 native long parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::total_memory_in_bytes ()

11.106.3.85 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::unconstrain_space_dimension (Variable *var*)

11.106.3.86 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::unconstrain_space_dimensions (Variables_Set *vars*)

11.106.3.87 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::upper_bound_assign (Pointset_Powerset_NNC_Polyhedron *p*)

11.106.3.88 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron::upper_bound_assign_if_exact (Pointset_Powerset_NNC_Polyhedron *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_NNC_Polyhedron.java


11.107 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator:



Public Member Functions

- Pointset_Powerset_NNC_Polyhedron_Iterator (Pointset_Powerset_NNC_Polyhedron_Iterator y)
- native boolean equals (Pointset_Powerset_NNC_Polyhedron_Iterator itr)
- native void next ()
- native void prev ()
- native NNC_Polyhedron get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_NNC_Polyhedron_Iterator ()
- native void build_ppl_object (Pointset_Powerset_NNC_Polyhedron obj)
- native void build_cpp_object (Pointset_Powerset_NNC_Polyhedron_Iterator y)

11.107.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

Definition at line 30 of file Pointset_Powerset_NNC_Polyhedron_Iterator.java.

11.107.2 Constructor & Destructor Documentation

11.107.2.1 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_-Iterator::Pointset_Powerset_NNC_Polyhedron_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_NNC_Polyhedron_Iterator.java.

11.107.2.2 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator::Pointset_-Powerset_NNC_Polyhedron_Iterator (Pointset_Powerset_NNC_Polyhedron_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_NNC_Polyhedron_Iterator.java.

References build_cpp_object().

11.107.3 Member Function Documentation

11.107.3.1 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_-Iterator::build_cpp_object (Pointset_Powerset_NNC_Polyhedron_Iterator *y*) [private]

Referenced by Pointset_Powerset_NNC_Polyhedron_Iterator().

11.107.3.2 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_-Iterator::build_ppl_object (Pointset_Powerset_NNC_Polyhedron *obj*) [private]

11.107.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_NNC_-Polyhedron_Iterator::equals (Pointset_Powerset_NNC_Polyhedron_Iterator *itr*)

11.107.3.4 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_-Iterator::finalize () [protected]

11.107.3.5 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_-Iterator::free ()

11.107.3.6 native NNC_Polyhedron parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator::get_disjunct ()

11.107.3.7 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator::next ()

11.107.3.8 native void parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_NNC_Polyhedron_Iterator.java


11.108 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_double (long num_dimensions, Degenerate_Element kind)

- Pointset_Powerset_Octagonal_Shape_double (Pointset_Powerset_Octagonal_Shape_double y)
- Pointset_Powerset_Octagonal_Shape_double (Octagonal_Shape_double y)
- Pointset_Powerset_Octagonal_Shape_double (Pointset_Powerset_Octagonal_Shape_double y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_double (Octagonal_Shape_double y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_double (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_double (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_double p)

- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_double p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_double p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_double p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_double p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_double_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_double_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_double j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_double_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_double_Iterator itr1, Pointset_-Powerset_Octagonal_Shape_double_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_-double y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_double y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_double y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)

11.108.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_double.java.

11.108.2 Constructor & Destructor Documentation

11.108.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::Pointset_Powerset_Octagonal_Shape_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::Pointset_Powerset_Octagonal_Shape_double () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_double.java.

11.108.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::Pointset_Powerset_Octagonal_Shape_double (Pointset_Powerset_Octagonal_Shape_double *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::Pointset_Powerset_Octagonal_Shape_double (Octagonal_Shape_double *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::Pointset_-Powerset_Octagonal_Shape_double (Pointset_Powerset_Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::Pointset_-Powerset_Octagonal_Shape_double (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::Pointset_Powerset_Octagonal_Shape_double (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::Pointset_Powerset_Octagonal_Shape_double (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_double.java.

References build_cpp_object().

11.108.3 Member Function Documentation

11.108.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::add_congruence (Congruence *c*)

11.108.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::add_congruences (Congruence_System *c*)

11.108.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::add_constraint (Constraint *c*)

11.108.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::add_constraints (Constraint_System *c*)

11.108.3.5 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::add_disjunct (Octagonal_Shape_double *j_disj*)

11.108.3.6 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::add_space_dimensions_and_embed (long *m*)

11.108.3.7 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::add_space_dimensions_and_project (long *m*)

11.108.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::affine_dimension ()

11.108.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.108.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.108.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::ascii_dump ()

11.108.3.12 native Pointset_Powerset_Octagonal_Shape_double_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::begin_iterator ()

11.108.3.13 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_double *y*, Integer *d*)

11.108.3.14 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.108.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.108.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::bounds_from_above (Linear_Expression *expr*)

11.108.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::bounds_from_below (Linear_Expression *expr*)

11.108.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.108.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.108.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::build_cpp_object (Pointset_Powerset_Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.108.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::build_cpp_object (Pointset_Powerset_Octagonal_Shape_double *y*) [private]

11.108.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.108.3.24 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::build_cpp_object (Congruence_System *cs*) [private]

11.108.3.25 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_double().

11.108.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::concatenate_assign (Pointset_Powerset_Octagonal_Shape_double *p*)

11.108.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::constrains (Variable *var*)

11.108.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::contains (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::contains_integer_point ()

11.108.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::difference_assign (Pointset_Powerset_Octagonal_Shape_double *p*)

11.108.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::drop_disjunct (Pointset_Powerset_Octagonal_Shape_double_Iterator *itr*)

11.108.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_double_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_double_Iterator *itr2*)

11.108.3.33 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.108.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.108.3.35 native Pointset_Powerset_Octagonal_Shape_double_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::end_iterator ()

11.108.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_double.java.

References equals().

11.108.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::equals (Pointset_Powerset_Octagonal_Shape_double *p*)

Referenced by equals().

11.108.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::expand_space_dimension (Variable *var*, long *m*)

11.108.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::external_memory_in_bytes ()

11.108.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::finalize () `[protected]`

11.108.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.108.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::free ()

11.108.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.108.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.108.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.108.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.108.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::geometrically_covers (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double::geometrically_equals (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::hashCode ()

11.108.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::intersection_assign (Pointset_Powerset_Octagonal_Shape_double *p*)

11.108.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::is_bounded ()

11.108.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::is_discrete ()

11.108.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::is_empty ()

11.108.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::is_topologically_closed ()

11.108.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::is_universe ()

11.108.3.57 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::map_space_dimensions (Partial_Function *pfunc*)

11.108.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.108.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.108.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.108.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.108.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::OK ()

11.108.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::omega_reduce ()

11.108.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::pairwise_reduce ()

11.108.3.65 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::refine_with_congruence (Congruence *c*)

11.108.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::refine_with_congruences (Congruence_System *c*)

11.108.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::refine_with_constraint (Constraint *c*)

11.108.3.68 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::refine_with_constraints (Constraint_System *c*)

11.108.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double::relation_with (Congruence *c*)

11.108.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double::relation_with (Generator *c*)

11.108.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double::relation_with (Constraint *c*)

11.108.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::remove_higher_space_dimensions (long *new_dimension*)

11.108.3.73 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::remove_space_dimensions (Variables_Set *vars*)

11.108.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_double *p*)

11.108.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::size ()

11.108.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::space_dimension ()

11.108.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::strictly_contains (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::swap (Pointset_Powerset_Octagonal_Shape_double *y*)

11.108.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_double *p*)

11.108.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::topological_closure_assign ()

11.108.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::toString ()

11.108.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::total_memory_in_bytes ()

11.108.3.83 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double::unconstrain_space_dimension (Variable *var*)

11.108.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.108.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_double *p*)

11.108.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_double *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_double.java

11.109 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double_Iterator Class Reference


Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_-

Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_double_Iterator (Pointset_Powerset_Octagonal_Shape_double_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_double_Iterator itr)
- native void next ()
- native void prev ()
- native Octagonal_Shape_double get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_double_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_double obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_double_Iterator y)

11.109.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_double_Iterator.java.

11.109.2 Constructor & Destructor Documentation

11.109.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator::Pointset_Powerset_Octagonal_Shape_double_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_double_Iterator.java.

11.109.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double_Iterator::Pointset_Powerset_Octagonal_Shape_double_Iterator (Pointset_Powerset_Octagonal_Shape_double_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_double_Iterator.java.

References build_cpp_object().

11.109.3 Member Function Documentation

11.109.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_-Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_double_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_double_Iterator().

11.109.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_double *obj*) [private]

11.109.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-double_Iterator::equals (Pointset_Powerset_Octagonal_Shape_double_Iterator *itr*)

11.109.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_-Iterator::finalize () [protected]

11.109.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_-Iterator::free ()

11.109.3.6 native Octagonal_Shape_double parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double_Iterator::get_disjunct ()

11.109.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_-Iterator::next ()

11.109.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_double_Iterator.java


11.110 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_float (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_float (Pointset_Powerset_Octagonal_Shape_float y)
- Pointset_Powerset_Octagonal_Shape_float (Octagonal_Shape_float y)
- Pointset_Powerset_Octagonal_Shape_float (Pointset_Powerset_Octagonal_Shape_float y, Complexity_Class complexity)

- Pointset_Powerset_Octagonal_Shape_float (Octagonal_Shape_float y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_float (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_float (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_float y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_float p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_float p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_float p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_float p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_float p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_float p)

- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_float p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_float_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_float_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_float j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_float_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_float_Iterator itr1, Pointset_-Powerset_Octagonal_Shape_float_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_float y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_float y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_float ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_float y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)

11.110.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_float.java.

11.110.2 Constructor & Destructor Documentation

11.110.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_float.java.

11.110.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (Pointset_Powerset_Octagonal_Shape_float *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (Octagonal_Shape_float *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (Pointset_Powerset_Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::Pointset_Powerset_Octagonal_Shape_float (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_float.java.

References build_cpp_object().

11.110.3 Member Function Documentation

11.110.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::add_congruence (Congruence *c*)

11.110.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::add_congruences (Congruence_System *c*)

11.110.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::add_constraint (Constraint *c*)

11.110.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::add_constraints (Constraint_System *c*)

11.110.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::add_disjunct (Octagonal_Shape_float *j_disj*)

11.110.3.6 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::add_space_dimensions_and_embed (long *m*)

11.110.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::add_space_dimensions_and_project (long *m*)

11.110.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::affine_dimension ()

11.110.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.110.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.110.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::ascii_dump ()

11.110.3.12 native Pointset_Powerset_Octagonal_Shape_float_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::begin_iterator ()

11.110.3.13 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_float *y*, Integer *d*)

11.110.3.14 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.110.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.110.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::bounds_from_above (Linear_Expression *expr*)

11.110.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::bounds_from_below (Linear_Expression *expr*)

11.110.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.110.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.110.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (Pointset_Powerset_Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.110.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (Pointset_Powerset_Octagonal_Shape_float *y*) [private]

11.110.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.110.3.24 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (Congruence_System *cs*) [private]

11.110.3.25 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_float().

11.110.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::concatenate_assign (Pointset_Powerset_Octagonal_Shape_float *p*)

11.110.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::constrains (Variable *var*)

11.110.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::contains (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::contains_integer_point ()

11.110.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::difference_assign (Pointset_Powerset_Octagonal_Shape_float *p*)

11.110.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::drop_disjunct (Pointset_Powerset_Octagonal_Shape_float_Iterator *itr*)

11.110.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_float_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_float_Iterator *itr2*)

11.110.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::drop_some_non_integer_points (Integer *complexity_threshold*)

11.110.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.110.3.35 native Pointset_Powerset_Octagonal_Shape_float_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::end_iterator ()

11.110.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_float.java.

References equals().

11.110.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::equals (Pointset_Powerset_Octagonal_Shape_float *p*)

Referenced by equals().

11.110.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::expand_space_dimension (Variable *var*, long *m*)

11.110.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::external_memory_in_bytes ()

11.110.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::finalize () `[protected]`

11.110.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.110.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::free ()

11.110.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.110.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.110.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.110.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.110.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_float::geometrically_covers (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_float::geometrically_equals (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::hashCode ()

11.110.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_float::intersection_assign (Pointset_Powerset_Octagonal_Shape_float *p*)

11.110.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::is_bounded ()

11.110.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::is_discrete ()

11.110.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_float::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::is_empty ()

11.110.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::is_topologically_closed ()

11.110.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::is_universe ()

11.110.3.57 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::map_space_dimensions (Partial_Function *pfunc*)

11.110.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.110.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.110.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.110.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.110.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::OK ()

11.110.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::omega_reduce ()

11.110.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::pairwise_reduce ()

11.110.3.65 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::refine_with_congruence (Congruence *c*)

11.110.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_float::refine_with_congruences (Congruence_System *c*)

11.110.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::refine_with_constraint (Constraint *c*)

11.110.3.68 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::refine_with_constraints (Constraint_System *c*)

11.110.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float::relation_with (Congruence *c*)

11.110.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float::relation_with (Generator *c*)

11.110.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float::relation_with (Constraint *c*)

11.110.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::remove_higher_space_dimensions (long *new_dimension*)

11.110.3.73 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float::remove_space_dimensions (Variables_Set *vars*)

11.110.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_float *p*)

11.110.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::size ()

11.110.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::space_dimension ()

11.110.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::strictly_contains (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::swap (Pointset_Powerset_Octagonal_Shape_float *y*)

11.110.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_float *p*)

11.110.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::topological_closure_assign ()

11.110.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::toString ()

11.110.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::total_memory_in_bytes ()

11.110.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::unconstrain_space_dimension (Variable *var*)

11.110.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float::unconstrain_space_dimensions (Variables_Set *vars*)

11.110.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_float *p*)

11.110.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_float *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_float.java


11.111 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_float_Iterator (Pointset_Powerset_Octagonal_Shape_float_-Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_float_Iterator itr)

- native void next ()
- native void prev ()
- native Octagonal_Shape_float get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_float_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_float obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_float_Iterator y)

11.111.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_float_Iterator.java.

11.111.2 Constructor & Destructor Documentation

11.111.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_-Iterator::Pointset_Powerset_Octagonal_Shape_float_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_float_Iterator.java.

11.111.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-float_Iterator::Pointset_Powerset_Octagonal_Shape_float_Iterator (Pointset_Powerset_Octagonal_Shape_float_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_float_Iterator.java.

References build_cpp_object().

11.111.3 Member Function Documentation

11.111.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_-Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_float_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_float_Iterator().

11.111.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_float *obj*) [private]

11.111.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::equals (Pointset_Powerset_Octagonal_Shape_float_Iterator *itr*)

11.111.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::finalize () [protected]

11.111.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::free ()

11.111.3.6 native Octagonal_Shape_float parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::get_disjunct ()

11.111.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::next ()

11.111.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_float_Iterator.java


11.112 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int16_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_int16_t (Pointset_Powerset_Octagonal_Shape_int16_t y)
- Pointset_Powerset_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t y)
- Pointset_Powerset_Octagonal_Shape_int16_t (Pointset_Powerset_Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int16_t (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_int16_t (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int16_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_int16_t_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_int16_t_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_int16_t j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int16_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int16_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)

11.112.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

11.112.2 Constructor & Destructor Documentation

11.112.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

11.112.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (Pointset_Powerset_Octagonal_Shape_int16_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (Pointset_Powerset_Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::Pointset_Powerset_Octagonal_Shape_int16_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References build_cpp_object().

11.112.3 Member Function Documentation

11.112.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::add_congruence (Congruence *c*)

11.112.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::add_congruences (Congruence_System *c*)

11.112.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::add_constraint (Constraint *c*)

11.112.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::add_constraints (Constraint_System *c*)

11.112.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::add_disjunct (Octagonal_Shape_int16_t *j_disj*)

11.112.3.6 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::add_space_dimensions_and_embed (long *m*)

11.112.3.7 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::add_space_dimensions_and_project (long *m*)

11.112.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::affine_dimension ()

11.112.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.112.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.112.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::ascii_dump ()

11.112.3.12 native Pointset_Powerset_Octagonal_Shape_int16_t_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::begin_iterator ()

11.112.3.13 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int16_t *y*, Integer *d*)

11.112.3.14 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.112.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.112.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::bounds_from_above (Linear_Expression *expr*)

11.112.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::bounds_from_below (Linear_Expression *expr*)

11.112.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) `[private]`

11.112.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int16_t::build_cpp_object (Octagonal_Shape_int16_t *y*) `[private]`

11.112.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) `[private]`

11.112.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int16_t *y*) [private]

11.112.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.112.3.24 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::build_cpp_object (Congruence_System *cs*) [private]

11.112.3.25 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int16_t().

11.112.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::concatenate_assign (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

11.112.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::constrains (Variable *var*)

11.112.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int16_t::contains (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::contains_integer_point ()

11.112.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::difference_assign (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

11.112.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::drop_disjunct (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator *itr*)

11.112.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_int16_t_Iterator *itr2*)

11.112.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.112.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.112.3.35 native Pointset_Powerset_Octagonal_Shape_int16_t_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::end_iterator ()

11.112.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_int16_t.java.

References equals().

11.112.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::equals (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

Referenced by equals().

11.112.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::expand_space_dimension (Variable *var*, long *m*)

11.112.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::external_memory_in_bytes ()

11.112.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::finalize () `[protected]`

11.112.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.112.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::free ()

11.112.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.112.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.112.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.112.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.112.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::geometrically_covers (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::geometrically_equals (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::hashCode ()

11.112.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::intersection_assign (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

11.112.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::is_bounded ()

11.112.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::is_discrete ()

11.112.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int16_t::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::is_empty ()

11.112.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::is_topologically_closed ()

11.112.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::is_universe ()

11.112.3.57 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::map_space_dimensions (Partial_Function *pfunc*)

11.112.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.112.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.112.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.112.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.112.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::OK ()

11.112.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::omega_reduce ()

11.112.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::pairwise_reduce ()

11.112.3.65 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::refine_with_congruence (Congruence *c*)

11.112.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int16_t::refine_with_congruences (Congruence_System *c*)

11.112.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::refine_with_constraint (Constraint *c*)

11.112.3.68 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int16_t::refine_with_constraints (Constraint_System *c*)

11.112.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t::relation_with (Congruence *c*)

11.112.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t::relation_with (Generator *c*)

11.112.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t::relation_with (Constraint *c*)

11.112.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::remove_higher_space_dimensions (long *new_dimension*)

11.112.3.73 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t::remove_space_dimensions (Variables_Set *vars*)

11.112.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int16_t::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

11.112.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::size ()

11.112.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_-t::space_dimension ()

11.112.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int16_t::strictly_contains (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::swap (Pointset_Powerset_Octagonal_Shape_int16_t *y*)

11.112.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

11.112.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::topological_closure_assign ()

11.112.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::toString ()

11.112.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::total_memory_in_bytes ()

11.112.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::unconstrain_space_dimension (Variable *var*)

11.112.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.112.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int16_t *p*)

11.112.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int16_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int16_t.java


11.113 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int16_t_Iterator (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr)
- native void next ()
- native void prev ()
- native Octagonal_Shape_int16_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int16_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_int16_t obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator y)

11.113.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java.

11.113.2 Constructor & Destructor Documentation

11.113.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java.

11.113.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java.

References build_cpp_object().

11.113.3 Member Function Documentation

11.113.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int16_t_Iterator().

11.113.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_int16_t *obj*) [private]

11.113.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::equals (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator *itr*)

11.113.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::finalize () [protected]

11.113.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::free ()

11.113.3.6 native Octagonal_Shape_int16_t parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::get_disjunct ()

11.113.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::next ()

11.113.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java


11.114 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int32_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_int32_t (Pointset_Powerset_Octagonal_Shape_int32_t y)
- Pointset_Powerset_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t y)
- Pointset_Powerset_Octagonal_Shape_int32_t (Pointset_Powerset_Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int32_t (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_int32_t (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int32_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_int32_t_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_int32_t_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_int32_t j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int32_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int32_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)

11.114.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

11.114.2 Constructor & Destructor Documentation

11.114.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

11.114.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (Pointset_Powerset_Octagonal_Shape_int32_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (Pointset_Powerset_Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::Pointset_Powerset_Octagonal_Shape_int32_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References build_cpp_object().

11.114.3 Member Function Documentation

11.114.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::add_congruence (Congruence *c*)

11.114.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::add_congruences (Congruence_System *c*)

11.114.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::add_constraint (Constraint *c*)

11.114.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::add_constraints (Constraint_System *c*)

11.114.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::add_disjunct (Octagonal_Shape_int32_t *j_disj*)

11.114.3.6 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::add_space_dimensions_and_embed (long *m*)

11.114.3.7 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::add_space_dimensions_and_project (long *m*)

11.114.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::affine_dimension ()

11.114.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.114.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.114.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::ascii_dump ()

11.114.3.12 native Pointset_Powerset_Octagonal_Shape_int32_t_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::begin_iterator ()

11.114.3.13 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int32_t *y*, Integer *d*)

11.114.3.14 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.114.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.114.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::bounds_from_above (Linear_Expression *expr*)

11.114.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::bounds_from_below (Linear_Expression *expr*)

11.114.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.114.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int32_t::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.114.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.114.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int32_t *y*) [private]

11.114.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.114.3.24 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::build_cpp_object (Congruence_System *cs*) [private]

11.114.3.25 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int32_t().

11.114.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::concatenate_assign (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

11.114.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::constrains (Variable *var*)

11.114.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int32_t::contains (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::contains_integer_point ()

11.114.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::difference_assign (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

11.114.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::drop_disjunct (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator *itr*)

11.114.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_int32_t_Iterator *itr2*)

11.114.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.114.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.114.3.35 native Pointset_Powerset_Octagonal_Shape_int32_t_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::end_iterator ()

11.114.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_int32_t.java.

References equals().

11.114.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::equals (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

Referenced by equals().

11.114.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::expand_space_dimension (Variable *var*, long *m*)

11.114.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::external_memory_in_bytes ()

11.114.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::finalize () `[protected]`

11.114.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.114.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::free ()

11.114.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.114.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.114.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.114.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.114.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::geometrically_covers (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::geometrically_equals (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::hashCode ()

11.114.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::intersection_assign (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

11.114.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::is_bounded ()

11.114.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::is_discrete ()

11.114.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int32_t::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::is_empty ()

11.114.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::is_topologically_closed ()

11.114.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::is_universe ()

11.114.3.57 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::map_space_dimensions (Partial_Function *pfunc*)

11.114.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.114.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.114.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.114.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.114.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::OK ()

11.114.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::omega_reduce ()

11.114.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::pairwise_reduce ()

11.114.3.65 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::refine_with_congruence (Congruence *c*)

11.114.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int32_t::refine_with_congruences (Congruence_System *c*)

11.114.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::refine_with_constraint (Constraint *c*)

11.114.3.68 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int32_t::refine_with_constraints (Constraint_System *c*)

11.114.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t::relation_with (Congruence *c*)

11.114.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t::relation_with (Generator *c*)

11.114.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t::relation_with (Constraint *c*)

11.114.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::remove_higher_space_dimensions (long *new_dimension*)

11.114.3.73 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t::remove_space_dimensions (Variables_Set *vars*)

11.114.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int32_t::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

11.114.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::size ()

11.114.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t::space_dimension ()

11.114.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int32_t::strictly_contains (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::swap (Pointset_Powerset_Octagonal_Shape_int32_t *y*)

11.114.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

11.114.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::topological_closure_assign ()

11.114.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::toString ()

11.114.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::total_memory_in_bytes ()

11.114.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::unconstrain_space_dimension (Variable *var*)

11.114.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.114.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int32_t *p*)

11.114.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int32_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int32_t.java


11.115 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int32_t_Iterator (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr)
- native void next ()
- native void prev ()
- native Octagonal_Shape_int32_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int32_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_int32_t obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator y)

11.115.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java.

11.115.2 Constructor & Destructor Documentation

11.115.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java.

11.115.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java.

References build_cpp_object().

11.115.3 Member Function Documentation

11.115.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int32_t_Iterator().

11.115.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_int32_t *obj*) [private]

11.115.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::equals (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator *itr*)

11.115.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::finalize () [protected]

11.115.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::free ()

11.115.3.6 native Octagonal_Shape_int32_t parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::get_disjunct ()

11.115.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::next ()

11.115.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java


11.116 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int64_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_int64_t (Pointset_Powerset_Octagonal_Shape_int64_t y)
- Pointset_Powerset_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t y)
- Pointset_Powerset_Octagonal_Shape_int64_t (Pointset_Powerset_Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int64_t (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_int64_t (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int64_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_int64_t_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_int64_t_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_int64_t j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int64_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int64_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)

11.116.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

11.116.2 Constructor & Destructor Documentation

11.116.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

11.116.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (Pointset_Powerset_Octagonal_Shape_int64_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (Pointset_Powerset_Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::Pointset_Powerset_Octagonal_Shape_int64_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References build_cpp_object().

11.116.3 Member Function Documentation

11.116.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::add_congruence (Congruence *c*)

11.116.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::add_congruences (Congruence_System *c*)

11.116.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::add_constraint (Constraint *c*)

11.116.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::add_constraints (Constraint_System *c*)

11.116.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::add_disjunct (Octagonal_Shape_int64_t *j_disj*)

11.116.3.6 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::add_space_dimensions_and_embed (long *m*)

11.116.3.7 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::add_space_dimensions_and_project (long *m*)

11.116.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::affine_dimension ()

11.116.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.116.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.116.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::ascii_dump ()

11.116.3.12 native Pointset_Powerset_Octagonal_Shape_int64_t_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::begin_iterator ()

11.116.3.13 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int64_t *y*, Integer *d*)

11.116.3.14 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.116.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.116.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::bounds_from_above (Linear_Expression *expr*)

11.116.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::bounds_from_below (Linear_Expression *expr*)

11.116.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) `[private]`

11.116.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int64_t::build_cpp_object (Octagonal_Shape_int64_t *y*) `[private]`

11.116.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) `[private]`

11.116.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int64_t *y*) [private]

11.116.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.116.3.24 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::build_cpp_object (Congruence_System *cs*) [private]

11.116.3.25 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int64_t().

11.116.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::concatenate_assign (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

11.116.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::constrains (Variable *var*)

11.116.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int64_t::contains (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::contains_integer_point ()

11.116.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::difference_assign (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

11.116.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::drop_disjunct (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator *itr*)

11.116.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_int64_t_Iterator *itr2*)

11.116.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.116.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.116.3.35 native Pointset_Powerset_Octagonal_Shape_int64_t_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::end_iterator ()

11.116.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_int64_t.java.

References equals().

11.116.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::equals (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

Referenced by equals().

11.116.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::expand_space_dimension (Variable *var*, long *m*)

11.116.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::external_memory_in_bytes ()

11.116.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::finalize () `[protected]`

11.116.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.116.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::free ()

11.116.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.116.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.116.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.116.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.116.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::geometrically_covers (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::geometrically_equals (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::hashCode ()

11.116.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::intersection_assign (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

11.116.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::is_bounded ()

11.116.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::is_discrete ()

11.116.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int64_t::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::is_empty ()

11.116.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::is_topologically_closed ()

11.116.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::is_universe ()

11.116.3.57 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::map_space_dimensions (Partial_Function *pfunc*)

11.116.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.116.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.116.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.116.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.116.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::OK ()

11.116.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::omega_reduce ()

11.116.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::pairwise_reduce ()

11.116.3.65 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::refine_with_congruence (Congruence *c*)

11.116.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int64_t::refine_with_congruences (Congruence_System *c*)

11.116.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::refine_with_constraint (Constraint *c*)

11.116.3.68 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int64_t::refine_with_constraints (Constraint_System *c*)

11.116.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t::relation_with (Congruence *c*)

11.116.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t::relation_with (Generator *c*)

11.116.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t::relation_with (Constraint *c*)

11.116.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::remove_higher_space_dimensions (long *new_dimension*)

11.116.3.73 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t::remove_space_dimensions (Variables_Set *vars*)

11.116.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int64_t::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

11.116.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::size ()

11.116.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_-t::space_dimension ()

11.116.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int64_t::strictly_contains (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::swap (Pointset_Powerset_Octagonal_Shape_int64_t *y*)

11.116.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

11.116.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::topological_closure_assign ()

11.116.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::toString ()

11.116.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::total_memory_in_bytes ()

11.116.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::unconstrain_space_dimension (Variable *var*)

11.116.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.116.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int64_t *p*)

11.116.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int64_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int64_t.java


11.117 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int64_t_Iterator (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr)
- native void next ()
- native void prev ()
- native Octagonal_Shape_int64_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int64_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_int64_t obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator y)

11.117.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java.

11.117.2 Constructor & Destructor Documentation

11.117.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java.

11.117.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java.

References build_cpp_object().

11.117.3 Member Function Documentation

11.117.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int64_t_Iterator().

11.117.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_int64_t *obj*) [private]

11.117.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::equals (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator *itr*)

11.117.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::finalize () [protected]

11.117.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::free ()

11.117.3.6 native Octagonal_Shape_int64_t parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::get_disjunct ()

11.117.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::next ()

11.117.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java


11.118 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int8_t (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_int8_t (Pointset_Powerset_Octagonal_Shape_int8_t y)
- Pointset_Powerset_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t y)
- Pointset_Powerset_Octagonal_Shape_int8_t (Pointset_Powerset_Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_int8_t (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_int8_t (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int8_t p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_int8_t_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_int8_t_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_int8_t j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int8_t y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int8_t ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)

11.118.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

11.118.2 Constructor & Destructor Documentation

11.118.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

11.118.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (Pointset_Powerset_Octagonal_Shape_int8_t *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (Pointset_Powerset_Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::Pointset_Powerset_Octagonal_Shape_int8_t (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References build_cpp_object().

11.118.3 Member Function Documentation

11.118.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::add_congruence (Congruence *c*)

11.118.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::add_congruences (Congruence_System *c*)

11.118.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::add_constraint (Constraint *c*)

11.118.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::add_constraints (Constraint_System *c*)

11.118.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::add_disjunct (Octagonal_Shape_int8_t *j_disj*)

11.118.3.6 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::add_space_dimensions_and_embed (long *m*)

11.118.3.7 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::add_space_dimensions_and_project (long *m*)

11.118.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::affine_dimension ()

11.118.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.118.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.118.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::ascii_dump ()

11.118.3.12 native Pointset_Powerset_Octagonal_Shape_int8_t_Iterator parma_-polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::begin_iterator ()

11.118.3.13 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_int8_t *y*, Integer *d*)

11.118.3.14 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.118.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.118.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::bounds_from_above (Linear_Expression *expr*)

11.118.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::bounds_from_below (Linear_Expression *expr*)

11.118.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.118.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int8_t::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.118.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.118.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int8_t *y*) [private]

11.118.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.118.3.24 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::build_cpp_object (Congruence_System *cs*) [private]

11.118.3.25 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int8_t().

11.118.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::concatenate_assign (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

11.118.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::constrains (Variable *var*)

11.118.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::contains (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::contains_integer_point ()

11.118.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::difference_assign (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

11.118.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::drop_disjunct (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator *itr*)

11.118.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_int8_t_Iterator *itr2*)

11.118.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::drop_some_non_integer_points (Integer *complexity_threshold*)

11.118.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.118.3.35 native Pointset_Powerset_Octagonal_Shape_int8_t_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::end_iterator ()

11.118.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_int8_t.java.

References equals().

11.118.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::equals (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

Referenced by equals().

11.118.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::expand_space_dimension (Variable *var*, long *m*)

11.118.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::external_memory_in_bytes ()

11.118.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::finalize () `[protected]`

11.118.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.118.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::free ()

11.118.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.118.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.118.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.118.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.118.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::geometrically_covers (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::geometrically_equals (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::hashCode ()

11.118.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::intersection_assign (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

11.118.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::is_bounded ()

11.118.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::is_discrete ()

11.118.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::is_empty ()

11.118.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::is_topologically_closed ()

11.118.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::is_universe ()

11.118.3.57 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::map_space_dimensions (Partial_Function *pfunc*)

11.118.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.118.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.118.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.118.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.118.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::OK ()

11.118.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::omega_reduce ()

11.118.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::pairwise_reduce ()

11.118.3.65 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::refine_with_congruence (Congruence *c*)

11.118.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int8_t::refine_with_congruences (Congruence_System *c*)

11.118.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::refine_with_constraint (Constraint *c*)

11.118.3.68 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::refine_with_constraints (Constraint_System *c*)

11.118.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t::relation_with (Congruence *c*)

11.118.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t::relation_with (Generator *c*)

11.118.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t::relation_with (Constraint *c*)

11.118.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::remove_higher_space_dimensions (long *new_dimension*)

11.118.3.73 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t::remove_space_dimensions (Variables_Set *vars*)

11.118.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

11.118.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::size ()

11.118.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t::space_dimension ()

11.118.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_int8_t::strictly_contains (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::swap (Pointset_Powerset_Octagonal_Shape_int8_t *y*)

11.118.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

11.118.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::topological_closure_assign ()

11.118.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::toString ()

11.118.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::total_memory_in_bytes ()

11.118.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::unconstrain_space_dimension (Variable *var*)

11.118.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::unconstrain_space_dimensions (Variables_Set *vars*)

11.118.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_int8_t *p*)

11.118.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_int8_t *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int8_t.java


11.119 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >::iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_int8_t_Iterator (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr)
- native void next ()
- native void prev ()
- native Octagonal_Shape_int8_t get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_int8_t_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_int8_t obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator y)

11.119.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java.

11.119.2 Constructor & Destructor Documentation

11.119.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java.

11.119.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t_Iterator::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java.

References build_cpp_object().

11.119.3 Member Function Documentation

11.119.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_int8_t_Iterator().

11.119.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_-t_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_int8_t *obj*) [private]

11.119.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-int8_t_Iterator::equals (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator *itr*)

11.119.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator::finalize () `[protected]`

11.119.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator::free ()

11.119.3.6 native Octagonal_Shape_int8_t parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t_Iterator::get_disjunct ()

11.119.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator::next ()

11.119.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java


11.120 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_long_double (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_long_double (Pointset_Powerset_Octagonal_Shape_long_double y)
- Pointset_Powerset_Octagonal_Shape_long_double (Octagonal_Shape_long_double y)
- Pointset_Powerset_Octagonal_Shape_long_double (Pointset_Powerset_Octagonal_Shape_long_double y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_long_double (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_long_double (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_long_double (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_long_double y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()

- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_long_double p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_long_double p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_long_double p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_long_double_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_long_double_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_long_double j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr1, Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_long_double y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_long_double y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_long_double ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_long_double y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.120.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

11.120.2 Constructor & Destructor Documentation

11.120.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

11.120.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (Pointset_Powerset_Octagonal_Shape_long_double *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (Octagonal_Shape_long_double *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (Pointset_Powerset_Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::Pointset_Powerset_Octagonal_Shape_long_double (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References build_cpp_object().

11.120.3 Member Function Documentation

11.120.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_congruence (Congruence *c*)

11.120.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_congruences (Congruence_System *c*)

11.120.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_constraint (Constraint *c*)

11.120.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_constraints (Constraint_System *c*)

11.120.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_disjunct (Octagonal_Shape_long_double *j_disj*)

11.120.3.6 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_space_dimensions_and_embed (long *m*)

11.120.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::add_space_dimensions_and_project (long *m*)

11.120.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::affine_dimension ()

11.120.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.120.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.120.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::ascii_dump ()

11.120.3.12 native Pointset_Powerset_Octagonal_Shape_long_double_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::begin_iterator ()

11.120.3.13 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_long_double *y*, Integer *d*)

11.120.3.14 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.120.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.120.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::bounds_from_above (Linear_Expression *expr*)

11.120.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::bounds_from_below (Linear_Expression *expr*)

11.120.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.120.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.120.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (Pointset_Powerset_Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.120.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (Pointset_Powerset_Octagonal_Shape_long_double *y*) [private]

11.120.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.120.3.24 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (Congruence_System *cs*) [private]

11.120.3.25 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_long_double().

11.120.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::concatenate_assign (Pointset_Powerset_Octagonal_Shape_long_double *p*)

11.120.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::constrains (Variable *var*)

11.120.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::contains (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::contains_integer_point ()

11.120.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::difference_assign (Pointset_Powerset_Octagonal_Shape_long_double *p*)

11.120.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::drop_disjunct (Pointset_Powerset_Octagonal_Shape_long_double_Iterator *itr*)

11.120.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_long_double_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_long_double_Iterator *itr2*)

11.120.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::drop_some_non_integer_points (Integer *complexity_threshold*)

11.120.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.120.3.35 native Pointset_Powerset_Octagonal_Shape_long_double_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::end_iterator ()

11.120.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_long_double.java.

References equals().

11.120.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_long_double::equals (Pointset_Powerset_Octagonal_Shape_long_double *p*)

Referenced by equals().

11.120.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_long_double::expand_space_dimension (Variable *var*, long *m*)

11.120.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double::external_memory_in_bytes ()

11.120.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double::finalize () `[protected]`

11.120.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_long_double::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.120.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double::free ()

11.120.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.120.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.120.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.120.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.120.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::geometrically_covers (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::geometrically_equals (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::hashCode ()

11.120.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::intersection_assign (Pointset_Powerset_Octagonal_Shape_long_double *p*)

11.120.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::is_bounded ()

11.120.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::is_discrete ()

11.120.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::is_empty ()

11.120.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::is_topologically_closed ()

11.120.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::is_universe ()

11.120.3.57 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_long_double::map_space_dimensions (Partial_Function *pfunc*)

11.120.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.120.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.120.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-long_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.120.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.120.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::OK ()

11.120.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::omega_reduce ()

11.120.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::pairwise_reduce ()

11.120.3.65 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::refine_with_congruence (Congruence *c*)

11.120.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::refine_with_congruences (Congruence_System *c*)

11.120.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::refine_with_constraint (Constraint *c*)

11.120.3.68 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::refine_with_constraints (Constraint_System *c*)

11.120.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_double::relation_with (Congruence *c*)

11.120.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_double::relation_with (Generator *c*)

11.120.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_double::relation_with (Constraint *c*)

11.120.3.72 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_long_double::remove_higher_space_dimensions (long *new_dimension*)

11.120.3.73 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_long_double::remove_space_dimensions (Variables_Set *vars*)

11.120.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_long_double::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_long_double *p*)

11.120.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double::size ()

11.120.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-double::space_dimension ()

11.120.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::strictly_contains (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::swap (Pointset_Powerset_Octagonal_Shape_long_double *y*)

11.120.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_long_double *p*)

11.120.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::topological_closure_assign ()

11.120.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::toString ()

11.120.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::total_memory_in_bytes ()

11.120.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::unconstrain_space_dimension (Variable *var*)

11.120.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::unconstrain_space_dimensions (Variables_Set *vars*)

11.120.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_long_double *p*)

11.120.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_long_double *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_long_double.java


11.121 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_long_double_Iterator (Pointset_Powerset_Octagonal_Shape_long_double_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr)

- native void next ()
- native void prev ()
- native Octagonal_Shape_long_double get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_long_double_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_long_double obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_long_double_Iterator y)

11.121.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java.

11.121.2 Constructor & Destructor Documentation

11.121.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::Pointset_Powerset_Octagonal_Shape_long_double_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java.

11.121.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::Pointset_Powerset_Octagonal_Shape_long_double_Iterator (Pointset_Powerset_Octagonal_Shape_long_double_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java.

References build_cpp_object().

11.121.3 Member Function Documentation

11.121.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_long_double_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_long_double_Iterator().

11.121.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_long_double *obj*) [private]

11.121.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::equals (Pointset_Powerset_Octagonal_Shape_long_double_Iterator *itr*)

11.121.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::finalize () [protected]

11.121.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::free ()

11.121.3.6 native Octagonal_Shape_long_double parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::get_disjunct ()

11.121.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::next ()

11.121.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java


11.122 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_mpq_class (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_mpq_class (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- Pointset_Powerset_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class y)
- Pointset_Powerset_Octagonal_Shape_mpq_class (Pointset_Powerset_Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_mpq_class (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_mpq_class (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()

- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)

- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_mpq_class j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr1, Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_mpq_class y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_mpq_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)

11.122.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

11.122.2 Constructor & Destructor Documentation

11.122.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

11.122.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (Pointset_Powerset_Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (Pointset_Powerset_Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::Pointset_Powerset_Octagonal_Shape_mpq_class (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References build_cpp_object().

11.122.3 Member Function Documentation

11.122.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_congruence (Congruence *c*)

11.122.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_congruences (Congruence_System *c*)

11.122.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_constraint (Constraint *c*)

11.122.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_constraints (Constraint_System *c*)

11.122.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_disjunct (Octagonal_Shape_mpq_class *j_disj*)

11.122.3.6 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_space_dimensions_and_embed (long *m*)

11.122.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::add_space_dimensions_and_project (long *m*)

11.122.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::affine_dimension ()

11.122.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.122.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.122.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::ascii_dump ()

11.122.3.12 native Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::begin_iterator ()

11.122.3.13 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *y*, Integer *d*)

11.122.3.14 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.122.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.122.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::bounds_from_above (Linear_Expression *expr*)

11.122.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::bounds_from_below (Linear_Expression *expr*)

11.122.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) `[private]`

11.122.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::build_cpp_object (Octagonal_Shape_mpq_class *y*) `[private]`

11.122.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.122.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpq_class *y*) [private]

11.122.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.122.3.24 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::build_cpp_object (Congruence_System *cs*) [private]

11.122.3.25 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_mpq_class().

11.122.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::concatenate_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

11.122.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::constrains (Variable *var*)

11.122.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::contains (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::contains_integer_point ()

11.122.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::difference_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

11.122.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::drop_disjunct (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator *itr*)

11.122.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator *itr2*)

11.122.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.122.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.122.3.35 native Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::end_iterator ()

11.122.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_mpq_class.java.

References equals().

11.122.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::equals (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

Referenced by equals().

11.122.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::expand_space_dimension (Variable *var*, long *m*)

11.122.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::external_memory_in_bytes ()

11.122.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::finalize () `[protected]`

11.122.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.122.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::free ()

11.122.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.122.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.122.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.122.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.122.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::geometrically_covers (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::geometrically_equals (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::hashCode ()

11.122.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::intersection_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

11.122.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::is_bounded ()

11.122.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::is_discrete ()

11.122.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::is_empty ()

11.122.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::is_topologically_closed ()

11.122.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::is_universe ()

11.122.3.57 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::map_space_dimensions (Partial_Function *pfunc*)

11.122.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.122.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.122.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.122.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.122.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::OK ()

11.122.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::omega_reduce ()

11.122.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::pairwise_reduce ()

11.122.3.65 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpq_class::refine_with_congruence (Congruence *c*)

11.122.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::refine_with_congruences (Congruence_System *c*)

11.122.3.67 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpq_class::refine_with_constraint (Constraint *c*)

11.122.3.68 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::refine_with_constraints (Constraint_System *c*)

11.122.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class::relation_with (Congruence *c*)

11.122.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class::relation_with (Generator *c*)

11.122.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class::relation_with (Constraint *c*)

11.122.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpq_class::remove_higher_space_dimensions (long *new_dimension*)

11.122.3.73 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::remove_space_dimensions (Variables_Set *vars*)

11.122.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpq_class::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

11.122.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::size ()

11.122.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::space_dimension ()

11.122.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::strictly_contains (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::swap (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)

11.122.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpq_class::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

11.122.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::topological_closure_assign ()

11.122.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::toString ()

11.122.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class::total_memory_in_bytes ()

11.122.3.83 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpq_class::unconstrain_space_dimension (Variable *var*)

11.122.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpq_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.122.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_mpq_class *p*)

11.122.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_mpq_class *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpq_class.java


11.123 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr)

- native void next ()
- native void prev ()
- native Octagonal_Shape_mpq_class get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_mpq_class obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator y)

11.123.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java.

11.123.2 Constructor & Destructor Documentation

11.123.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java.

11.123.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java.

References build_cpp_object().

11.123.3 Member Function Documentation

11.123.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator().

11.123.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_mpq_class *obj*) [private]

11.123.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::equals (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator *itr*)

11.123.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::finalize () [protected]

11.123.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::free ()

11.123.3.6 native Octagonal_Shape_mpq_class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::get_disjunct ()

11.123.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::next ()

11.123.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java


11.124 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_mpz_class (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Octagonal_Shape_mpz_class (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- Pointset_Powerset_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class y)
- Pointset_Powerset_Octagonal_Shape_mpz_class (Pointset_Powerset_Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Pointset_Powerset_Octagonal_Shape_mpz_class (Constraint_System cs)
- Pointset_Powerset_Octagonal_Shape_mpz_class (Congruence_System cs)
- native void swap (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()

- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean strictly_contains (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean is_disjoint_from (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean geometrically_covers (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean geometrically_equals (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void upper_bound_assign (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void difference_assign (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void concatenate_assign (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void time_elapse_assign (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)

- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator begin_iterator ()
- native Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator end_iterator ()
- native void add_disjunct (Octagonal_Shape_mpz_class j_disj)
- native void drop_disjunct (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr1, Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr2)
- native void BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native void BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_mpz_class y, Integer d)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_mpz_class ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)

11.124.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

Definition at line 33 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

11.124.2 Constructor & Destructor Documentation

11.124.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class () [inline, private]

Definition at line 45 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

11.124.2.3 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (Pointset_Powerset_Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.2.4 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.2.5 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (Pointset_Powerset_Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.2.6 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.2.7 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.2.8 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::Pointset_Powerset_Octagonal_Shape_mpz_class (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References build_cpp_object().

11.124.3 Member Function Documentation

11.124.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_congruence (Congruence *c*)

11.124.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_congruences (Congruence_System *c*)

11.124.3.3 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_constraint (Constraint *c*)

11.124.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_constraints (Constraint_System *c*)

11.124.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_disjunct (Octagonal_Shape_mpz_class *j_disj*)

11.124.3.6 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_space_dimensions_and_embed (long *m*)

11.124.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::add_space_dimensions_and_project (long *m*)

11.124.3.8 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::affine_dimension ()

11.124.3.9 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.124.3.10 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.124.3.11 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::ascii_dump ()

11.124.3.12 native Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::begin_iterator ()

11.124.3.13 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::BGP99_BHMZ05_extrapolation_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *y*, Integer *d*)

11.124.3.14 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::BHZ03_H79_BHMZ05_widening_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.15 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.124.3.16 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.124.3.17 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::bounds_from_above (Linear_Expression *expr*)

11.124.3.18 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::bounds_from_below (Linear_Expression *expr*)

11.124.3.19 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) `[private]`

11.124.3.20 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (Octagonal_Shape_mpz_class *y*) `[private]`

11.124.3.21 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.124.3.22 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpz_class *y*) [private]

11.124.3.23 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.124.3.24 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (Congruence_System *cs*) [private]

11.124.3.25 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_mpz_class().

11.124.3.26 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::concatenate_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

11.124.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::constrains (Variable *var*)

11.124.3.28 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::contains (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.29 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::contains_integer_point ()

11.124.3.30 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::difference_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

11.124.3.31 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::drop_disjunct (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator *itr*)

11.124.3.32 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::drop_disjuncts (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator *itr1*, Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator *itr2*)

11.124.3.33 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::drop_some_non_integer_points (Integer *complexity_threshold*)

11.124.3.34 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.124.3.35 native Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::end_iterator ()

11.124.3.36 boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Octagonal_Shape_mpz_class.java.

References equals().

11.124.3.37 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpz_class::equals (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

Referenced by equals().

11.124.3.38 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpz_class::expand_space_dimension (Variable *var*, long *m*)

11.124.3.39 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_-class::external_memory_in_bytes ()

11.124.3.40 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_-class::finalize () `[protected]`

11.124.3.41 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpz_class::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.124.3.42 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_-class::free ()

11.124.3.43 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_-class::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.124.3.44 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.124.3.45 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.124.3.46 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.124.3.47 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::geometrically_covers (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.48 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::geometrically_equals (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.49 native int parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::hashCode ()

11.124.3.50 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::intersection_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

11.124.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::is_bounded ()

11.124.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::is_discrete ()

11.124.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::is_disjoint_from (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::is_empty ()

11.124.3.55 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::is_topologically_closed ()

11.124.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::is_universe ()

11.124.3.57 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpz_class::map_space_dimensions (Partial_Function *pfunc*)

11.124.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.124.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.124.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_-mpz_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.124.3.61 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.124.3.62 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::OK ()

11.124.3.63 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::omega_reduce ()

11.124.3.64 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::pairwise_reduce ()

11.124.3.65 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::refine_with_congruence (Congruence *c*)

11.124.3.66 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::refine_with_congruences (Congruence_System *c*)

11.124.3.67 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::refine_with_constraint (Constraint *c*)

11.124.3.68 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::refine_with_constraints (Constraint_System *c*)

11.124.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class::relation_with (Congruence *c*)

11.124.3.70 native Poly_Gen_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class::relation_with (Generator *c*)

11.124.3.71 native Poly_Con_Relation parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class::relation_with (Constraint *c*)

11.124.3.72 native void parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpz_class::remove_higher_space_dimensions (long *new_dimension*)

11.124.3.73 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_-Shape_mpz_class::remove_space_dimensions (Variables_Set *vars*)

11.124.3.74 native boolean parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpz_class::simplify_using_context_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

11.124.3.75 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_-class::size ()

11.124.3.76 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_-class::space_dimension ()

11.124.3.77 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::strictly_contains (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.78 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::swap (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)

11.124.3.79 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::time_elapse_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

11.124.3.80 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::topological_closure_assign ()

11.124.3.81 native String parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::toString ()

11.124.3.82 native long parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::total_memory_in_bytes ()

11.124.3.83 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::unconstrain_space_dimension (Variable *var*)

11.124.3.84 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::unconstrain_space_dimensions (Variables_Set *vars*)

11.124.3.85 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::upper_bound_assign (Pointset_Powerset_Octagonal_Shape_mpz_class *p*)

11.124.3.86 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class::upper_bound_assign_if_exact (Pointset_Powerset_Octagonal_Shape_mpz_class *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpz_class.java


11.125 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator:



Public Member Functions

- Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator y)
- native boolean equals (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr)

- native void next ()
- native void prev ()
- native Octagonal_Shape_mpz_class get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Octagonal_Shape_mpz_class obj)
- native void build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator y)

11.125.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator.

Definition at line 30 of file Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java.

11.125.2 Constructor & Destructor Documentation

11.125.2.1 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java.

11.125.2.2 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java.

References build_cpp_object().

11.125.3 Member Function Documentation

11.125.3.1 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::build_cpp_object (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator *y*) [private]

Referenced by Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator().

11.125.3.2 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::build_ppl_object (Pointset_Powerset_Octagonal_Shape_mpz_class *obj*) [private]

11.125.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::equals (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator *itr*)

11.125.3.4 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::finalize () [protected]

11.125.3.5 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::free ()

11.125.3.6 native Octagonal_Shape_mpz_class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::get_disjunct ()

11.125.3.7 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::next ()

11.125.3.8 native void parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java


11.126 parma_polyhedra_library::Pointset_Powerset_Rational_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Rational_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Rational_Box:



Public Member Functions

- Pointset_Powerset_Rational_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Rational_Box (Pointset_Powerset_Rational_Box y)
- Pointset_Powerset_Rational_Box (Rational_Box y)
- Pointset_Powerset_Rational_Box (Pointset_Powerset_Rational_Box y, Complexity_Class complexity)
- Pointset_Powerset_Rational_Box (Rational_Box y, Complexity_Class complexity)
- Pointset_Powerset_Rational_Box (Constraint_System cs)
- Pointset_Powerset_Rational_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Rational_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)

- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Rational_Box y)
- native boolean strictly_contains (Pointset_Powerset_Rational_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Rational_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Rational_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Rational_Box y)
- native boolean equals (Pointset_Powerset_Rational_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Rational_Box p)
- native void upper_bound_assign (Pointset_Powerset_Rational_Box p)
- native void difference_assign (Pointset_Powerset_Rational_Box p)
- native void concatenate_assign (Pointset_Powerset_Rational_Box p)
- native void time_elapse_assign (Pointset_Powerset_Rational_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Rational_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Rational_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)

- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Rational_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Rational_Box_Iterator end_iterator ()
- native void add_disjunct (Rational_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Rational_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Rational_Box_Iterator itr1, Pointset_Powerset_Rational_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Rational_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Rational_Box y)
- native void build_cpp_object (Pointset_Powerset_Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)

11.126.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

Definition at line 33 of file Pointset_Powerset_Rational_Box.java.

11.126.2 Constructor & Destructor Documentation

11.126.2.1 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.2.2 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Rational_Box.java.

11.126.2.3 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (Pointset_Powerset_Rational_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.2.4 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (Rational_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.2.5 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (Pointset_Powerset_Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.2.6 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.2.7 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.2.8 parma_polyhedra_library::Pointset_Powerset_Rational_Box::Pointset_Powerset_Rational_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Rational_Box.java.

References build_cpp_object().

11.126.3 Member Function Documentation

11.126.3.1 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_congruence (Congruence *c*)

11.126.3.2 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_congruences (Congruence_System *c*)

11.126.3.3 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_constraint (Constraint *c*)

11.126.3.4 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_constraints (Constraint_System *c*)

11.126.3.5 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_disjunct (Rational_Box *j_disj*)

11.126.3.6 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_space_dimensions_and_embed (long *m*)

11.126.3.7 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::add_space_dimensions_and_project (long *m*)

11.126.3.8 native long parma_polyhedra_library::Pointset_Powerset_Rational_Box::affine_dimension ()

11.126.3.9 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.126.3.10 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.126.3.11 native String parma_polyhedra_library::Pointset_Powerset_Rational_Box::ascii_dump ()

11.126.3.12 native Pointset_Powerset_Rational_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Rational_Box::begin_iterator ()

11.126.3.13 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.126.3.14 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.126.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::bounds_from_above (Linear_Expression *expr*)

11.126.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::bounds_from_below (Linear_Expression *expr*)

11.126.3.17 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.126.3.18 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (Rational_Box *y*) [private]

11.126.3.19 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (Pointset_Powerset_Rational_Box *y*, Complexity_Class *complexity*) [private]

11.126.3.20 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (Pointset_Powerset_Rational_Box *y*) [private]

11.126.3.21 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.126.3.22 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (Congruence_System *cs*) [private]

11.126.3.23 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Rational_Box().

11.126.3.24 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::concatenate_assign (Pointset_Powerset_Rational_Box *p*)

11.126.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::constrains (Variable *var*)

11.126.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::contains (Pointset_Powerset_Rational_Box *y*)

11.126.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::contains_integer_point ()

11.126.3.28 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::difference_assign (Pointset_Powerset_Rational_Box *p*)

11.126.3.29 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::drop_disjunct (Pointset_Powerset_Rational_Box_Iterator *itr*)

11.126.3.30 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::drop_disjuncts (Pointset_Powerset_Rational_Box_Iterator *itr1*, Pointset_Powerset_Rational_Box_Iterator *itr2*)

11.126.3.31 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.126.3.32 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.126.3.33 native Pointset_Powerset_Rational_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Rational_Box::end_iterator ()

11.126.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_Rational_Box.java.

References equals().

11.126.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::equals (Pointset_Powerset_Rational_Box *p*)

Referenced by equals().

11.126.3.36 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::expand_space_dimension (Variable *var*, long *m*)

11.126.3.37 native long parma_polyhedra_library::Pointset_Powerset_Rational_Box::external_memory_in_bytes ()

11.126.3.38 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::finalize () [protected]

11.126.3.39 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.126.3.40 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::free ()

11.126.3.41 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.126.3.42 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.126.3.43 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.126.3.44 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.126.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::geometrically_covers (Pointset_Powerset_Rational_Box *y*)

11.126.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::geometrically_equals (Pointset_Powerset_Rational_Box *y*)

11.126.3.47 native int parma_polyhedra_library::Pointset_Powerset_Rational_Box::hashCode ()

11.126.3.48 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::intersection_assign (Pointset_Powerset_Rational_Box *p*)

11.126.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::is_bounded ()

11.126.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::is_discrete ()

11.126.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::is_disjoint_from (Pointset_Powerset_Rational_Box *y*)

11.126.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::is_empty ()

11.126.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::is_topologically_closed ()

11.126.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::is_universe ()

11.126.3.55 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::map_space_dimensions (Partial_Function *pfunc*)

11.126.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.126.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.126.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.126.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.126.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::OK ()

11.126.3.61 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::omega_reduce ()

11.126.3.62 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::pairwise_reduce ()

11.126.3.63 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::refine_with_congruence (Congruence *c*)

11.126.3.64 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::refine_with_congruences (Congruence_System *c*)

11.126.3.65 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::refine_with_constraint (Constraint *c*)

11.126.3.66 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::refine_with_constraints (Constraint_System *c*)

11.126.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Rational_Box::relation_with (Congruence *c*)

11.126.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Rational_Box::relation_with (Generator *c*)

11.126.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Rational_Box::relation_with (Constraint *c*)

11.126.3.70 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::remove_higher_space_dimensions (long *new_dimension*)

11.126.3.71 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::remove_space_dimensions (Variables_Set *vars*)

11.126.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::simplify_using_context_assign (Pointset_Powerset_Rational_Box *p*)

11.126.3.73 native long parma_polyhedra_library::Pointset_Powerset_Rational_Box::size ()

11.126.3.74 native long parma_polyhedra_library::Pointset_Powerset_Rational_Box::space_dimension ()

11.126.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::strictly_contains (Pointset_Powerset_Rational_Box *y*)

11.126.3.76 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::swap (Pointset_Powerset_Rational_Box *y*)

11.126.3.77 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::time_elapse_assign (Pointset_Powerset_Rational_Box *p*)

11.126.3.78 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::topological_closure_assign ()

11.126.3.79 native String parma_polyhedra_library::Pointset_Powerset_Rational_Box::toString ()

11.126.3.80 native long parma_polyhedra_library::Pointset_Powerset_Rational_Box::total_memory_in_bytes ()

11.126.3.81 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::unconstrain_space_dimension (Variable *var*)

11.126.3.82 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.126.3.83 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box::upper_bound_assign (Pointset_Powerset_Rational_Box *p*)

11.126.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_Box::upper_bound_assign_if_exact (Pointset_Powerset_Rational_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Rational_Box.java


11.127 parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Rational_Box_Iterator (Pointset_Powerset_Rational_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Rational_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Rational_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Rational_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Rational_Box obj)
- native void build_cpp_object (Pointset_Powerset_Rational_Box_Iterator y)

11.127.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Rational_Box_Iterator.java.

11.127.2 Constructor & Destructor Documentation

11.127.2.1 parma_polyhedra_library::Pointset_Powerset_Rational_Box_-Iterator::Pointset_Powerset_Rational_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Rational_Box_Iterator.java.

11.127.2.2 parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator::Pointset_-Powerset_Rational_Box_Iterator (Pointset_Powerset_Rational_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Rational_Box_Iterator.java.

References build_cpp_object().

11.127.3 Member Function Documentation

11.127.3.1 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box_-Iterator::build_cpp_object (Pointset_Powerset_Rational_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Rational_Box_Iterator().

11.127.3.2 native void parma_polyhedra_library::Pointset_Powerset_Rational_-Box_Iterator::build_ppl_object (Pointset_Powerset_Rational_Box *obj*) [private]

11.127.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Rational_-Box_Iterator::equals (Pointset_Powerset_Rational_Box_Iterator *itr*)

11.127.3.4 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box_-Iterator::finalize () [protected]

11.127.3.5 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator::free ()

11.127.3.6 native Rational_Box parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator::get_disjunct ()

11.127.3.7 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator::next ()

11.127.3.8 native void parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Rational_Box_Iterator.java


11.128 parma_polyhedra_library::Pointset_Powerset_Uint16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint16_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint16_Box:



Public Member Functions

- Pointset_Powerset_Uint16_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Uint16_Box (Pointset_Powerset_Uint16_Box y)
- Pointset_Powerset_Uint16_Box (Uint16_Box y)
- Pointset_Powerset_Uint16_Box (Pointset_Powerset_Uint16_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint16_Box (Uint16_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint16_Box (Constraint_System cs)
- Pointset_Powerset_Uint16_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Uint16_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Uint16_Box y)
- native boolean strictly_contains (Pointset_Powerset_Uint16_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Uint16_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Uint16_Box y)

- native boolean geometrically_equals (Pointset_Powerset_Uint16_Box y)
- native boolean equals (Pointset_Powerset_Uint16_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Uint16_Box p)
- native void upper_bound_assign (Pointset_Powerset_Uint16_Box p)
- native void difference_assign (Pointset_Powerset_Uint16_Box p)
- native void concatenate_assign (Pointset_Powerset_Uint16_Box p)
- native void time_elapse_assign (Pointset_Powerset_Uint16_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Uint16_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Uint16_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Uint16_Box_Iterator begin_iterator ()

- native Pointset_Powerset_Uint16_Box_Iterator end_iterator ()
- native void add_disjunct (Uint16_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Uint16_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Uint16_Box_Iterator itr1, Pointset_Powerset_Uint16_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint16_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Uint16_Box y)
- native void build_cpp_object (Pointset_Powerset_Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)

11.128.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

Definition at line 33 of file Pointset_Powerset_Uint16_Box.java.

11.128.2 Constructor & Destructor Documentation

11.128.2.1 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (long *num_dimensions*, Degenerate_Element *kind*) `[inline]`

Definition at line 40 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.2.2 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box () `[inline, private]`

Definition at line 45 of file Pointset_Powerset_Uint16_Box.java.

11.128.2.3 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (Pointset_Powerset_Uint16_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.2.4 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (Uint16_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.2.5 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (Pointset_Powerset_Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.2.6 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.2.7 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.2.8 parma_polyhedra_library::Pointset_Powerset_Uint16_Box::Pointset_Powerset_Uint16_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Uint16_Box.java.

References build_cpp_object().

11.128.3 Member Function Documentation

11.128.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_congruence (Congruence *c*)

11.128.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_congruences (Congruence_System *c*)

11.128.3.3 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_constraint (Constraint *c*)

11.128.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_constraints (Constraint_System *c*)

11.128.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_disjunct (Uint16_Box *j_disj*)

11.128.3.6 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_space_dimensions_and_embed (long *m*)

11.128.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::add_space_dimensions_and_project (long *m*)

11.128.3.8 native long parma_polyhedra_library::Pointset_Powerset_Uint16_Box::affine_dimension ()

11.128.3.9 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.128.3.10 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.128.3.11 native String parma_polyhedra_library::Pointset_Powerset_Uint16_Box::ascii_dump ()

11.128.3.12 native Pointset_Powerset_Uint16_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint16_Box::begin_iterator ()

11.128.3.13 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.128.3.14 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.128.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::bounds_from_above (Linear_Expression *expr*)

11.128.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::bounds_from_below (Linear_Expression *expr*)

11.128.3.17 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) `[private]`

11.128.3.18 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (Uint16_Box *y*) `[private]`

11.128.3.19 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (Pointset_Powerset_Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.128.3.20 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (Pointset_Powerset_Uint16_Box *y*) [private]

11.128.3.21 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.128.3.22 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (Congruence_System *cs*) [private]

11.128.3.23 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Uint16_Box().

11.128.3.24 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::concatenate_assign (Pointset_Powerset_Uint16_Box *p*)

11.128.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::constrains (Variable *var*)

11.128.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::contains (Pointset_Powerset_Uint16_Box *y*)

11.128.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::contains_integer_point ()

11.128.3.28 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::difference_assign (Pointset_Powerset_Uint16_Box *p*)

11.128.3.29 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::drop_disjunct (Pointset_Powerset_Uint16_Box_Iterator *itr*)

11.128.3.30 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::drop_disjuncts (Pointset_Powerset_Uint16_Box_Iterator *itr1*, Pointset_Powerset_Uint16_Box_Iterator *itr2*)

11.128.3.31 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.128.3.32 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.128.3.33 native Pointset_Powerset_Uint16_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint16_Box::end_iterator ()

11.128.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Uint16_Box.java.

References equals().

11.128.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::equals (Pointset_Powerset_Uint16_Box *p*)

Referenced by equals().

11.128.3.36 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::expand_space_dimension (Variable *var*, long *m*)

11.128.3.37 native long parma_polyhedra_library::Pointset_Powerset_Uint16_Box::external_memory_in_bytes ()

11.128.3.38 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::finalize () `[protected]`

11.128.3.39 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.128.3.40 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::free ()

11.128.3.41 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.128.3.42 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.128.3.43 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.128.3.44 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.128.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::geometrically_covers (Pointset_Powerset_Uint16_Box *y*)

11.128.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::geometrically_equals (Pointset_Powerset_Uint16_Box *y*)

11.128.3.47 native int parma_polyhedra_library::Pointset_Powerset_Uint16_Box::hashCode ()

11.128.3.48 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::intersection_assign (Pointset_Powerset_Uint16_Box *p*)

11.128.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::is_bounded ()

11.128.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::is_discrete ()

11.128.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::is_disjoint_from (Pointset_Powerset_Uint16_Box *y*)

11.128.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::is_empty ()

11.128.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::is_topologically_closed ()

11.128.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::is_universe ()

11.128.3.55 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::map_space_dimensions (Partial_Function *pfunc*)

11.128.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.128.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.128.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.128.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.128.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::OK ()

11.128.3.61 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::omega_reduce ()

11.128.3.62 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::pairwise_reduce ()

11.128.3.63 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::refine_with_congruence (Congruence *c*)

11.128.3.64 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::refine_with_congruences (Congruence_System *c*)

11.128.3.65 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::refine_with_constraint (Constraint *c*)

11.128.3.66 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::refine_with_constraints (Constraint_System *c*)

11.128.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint16_Box::relation_with (Congruence *c*)

11.128.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Uint16_Box::relation_with (Generator *c*)

11.128.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint16_Box::relation_with (Constraint *c*)

11.128.3.70 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::remove_higher_space_dimensions (long *new_dimension*)

11.128.3.71 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::remove_space_dimensions (Variables_Set *vars*)

11.128.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::simplify_using_context_assign (Pointset_Powerset_Uint16_Box *p*)

11.128.3.73 native long parma_polyhedra_library::Pointset_Powerset_Uint16_Box::size ()

11.128.3.74 native long parma_polyhedra_library::Pointset_Powerset_Uint16_Box::space_dimension ()

11.128.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::strictly_contains (Pointset_Powerset_Uint16_Box *y*)

11.128.3.76 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::swap (Pointset_Powerset_Uint16_Box *y*)

11.128.3.77 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::time_elapse_assign (Pointset_Powerset_Uint16_Box *p*)

11.128.3.78 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::topological_closure_assign ()

11.128.3.79 native String parma_polyhedra_library::Pointset_Powerset_Uint16_Box::toString ()

11.128.3.80 native long parma_polyhedra_library::Pointset_Powerset_Uint16_Box::total_memory_in_bytes ()

11.128.3.81 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::unconstrain_space_dimension (Variable *var*)

11.128.3.82 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.128.3.83 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box::upper_bound_assign (Pointset_Powerset_Uint16_Box *p*)

11.128.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box::upper_bound_assign_if_exact (Pointset_Powerset_Uint16_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint16_Box.java


11.129 parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Uint16_Box_Iterator (Pointset_Powerset_Uint16_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Uint16_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Uint16_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint16_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Uint16_Box obj)
- native void build_cpp_object (Pointset_Powerset_Uint16_Box_Iterator y)

11.129.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Uint16_Box_Iterator.java.

11.129.2 Constructor & Destructor Documentation

11.129.2.1 parma_polyhedra_library::Pointset_Powerset_Uint16_Box_-Iterator::Pointset_Powerset_Uint16_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Uint16_Box_Iterator.java.

11.129.2.2 parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::Pointset_Powerset_Uint16_Box_Iterator (Pointset_Powerset_Uint16_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Uint16_Box_Iterator.java.

References build_cpp_object().

11.129.3 Member Function Documentation

11.129.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::build_cpp_object (Pointset_Powerset_Uint16_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Uint16_Box_Iterator().

11.129.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::build_ppl_object (Pointset_Powerset_Uint16_Box *obj*) [private]

11.129.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::equals (Pointset_Powerset_Uint16_Box_Iterator *itr*)

11.129.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::finalize () [protected]

11.129.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::free ()

11.129.3.6 native Uint16_Box parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::get_disjunct ()

11.129.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::next ()

11.129.3.8 native void parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint16_Box_Iterator.java


11.130 parma_polyhedra_library::Pointset_Powerset_Uint32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint32_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint32_Box:



Public Member Functions

- Pointset_Powerset_Uint32_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Uint32_Box (Pointset_Powerset_Uint32_Box y)
- Pointset_Powerset_Uint32_Box (Uint32_Box y)
- Pointset_Powerset_Uint32_Box (Pointset_Powerset_Uint32_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint32_Box (Uint32_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint32_Box (Constraint_System cs)
- Pointset_Powerset_Uint32_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Uint32_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)

- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Uint32_Box y)
- native boolean strictly_contains (Pointset_Powerset_Uint32_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Uint32_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Uint32_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Uint32_Box y)
- native boolean equals (Pointset_Powerset_Uint32_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Uint32_Box p)
- native void upper_bound_assign (Pointset_Powerset_Uint32_Box p)
- native void difference_assign (Pointset_Powerset_Uint32_Box p)
- native void concatenate_assign (Pointset_Powerset_Uint32_Box p)
- native void time_elapse_assign (Pointset_Powerset_Uint32_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Uint32_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Uint32_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Uint32_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Uint32_Box_Iterator end_iterator ()
- native void add_disjunct (Uint32_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Uint32_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Uint32_Box_Iterator itr1, Pointset_Powerset_Uint32_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint32_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Uint32_Box y)
- native void build_cpp_object (Pointset_Powerset_Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)

11.130.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

Definition at line 33 of file Pointset_Powerset_Uint32_Box.java.

11.130.2 Constructor & Destructor Documentation

11.130.2.1 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.2.2 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Uint32_Box.java.

11.130.2.3 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (Pointset_Powerset_Uint32_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.2.4 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (Uint32_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.2.5 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (Pointset_Powerset_Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.2.6 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.2.7 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.2.8 parma_polyhedra_library::Pointset_Powerset_Uint32_Box::Pointset_Powerset_Uint32_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Uint32_Box.java.

References build_cpp_object().

11.130.3 Member Function Documentation

11.130.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_congruence (Congruence *c*)

11.130.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_congruences (Congruence_System *c*)

11.130.3.3 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_constraint (Constraint *c*)

11.130.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_constraints (Constraint_System *c*)

11.130.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_disjunct (Uint32_Box *j_disj*)

11.130.3.6 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_space_dimensions_and_embed (long *m*)

11.130.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::add_space_dimensions_and_project (long *m*)

11.130.3.8 native long parma_polyhedra_library::Pointset_Powerset_Uint32_Box::affine_dimension ()

11.130.3.9 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.130.3.10 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.130.3.11 native String parma_polyhedra_library::Pointset_Powerset_Uint32_Box::ascii_dump ()

11.130.3.12 native Pointset_Powerset_Uint32_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint32_Box::begin_iterator ()

11.130.3.13 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.130.3.14 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.130.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::bounds_from_above (Linear_Expression *expr*)

11.130.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::bounds_from_below (Linear_Expression *expr*)

11.130.3.17 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.130.3.18 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_object (Uint32_Box *y*) [private]

11.130.3.19 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_object (Pointset_Powerset_Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.130.3.20 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_object (Pointset_Powerset_Uint32_Box *y*) [private]

11.130.3.21 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.130.3.22 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_-object (Congruence_System *cs*) [private]

11.130.3.23 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::build_cpp_-object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Uint32_Box().

11.130.3.24 native void parma_polyhedra_library::Pointset_Powerset_-Uint32_Box::concatenate_assign (Pointset_Powerset_Uint32_Box *p*)

11.130.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::constrains (Variable *var*)

11.130.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::contains (Pointset_Powerset_Uint32_Box *y*)

11.130.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::contains_-integer_point ()

11.130.3.28 native void parma_polyhedra_library::Pointset_Powerset_-Uint32_Box::difference_assign (Pointset_Powerset_Uint32_Box *p*)

11.130.3.29 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::drop_disjunct (Pointset_Powerset_Uint32_Box_Iterator *itr*)

11.130.3.30 native void parma_polyhedra_library::Pointset_Powerset_Uint32_-Box::drop_disjuncts (Pointset_Powerset_Uint32_Box_Iterator *itr1*, Pointset_Powerset_Uint32_Box_Iterator *itr2*)

11.130.3.31 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.130.3.32 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.130.3.33 native Pointset_Powerset_Uint32_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint32_Box::end_iterator ()

11.130.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Uint32_Box.java.

References equals().

11.130.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::equals (Pointset_Powerset_Uint32_Box *p*)

Referenced by equals().

11.130.3.36 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::expand_space_dimension (Variable *var*, long *m*)

11.130.3.37 native long parma_polyhedra_library::Pointset_Powerset_Uint32_Box::external_memory_in_bytes ()

11.130.3.38 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::finalize () `[protected]`

11.130.3.39 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.130.3.40 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::free ()

11.130.3.41 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.130.3.42 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.130.3.43 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.130.3.44 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.130.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::geometrically_covers (Pointset_Powerset_Uint32_Box *y*)

11.130.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::geometrically_equals (Pointset_Powerset_Uint32_Box *y*)

11.130.3.47 native int parma_polyhedra_library::Pointset_Powerset_Uint32_Box::hashCode ()

11.130.3.48 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::intersection_assign (Pointset_Powerset_Uint32_Box *p*)

11.130.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::is_bounded ()

11.130.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::is_discrete ()

11.130.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::is_disjoint_from (Pointset_Powerset_Uint32_Box *y*)

11.130.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::is_empty ()

11.130.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::is_topologically_closed ()

11.130.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::is_universe ()

11.130.3.55 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::map_space_dimensions (Partial_Function *pfunc*)

11.130.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.130.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.130.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.130.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.130.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::OK ()

11.130.3.61 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::omega_reduce ()

11.130.3.62 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::pairwise_reduce ()

11.130.3.63 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::refine_with_congruence (Congruence *c*)

11.130.3.64 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::refine_with_congruences (Congruence_System *c*)

11.130.3.65 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::refine_with_constraint (Constraint *c*)

11.130.3.66 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::refine_with_constraints (Constraint_System *c*)

11.130.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint32_Box::relation_with (Congruence *c*)

11.130.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Uint32_Box::relation_with (Generator *c*)

11.130.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint32_Box::relation_with (Constraint *c*)

11.130.3.70 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::remove_higher_space_dimensions (long *new_dimension*)

11.130.3.71 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::remove_space_dimensions (Variables_Set *vars*)

11.130.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::simplify_using_context_assign (Pointset_Powerset_Uint32_Box *p*)

11.130.3.73 native long parma_polyhedra_library::Pointset_Powerset_Uint32_Box::size ()

11.130.3.74 native long parma_polyhedra_library::Pointset_Powerset_Uint32_Box::space_dimension ()

11.130.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_Box::strictly_contains (Pointset_Powerset_Uint32_Box *y*)

11.130.3.76 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::swap (Pointset_Powerset_Uint32_Box *y*)

11.130.3.77 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::time_elapse_assign (Pointset_Powerset_Uint32_Box *p*)

11.130.3.78 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::topological_closure_assign ()

11.130.3.79 native String parma_polyhedra_library::Pointset_Powerset_Uint32_Box::toString ()

11.130.3.80 native long parma_polyhedra_library::Pointset_Powerset_Uint32_Box::total_memory_in_bytes ()

11.130.3.81 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::unconstrain_space_dimension (Variable *var*)

11.130.3.82 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.130.3.83 native void parma_polyhedra_library::Pointset_Powerset_-Uint32_Box::upper_bound_assign (Pointset_Powerset_Uint32_Box *p*)

11.130.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Uint32_-Box::upper_bound_assign_if_exact (Pointset_Powerset_Uint32_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint32_Box.java


11.131 parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Uint32_Box_Iterator (Pointset_Powerset_Uint32_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Uint32_Box_Iterator itr)
- native void next ()
- native void prev ()

- native Uint32_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint32_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Uint32_Box obj)
- native void build_cpp_object (Pointset_Powerset_Uint32_Box_Iterator y)

11.131.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Uint32_Box_Iterator.java.

11.131.2 Constructor & Destructor Documentation

11.131.2.1 parma_polyhedra_library::Pointset_Powerset_Uint32_Box_-Iterator::Pointset_Powerset_Uint32_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Uint32_Box_Iterator.java.

11.131.2.2 parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator::Pointset_-Powerset_Uint32_Box_Iterator (Pointset_Powerset_Uint32_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Uint32_Box_Iterator.java.

References build_cpp_object().

11.131.3 Member Function Documentation

11.131.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box_-Iterator::build_cpp_object (Pointset_Powerset_Uint32_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Uint32_Box_Iterator().

11.131.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint32_-Box_Iterator::build_ppl_object (Pointset_Powerset_Uint32_Box *obj*) [private]

11.131.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_-Uint32_Box_Iterator::equals (Pointset_Powerset_Uint32_Box_Iterator *itr*)

11.131.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box_-Iterator::finalize () [protected]

11.131.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator::free ()

11.131.3.6 native Uint32_Box parma_polyhedra_library::Pointset_Powerset_Uint32_Box_-Iterator::get_disjunct ()

11.131.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator::next ()

11.131.3.8 native void parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint32_Box_Iterator.java


11.132 parma_polyhedra_library::Pointset_Powerset_Uint64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint64_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint64_Box:



Public Member Functions

- Pointset_Powerset_Uint64_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Uint64_Box (Pointset_Powerset_Uint64_Box y)
- Pointset_Powerset_Uint64_Box (Uint64_Box y)
- Pointset_Powerset_Uint64_Box (Pointset_Powerset_Uint64_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint64_Box (Uint64_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint64_Box (Constraint_System cs)
- Pointset_Powerset_Uint64_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Uint64_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)

- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Uint64_Box y)
- native boolean strictly_contains (Pointset_Powerset_Uint64_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Uint64_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Uint64_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Uint64_Box y)
- native boolean equals (Pointset_Powerset_Uint64_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Uint64_Box p)
- native void upper_bound_assign (Pointset_Powerset_Uint64_Box p)
- native void difference_assign (Pointset_Powerset_Uint64_Box p)
- native void concatenate_assign (Pointset_Powerset_Uint64_Box p)
- native void time_elapse_assign (Pointset_Powerset_Uint64_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Uint64_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Uint64_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)

- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Uint64_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Uint64_Box_Iterator end_iterator ()
- native void add_disjunct (Uint64_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Uint64_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Uint64_Box_Iterator itr1, Pointset_Powerset_Uint64_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint64_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Uint64_Box y)
- native void build_cpp_object (Pointset_Powerset_Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)

11.132.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

Definition at line 33 of file Pointset_Powerset_Uint64_Box.java.

11.132.2 Constructor & Destructor Documentation

11.132.2.1 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.2.2 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Uint64_Box.java.

11.132.2.3 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (Pointset_Powerset_Uint64_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.2.4 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (Uint64_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.2.5 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (Pointset_Powerset_Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.2.6 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.2.7 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.2.8 parma_polyhedra_library::Pointset_Powerset_Uint64_Box::Pointset_Powerset_Uint64_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Uint64_Box.java.

References build_cpp_object().

11.132.3 Member Function Documentation

11.132.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_congruence (Congruence *c*)

11.132.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_congruences (Congruence_System *c*)

11.132.3.3 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_constraint (Constraint *c*)

11.132.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_constraints (Constraint_System *c*)

11.132.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_disjunct (Uint64_Box *j_disj*)

11.132.3.6 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_space_dimensions_and_embed (long *m*)

11.132.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::add_space_dimensions_and_project (long *m*)

11.132.3.8 native long parma_polyhedra_library::Pointset_Powerset_Uint64_Box::affine_dimension ()

11.132.3.9 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.132.3.10 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.132.3.11 native String parma_polyhedra_library::Pointset_Powerset_Uint64_Box::ascii_dump ()

11.132.3.12 native Pointset_Powerset_Uint64_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint64_Box::begin_iterator ()

11.132.3.13 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.132.3.14 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.132.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::bounds_from_above (Linear_Expression *expr*)

11.132.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::bounds_from_below (Linear_Expression *expr*)

11.132.3.17 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.132.3.18 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (Uint64_Box *y*) [private]

11.132.3.19 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (Pointset_Powerset_Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.132.3.20 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (Pointset_Powerset_Uint64_Box *y*) [private]

11.132.3.21 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.132.3.22 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (Congruence_System *cs*) [private]

11.132.3.23 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Uint64_Box().

11.132.3.24 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::concatenate_assign (Pointset_Powerset_Uint64_Box *p*)

11.132.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::constrains (Variable *var*)

11.132.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::contains (Pointset_Powerset_Uint64_Box *y*)

11.132.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::contains_integer_point ()

11.132.3.28 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::difference_assign (Pointset_Powerset_Uint64_Box *p*)

11.132.3.29 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::drop_disjunct (Pointset_Powerset_Uint64_Box_Iterator *itr*)

11.132.3.30 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::drop_disjuncts (Pointset_Powerset_Uint64_Box_Iterator *itr1*, Pointset_Powerset_Uint64_Box_Iterator *itr2*)

11.132.3.31 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.132.3.32 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.132.3.33 native Pointset_Powerset_Uint64_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint64_Box::end_iterator ()

11.132.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::equals (Object *y*) [inline]

Definition at line 190 of file Pointset_Powerset_Uint64_Box.java.

References equals().

11.132.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::equals (Pointset_Powerset_Uint64_Box *p*)

Referenced by equals().

11.132.3.36 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::expand_space_dimension (Variable *var*, long *m*)

11.132.3.37 native long parma_polyhedra_library::Pointset_Powerset_Uint64_Box::external_memory_in_bytes ()

11.132.3.38 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::finalize () [protected]

11.132.3.39 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.132.3.40 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::free ()

11.132.3.41 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.132.3.42 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.132.3.43 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.132.3.44 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.132.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::geometrically_covers (Pointset_Powerset_Uint64_Box *y*)

11.132.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::geometrically_equals (Pointset_Powerset_Uint64_Box *y*)

11.132.3.47 native int parma_polyhedra_library::Pointset_Powerset_Uint64_Box::hashCode ()

11.132.3.48 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::intersection_assign (Pointset_Powerset_Uint64_Box *p*)

11.132.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::is_bounded ()

11.132.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::is_discrete ()

11.132.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::is_disjoint_from (Pointset_Powerset_Uint64_Box *y*)

11.132.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::is_empty ()

11.132.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::is_topologically_closed ()

11.132.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::is_universe ()

11.132.3.55 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::map_space_dimensions (Partial_Function *pfunc*)

11.132.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.132.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.132.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.132.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.132.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::OK ()

11.132.3.61 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::omega_reduce ()

11.132.3.62 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::pairwise_reduce ()

11.132.3.63 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::refine_with_congruence (Congruence *c*)

11.132.3.64 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::refine_with_congruences (Congruence_System *c*)

11.132.3.65 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::refine_with_constraint (Constraint *c*)

11.132.3.66 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::refine_with_constraints (Constraint_System *c*)

11.132.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint64_Box::relation_with (Congruence *c*)

11.132.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Uint64_Box::relation_with (Generator *c*)

11.132.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint64_Box::relation_with (Constraint *c*)

11.132.3.70 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::remove_higher_space_dimensions (long *new_dimension*)

11.132.3.71 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::remove_space_dimensions (Variables_Set *vars*)

11.132.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::simplify_using_context_assign (Pointset_Powerset_Uint64_Box *p*)

11.132.3.73 native long parma_polyhedra_library::Pointset_Powerset_Uint64_Box::size ()

11.132.3.74 native long parma_polyhedra_library::Pointset_Powerset_Uint64_Box::space_dimension ()

11.132.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::strictly_contains (Pointset_Powerset_Uint64_Box *y*)

11.132.3.76 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::swap (Pointset_Powerset_Uint64_Box *y*)

11.132.3.77 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::time_elapse_assign (Pointset_Powerset_Uint64_Box *p*)

11.132.3.78 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::topological_closure_assign ()

11.132.3.79 native String parma_polyhedra_library::Pointset_Powerset_Uint64_Box::toString ()

11.132.3.80 native long parma_polyhedra_library::Pointset_Powerset_Uint64_Box::total_memory_in_bytes ()

11.132.3.81 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::unconstrain_space_dimension (Variable *var*)

11.132.3.82 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.132.3.83 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box::upper_bound_assign (Pointset_Powerset_Uint64_Box *p*)

11.132.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Uint64_Box::upper_bound_assign_if_exact (Pointset_Powerset_Uint64_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint64_Box.java


11.133 parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Uint64_Box_Iterator (Pointset_Powerset_Uint64_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Uint64_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Uint64_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint64_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Uint64_Box obj)
- native void build_cpp_object (Pointset_Powerset_Uint64_Box_Iterator y)

11.133.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Uint64_Box_Iterator.java.

11.133.2 Constructor & Destructor Documentation

11.133.2.1 parma_polyhedra_library::Pointset_Powerset_Uint64_Box_-Iterator::Pointset_Powerset_Uint64_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Uint64_Box_Iterator.java.

11.133.2.2 parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator::Pointset_-Powerset_Uint64_Box_Iterator (Pointset_Powerset_Uint64_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Uint64_Box_Iterator.java.

References build_cpp_object().

11.133.3 Member Function Documentation

11.133.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box_-Iterator::build_cpp_object (Pointset_Powerset_Uint64_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Uint64_Box_Iterator().

11.133.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint64_-Box_Iterator::build_ppl_object (Pointset_Powerset_Uint64_Box *obj*) [private]

11.133.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_-Uint64_Box_Iterator::equals (Pointset_Powerset_Uint64_Box_Iterator *itr*)

11.133.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box_-Iterator::finalize () [protected]

11.133.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator::free ()

11.133.3.6 native Uint64_Box parma_polyhedra_library::Pointset_Powerset_Uint64_Box_-Iterator::get_disjunct ()

11.133.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator::next ()

11.133.3.8 native void parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint64_Box_Iterator.java


11.134 parma_polyhedra_library::Pointset_Powerset_Uint8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint8_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint8_Box:



Public Member Functions

- Pointset_Powerset_Uint8_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Uint8_Box (Pointset_Powerset_Uint8_Box y)
- Pointset_Powerset_Uint8_Box (Uint8_Box y)
- Pointset_Powerset_Uint8_Box (Pointset_Powerset_Uint8_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint8_Box (Uint8_Box y, Complexity_Class complexity)
- Pointset_Powerset_Uint8_Box (Constraint_System cs)
- Pointset_Powerset_Uint8_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Uint8_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Uint8_Box y)
- native boolean strictly_contains (Pointset_Powerset_Uint8_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Uint8_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Uint8_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Uint8_Box y)
- native boolean equals (Pointset_Powerset_Uint8_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Uint8_Box p)

- native void upper_bound_assign (Pointset_Powerset_Uint8_Box p)
- native void difference_assign (Pointset_Powerset_Uint8_Box p)
- native void concatenate_assign (Pointset_Powerset_Uint8_Box p)
- native void time_elapse_assign (Pointset_Powerset_Uint8_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Uint8_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Uint8_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Uint8_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Uint8_Box_Iterator end_iterator ()
- native void add_disjunct (Uint8_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Uint8_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Uint8_Box_Iterator itr1, Pointset_Powerset_Uint8_Box_Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint8_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Uint8_Box y)
- native void build_cpp_object (Pointset_Powerset_Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)

11.134.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

Definition at line 33 of file Pointset_Powerset_Uint8_Box.java.

11.134.2 Constructor & Destructor Documentation

11.134.2.1 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.2.2 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Uint8_Box.java.

11.134.2.3 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (Pointset_Powerset_Uint8_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.2.4 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (Uint8_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.2.5 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (Pointset_Powerset_Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.2.6 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.2.7 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.2.8 parma_polyhedra_library::Pointset_Powerset_Uint8_Box::Pointset_Powerset_Uint8_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Uint8_Box.java.

References build_cpp_object().

11.134.3 Member Function Documentation

11.134.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_congruence (Congruence *c*)

11.134.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_congruences (Congruence_System *c*)

11.134.3.3 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_constraint (Constraint *c*)

11.134.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_constraints (Constraint_System *c*)

11.134.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_disjunct (Uint8_Box *j_disj*)

11.134.3.6 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_space_dimensions_and_embed (long *m*)

11.134.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::add_space_dimensions_and_project (long *m*)

11.134.3.8 native long parma_polyhedra_library::Pointset_Powerset_Uint8_Box::affine_dimension ()

11.134.3.9 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.134.3.10 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.134.3.11 native String parma_polyhedra_library::Pointset_Powerset_Uint8_Box::ascii_dump ()

11.134.3.12 native Pointset_Powerset_Uint8_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint8_Box::begin_iterator ()

11.134.3.13 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.134.3.14 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.134.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::bounds_from_above (Linear_Expression *expr*)

11.134.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::bounds_from_below (Linear_Expression *expr*)

11.134.3.17 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.134.3.18 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::build_cpp_object (Uint8_Box *y*) [private]

11.134.3.19 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::build_cpp_object (Pointset_Powerset_Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.134.3.20 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::build_cpp_object (Pointset_Powerset_Uint8_Box *y*) [private]

11.134.3.21 native void parma_polyhedra_library::Pointset_Powerset_Uint8_-Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.134.3.22 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::build_cpp_-object (Congruence_System *cs*) [private]

11.134.3.23 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::build_cpp_-object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Uint8_Box().

11.134.3.24 native void parma_polyhedra_library::Pointset_Powerset_-Uint8_Box::concatenate_assign (Pointset_Powerset_Uint8_Box *p*)

11.134.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::constrains (Variable *var*)

11.134.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::contains (Pointset_Powerset_Uint8_Box *y*)

11.134.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::contains_-integer_point ()

11.134.3.28 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::difference_-assign (Pointset_Powerset_Uint8_Box *p*)

11.134.3.29 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::drop_disjunct (Pointset_Powerset_Uint8_Box_Iterator *itr*)

11.134.3.30 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::drop_disjuncts (Pointset_Powerset_Uint8_Box_Iterator *itr1*, Pointset_Powerset_Uint8_Box_Iterator *itr2*)

11.134.3.31 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.134.3.32 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.134.3.33 native Pointset_Powerset_Uint8_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Uint8_Box::end_iterator ()

11.134.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Uint8_Box.java.

References equals().

11.134.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::equals (Pointset_Powerset_Uint8_Box *p*)

Referenced by equals().

11.134.3.36 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::expand_space_dimension (Variable *var*, long *m*)

11.134.3.37 native long parma_polyhedra_library::Pointset_Powerset_Uint8_Box::external_memory_in_bytes ()

11.134.3.38 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::finalize () [protected]

11.134.3.39 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.134.3.40 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::free ()

11.134.3.41 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.134.3.42 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.134.3.43 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.134.3.44 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.134.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::geometrically_covers (Pointset_Powerset_Uint8_Box *y*)

11.134.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::geometrically_equals (Pointset_Powerset_Uint8_Box *y*)

11.134.3.47 native int parma_polyhedra_library::Pointset_Powerset_Uint8_Box::hashCode ()

11.134.3.48 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::intersection_assign (Pointset_Powerset_Uint8_Box *p*)

11.134.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::is_bounded ()

11.134.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::is_discrete ()

11.134.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::is_disjoint_from (Pointset_Powerset_Uint8_Box *y*)

11.134.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::is_empty ()

11.134.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::is_topologically_closed ()

11.134.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::is_universe ()

11.134.3.55 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::map_space_-dimensions (Partial_Function *pfunc*)

11.134.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.134.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.134.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.134.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.134.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::OK ()

11.134.3.61 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::omega_reduce ()

11.134.3.62 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::pairwise_-reduce ()

11.134.3.63 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::refine_with_-congruence (Congruence *c*)

11.134.3.64 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::refine_with_congruences (Congruence_System *c*)

11.134.3.65 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::refine_with_constraint (Constraint *c*)

11.134.3.66 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::refine_with_constraints (Constraint_System *c*)

11.134.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint8_Box::relation_with (Congruence *c*)

11.134.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Uint8_Box::relation_with (Generator *c*)

11.134.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Uint8_Box::relation_with (Constraint *c*)

11.134.3.70 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::remove_higher_space_dimensions (long *new_dimension*)

11.134.3.71 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::remove_space_dimensions (Variables_Set *vars*)

11.134.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::simplify_using_context_assign (Pointset_Powerset_Uint8_Box *p*)

11.134.3.73 native long parma_polyhedra_library::Pointset_Powerset_Uint8_Box::size ()

11.134.3.74 native long parma_polyhedra_library::Pointset_Powerset_Uint8_Box::space_dimension ()

11.134.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::strictly_contains (Pointset_Powerset_Uint8_Box *y*)

11.134.3.76 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::swap (Pointset_Powerset_Uint8_Box *y*)

11.134.3.77 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::time_elapse_assign (Pointset_Powerset_Uint8_Box *p*)

11.134.3.78 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::topological_closure_assign ()

11.134.3.79 native String parma_polyhedra_library::Pointset_Powerset_Uint8_Box::toString ()

11.134.3.80 native long parma_polyhedra_library::Pointset_Powerset_Uint8_Box::total_memory_in_bytes ()

11.134.3.81 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::unconstrain_space_dimension (Variable *var*)

11.134.3.82 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.134.3.83 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box::upper_bound_assign (Pointset_Powerset_Uint8_Box *p*)

11.134.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box::upper_bound_assign_if_exact (Pointset_Powerset_Uint8_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint8_Box.java


11.135 parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Uint8_Box_Iterator (Pointset_Powerset_Uint8_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Uint8_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Uint8_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Uint8_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Uint8_Box obj)
- native void build_cpp_object (Pointset_Powerset_Uint8_Box_Iterator y)

11.135.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Uint8_Box_Iterator.java.

11.135.2 Constructor & Destructor Documentation

11.135.2.1 parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::Pointset_Powerset_Uint8_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Uint8_Box_Iterator.java.

11.135.2.2 parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::Pointset_Powerset_Uint8_Box_Iterator (Pointset_Powerset_Uint8_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Uint8_Box_Iterator.java.

References build_cpp_object().

11.135.3 Member Function Documentation

11.135.3.1 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::build_cpp_object (Pointset_Powerset_Uint8_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Uint8_Box_Iterator().

11.135.3.2 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::build_ppl_object (Pointset_Powerset_Uint8_Box *obj*) [private]

11.135.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::equals (Pointset_Powerset_Uint8_Box_Iterator *itr*)

11.135.3.4 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::finalize () [protected]

11.135.3.5 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::free ()

11.135.3.6 native Uint8_Box parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::get_disjunct ()

11.135.3.7 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::next ()

11.135.3.8 native void parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator::prev ()


The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint8_Box_Iterator.java


11.136 parma_polyhedra_library::Pointset_Powerset_Z_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Z_Box:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Z_Box:



Public Member Functions

- Pointset_Powerset_Z_Box (long num_dimensions, Degenerate_Element kind)
- Pointset_Powerset_Z_Box (Pointset_Powerset_Z_Box y)
- Pointset_Powerset_Z_Box (Z_Box y)
- Pointset_Powerset_Z_Box (Pointset_Powerset_Z_Box y, Complexity_Class complexity)
- Pointset_Powerset_Z_Box (Z_Box y, Complexity_Class complexity)
- Pointset_Powerset_Z_Box (Constraint_System cs)
- Pointset_Powerset_Z_Box (Congruence_System cs)
- native void swap (Pointset_Powerset_Z_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native void pairwise_reduce ()
- native void omega_reduce ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)

- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean contains (Pointset_Powerset_Z_Box y)
- native boolean strictly_contains (Pointset_Powerset_Z_Box y)
- native boolean is_disjoint_from (Pointset_Powerset_Z_Box y)
- native boolean geometrically_covers (Pointset_Powerset_Z_Box y)
- native boolean geometrically_equals (Pointset_Powerset_Z_Box y)
- native boolean equals (Pointset_Powerset_Z_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Pointset_Powerset_Z_Box p)
- native void upper_bound_assign (Pointset_Powerset_Z_Box p)
- native void difference_assign (Pointset_Powerset_Z_Box p)
- native void concatenate_assign (Pointset_Powerset_Z_Box p)
- native void time_elapse_assign (Pointset_Powerset_Z_Box p)
- native boolean upper_bound_assign_if_exact (Pointset_Powerset_Z_Box y)
- native boolean simplify_using_context_assign (Pointset_Powerset_Z_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)

- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native long size ()
- native Pointset_Powerset_Z_Box_Iterator begin_iterator ()
- native Pointset_Powerset_Z_Box_Iterator end_iterator ()
- native void add_disjunct (Z_Box j_disj)
- native void drop_disjunct (Pointset_Powerset_Z_Box_Iterator itr)
- native void drop_disjuncts (Pointset_Powerset_Z_Box_Iterator itr1, Pointset_Powerset_Z_Box_-Iterator itr2)
- native void free ()
- native int hashCode ()
- native String toString ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Z_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Pointset_Powerset_Z_Box y)
- native void build_cpp_object (Pointset_Powerset_Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)

11.136.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

Definition at line 33 of file Pointset_Powerset_Z_Box.java.

11.136.2 Constructor & Destructor Documentation

11.136.2.1 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.2.2 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box () [inline, private]

Definition at line 45 of file Pointset_Powerset_Z_Box.java.

11.136.2.3 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (Pointset_Powerset_Z_Box *y*) [inline]

Definition at line 52 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.2.4 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (Z_Box *y*) [inline]

Definition at line 56 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.2.5 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (Pointset_Powerset_Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 65 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.2.6 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 69 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.2.7 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (Constraint_System *cs*) [inline]

Definition at line 78 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.2.8 parma_polyhedra_library::Pointset_Powerset_Z_Box::Pointset_Powerset_Z_Box (Congruence_System *cs*) [inline]

Definition at line 82 of file Pointset_Powerset_Z_Box.java.

References build_cpp_object().

11.136.3 Member Function Documentation

11.136.3.1 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_congruence (Congruence *c*)

11.136.3.2 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_congruences (Congruence_System *c*)

11.136.3.3 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_constraint (Constraint *c*)

11.136.3.4 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_constraints (Constraint_System *c*)

11.136.3.5 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_disjunct (Z_Box *j_disj*)

11.136.3.6 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_space_dimensions_and_embed (long *m*)

11.136.3.7 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::add_space_dimensions_and_project (long *m*)

11.136.3.8 native long parma_polyhedra_library::Pointset_Powerset_Z_Box::affine_dimension ()

11.136.3.9 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.136.3.10 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.136.3.11 native String parma_polyhedra_library::Pointset_Powerset_Z_Box::ascii_dump ()

11.136.3.12 native Pointset_Powerset_Z_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Z_Box::begin_iterator ()

11.136.3.13 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.136.3.14 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.136.3.15 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::bounds_from_above (Linear_Expression *expr*)

11.136.3.16 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::bounds_from_below (Linear_Expression *expr*)

11.136.3.17 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) `[private]`

11.136.3.18 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (Z_Box *y*) [private]

11.136.3.19 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (Pointset_Powerset_Z_Box *y*, Complexity_Class *complexity*) [private]

11.136.3.20 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (Pointset_Powerset_Z_Box *y*) [private]

11.136.3.21 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.136.3.22 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (Congruence_System *cs*) [private]

11.136.3.23 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Pointset_Powerset_Z_Box().

11.136.3.24 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::concatenate_assign (Pointset_Powerset_Z_Box *p*)

11.136.3.25 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::constrains (Variable *var*)

11.136.3.26 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::contains (Pointset_Powerset_Z_Box *y*)

11.136.3.27 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::contains_integer_point ()

11.136.3.28 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::difference_assign (Pointset_Powerset_Z_Box *p*)

11.136.3.29 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::drop_disjunct (Pointset_Powerset_Z_Box_Iterator *itr*)

11.136.3.30 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::drop_disjuncts (Pointset_Powerset_Z_Box_Iterator *itr1*, Pointset_Powerset_Z_Box_Iterator *itr2*)

11.136.3.31 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.136.3.32 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.136.3.33 native Pointset_Powerset_Z_Box_Iterator parma_polyhedra_library::Pointset_Powerset_Z_Box::end_iterator ()

11.136.3.34 boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::equals (Object *y*) `[inline]`

Definition at line 190 of file Pointset_Powerset_Z_Box.java.

References equals().

11.136.3.35 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::equals (Pointset_Powerset_Z_Box *p*)

Referenced by equals().

11.136.3.36 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::expand_space_dimension (Variable *var*, long *m*)

11.136.3.37 native long parma_polyhedra_library::Pointset_Powerset_Z_Box::external_memory_in_bytes ()

11.136.3.38 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::finalize () `[protected]`

11.136.3.39 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.136.3.40 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::free ()

11.136.3.41 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.136.3.42 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.136.3.43 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.136.3.44 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.136.3.45 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::geometrically_covers (Pointset_Powerset_Z_Box *y*)

11.136.3.46 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::geometrically_equals (Pointset_Powerset_Z_Box *y*)

11.136.3.47 native int parma_polyhedra_library::Pointset_Powerset_Z_Box::hashCode ()

11.136.3.48 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::intersection_assign (Pointset_Powerset_Z_Box *p*)

11.136.3.49 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::is_bounded ()

11.136.3.50 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::is_discrete ()

11.136.3.51 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::is_disjoint_from (Pointset_Powerset_Z_Box *y*)

11.136.3.52 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::is_empty ()

11.136.3.53 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::is_topologically_closed ()

11.136.3.54 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::is_universe ()

11.136.3.55 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::map_space_dimensions (Partial_Function *pfunc*)

11.136.3.56 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.136.3.57 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.136.3.58 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.136.3.59 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.136.3.60 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::OK ()

11.136.3.61 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::omega_reduce ()

11.136.3.62 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::pairwise_reduce ()

11.136.3.63 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::refine_with_congruence (Congruence *c*)

11.136.3.64 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::refine_with_congruences (Congruence_System *c*)

11.136.3.65 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::refine_with_constraint (Constraint *c*)

11.136.3.66 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::refine_with_constraints (Constraint_System *c*)

11.136.3.67 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Z_Box::relation_with (Congruence *c*)

11.136.3.68 native Poly_Gen_Relation parma_polyhedra_library::Pointset_Powerset_Z_Box::relation_with (Generator *c*)

11.136.3.69 native Poly_Con_Relation parma_polyhedra_library::Pointset_Powerset_Z_Box::relation_with (Constraint *c*)

11.136.3.70 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::remove_higher_space_dimensions (long *new_dimension*)

11.136.3.71 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::remove_space_dimensions (Variables_Set *vars*)

11.136.3.72 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::simplify_using_context_assign (Pointset_Powerset_Z_Box *p*)

11.136.3.73 native long parma_polyhedra_library::Pointset_Powerset_Z_Box::size ()

11.136.3.74 native long parma_polyhedra_library::Pointset_Powerset_Z_Box::space_dimension ()

11.136.3.75 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::strictly_contains (Pointset_Powerset_Z_Box *y*)

11.136.3.76 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::swap (Pointset_Powerset_Z_Box *y*)

11.136.3.77 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::time_elapse_assign (Pointset_Powerset_Z_Box *p*)

11.136.3.78 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::topological_closure_assign ()

11.136.3.79 native String parma_polyhedra_library::Pointset_Powerset_Z_Box::toString ()

11.136.3.80 native long parma_polyhedra_library::Pointset_Powerset_Z_Box::total_memory_in_bytes ()

11.136.3.81 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::unconstrain_space_dimension (Variable *var*)

11.136.3.82 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.136.3.83 native void parma_polyhedra_library::Pointset_Powerset_Z_Box::upper_bound_assign (Pointset_Powerset_Z_Box *p*)

11.136.3.84 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box::upper_bound_assign_if_exact (Pointset_Powerset_Z_Box *y*)


The documentation for this class was generated from the following file:

- Pointset_Powerset_Z_Box.java


11.137 parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

Inheritance diagram for parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator:



Collaboration diagram for parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator:



Public Member Functions

- Pointset_Powerset_Z_Box_Iterator (Pointset_Powerset_Z_Box_Iterator y)
- native boolean equals (Pointset_Powerset_Z_Box_Iterator itr)
- native void next ()
- native void prev ()
- native Z_Box get_disjunct ()
- native void free ()

Protected Member Functions

- native void finalize ()

Private Member Functions

- Pointset_Powerset_Z_Box_Iterator ()
- native void build_ppl_object (Pointset_Powerset_Z_Box obj)
- native void build_cpp_object (Pointset_Powerset_Z_Box_Iterator y)

11.137.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

Definition at line 30 of file Pointset_Powerset_Z_Box_Iterator.java.

11.137.2 Constructor & Destructor Documentation

11.137.2.1 parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::Pointset_Powerset_Z_Box_Iterator () [inline, private]

Definition at line 32 of file Pointset_Powerset_Z_Box_Iterator.java.

11.137.2.2 parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::Pointset_Powerset_Z_Box_Iterator (Pointset_Powerset_Z_Box_Iterator *y*) [inline]

Definition at line 36 of file Pointset_Powerset_Z_Box_Iterator.java.

References build_cpp_object().

11.137.3 Member Function Documentation

11.137.3.1 native void parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::build_cpp_object (Pointset_Powerset_Z_Box_Iterator *y*) [private]

Referenced by Pointset_Powerset_Z_Box_Iterator().

11.137.3.2 native void parma_polyhedra_library::Pointset_Powerset_Z_-Box_Iterator::build_ppl_object (Pointset_Powerset_Z_Box *obj*) [private]

11.137.3.3 native boolean parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::equals (Pointset_Powerset_Z_Box_Iterator *itr*)

11.137.3.4 native void parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::finalize () [protected]

11.137.3.5 native void parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::free ()

11.137.3.6 native Z_Box parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::get_-disjunct ()

11.137.3.7 native void parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::next ()

11.137.3.8 native void parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator::prev ()

The documentation for this class was generated from the following file:

- Pointset_Powerset_Z_Box_Iterator.java

11.138 parma_polyhedra_library::Poly_Con_Relation Class Reference

The relation between a polyhedron and a constraint.

Public Member Functions

- Poly_Con_Relation (int val)
  Constructs from a integer value.
- boolean implies (Poly_Con_Relation y)
  True if and only if `*this` *implies* `y`.

Static Public Member Functions

- static Poly_Con_Relation nothing ()

  The assertion that says nothing.

- static Poly_Con_Relation is_disjoint ()

  The polyhedron and the set of points satisfying the constraint are disjoint.

- static Poly_Con_Relation strictly_intersects ()

  The polyhedron intersects the set of points satisfying the constraint, but it is not included in it.

- static Poly_Con_Relation is_included ()

  The polyhedron is included in the set of points satisfying the constraint.

- static Poly_Con_Relation saturates ()

  The polyhedron is included in the set of points saturating the constraint.

Static Public Attributes

- static final int NOTHING = 0
- static final int IS_DISJOINT = 1
- static final int STRICTLY_INTERSECTS = 2
- static final int IS_INCLUDED = 4
- static final int SATURATES = 8

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- int mask_value

  Holds the value of the possible relations.

11.138.1 Detailed Description

The relation between a polyhedron and a constraint. This class implements conjunctions of assertions on the relation between a polyhedron and a constraint.

Definition at line 31 of file Poly_Con_Relation.java.

11.138.2 Constructor & Destructor Documentation

11.138.2.1 parma_polyhedra_library::Poly_Con_Relation::Poly_Con_Relation (int *val*) [inline]

Constructs from a integer value.

Definition at line 43 of file Poly_Con_Relation.java.

References mask_value.

Referenced by is_disjoint(), is_included(), nothing(), saturates(), and strictly_intersects().

11.138.3 Member Function Documentation

11.138.3.1 parma_polyhedra_library::Poly_Con_Relation::[static initializer] () [inline, static, package]

11.138.3.2 boolean parma_polyhedra_library::Poly_Con_Relation::implies (Poly_Con_Relation *y*) [inline]

True if and only if `*this` implies `y`.

Definition at line 85 of file Poly_Con_Relation.java.

References mask_value.

11.138.3.3 static native void parma_polyhedra_library::Poly_Con_Relation::initIDs () [static, private]

11.138.3.4 static Poly_Con_Relation parma_polyhedra_library::Poly_Con_Relation::is_disjoint () [inline, static]

The polyhedron and the set of points satisfying the constraint are disjoint.

Definition at line 56 of file Poly_Con_Relation.java.

References Poly_Con_Relation().

11.138.3.5 static Poly_Con_Relation parma_polyhedra_library::Poly_Con_Relation::is_included () [inline, static]

The polyhedron is included in the set of points satisfying the constraint.

Definition at line 72 of file Poly_Con_Relation.java.

References Poly_Con_Relation().

11.138.3.6 static Poly_Con_Relation parma_polyhedra_library::Poly_Con_Relation::nothing () [inline, static]

The assertion that says nothing.

Definition at line 48 of file Poly_Con_Relation.java.

References Poly_Con_Relation().

11.138.3.7 static Poly_Con_Relation parma_polyhedra_library::Poly_Con_Relation::saturates () [inline, static]

The polyhedron is included in the set of points saturating the constraint.

Definition at line 80 of file Poly_Con_Relation.java.

References Poly_Con_Relation().

11.138.3.8 static Poly_Con_Relation parma_polyhedra_library::Poly_Con_Relation::strictly_intersects () [inline, static]

The polyhedron intersects the set of points satisfying the constraint, but it is not included in it.

Definition at line 64 of file Poly_Con_Relation.java.

References Poly_Con_Relation().

11.138.4 Member Data Documentation

11.138.4.1 final int parma_polyhedra_library::Poly_Con_Relation::IS_DISJOINT = 1 [static]

Definition at line 34 of file Poly_Con_Relation.java.

11.138.4.2 final int parma_polyhedra_library::Poly_Con_Relation::IS_INCLUDED = 4 [static]

Definition at line 36 of file Poly_Con_Relation.java.

11.138.4.3 int parma_polyhedra_library::Poly_Con_Relation::mask_value [private]

Holds the value of the possible relations.

Definition at line 40 of file Poly_Con_Relation.java.

Referenced by implies(), and Poly_Con_Relation().

11.138.4.4 final int parma_polyhedra_library::Poly_Con_Relation::NOTHING = 0 [static]

Definition at line 33 of file Poly_Con_Relation.java.

11.138.4.5 final int parma_polyhedra_library::Poly_Con_Relation::SATURATES = 8 [static]

Definition at line 37 of file Poly_Con_Relation.java.

11.138.4.6 final int parma_polyhedra_library::Poly_Con_Relation::STRICTLY_INTERSECTS = 2 [static]

Definition at line 35 of file Poly_Con_Relation.java.

The documentation for this class was generated from the following file:

- Poly_Con_Relation.java

11.139 parma_polyhedra_library::Poly_Gen_Relation Class Reference

The relation between a polyhedron and a generator.

Public Member Functions

- Poly_Gen_Relation (int val)

  Constructs from a integer value.

- boolean implies (Poly_Gen_Relation y)

  True if and only if `*this` *implies* `y`.

Static Public Member Functions

- static Poly_Gen_Relation nothing ()

  The assertion that says nothing.

- static Poly_Gen_Relation subsumes ()

  Adding the generator would not change the polyhedron.

Static Public Attributes

- static final int NOTHING = 0
- static final int SUBSUMES = 1

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- int mask_value

  Holds the value of the possible relations.

11.139.1 Detailed Description

The relation between a polyhedron and a generator. This class implements conjunctions of assertions on the relation between a polyhedron and a generator.

Definition at line 31 of file Poly_Gen_Relation.java.

11.139.2 Constructor & Destructor Documentation

11.139.2.1 parma_polyhedra_library::Poly_Gen_Relation::Poly_Gen_Relation (int *val*) [inline]

Constructs from a integer value.

Definition at line 40 of file Poly_Gen_Relation.java.

References mask_value.

Referenced by nothing(), and subsumes().

11.139.3 Member Function Documentation

11.139.3.1 parma_polyhedra_library::Poly_Gen_Relation::[static initializer] () [inline, static, package]

11.139.3.2 boolean parma_polyhedra_library::Poly_Gen_Relation::implies (Poly_Gen_Relation *y*) [inline]

True if and only if `*this` implies `y`.

Definition at line 55 of file Poly_Gen_Relation.java.

References mask_value.

11.139.3.3 static native void parma_polyhedra_library::Poly_Gen_Relation::initIDs () [static, private]

11.139.3.4 static Poly_Gen_Relation parma_polyhedra_library::Poly_Gen_Relation::nothing () [inline, static]

The assertion that says nothing.

Definition at line 45 of file Poly_Gen_Relation.java.

References Poly_Gen_Relation().

11.139.3.5 static Poly_Gen_Relation parma_polyhedra_library::Poly_Gen_Relation::subsumes () [inline, static]

Adding the generator would not change the polyhedron.

Definition at line 50 of file Poly_Gen_Relation.java.

References Poly_Gen_Relation().

11.139.4 Member Data Documentation

11.139.4.1 int parma_polyhedra_library::Poly_Gen_Relation::mask_value [private]

Holds the value of the possible relations.

Definition at line 37 of file Poly_Gen_Relation.java.

Referenced by implies(), and Poly_Gen_Relation().

11.139.4.2 final int parma_polyhedra_library::Poly_Gen_Relation::NOTHING = 0 [static]

Definition at line 33 of file Poly_Gen_Relation.java.

11.139.4.3 final int parma_polyhedra_library::Poly_Gen_Relation::SUBSUMES = 1 [static]

Definition at line 34 of file Poly_Gen_Relation.java.


The documentation for this class was generated from the following file:

- Poly_Gen_Relation.java


11.140 parma_polyhedra_library::Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

Inheritance diagram for parma_polyhedra_library::Polyhedron:



Collaboration diagram for parma_polyhedra_library::Polyhedron:



Public Member Functions

- native void swap (Polyhedron y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()

- native Generator_System generators ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native Generator_System minimized_generators ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Polyhedron y)
- native boolean strictly_contains (Polyhedron y)
- native boolean is_disjoint_from (Polyhedron y)
- native boolean equals (Polyhedron p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_generator (Generator c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void add_generators (Generator_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Polyhedron p)
- native void upper_bound_assign (Polyhedron p)
- native void difference_assign (Polyhedron p)
- native void concatenate_assign (Polyhedron p)
- native void time_elapse_assign (Polyhedron p)
- native void poly_hull_assign (Polyhedron p)
- native void poly_difference_assign (Polyhedron p)
- native boolean simplify_using_context_assign (Polyhedron p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)

- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void BHRZ03_widening_assign (Polyhedron y, By_Reference< Integer > tp)
- native void H79_widening_assign (Polyhedron y, By_Reference< Integer > tp)
- native void widening_assign (Polyhedron y, By_Reference< Integer > tp)
- native void limited_BHRZ03_extrapolation_assign (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void bounded_BHRZ03_extrapolation_assign (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void limited_H79_extrapolation_assign (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void bounded_H79_extrapolation_assign (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native int hashCode ()
- native String toString ()

11.140.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

Definition at line 33 of file Polyhedron.java.

11.140.2 Member Function Documentation

11.140.2.1 native void parma_polyhedra_library::Polyhedron::add_congruence (Congruence *c*)

11.140.2.2 native void parma_polyhedra_library::Polyhedron::add_congruences (Congruence_System *c*)

11.140.2.3 native void parma_polyhedra_library::Polyhedron::add_constraint (Constraint *c*)

11.140.2.4 native void parma_polyhedra_library::Polyhedron::add_constraints (Constraint_System *c*)

11.140.2.5 native void parma_polyhedra_library::Polyhedron::add_generator (Generator *c*)

11.140.2.6 native void parma_polyhedra_library::Polyhedron::add_generators (Generator_System *c*)

11.140.2.7 native void parma_polyhedra_library::Polyhedron::add_space_dimensions_and_embed (long *m*)

11.140.2.8 native void parma_polyhedra_library::Polyhedron::add_space_dimensions_and_project (long *m*)

11.140.2.9 native long parma_polyhedra_library::Polyhedron::affine_dimension ()

11.140.2.10 native void parma_polyhedra_library::Polyhedron::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.140.2.11 native void parma_polyhedra_library::Polyhedron::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.140.2.12 native String parma_polyhedra_library::Polyhedron::ascii_dump ()

11.140.2.13 native void parma_polyhedra_library::Polyhedron::BHRZ03_widening_assign (Polyhedron *y*, By_Reference< Integer > *tp*)

11.140.2.14 native void parma_polyhedra_library::Polyhedron::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.140.2.15 native void parma_polyhedra_library::Polyhedron::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.140.2.16 native void parma_polyhedra_library::Polyhedron::bounded_BHRZ03_-extrapolation_assign (Polyhedron *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.140.2.17 native void parma_polyhedra_library::Polyhedron::bounded_H79_extrapolation_-assign (Polyhedron *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.140.2.18 native boolean parma_polyhedra_library::Polyhedron::bounds_from_above (Linear_Expression *expr*)

11.140.2.19 native boolean parma_polyhedra_library::Polyhedron::bounds_from_below (Linear_Expression *expr*)

11.140.2.20 native void parma_polyhedra_library::Polyhedron::concatenate_assign (Polyhedron *p*)

11.140.2.21 native Congruence_System parma_polyhedra_library::Polyhedron::congruences ()

11.140.2.22 native boolean parma_polyhedra_library::Polyhedron::constrains (Variable *var*)

11.140.2.23 native Constraint_System parma_polyhedra_library::Polyhedron::constraints ()

11.140.2.24 native boolean parma_polyhedra_library::Polyhedron::contains (Polyhedron *y*)

11.140.2.25 native boolean parma_polyhedra_library::Polyhedron::contains_integer_point ()

11.140.2.26 native void parma_polyhedra_library::Polyhedron::difference_assign (Polyhedron *p*)

11.140.2.27 native void parma_polyhedra_library::Polyhedron::drop_some_non_integer_points (Integer *complexity_threshold*)

11.140.2.28 native void parma_polyhedra_library::Polyhedron::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.140.2.29 boolean parma_polyhedra_library::Polyhedron::equals (Object *y*) `[inline]`

Definition at line 152 of file Polyhedron.java.

References equals().

11.140.2.30 native boolean parma_polyhedra_library::Polyhedron::equals (Polyhedron *p*)

Referenced by equals().

11.140.2.31 native void parma_polyhedra_library::Polyhedron::expand_space_dimension (Variable *var*, long *m*)

11.140.2.32 native long parma_polyhedra_library::Polyhedron::external_memory_in_bytes ()

11.140.2.33 native void parma_polyhedra_library::Polyhedron::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.140.2.34 native boolean parma_polyhedra_library::Polyhedron::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.140.2.35 native void parma_polyhedra_library::Polyhedron::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.140.2.36 native void parma_polyhedra_library::Polyhedron::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.140.2.37 native void parma_polyhedra_library::Polyhedron::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.140.2.38 native void parma_polyhedra_library::Polyhedron::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.140.2.39 native Generator_System parma_polyhedra_library::Polyhedron::generators ()

11.140.2.40 native void parma_polyhedra_library::Polyhedron::H79_widening_assign (Polyhedron *y*, By_Reference< Integer > *tp*)

11.140.2.41 native int parma_polyhedra_library::Polyhedron::hashCode ()

11.140.2.42 native void parma_polyhedra_library::Polyhedron::intersection_assign (Polyhedron *p*)

11.140.2.43 native boolean parma_polyhedra_library::Polyhedron::is_bounded ()

11.140.2.44 native boolean parma_polyhedra_library::Polyhedron::is_discrete ()

11.140.2.45 native boolean parma_polyhedra_library::Polyhedron::is_disjoint_from (Polyhedron *y*)

11.140.2.46 native boolean parma_polyhedra_library::Polyhedron::is_empty ()

11.140.2.47 native boolean parma_polyhedra_library::Polyhedron::is_topologically_closed ()

11.140.2.48 native boolean parma_polyhedra_library::Polyhedron::is_universe ()

11.140.2.49 native void parma_polyhedra_library::Polyhedron::limited_BHRZ03_extrapolation_assign (Polyhedron *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.140.2.50 native void parma_polyhedra_library::Polyhedron::limited_H79_extrapolation_assign (Polyhedron *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.140.2.51 native void parma_polyhedra_library::Polyhedron::map_space_dimensions (Partial_Function *pfunc*)

11.140.2.52 native boolean parma_polyhedra_library::Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.140.2.53 native boolean parma_polyhedra_library::Polyhedron::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.140.2.54 native boolean parma_polyhedra_library::Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.140.2.55 native boolean parma_polyhedra_library::Polyhedron::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.140.2.56 native Congruence_System parma_polyhedra_library::Polyhedron::minimized_congruences ()

11.140.2.57 native Constraint_System parma_polyhedra_library::Polyhedron::minimized_constraints ()

11.140.2.58 native Generator_System parma_polyhedra_library::Polyhedron::minimized_generators ()

11.140.2.59 native boolean parma_polyhedra_library::Polyhedron::OK ()

11.140.2.60 native void parma_polyhedra_library::Polyhedron::poly_difference_assign (Polyhedron *p*)

11.140.2.61 native void parma_polyhedra_library::Polyhedron::poly_hull_assign (Polyhedron *p*)

11.140.2.62 native void parma_polyhedra_library::Polyhedron::refine_with_congruence (Congruence *c*)

11.140.2.63 native void parma_polyhedra_library::Polyhedron::refine_with_congruences (Congruence_System *c*)

11.140.2.64 native void parma_polyhedra_library::Polyhedron::refine_with_constraint (Constraint *c*)

11.140.2.65 native void parma_polyhedra_library::Polyhedron::refine_with_constraints (Constraint_System *c*)

11.140.2.66 native Poly_Con_Relation parma_polyhedra_library::Polyhedron::relation_with (Congruence *c*)

11.140.2.67 native Poly_Gen_Relation parma_polyhedra_library::Polyhedron::relation_with (Generator *c*)

11.140.2.68 native Poly_Con_Relation parma_polyhedra_library::Polyhedron::relation_with (Constraint *c*)

11.140.2.69 native void parma_polyhedra_library::Polyhedron::remove_higher_space_-dimensions (long *new_dimension*)

11.140.2.70 native void parma_polyhedra_library::Polyhedron::remove_space_dimensions (Variables_Set *vars*)

11.140.2.71 native boolean parma_polyhedra_library::Polyhedron::simplify_using_context_assign (Polyhedron *p*)

11.140.2.72 native long parma_polyhedra_library::Polyhedron::space_dimension ()

11.140.2.73 native boolean parma_polyhedra_library::Polyhedron::strictly_contains (Polyhedron *y*)

11.140.2.74 native void parma_polyhedra_library::Polyhedron::swap (Polyhedron *y*)

11.140.2.75 native void parma_polyhedra_library::Polyhedron::time_elapse_assign (Polyhedron *p*)

11.140.2.76 native void parma_polyhedra_library::Polyhedron::topological_closure_assign ()

11.140.2.77 native String parma_polyhedra_library::Polyhedron::toString ()

11.140.2.78 native long parma_polyhedra_library::Polyhedron::total_memory_in_bytes ()

11.140.2.79 native void parma_polyhedra_library::Polyhedron::unconstrain_space_dimension (Variable *var*)

11.140.2.80 native void parma_polyhedra_library::Polyhedron::unconstrain_space_dimensions (Variables_Set *vars*)

11.140.2.81 native void parma_polyhedra_library::Polyhedron::upper_bound_assign (Polyhedron *p*)

11.140.2.82 native void parma_polyhedra_library::Polyhedron::widening_assign (Polyhedron *y*, By_Reference< Integer > *tp*)

11.140.2.83 native void parma_polyhedra_library::Polyhedron::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- Polyhedron.java

11.141 parma_polyhedra_library::PPL_Object Class Reference

Smart pointer to a PPL, C++ object.

Inherited by parma_polyhedra_library::BD_Shape_double, parma_polyhedra_library::BD_Shape_float, parma_polyhedra_library::BD_Shape_int16_t, parma_polyhedra_library::BD_Shape_int32_t, parma_polyhedra_library::BD_Shape_int64_t, parma_polyhedra_library::BD_Shape_int8_t, parma_polyhedra_library::BD_Shape_long_double, parma_polyhedra_library::BD_Shape_mpq_class, parma_polyhedra_library::BD_Shape_mpz_class, parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, parma_polyhedra_library::Double_Box, parma_polyhedra_library::Float_Box, parma_polyhedra_library::Grid, parma_polyhedra_library::Int16_Box, parma_polyhedra_library::Int32_Box, parma_polyhedra_library::Int64_Box, parma_polyhedra_library::Int8_Box,

parma_polyhedra_library::Long_Double_Box, parma_polyhedra_library::MIP_Problem, parma_polyhedra_library::Octagonal_Shape_double, parma_polyhedra_library::Octagonal_Shape_float, parma_polyhedra_library::Octagonal_Shape_int16_t, parma_polyhedra_library::Octagonal_Shape_int32_t, parma_polyhedra_library::Octagonal_Shape_int64_t, parma_polyhedra_library::Octagonal_Shape_int8_t, parma_polyhedra_library::Octagonal_Shape_long_double, parma_polyhedra_library::Octagonal_Shape_mpq_class, parma_polyhedra_library::Octagonal_Shape_mpz_class, parma_polyhedra_library::Partial_Function, parma_polyhedra_library::PIP_Problem, parma_polyhedra_library::PIP_Tree_Node, parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator, parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator, parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator, parma_polyhedra_library::Pointset_Powerset_Double_Box, parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Float_Box, parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Grid, parma_polyhedra_library::Pointset_Powerset_Grid_Iterator, parma_polyhedra_library::Pointset_Powerset_Int16_Box, parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Int32_Box, parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Int64_Box, parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Int8_Box, parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class, parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator, parma_polyhedra_library::Pointset_Powerset_Rational_Box, parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Uint16_Box, parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Uint32_Box, parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Uint64_Box, parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Uint8_Box, parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator, parma_polyhedra_library::Pointset_Powerset_Z_Box, parma_polyhedra_library::Pointset_-

Powerset_Z_Box_Iterator, parma_polyhedra_library::Polyhedron, parma_polyhedra_library::Rational_Box, parma_polyhedra_library::Uint16_Box, parma_polyhedra_library::Uint32_Box, parma_polyhedra_library::Uint64_Box, parma_polyhedra_library::Uint8_Box, and parma_polyhedra_library::Z_Box.

Protected Member Functions

- PPL_Object ()

  Builds an object that points to 'null'.

Static Package Functions

- [static initializer]

Package Attributes

- long ptr

  Stores the value of the C++ pointer.

Static Private Member Functions

- static native void initIDs ()

11.141.1 Detailed Description

Smart pointer to a PPL, C++ object.

Definition at line 32 of file PPL_Object.java.

11.141.2 Constructor & Destructor Documentation

11.141.2.1 parma_polyhedra_library::PPL_Object::PPL_Object () [inline, protected]

Builds an object that points to 'null'.

Definition at line 38 of file PPL_Object.java.

References ptr.

11.141.3 Member Function Documentation

11.141.3.1 parma_polyhedra_library::PPL_Object::[static initializer] () [inline, static, package]

11.141.3.2 static native void parma_polyhedra_library::PPL_Object::initIDs () [static, private]

11.141.4 Member Data Documentation

11.141.4.1 long parma_polyhedra_library::PPL_Object::ptr [package]

Stores the value of the C++ pointer.

Definition at line 35 of file PPL_Object.java.

Referenced by PPL_Object().


The documentation for this class was generated from the following file:

- PPL_Object.java


11.142 parma_polyhedra_library::Rational_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

Inheritance diagram for parma_polyhedra_library::Rational_Box:



Collaboration diagram for parma_polyhedra_library::Rational_Box:



Public Member Functions

- Rational_Box (long num_dimensions, Degenerate_Element kind)

- Rational_Box (Int8_Box y)
- Rational_Box (Int16_Box y)
- Rational_Box (Int32_Box y)
- Rational_Box (Int64_Box y)
- Rational_Box (Uint8_Box y)
- Rational_Box (Uint16_Box y)
- Rational_Box (Uint32_Box y)
- Rational_Box (Uint64_Box y)
- Rational_Box (Z_Box y)
- Rational_Box (Rational_Box y)
- Rational_Box (BD_Shape_int8_t y)
- Rational_Box (BD_Shape_int16_t y)
- Rational_Box (BD_Shape_int32_t y)
- Rational_Box (BD_Shape_int64_t y)
- Rational_Box (BD_Shape_mpz_class y)
- Rational_Box (BD_Shape_mpq_class y)
- Rational_Box (Octagonal_Shape_int8_t y)
- Rational_Box (Octagonal_Shape_int16_t y)
- Rational_Box (Octagonal_Shape_int32_t y)
- Rational_Box (Octagonal_Shape_int64_t y)
- Rational_Box (Octagonal_Shape_mpz_class y)
- Rational_Box (Octagonal_Shape_mpq_class y)
- Rational_Box (C_Polyhedron y)
- Rational_Box (NNC_Polyhedron y)
- Rational_Box (Grid y)
- Rational_Box (Float_Box y)
- Rational_Box (BD_Shape_float y)
- Rational_Box (Octagonal_Shape_float y)
- Rational_Box (Double_Box y)
- Rational_Box (BD_Shape_double y)
- Rational_Box (Octagonal_Shape_double y)
- Rational_Box (Long_Double_Box y)
- Rational_Box (BD_Shape_long_double y)
- Rational_Box (Octagonal_Shape_long_double y)
- Rational_Box (Int8_Box y, Complexity_Class complexity)
- Rational_Box (Int16_Box y, Complexity_Class complexity)
- Rational_Box (Int32_Box y, Complexity_Class complexity)
- Rational_Box (Int64_Box y, Complexity_Class complexity)
- Rational_Box (Uint8_Box y, Complexity_Class complexity)
- Rational_Box (Uint16_Box y, Complexity_Class complexity)
- Rational_Box (Uint32_Box y, Complexity_Class complexity)
- Rational_Box (Uint64_Box y, Complexity_Class complexity)
- Rational_Box (Z_Box y, Complexity_Class complexity)
- Rational_Box (Rational_Box y, Complexity_Class complexity)
- Rational_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Rational_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Rational_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Rational_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Rational_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Rational_Box (BD_Shape_mpq_class y, Complexity_Class complexity)

- Rational_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Rational_Box (C_Polyhedron y, Complexity_Class complexity)
- Rational_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Rational_Box (Grid y, Complexity_Class complexity)
- Rational_Box (Float_Box y, Complexity_Class complexity)
- Rational_Box (BD_Shape_float y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Rational_Box (Double_Box y, Complexity_Class complexity)
- Rational_Box (BD_Shape_double y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Rational_Box (Long_Double_Box y, Complexity_Class complexity)
- Rational_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Rational_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Rational_Box (Constraint_System cs)
- Rational_Box (Congruence_System cs)
- Rational_Box (Generator_System cs)
- native void swap (Rational_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)

- native boolean contains (Rational_Box y)
- native boolean strictly_contains (Rational_Box y)
- native boolean is_disjoint_from (Rational_Box y)
- native boolean equals (Rational_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Rational_Box p)
- native void upper_bound_assign (Rational_Box p)
- native void difference_assign (Rational_Box p)
- native void concatenate_assign (Rational_Box p)
- native void time_elapse_assign (Rational_Box p)
- native boolean upper_bound_assign_if_exact (Rational_Box y)
- native boolean simplify_using_context_assign (Rational_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()

- native void CC76_widening_assign (Rational_Box y, By_Reference< Integer > tp)
- native void widening_assign (Rational_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Rational_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Rational_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Rational_Box p, Rational_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Rational_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)

- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.142.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

Definition at line 33 of file Rational_Box.java.

11.142.2 Constructor & Destructor Documentation

11.142.2.1 parma_polyhedra_library::Rational_Box::Rational_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Rational_Box.java.

References build_cpp_object().

11.142.2.2 parma_polyhedra_library::Rational_Box::Rational_Box () [inline, private]

Definition at line 45 of file Rational_Box.java.

11.142.2.3 parma_polyhedra_library::Rational_Box::Rational_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Rational_Box.java.

References build_cpp_object().

11.142.2.4 parma_polyhedra_library::Rational_Box::Rational_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Rational_Box.java.

References build_cpp_object().

11.142.2.5 parma_polyhedra_library::Rational_Box::Rational_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Rational_Box.java.

References build_cpp_object().

11.142.2.6 parma_polyhedra_library::Rational_Box::Rational_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Rational_Box.java.

References build_cpp_object().

11.142.2.7 parma_polyhedra_library::Rational_Box::Rational_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Rational_Box.java.

References build_cpp_object().

11.142.2.8 parma_polyhedra_library::Rational_Box::Rational_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Rational_Box.java.

References build_cpp_object().

11.142.2.9 parma_polyhedra_library::Rational_Box::Rational_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Rational_Box.java.

References build_cpp_object().

11.142.2.10 parma_polyhedra_library::Rational_Box::Rational_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Rational_Box.java.

References build_cpp_object().

11.142.2.11 parma_polyhedra_library::Rational_Box::Rational_Box (Z_Box *y*) [inline]

Definition at line 84 of file Rational_Box.java.

References build_cpp_object().

11.142.2.12 parma_polyhedra_library::Rational_Box::Rational_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Rational_Box.java.

References build_cpp_object().

11.142.2.13 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Rational_Box.java.

References build_cpp_object().

11.142.2.14 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Rational_Box.java.

References build_cpp_object().

11.142.2.15 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Rational_Box.java.

References build_cpp_object().

11.142.2.16 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Rational_Box.java.

References build_cpp_object().

11.142.2.17 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Rational_Box.java.

References build_cpp_object().

11.142.2.18 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Rational_Box.java.

References build_cpp_object().

11.142.2.19 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Rational_Box.java.

References build_cpp_object().

11.142.2.20 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Rational_Box.java.

References build_cpp_object().

11.142.2.21 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Rational_Box.java.

References build_cpp_object().

11.142.2.22 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Rational_Box.java.

References build_cpp_object().

11.142.2.23 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Rational_Box.java.

References build_cpp_object().

11.142.2.24 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Rational_Box.java.

References build_cpp_object().

11.142.2.25 parma_polyhedra_library::Rational_Box::Rational_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Rational_Box.java.

References build_cpp_object().

11.142.2.26 parma_polyhedra_library::Rational_Box::Rational_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Rational_Box.java.

References build_cpp_object().

11.142.2.27 parma_polyhedra_library::Rational_Box::Rational_Box (Grid *y*) [inline]

Definition at line 148 of file Rational_Box.java.

References build_cpp_object().

11.142.2.28 parma_polyhedra_library::Rational_Box::Rational_Box (Float_Box *y*) [inline]

Definition at line 152 of file Rational_Box.java.

References build_cpp_object().

11.142.2.29 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Rational_Box.java.

References build_cpp_object().

11.142.2.30 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Rational_Box.java.

References build_cpp_object().

11.142.2.31 parma_polyhedra_library::Rational_Box::Rational_Box (Double_Box *y*) [inline]

Definition at line 164 of file Rational_Box.java.

References build_cpp_object().

11.142.2.32 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Rational_Box.java.

References build_cpp_object().

11.142.2.33 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Rational_Box.java.

References build_cpp_object().

11.142.2.34 parma_polyhedra_library::Rational_Box::Rational_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Rational_Box.java.

References build_cpp_object().

11.142.2.35 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Rational_Box.java.

References build_cpp_object().

11.142.2.36 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Rational_Box.java.

References build_cpp_object().

11.142.2.37 parma_polyhedra_library::Rational_Box::Rational_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Rational_Box.java.

References build_cpp_object().

11.142.2.38 parma_polyhedra_library::Rational_Box::Rational_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Rational_Box.java.

References build_cpp_object().

11.142.2.39 parma_polyhedra_library::Rational_Box::Rational_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Rational_Box.java.

References build_cpp_object().

11.142.2.40 parma_polyhedra_library::Rational_Box::Rational_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Rational_Box.java.

References build_cpp_object().

11.142.2.41 parma_polyhedra_library::Rational_Box::Rational_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Rational_Box.java.

References build_cpp_object().

11.142.2.42 parma_polyhedra_library::Rational_Box::Rational_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Rational_Box.java.

References build_cpp_object().

11.142.2.43 parma_polyhedra_library::Rational_Box::Rational_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Rational_Box.java.

References build_cpp_object().

11.142.2.44 parma_polyhedra_library::Rational_Box::Rational_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Rational_Box.java.

References build_cpp_object().

11.142.2.45 parma_polyhedra_library::Rational_Box::Rational_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Rational_Box.java.

References build_cpp_object().

11.142.2.46 parma_polyhedra_library::Rational_Box::Rational_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Rational_Box.java.

References build_cpp_object().

11.142.2.47 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Rational_Box.java.

References build_cpp_object().

11.142.2.48 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Rational_Box.java.

References build_cpp_object().

11.142.2.49 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Rational_Box.java.

References build_cpp_object().

11.142.2.50 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Rational_Box.java.

References build_cpp_object().

11.142.2.51 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Rational_Box.java.

References build_cpp_object().

11.142.2.52 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Rational_Box.java.

References build_cpp_object().

11.142.2.53 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Rational_Box.java.

References build_cpp_object().

11.142.2.54 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Rational_Box.java.

References build_cpp_object().

11.142.2.55 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Rational_Box.java.

References build_cpp_object().

11.142.2.56 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Rational_Box.java.

References build_cpp_object().

11.142.2.57 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Rational_Box.java.

References build_cpp_object().

11.142.2.58 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Rational_Box.java.

References build_cpp_object().

11.142.2.59 parma_polyhedra_library::Rational_Box::Rational_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Rational_Box.java.

References build_cpp_object().

11.142.2.60 parma_polyhedra_library::Rational_Box::Rational_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Rational_Box.java.

References build_cpp_object().

11.142.2.61 parma_polyhedra_library::Rational_Box::Rational_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Rational_Box.java.

References build_cpp_object().

11.142.2.62 parma_polyhedra_library::Rational_Box::Rational_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Rational_Box.java.

References build_cpp_object().

11.142.2.63 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Rational_Box.java.

References build_cpp_object().

11.142.2.64 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Rational_Box.java.

References build_cpp_object().

11.142.2.65 parma_polyhedra_library::Rational_Box::Rational_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Rational_Box.java.

References build_cpp_object().

11.142.2.66 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Rational_Box.java.

References build_cpp_object().

11.142.2.67 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Rational_Box.java.

References build_cpp_object().

11.142.2.68 parma_polyhedra_library::Rational_Box::Rational_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Rational_Box.java.

References build_cpp_object().

11.142.2.69 parma_polyhedra_library::Rational_Box::Rational_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Rational_Box.java.

References build_cpp_object().

11.142.2.70 parma_polyhedra_library::Rational_Box::Rational_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Rational_Box.java.

References build_cpp_object().

11.142.2.71 parma_polyhedra_library::Rational_Box::Rational_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Rational_Box.java.

References build_cpp_object().

11.142.2.72 parma_polyhedra_library::Rational_Box::Rational_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Rational_Box.java.

References build_cpp_object().

11.142.2.73 parma_polyhedra_library::Rational_Box::Rational_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Rational_Box.java.

References build_cpp_object().

11.142.3 Member Function Documentation

11.142.3.1 native void parma_polyhedra_library::Rational_Box::add_congruence (Congruence *c*)

11.142.3.2 native void parma_polyhedra_library::Rational_Box::add_congruences (Congruence_System *c*)

11.142.3.3 native void parma_polyhedra_library::Rational_Box::add_constraint (Constraint *c*)

11.142.3.4 native void parma_polyhedra_library::Rational_Box::add_constraints (Constraint_System *c*)

11.142.3.5 native void parma_polyhedra_library::Rational_Box::add_space_dimensions_and_embed (long *m*)

11.142.3.6 native void parma_polyhedra_library::Rational_Box::add_space_dimensions_and_project (long *m*)

11.142.3.7 native long parma_polyhedra_library::Rational_Box::affine_dimension ()

11.142.3.8 native void parma_polyhedra_library::Rational_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.142.3.9 native void parma_polyhedra_library::Rational_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.142.3.10 native String parma_polyhedra_library::Rational_Box::ascii_dump ()

11.142.3.11 native void parma_polyhedra_library::Rational_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.142.3.12 native void parma_polyhedra_library::Rational_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.142.3.13 native boolean parma_polyhedra_library::Rational_Box::bounds_from_above (Linear_Expression *expr*)

11.142.3.14 native boolean parma_polyhedra_library::Rational_Box::bounds_from_below (Linear_Expression *expr*)

11.142.3.15 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.142.3.16 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.142.3.17 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.142.3.18 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.142.3.19 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.142.3.20 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Long_Double_Box *y*) `[private]`

11.142.3.21 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) `[private]`

11.142.3.22 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.142.3.23 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.142.3.24 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.142.3.25 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.26 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Double_Box *y*) [private]

11.142.3.27 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.142.3.28 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.142.3.29 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.142.3.30 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.142.3.31 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.32 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Float_Box *y*) [private]

11.142.3.33 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.142.3.34 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Grid *y*) [private]

11.142.3.35 native void parma_polyhedra_library::Rational_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.142.3.36 native void parma_polyhedra_library::Rational_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.142.3.37 native void parma_polyhedra_library::Rational_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.142.3.38 native void parma_polyhedra_library::Rational_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.142.3.39 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.142.3.40 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.142.3.41 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.142.3.42 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.142.3.43 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.142.3.44 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.142.3.45 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.142.3.46 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.142.3.47 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.142.3.48 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.142.3.49 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.142.3.50 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.142.3.51 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.142.3.52 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.142.3.53 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.142.3.54 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.142.3.55 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.142.3.56 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.142.3.57 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.142.3.58 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.142.3.59 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.142.3.60 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.142.3.61 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.142.3.62 native void parma_polyhedra_library::Rational_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.142.3.63 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.64 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Rational_Box *y*) [private]

11.142.3.65 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.66 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Z_Box *y*) [private]

11.142.3.67 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.68 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint64_Box *y*) [private]

11.142.3.69 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.70 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint32_Box *y*) [private]

11.142.3.71 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.72 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint16_Box *y*) [private]

11.142.3.73 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.74 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Uint8_Box *y*) [private]

11.142.3.75 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.76 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int64_Box *y*) [private]

11.142.3.77 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.78 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int32_Box *y*) [private]

11.142.3.79 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.80 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int16_Box *y*) [private]

11.142.3.81 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.142.3.82 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Int8_Box *y*) [private]

11.142.3.83 native void parma_polyhedra_library::Rational_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.142.3.84 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Generator_System *cs*) [private]

11.142.3.85 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Congruence_System *cs*) [private]

11.142.3.86 native void parma_polyhedra_library::Rational_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Rational_Box().

11.142.3.87 native void parma_polyhedra_library::Rational_Box::CC76_widening_assign (Rational_Box *y*, By_Reference< Integer > *tp*)

11.142.3.88 native void parma_polyhedra_library::Rational_Box::concatenate_assign (Rational_Box *p*)

11.142.3.89 native Congruence_System parma_polyhedra_library::Rational_Box::congruences ()

11.142.3.90 native boolean parma_polyhedra_library::Rational_Box::constrains (Variable *var*)

11.142.3.91 native Constraint_System parma_polyhedra_library::Rational_Box::constraints ()

11.142.3.92 native boolean parma_polyhedra_library::Rational_Box::contains (Rational_Box *y*)

11.142.3.93 native boolean parma_polyhedra_library::Rational_Box::contains_integer_point ()

11.142.3.94 native void parma_polyhedra_library::Rational_Box::difference_assign (Rational_Box *p*)

11.142.3.95 native void parma_polyhedra_library::Rational_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.142.3.96 native void parma_polyhedra_library::Rational_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.142.3.97 boolean parma_polyhedra_library::Rational_Box::equals (Object *y*) [inline]

Definition at line 465 of file Rational_Box.java.

References equals().

11.142.3.98 native boolean parma_polyhedra_library::Rational_Box::equals (Rational_Box *p*)

Referenced by equals().

11.142.3.99 native void parma_polyhedra_library::Rational_Box::expand_space_dimension (Variable *var*, long *m*)

11.142.3.100 native long parma_polyhedra_library::Rational_Box::external_memory_in_bytes ()

11.142.3.101 native void parma_polyhedra_library::Rational_Box::finalize () [protected]

11.142.3.102 native void parma_polyhedra_library::Rational_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.142.3.103 native void parma_polyhedra_library::Rational_Box::free ()

11.142.3.104 native boolean parma_polyhedra_library::Rational_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.142.3.105 native void parma_polyhedra_library::Rational_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.142.3.106 native void parma_polyhedra_library::Rational_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.142.3.107 native void parma_polyhedra_library::Rational_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.142.3.108 native void parma_polyhedra_library::Rational_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.142.3.109 native void parma_polyhedra_library::Rational_Box::intersection_assign (Rational_Box *p*)

11.142.3.110 native boolean parma_polyhedra_library::Rational_Box::is_bounded ()

11.142.3.111 native boolean parma_polyhedra_library::Rational_Box::is_discrete ()

11.142.3.112 native boolean parma_polyhedra_library::Rational_Box::is_disjoint_from (Rational_Box *y*)

11.142.3.113 native boolean parma_polyhedra_library::Rational_Box::is_empty ()

11.142.3.114 native boolean parma_polyhedra_library::Rational_Box::is_topologically_closed ()

11.142.3.115 native boolean parma_polyhedra_library::Rational_Box::is_universe ()

11.142.3.116 native void parma_polyhedra_library::Rational_Box::limited_CC76_extrapolation_assign (Rational_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.142.3.117 static native Pair<Rational_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Rational_Box::linear_partition (Rational_Box *p*, Rational_Box *q*) `[static]`

11.142.3.118 native void parma_polyhedra_library::Rational_Box::map_space_dimensions (Partial_Function *pfunc*)

11.142.3.119 native boolean parma_polyhedra_library::Rational_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.142.3.120 native boolean parma_polyhedra_library::Rational_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.142.3.121 native boolean parma_polyhedra_library::Rational_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.142.3.122 native boolean parma_polyhedra_library::Rational_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.142.3.123 native Congruence_System parma_polyhedra_library::Rational_Box::minimized_congruences ()

11.142.3.124 native Constraint_System parma_polyhedra_library::Rational_Box::minimized_constraints ()

11.142.3.125 native boolean parma_polyhedra_library::Rational_Box::OK ()

11.142.3.126 native void parma_polyhedra_library::Rational_Box::refine_with_congruence (Congruence *c*)

11.142.3.127 native void parma_polyhedra_library::Rational_Box::refine_with_congruences (Congruence_System *c*)

11.142.3.128 native void parma_polyhedra_library::Rational_Box::refine_with_constraint (Constraint *c*)

11.142.3.129 native void parma_polyhedra_library::Rational_Box::refine_with_constraints (Constraint_System *c*)

11.142.3.130 native Poly_Con_Relation parma_polyhedra_library::Rational_Box::relation_with (Congruence *c*)

11.142.3.131 native Poly_Gen_Relation parma_polyhedra_library::Rational_Box::relation_with (Generator *c*)

11.142.3.132 native Poly_Con_Relation parma_polyhedra_library::Rational_Box::relation_with (Constraint *c*)

11.142.3.133 native void parma_polyhedra_library::Rational_Box::remove_higher_space_dimensions (long *new_dimension*)

11.142.3.134 native void parma_polyhedra_library::Rational_Box::remove_space_dimensions (Variables_Set *vars*)

11.142.3.135 native boolean parma_polyhedra_library::Rational_Box::simplify_using_context_assign (Rational_Box *p*)

11.142.3.136 native long parma_polyhedra_library::Rational_Box::space_dimension ()

11.142.3.137 native boolean parma_polyhedra_library::Rational_Box::strictly_contains (Rational_Box *y*)

11.142.3.138 native void parma_polyhedra_library::Rational_Box::swap (Rational_Box *y*)

11.142.3.139 native void parma_polyhedra_library::Rational_Box::time_elapse_assign (Rational_Box *p*)

11.142.3.140 native void parma_polyhedra_library::Rational_Box::topological_closure_assign ()

11.142.3.141 native String parma_polyhedra_library::Rational_Box::toString ()

11.142.3.142 native long parma_polyhedra_library::Rational_Box::total_memory_in_bytes ()

11.142.3.143 native void parma_polyhedra_library::Rational_Box::unconstrain_space_dimension (Variable *var*)

11.142.3.144 native void parma_polyhedra_library::Rational_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.142.3.145 native void parma_polyhedra_library::Rational_Box::upper_bound_assign (Rational_Box *p*)

11.142.3.146 native boolean parma_polyhedra_library::Rational_Box::upper_bound_assign_if_exact (Rational_Box *y*)

11.142.3.147 native void parma_polyhedra_library::Rational_Box::widening_assign (Rational_Box *y*, By_Reference< Integer > *tp*)

11.142.3.148 native void parma_polyhedra_library::Rational_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- Rational_Box.java

11.143 parma_polyhedra_library::Termination Class Reference

Static Public Member Functions

- static native boolean termination_test_MS_Int8_Box (Int8_Box p)

- static native boolean termination_test_PR_Int8_Box (Int8_Box p)
- static native boolean one_affine_ranking_function_MS_Int8_Box (Int8_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Int8_Box (Int8_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Int8_Box (Int8_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int8_Box (Int8_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int8_Box (Int8_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after)
- static native boolean termination_test_PR_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after)
- static native boolean one_affine_ranking_function_MS_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int8_Box_2 (Int8_Box p_before, Int8_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int16_Box (Int16_Box p)
- static native boolean termination_test_PR_Int16_Box (Int16_Box p)
- static native boolean one_affine_ranking_function_MS_Int16_Box (Int16_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Int16_Box (Int16_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Int16_Box (Int16_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int16_Box (Int16_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int16_Box (Int16_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after)
- static native boolean termination_test_PR_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after)
- static native boolean one_affine_ranking_function_MS_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int16_Box_2 (Int16_Box p_before, Int16_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int32_Box (Int32_Box p)
- static native boolean termination_test_PR_Int32_Box (Int32_Box p)
- static native boolean one_affine_ranking_function_MS_Int32_Box (Int32_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Int32_Box (Int32_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Int32_Box (Int32_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int32_Box (Int32_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int32_Box (Int32_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after)
- static native boolean termination_test_PR_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after)
- static native boolean one_affine_ranking_function_MS_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after, Generator g)

- static native boolean one_affine_ranking_function_PR_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int32_Box_2 (Int32_Box p_before, Int32_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int64_Box (Int64_Box p)
- static native boolean termination_test_PR_Int64_Box (Int64_Box p)
- static native boolean one_affine_ranking_function_MS_Int64_Box (Int64_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Int64_Box (Int64_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Int64_Box (Int64_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int64_Box (Int64_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int64_Box (Int64_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after)
- static native boolean termination_test_PR_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after)
- static native boolean one_affine_ranking_function_MS_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Int64_Box_2 (Int64_Box p_before, Int64_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint8_Box (Uint8_Box p)
- static native boolean termination_test_PR_Uint8_Box (Uint8_Box p)
- static native boolean one_affine_ranking_function_MS_Uint8_Box (Uint8_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint8_Box (Uint8_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Uint8_Box (Uint8_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint8_Box (Uint8_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint8_Box (Uint8_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after)
- static native boolean termination_test_PR_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after)
- static native boolean one_affine_ranking_function_MS_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint8_Box_2 (Uint8_Box p_before, Uint8_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint16_Box (Uint16_Box p)
- static native boolean termination_test_PR_Uint16_Box (Uint16_Box p)
- static native boolean one_affine_ranking_function_MS_Uint16_Box (Uint16_Box p, Generator g)

- static native boolean one_affine_ranking_function_PR_Uint16_Box (Uint16_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Uint16_Box (Uint16_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint16_Box (Uint16_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint16_Box (Uint16_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint16_Box_2 (Uint16_Box p_before, Uint16_Box p_-after)
- static native boolean termination_test_PR_Uint16_Box_2 (Uint16_Box p_before, Uint16_Box p_-after)
- static native boolean one_affine_ranking_function_MS_Uint16_Box_2 (Uint16_Box p_before, Uint16_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint16_Box_2 (Uint16_Box p_before, Uint16_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Uint16_Box_2 (Uint16_Box p_before, Uint16_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint16_Box_2 (Uint16_Box p_before, Uint16_-Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint16_Box_2 (Uint16_Box p_before, Uint16_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint32_Box (Uint32_Box p)
- static native boolean termination_test_PR_Uint32_Box (Uint32_Box p)
- static native boolean one_affine_ranking_function_MS_Uint32_Box (Uint32_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint32_Box (Uint32_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Uint32_Box (Uint32_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint32_Box (Uint32_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint32_Box (Uint32_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint32_Box_2 (Uint32_Box p_before, Uint32_Box p_-after)
- static native boolean termination_test_PR_Uint32_Box_2 (Uint32_Box p_before, Uint32_Box p_-after)
- static native boolean one_affine_ranking_function_MS_Uint32_Box_2 (Uint32_Box p_before, Uint32_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint32_Box_2 (Uint32_Box p_before, Uint32_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Uint32_Box_2 (Uint32_Box p_before, Uint32_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint32_Box_2 (Uint32_Box p_before, Uint32_-Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint32_Box_2 (Uint32_Box p_before, Uint32_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint64_Box (Uint64_Box p)
- static native boolean termination_test_PR_Uint64_Box (Uint64_Box p)
- static native boolean one_affine_ranking_function_MS_Uint64_Box (Uint64_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint64_Box (Uint64_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Uint64_Box (Uint64_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint64_Box (Uint64_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint64_Box (Uint64_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Uint64_Box_2 (Uint64_Box p_before, Uint64_Box p_-after)

- static native boolean termination_test_PR_Uint64_Box_2 (Uint64_Box p_before, Uint64_Box p_-after)
- static native boolean one_affine_ranking_function_MS_Uint64_Box_2 (Uint64_Box p_before, Uint64_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Uint64_Box_2 (Uint64_Box p_before, Uint64_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Uint64_Box_2 (Uint64_Box p_before, Uint64_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Uint64_Box_2 (Uint64_Box p_before, Uint64_-Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Uint64_Box_2 (Uint64_Box p_before, Uint64_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Z_Box (Z_Box p)
- static native boolean termination_test_PR_Z_Box (Z_Box p)
- static native boolean one_affine_ranking_function_MS_Z_Box (Z_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Z_Box (Z_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Z_Box (Z_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Z_Box (Z_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Z_Box (Z_Box p, Polyhedron ph_-decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Z_Box_2 (Z_Box p_before, Z_Box p_after)
- static native boolean termination_test_PR_Z_Box_2 (Z_Box p_before, Z_Box p_after)
- static native boolean one_affine_ranking_function_MS_Z_Box_2 (Z_Box p_before, Z_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Z_Box_2 (Z_Box p_before, Z_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Z_Box_2 (Z_Box p_before, Z_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Z_Box_2 (Z_Box p_before, Z_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Z_Box_2 (Z_Box p_before, Z_Box p_-after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Rational_Box (Rational_Box p)
- static native boolean termination_test_PR_Rational_Box (Rational_Box p)
- static native boolean one_affine_ranking_function_MS_Rational_Box (Rational_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Rational_Box (Rational_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Rational_Box (Rational_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Rational_Box (Rational_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Rational_Box (Rational_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after)
- static native boolean termination_test_PR_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after)
- static native boolean one_affine_ranking_function_MS_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after, Polyhedron ph)

- static native void all_affine_ranking_functions_PR_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Rational_Box_2 (Rational_Box p_before, Rational_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int8_t (BD_Shape_int8_t p)
- static native boolean termination_test_PR_BD_Shape_int8_t (BD_Shape_int8_t p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int8_t (BD_Shape_int8_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int8_t (BD_Shape_int8_t p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int8_t (BD_Shape_int8_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_int8_t (BD_Shape_int8_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int8_t (BD_Shape_int8_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after)
- static native boolean termination_test_PR_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t p_before, BD_Shape_int8_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int16_t (BD_Shape_int16_t p)
- static native boolean termination_test_PR_BD_Shape_int16_t (BD_Shape_int16_t p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int16_t (BD_Shape_int16_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int16_t (BD_Shape_int16_t p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int16_t (BD_Shape_int16_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_int16_t (BD_Shape_int16_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int16_t (BD_Shape_int16_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int16_t_2 (BD_Shape_int16_t p_before, BD_Shape_int16_t p_after)
- static native boolean termination_test_PR_BD_Shape_int16_t_2 (BD_Shape_int16_t p_before, BD_Shape_int16_t p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int16_t_2 (BD_Shape_int16_t p_before, BD_Shape_int16_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int16_t_2 (BD_Shape_int16_t p_before, BD_Shape_int16_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int16_t_2 (BD_Shape_int16_t p_before, BD_Shape_int16_t p_after, Polyhedron ph)

- static native void all_affine_ranking_functions_PR_BD_Shape_int16_t_2 (BD_Shape_int16_t p_-before, BD_Shape_int16_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int16_t_2 (BD_Shape_-int16_t p_before, BD_Shape_int16_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int32_t (BD_Shape_int32_t p)
- static native boolean termination_test_PR_BD_Shape_int32_t (BD_Shape_int32_t p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int32_t (BD_Shape_int32_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int32_t (BD_Shape_int32_t p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int32_t (BD_Shape_int32_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_int32_t (BD_Shape_int32_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int32_t (BD_Shape_int32_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int32_t_2 (BD_Shape_int32_t p_before, BD_Shape_int32_t p_after)
- static native boolean termination_test_PR_BD_Shape_int32_t_2 (BD_Shape_int32_t p_before, BD_Shape_int32_t p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int32_t_2 (BD_Shape_int32_t p_before, BD_Shape_int32_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int32_t_2 (BD_Shape_int32_-t p_before, BD_Shape_int32_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int32_t_2 (BD_Shape_int32_t p_-before, BD_Shape_int32_t p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_int32_t_2 (BD_Shape_int32_t p_-before, BD_Shape_int32_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int32_t_2 (BD_Shape_-int32_t p_before, BD_Shape_int32_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int64_t (BD_Shape_int64_t p)
- static native boolean termination_test_PR_BD_Shape_int64_t (BD_Shape_int64_t p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int64_t (BD_Shape_int64_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int64_t (BD_Shape_int64_t p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int64_t (BD_Shape_int64_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_int64_t (BD_Shape_int64_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int64_t (BD_Shape_int64_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_int64_t_2 (BD_Shape_int64_t p_before, BD_Shape_int64_t p_after)
- static native boolean termination_test_PR_BD_Shape_int64_t_2 (BD_Shape_int64_t p_before, BD_Shape_int64_t p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_int64_t_2 (BD_Shape_int64_t p_before, BD_Shape_int64_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_int64_t_2 (BD_Shape_int64_-t p_before, BD_Shape_int64_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_int64_t_2 (BD_Shape_int64_t p_-before, BD_Shape_int64_t p_after, Polyhedron ph)

- static native void all_affine_ranking_functions_PR_BD_Shape_int64_t_2 (BD_Shape_int64_t p_-before, BD_Shape_int64_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_int64_t_2 (BD_Shape_-int64_t p_before, BD_Shape_int64_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_mpz_class (BD_Shape_mpz_class p)
- static native boolean termination_test_PR_BD_Shape_mpz_class (BD_Shape_mpz_class p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_mpz_class (BD_Shape_mpz_-class p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_mpz_class (BD_Shape_mpz_-class p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_mpz_class (BD_Shape_mpz_class p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_mpz_class (BD_Shape_mpz_class p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_mpz_class (BD_Shape_-mpz_class p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_mpz_class_2 (BD_Shape_mpz_class p_-before, BD_Shape_mpz_class p_after)
- static native boolean termination_test_PR_BD_Shape_mpz_class_2 (BD_Shape_mpz_class p_-before, BD_Shape_mpz_class p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_mpz_class_2 (BD_Shape_-mpz_class p_before, BD_Shape_mpz_class p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_mpz_class_2 (BD_Shape_-mpz_class p_before, BD_Shape_mpz_class p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_mpz_class_2 (BD_Shape_mpz_-class p_before, BD_Shape_mpz_class p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_mpz_class_2 (BD_Shape_mpz_-class p_before, BD_Shape_mpz_class p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_mpz_class_2 (BD_Shape_-mpz_class p_before, BD_Shape_mpz_class p_after, Polyhedron ph_decreasing, Polyhedron ph_-bounded)
- static native boolean termination_test_MS_BD_Shape_mpq_class (BD_Shape_mpq_class p)
- static native boolean termination_test_PR_BD_Shape_mpq_class (BD_Shape_mpq_class p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_mpq_class (BD_Shape_mpq_-class p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_mpq_class (BD_Shape_mpq_-class p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_mpq_class (BD_Shape_mpq_class p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_mpq_class (BD_Shape_mpq_class p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_mpq_class (BD_Shape_-mpq_class p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class p_-before, BD_Shape_mpq_class p_after)
- static native boolean termination_test_PR_BD_Shape_mpq_class_2 (BD_Shape_mpq_class p_-before, BD_Shape_mpq_class p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_mpq_class_2 (BD_Shape_-mpq_class p_before, BD_Shape_mpq_class p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_mpq_class_2 (BD_Shape_-mpq_class p_before, BD_Shape_mpq_class p_after, Generator g)

- static native void all_affine_ranking_functions_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class p_before, BD_Shape_mpq_class p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_mpq_class_2 (BD_Shape_mpq_class p_before, BD_Shape_mpq_class p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class p_before, BD_Shape_mpq_class p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p)
- static native boolean termination_test_PR_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after)
- static native boolean termination_test_PR_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t p_before, Octagonal_Shape_int8_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p)
- static native boolean termination_test_PR_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after)
- static native boolean termination_test_PR_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after, Generator g)

- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t p_before, Octagonal_Shape_int16_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p)
- static native boolean termination_test_PR_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after)
- static native boolean termination_test_PR_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t p_before, Octagonal_Shape_int32_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p)
- static native boolean termination_test_PR_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after)
- static native boolean termination_test_PR_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after)

- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t p_before, Octagonal_Shape_int64_t p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p)
- static native boolean termination_test_PR_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after)
- static native boolean termination_test_PR_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class p_before, Octagonal_Shape_mpz_class p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p)
- static native boolean termination_test_PR_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p, Polyhedron ph)

- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after)
- static native boolean termination_test_PR_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class p_before, Octagonal_Shape_mpq_class p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_C_Polyhedron (C_Polyhedron p)
- static native boolean termination_test_PR_C_Polyhedron (C_Polyhedron p)
- static native boolean termination_test_MS_NNC_Polyhedron (NNC_Polyhedron p)
- static native boolean termination_test_PR_NNC_Polyhedron (NNC_Polyhedron p)
- static native boolean one_affine_ranking_function_MS_C_Polyhedron (C_Polyhedron p, Generator g)
- static native boolean one_affine_ranking_function_PR_C_Polyhedron (C_Polyhedron p, Generator g)
- static native boolean one_affine_ranking_function_MS_NNC_Polyhedron (NNC_Polyhedron p, Generator g)
- static native boolean one_affine_ranking_function_PR_NNC_Polyhedron (NNC_Polyhedron p, Generator g)
- static native void all_affine_ranking_functions_MS_C_Polyhedron (C_Polyhedron p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_C_Polyhedron (C_Polyhedron p, Polyhedron ph)
- static native void all_affine_ranking_functions_MS_NNC_Polyhedron (NNC_Polyhedron p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_NNC_Polyhedron (NNC_Polyhedron p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_C_Polyhedron (C_Polyhedron p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native void all_affine_quasi_ranking_functions_MS_NNC_Polyhedron (NNC_Polyhedron p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_C_Polyhedron_2 (C_Polyhedron p_before, C_Polyhedron p_after)
- static native boolean termination_test_PR_C_Polyhedron_2 (C_Polyhedron p_before, C_Polyhedron p_after)
- static native boolean termination_test_MS_NNC_Polyhedron_2 (NNC_Polyhedron p_before, NNC_Polyhedron p_after)
- static native boolean termination_test_PR_NNC_Polyhedron_2 (NNC_Polyhedron p_before, NNC_Polyhedron p_after)
- static native boolean one_affine_ranking_function_MS_C_Polyhedron_2 (C_Polyhedron p_before, C_Polyhedron p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_C_Polyhedron_2 (C_Polyhedron p_before, C_Polyhedron p_after, Generator g)

- static native boolean one_affine_ranking_function_MS_NNC_Polyhedron_2 (NNC_Polyhedron p_-before, NNC_Polyhedron p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_NNC_Polyhedron_2 (NNC_Polyhedron p_-before, NNC_Polyhedron p_after, Generator g)
- static native void all_affine_ranking_functions_MS_C_Polyhedron_2 (C_Polyhedron p_before, C_-Polyhedron p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_C_Polyhedron_2 (C_Polyhedron p_before, C_-Polyhedron p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_MS_NNC_Polyhedron_2 (NNC_Polyhedron p_-before, NNC_Polyhedron p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_NNC_Polyhedron_2 (NNC_Polyhedron p_-before, NNC_Polyhedron p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_C_Polyhedron_2 (C_Polyhedron p_-before, C_Polyhedron p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native void all_affine_quasi_ranking_functions_MS_NNC_Polyhedron_2 (NNC_Polyhedron p_before, NNC_Polyhedron p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Grid (Grid p)
- static native boolean termination_test_PR_Grid (Grid p)
- static native boolean one_affine_ranking_function_MS_Grid (Grid p, Generator g)
- static native boolean one_affine_ranking_function_PR_Grid (Grid p, Generator g)
- static native void all_affine_ranking_functions_MS_Grid (Grid p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Grid (Grid p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Grid (Grid p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Grid_2 (Grid p_before, Grid p_after)
- static native boolean termination_test_PR_Grid_2 (Grid p_before, Grid p_after)
- static native boolean one_affine_ranking_function_MS_Grid_2 (Grid p_before, Grid p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Grid_2 (Grid p_before, Grid p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Grid_2 (Grid p_before, Grid p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Grid_2 (Grid p_before, Grid p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Grid_2 (Grid p_before, Grid p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Float_Box (Float_Box p)
- static native boolean termination_test_PR_Float_Box (Float_Box p)
- static native boolean one_affine_ranking_function_MS_Float_Box (Float_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Float_Box (Float_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Float_Box (Float_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Float_Box (Float_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Float_Box (Float_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Float_Box_2 (Float_Box p_before, Float_Box p_after)
- static native boolean termination_test_PR_Float_Box_2 (Float_Box p_before, Float_Box p_after)
- static native boolean one_affine_ranking_function_MS_Float_Box_2 (Float_Box p_before, Float_-Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Float_Box_2 (Float_Box p_before, Float_-Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Float_Box_2 (Float_Box p_before, Float_Box p_after, Polyhedron ph)

- static native void all_affine_ranking_functions_PR_Float_Box_2 (Float_Box p_before, Float_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Float_Box_2 (Float_Box p_before, Float_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_float (BD_Shape_float p)
- static native boolean termination_test_PR_BD_Shape_float (BD_Shape_float p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_float (BD_Shape_float p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_float (BD_Shape_float p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_float (BD_Shape_float p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_float (BD_Shape_float p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_float (BD_Shape_float p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after)
- static native boolean termination_test_PR_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_float_2 (BD_Shape_float p_before, BD_Shape_float p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_float (Octagonal_Shape_float p)
- static native boolean termination_test_PR_Octagonal_Shape_float (Octagonal_Shape_float p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_float (Octagonal_Shape_float p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_float (Octagonal_Shape_float p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_float (Octagonal_Shape_float p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_float (Octagonal_Shape_float p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_float (Octagonal_Shape_float p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float p_before, Octagonal_Shape_float p_after)
- static native boolean termination_test_PR_Octagonal_Shape_float_2 (Octagonal_Shape_float p_before, Octagonal_Shape_float p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float p_before, Octagonal_Shape_float p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_float_2 (Octagonal_Shape_float p_before, Octagonal_Shape_float p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float p_before, Octagonal_Shape_float p_after, Polyhedron ph)

- static native void all_affine_ranking_functions_PR_Octagonal_Shape_float_2 (Octagonal_Shape_-float p_before, Octagonal_Shape_float p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_float_2 (Octagonal_-Shape_float p_before, Octagonal_Shape_float p_after, Polyhedron ph_decreasing, Polyhedron ph_-bounded)
- static native boolean termination_test_MS_Double_Box (Double_Box p)
- static native boolean termination_test_PR_Double_Box (Double_Box p)
- static native boolean one_affine_ranking_function_MS_Double_Box (Double_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Double_Box (Double_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Double_Box (Double_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Double_Box (Double_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Double_Box (Double_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Double_Box_2 (Double_Box p_before, Double_Box p_-after)
- static native boolean termination_test_PR_Double_Box_2 (Double_Box p_before, Double_Box p_-after)
- static native boolean one_affine_ranking_function_MS_Double_Box_2 (Double_Box p_before, Double_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Double_Box_2 (Double_Box p_before, Double_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Double_Box_2 (Double_Box p_before, Double_Box p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Double_Box_2 (Double_Box p_before, Double_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Double_Box_2 (Double_Box p_before, Double_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_double (BD_Shape_double p)
- static native boolean termination_test_PR_BD_Shape_double (BD_Shape_double p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_double (BD_Shape_double p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_double (BD_Shape_double p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_double (BD_Shape_double p, Poly-hedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_double (BD_Shape_double p, Poly-hedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_double (BD_Shape_double p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_double_2 (BD_Shape_double p_before, BD_Shape_double p_after)
- static native boolean termination_test_PR_BD_Shape_double_2 (BD_Shape_double p_before, BD_Shape_double p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_double_2 (BD_Shape_double p_before, BD_Shape_double p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_double_2 (BD_Shape_double p_before, BD_Shape_double p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_double_2 (BD_Shape_double p_-before, BD_Shape_double p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_double_2 (BD_Shape_double p_-before, BD_Shape_double p_after, Polyhedron ph)

- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_double_2 (BD_Shape_double p_before, BD_Shape_double p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_double (Octagonal_Shape_double p)
- static native boolean termination_test_PR_Octagonal_Shape_double (Octagonal_Shape_double p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_double (Octagonal_Shape_double p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_double (Octagonal_Shape_double p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_double (Octagonal_Shape_double p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_double (Octagonal_Shape_double p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_double (Octagonal_Shape_double p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after)
- static native boolean termination_test_PR_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double p_before, Octagonal_Shape_double p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Long_Double_Box (Long_Double_Box p)
- static native boolean termination_test_PR_Long_Double_Box (Long_Double_Box p)
- static native boolean one_affine_ranking_function_MS_Long_Double_Box (Long_Double_Box p, Generator g)
- static native boolean one_affine_ranking_function_PR_Long_Double_Box (Long_Double_Box p, Generator g)
- static native void all_affine_ranking_functions_MS_Long_Double_Box (Long_Double_Box p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Long_Double_Box (Long_Double_Box p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Long_Double_Box (Long_Double_Box p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Long_Double_Box_2 (Long_Double_Box p_before, Long_Double_Box p_after)
- static native boolean termination_test_PR_Long_Double_Box_2 (Long_Double_Box p_before, Long_Double_Box p_after)
- static native boolean one_affine_ranking_function_MS_Long_Double_Box_2 (Long_Double_Box p_before, Long_Double_Box p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_Long_Double_Box_2 (Long_Double_Box p_before, Long_Double_Box p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Long_Double_Box_2 (Long_Double_Box p_before, Long_Double_Box p_after, Polyhedron ph)

- static native void all_affine_ranking_functions_PR_Long_Double_Box_2 (Long_Double_Box p_-before, Long_Double_Box p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Long_Double_Box_2 (Long_Double_-Box p_before, Long_Double_Box p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_long_double (BD_Shape_long_double p)
- static native boolean termination_test_PR_BD_Shape_long_double (BD_Shape_long_double p)
- static native boolean one_affine_ranking_function_MS_BD_Shape_long_double (BD_Shape_-long_double p, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_long_double (BD_Shape_long_-double p, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_long_double (BD_Shape_long_-double p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_long_double (BD_Shape_long_-double p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_long_double (BD_Shape_-long_double p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_BD_Shape_long_double_2 (BD_Shape_long_double p_-before, BD_Shape_long_double p_after)
- static native boolean termination_test_PR_BD_Shape_long_double_2 (BD_Shape_long_double p_-before, BD_Shape_long_double p_after)
- static native boolean one_affine_ranking_function_MS_BD_Shape_long_double_2 (BD_Shape_-long_double p_before, BD_Shape_long_double p_after, Generator g)
- static native boolean one_affine_ranking_function_PR_BD_Shape_long_double_2 (BD_Shape_-long_double p_before, BD_Shape_long_double p_after, Generator g)
- static native void all_affine_ranking_functions_MS_BD_Shape_long_double_2 (BD_Shape_long_-double p_before, BD_Shape_long_double p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_BD_Shape_long_double_2 (BD_Shape_long_-double p_before, BD_Shape_long_double p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_BD_Shape_long_double_2 (BD_Shape_-long_double p_before, BD_Shape_long_double p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_long_double (Octagonal_Shape_-long_double p)
- static native boolean termination_test_PR_Octagonal_Shape_long_double (Octagonal_Shape_-long_double p)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_long_double (Octagonal_Shape_long_double p, Generator g)
- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_long_double (Octagonal_Shape_long_double p, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_long_double (Octagonal_-Shape_long_double p, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_long_double (Octagonal_-Shape_long_double p, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_long_double (Octagonal_Shape_long_double p, Polyhedron ph_decreasing, Polyhedron ph_bounded)
- static native boolean termination_test_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_-long_double p_before, Octagonal_Shape_long_double p_after)
- static native boolean termination_test_PR_Octagonal_Shape_long_double_2 (Octagonal_Shape_-long_double p_before, Octagonal_Shape_long_double p_after)
- static native boolean one_affine_ranking_function_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double p_before, Octagonal_Shape_long_double p_after, Generator g)

- static native boolean one_affine_ranking_function_PR_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double p_before, Octagonal_Shape_long_double p_after, Generator g)
- static native void all_affine_ranking_functions_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double p_before, Octagonal_Shape_long_double p_after, Polyhedron ph)
- static native void all_affine_ranking_functions_PR_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double p_before, Octagonal_Shape_long_double p_after, Polyhedron ph)
- static native void all_affine_quasi_ranking_functions_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double p_before, Octagonal_Shape_long_double p_after, Polyhedron ph_decreasing, Polyhedron ph_bounded)

11.143.1 Detailed Description

Definition at line 25 of file Termination.java.

11.143.2 Member Function Documentation

11.143.2.1 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_double (BD_Shape_double *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.2 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.3 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_float (BD_Shape_float *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.4 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.5 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int16_t (BD_Shape_int16_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.6 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.7 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int32_t (BD_Shape_int32_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.8 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.9 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int64_t (BD_Shape_int64_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.10 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.11 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int8_t (BD_Shape_int8_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.12 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.13 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_long_double (BD_Shape_long_double *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.14 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.15 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_mpq_class (BD_Shape_mpq_class *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.16 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.17 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_mpz_class (BD_Shape_mpz_class *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.18 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.19 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_C_Polyhedron (C_Polyhedron *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.20 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.21 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Double_Box (Double_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.22 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.23 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Float_Box (Float_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.24 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.25 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Grid (Grid *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.26 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Grid_2 (Grid *p_before*, Grid *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.27 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int16_Box (Int16_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.28 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.29 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int32_Box (Int32_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.30 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.31 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int64_Box (Int64_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.32 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.33 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int8_Box (Int8_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.34 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.35 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Long_Double_Box (Long_Double_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.36 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.37 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_NNC_Polyhedron (NNC_Polyhedron *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.38 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.39 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_double (Octagonal_Shape_double *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.40 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.41 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_float (Octagonal_Shape_float *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.42 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.43 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.44 static native void parma_polyhedra_library::Termination::all_affine_quasi_-ranking_functions_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.45 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_-functions_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.46 static native void parma_polyhedra_library::Termination::all_affine_quasi_-ranking_functions_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.47 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_-functions_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.48 static native void parma_polyhedra_library::Termination::all_affine_quasi_-ranking_functions_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.49 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_-functions_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.50 static native void parma_polyhedra_library::Termination::all_affine_quasi_-ranking_functions_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.51 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.52 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.53 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.54 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.55 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.56 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.57 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Rational_Box (Rational_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.58 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.59 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint16_Box (Uint16_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.60 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.61 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint32_Box (Uint32_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.62 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.63 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint64_Box (Uint64_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.64 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.65 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint8_Box (Uint8_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.66 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.67 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Z_Box (Z_Box *p*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.68 static native void parma_polyhedra_library::Termination::all_affine_quasi_ranking_functions_MS_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*, Polyhedron *ph_decreasing*, Polyhedron *ph_bounded*) [static]

11.143.2.69 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_double (BD_Shape_double *p*, Polyhedron *ph*) [static]

11.143.2.70 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*, Polyhedron *ph*) [static]

11.143.2.71 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_float (BD_Shape_float *p*, Polyhedron *ph*) [static]

11.143.2.72 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*, Polyhedron *ph*) [static]

11.143.2.73 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int16_t (BD_Shape_int16_t *p*, Polyhedron *ph*) [static]

11.143.2.74 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*, Polyhedron *ph*) [static]

11.143.2.75 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int32_t (BD_Shape_int32_t *p*, Polyhedron *ph*) [static]

11.143.2.76 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*, Polyhedron *ph*) [static]

11.143.2.77 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int64_t (BD_Shape_int64_t *p*, Polyhedron *ph*) [static]

11.143.2.78 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*, Polyhedron *ph*) [static]

11.143.2.79 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int8_t (BD_Shape_int8_t *p*, Polyhedron *ph*) [static]

11.143.2.80 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*, Polyhedron *ph*) [static]

11.143.2.81 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_long_double (BD_Shape_long_double *p*, Polyhedron *ph*) [static]

11.143.2.82 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*, Polyhedron *ph*) [static]

11.143.2.83 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_mpq_class (BD_Shape_mpq_class *p*, Polyhedron *ph*) [static]

11.143.2.84 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*, Polyhedron *ph*) [static]

11.143.2.85 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_mpz_class (BD_Shape_mpz_class *p*, Polyhedron *ph*) [static]

11.143.2.86 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*, Polyhedron *ph*) [static]

11.143.2.87 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_C_Polyhedron (C_Polyhedron *p*, Polyhedron *ph*) [static]

11.143.2.88 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*, Polyhedron *ph*) [static]

11.143.2.89 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Double_Box (Double_Box *p*, Polyhedron *ph*) [static]

11.143.2.90 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.91 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Float_Box (Float_Box *p*, Polyhedron *ph*) [static]

11.143.2.92 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.93 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Grid (Grid *p*, Polyhedron *ph*) [static]

11.143.2.94 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Grid_2 (Grid *p_before*, Grid *p_after*, Polyhedron *ph*) [static]

11.143.2.95 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int16_Box (Int16_Box *p*, Polyhedron *ph*) [static]

11.143.2.96 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.97 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int32_Box (Int32_Box *p*, Polyhedron *ph*) [static]

11.143.2.98 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.99 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int64_Box (Int64_Box *p*, Polyhedron *ph*) [static]

11.143.2.100 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.101 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int8_Box (Int8_Box *p*, Polyhedron *ph*) [static]

11.143.2.102 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.103 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Long_Double_Box (Long_Double_Box *p*, Polyhedron *ph*) [static]

11.143.2.104 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.105 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_NNC_Polyhedron (NNC_Polyhedron *p*, Polyhedron *ph*) [static]

11.143.2.106 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*, Polyhedron *ph*) [static]

11.143.2.107 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_double (Octagonal_Shape_double *p*, Polyhedron *ph*) [static]

11.143.2.108 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*, Polyhedron *ph*) [static]

11.143.2.109 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_float (Octagonal_Shape_float *p*, Polyhedron *ph*) [static]

11.143.2.110 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*, Polyhedron *ph*) [static]

11.143.2.111 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*, Polyhedron *ph*) [static]

11.143.2.112 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*, Polyhedron *ph*) [static]

11.143.2.113 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*, Polyhedron *ph*) [static]

11.143.2.114 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*, Polyhedron *ph*) [static]

11.143.2.115 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*, Polyhedron *ph*) [static]

11.143.2.116 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*, Polyhedron *ph*) [static]

11.143.2.117 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*, Polyhedron *ph*) [static]

11.143.2.118 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*, Polyhedron *ph*) [static]

11.143.2.119 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*, Polyhedron *ph*) [static]

11.143.2.120 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*, Polyhedron *ph*) [static]

11.143.2.121 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*, Polyhedron *ph*) [static]

11.143.2.122 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*, Polyhedron *ph*) [static]

11.143.2.123 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*, Polyhedron *ph*) [static]

11.143.2.124 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*, Polyhedron *ph*) [static]

11.143.2.125 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Rational_Box (Rational_Box *p*, Polyhedron *ph*) [static]

11.143.2.126 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.127 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint16_Box (Uint16_Box *p*, Polyhedron *ph*) [static]

11.143.2.128 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.129 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint32_Box (Uint32_Box *p*, Polyhedron *ph*) [static]

11.143.2.130 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.131 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint64_Box (Uint64_Box *p*, Polyhedron *ph*) [static]

11.143.2.132 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.133 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint8_Box (Uint8_Box *p*, Polyhedron *ph*) [static]

11.143.2.134 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.135 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Z_Box (Z_Box *p*, Polyhedron *ph*) [static]

11.143.2.136 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_MS_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.137 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_double (BD_Shape_double *p*, Polyhedron *ph*) [static]

11.143.2.138 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*, Polyhedron *ph*) [static]

11.143.2.139 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_float (BD_Shape_float *p*, Polyhedron *ph*) [static]

11.143.2.140 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*, Polyhedron *ph*) [static]

11.143.2.141 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_int16_t (BD_Shape_int16_t *p*, Polyhedron *ph*) [static]

11.143.2.142 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*, Polyhedron *ph*) [static]

11.143.2.143 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_int32_t (BD_Shape_int32_t *p*, Polyhedron *ph*) [static]

11.143.2.144 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*, Polyhedron *ph*) [static]

11.143.2.145 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_int64_t (BD_Shape_int64_t *p*, Polyhedron *ph*) [static]

11.143.2.146 static native void parma_polyhedra_library::Termination::all_affine_-ranking_functions_PR_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*, Polyhedron *ph*) [static]

11.143.2.147 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_int8_t (BD_Shape_int8_t *p*, Polyhedron *ph*) [static]

11.143.2.148 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*, Polyhedron *ph*) [static]

11.143.2.149 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_long_double (BD_Shape_long_double *p*, Polyhedron *ph*) [static]

11.143.2.150 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*, Polyhedron *ph*) [static]

11.143.2.151 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_mpq_class (BD_Shape_mpq_class *p*, Polyhedron *ph*) [static]

11.143.2.152 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*, Polyhedron *ph*) [static]

11.143.2.153 static native void parma_polyhedra_library::Termination::all_affine_ranking_-functions_PR_BD_Shape_mpz_class (BD_Shape_mpz_class *p*, Polyhedron *ph*) [static]

11.143.2.154 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*, Polyhedron *ph*) [static]

11.143.2.155 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_C_Polyhedron (C_Polyhedron *p*, Polyhedron *ph*) [static]

11.143.2.156 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*, Polyhedron *ph*) [static]

11.143.2.157 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Double_Box (Double_Box *p*, Polyhedron *ph*) [static]

11.143.2.158 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.159 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Float_Box (Float_Box *p*, Polyhedron *ph*) [static]

11.143.2.160 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.161 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Grid (Grid *p*, Polyhedron *ph*) [static]

11.143.2.162 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Grid_2 (Grid *p_before*, Grid *p_after*, Polyhedron *ph*) [static]

11.143.2.163 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int16_Box (Int16_Box *p*, Polyhedron *ph*) [static]

11.143.2.164 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.165 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int32_Box (Int32_Box *p*, Polyhedron *ph*) [static]

11.143.2.166 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.167 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int64_Box (Int64_Box *p*, Polyhedron *ph*) [static]

11.143.2.168 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.169 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int8_Box (Int8_Box *p*, Polyhedron *ph*) [static]

11.143.2.170 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.171 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Long_Double_Box (Long_Double_Box *p*, Polyhedron *ph*) [static]

11.143.2.172 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.173 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_NNC_Polyhedron (NNC_Polyhedron *p*, Polyhedron *ph*) [static]

11.143.2.174 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*, Polyhedron *ph*) [static]

11.143.2.175 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_double (Octagonal_Shape_double *p*, Polyhedron *ph*) [static]

11.143.2.176 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*, Polyhedron *ph*) [static]

11.143.2.177 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_float (Octagonal_Shape_float *p*, Polyhedron *ph*) [static]

11.143.2.178 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*, Polyhedron *ph*) [static]

11.143.2.179 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*, Polyhedron *ph*) [static]

11.143.2.180 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*, Polyhedron *ph*) [static]

11.143.2.181 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*, Polyhedron *ph*) [static]

11.143.2.182 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*, Polyhedron *ph*) [static]

11.143.2.183 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*, Polyhedron *ph*) [static]

11.143.2.184 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*, Polyhedron *ph*) [static]

11.143.2.185 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*, Polyhedron *ph*) [static]

11.143.2.186 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*, Polyhedron *ph*) [static]

11.143.2.187 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*, Polyhedron *ph*) [static]

11.143.2.188 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*, Polyhedron *ph*) [static]

11.143.2.189 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*, Polyhedron *ph*) [static]

11.143.2.190 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*, Polyhedron *ph*) [static]

11.143.2.191 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*, Polyhedron *ph*) [static]

11.143.2.192 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*, Polyhedron *ph*) [static]

11.143.2.193 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Rational_Box (Rational_Box *p*, Polyhedron *ph*) [static]

11.143.2.194 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.195 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint16_Box (Uint16_Box *p*, Polyhedron *ph*) [static]

11.143.2.196 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.197 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint32_Box (Uint32_Box *p*, Polyhedron *ph*) [static]

11.143.2.198 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.199 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint64_Box (Uint64_Box *p*, Polyhedron *ph*) [static]

11.143.2.200 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.201 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint8_Box (Uint8_Box *p*, Polyhedron *ph*) [static]

11.143.2.202 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.203 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Z_Box (Z_Box *p*, Polyhedron *ph*) [static]

11.143.2.204 static native void parma_polyhedra_library::Termination::all_affine_ranking_functions_PR_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*, Polyhedron *ph*) [static]

11.143.2.205 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_double (BD_Shape_double *p*, Generator *g*) [static]

11.143.2.206 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*, Generator *g*) [static]

11.143.2.207 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_float (BD_Shape_float *p*, Generator *g*) [static]

11.143.2.208 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*, Generator *g*) [static]

11.143.2.209 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int16_t (BD_Shape_int16_t *p*, Generator *g*) [static]

11.143.2.210 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*, Generator *g*) [static]

11.143.2.211 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int32_t (BD_Shape_int32_t *p*, Generator *g*) [static]

11.143.2.212 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*, Generator *g*) [static]

11.143.2.213 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int64_t (BD_Shape_int64_t *p*, Generator *g*) [static]

11.143.2.214 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*, Generator *g*) [static]

11.143.2.215 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int8_t (BD_Shape_int8_t *p*, Generator *g*) [static]

11.143.2.216 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*, Generator *g*) [static]

11.143.2.217 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_long_double (BD_Shape_long_double *p*, Generator *g*) [static]

11.143.2.218 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*, Generator *g*) [static]

11.143.2.219 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_mpq_class (BD_Shape_mpq_class *p*, Generator *g*) [static]

11.143.2.220 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*, Generator *g*) [static]

11.143.2.221 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_mpz_class (BD_Shape_mpz_class *p*, Generator *g*) [static]

11.143.2.222 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*, Generator *g*) [static]

11.143.2.223 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_C_Polyhedron (C_Polyhedron *p*, Generator *g*) [static]

11.143.2.224 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*, Generator *g*) [static]

11.143.2.225 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Double_Box (Double_Box *p*, Generator *g*) [static]

11.143.2.226 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*, Generator *g*) [static]

11.143.2.227 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Float_Box (Float_Box *p*, Generator *g*) [static]

11.143.2.228 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*, Generator *g*) [static]

11.143.2.229 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Grid (Grid *p*, Generator *g*) [static]

11.143.2.230 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Grid_2 (Grid *p_before*, Grid *p_after*, Generator *g*) [static]

11.143.2.231 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int16_Box (Int16_Box *p*, Generator *g*) [static]

11.143.2.232 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*, Generator *g*) [static]

11.143.2.233 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int32_Box (Int32_Box *p*, Generator *g*) [static]

11.143.2.234 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*, Generator *g*) [static]

11.143.2.235 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int64_Box (Int64_Box *p*, Generator *g*) [static]

11.143.2.236 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*, Generator *g*) [static]

11.143.2.237 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int8_Box (Int8_Box *p*, Generator *g*) [static]

11.143.2.238 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*, Generator *g*) [static]

11.143.2.239 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Long_Double_Box (Long_Double_Box *p*, Generator *g*) [static]

11.143.2.240 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*, Generator *g*) [static]

11.143.2.241 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_NNC_Polyhedron (NNC_Polyhedron *p*, Generator *g*) [static]

11.143.2.242 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*, Generator *g*) [static]

11.143.2.243 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_double (Octagonal_Shape_double *p*, Generator *g*) [static]

11.143.2.244 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*, Generator *g*) [static]

11.143.2.245 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_float (Octagonal_Shape_float *p*, Generator *g*) [static]

11.143.2.246 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*, Generator *g*) [static]

11.143.2.247 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*, Generator *g*) [static]

11.143.2.248 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*, Generator *g*) [static]

11.143.2.249 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*, Generator *g*) [static]

11.143.2.250 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*, Generator *g*) [static]

11.143.2.251 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*, Generator *g*) [static]

11.143.2.252 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*, Generator *g*) [static]

11.143.2.253 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*, Generator *g*) [static]

11.143.2.254 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*, Generator *g*) [static]

11.143.2.255 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*, Generator *g*) [static]

11.143.2.256 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*, Generator *g*) [static]

11.143.2.257 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*, Generator *g*) [static]

11.143.2.258 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*, Generator *g*) [static]

11.143.2.259 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*, Generator *g*) [static]

11.143.2.260 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*, Generator *g*) [static]

11.143.2.261 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Rational_Box (Rational_Box *p*, Generator *g*) [static]

11.143.2.262 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*, Generator *g*) [static]

11.143.2.263 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint16_Box (Uint16_Box *p*, Generator *g*) [static]

11.143.2.264 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*, Generator *g*) [static]

11.143.2.265 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint32_Box (Uint32_Box *p*, Generator *g*) [static]

11.143.2.266 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*, Generator *g*) [static]

11.143.2.267 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint64_Box (Uint64_Box *p*, Generator *g*) [static]

11.143.2.268 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*, Generator *g*) [static]

11.143.2.269 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint8_Box (Uint8_Box *p*, Generator *g*) [static]

11.143.2.270 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*, Generator *g*) [static]

11.143.2.271 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Z_Box (Z_Box *p*, Generator *g*) [static]

11.143.2.272 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_MS_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*, Generator *g*) [static]

11.143.2.273 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_double (BD_Shape_double *p*, Generator *g*) [static]

11.143.2.274 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*, Generator *g*) [static]

11.143.2.275 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_float (BD_Shape_float *p*, Generator *g*) [static]

11.143.2.276 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*, Generator *g*) [static]

11.143.2.277 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int16_t (BD_Shape_int16_t *p*, Generator *g*) [static]

11.143.2.278 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*, Generator *g*) [static]

11.143.2.279 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int32_t (BD_Shape_int32_t *p*, Generator *g*) [static]

11.143.2.280 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*, Generator *g*) [static]

11.143.2.281 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int64_t (BD_Shape_int64_t *p*, Generator *g*) [static]

11.143.2.282 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*, Generator *g*) [static]

11.143.2.283 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int8_t (BD_Shape_int8_t *p*, Generator *g*) [static]

11.143.2.284 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*, Generator *g*) [static]

11.143.2.285 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_long_double (BD_Shape_long_double *p*, Generator *g*) [static]

11.143.2.286 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*, Generator *g*) [static]

11.143.2.287 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_mpq_class (BD_Shape_mpq_class *p*, Generator *g*) [static]

11.143.2.288 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*, Generator *g*) [static]

11.143.2.289 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_mpz_class (BD_Shape_mpz_class *p*, Generator *g*) [static]

11.143.2.290 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*, Generator *g*) [static]

11.143.2.291 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_C_Polyhedron (C_Polyhedron *p*, Generator *g*) [static]

11.143.2.292 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*, Generator *g*) [static]

11.143.2.293 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Double_Box (Double_Box *p*, Generator *g*) [static]

11.143.2.294 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*, Generator *g*) [static]

11.143.2.295 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Float_Box (Float_Box *p*, Generator *g*) [static]

11.143.2.296 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*, Generator *g*) [static]

11.143.2.297 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Grid (Grid *p*, Generator *g*) [static]

11.143.2.298 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Grid_2 (Grid *p_before*, Grid *p_after*, Generator *g*) [static]

11.143.2.299 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int16_Box (Int16_Box *p*, Generator *g*) [static]

11.143.2.300 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*, Generator *g*) [static]

11.143.2.301 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int32_Box (Int32_Box *p*, Generator *g*) [static]

11.143.2.302 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*, Generator *g*) [static]

11.143.2.303 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int64_Box (Int64_Box *p*, Generator *g*) [static]

11.143.2.304 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*, Generator *g*) [static]

11.143.2.305 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int8_Box (Int8_Box *p*, Generator *g*) [static]

11.143.2.306 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*, Generator *g*) [static]

11.143.2.307 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Long_Double_Box (Long_Double_Box *p*, Generator *g*) [static]

11.143.2.308 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*, Generator *g*) [static]

11.143.2.309 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_NNC_Polyhedron (NNC_Polyhedron *p*, Generator *g*) [static]

11.143.2.310 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*, Generator *g*) [static]

11.143.2.311 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_double (Octagonal_Shape_double *p*, Generator *g*) [static]

11.143.2.312 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*, Generator *g*) [static]

11.143.2.313 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_float (Octagonal_Shape_float *p*, Generator *g*) [static]

11.143.2.314 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*, Generator *g*) [static]

11.143.2.315 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*, Generator *g*) [static]

11.143.2.316 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*, Generator *g*) [static]

11.143.2.317 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*, Generator *g*) [static]

11.143.2.318 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*, Generator *g*) [static]

11.143.2.319 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*, Generator *g*) [static]

11.143.2.320 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*, Generator *g*) [static]

11.143.2.321 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*, Generator *g*) [static]

11.143.2.322 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*, Generator *g*) [static]

11.143.2.323 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*, Generator *g*) [static]

11.143.2.324 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*, Generator *g*) [static]

11.143.2.325 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*, Generator *g*) [static]

11.143.2.326 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*, Generator *g*) [static]

11.143.2.327 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*, Generator *g*) [static]

11.143.2.328 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*, Generator *g*) [static]

11.143.2.329 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Rational_Box (Rational_Box *p*, Generator *g*) [static]

11.143.2.330 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*, Generator *g*) [static]

11.143.2.331 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint16_Box (Uint16_Box *p*, Generator *g*) [static]

11.143.2.332 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*, Generator *g*) [static]

11.143.2.333 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint32_Box (Uint32_Box *p*, Generator *g*) [static]

11.143.2.334 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*, Generator *g*) [static]

11.143.2.335 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint64_Box (Uint64_Box *p*, Generator *g*) [static]

11.143.2.336 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*, Generator *g*) [static]

11.143.2.337 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint8_Box (Uint8_Box *p*, Generator *g*) [static]

11.143.2.338 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*, Generator *g*) [static]

11.143.2.339 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Z_Box (Z_Box *p*, Generator *g*) [static]

11.143.2.340 static native boolean parma_polyhedra_library::Termination::one_affine_ranking_function_PR_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*, Generator *g*) [static]

11.143.2.341 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_double (BD_Shape_double *p*) [static]

11.143.2.342 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*) [static]

11.143.2.343 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_float (BD_Shape_float *p*) [static]

11.143.2.344 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*) [static]

11.143.2.345 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_int16_t (BD_Shape_int16_t *p*) [static]

11.143.2.346 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*) [static]

11.143.2.347 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int32_t (BD_Shape_int32_t *p*) [static]

11.143.2.348 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*) [static]

11.143.2.349 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int64_t (BD_Shape_int64_t *p*) [static]

11.143.2.350 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*) [static]

11.143.2.351 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int8_t (BD_Shape_int8_t *p*) [static]

11.143.2.352 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*) [static]

11.143.2.353 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_BD_Shape_long_double (BD_Shape_long_double *p*) [static]

11.143.2.354 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*) [static]

11.143.2.355 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_mpq_class (BD_Shape_mpq_class *p*) [static]

11.143.2.356 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*) [static]

11.143.2.357 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_mpz_class (BD_Shape_mpz_class *p*) [static]

11.143.2.358 static native boolean parma_polyhedra_library::Termination::termination_test_MS_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*) [static]

11.143.2.359 static native boolean parma_polyhedra_library::Termination::termination_test_MS_C_Polyhedron (C_Polyhedron *p*) [static]

11.143.2.360 static native boolean parma_polyhedra_library::Termination::termination_test_MS_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*) [static]

11.143.2.361 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Double_Box (Double_Box *p*) [static]

11.143.2.362 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*) [static]

11.143.2.363 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Float_Box (Float_Box *p*) [static]

11.143.2.364 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*) [static]

11.143.2.365 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Grid (Grid *p*) [static]

11.143.2.366 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Grid_2 (Grid *p_before*, Grid *p_after*) [static]

11.143.2.367 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Int16_Box (Int16_Box *p*) [static]

11.143.2.368 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*) [static]

11.143.2.369 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Int32_Box (Int32_Box *p*) [static]

11.143.2.370 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*) [static]

11.143.2.371 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Int64_Box (Int64_Box *p*) [static]

11.143.2.372 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*) [static]

11.143.2.373 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Int8_Box (Int8_Box *p*) [static]

11.143.2.374 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*) [static]

11.143.2.375 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Long_Double_Box (Long_Double_Box *p*) [static]

11.143.2.376 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*) [static]

11.143.2.377 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_NNC_Polyhedron (NNC_Polyhedron *p*) [static]

11.143.2.378 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*) [static]

11.143.2.379 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_double (Octagonal_Shape_double *p*) [static]

11.143.2.380 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*) [static]

11.143.2.381 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_float (Octagonal_Shape_float *p*) [static]

11.143.2.382 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*) [static]

11.143.2.383 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*) [static]

11.143.2.384 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*) [static]

11.143.2.385 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*) [static]

11.143.2.386 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*) [static]

11.143.2.387 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*) [static]

11.143.2.388 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*) [static]

11.143.2.389 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*) [static]

11.143.2.390 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*) [static]

11.143.2.391 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*) [static]

11.143.2.392 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*) [static]

11.143.2.393 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*) [static]

11.143.2.394 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*) [static]

11.143.2.395 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*) [static]

11.143.2.396 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*) [static]

11.143.2.397 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Rational_Box (Rational_Box *p*) [static]

11.143.2.398 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*) [static]

11.143.2.399 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Uint16_Box (Uint16_Box *p*) [static]

11.143.2.400 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*) [static]

11.143.2.401 static native boolean parma_polyhedra_library::Termination::termination_test_-MS_Uint32_Box (Uint32_Box *p*) [static]

11.143.2.402 static native boolean parma_polyhedra_library::Termination::termination_-test_MS_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*) [static]

11.143.2.403 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Uint64_Box (Uint64_Box *p*) [static]

11.143.2.404 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*) [static]

11.143.2.405 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Uint8_Box (Uint8_Box *p*) [static]

11.143.2.406 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*) [static]

11.143.2.407 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Z_Box (Z_Box *p*) [static]

11.143.2.408 static native boolean parma_polyhedra_library::Termination::termination_test_MS_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*) [static]

11.143.2.409 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_double (BD_Shape_double *p*) [static]

11.143.2.410 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_double_2 (BD_Shape_double *p_before*, BD_Shape_double *p_after*) [static]

11.143.2.411 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_float (BD_Shape_float *p*) [static]

11.143.2.412 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_float_2 (BD_Shape_float *p_before*, BD_Shape_float *p_after*) [static]

11.143.2.413 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int16_t (BD_Shape_int16_t *p*) [static]

11.143.2.414 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int16_t_2 (BD_Shape_int16_t *p_before*, BD_Shape_int16_t *p_after*) [static]

11.143.2.415 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int32_t (BD_Shape_int32_t *p*) [static]

11.143.2.416 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int32_t_2 (BD_Shape_int32_t *p_before*, BD_Shape_int32_t *p_after*) [static]

11.143.2.417 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int64_t (BD_Shape_int64_t *p*) [static]

11.143.2.418 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int64_t_2 (BD_Shape_int64_t *p_before*, BD_Shape_int64_t *p_after*) [static]

11.143.2.419 static native boolean parma_polyhedra_library::Termination::termination_test_PR_BD_Shape_int8_t (BD_Shape_int8_t *p*) [static]

11.143.2.420 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_BD_Shape_int8_t_2 (BD_Shape_int8_t *p_before*, BD_Shape_int8_t *p_after*) [static]

11.143.2.421 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_BD_Shape_long_double (BD_Shape_long_double *p*) [static]

11.143.2.422 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_BD_Shape_long_double_2 (BD_Shape_long_double *p_before*, BD_Shape_long_double *p_after*) [static]

11.143.2.423 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_BD_Shape_mpq_class (BD_Shape_mpq_class *p*) [static]

11.143.2.424 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_BD_Shape_mpq_class_2 (BD_Shape_mpq_class *p_before*, BD_Shape_mpq_class *p_after*) [static]

11.143.2.425 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_BD_Shape_mpz_class (BD_Shape_mpz_class *p*) [static]

11.143.2.426 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_BD_Shape_mpz_class_2 (BD_Shape_mpz_class *p_before*, BD_Shape_mpz_class *p_after*) [static]

11.143.2.427 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_C_Polyhedron (C_Polyhedron *p*) [static]

11.143.2.428 static native boolean parma_polyhedra_library::Termination::termination_test_PR_C_Polyhedron_2 (C_Polyhedron *p_before*, C_Polyhedron *p_after*) [static]

11.143.2.429 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Double_Box (Double_Box *p*) [static]

11.143.2.430 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Double_Box_2 (Double_Box *p_before*, Double_Box *p_after*) [static]

11.143.2.431 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Float_Box (Float_Box *p*) [static]

11.143.2.432 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Float_Box_2 (Float_Box *p_before*, Float_Box *p_after*) [static]

11.143.2.433 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Grid (Grid *p*) [static]

11.143.2.434 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Grid_2 (Grid *p_before*, Grid *p_after*) [static]

11.143.2.435 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Int16_Box (Int16_Box *p*) [static]

11.143.2.436 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Int16_Box_2 (Int16_Box *p_before*, Int16_Box *p_after*) [static]

11.143.2.437 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_Int32_Box (Int32_Box *p*) [static]

11.143.2.438 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Int32_Box_2 (Int32_Box *p_before*, Int32_Box *p_after*) [static]

11.143.2.439 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_Int64_Box (Int64_Box *p*) [static]

11.143.2.440 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Int64_Box_2 (Int64_Box *p_before*, Int64_Box *p_after*) [static]

11.143.2.441 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_Int8_Box (Int8_Box *p*) [static]

11.143.2.442 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Int8_Box_2 (Int8_Box *p_before*, Int8_Box *p_after*) [static]

11.143.2.443 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_Long_Double_Box (Long_Double_Box *p*) [static]

11.143.2.444 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_Long_Double_Box_2 (Long_Double_Box *p_before*, Long_Double_Box *p_after*) [static]

11.143.2.445 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_NNC_Polyhedron (NNC_Polyhedron *p*) [static]

11.143.2.446 static native boolean parma_polyhedra_library::Termination::termination_test_-PR_NNC_Polyhedron_2 (NNC_Polyhedron *p_before*, NNC_Polyhedron *p_after*) [static]

11.143.2.447 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_double (Octagonal_Shape_double *p*) [static]

11.143.2.448 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_double_2 (Octagonal_Shape_double *p_before*, Octagonal_Shape_double *p_after*) [static]

11.143.2.449 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_float (Octagonal_Shape_float *p*) [static]

11.143.2.450 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_float_2 (Octagonal_Shape_float *p_before*, Octagonal_Shape_float *p_after*) [static]

11.143.2.451 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_int16_t (Octagonal_Shape_int16_t *p*) [static]

11.143.2.452 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_int16_t_2 (Octagonal_Shape_int16_t *p_before*, Octagonal_Shape_int16_t *p_after*) [static]

11.143.2.453 static native boolean parma_polyhedra_library::Termination::termination_-test_PR_Octagonal_Shape_int32_t (Octagonal_Shape_int32_t *p*) [static]

11.143.2.454 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_int32_t_2 (Octagonal_Shape_int32_t *p_before*, Octagonal_Shape_int32_t *p_after*) [static]

11.143.2.455 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_int64_t (Octagonal_Shape_int64_t *p*) [static]

11.143.2.456 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_int64_t_2 (Octagonal_Shape_int64_t *p_before*, Octagonal_Shape_int64_t *p_after*) [static]

11.143.2.457 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_int8_t (Octagonal_Shape_int8_t *p*) [static]

11.143.2.458 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_int8_t_2 (Octagonal_Shape_int8_t *p_before*, Octagonal_Shape_int8_t *p_after*) [static]

11.143.2.459 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_long_double (Octagonal_Shape_long_double *p*) [static]

11.143.2.460 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_long_double_2 (Octagonal_Shape_long_double *p_before*, Octagonal_Shape_long_double *p_after*) [static]

11.143.2.461 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_mpq_class (Octagonal_Shape_mpq_class *p*) [static]

11.143.2.462 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_mpq_class_2 (Octagonal_Shape_mpq_class *p_before*, Octagonal_Shape_mpq_class *p_after*) [static]

11.143.2.463 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_mpz_class (Octagonal_Shape_mpz_class *p*) [static]

11.143.2.464 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Octagonal_Shape_mpz_class_2 (Octagonal_Shape_mpz_class *p_before*, Octagonal_Shape_mpz_class *p_after*) [static]

11.143.2.465 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Rational_Box (Rational_Box *p*) [static]

11.143.2.466 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Rational_Box_2 (Rational_Box *p_before*, Rational_Box *p_after*) [static]

11.143.2.467 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint16_Box (Uint16_Box *p*) [static]

11.143.2.468 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint16_Box_2 (Uint16_Box *p_before*, Uint16_Box *p_after*) [static]

11.143.2.469 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint32_Box (Uint32_Box *p*) [static]

11.143.2.470 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint32_Box_2 (Uint32_Box *p_before*, Uint32_Box *p_after*) [static]

11.143.2.471 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint64_Box (Uint64_Box *p*) [static]

11.143.2.472 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint64_Box_2 (Uint64_Box *p_before*, Uint64_Box *p_after*) [static]

11.143.2.473 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint8_Box (Uint8_Box *p*) [static]

11.143.2.474 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Uint8_Box_2 (Uint8_Box *p_before*, Uint8_Box *p_after*) [static]

11.143.2.475 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Z_Box (Z_Box *p*) [static]

11.143.2.476 static native boolean parma_polyhedra_library::Termination::termination_test_PR_Z_Box_2 (Z_Box *p_before*, Z_Box *p_after*) [static]

The documentation for this class was generated from the following file:

- Termination.java

11.144 Parma_Polyhedra_Library::Interfaces::Java::timeout_exception Class Reference

```
#include <ppl_java_common.defs.hh>
```

Public Member Functions

- void throw_me () const
- int priority () const

11.144.1 Detailed Description

Definition at line 122 of file ppl_java_common.defs.hh.

11.144.2 Member Function Documentation

11.144.2.1 int Parma_Polyhedra_Library::Interfaces::Java::timeout_exception::priority () const [inline]

Definition at line 128 of file ppl_java_common.defs.hh.

11.144.2.2 void Parma_Polyhedra_Library::Interfaces::Java::timeout_exception::throw_me () const [inline]

Definition at line 125 of file ppl_java_common.defs.hh.

The documentation for this class was generated from the following file:

- ppl_java_common.defs.hh

11.145 parma_polyhedra_library::Timeout_Exception Class Reference

Exceptions caused by timeout expiring.

Public Member Functions

- Timeout_Exception (String s)
  Constructor.

11.145.1 Detailed Description

Exceptions caused by timeout expiring.

Definition at line 28 of file Timeout_Exception.java.

11.145.2 Constructor & Destructor Documentation

11.145.2.1 parma_polyhedra_library::Timeout_Exception::Timeout_Exception (String *s*) [inline]

Constructor.

Definition at line 30 of file Timeout_Exception.java.


The documentation for this class was generated from the following file:

- Timeout_Exception.java


11.146 parma_polyhedra_library::Uint16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

Inheritance diagram for parma_polyhedra_library::Uint16_Box:



Collaboration diagram for parma_polyhedra_library::Uint16_Box:



Public Member Functions

- Uint16_Box (long num_dimensions, Degenerate_Element kind)
- Uint16_Box (Int8_Box y)
- Uint16_Box (Int16_Box y)
- Uint16_Box (Int32_Box y)
- Uint16_Box (Int64_Box y)
- Uint16_Box (Uint8_Box y)
- Uint16_Box (Uint16_Box y)
- Uint16_Box (Uint32_Box y)
- Uint16_Box (Uint64_Box y)
- Uint16_Box (Z_Box y)
- Uint16_Box (Rational_Box y)
- Uint16_Box (BD_Shape_int8_t y)
- Uint16_Box (BD_Shape_int16_t y)

- Uint16_Box (BD_Shape_int32_t y)
- Uint16_Box (BD_Shape_int64_t y)
- Uint16_Box (BD_Shape_mpz_class y)
- Uint16_Box (BD_Shape_mpq_class y)
- Uint16_Box (Octagonal_Shape_int8_t y)
- Uint16_Box (Octagonal_Shape_int16_t y)
- Uint16_Box (Octagonal_Shape_int32_t y)
- Uint16_Box (Octagonal_Shape_int64_t y)
- Uint16_Box (Octagonal_Shape_mpz_class y)
- Uint16_Box (Octagonal_Shape_mpq_class y)
- Uint16_Box (C_Polyhedron y)
- Uint16_Box (NNC_Polyhedron y)
- Uint16_Box (Grid y)
- Uint16_Box (Float_Box y)
- Uint16_Box (BD_Shape_float y)
- Uint16_Box (Octagonal_Shape_float y)
- Uint16_Box (Double_Box y)
- Uint16_Box (BD_Shape_double y)
- Uint16_Box (Octagonal_Shape_double y)
- Uint16_Box (Long_Double_Box y)
- Uint16_Box (BD_Shape_long_double y)
- Uint16_Box (Octagonal_Shape_long_double y)
- Uint16_Box (Int8_Box y, Complexity_Class complexity)
- Uint16_Box (Int16_Box y, Complexity_Class complexity)
- Uint16_Box (Int32_Box y, Complexity_Class complexity)
- Uint16_Box (Int64_Box y, Complexity_Class complexity)
- Uint16_Box (Uint8_Box y, Complexity_Class complexity)
- Uint16_Box (Uint16_Box y, Complexity_Class complexity)
- Uint16_Box (Uint32_Box y, Complexity_Class complexity)
- Uint16_Box (Uint64_Box y, Complexity_Class complexity)
- Uint16_Box (Z_Box y, Complexity_Class complexity)
- Uint16_Box (Rational_Box y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Uint16_Box (C_Polyhedron y, Complexity_Class complexity)
- Uint16_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Uint16_Box (Grid y, Complexity_Class complexity)
- Uint16_Box (Float_Box y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_float y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_float y, Complexity_Class complexity)

- Uint16_Box (Double_Box y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_double y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Uint16_Box (Long_Double_Box y, Complexity_Class complexity)
- Uint16_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Uint16_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Uint16_Box (Constraint_System cs)
- Uint16_Box (Congruence_System cs)
- Uint16_Box (Generator_System cs)
- native void swap (Uint16_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Uint16_Box y)
- native boolean strictly_contains (Uint16_Box y)
- native boolean is_disjoint_from (Uint16_Box y)
- native boolean equals (Uint16_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)

- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Uint16_Box p)
- native void upper_bound_assign (Uint16_Box p)
- native void difference_assign (Uint16_Box p)
- native void concatenate_assign (Uint16_Box p)
- native void time_elapse_assign (Uint16_Box p)
- native boolean upper_bound_assign_if_exact (Uint16_Box y)
- native boolean simplify_using_context_assign (Uint16_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Uint16_Box y, By_Reference< Integer > tp)
- native void widening_assign (Uint16_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Uint16_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Uint16_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Uint16_Box p, Uint16_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Uint16_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)

- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.146.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

Definition at line 33 of file Uint16_Box.java.

11.146.2 Constructor & Destructor Documentation

11.146.2.1 parma_polyhedra_library::Uint16_Box::Uint16_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.2 parma_polyhedra_library::Uint16_Box::Uint16_Box () [inline, private]

Definition at line 45 of file Uint16_Box.java.

11.146.2.3 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.4 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.5 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.6 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.7 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.8 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.9 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.10 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.11 parma_polyhedra_library::Uint16_Box::Uint16_Box (Z_Box *y*) [inline]

Definition at line 84 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.12 parma_polyhedra_library::Uint16_Box::Uint16_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.13 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.14 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.15 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.16 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.17 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.18 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.19 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.20 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.21 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.22 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.23 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.24 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.25 parma_polyhedra_library::Uint16_Box::Uint16_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.26 parma_polyhedra_library::Uint16_Box::Uint16_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.27 parma_polyhedra_library::Uint16_Box::Uint16_Box (Grid *y*) [inline]

Definition at line 148 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.28 parma_polyhedra_library::Uint16_Box::Uint16_Box (Float_Box *y*) [inline]

Definition at line 152 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.29 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.30 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.31 parma_polyhedra_library::Uint16_Box::Uint16_Box (Double_Box *y*) [inline]

Definition at line 164 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.32 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.33 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.34 parma_polyhedra_library::Uint16_Box::Uint16_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.35 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.36 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.37 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.38 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.39 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.40 parma_polyhedra_library::Uint16_Box::Uint16_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.41 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.42 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.43 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.44 parma_polyhedra_library::Uint16_Box::Uint16_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.45 parma_polyhedra_library::Uint16_Box::Uint16_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.46 parma_polyhedra_library::Uint16_Box::Uint16_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.47 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.48 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.49 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.50 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.51 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.52 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.53 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.54 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.55 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.56 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.57 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.58 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.59 parma_polyhedra_library::Uint16_Box::Uint16_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.60 parma_polyhedra_library::Uint16_Box::Uint16_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.61 parma_polyhedra_library::Uint16_Box::Uint16_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.62 parma_polyhedra_library::Uint16_Box::Uint16_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.63 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.64 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.65 parma_polyhedra_library::Uint16_Box::Uint16_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.66 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.67 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.68 parma_polyhedra_library::Uint16_Box::Uint16_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.69 parma_polyhedra_library::Uint16_Box::Uint16_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.70 parma_polyhedra_library::Uint16_Box::Uint16_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.71 parma_polyhedra_library::Uint16_Box::Uint16_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.72 parma_polyhedra_library::Uint16_Box::Uint16_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Uint16_Box.java.

References build_cpp_object().

11.146.2.73 parma_polyhedra_library::Uint16_Box::Uint16_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Uint16_Box.java.

References build_cpp_object().

11.146.3 Member Function Documentation

11.146.3.1 native void parma_polyhedra_library::Uint16_Box::add_congruence (Congruence *c*)

11.146.3.2 native void parma_polyhedra_library::Uint16_Box::add_congruences (Congruence_System *c*)

11.146.3.3 native void parma_polyhedra_library::Uint16_Box::add_constraint (Constraint *c*)

11.146.3.4 native void parma_polyhedra_library::Uint16_Box::add_constraints (Constraint_System *c*)

11.146.3.5 native void parma_polyhedra_library::Uint16_Box::add_space_dimensions_and_embed (long *m*)

11.146.3.6 native void parma_polyhedra_library::Uint16_Box::add_space_dimensions_and_project (long *m*)

11.146.3.7 native long parma_polyhedra_library::Uint16_Box::affine_dimension ()

11.146.3.8 native void parma_polyhedra_library::Uint16_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.146.3.9 native void parma_polyhedra_library::Uint16_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.146.3.10 native String parma_polyhedra_library::Uint16_Box::ascii_dump ()

11.146.3.11 native void parma_polyhedra_library::Uint16_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.146.3.12 native void parma_polyhedra_library::Uint16_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.146.3.13 native boolean parma_polyhedra_library::Uint16_Box::bounds_from_above (Linear_Expression *expr*)

11.146.3.14 native boolean parma_polyhedra_library::Uint16_Box::bounds_from_below (Linear_Expression *expr*)

11.146.3.15 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.146.3.16 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.146.3.17 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.146.3.18 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_long_double *y*) [private]

11.146.3.19 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.20 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.146.3.21 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.146.3.22 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.146.3.23 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.146.3.24 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.146.3.25 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.26 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Double_Box *y*) [private]

11.146.3.27 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.146.3.28 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.146.3.29 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.146.3.30 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.146.3.31 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.32 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Float_Box *y*) [private]

11.146.3.33 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.146.3.34 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Grid *y*) [private]

11.146.3.35 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.146.3.36 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.146.3.37 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.146.3.38 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.146.3.39 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.146.3.40 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.146.3.41 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.146.3.42 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.146.3.43 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.146.3.44 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.146.3.45 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.146.3.46 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.146.3.47 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.146.3.48 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.146.3.49 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.146.3.50 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.146.3.51 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.146.3.52 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.146.3.53 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.146.3.54 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.146.3.55 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.146.3.56 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.146.3.57 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.146.3.58 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.146.3.59 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.146.3.60 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.146.3.61 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.146.3.62 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.146.3.63 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.64 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Rational_Box *y*) [private]

11.146.3.65 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.66 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Z_Box *y*) [private]

11.146.3.67 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.68 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint64_Box *y*) [private]

11.146.3.69 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.70 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint32_Box *y*) [private]

11.146.3.71 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.72 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint16_Box *y*) [private]

11.146.3.73 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.74 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Uint8_Box *y*) [private]

11.146.3.75 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.76 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int64_Box *y*) [private]

11.146.3.77 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.78 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int32_Box *y*) [private]

11.146.3.79 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.80 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int16_Box *y*) [private]

11.146.3.81 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.146.3.82 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Int8_Box *y*) [private]

11.146.3.83 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.146.3.84 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Generator_System *cs*) [private]

11.146.3.85 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Congruence_System *cs*) [private]

11.146.3.86 native void parma_polyhedra_library::Uint16_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Uint16_Box().

11.146.3.87 native void parma_polyhedra_library::Uint16_Box::CC76_widening_assign (Uint16_Box *y*, By_Reference< Integer > *tp*)

11.146.3.88 native void parma_polyhedra_library::Uint16_Box::concatenate_assign (Uint16_Box *p*)

11.146.3.89 native Congruence_System parma_polyhedra_library::Uint16_Box::congruences ()

11.146.3.90 native boolean parma_polyhedra_library::Uint16_Box::constrains (Variable *var*)

11.146.3.91 native Constraint_System parma_polyhedra_library::Uint16_Box::constraints ()

11.146.3.92 native boolean parma_polyhedra_library::Uint16_Box::contains (Uint16_Box *y*)

11.146.3.93 native boolean parma_polyhedra_library::Uint16_Box::contains_integer_point ()

11.146.3.94 native void parma_polyhedra_library::Uint16_Box::difference_assign (Uint16_Box *p*)

11.146.3.95 native void parma_polyhedra_library::Uint16_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.146.3.96 native void parma_polyhedra_library::Uint16_Box::drop_some_non_integer_points_-2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.146.3.97 boolean parma_polyhedra_library::Uint16_Box::equals (Object *y*) [inline]

Definition at line 465 of file Uint16_Box.java.

References equals().

11.146.3.98 native boolean parma_polyhedra_library::Uint16_Box::equals (Uint16_Box *p*)

Referenced by equals().

11.146.3.99 native void parma_polyhedra_library::Uint16_Box::expand_space_dimension (Variable *var*, long *m*)

11.146.3.100 native long parma_polyhedra_library::Uint16_Box::external_memory_in_bytes ()

11.146.3.101 native void parma_polyhedra_library::Uint16_Box::finalize () [protected]

11.146.3.102 native void parma_polyhedra_library::Uint16_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.146.3.103 native void parma_polyhedra_library::Uint16_Box::free ()

11.146.3.104 native boolean parma_polyhedra_library::Uint16_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.146.3.105 native void parma_polyhedra_library::Uint16_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.146.3.106 native void parma_polyhedra_library::Uint16_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.146.3.107 native void parma_polyhedra_library::Uint16_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.146.3.108 native void parma_polyhedra_library::Uint16_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.146.3.109 native void parma_polyhedra_library::Uint16_Box::intersection_assign (Uint16_Box *p*)

11.146.3.110 native boolean parma_polyhedra_library::Uint16_Box::is_bounded ()

11.146.3.111 native boolean parma_polyhedra_library::Uint16_Box::is_discrete ()

11.146.3.112 native boolean parma_polyhedra_library::Uint16_Box::is_disjoint_from (Uint16_Box *y*)

11.146.3.113 native boolean parma_polyhedra_library::Uint16_Box::is_empty ()

11.146.3.114 native boolean parma_polyhedra_library::Uint16_Box::is_topologically_closed ()

11.146.3.115 native boolean parma_polyhedra_library::Uint16_Box::is_universe ()

11.146.3.116 native void parma_polyhedra_library::Uint16_Box::limited_CC76_extrapolation_-assign (Uint16_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.146.3.117 static native Pair<Uint16_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Uint16_Box::linear_partition (Uint16_Box *p*, Uint16_Box *q*) `[static]`

11.146.3.118 native void parma_polyhedra_library::Uint16_Box::map_space_dimensions (Partial_Function *pfunc*)

11.146.3.119 native boolean parma_polyhedra_library::Uint16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.146.3.120 native boolean parma_polyhedra_library::Uint16_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.146.3.121 native boolean parma_polyhedra_library::Uint16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.146.3.122 native boolean parma_polyhedra_library::Uint16_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.146.3.123 native Congruence_System parma_polyhedra_library::Uint16_Box::minimized_-congruences ()

11.146.3.124 native Constraint_System parma_polyhedra_library::Uint16_Box::minimized_constraints ()

11.146.3.125 native boolean parma_polyhedra_library::Uint16_Box::OK ()

11.146.3.126 native void parma_polyhedra_library::Uint16_Box::refine_with_congruence (Congruence *c*)

11.146.3.127 native void parma_polyhedra_library::Uint16_Box::refine_with_congruences (Congruence_System *c*)

11.146.3.128 native void parma_polyhedra_library::Uint16_Box::refine_with_constraint (Constraint *c*)

11.146.3.129 native void parma_polyhedra_library::Uint16_Box::refine_with_constraints (Constraint_System *c*)

11.146.3.130 native Poly_Con_Relation parma_polyhedra_library::Uint16_Box::relation_with (Congruence *c*)

11.146.3.131 native Poly_Gen_Relation parma_polyhedra_library::Uint16_Box::relation_with (Generator *c*)

11.146.3.132 native Poly_Con_Relation parma_polyhedra_library::Uint16_Box::relation_with (Constraint *c*)

11.146.3.133 native void parma_polyhedra_library::Uint16_Box::remove_higher_space_dimensions (long *new_dimension*)

11.146.3.134 native void parma_polyhedra_library::Uint16_Box::remove_space_dimensions (Variables_Set *vars*)

11.146.3.135 native boolean parma_polyhedra_library::Uint16_Box::simplify_using_context_-assign (Uint16_Box *p*)

11.146.3.136 native long parma_polyhedra_library::Uint16_Box::space_dimension ()

11.146.3.137 native boolean parma_polyhedra_library::Uint16_Box::strictly_contains (Uint16_Box *y*)

11.146.3.138 native void parma_polyhedra_library::Uint16_Box::swap (Uint16_Box *y*)

11.146.3.139 native void parma_polyhedra_library::Uint16_Box::time_elapse_assign (Uint16_Box *p*)

11.146.3.140 native void parma_polyhedra_library::Uint16_Box::topological_closure_assign ()

11.146.3.141 native String parma_polyhedra_library::Uint16_Box::toString ()

11.146.3.142 native long parma_polyhedra_library::Uint16_Box::total_memory_in_bytes ()

11.146.3.143 native void parma_polyhedra_library::Uint16_Box::unconstrain_space_dimension (Variable *var*)

11.146.3.144 native void parma_polyhedra_library::Uint16_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.146.3.145 native void parma_polyhedra_library::Uint16_Box::upper_bound_assign (Uint16_Box *p*)

11.146.3.146 native boolean parma_polyhedra_library::Uint16_Box::upper_bound_assign_if_exact (Uint16_Box *y*)

11.146.3.147 native void parma_polyhedra_library::Uint16_Box::widening_assign (Uint16_Box *y*, By_Reference< Integer > *tp*)

11.146.3.148 native void parma_polyhedra_library::Uint16_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Uint16_Box.java


11.147 parma_polyhedra_library::Uint32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

Inheritance diagram for parma_polyhedra_library::Uint32_Box:



Collaboration diagram for parma_polyhedra_library::Uint32_Box:



Public Member Functions

- Uint32_Box (long num_dimensions, Degenerate_Element kind)
- Uint32_Box (Int8_Box y)
- Uint32_Box (Int16_Box y)
- Uint32_Box (Int32_Box y)
- Uint32_Box (Int64_Box y)
- Uint32_Box (Uint8_Box y)
- Uint32_Box (Uint16_Box y)
- Uint32_Box (Uint32_Box y)
- Uint32_Box (Uint64_Box y)
- Uint32_Box (Z_Box y)
- Uint32_Box (Rational_Box y)
- Uint32_Box (BD_Shape_int8_t y)
- Uint32_Box (BD_Shape_int16_t y)
- Uint32_Box (BD_Shape_int32_t y)
- Uint32_Box (BD_Shape_int64_t y)
- Uint32_Box (BD_Shape_mpz_class y)
- Uint32_Box (BD_Shape_mpq_class y)
- Uint32_Box (Octagonal_Shape_int8_t y)
- Uint32_Box (Octagonal_Shape_int16_t y)
- Uint32_Box (Octagonal_Shape_int32_t y)
- Uint32_Box (Octagonal_Shape_int64_t y)
- Uint32_Box (Octagonal_Shape_mpz_class y)
- Uint32_Box (Octagonal_Shape_mpq_class y)
- Uint32_Box (C_Polyhedron y)
- Uint32_Box (NNC_Polyhedron y)
- Uint32_Box (Grid y)
- Uint32_Box (Float_Box y)
- Uint32_Box (BD_Shape_float y)
- Uint32_Box (Octagonal_Shape_float y)
- Uint32_Box (Double_Box y)
- Uint32_Box (BD_Shape_double y)
- Uint32_Box (Octagonal_Shape_double y)
- Uint32_Box (Long_Double_Box y)
- Uint32_Box (BD_Shape_long_double y)
- Uint32_Box (Octagonal_Shape_long_double y)
- Uint32_Box (Int8_Box y, Complexity_Class complexity)

- Uint32_Box (Int16_Box y, Complexity_Class complexity)
- Uint32_Box (Int32_Box y, Complexity_Class complexity)
- Uint32_Box (Int64_Box y, Complexity_Class complexity)
- Uint32_Box (Uint8_Box y, Complexity_Class complexity)
- Uint32_Box (Uint16_Box y, Complexity_Class complexity)
- Uint32_Box (Uint32_Box y, Complexity_Class complexity)
- Uint32_Box (Uint64_Box y, Complexity_Class complexity)
- Uint32_Box (Z_Box y, Complexity_Class complexity)
- Uint32_Box (Rational_Box y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Uint32_Box (C_Polyhedron y, Complexity_Class complexity)
- Uint32_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Uint32_Box (Grid y, Complexity_Class complexity)
- Uint32_Box (Float_Box y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_float y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Uint32_Box (Double_Box y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_double y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Uint32_Box (Long_Double_Box y, Complexity_Class complexity)
- Uint32_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Uint32_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Uint32_Box (Constraint_System cs)
- Uint32_Box (Congruence_System cs)
- Uint32_Box (Generator_System cs)
- native void swap (Uint32_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Uint32_Box y)
- native boolean strictly_contains (Uint32_Box y)
- native boolean is_disjoint_from (Uint32_Box y)
- native boolean equals (Uint32_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Uint32_Box p)
- native void upper_bound_assign (Uint32_Box p)
- native void difference_assign (Uint32_Box p)
- native void concatenate_assign (Uint32_Box p)
- native void time_elapse_assign (Uint32_Box p)
- native boolean upper_bound_assign_if_exact (Uint32_Box y)
- native boolean simplify_using_context_assign (Uint32_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Uint32_Box y, By_Reference< Integer > tp)
- native void widening_assign (Uint32_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Uint32_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Uint32_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Uint32_Box p, Uint32_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Uint32_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)

- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.147.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

Definition at line 33 of file Uint32_Box.java.

11.147.2 Constructor & Destructor Documentation

11.147.2.1 parma_polyhedra_library::Uint32_Box::Uint32_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.2 parma_polyhedra_library::Uint32_Box::Uint32_Box () [inline, private]

Definition at line 45 of file Uint32_Box.java.

11.147.2.3 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.4 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.5 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.6 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.7 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.8 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.9 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.10 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.11 parma_polyhedra_library::Uint32_Box::Uint32_Box (Z_Box *y*) [inline]

Definition at line 84 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.12 parma_polyhedra_library::Uint32_Box::Uint32_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.13 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.14 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.15 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.16 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.17 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.18 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.19 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.20 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.21 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.22 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.23 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.24 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.25 parma_polyhedra_library::Uint32_Box::Uint32_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.26 parma_polyhedra_library::Uint32_Box::Uint32_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.27 parma_polyhedra_library::Uint32_Box::Uint32_Box (Grid *y*) [inline]

Definition at line 148 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.28 parma_polyhedra_library::Uint32_Box::Uint32_Box (Float_Box *y*) [inline]

Definition at line 152 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.29 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.30 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.31 parma_polyhedra_library::Uint32_Box::Uint32_Box (Double_Box *y*) [inline]

Definition at line 164 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.32 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.33 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.34 parma_polyhedra_library::Uint32_Box::Uint32_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.35 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.36 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.37 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.38 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.39 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.40 parma_polyhedra_library::Uint32_Box::Uint32_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.41 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.42 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.43 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.44 parma_polyhedra_library::Uint32_Box::Uint32_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.45 parma_polyhedra_library::Uint32_Box::Uint32_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.46 parma_polyhedra_library::Uint32_Box::Uint32_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.47 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.48 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.49 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.50 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.51 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.52 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.53 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.54 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.55 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.56 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.57 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.58 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.59 parma_polyhedra_library::Uint32_Box::Uint32_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.60 parma_polyhedra_library::Uint32_Box::Uint32_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.61 parma_polyhedra_library::Uint32_Box::Uint32_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.62 parma_polyhedra_library::Uint32_Box::Uint32_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.63 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.64 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.65 parma_polyhedra_library::Uint32_Box::Uint32_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.66 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.67 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.68 parma_polyhedra_library::Uint32_Box::Uint32_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.69 parma_polyhedra_library::Uint32_Box::Uint32_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.70 parma_polyhedra_library::Uint32_Box::Uint32_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.71 parma_polyhedra_library::Uint32_Box::Uint32_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.72 parma_polyhedra_library::Uint32_Box::Uint32_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Uint32_Box.java.

References build_cpp_object().

11.147.2.73 parma_polyhedra_library::Uint32_Box::Uint32_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Uint32_Box.java.

References build_cpp_object().

11.147.3 Member Function Documentation

11.147.3.1 native void parma_polyhedra_library::Uint32_Box::add_congruence (Congruence *c*)

11.147.3.2 native void parma_polyhedra_library::Uint32_Box::add_congruences (Congruence_System *c*)

11.147.3.3 native void parma_polyhedra_library::Uint32_Box::add_constraint (Constraint *c*)

11.147.3.4 native void parma_polyhedra_library::Uint32_Box::add_constraints (Constraint_System *c*)

11.147.3.5 native void parma_polyhedra_library::Uint32_Box::add_space_dimensions_and_embed (long *m*)

11.147.3.6 native void parma_polyhedra_library::Uint32_Box::add_space_dimensions_and_project (long *m*)

11.147.3.7 native long parma_polyhedra_library::Uint32_Box::affine_dimension ()

11.147.3.8 native void parma_polyhedra_library::Uint32_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.147.3.9 native void parma_polyhedra_library::Uint32_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.147.3.10 native String parma_polyhedra_library::Uint32_Box::ascii_dump ()

11.147.3.11 native void parma_polyhedra_library::Uint32_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.147.3.12 native void parma_polyhedra_library::Uint32_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.147.3.13 native boolean parma_polyhedra_library::Uint32_Box::bounds_from_above (Linear_Expression *expr*)

11.147.3.14 native boolean parma_polyhedra_library::Uint32_Box::bounds_from_below (Linear_Expression *expr*)

11.147.3.15 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.147.3.16 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.147.3.17 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.147.3.18 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.147.3.19 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.147.3.20 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.147.3.21 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.147.3.22 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.147.3.23 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.147.3.24 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.147.3.25 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.26 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Double_Box *y*) [private]

11.147.3.27 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.147.3.28 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.147.3.29 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.147.3.30 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.147.3.31 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.32 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Float_Box *y*) [private]

11.147.3.33 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.147.3.34 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Grid *y*) [private]

11.147.3.35 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.147.3.36 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.147.3.37 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.147.3.38 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.147.3.39 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.147.3.40 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.147.3.41 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.147.3.42 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.147.3.43 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.147.3.44 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.147.3.45 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.147.3.46 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.147.3.47 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.147.3.48 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.147.3.49 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.147.3.50 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.147.3.51 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.147.3.52 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.147.3.53 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.147.3.54 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.147.3.55 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.147.3.56 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.147.3.57 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.147.3.58 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.147.3.59 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.147.3.60 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.147.3.61 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.147.3.62 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.147.3.63 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.64 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Rational_Box *y*) [private]

11.147.3.65 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.66 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Z_Box *y*) [private]

11.147.3.67 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.68 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint64_Box *y*) [private]

11.147.3.69 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.70 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint32_Box *y*) [private]

11.147.3.71 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.72 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint16_Box *y*) [private]

11.147.3.73 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.74 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Uint8_Box *y*) [private]

11.147.3.75 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.76 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int64_Box *y*) [private]

11.147.3.77 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.78 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int32_Box *y*) [private]

11.147.3.79 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.80 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int16_Box *y*) [private]

11.147.3.81 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.147.3.82 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Int8_Box *y*) [private]

11.147.3.83 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.147.3.84 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Generator_System *cs*) [private]

11.147.3.85 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Congruence_System *cs*) [private]

11.147.3.86 native void parma_polyhedra_library::Uint32_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Uint32_Box().

11.147.3.87 native void parma_polyhedra_library::Uint32_Box::CC76_widening_assign (Uint32_Box *y*, By_Reference< Integer > *tp*)

11.147.3.88 native void parma_polyhedra_library::Uint32_Box::concatenate_assign (Uint32_Box *p*)

11.147.3.89 native Congruence_System parma_polyhedra_library::Uint32_Box::congruences ()

11.147.3.90 native boolean parma_polyhedra_library::Uint32_Box::constrains (Variable *var*)

11.147.3.91 native Constraint_System parma_polyhedra_library::Uint32_Box::constraints ()

11.147.3.92 native boolean parma_polyhedra_library::Uint32_Box::contains (Uint32_Box *y*)

11.147.3.93 native boolean parma_polyhedra_library::Uint32_Box::contains_integer_point ()

11.147.3.94 native void parma_polyhedra_library::Uint32_Box::difference_assign (Uint32_Box *p*)

11.147.3.95 native void parma_polyhedra_library::Uint32_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.147.3.96 native void parma_polyhedra_library::Uint32_Box::drop_some_non_integer_points_-2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.147.3.97 boolean parma_polyhedra_library::Uint32_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Uint32_Box.java.

References equals().

11.147.3.98 native boolean parma_polyhedra_library::Uint32_Box::equals (Uint32_Box *p*)

Referenced by equals().

11.147.3.99 native void parma_polyhedra_library::Uint32_Box::expand_space_dimension (Variable *var*, long *m*)

11.147.3.100 native long parma_polyhedra_library::Uint32_Box::external_memory_in_bytes ()

11.147.3.101 native void parma_polyhedra_library::Uint32_Box::finalize () `[protected]`

11.147.3.102 native void parma_polyhedra_library::Uint32_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.147.3.103 native void parma_polyhedra_library::Uint32_Box::free ()

11.147.3.104 native boolean parma_polyhedra_library::Uint32_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.147.3.105 native void parma_polyhedra_library::Uint32_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.147.3.106 native void parma_polyhedra_library::Uint32_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.147.3.107 native void parma_polyhedra_library::Uint32_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.147.3.108 native void parma_polyhedra_library::Uint32_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.147.3.109 native void parma_polyhedra_library::Uint32_Box::intersection_assign (Uint32_Box *p*)

11.147.3.110 native boolean parma_polyhedra_library::Uint32_Box::is_bounded ()

11.147.3.111 native boolean parma_polyhedra_library::Uint32_Box::is_discrete ()

11.147.3.112 native boolean parma_polyhedra_library::Uint32_Box::is_disjoint_from (Uint32_Box *y*)

11.147.3.113 native boolean parma_polyhedra_library::Uint32_Box::is_empty ()

11.147.3.114 native boolean parma_polyhedra_library::Uint32_Box::is_topologically_closed ()

11.147.3.115 native boolean parma_polyhedra_library::Uint32_Box::is_universe ()

11.147.3.116 native void parma_polyhedra_library::Uint32_Box::limited_CC76_extrapolation_assign (Uint32_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.147.3.117 static native Pair<Uint32_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Uint32_Box::linear_partition (Uint32_Box *p*, Uint32_Box *q*) `[static]`

11.147.3.118 native void parma_polyhedra_library::Uint32_Box::map_space_dimensions (Partial_Function *pfunc*)

11.147.3.119 native boolean parma_polyhedra_library::Uint32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.147.3.120 native boolean parma_polyhedra_library::Uint32_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.147.3.121 native boolean parma_polyhedra_library::Uint32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.147.3.122 native boolean parma_polyhedra_library::Uint32_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.147.3.123 native Congruence_System parma_polyhedra_library::Uint32_Box::minimized_congruences ()

11.147.3.124 native Constraint_System parma_polyhedra_library::Uint32_Box::minimized_constraints ()

11.147.3.125 native boolean parma_polyhedra_library::Uint32_Box::OK ()

11.147.3.126 native void parma_polyhedra_library::Uint32_Box::refine_with_congruence (Congruence *c*)

11.147.3.127 native void parma_polyhedra_library::Uint32_Box::refine_with_congruences (Congruence_System *c*)

11.147.3.128 native void parma_polyhedra_library::Uint32_Box::refine_with_constraint (Constraint *c*)

11.147.3.129 native void parma_polyhedra_library::Uint32_Box::refine_with_constraints (Constraint_System *c*)

11.147.3.130 native Poly_Con_Relation parma_polyhedra_library::Uint32_Box::relation_with (Congruence *c*)

11.147.3.131 native Poly_Gen_Relation parma_polyhedra_library::Uint32_Box::relation_with (Generator *c*)

11.147.3.132 native Poly_Con_Relation parma_polyhedra_library::Uint32_Box::relation_with (Constraint *c*)

11.147.3.133 native void parma_polyhedra_library::Uint32_Box::remove_higher_space_dimensions (long *new_dimension*)

11.147.3.134 native void parma_polyhedra_library::Uint32_Box::remove_space_dimensions (Variables_Set *vars*)

11.147.3.135 native boolean parma_polyhedra_library::Uint32_Box::simplify_using_context_assign (Uint32_Box *p*)

11.147.3.136 native long parma_polyhedra_library::Uint32_Box::space_dimension ()

11.147.3.137 native boolean parma_polyhedra_library::Uint32_Box::strictly_contains (Uint32_Box *y*)

11.147.3.138 native void parma_polyhedra_library::Uint32_Box::swap (Uint32_Box *y*)

11.147.3.139 native void parma_polyhedra_library::Uint32_Box::time_elapse_assign (Uint32_Box *p*)

11.147.3.140 native void parma_polyhedra_library::Uint32_Box::topological_closure_assign ()

11.147.3.141 native String parma_polyhedra_library::Uint32_Box::toString ()

11.147.3.142 native long parma_polyhedra_library::Uint32_Box::total_memory_in_bytes ()

11.147.3.143 native void parma_polyhedra_library::Uint32_Box::unconstrain_space_dimension (Variable *var*)

11.147.3.144 native void parma_polyhedra_library::Uint32_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.147.3.145 native void parma_polyhedra_library::Uint32_Box::upper_bound_assign (Uint32_Box *p*)

11.147.3.146 native boolean parma_polyhedra_library::Uint32_Box::upper_bound_assign_if_exact (Uint32_Box *y*)

11.147.3.147 native void parma_polyhedra_library::Uint32_Box::widening_assign (Uint32_Box *y*, By_Reference< Integer > *tp*)

11.147.3.148 native void parma_polyhedra_library::Uint32_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Uint32_Box.java


11.148 parma_polyhedra_library::Uint64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

Inheritance diagram for parma_polyhedra_library::Uint64_Box:



Collaboration diagram for parma_polyhedra_library::Uint64_Box:



Public Member Functions

- Uint64_Box (long num_dimensions, Degenerate_Element kind)
- Uint64_Box (Int8_Box y)
- Uint64_Box (Int16_Box y)
- Uint64_Box (Int32_Box y)
- Uint64_Box (Int64_Box y)
- Uint64_Box (Uint8_Box y)
- Uint64_Box (Uint16_Box y)
- Uint64_Box (Uint32_Box y)
- Uint64_Box (Uint64_Box y)
- Uint64_Box (Z_Box y)
- Uint64_Box (Rational_Box y)
- Uint64_Box (BD_Shape_int8_t y)
- Uint64_Box (BD_Shape_int16_t y)
- Uint64_Box (BD_Shape_int32_t y)
- Uint64_Box (BD_Shape_int64_t y)
- Uint64_Box (BD_Shape_mpz_class y)
- Uint64_Box (BD_Shape_mpq_class y)
- Uint64_Box (Octagonal_Shape_int8_t y)
- Uint64_Box (Octagonal_Shape_int16_t y)
- Uint64_Box (Octagonal_Shape_int32_t y)

- Uint64_Box (Octagonal_Shape_int64_t y)
- Uint64_Box (Octagonal_Shape_mpz_class y)
- Uint64_Box (Octagonal_Shape_mpq_class y)
- Uint64_Box (C_Polyhedron y)
- Uint64_Box (NNC_Polyhedron y)
- Uint64_Box (Grid y)
- Uint64_Box (Float_Box y)
- Uint64_Box (BD_Shape_float y)
- Uint64_Box (Octagonal_Shape_float y)
- Uint64_Box (Double_Box y)
- Uint64_Box (BD_Shape_double y)
- Uint64_Box (Octagonal_Shape_double y)
- Uint64_Box (Long_Double_Box y)
- Uint64_Box (BD_Shape_long_double y)
- Uint64_Box (Octagonal_Shape_long_double y)
- Uint64_Box (Int8_Box y, Complexity_Class complexity)
- Uint64_Box (Int16_Box y, Complexity_Class complexity)
- Uint64_Box (Int32_Box y, Complexity_Class complexity)
- Uint64_Box (Int64_Box y, Complexity_Class complexity)
- Uint64_Box (Uint8_Box y, Complexity_Class complexity)
- Uint64_Box (Uint16_Box y, Complexity_Class complexity)
- Uint64_Box (Uint32_Box y, Complexity_Class complexity)
- Uint64_Box (Uint64_Box y, Complexity_Class complexity)
- Uint64_Box (Z_Box y, Complexity_Class complexity)
- Uint64_Box (Rational_Box y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Uint64_Box (C_Polyhedron y, Complexity_Class complexity)
- Uint64_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Uint64_Box (Grid y, Complexity_Class complexity)
- Uint64_Box (Float_Box y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_float y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Uint64_Box (Double_Box y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_double y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Uint64_Box (Long_Double_Box y, Complexity_Class complexity)
- Uint64_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Uint64_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Uint64_Box (Constraint_System cs)

- Uint64_Box (Congruence_System cs)
- Uint64_Box (Generator_System cs)
- native void swap (Uint64_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Uint64_Box y)
- native boolean strictly_contains (Uint64_Box y)
- native boolean is_disjoint_from (Uint64_Box y)
- native boolean equals (Uint64_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Uint64_Box p)
- native void upper_bound_assign (Uint64_Box p)
- native void difference_assign (Uint64_Box p)
- native void concatenate_assign (Uint64_Box p)
- native void time_elapse_assign (Uint64_Box p)

- native boolean upper_bound_assign_if_exact (Uint64_Box y)
- native boolean simplify_using_context_assign (Uint64_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Uint64_Box y, By_Reference< Integer > tp)
- native void widening_assign (Uint64_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Uint64_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Uint64_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Uint64_Box p, Uint64_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Uint64_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.148.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

Definition at line 33 of file Uint64_Box.java.

11.148.2 Constructor & Destructor Documentation

11.148.2.1 parma_polyhedra_library::Uint64_Box::Uint64_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.2 parma_polyhedra_library::Uint64_Box::Uint64_Box () [inline, private]

Definition at line 45 of file Uint64_Box.java.

11.148.2.3 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.4 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.5 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.6 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.7 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.8 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.9 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.10 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.11 parma_polyhedra_library::Uint64_Box::Uint64_Box (Z_Box *y*) [inline]

Definition at line 84 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.12 parma_polyhedra_library::Uint64_Box::Uint64_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.13 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.14 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.15 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.16 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.17 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.18 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.19 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.20 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.21 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.22 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.23 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.24 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.25 parma_polyhedra_library::Uint64_Box::Uint64_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.26 parma_polyhedra_library::Uint64_Box::Uint64_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.27 parma_polyhedra_library::Uint64_Box::Uint64_Box (Grid *y*) [inline]

Definition at line 148 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.28 parma_polyhedra_library::Uint64_Box::Uint64_Box (Float_Box *y*) [inline]

Definition at line 152 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.29 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.30 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.31 parma_polyhedra_library::Uint64_Box::Uint64_Box (Double_Box *y*) [inline]

Definition at line 164 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.32 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.33 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.34 parma_polyhedra_library::Uint64_Box::Uint64_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.35 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.36 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.37 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.38 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.39 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.40 parma_polyhedra_library::Uint64_Box::Uint64_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.41 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.42 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.43 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.44 parma_polyhedra_library::Uint64_Box::Uint64_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.45 parma_polyhedra_library::Uint64_Box::Uint64_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.46 parma_polyhedra_library::Uint64_Box::Uint64_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.47 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.48 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.49 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.50 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.51 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.52 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.53 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.54 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.55 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.56 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.57 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.58 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.59 parma_polyhedra_library::Uint64_Box::Uint64_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.60 parma_polyhedra_library::Uint64_Box::Uint64_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.61 parma_polyhedra_library::Uint64_Box::Uint64_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.62 parma_polyhedra_library::Uint64_Box::Uint64_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.63 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.64 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.65 parma_polyhedra_library::Uint64_Box::Uint64_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.66 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.67 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.68 parma_polyhedra_library::Uint64_Box::Uint64_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.69 parma_polyhedra_library::Uint64_Box::Uint64_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.70 parma_polyhedra_library::Uint64_Box::Uint64_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.71 parma_polyhedra_library::Uint64_Box::Uint64_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.72 parma_polyhedra_library::Uint64_Box::Uint64_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Uint64_Box.java.

References build_cpp_object().

11.148.2.73 parma_polyhedra_library::Uint64_Box::Uint64_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Uint64_Box.java.

References build_cpp_object().

11.148.3 Member Function Documentation

11.148.3.1 native void parma_polyhedra_library::Uint64_Box::add_congruence (Congruence *c*)

11.148.3.2 native void parma_polyhedra_library::Uint64_Box::add_congruences (Congruence_System *c*)

11.148.3.3 native void parma_polyhedra_library::Uint64_Box::add_constraint (Constraint *c*)

11.148.3.4 native void parma_polyhedra_library::Uint64_Box::add_constraints (Constraint_System *c*)

11.148.3.5 native void parma_polyhedra_library::Uint64_Box::add_space_dimensions_and_embed (long *m*)

11.148.3.6 native void parma_polyhedra_library::Uint64_Box::add_space_dimensions_and_project (long *m*)

11.148.3.7 native long parma_polyhedra_library::Uint64_Box::affine_dimension ()

11.148.3.8 native void parma_polyhedra_library::Uint64_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.148.3.9 native void parma_polyhedra_library::Uint64_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.148.3.10 native String parma_polyhedra_library::Uint64_Box::ascii_dump ()

11.148.3.11 native void parma_polyhedra_library::Uint64_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.148.3.12 native void parma_polyhedra_library::Uint64_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.148.3.13 native boolean parma_polyhedra_library::Uint64_Box::bounds_from_above (Linear_Expression *expr*)

11.148.3.14 native boolean parma_polyhedra_library::Uint64_Box::bounds_from_below (Linear_Expression *expr*)

11.148.3.15 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.148.3.16 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_long_double *y*) [private]

11.148.3.17 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) [private]

11.148.3.18 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_long_double *y*) [private]

11.148.3.19 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.20 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.148.3.21 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.148.3.22 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.148.3.23 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.148.3.24 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.148.3.25 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.26 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Double_Box *y*) [private]

11.148.3.27 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.148.3.28 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.148.3.29 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.148.3.30 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.148.3.31 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.32 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Float_Box *y*) [private]

11.148.3.33 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.148.3.34 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Grid *y*) [private]

11.148.3.35 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.148.3.36 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.148.3.37 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.148.3.38 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.148.3.39 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.148.3.40 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.148.3.41 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.148.3.42 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.148.3.43 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.148.3.44 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.148.3.45 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.148.3.46 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.148.3.47 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.148.3.48 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.148.3.49 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.148.3.50 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.148.3.51 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.148.3.52 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.148.3.53 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.148.3.54 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.148.3.55 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.148.3.56 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.148.3.57 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.148.3.58 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.148.3.59 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.148.3.60 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.148.3.61 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.148.3.62 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.148.3.63 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.64 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Rational_Box *y*) [private]

11.148.3.65 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.66 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Z_Box *y*) [private]

11.148.3.67 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.68 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint64_Box *y*) [private]

11.148.3.69 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.70 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint32_Box *y*) [private]

11.148.3.71 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.72 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint16_Box *y*) [private]

11.148.3.73 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.74 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Uint8_Box *y*) [private]

11.148.3.75 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.76 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int64_Box *y*) [private]

11.148.3.77 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.78 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int32_Box *y*) [private]

11.148.3.79 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.80 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int16_Box *y*) [private]

11.148.3.81 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.148.3.82 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Int8_Box *y*) [private]

11.148.3.83 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.148.3.84 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Generator_System *cs*) [private]

11.148.3.85 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Congruence_System *cs*) [private]

11.148.3.86 native void parma_polyhedra_library::Uint64_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Uint64_Box().

11.148.3.87 native void parma_polyhedra_library::Uint64_Box::CC76_widening_assign (Uint64_Box *y*, By_Reference< Integer > *tp*)

11.148.3.88 native void parma_polyhedra_library::Uint64_Box::concatenate_assign (Uint64_Box *p*)

11.148.3.89 native Congruence_System parma_polyhedra_library::Uint64_Box::congruences ()

11.148.3.90 native boolean parma_polyhedra_library::Uint64_Box::constrains (Variable *var*)

11.148.3.91 native Constraint_System parma_polyhedra_library::Uint64_Box::constraints ()

11.148.3.92 native boolean parma_polyhedra_library::Uint64_Box::contains (Uint64_Box *y*)

11.148.3.93 native boolean parma_polyhedra_library::Uint64_Box::contains_integer_point ()

11.148.3.94 native void parma_polyhedra_library::Uint64_Box::difference_assign (Uint64_Box *p*)

11.148.3.95 native void parma_polyhedra_library::Uint64_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.148.3.96 native void parma_polyhedra_library::Uint64_Box::drop_some_non_integer_points_-2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.148.3.97 boolean parma_polyhedra_library::Uint64_Box::equals (Object *y*) [inline]

Definition at line 465 of file Uint64_Box.java.

References equals().

11.148.3.98 native boolean parma_polyhedra_library::Uint64_Box::equals (Uint64_Box *p*)

Referenced by equals().

11.148.3.99 native void parma_polyhedra_library::Uint64_Box::expand_space_dimension (Variable *var*, long *m*)

11.148.3.100 native long parma_polyhedra_library::Uint64_Box::external_memory_in_bytes ()

11.148.3.101 native void parma_polyhedra_library::Uint64_Box::finalize () [protected]

11.148.3.102 native void parma_polyhedra_library::Uint64_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.148.3.103 native void parma_polyhedra_library::Uint64_Box::free ()

11.148.3.104 native boolean parma_polyhedra_library::Uint64_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.148.3.105 native void parma_polyhedra_library::Uint64_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.148.3.106 native void parma_polyhedra_library::Uint64_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.148.3.107 native void parma_polyhedra_library::Uint64_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.148.3.108 native void parma_polyhedra_library::Uint64_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.148.3.109 native void parma_polyhedra_library::Uint64_Box::intersection_assign (Uint64_Box *p*)

11.148.3.110 native boolean parma_polyhedra_library::Uint64_Box::is_bounded ()

11.148.3.111 native boolean parma_polyhedra_library::Uint64_Box::is_discrete ()

11.148.3.112 native boolean parma_polyhedra_library::Uint64_Box::is_disjoint_from (Uint64_Box *y*)

11.148.3.113 native boolean parma_polyhedra_library::Uint64_Box::is_empty ()

11.148.3.114 native boolean parma_polyhedra_library::Uint64_Box::is_topologically_closed ()

11.148.3.115 native boolean parma_polyhedra_library::Uint64_Box::is_universe ()

11.148.3.116 native void parma_polyhedra_library::Uint64_Box::limited_CC76_extrapolation_-assign (Uint64_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.148.3.117 static native Pair<Uint64_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Uint64_Box::linear_partition (Uint64_Box *p*, Uint64_Box *q*) `[static]`

11.148.3.118 native void parma_polyhedra_library::Uint64_Box::map_space_dimensions (Partial_Function *pfunc*)

11.148.3.119 native boolean parma_polyhedra_library::Uint64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.148.3.120 native boolean parma_polyhedra_library::Uint64_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.148.3.121 native boolean parma_polyhedra_library::Uint64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.148.3.122 native boolean parma_polyhedra_library::Uint64_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.148.3.123 native Congruence_System parma_polyhedra_library::Uint64_Box::minimized_-congruences ()

11.148.3.124 native Constraint_System parma_polyhedra_library::Uint64_Box::minimized_constraints ()

11.148.3.125 native boolean parma_polyhedra_library::Uint64_Box::OK ()

11.148.3.126 native void parma_polyhedra_library::Uint64_Box::refine_with_congruence (Congruence *c*)

11.148.3.127 native void parma_polyhedra_library::Uint64_Box::refine_with_congruences (Congruence_System *c*)

11.148.3.128 native void parma_polyhedra_library::Uint64_Box::refine_with_constraint (Constraint *c*)

11.148.3.129 native void parma_polyhedra_library::Uint64_Box::refine_with_constraints (Constraint_System *c*)

11.148.3.130 native Poly_Con_Relation parma_polyhedra_library::Uint64_Box::relation_with (Congruence *c*)

11.148.3.131 native Poly_Gen_Relation parma_polyhedra_library::Uint64_Box::relation_with (Generator *c*)

11.148.3.132 native Poly_Con_Relation parma_polyhedra_library::Uint64_Box::relation_with (Constraint *c*)

11.148.3.133 native void parma_polyhedra_library::Uint64_Box::remove_higher_space_dimensions (long *new_dimension*)

11.148.3.134 native void parma_polyhedra_library::Uint64_Box::remove_space_dimensions (Variables_Set *vars*)

11.148.3.135 native boolean parma_polyhedra_library::Uint64_Box::simplify_using_context_-assign (Uint64_Box *p*)

11.148.3.136 native long parma_polyhedra_library::Uint64_Box::space_dimension ()

11.148.3.137 native boolean parma_polyhedra_library::Uint64_Box::strictly_contains (Uint64_Box *y*)

11.148.3.138 native void parma_polyhedra_library::Uint64_Box::swap (Uint64_Box *y*)

11.148.3.139 native void parma_polyhedra_library::Uint64_Box::time_elapse_assign (Uint64_Box *p*)

11.148.3.140 native void parma_polyhedra_library::Uint64_Box::topological_closure_assign ()

11.148.3.141 native String parma_polyhedra_library::Uint64_Box::toString ()

11.148.3.142 native long parma_polyhedra_library::Uint64_Box::total_memory_in_bytes ()

11.148.3.143 native void parma_polyhedra_library::Uint64_Box::unconstrain_space_dimension (Variable *var*)

11.148.3.144 native void parma_polyhedra_library::Uint64_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.148.3.145 native void parma_polyhedra_library::Uint64_Box::upper_bound_assign (Uint64_Box *p*)

11.148.3.146 native boolean parma_polyhedra_library::Uint64_Box::upper_bound_assign_if_exact (Uint64_Box *y*)

11.148.3.147 native void parma_polyhedra_library::Uint64_Box::widening_assign (Uint64_Box *y*, By_Reference< Integer > *tp*)

11.148.3.148 native void parma_polyhedra_library::Uint64_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)


The documentation for this class was generated from the following file:

- Uint64_Box.java


11.149 parma_polyhedra_library::Uint8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

Inheritance diagram for parma_polyhedra_library::Uint8_Box:



Collaboration diagram for parma_polyhedra_library::Uint8_Box:



Public Member Functions

- Uint8_Box (long num_dimensions, Degenerate_Element kind)
- Uint8_Box (Int8_Box y)
- Uint8_Box (Int16_Box y)
- Uint8_Box (Int32_Box y)
- Uint8_Box (Int64_Box y)
- Uint8_Box (Uint8_Box y)
- Uint8_Box (Uint16_Box y)
- Uint8_Box (Uint32_Box y)
- Uint8_Box (Uint64_Box y)
- Uint8_Box (Z_Box y)
- Uint8_Box (Rational_Box y)
- Uint8_Box (BD_Shape_int8_t y)
- Uint8_Box (BD_Shape_int16_t y)
- Uint8_Box (BD_Shape_int32_t y)
- Uint8_Box (BD_Shape_int64_t y)
- Uint8_Box (BD_Shape_mpz_class y)
- Uint8_Box (BD_Shape_mpq_class y)
- Uint8_Box (Octagonal_Shape_int8_t y)
- Uint8_Box (Octagonal_Shape_int16_t y)
- Uint8_Box (Octagonal_Shape_int32_t y)
- Uint8_Box (Octagonal_Shape_int64_t y)
- Uint8_Box (Octagonal_Shape_mpz_class y)
- Uint8_Box (Octagonal_Shape_mpq_class y)
- Uint8_Box (C_Polyhedron y)
- Uint8_Box (NNC_Polyhedron y)
- Uint8_Box (Grid y)
- Uint8_Box (Float_Box y)
- Uint8_Box (BD_Shape_float y)
- Uint8_Box (Octagonal_Shape_float y)
- Uint8_Box (Double_Box y)
- Uint8_Box (BD_Shape_double y)
- Uint8_Box (Octagonal_Shape_double y)
- Uint8_Box (Long_Double_Box y)
- Uint8_Box (BD_Shape_long_double y)
- Uint8_Box (Octagonal_Shape_long_double y)
- Uint8_Box (Int8_Box y, Complexity_Class complexity)

- Uint8_Box (Int16_Box y, Complexity_Class complexity)
- Uint8_Box (Int32_Box y, Complexity_Class complexity)
- Uint8_Box (Int64_Box y, Complexity_Class complexity)
- Uint8_Box (Uint8_Box y, Complexity_Class complexity)
- Uint8_Box (Uint16_Box y, Complexity_Class complexity)
- Uint8_Box (Uint32_Box y, Complexity_Class complexity)
- Uint8_Box (Uint64_Box y, Complexity_Class complexity)
- Uint8_Box (Z_Box y, Complexity_Class complexity)
- Uint8_Box (Rational_Box y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Uint8_Box (C_Polyhedron y, Complexity_Class complexity)
- Uint8_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Uint8_Box (Grid y, Complexity_Class complexity)
- Uint8_Box (Float_Box y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_float y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Uint8_Box (Double_Box y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_double y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Uint8_Box (Long_Double_Box y, Complexity_Class complexity)
- Uint8_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Uint8_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Uint8_Box (Constraint_System cs)
- Uint8_Box (Congruence_System cs)
- Uint8_Box (Generator_System cs)
- native void swap (Uint8_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()

- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Uint8_Box y)
- native boolean strictly_contains (Uint8_Box y)
- native boolean is_disjoint_from (Uint8_Box y)
- native boolean equals (Uint8_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Uint8_Box p)
- native void upper_bound_assign (Uint8_Box p)
- native void difference_assign (Uint8_Box p)
- native void concatenate_assign (Uint8_Box p)
- native void time_elapse_assign (Uint8_Box p)
- native boolean upper_bound_assign_if_exact (Uint8_Box y)
- native boolean simplify_using_context_assign (Uint8_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)

- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Uint8_Box y, By_Reference< Integer > tp)
- native void widening_assign (Uint8_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Uint8_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Uint8_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Uint8_Box p, Uint8_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Uint8_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)

- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)
- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)

- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.149.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

Definition at line 33 of file Uint8_Box.java.

11.149.2 Constructor & Destructor Documentation

11.149.2.1 parma_polyhedra_library::Uint8_Box::Uint8_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.2 parma_polyhedra_library::Uint8_Box::Uint8_Box () [inline, private]

Definition at line 45 of file Uint8_Box.java.

11.149.2.3 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.4 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.5 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.6 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.7 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.8 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.9 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.10 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.11 parma_polyhedra_library::Uint8_Box::Uint8_Box (Z_Box *y*) [inline]

Definition at line 84 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.12 parma_polyhedra_library::Uint8_Box::Uint8_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.13 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.14 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.15 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.16 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.17 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.18 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.19 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.20 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.21 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.22 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.23 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.24 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.25 parma_polyhedra_library::Uint8_Box::Uint8_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.26 parma_polyhedra_library::Uint8_Box::Uint8_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.27 parma_polyhedra_library::Uint8_Box::Uint8_Box (Grid *y*) [inline]

Definition at line 148 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.28 parma_polyhedra_library::Uint8_Box::Uint8_Box (Float_Box *y*) [inline]

Definition at line 152 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.29 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.30 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.31 parma_polyhedra_library::Uint8_Box::Uint8_Box (Double_Box *y*) [inline]

Definition at line 164 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.32 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.33 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.34 parma_polyhedra_library::Uint8_Box::Uint8_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.35 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.36 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.37 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.38 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.39 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.40 parma_polyhedra_library::Uint8_Box::Uint8_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.41 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.42 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.43 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.44 parma_polyhedra_library::Uint8_Box::Uint8_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.45 parma_polyhedra_library::Uint8_Box::Uint8_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.46 parma_polyhedra_library::Uint8_Box::Uint8_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.47 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.48 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.49 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.50 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.51 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.52 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.53 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.54 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.55 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.56 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.57 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.58 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.59 parma_polyhedra_library::Uint8_Box::Uint8_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.60 parma_polyhedra_library::Uint8_Box::Uint8_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.61 parma_polyhedra_library::Uint8_Box::Uint8_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.62 parma_polyhedra_library::Uint8_Box::Uint8_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.63 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.64 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.65 parma_polyhedra_library::Uint8_Box::Uint8_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.66 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.67 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.68 parma_polyhedra_library::Uint8_Box::Uint8_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.69 parma_polyhedra_library::Uint8_Box::Uint8_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.70 parma_polyhedra_library::Uint8_Box::Uint8_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.71 parma_polyhedra_library::Uint8_Box::Uint8_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.72 parma_polyhedra_library::Uint8_Box::Uint8_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Uint8_Box.java.

References build_cpp_object().

11.149.2.73 parma_polyhedra_library::Uint8_Box::Uint8_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Uint8_Box.java.

References build_cpp_object().

11.149.3 Member Function Documentation

11.149.3.1 native void parma_polyhedra_library::Uint8_Box::add_congruence (Congruence *c*)

11.149.3.2 native void parma_polyhedra_library::Uint8_Box::add_congruences (Congruence_System *c*)

11.149.3.3 native void parma_polyhedra_library::Uint8_Box::add_constraint (Constraint *c*)

11.149.3.4 native void parma_polyhedra_library::Uint8_Box::add_constraints (Constraint_System *c*)

11.149.3.5 native void parma_polyhedra_library::Uint8_Box::add_space_dimensions_and_embed (long *m*)

11.149.3.6 native void parma_polyhedra_library::Uint8_Box::add_space_dimensions_and_project (long *m*)

11.149.3.7 native long parma_polyhedra_library::Uint8_Box::affine_dimension ()

11.149.3.8 native void parma_polyhedra_library::Uint8_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.149.3.9 native void parma_polyhedra_library::Uint8_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.149.3.10 native String parma_polyhedra_library::Uint8_Box::ascii_dump ()

11.149.3.11 native void parma_polyhedra_library::Uint8_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.149.3.12 native void parma_polyhedra_library::Uint8_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.149.3.13 native boolean parma_polyhedra_library::Uint8_Box::bounds_from_above (Linear_Expression *expr*)

11.149.3.14 native boolean parma_polyhedra_library::Uint8_Box::bounds_from_below (Linear_Expression *expr*)

11.149.3.15 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.149.3.16 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.149.3.17 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.149.3.18 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.149.3.19 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.149.3.20 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Long_Double_Box *y*) [private]

11.149.3.21 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.149.3.22 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.149.3.23 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.149.3.24 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.149.3.25 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.26 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Double_Box *y*) [private]

11.149.3.27 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.149.3.28 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.149.3.29 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.149.3.30 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.149.3.31 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.32 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Float_Box *y*) [private]

11.149.3.33 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.149.3.34 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Grid *y*) [private]

11.149.3.35 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.149.3.36 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.149.3.37 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.149.3.38 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.149.3.39 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.149.3.40 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.149.3.41 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.149.3.42 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.149.3.43 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.149.3.44 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.149.3.45 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.149.3.46 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.149.3.47 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.149.3.48 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.149.3.49 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.149.3.50 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.149.3.51 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.149.3.52 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.149.3.53 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.149.3.54 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.149.3.55 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.149.3.56 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.149.3.57 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.149.3.58 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.149.3.59 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.149.3.60 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.149.3.61 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.149.3.62 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.149.3.63 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.64 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Rational_Box *y*) [private]

11.149.3.65 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.66 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Z_Box *y*) [private]

11.149.3.67 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.68 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint64_Box *y*) [private]

11.149.3.69 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.70 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint32_Box *y*) [private]

11.149.3.71 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.72 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint16_Box *y*) [private]

11.149.3.73 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.74 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Uint8_Box *y*) [private]

11.149.3.75 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.76 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int64_Box *y*) [private]

11.149.3.77 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.78 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int32_Box *y*) [private]

11.149.3.79 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.80 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int16_Box *y*) [private]

11.149.3.81 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.149.3.82 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Int8_Box *y*) [private]

11.149.3.83 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.149.3.84 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Generator_System *cs*) [private]

11.149.3.85 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Congruence_System *cs*) [private]

11.149.3.86 native void parma_polyhedra_library::Uint8_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Uint8_Box().

11.149.3.87 native void parma_polyhedra_library::Uint8_Box::CC76_widening_assign (Uint8_Box *y*, By_Reference< Integer > *tp*)

11.149.3.88 native void parma_polyhedra_library::Uint8_Box::concatenate_assign (Uint8_Box *p*)

11.149.3.89 native Congruence_System parma_polyhedra_library::Uint8_Box::congruences ()

11.149.3.90 native boolean parma_polyhedra_library::Uint8_Box::constrains (Variable *var*)

11.149.3.91 native Constraint_System parma_polyhedra_library::Uint8_Box::constraints ()

11.149.3.92 native boolean parma_polyhedra_library::Uint8_Box::contains (Uint8_Box *y*)

11.149.3.93 native boolean parma_polyhedra_library::Uint8_Box::contains_integer_point ()

11.149.3.94 native void parma_polyhedra_library::Uint8_Box::difference_assign (Uint8_Box *p*)

11.149.3.95 native void parma_polyhedra_library::Uint8_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.149.3.96 native void parma_polyhedra_library::Uint8_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.149.3.97 boolean parma_polyhedra_library::Uint8_Box::equals (Object *y*) [inline]

Definition at line 465 of file Uint8_Box.java.

References equals().

11.149.3.98 native boolean parma_polyhedra_library::Uint8_Box::equals (Uint8_Box *p*)

Referenced by equals().

11.149.3.99 native void parma_polyhedra_library::Uint8_Box::expand_space_dimension (Variable *var*, long *m*)

11.149.3.100 native long parma_polyhedra_library::Uint8_Box::external_memory_in_bytes ()

11.149.3.101 native void parma_polyhedra_library::Uint8_Box::finalize () [protected]

11.149.3.102 native void parma_polyhedra_library::Uint8_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.149.3.103 native void parma_polyhedra_library::Uint8_Box::free ()

11.149.3.104 native boolean parma_polyhedra_library::Uint8_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.149.3.105 native void parma_polyhedra_library::Uint8_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.149.3.106 native void parma_polyhedra_library::Uint8_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.149.3.107 native void parma_polyhedra_library::Uint8_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.149.3.108 native void parma_polyhedra_library::Uint8_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.149.3.109 native void parma_polyhedra_library::Uint8_Box::intersection_assign (Uint8_Box *p*)

11.149.3.110 native boolean parma_polyhedra_library::Uint8_Box::is_bounded ()

11.149.3.111 native boolean parma_polyhedra_library::Uint8_Box::is_discrete ()

11.149.3.112 native boolean parma_polyhedra_library::Uint8_Box::is_disjoint_from (Uint8_Box *y*)

11.149.3.113 native boolean parma_polyhedra_library::Uint8_Box::is_empty ()

11.149.3.114 native boolean parma_polyhedra_library::Uint8_Box::is_topologically_closed ()

11.149.3.115 native boolean parma_polyhedra_library::Uint8_Box::is_universe ()

11.149.3.116 native void parma_polyhedra_library::Uint8_Box::limited_CC76_extrapolation_assign (Uint8_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.149.3.117 static native Pair<Uint8_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Uint8_Box::linear_partition (Uint8_Box *p*, Uint8_Box *q*) [static]

11.149.3.118 native void parma_polyhedra_library::Uint8_Box::map_space_dimensions (Partial_Function *pfunc*)

11.149.3.119 native boolean parma_polyhedra_library::Uint8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.149.3.120 native boolean parma_polyhedra_library::Uint8_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.149.3.121 native boolean parma_polyhedra_library::Uint8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.149.3.122 native boolean parma_polyhedra_library::Uint8_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.149.3.123 native Congruence_System parma_polyhedra_library::Uint8_Box::minimized_congruences ()

11.149.3.124 native Constraint_System parma_polyhedra_library::Uint8_Box::minimized_constraints ()

11.149.3.125 native boolean parma_polyhedra_library::Uint8_Box::OK ()

11.149.3.126 native void parma_polyhedra_library::Uint8_Box::refine_with_congruence (Congruence *c*)

11.149.3.127 native void parma_polyhedra_library::Uint8_Box::refine_with_congruences (Congruence_System *c*)

11.149.3.128 native void parma_polyhedra_library::Uint8_Box::refine_with_constraint (Constraint *c*)

11.149.3.129 native void parma_polyhedra_library::Uint8_Box::refine_with_constraints (Constraint_System *c*)

11.149.3.130 native Poly_Con_Relation parma_polyhedra_library::Uint8_Box::relation_with (Congruence *c*)

11.149.3.131 native Poly_Gen_Relation parma_polyhedra_library::Uint8_Box::relation_with (Generator *c*)

11.149.3.132 native Poly_Con_Relation parma_polyhedra_library::Uint8_Box::relation_with (Constraint *c*)

11.149.3.133 native void parma_polyhedra_library::Uint8_Box::remove_higher_space_dimensions (long *new_dimension*)

11.149.3.134 native void parma_polyhedra_library::Uint8_Box::remove_space_dimensions (Variables_Set *vars*)

11.149.3.135 native boolean parma_polyhedra_library::Uint8_Box::simplify_using_context_assign (Uint8_Box *p*)

11.149.3.136 native long parma_polyhedra_library::Uint8_Box::space_dimension ()

11.149.3.137 native boolean parma_polyhedra_library::Uint8_Box::strictly_contains (Uint8_Box *y*)

11.149.3.138 native void parma_polyhedra_library::Uint8_Box::swap (Uint8_Box *y*)

11.149.3.139 native void parma_polyhedra_library::Uint8_Box::time_elapse_assign (Uint8_Box *p*)

11.149.3.140 native void parma_polyhedra_library::Uint8_Box::topological_closure_assign ()

11.149.3.141 native String parma_polyhedra_library::Uint8_Box::toString ()

11.149.3.142 native long parma_polyhedra_library::Uint8_Box::total_memory_in_bytes ()

11.149.3.143 native void parma_polyhedra_library::Uint8_Box::unconstrain_space_dimension (Variable *var*)

11.149.3.144 native void parma_polyhedra_library::Uint8_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.149.3.145 native void parma_polyhedra_library::Uint8_Box::upper_bound_assign (Uint8_Box *p*)

11.149.3.146 native boolean parma_polyhedra_library::Uint8_Box::upper_bound_assign_if_exact (Uint8_Box *y*)

11.149.3.147 native void parma_polyhedra_library::Uint8_Box::widening_assign (Uint8_Box *y*, By_Reference< Integer > *tp*)

11.149.3.148 native void parma_polyhedra_library::Uint8_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- Uint8_Box.java

11.150 parma_polyhedra_library::Variable Class Reference

A dimension of the vector space.

Public Member Functions

- Variable (int i)

  Builds the variable corresponding to the Cartesian axis of index `i`.

- int id ()

  Returns the index of the Cartesian axis associated to `this`.

- int compareTo (Variable v)

  Returns a negative number if `this` comes first than `v`, a zero if `this` equals `v`, a positive number if if `this` comes first than `v`.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

Private Attributes

- int varid

  The index of the Cartesian axis.

11.150.1 Detailed Description

A dimension of the vector space. An object of the class Variable represents a dimension of the space, that is one of the Cartesian axes. Variables are used as basic blocks in order to build more complex linear expressions. Each variable is identified by a non-negative integer, representing the index of the corresponding Cartesian axis (the first axis has index 0).

Definition at line 38 of file Variable.java.

11.150.2 Constructor & Destructor Documentation

11.150.2.1 parma_polyhedra_library::Variable::Variable (int *i*) [inline]

Builds the variable corresponding to the Cartesian axis of index `i`.

Exceptions

RuntimeErrorException Thrown if `i` is has negative value.

Definition at line 47 of file Variable.java.

References varid.

11.150.3 Member Function Documentation

11.150.3.1 parma_polyhedra_library::Variable::[static initializer] () [inline, static, package]

11.150.3.2 int parma_polyhedra_library::Variable::compareTo (Variable *v*) [inline]

Returns a negative number if `this` comes first than `v`, a zero if `this` equals `v`, a positive number if if `this` comes first than `v`.

Definition at line 67 of file Variable.java.

References varid.

11.150.3.3 int parma_polyhedra_library::Variable::id () [inline]

Returns the index of the Cartesian axis associated to `this`.

Definition at line 58 of file Variable.java.

References varid.

Referenced by parma_polyhedra_library::Linear_Expression_Variable::Linear_Expression_Variable(), and parma_polyhedra_library::Linear_Expression_Variable::var_id().

11.150.3.4 static native void parma_polyhedra_library::Variable::initIDs () [static, private]

11.150.4 Member Data Documentation

11.150.4.1 int parma_polyhedra_library::Variable::varid [private]

The index of the Cartesian axis.

Definition at line 40 of file Variable.java.

Referenced by compareTo(), id(), and Variable().

The documentation for this class was generated from the following file:

- Variable.java

11.151 parma_polyhedra_library::Variables_Set Class Reference

A java.util.TreeSet of variables' indexes.

Public Member Functions

- Variables_Set ()

  Builds the empty set of variable indexes.

Static Package Functions

- [static initializer]

Static Private Member Functions

- static native void initIDs ()

11.151.1 Detailed Description

A java.util.TreeSet of variables' indexes.

Definition at line 27 of file Variables_Set.java.

11.151.2 Constructor & Destructor Documentation

11.151.2.1 parma_polyhedra_library::Variables_Set::Variables_Set () [inline]

Builds the empty set of variable indexes.

Definition at line 30 of file Variables_Set.java.

11.151.3 Member Function Documentation

11.151.3.1 parma_polyhedra_library::Variables_Set::[static initializer] () [inline, static, package]

11.151.3.2 static native void parma_polyhedra_library::Variables_Set::initIDs () [static, private]


The documentation for this class was generated from the following file:

- Variables_Set.java


11.152 parma_polyhedra_library::Z_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

Inheritance diagram for parma_polyhedra_library::Z_Box:



Collaboration diagram for parma_polyhedra_library::Z_Box:



Public Member Functions

- Z_Box (long num_dimensions, Degenerate_Element kind)
- Z_Box (Int8_Box y)
- Z_Box (Int16_Box y)
- Z_Box (Int32_Box y)
- Z_Box (Int64_Box y)
- Z_Box (Uint8_Box y)
- Z_Box (Uint16_Box y)
- Z_Box (Uint32_Box y)
- Z_Box (Uint64_Box y)
- Z_Box (Z_Box y)
- Z_Box (Rational_Box y)
- Z_Box (BD_Shape_int8_t y)
- Z_Box (BD_Shape_int16_t y)
- Z_Box (BD_Shape_int32_t y)
- Z_Box (BD_Shape_int64_t y)
- Z_Box (BD_Shape_mpz_class y)
- Z_Box (BD_Shape_mpq_class y)
- Z_Box (Octagonal_Shape_int8_t y)
- Z_Box (Octagonal_Shape_int16_t y)
- Z_Box (Octagonal_Shape_int32_t y)

- Z_Box (Octagonal_Shape_int64_t y)
- Z_Box (Octagonal_Shape_mpz_class y)
- Z_Box (Octagonal_Shape_mpq_class y)
- Z_Box (C_Polyhedron y)
- Z_Box (NNC_Polyhedron y)
- Z_Box (Grid y)
- Z_Box (Float_Box y)
- Z_Box (BD_Shape_float y)
- Z_Box (Octagonal_Shape_float y)
- Z_Box (Double_Box y)
- Z_Box (BD_Shape_double y)
- Z_Box (Octagonal_Shape_double y)
- Z_Box (Long_Double_Box y)
- Z_Box (BD_Shape_long_double y)
- Z_Box (Octagonal_Shape_long_double y)
- Z_Box (Int8_Box y, Complexity_Class complexity)
- Z_Box (Int16_Box y, Complexity_Class complexity)
- Z_Box (Int32_Box y, Complexity_Class complexity)
- Z_Box (Int64_Box y, Complexity_Class complexity)
- Z_Box (Uint8_Box y, Complexity_Class complexity)
- Z_Box (Uint16_Box y, Complexity_Class complexity)
- Z_Box (Uint32_Box y, Complexity_Class complexity)
- Z_Box (Uint64_Box y, Complexity_Class complexity)
- Z_Box (Z_Box y, Complexity_Class complexity)
- Z_Box (Rational_Box y, Complexity_Class complexity)
- Z_Box (BD_Shape_int8_t y, Complexity_Class complexity)
- Z_Box (BD_Shape_int16_t y, Complexity_Class complexity)
- Z_Box (BD_Shape_int32_t y, Complexity_Class complexity)
- Z_Box (BD_Shape_int64_t y, Complexity_Class complexity)
- Z_Box (BD_Shape_mpz_class y, Complexity_Class complexity)
- Z_Box (BD_Shape_mpq_class y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- Z_Box (C_Polyhedron y, Complexity_Class complexity)
- Z_Box (NNC_Polyhedron y, Complexity_Class complexity)
- Z_Box (Grid y, Complexity_Class complexity)
- Z_Box (Float_Box y, Complexity_Class complexity)
- Z_Box (BD_Shape_float y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_float y, Complexity_Class complexity)
- Z_Box (Double_Box y, Complexity_Class complexity)
- Z_Box (BD_Shape_double y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_double y, Complexity_Class complexity)
- Z_Box (Long_Double_Box y, Complexity_Class complexity)
- Z_Box (BD_Shape_long_double y, Complexity_Class complexity)
- Z_Box (Octagonal_Shape_long_double y, Complexity_Class complexity)
- Z_Box (Constraint_System cs)

- Z_Box (Congruence_System cs)
- Z_Box (Generator_System cs)
- native void swap (Z_Box y)
- native long space_dimension ()
- native long affine_dimension ()
- native Poly_Con_Relation relation_with (Constraint c)
- native Poly_Gen_Relation relation_with (Generator c)
- native Poly_Con_Relation relation_with (Congruence c)
- native Constraint_System constraints ()
- native Congruence_System congruences ()
- native Constraint_System minimized_constraints ()
- native Congruence_System minimized_congruences ()
- native boolean is_empty ()
- native boolean is_universe ()
- native boolean is_bounded ()
- native boolean contains_integer_point ()
- native boolean is_topologically_closed ()
- native boolean is_discrete ()
- native void topological_closure_assign ()
- native boolean bounds_from_above (Linear_Expression expr)
- native boolean bounds_from_below (Linear_Expression expr)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean maximize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean minimize (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean frequency (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean contains (Z_Box y)
- native boolean strictly_contains (Z_Box y)
- native boolean is_disjoint_from (Z_Box y)
- native boolean equals (Z_Box p)
- boolean equals (Object y)
- native boolean OK ()
- native void add_constraint (Constraint c)
- native void add_congruence (Congruence c)
- native void add_constraints (Constraint_System c)
- native void add_congruences (Congruence_System c)
- native void refine_with_constraint (Constraint c)
- native void refine_with_congruence (Congruence c)
- native void refine_with_constraints (Constraint_System c)
- native void refine_with_congruences (Congruence_System c)
- native void intersection_assign (Z_Box p)
- native void upper_bound_assign (Z_Box p)
- native void difference_assign (Z_Box p)
- native void concatenate_assign (Z_Box p)
- native void time_elapse_assign (Z_Box p)

- native boolean upper_bound_assign_if_exact (Z_Box y)
- native boolean simplify_using_context_assign (Z_Box p)
- native boolean constrains (Variable var)
- native void unconstrain_space_dimension (Variable var)
- native void unconstrain_space_dimensions (Variables_Set vars)
- native void affine_image (Variable var, Linear_Expression expr, Coefficient denominator)
- native void affine_preimage (Variable var, Linear_Expression expr, Coefficient denominator)
- native void bounded_affine_image (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void bounded_affine_preimage (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void generalized_affine_image (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_preimage (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void generalized_affine_image (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void generalized_affine_preimage (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void add_space_dimensions_and_embed (long m)
- native void add_space_dimensions_and_project (long m)
- native void remove_space_dimensions (Variables_Set vars)
- native void remove_higher_space_dimensions (long new_dimension)
- native void expand_space_dimension (Variable var, long m)
- native void fold_space_dimensions (Variables_Set vars, Variable dest)
- native void map_space_dimensions (Partial_Function pfunc)
- native void drop_some_non_integer_points (Integer complexity_threshold)
- native void drop_some_non_integer_points_2 (Variables_Set vars, Integer complexity_threshold)
- native String ascii_dump ()
- native long external_memory_in_bytes ()
- native long total_memory_in_bytes ()
- native void CC76_widening_assign (Z_Box y, By_Reference< Integer > tp)
- native void widening_assign (Z_Box y, By_Reference< Integer > tp)
- native void limited_CC76_extrapolation_assign (Z_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void wrap_assign (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void free ()
- native String toString ()

Static Public Member Functions

- static native Pair< Z_Box, Pointset_Powerset_NNC_Polyhedron > linear_partition (Z_Box p, Z_Box q)

Protected Member Functions

- native void finalize ()

Private Member Functions

- Z_Box ()
- native void build_cpp_object (Constraint_System cs)
- native void build_cpp_object (Congruence_System cs)
- native void build_cpp_object (Generator_System cs)
- native void build_cpp_object (long num_dimensions, Degenerate_Element kind)
- native void build_cpp_object (Int8_Box y)
- native void build_cpp_object (Int8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int16_Box y)
- native void build_cpp_object (Int16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int32_Box y)
- native void build_cpp_object (Int32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Int64_Box y)
- native void build_cpp_object (Int64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint8_Box y)
- native void build_cpp_object (Uint8_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint16_Box y)
- native void build_cpp_object (Uint16_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint32_Box y)
- native void build_cpp_object (Uint32_Box y, Complexity_Class complexity)
- native void build_cpp_object (Uint64_Box y)
- native void build_cpp_object (Uint64_Box y, Complexity_Class complexity)
- native void build_cpp_object (Z_Box y)
- native void build_cpp_object (Z_Box y, Complexity_Class complexity)
- native void build_cpp_object (Rational_Box y)
- native void build_cpp_object (Rational_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int8_t y)
- native void build_cpp_object (BD_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int16_t y)
- native void build_cpp_object (BD_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int32_t y)
- native void build_cpp_object (BD_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_int64_t y)
- native void build_cpp_object (BD_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpz_class y)
- native void build_cpp_object (BD_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_mpq_class y)
- native void build_cpp_object (BD_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int8_t y)
- native void build_cpp_object (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int16_t y)
- native void build_cpp_object (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int32_t y)
- native void build_cpp_object (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_int64_t y)
- native void build_cpp_object (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpz_class y)
- native void build_cpp_object (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_mpq_class y)

- native void build_cpp_object (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- native void build_cpp_object (C_Polyhedron y)
- native void build_cpp_object (C_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (NNC_Polyhedron y)
- native void build_cpp_object (NNC_Polyhedron y, Complexity_Class complexity)
- native void build_cpp_object (Grid y)
- native void build_cpp_object (Grid y, Complexity_Class complexity)
- native void build_cpp_object (Float_Box y)
- native void build_cpp_object (Float_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_float y)
- native void build_cpp_object (BD_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_float y)
- native void build_cpp_object (Octagonal_Shape_float y, Complexity_Class complexity)
- native void build_cpp_object (Double_Box y)
- native void build_cpp_object (Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_double y)
- native void build_cpp_object (BD_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_double y)
- native void build_cpp_object (Octagonal_Shape_double y, Complexity_Class complexity)
- native void build_cpp_object (Long_Double_Box y)
- native void build_cpp_object (Long_Double_Box y, Complexity_Class complexity)
- native void build_cpp_object (BD_Shape_long_double y)
- native void build_cpp_object (BD_Shape_long_double y, Complexity_Class complexity)
- native void build_cpp_object (Octagonal_Shape_long_double y)
- native void build_cpp_object (Octagonal_Shape_long_double y, Complexity_Class complexity)

11.152.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

Definition at line 33 of file Z_Box.java.

11.152.2 Constructor & Destructor Documentation

11.152.2.1 parma_polyhedra_library::Z_Box::Z_Box (long *num_dimensions*, Degenerate_Element *kind*) [inline]

Definition at line 40 of file Z_Box.java.

References build_cpp_object().

11.152.2.2 parma_polyhedra_library::Z_Box::Z_Box () [inline, private]

Definition at line 45 of file Z_Box.java.

11.152.2.3 parma_polyhedra_library::Z_Box::Z_Box (Int8_Box *y*) [inline]

Definition at line 52 of file Z_Box.java.

References build_cpp_object().

11.152.2.4 parma_polyhedra_library::Z_Box::Z_Box (Int16_Box *y*) [inline]

Definition at line 56 of file Z_Box.java.

References build_cpp_object().

11.152.2.5 parma_polyhedra_library::Z_Box::Z_Box (Int32_Box *y*) [inline]

Definition at line 60 of file Z_Box.java.

References build_cpp_object().

11.152.2.6 parma_polyhedra_library::Z_Box::Z_Box (Int64_Box *y*) [inline]

Definition at line 64 of file Z_Box.java.

References build_cpp_object().

11.152.2.7 parma_polyhedra_library::Z_Box::Z_Box (Uint8_Box *y*) [inline]

Definition at line 68 of file Z_Box.java.

References build_cpp_object().

11.152.2.8 parma_polyhedra_library::Z_Box::Z_Box (Uint16_Box *y*) [inline]

Definition at line 72 of file Z_Box.java.

References build_cpp_object().

11.152.2.9 parma_polyhedra_library::Z_Box::Z_Box (Uint32_Box *y*) [inline]

Definition at line 76 of file Z_Box.java.

References build_cpp_object().

11.152.2.10 parma_polyhedra_library::Z_Box::Z_Box (Uint64_Box *y*) [inline]

Definition at line 80 of file Z_Box.java.

References build_cpp_object().

11.152.2.11 parma_polyhedra_library::Z_Box::Z_Box (Z_Box *y*) [inline]

Definition at line 84 of file Z_Box.java.

References build_cpp_object().

11.152.2.12 parma_polyhedra_library::Z_Box::Z_Box (Rational_Box *y*) [inline]

Definition at line 88 of file Z_Box.java.

References build_cpp_object().

11.152.2.13 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int8_t *y*) [inline]

Definition at line 92 of file Z_Box.java.

References build_cpp_object().

11.152.2.14 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int16_t *y*) [inline]

Definition at line 96 of file Z_Box.java.

References build_cpp_object().

11.152.2.15 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int32_t *y*) [inline]

Definition at line 100 of file Z_Box.java.

References build_cpp_object().

11.152.2.16 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int64_t *y*) [inline]

Definition at line 104 of file Z_Box.java.

References build_cpp_object().

11.152.2.17 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_mpz_class *y*) [inline]

Definition at line 108 of file Z_Box.java.

References build_cpp_object().

11.152.2.18 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_mpq_class *y*) [inline]

Definition at line 112 of file Z_Box.java.

References build_cpp_object().

11.152.2.19 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int8_t *y*) [inline]

Definition at line 116 of file Z_Box.java.

References build_cpp_object().

11.152.2.20 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int16_t *y*) [inline]

Definition at line 120 of file Z_Box.java.

References build_cpp_object().

11.152.2.21 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int32_t *y*) [inline]

Definition at line 124 of file Z_Box.java.

References build_cpp_object().

11.152.2.22 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int64_t *y*) [inline]

Definition at line 128 of file Z_Box.java.

References build_cpp_object().

11.152.2.23 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_mpz_class *y*) [inline]

Definition at line 132 of file Z_Box.java.

References build_cpp_object().

11.152.2.24 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_mpq_class *y*) [inline]

Definition at line 136 of file Z_Box.java.

References build_cpp_object().

11.152.2.25 parma_polyhedra_library::Z_Box::Z_Box (C_Polyhedron *y*) [inline]

Definition at line 140 of file Z_Box.java.

References build_cpp_object().

11.152.2.26 parma_polyhedra_library::Z_Box::Z_Box (NNC_Polyhedron *y*) [inline]

Definition at line 144 of file Z_Box.java.

References build_cpp_object().

11.152.2.27 parma_polyhedra_library::Z_Box::Z_Box (Grid *y*) [inline]

Definition at line 148 of file Z_Box.java.

References build_cpp_object().

11.152.2.28 parma_polyhedra_library::Z_Box::Z_Box (Float_Box *y*) [inline]

Definition at line 152 of file Z_Box.java.

References build_cpp_object().

11.152.2.29 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_float *y*) [inline]

Definition at line 156 of file Z_Box.java.

References build_cpp_object().

11.152.2.30 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_float *y*) [inline]

Definition at line 160 of file Z_Box.java.

References build_cpp_object().

11.152.2.31 parma_polyhedra_library::Z_Box::Z_Box (Double_Box *y*) [inline]

Definition at line 164 of file Z_Box.java.

References build_cpp_object().

11.152.2.32 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_double *y*) [inline]

Definition at line 168 of file Z_Box.java.

References build_cpp_object().

11.152.2.33 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_double *y*) [inline]

Definition at line 172 of file Z_Box.java.

References build_cpp_object().

11.152.2.34 parma_polyhedra_library::Z_Box::Z_Box (Long_Double_Box *y*) [inline]

Definition at line 176 of file Z_Box.java.

References build_cpp_object().

11.152.2.35 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_long_double *y*) [inline]

Definition at line 180 of file Z_Box.java.

References build_cpp_object().

11.152.2.36 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_long_double *y*) [inline]

Definition at line 184 of file Z_Box.java.

References build_cpp_object().

11.152.2.37 parma_polyhedra_library::Z_Box::Z_Box (Int8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 193 of file Z_Box.java.

References build_cpp_object().

11.152.2.38 parma_polyhedra_library::Z_Box::Z_Box (Int16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 197 of file Z_Box.java.

References build_cpp_object().

11.152.2.39 parma_polyhedra_library::Z_Box::Z_Box (Int32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 201 of file Z_Box.java.

References build_cpp_object().

11.152.2.40 parma_polyhedra_library::Z_Box::Z_Box (Int64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 205 of file Z_Box.java.

References build_cpp_object().

11.152.2.41 parma_polyhedra_library::Z_Box::Z_Box (Uint8_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 209 of file Z_Box.java.

References build_cpp_object().

11.152.2.42 parma_polyhedra_library::Z_Box::Z_Box (Uint16_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 213 of file Z_Box.java.

References build_cpp_object().

11.152.2.43 parma_polyhedra_library::Z_Box::Z_Box (Uint32_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 217 of file Z_Box.java.

References build_cpp_object().

11.152.2.44 parma_polyhedra_library::Z_Box::Z_Box (Uint64_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 221 of file Z_Box.java.

References build_cpp_object().

11.152.2.45 parma_polyhedra_library::Z_Box::Z_Box (Z_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 225 of file Z_Box.java.

References build_cpp_object().

11.152.2.46 parma_polyhedra_library::Z_Box::Z_Box (Rational_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 229 of file Z_Box.java.

References build_cpp_object().

11.152.2.47 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 233 of file Z_Box.java.

References build_cpp_object().

11.152.2.48 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 237 of file Z_Box.java.

References build_cpp_object().

11.152.2.49 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 241 of file Z_Box.java.

References build_cpp_object().

11.152.2.50 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 245 of file Z_Box.java.

References build_cpp_object().

11.152.2.51 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 249 of file Z_Box.java.

References build_cpp_object().

11.152.2.52 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 253 of file Z_Box.java.

References build_cpp_object().

11.152.2.53 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 257 of file Z_Box.java.

References build_cpp_object().

11.152.2.54 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 261 of file Z_Box.java.

References build_cpp_object().

11.152.2.55 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 265 of file Z_Box.java.

References build_cpp_object().

11.152.2.56 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [inline]

Definition at line 269 of file Z_Box.java.

References build_cpp_object().

11.152.2.57 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 273 of file Z_Box.java.

References build_cpp_object().

11.152.2.58 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [inline]

Definition at line 277 of file Z_Box.java.

References build_cpp_object().

11.152.2.59 parma_polyhedra_library::Z_Box::Z_Box (C_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 281 of file Z_Box.java.

References build_cpp_object().

11.152.2.60 parma_polyhedra_library::Z_Box::Z_Box (NNC_Polyhedron *y*, Complexity_Class *complexity*) [inline]

Definition at line 285 of file Z_Box.java.

References build_cpp_object().

11.152.2.61 parma_polyhedra_library::Z_Box::Z_Box (Grid *y*, Complexity_Class *complexity*) [inline]

Definition at line 289 of file Z_Box.java.

References build_cpp_object().

11.152.2.62 parma_polyhedra_library::Z_Box::Z_Box (Float_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 293 of file Z_Box.java.

References build_cpp_object().

11.152.2.63 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 297 of file Z_Box.java.

References build_cpp_object().

11.152.2.64 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [inline]

Definition at line 301 of file Z_Box.java.

References build_cpp_object().

11.152.2.65 parma_polyhedra_library::Z_Box::Z_Box (Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 305 of file Z_Box.java.

References build_cpp_object().

11.152.2.66 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 309 of file Z_Box.java.

References build_cpp_object().

11.152.2.67 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 313 of file Z_Box.java.

References build_cpp_object().

11.152.2.68 parma_polyhedra_library::Z_Box::Z_Box (Long_Double_Box *y*, Complexity_Class *complexity*) [inline]

Definition at line 317 of file Z_Box.java.

References build_cpp_object().

11.152.2.69 parma_polyhedra_library::Z_Box::Z_Box (BD_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 321 of file Z_Box.java.

References build_cpp_object().

11.152.2.70 parma_polyhedra_library::Z_Box::Z_Box (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) [inline]

Definition at line 325 of file Z_Box.java.

References build_cpp_object().

11.152.2.71 parma_polyhedra_library::Z_Box::Z_Box (Constraint_System *cs*) [inline]

Definition at line 334 of file Z_Box.java.

References build_cpp_object().

11.152.2.72 parma_polyhedra_library::Z_Box::Z_Box (Congruence_System *cs*) [inline]

Definition at line 338 of file Z_Box.java.

References build_cpp_object().

11.152.2.73 parma_polyhedra_library::Z_Box::Z_Box (Generator_System *cs*) [inline]

Definition at line 342 of file Z_Box.java.

References build_cpp_object().

11.152.3 Member Function Documentation

11.152.3.1 native void parma_polyhedra_library::Z_Box::add_congruence (Congruence *c*)

11.152.3.2 native void parma_polyhedra_library::Z_Box::add_congruences (Congruence_System *c*)

11.152.3.3 native void parma_polyhedra_library::Z_Box::add_constraint (Constraint *c*)

11.152.3.4 native void parma_polyhedra_library::Z_Box::add_constraints (Constraint_System *c*)

11.152.3.5 native void parma_polyhedra_library::Z_Box::add_space_dimensions_and_embed (long *m*)

11.152.3.6 native void parma_polyhedra_library::Z_Box::add_space_dimensions_and_project (long *m*)

11.152.3.7 native long parma_polyhedra_library::Z_Box::affine_dimension ()

11.152.3.8 native void parma_polyhedra_library::Z_Box::affine_image (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.152.3.9 native void parma_polyhedra_library::Z_Box::affine_preimage (Variable *var*, Linear_Expression *expr*, Coefficient *denominator*)

11.152.3.10 native String parma_polyhedra_library::Z_Box::ascii_dump ()

11.152.3.11 native void parma_polyhedra_library::Z_Box::bounded_affine_image (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.152.3.12 native void parma_polyhedra_library::Z_Box::bounded_affine_preimage (Variable *var*, Linear_Expression *lb_expr*, Linear_Expression *ub_expr*, Coefficient *denominator*)

11.152.3.13 native boolean parma_polyhedra_library::Z_Box::bounds_from_above (Linear_Expression *expr*)

11.152.3.14 native boolean parma_polyhedra_library::Z_Box::bounds_from_below (Linear_Expression *expr*)

11.152.3.15 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.152.3.16 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_long_double *y*) `[private]`

11.152.3.17 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_long_double *y*, Complexity_Class *complexity*) `[private]`

11.152.3.18 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_long_double *y*) `[private]`

11.152.3.19 native void parma_polyhedra_library::Z_Box::build_cpp_object (Long_Double_Box *y*, Complexity_Class *complexity*) `[private]`

11.152.3.20 native void parma_polyhedra_library::Z_Box::build_cpp_object (Long_Double_Box *y*) `[private]`

11.152.3.21 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_double *y*, Complexity_Class *complexity*) [private]

11.152.3.22 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_double *y*) [private]

11.152.3.23 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_double *y*, Complexity_Class *complexity*) [private]

11.152.3.24 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_double *y*) [private]

11.152.3.25 native void parma_polyhedra_library::Z_Box::build_cpp_object (Double_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.26 native void parma_polyhedra_library::Z_Box::build_cpp_object (Double_Box *y*) [private]

11.152.3.27 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_float *y*, Complexity_Class *complexity*) [private]

11.152.3.28 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_float *y*) [private]

11.152.3.29 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_float *y*, Complexity_Class *complexity*) [private]

11.152.3.30 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_float *y*) [private]

11.152.3.31 native void parma_polyhedra_library::Z_Box::build_cpp_object (Float_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.32 native void parma_polyhedra_library::Z_Box::build_cpp_object (Float_Box *y*) [private]

11.152.3.33 native void parma_polyhedra_library::Z_Box::build_cpp_object (Grid *y*, Complexity_Class *complexity*) [private]

11.152.3.34 native void parma_polyhedra_library::Z_Box::build_cpp_object (Grid *y*) [private]

11.152.3.35 native void parma_polyhedra_library::Z_Box::build_cpp_object (NNC_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.152.3.36 native void parma_polyhedra_library::Z_Box::build_cpp_object (NNC_Polyhedron *y*) [private]

11.152.3.37 native void parma_polyhedra_library::Z_Box::build_cpp_object (C_Polyhedron *y*, Complexity_Class *complexity*) [private]

11.152.3.38 native void parma_polyhedra_library::Z_Box::build_cpp_object (C_Polyhedron *y*) [private]

11.152.3.39 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.152.3.40 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_mpq_class *y*) [private]

11.152.3.41 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.152.3.42 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_mpz_class *y*) [private]

11.152.3.43 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.152.3.44 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int64_t *y*) [private]

11.152.3.45 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.152.3.46 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int32_t *y*) [private]

11.152.3.47 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.152.3.48 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int16_t *y*) [private]

11.152.3.49 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.152.3.50 native void parma_polyhedra_library::Z_Box::build_cpp_object (Octagonal_Shape_int8_t *y*) [private]

11.152.3.51 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_mpq_class *y*, Complexity_Class *complexity*) [private]

11.152.3.52 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_mpq_class *y*) [private]

11.152.3.53 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_mpz_class *y*, Complexity_Class *complexity*) [private]

11.152.3.54 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_mpz_class *y*) [private]

11.152.3.55 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int64_t *y*, Complexity_Class *complexity*) [private]

11.152.3.56 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int64_t *y*) [private]

11.152.3.57 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int32_t *y*, Complexity_Class *complexity*) [private]

11.152.3.58 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int32_t *y*) [private]

11.152.3.59 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int16_t *y*, Complexity_Class *complexity*) [private]

11.152.3.60 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int16_t *y*) [private]

11.152.3.61 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int8_t *y*, Complexity_Class *complexity*) [private]

11.152.3.62 native void parma_polyhedra_library::Z_Box::build_cpp_object (BD_Shape_int8_t *y*) [private]

11.152.3.63 native void parma_polyhedra_library::Z_Box::build_cpp_object (Rational_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.64 native void parma_polyhedra_library::Z_Box::build_cpp_object (Rational_Box *y*) [private]

11.152.3.65 native void parma_polyhedra_library::Z_Box::build_cpp_object (Z_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.66 native void parma_polyhedra_library::Z_Box::build_cpp_object (Z_Box *y*) [private]

11.152.3.67 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint64_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.68 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint64_Box *y*) [private]

11.152.3.69 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint32_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.70 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint32_Box *y*) [private]

11.152.3.71 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint16_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.72 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint16_Box *y*) [private]

11.152.3.73 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint8_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.74 native void parma_polyhedra_library::Z_Box::build_cpp_object (Uint8_Box *y*) [private]

11.152.3.75 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int64_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.76 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int64_Box *y*) [private]

11.152.3.77 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int32_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.78 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int32_Box *y*) [private]

11.152.3.79 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int16_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.80 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int16_Box *y*) [private]

11.152.3.81 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int8_Box *y*, Complexity_Class *complexity*) [private]

11.152.3.82 native void parma_polyhedra_library::Z_Box::build_cpp_object (Int8_Box *y*) [private]

11.152.3.83 native void parma_polyhedra_library::Z_Box::build_cpp_object (long *num_dimensions*, Degenerate_Element *kind*) [private]

11.152.3.84 native void parma_polyhedra_library::Z_Box::build_cpp_object (Generator_System *cs*) [private]

11.152.3.85 native void parma_polyhedra_library::Z_Box::build_cpp_object (Congruence_System *cs*) [private]

11.152.3.86 native void parma_polyhedra_library::Z_Box::build_cpp_object (Constraint_System *cs*) [private]

Referenced by Z_Box().

11.152.3.87 native void parma_polyhedra_library::Z_Box::CC76_widening_assign (Z_Box *y*, By_Reference< Integer > *tp*)

11.152.3.88 native void parma_polyhedra_library::Z_Box::concatenate_assign (Z_Box *p*)

11.152.3.89 native Congruence_System parma_polyhedra_library::Z_Box::congruences ()

11.152.3.90 native boolean parma_polyhedra_library::Z_Box::constrains (Variable *var*)

11.152.3.91 native Constraint_System parma_polyhedra_library::Z_Box::constraints ()

11.152.3.92 native boolean parma_polyhedra_library::Z_Box::contains (Z_Box *y*)

11.152.3.93 native boolean parma_polyhedra_library::Z_Box::contains_integer_point ()

11.152.3.94 native void parma_polyhedra_library::Z_Box::difference_assign (Z_Box *p*)

11.152.3.95 native void parma_polyhedra_library::Z_Box::drop_some_non_integer_points (Integer *complexity_threshold*)

11.152.3.96 native void parma_polyhedra_library::Z_Box::drop_some_non_integer_points_2 (Variables_Set *vars*, Integer *complexity_threshold*)

11.152.3.97 boolean parma_polyhedra_library::Z_Box::equals (Object *y*) `[inline]`

Definition at line 465 of file Z_Box.java.

References equals().

11.152.3.98 native boolean parma_polyhedra_library::Z_Box::equals (Z_Box *p*)

Referenced by equals().

11.152.3.99 native void parma_polyhedra_library::Z_Box::expand_space_dimension (Variable *var*, long *m*)

11.152.3.100 native long parma_polyhedra_library::Z_Box::external_memory_in_bytes ()

11.152.3.101 native void parma_polyhedra_library::Z_Box::finalize () `[protected]`

11.152.3.102 native void parma_polyhedra_library::Z_Box::fold_space_dimensions (Variables_Set *vars*, Variable *dest*)

11.152.3.103 native void parma_polyhedra_library::Z_Box::free ()

11.152.3.104 native boolean parma_polyhedra_library::Z_Box::frequency (Linear_Expression *expr*, Coefficient *freq_n*, Coefficient *freq_d*, Coefficient *val_n*, Coefficient *val_d*)

11.152.3.105 native void parma_polyhedra_library::Z_Box::generalized_affine_image (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.152.3.106 native void parma_polyhedra_library::Z_Box::generalized_affine_image (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.152.3.107 native void parma_polyhedra_library::Z_Box::generalized_affine_preimage (Linear_Expression *lhs*, Relation_Symbol *relsym*, Linear_Expression *rhs*)

11.152.3.108 native void parma_polyhedra_library::Z_Box::generalized_affine_preimage (Variable *var*, Relation_Symbol *relsym*, Linear_Expression *expr*, Coefficient *denominator*)

11.152.3.109 native void parma_polyhedra_library::Z_Box::intersection_assign (Z_Box *p*)

11.152.3.110 native boolean parma_polyhedra_library::Z_Box::is_bounded ()

11.152.3.111 native boolean parma_polyhedra_library::Z_Box::is_discrete ()

11.152.3.112 native boolean parma_polyhedra_library::Z_Box::is_disjoint_from (Z_Box *y*)

11.152.3.113 native boolean parma_polyhedra_library::Z_Box::is_empty ()

11.152.3.114 native boolean parma_polyhedra_library::Z_Box::is_topologically_closed ()

11.152.3.115 native boolean parma_polyhedra_library::Z_Box::is_universe ()

11.152.3.116 native void parma_polyhedra_library::Z_Box::limited_CC76_extrapolation_assign (Z_Box *y*, Constraint_System *cs*, By_Reference< Integer > *tp*)

11.152.3.117 static native Pair<Z_Box, Pointset_Powerset_NNC_Polyhedron > parma_polyhedra_library::Z_Box::linear_partition (Z_Box *p*, Z_Box *q*) [static]

11.152.3.118 native void parma_polyhedra_library::Z_Box::map_space_dimensions (Partial_Function *pfunc*)

11.152.3.119 native boolean parma_polyhedra_library::Z_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.152.3.120 native boolean parma_polyhedra_library::Z_Box::maximize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.152.3.121 native boolean parma_polyhedra_library::Z_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*, Generator *point*)

11.152.3.122 native boolean parma_polyhedra_library::Z_Box::minimize (Linear_Expression *expr*, Coefficient *sup_n*, Coefficient *sup_d*, By_Reference< Boolean > *maximum*)

11.152.3.123 native Congruence_System parma_polyhedra_library::Z_Box::minimized_congruences ()

11.152.3.124 native Constraint_System parma_polyhedra_library::Z_Box::minimized_constraints ()

11.152.3.125 native boolean parma_polyhedra_library::Z_Box::OK ()

11.152.3.126 native void parma_polyhedra_library::Z_Box::refine_with_congruence (Congruence *c*)

11.152.3.127 native void parma_polyhedra_library::Z_Box::refine_with_congruences (Congruence_System *c*)

11.152.3.128 native void parma_polyhedra_library::Z_Box::refine_with_constraint (Constraint *c*)

11.152.3.129 native void parma_polyhedra_library::Z_Box::refine_with_constraints (Constraint_System *c*)

11.152.3.130 native Poly_Con_Relation parma_polyhedra_library::Z_Box::relation_with (Congruence *c*)

11.152.3.131 native Poly_Gen_Relation parma_polyhedra_library::Z_Box::relation_with (Generator *c*)

11.152.3.132 native Poly_Con_Relation parma_polyhedra_library::Z_Box::relation_with (Constraint *c*)

11.152.3.133 native void parma_polyhedra_library::Z_Box::remove_higher_space_dimensions (long *new_dimension*)

11.152.3.134 native void parma_polyhedra_library::Z_Box::remove_space_dimensions (Variables_Set *vars*)

11.152.3.135 native boolean parma_polyhedra_library::Z_Box::simplify_using_context_assign (Z_Box *p*)

11.152.3.136 native long parma_polyhedra_library::Z_Box::space_dimension ()

11.152.3.137 native boolean parma_polyhedra_library::Z_Box::strictly_contains (Z_Box *y*)

11.152.3.138 native void parma_polyhedra_library::Z_Box::swap (Z_Box *y*)

11.152.3.139 native void parma_polyhedra_library::Z_Box::time_elapse_assign (Z_Box *p*)

11.152.3.140 native void parma_polyhedra_library::Z_Box::topological_closure_assign ()

11.152.3.141 native String parma_polyhedra_library::Z_Box::toString ()

11.152.3.142 native long parma_polyhedra_library::Z_Box::total_memory_in_bytes ()

11.152.3.143 native void parma_polyhedra_library::Z_Box::unconstrain_space_dimension (Variable *var*)

11.152.3.144 native void parma_polyhedra_library::Z_Box::unconstrain_space_dimensions (Variables_Set *vars*)

11.152.3.145 native void parma_polyhedra_library::Z_Box::upper_bound_assign (Z_Box *p*)

11.152.3.146 native boolean parma_polyhedra_library::Z_Box::upper_bound_assign_if_exact (Z_Box *y*)

11.152.3.147 native void parma_polyhedra_library::Z_Box::widening_assign (Z_Box *y*, By_Reference< Integer > *tp*)

11.152.3.148 native void parma_polyhedra_library::Z_Box::wrap_assign (Variables_Set *vars*, Bounded_Integer_Type_Width *w*, Bounded_Integer_Type_Representation *r*, Bounded_Integer_Type_Overflow *o*, Constraint_System *cs*, long *complexity_threshold*, boolean *wrap_individually*)

The documentation for this class was generated from the following file:

- Z_Box.java

12 File Documentation

12.1 Artificial_Parameter.java File Reference

Classes

- class parma_polyhedra_library::Artificial_Parameter

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.2 Artificial_Parameter_Sequence.java File Reference

Classes

- class parma_polyhedra_library::Artificial_Parameter_Sequence

A sequence of artificial parameters.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.3 BD_Shape_double.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.4 BD_Shape_float.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.5 BD_Shape_int16_t.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.6 BD_Shape_int32_t.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.7 BD_Shape_int64_t.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.8 BD_Shape_int8_t.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.9 BD_Shape_long_double.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_long_double
  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.10 BD_Shape_mpq_class.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_mpq_class
  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.11 BD_Shape_mpz_class.java File Reference

Classes

- class parma_polyhedra_library::BD_Shape_mpz_class
  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.12 Bounded_Integer_Type_Overflow.java File Reference

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Bounded_Integer_Type_Overflow { parma_polyhedra_library::OVERFLOW_WRAPS, parma_polyhedra_library::OVERFLOW_UNDEFINED, parma_polyhedra_library::OVERFLOW_IMPOSSIBLE }

  Overflow behavior of bounded integer types.

12.13 Bounded_Integer_Type_Representation.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Bounded_Integer_Type_Representation { parma_polyhedra_library::UNSIGNED, parma_polyhedra_library::SIGNED_2_COMPLEMENT }

  Representation of bounded integer types.

12.14 Bounded_Integer_Type_Width.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Bounded_Integer_Type_Width {

  parma_polyhedra_library::BITS_8, parma_polyhedra_library::BITS_16, parma_polyhedra_library::BITS_32, parma_polyhedra_library::BITS_64,

  parma_polyhedra_library::BITS_128 }

  Widths of bounded integer types.

12.15 By_Reference.java File Reference

Classes

- class parma_polyhedra_library::By_Reference< T >

  An utility class implementing mutable and non-mutable call-by-reference.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.16 C_Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.17 Coefficient.java File Reference

Classes

- class parma_polyhedra_library::Coefficient

  A PPL coefficient.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.18 Complexity_Class.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Complexity_Class { parma_polyhedra_library::POLYNOMIAL_-COMPLEXITY, parma_polyhedra_library::SIMPLEX_COMPLEXITY, parma_polyhedra_-library::ANY_COMPLEXITY }

  Possible Complexities.

12.19 Congruence.java File Reference

Classes

- class parma_polyhedra_library::Congruence
  A linear congruence.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.20 Congruence_System.java File Reference

Classes

- class parma_polyhedra_library::Congruence_System
  A system of congruences.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.21 Constraint.java File Reference

Classes

- class parma_polyhedra_library::Constraint
  A linear equality or inequality.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.22 Constraint_System.java File Reference

Classes

- class parma_polyhedra_library::Constraint_System
  A system of constraints.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.23 Constraints_Product_C_Polyhedron_Grid.java File Reference

Classes

- class parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.24 Constraints_Product_Grid_C_Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.25 Constraints_Product_Grid_NNC_Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.26 Constraints_Product_NNC_Polyhedron_Grid.java File Reference

Classes

- class parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.27 Control_Parameter_Name.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Control_Parameter_Name { parma_polyhedra_library::PRICING }

  Names of MIP problems' control parameters.

12.28 Control_Parameter_Value.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Control_Parameter_Value { parma_polyhedra_library::PRICING_STEEPEST_EDGE_FLOAT, parma_polyhedra_library::PRICING_STEEPEST_EDGE_EXACT, parma_polyhedra_library::PRICING_TEXTBOOK }

  Possible values for MIP problem's control parameters.

12.29 Degenerate_Element.java File Reference

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Degenerate_Element { parma_polyhedra_library::UNIVERSE, parma_polyhedra_library::EMPTY }
  Kinds of degenerate abstract elements.

12.30 Domain_Error_Exception.java File Reference

Classes

- class parma_polyhedra_library::Domain_Error_Exception
  Exceptions caused by domain errors.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.31 Double_Box.java File Reference

Classes

- class parma_polyhedra_library::Double_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.32 fdl.dox File Reference

12.33 Float_Box.java File Reference

Classes

- class parma_polyhedra_library::Float_Box

Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.34 Generator.java File Reference

Classes

- class parma_polyhedra_library::Generator

  A line, ray, point or closure point.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.35 Generator_System.java File Reference

Classes

- class parma_polyhedra_library::Generator_System

  A system of generators.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.36 Generator_Type.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Generator_Type { parma_polyhedra_library::LINE, parma_polyhedra_library::RAY, parma_polyhedra_library::POINT, parma_polyhedra_library::CLOSURE_POINT }

  The generator type.

12.37 gpl.dox File Reference

12.38 Grid.java File Reference

Classes

- class parma_polyhedra_library::Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Grid.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.39 Grid_Generator.java File Reference

Classes

- class parma_polyhedra_library::Grid_Generator

  A grid line, parameter or grid point.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.40 Grid_Generator_System.java File Reference

Classes

- class parma_polyhedra_library::Grid_Generator_System

  A system of grid generators.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.41 Grid_Generator_Type.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Grid_Generator_Type { parma_polyhedra_library::LINE, parma_polyhedra_library::PARAMETER, parma_polyhedra_library::POINT }

  The grid generator type.

12.42 Int16_Box.java File Reference

Classes

- class parma_polyhedra_library::Int16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.43 Int32_Box.java File Reference

Classes

- class parma_polyhedra_library::Int32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.44 Int64_Box.java File Reference

Classes

- class parma_polyhedra_library::Int64_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.45 Int8_Box.java File Reference

Classes

- class parma_polyhedra_library::Int8_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.46 Invalid_Argument_Exception.java File Reference

Classes

- class parma_polyhedra_library::Invalid_Argument_Exception
  Exceptions caused by invalid arguments.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.47 IO.java File Reference

Classes

- class parma_polyhedra_library::IO
  A class collecting I/O functions.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.48 Length_Error_Exception.java File Reference

Classes

- class parma_polyhedra_library::Length_Error_Exception

  Exceptions caused by too big length/size values.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.49 Linear_Expression.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression

  A linear expression.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.50 Linear_Expression_Coefficient.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression_Coefficient

  A linear expression built from a coefficient.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.51 Linear_Expression_Difference.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression_Difference
  The difference of two linear expressions.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.52 Linear_Expression_Sum.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression_Sum
  The sum of two linear expressions.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.53 Linear_Expression_Times.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression_Times
  The product of a linear expression and a coefficient.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.54 Linear_Expression_Unary_Minus.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression_Unary_Minus
  The negation of a linear expression.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.55 Linear_Expression_Variable.java File Reference

Classes

- class parma_polyhedra_library::Linear_Expression_Variable

  A linear expression built from a variable.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.56 Logic_Error_Exception.java File Reference

Classes

- class parma_polyhedra_library::Logic_Error_Exception

  Exceptions due to errors in low-level routines.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.57 Long_Double_Box.java File Reference

Classes

- class parma_polyhedra_library::Long_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.58 MIP_Problem.java File Reference

Classes

- class parma_polyhedra_library::MIP_Problem

  A Mixed Integer (linear) Programming problem.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.59 MIP_Problem_Status.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::MIP_Problem_Status { parma_polyhedra_library::UNFEASIBLE_MIP_PROBLEM, parma_polyhedra_library::UNBOUNDED_MIP_PROBLEM, parma_polyhedra_library::OPTIMIZED_MIP_PROBLEM }

  Possible outcomes of the MIP_Problem solver.

12.60 NNC_Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.61 Octagonal_Shape_double.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_double

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.62 Octagonal_Shape_float.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.63 Octagonal_Shape_int16_t.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.64 Octagonal_Shape_int32_t.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.65 Octagonal_Shape_int64_t.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.66 Octagonal_Shape_int8_t.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.67 Octagonal_Shape_long_double.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.68 Octagonal_Shape_mpq_class.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_mpq_class
  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.69 Octagonal_Shape_mpz_class.java File Reference

Classes

- class parma_polyhedra_library::Octagonal_Shape_mpz_class
  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.70 Optimization_Mode.java File Reference

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Optimization_Mode { parma_polyhedra_library::MINIMIZATION, parma_polyhedra_library::MAXIMIZATION }
  Possible optimization modes.

12.71 Overflow_Error_Exception.java File Reference

Classes

- class parma_polyhedra_library::Overflow_Error_Exception
  Exceptions due to overflow errors.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.72 Pair.java File Reference

Classes

- class parma_polyhedra_library::Pair< K, V >

  A pair of values of type K and V.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.73 Parma_Polyhedra_Library.java File Reference

Classes

- class parma_polyhedra_library::Parma_Polyhedra_Library

  A class collecting library-level functions.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.74 Partial_Function.java File Reference

Classes

- class parma_polyhedra_library::Partial_Function

  A partial function on space dimension indices.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.75 PIP_Decision_Node.java File Reference

Classes

- class parma_polyhedra_library::PIP_Decision_Node
  An internal node of the PIP solution tree.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.76 PIP_Problem.java File Reference

Classes

- class parma_polyhedra_library::PIP_Problem
  A Parametric Integer Programming problem.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.77 PIP_Problem_Control_Parameter_Name.java File Reference

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Name { parma_polyhedra_library::CUTTING_STRATEGY, parma_polyhedra_library::PIVOT_ROW_STRATEGY }
  Names of PIP problems' control parameters.

12.78 PIP_Problem_Control_Parameter_Value.java File Reference

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Value {

  parma_polyhedra_library::CUTTING_STRATEGY_FIRST, parma_polyhedra_library::CUTTING_STRATEGY_DEEPEST, parma_polyhedra_library::CUTTING_STRATEGY_ALL, parma_polyhedra_library::PIVOT_ROW_STRATEGY_FIRST,

  parma_polyhedra_library::PIVOT_ROW_STRATEGY_MAX_COLUMN }

  Possible values for PIP problems' control parameters.

12.79 PIP_Problem_Status.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::PIP_Problem_Status { parma_polyhedra_library::UNFEASIBLE_PIP_PROBLEM, parma_polyhedra_library::OPTIMIZED_PIP_PROBLEM }

  Possible outcomes of the PIP_Problem solver.

12.80 PIP_Solution_Node.java File Reference

Classes

- class parma_polyhedra_library::PIP_Solution_Node

  A leaf node of the PIP solution tree.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.81 PIP_Tree_Node.java File Reference

Classes

- class parma_polyhedra_library::PIP_Tree_Node

  A node of the PIP solution tree.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.82 Pointset_Powerset_BD_Shape_double.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.83 Pointset_Powerset_BD_Shape_double_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.84 Pointset_Powerset_BD_Shape_float.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.85 Pointset_Powerset_BD_Shape_float_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.86 Pointset_Powerset_BD_Shape_int16_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.87 Pointset_Powerset_BD_Shape_int16_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.88 Pointset_Powerset_BD_Shape_int32_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.89 Pointset_Powerset_BD_Shape_int32_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.90 Pointset_Powerset_BD_Shape_int64_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.91 Pointset_Powerset_BD_Shape_int64_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.92 Pointset_Powerset_BD_Shape_int8_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.93 Pointset_Powerset_BD_Shape_int8_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.94 Pointset_Powerset_BD_Shape_long_double.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.95 Pointset_Powerset_BD_Shape_long_double_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.96 Pointset_Powerset_BD_Shape_mpq_class.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.97 Pointset_Powerset_BD_Shape_mpq_class_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.98 Pointset_Powerset_BD_Shape_mpz_class.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.99 Pointset_Powerset_BD_Shape_mpz_class_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.100 Pointset_Powerset_C_Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.101 Pointset_Powerset_C_Polyhedron_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.102 Pointset_Powerset_Double_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.103 Pointset_Powerset_Double_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.104 Pointset_Powerset_Float_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Float_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.105 Pointset_Powerset_Float_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.106 Pointset_Powerset_Grid.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Grid
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.107 Pointset_Powerset_Grid_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Grid_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.108 Pointset_Powerset_Int16_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int16_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.109 Pointset_Powerset_Int16_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.110 Pointset_Powerset_Int32_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.111 Pointset_Powerset_Int32_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.112 Pointset_Powerset_Int64_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int64_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.113 Pointset_Powerset_Int64_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.114 Pointset_Powerset_Int8_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int8_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.115 Pointset_Powerset_Int8_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.116 Pointset_Powerset_Long_Double_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Long_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.117 Pointset_Powerset_Long_Double_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.118 Pointset_Powerset_NNC_Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.119 Pointset_Powerset_NNC_Polyhedron_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.120 Pointset_Powerset_Octagonal_Shape_double.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.121 Pointset_Powerset_Octagonal_Shape_double_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.122 Pointset_Powerset_Octagonal_Shape_float.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.123 Pointset_Powerset_Octagonal_Shape_float_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.124 Pointset_Powerset_Octagonal_Shape_int16_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.125 Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.126 Pointset_Powerset_Octagonal_Shape_int32_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.127 Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.128 Pointset_Powerset_Octagonal_Shape_int64_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.129 Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.130 Pointset_Powerset_Octagonal_Shape_int8_t.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.131 Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.132 Pointset_Powerset_Octagonal_Shape_long_double.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.133 Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.134 Pointset_Powerset_Octagonal_Shape_mpq_class.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.135 Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.136 Pointset_Powerset_Octagonal_Shape_mpz_class.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.137 Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.138 Pointset_Powerset_Rational_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Rational_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.139 Pointset_Powerset_Rational_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.140 Pointset_Powerset_Uint16_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint16_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.141 Pointset_Powerset_Uint16_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.142 Pointset_Powerset_Uint32_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint32_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.143 Pointset_Powerset_Uint32_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.144 Pointset_Powerset_Uint64_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.145 Pointset_Powerset_Uint64_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.146 Pointset_Powerset_Uint8_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint8_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.147 Pointset_Powerset_Uint8_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.148 Pointset_Powerset_Z_Box.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Z_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.149 Pointset_Powerset_Z_Box_Iterator.java File Reference

Classes

- class parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator
  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.150 Poly_Con_Relation.java File Reference

Classes

- class parma_polyhedra_library::Poly_Con_Relation

  The relation between a polyhedron and a constraint.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.151 Poly_Gen_Relation.java File Reference

Classes

- class parma_polyhedra_library::Poly_Gen_Relation

  The relation between a polyhedron and a generator.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.152 Polyhedron.java File Reference

Classes

- class parma_polyhedra_library::Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

Namespaces


- namespace parma_polyhedra_library

  The PPL Java interface package.

12.153 ppl_java_common.cc File Reference

```
#include "ppl_java_common.defs.hh"
#include "ppl.hh"
#include <jni.h>
#include "interfaced_boxes.hh"
#include "marked_pointers.hh"
#include <cassert>
```

Include dependency graph for ppl_java_common.cc:



This graph shows which files directly or indirectly include this file:



Namespaces

- namespace Parma_Polyhedra_Library
- namespace Parma_Polyhedra_Library::Interfaces
- namespace Parma_Polyhedra_Library::Interfaces::Java

Functions

- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::overflow_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::invalid_argument &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::logic_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::length_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::domain_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::bad_alloc &)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::exception &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const timeout_exception &)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const deterministic_timeout_exception &)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env)

- void Parma_Polyhedra_Library::Interfaces::Java::reset_timeout ()
- void Parma_Polyhedra_Library::Interfaces::Java::reset_deterministic_timeout ()
- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_poly_gen_relation (JNIEnv *env, Poly_Gen_Relation &r)

  Builds a Java parma_polyhedra_library::Poly_Gen_Relation from C++ Poly_Gen_Relation `r`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_poly_con_relation (JNIEnv *env, Poly_Con_Relation &r)

  Builds a Java parma_polyhedra_library::Poly_Con_Relation from C++ Poly_Con_Relation `r`.

- Congruence Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence (JNIEnv *env, jobject j_cg)

  Builds a C++ Congruence from Java parma_polyhedra_library::Congruence `j_cg`.

- PIP_Tree_Node::Artificial_Parameter Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter (JNIEnv *env, jobject j_ap)

  Builds a C++ Artificial_Parameter from Java parma_polyhedra_library::Artificial_Parameter `j_artificial_parameter`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::bool_to_j_boolean_class (JNIEnv *env, const bool value)

  Builds a Java Boolean from C++ bool `value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::j_long_to_j_long_class (JNIEnv *env, jlong value)

  Builds a Java Long from Java long `value`.

- jlong Parma_Polyhedra_Library::Interfaces::Java::j_long_class_to_j_long (JNIEnv *env, jobject j_long)

  Returns the Java long stored in Java Long `j_long`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::j_int_to_j_integer (JNIEnv *env, jint value)

  Builds a Java Integer from Java int `value`.

- jint Parma_Polyhedra_Library::Interfaces::Java::j_integer_to_j_int (JNIEnv *env, jobject j_integer)

  Returns the Java int stored in Java Integer `j_integer`.

- Variables_Set Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variables_set (JNIEnv *env, jobject v_set)

  Builds a C++ Variables_Set from Java parma_polyhedra_library::Variables_Set `v_set`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_variables_set (JNIEnv *env, const Variables_Set &v_set)

  Builds a Java parma_polyhedra_library::Variables_Set from C++ Variables_Set `v_set`.

- Bounded_Integer_Type_Overflow Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_overflow (JNIEnv *env, jobject j_bounded_overflow)

  Builds a C++ Bounded_Integer_Type_Overflow from Java parma_polyhedra_library::Bounded_Integer_Type_Overflow `j_bounded_overflow`.

- Bounded_Integer_Type_Representation Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_rep (JNIEnv *env, jobject j_bounded_rep)

  Builds a C++ Bounded_Integer_Type_Representation from Java parma_polyhedra_library::Bounded_Integer_Type_Representation `j_bounded_rep`.

- Bounded_Integer_Type_Width Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_width (JNIEnv *env, jobject j_bounded_width)

  Builds a C++ Bounded_Integer_Type_Width from Java parma_polyhedra_library::Bounded_Integer_Type_Width `j_bounded_width`.

- Relation_Symbol Parma_Polyhedra_Library::Interfaces::Java::build_cxx_relsym (JNIEnv *env, jobject j_relsym)

  Builds a C++ Relation_Symbol from Java parma_polyhedra_library::Relation_Symbol `j_relsym`.

- Optimization_Mode Parma_Polyhedra_Library::Interfaces::Java::build_cxx_optimization_mode (JNIEnv *env, jobject j_opt_mode)

  Builds a C++ Optimization_Mode from Java parma_polyhedra_library::Optimization_Mode `j_opt_mode`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_mip_status (JNIEnv *env, const MIP_Problem_Status &mip_status)

  Builds a Java parma_polyhedra_library::MIP_Problem_Status from C++ MIP_Problem_Status `mip_status`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_status (JNIEnv *env, const PIP_Problem_Status &pip_status)

  Builds a Java parma_polyhedra_library::PIP_Problem_Status from C++ PIP_Problem_Status `pip_status`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_optimization_mode (JNIEnv *env, const Optimization_Mode &opt_mode)

  Builds a Java parma_polyhedra_library::Optimization_Mode from C++ Optimization_Mode `opt_mode`.

- MIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_name (JNIEnv *env, jobject j_cp_name)

  Builds a C++ MIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::Control_Parameter_Name `j_cp_name`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_control_parameter_name (JNIEnv *env, const MIP_Problem::Control_Parameter_Name &cp_name)

  Builds a Java parma_polyhedra_library::Control_Parameter_Name from C++ MIP_Problem::Control_Parameter_Name `cp_name`.

- MIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_value (JNIEnv *env, jobject j_cp_value)

  Builds a C++ MIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::Control_Parameter_Value `j_cp_value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_control_parameter_value (JNIEnv *env, const MIP_Problem::Control_Parameter_Value &cp_value)

  Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ MIP_Problem::Control_Parameter_Value `cp_value`.

- PIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-pip_problem_control_parameter_name (JNIEnv *env, jobject j_cp_name)

  Builds a C++ PIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::PIP_-Problem_Control_Parameter_Name `j_cp_name`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_pip_problem_java_control_parameter_-name (JNIEnv *env, const PIP_Problem::Control_Parameter_Name &cp_name)
- PIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-pip_problem_control_parameter_value (JNIEnv *env, jobject j_cp_value)

  Builds a C++ PIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::PIP_-Problem_Control_Parameter_Value `j_cp_value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_problem_control_parameter_-value (JNIEnv *env, const PIP_Problem::Control_Parameter_Value &cp_value)

  Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ PIP_Problem::Control_-Parameter_Value `cp_value`.

- Constraint Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint (JNIEnv *env, jobject j_constraint)

  Builds a C++ Constraint from Java parma_polyhedra_library::Constraint `j_constraint`.

- Linear_Expression Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression (JNIEnv *env, jobject j_le)

  Builds a C++ Linear_Expression from Java parma_polyhedra_library::Linear_Expression `j_le`.

- Generator Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator (JNIEnv *env, jobject j_g)

  Builds a C++ Generator from Java parma_polyhedra_library::Generator `j_g`.

- Grid_Generator Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator (JNIEnv *env, jobject j_g)

  Builds a C++ Grid_Generator from Java parma_polyhedra_library::Grid_Generator `j_g`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_linear_expression_coefficient (JNIEnv *env, const Coefficient &coeff)

  Builds a Java parma_polyhedra_library::Linear_Expression_Coefficient from C++ Coefficient `coeff`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_generator (JNIEnv *env, jobject dst, jobject src)

  Sets Java parma_polyhedra_library::Generator `dst` *to have the same value as* `src`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_pair_element (JNIEnv *env, jobject dst_pair, int arg, jobject src)

  Assigns `src` *to one of the fields of parma_polyhedra_library::Pair object* `dst_pair`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::get_pair_element (JNIEnv *env, int arg, jobject pair)

  Returns one of the fields of the parma_polyhedra_library::Pair object `pair`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint (JNIEnv *env, const Constraint &c)

Builds a Java parma_polyhedra_library::Constraint from C++ Constraint `c`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_congruence (JNIEnv *env, const Congruence &cg)

  Builds a Java parma_polyhedra_library::Congruence from C++ Congruence `cg`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_generator (JNIEnv *env, const Generator &g)

  Builds a Java parma_polyhedra_library::Generator from C++ Generator `g`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_grid_generator (JNIEnv *env, const Grid_Generator &g)

  Builds a Java parma_polyhedra_library::Grid_Generator from C++ Grid_Generator `g`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint_system (JNIEnv *env, const Constraint_System &cs)

  Builds a Java parma_polyhedra_library::Constraint_System from C++ Constraint_System `cs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_generator_system (JNIEnv *env, const Generator_System &gs)

  Builds a Java parma_polyhedra_library::Generator_System from C++ Generator_System `gs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_grid_generator_system (JNIEnv *env, const Grid_Generator_System &gs)

  Builds a Java parma_polyhedra_library::Grid_Generator_System from C++ Grid_Generator_System `gs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_congruence_system (JNIEnv *env, const Congruence_System &cgs)

  Builds a Java parma_polyhedra_library::Congruence_System from C++ Congruence_System `cgs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_artificial_parameter (JNIEnv *env, const PIP_Tree_Node::Artificial_Parameter &ap)

  Builds a Java parma_polyhedra_library::Artificial_Parameter from C++ Artificial_Parameter `ap`.

Variables

- Java_Class_Cache Parma_Polyhedra_Library::Interfaces::Java::cached_classes

  The cached class references.

- Java_FMID_Cache Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs


  The field and method ID cache.

12.154 ppl_java_common.defs.hh File Reference


```
#include "ppl.hh"
#include <jni.h>
#include "interfaced_boxes.hh"
```

```
#include "marked_pointers.hh"
#include "ppl_java_common.inlines.hh"
```

Include dependency graph for ppl_java_common.defs.hh:



This graph shows which files directly or indirectly include this file:



Classes

- struct Parma_Polyhedra_Library::Interfaces::Java::Java_ExceptionOccurred
- class Parma_Polyhedra_Library::Interfaces::Java::timeout_exception
- class Parma_Polyhedra_Library::Interfaces::Java::deterministic_timeout_exception
- class Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache

  A cache for global references to Java classes.

- struct Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache

  A cache for field and method IDs of Java classes.

Namespaces

- namespace Parma_Polyhedra_Library
- namespace Parma_Polyhedra_Library::Interfaces
- namespace Parma_Polyhedra_Library::Interfaces::Java

Defines

- #define PPL_NO_AUTOMATIC_INITIALIZATION
- #define CATCH_ALL
- #define CHECK_EXCEPTION_ASSERT(env) assert(!env->ExceptionOccurred())
- #define CHECK_EXCEPTION_THROW(env)
- #define CHECK_EXCEPTION_RETURN(env, val)
- #define CHECK_EXCEPTION_RETURN_VOID(env)
- #define CHECK_RESULT_ABORT(env, cond)
- #define CHECK_RESULT_ASSERT(env, cond) assert(cond)

- #define CHECK_RESULT_THROW(env, cond)
- #define CHECK_RESULT_RETURN(env, cond, val)
- #define CHECK_RESULT_RETURN_VOID(env, cond)

Functions

- void Parma_Polyhedra_Library::Interfaces::Java::reset_timeout ()
- void Parma_Polyhedra_Library::Interfaces::Java::reset_deterministic_timeout ()
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::logic_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::invalid_argument &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::domain_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::overflow_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::length_error &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::bad_alloc &)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const std::exception &e)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const timeout_exception &)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env, const deterministic_timeout_exception &)
- void Parma_Polyhedra_Library::Interfaces::Java::handle_exception (JNIEnv *env)
- template<typename U , typename V >
  U Parma_Polyhedra_Library::Interfaces::Java::jtype_to_unsigned (const V &value)

  Builds an unsigned C++ number from the Java native number `value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::bool_to_j_boolean_class (JNIEnv *env, const bool value)

  Builds a Java Boolean from C++ bool `value`.

- jint Parma_Polyhedra_Library::Interfaces::Java::j_integer_to_j_int (JNIEnv *env, jobject j_integer)

  Returns the Java int stored in Java Integer `j_integer`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::j_int_to_j_integer (JNIEnv *env, jint value)

  Builds a Java Integer from Java int `value`.

- jlong Parma_Polyhedra_Library::Interfaces::Java::j_long_class_to_j_long (JNIEnv *env, jobject j_long)

  Returns the Java long stored in Java Long `j_long`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::j_long_to_j_long_class (JNIEnv *env, jlong value)

  Builds a Java Long from Java long `value`.

- bool Parma_Polyhedra_Library::Interfaces::Java::is_java_marked (JNIEnv *env, jobject ppl_-object)

  Returns `true` *if and only if the Java object* `ppl_object` *refers to a C++ object.*

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_poly_gen_relation (JNIEnv *env, Poly_Gen_Relation &r)

  Builds a Java parma_polyhedra_library::Poly_Gen_Relation from C++ Poly_Gen_Relation `r`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_poly_con_relation (JNIEnv *env, Poly_Con_Relation &r)

  Builds a Java parma_polyhedra_library::Poly_Con_Relation from C++ Poly_Con_Relation `r`.

- Variables_Set Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variables_set (JNIEnv *env, jobject v_set)

  Builds a C++ Variables_Set from Java parma_polyhedra_library::Variables_Set `v_set`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_variables_set (JNIEnv *env, const Variables_Set &v_set)

  Builds a Java parma_polyhedra_library::Variables_Set from C++ Variables_Set `v_set`.

- Relation_Symbol Parma_Polyhedra_Library::Interfaces::Java::build_cxx_relsym (JNIEnv *env, jobject j_relsym)

  Builds a C++ Relation_Symbol from Java parma_polyhedra_library::Relation_Symbol `j_relsym`.

- Bounded_Integer_Type_Overflow Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-bounded_overflow (JNIEnv *env, jobject j_bounded_overflow)

  Builds a C++ Bounded_Integer_Type_Overflow from Java parma_polyhedra_library::Bounded_Integer_-Type_Overflow `j_bounded_overflow`.

- Bounded_Integer_Type_Width Parma_Polyhedra_Library::Interfaces::Java::build_cxx_bounded_-width (JNIEnv *env, jobject j_bounded_width)

  Builds a C++ Bounded_Integer_Type_Width from Java parma_polyhedra_library::Bounded_Integer_-Type_Width `j_bounded_width`.

- Bounded_Integer_Type_Representation Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-bounded_rep (JNIEnv *env, jobject j_bounded_rep)

  Builds a C++ Bounded_Integer_Type_Representation from Java parma_polyhedra_library::Bounded_-Integer_Type_Representation `j_bounded_rep`.

- Optimization_Mode Parma_Polyhedra_Library::Interfaces::Java::build_cxx_optimization_mode (JNIEnv *env, jobject j_opt_mode)

  Builds a C++ Optimization_Mode from Java parma_polyhedra_library::Optimization_Mode `j_opt_-mode`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_optimization_mode (JNIEnv *env, const Optimization_Mode &opt_mode)

  Builds a Java parma_polyhedra_library::Optimization_Mode from C++ Optimization_Mode `opt_mode`.

- MIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::Java::build_cxx_-control_parameter_name (JNIEnv *env, jobject j_cp_name)

  Builds a C++ MIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::Control_-Parameter_Name `j_cp_name`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_control_parameter_name (JNIEnv *env, const MIP_Problem::Control_Parameter_Name &cp_name)

  Builds a Java parma_polyhedra_library::Control_Parameter_Name from C++ MIP_Problem::Control_Parameter_Name `cp_name`.

- MIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_value (JNIEnv *env, jobject j_cp_value)

  Builds a C++ MIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::Control_Parameter_Value `j_cp_value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_control_parameter_value (JNIEnv *env, const MIP_Problem::Control_Parameter_Value &cp_value)

  Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ MIP_Problem::Control_Parameter_Value `cp_value`.

- PIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::Java::build_cxx_pip_problem_control_parameter_name (JNIEnv *env, jobject j_cp_name)

  Builds a C++ PIP_Problem::Control_Parameter_Name from Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Name `j_cp_name`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_problem_control_parameter_name (JNIEnv *env, const PIP_Problem::Control_Parameter_Name &cp_name)

  Builds a Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Name from C++ PIP_Problem::Control_Parameter_Name `cp_name`.

- PIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::Java::build_cxx_pip_problem_control_parameter_value (JNIEnv *env, jobject j_cp_value)

  Builds a C++ PIP_Problem::Control_Parameter_Value from Java parma_polyhedra_library::PIP_Problem_Control_Parameter_Value `j_cp_value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_problem_control_parameter_value (JNIEnv *env, const PIP_Problem::Control_Parameter_Value &cp_value)

  Builds a Java parma_polyhedra_library::Control_Parameter_Value from C++ PIP_Problem::Control_Parameter_Value `cp_value`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_mip_status (JNIEnv *env, const MIP_Problem_Status &mip_status)

  Builds a Java parma_polyhedra_library::MIP_Problem_Status from C++ MIP_Problem_Status `mip_status`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_status (JNIEnv *env, const PIP_Problem_Status &pip_status)

  Builds a Java parma_polyhedra_library::PIP_Problem_Status from C++ PIP_Problem_Status `pip_status`.

- Variable Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variable (JNIEnv *env, jobject j_var)

  Builds a C++ Variable from Java parma_polyhedra_library::Variable `j_var`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_variable (JNIEnv *env, const Variable &var)

Builds a Java parma_polyhedra_library::Variable from C++ Variable `var`.

- Coefficient Parma_Polyhedra_Library::Interfaces::Java::build_cxx_coeff (JNIEnv *env, jobject j_coeff)

  Builds a C++ Coefficient from Java parma_polyhedra_library::Coefficient `j_coeff`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff (JNIEnv *env, const Coefficient &ppl_coeff)

  Builds a Java parma_polyhedra_library::Coefficient from C++ Coefficient `ppl_coeff`.

- Constraint Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint (JNIEnv *env, jobject j_constraint)

  Builds a C++ Constraint from Java parma_polyhedra_library::Constraint `j_constraint`.

- PIP_Tree_Node::Artificial_Parameter Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter (JNIEnv *env, jobject j_ap)

  Builds a C++ Artificial_Parameter from Java parma_polyhedra_library::Artificial_Parameter `j_artificial_parameter`.

- Linear_Expression Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression (JNIEnv *env, jobject j_le)

  Builds a C++ Linear_Expression from Java parma_polyhedra_library::Linear_Expression `j_le`.

- Congruence Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence (JNIEnv *env, jobject j_cg)

  Builds a C++ Congruence from Java parma_polyhedra_library::Congruence `j_cg`.

- Generator Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator (JNIEnv *env, jobject j_g)

  Builds a C++ Generator from Java parma_polyhedra_library::Generator `j_g`.

- Grid_Generator Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator (JNIEnv *env, jobject j_g)

  Builds a C++ Grid_Generator from Java parma_polyhedra_library::Grid_Generator `j_g`.

- Grid_Generator_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator_system (JNIEnv *env, jobject j_gs)

  Builds a C++ Grid_Generator_System from Java parma_polyhedra_library::Grid_Generator_System `j_gs`.

- Constraint_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system (JNIEnv *env, jobject j_cs)

  Builds a C++ Constraint_System from Java parma_polyhedra_library::Constraint_System `j_cs`.

- PIP_Tree_Node::Artificial_Parameter_Sequence Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter_sequence (JNIEnv *env, jobject j_aps)

  Builds a C++ Artificial_Parameter_Sequence from Java parma_polyhedra_library::Artificial_Parameter_Sequence `j_aps`.

- Generator_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator_system (JNIEnv *env, jobject j_gs)

Builds a C++ Generator_System from Java parma_polyhedra_library::Generator_System `j_gs`.

- Congruence_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence_system (JNIEnv *env, jobject j_cgs)

  Builds a C++ Congruence_System from Java parma_polyhedra_library::Congruence_System `j_cgs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint (JNIEnv *env, const Constraint &c)

  Builds a Java parma_polyhedra_library::Constraint from C++ Constraint `c`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_artificial_parameter (JNIEnv *env, const PIP_Tree_Node::Artificial_Parameter &ap)

  Builds a Java parma_polyhedra_library::Artificial_Parameter from C++ Artificial_Parameter `ap`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_congruence (JNIEnv *env, const Congruence &cg)

  Builds a Java parma_polyhedra_library::Congruence from C++ Congruence `cg`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_generator (JNIEnv *env, const Generator &g)

  Builds a Java parma_polyhedra_library::Generator from C++ Generator `g`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_grid_generator (JNIEnv *env, const Grid_Generator &g)

  Builds a Java parma_polyhedra_library::Grid_Generator from C++ Grid_Generator `g`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint_system (JNIEnv *env, const Constraint_System &cs)

  Builds a Java parma_polyhedra_library::Constraint_System from C++ Constraint_System `cs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_artificial_parameter_sequence (JNIEnv *env, const PIP_Tree_Node::Artificial_Parameter_Sequence &aps)

  Builds a Java parma_polyhedra_library::Artificial_Parameter_Sequence from C++ Artificial_Parameter_Sequence `aps`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_grid_generator_system (JNIEnv *env, const Grid_Generator_System &gs)

  Builds a Java parma_polyhedra_library::Grid_Generator_System from C++ Grid_Generator_System `gs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_generator_system (JNIEnv *env, const Generator_System &gs)

  Builds a Java parma_polyhedra_library::Generator_System from C++ Generator_System `gs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_congruence_system (JNIEnv *env, const Congruence_System &cgs)

  Builds a Java parma_polyhedra_library::Congruence_System from C++ Congruence_System `cgs`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_linear_expression_coefficient (JNIEnv *env, const Coefficient &coeff)

  Builds a Java parma_polyhedra_library::Linear_Expression_Coefficient from C++ Coefficient `coeff`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_generator (JNIEnv *env, jobject dst, jobject src)

  Sets Java parma_polyhedra_library::Generator `dst` *to have the same value as* `src`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_coefficient (JNIEnv *env, jobject dst, jobject src)

  Sets Java Coefficient `dst` *to have the same value as* `src`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_by_reference (JNIEnv *env, jobject by_ref_dst, jobject src)

  Modifies parma_polyhedra_library::By_Reference object `by_ref_dst` *so that it references object* `src`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::get_by_reference (JNIEnv *env, jobject by_reference)

  Returns the object referenced by parma_polyhedra_library::By_Reference object `by_reference`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_pair_element (JNIEnv *env, jobject dst_pair, int arg, jobject src)

  Assigns `src` *to one of the fields of parma_polyhedra_library::Pair object* `dst_pair`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::get_pair_element (JNIEnv *env, int arg, jobject pair)

  Returns one of the fields of the parma_polyhedra_library::Pair object `pair`.

- void * Parma_Polyhedra_Library::Interfaces::Java::get_ptr (JNIEnv *env, jobject ppl_object)

  Returns a pointer to the C++ object wrapped by `ppl_object`.

- template<typename T >
  void Parma_Polyhedra_Library::Interfaces::Java::set_ptr (JNIEnv *env, jobject ppl_object, const T *address, bool to_be_marked=false)

  Sets the pointer of the underlying C++ object in the Java object.

- template<typename R >
  jobject Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression (JNIEnv *env, const R &r)

  Builds a Java parma_polyhedra_library::Linear_Expression from the C++ constraint/congruence `r`.

12.154.1 Define Documentation

12.154.1.1 #define CATCH_ALL

Definition at line 38 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_ascii_1dump(), Java_parma_1polyhedra_1library_Congruence_1System_ascii_1dump(), Java_parma_1polyhedra_1library_Congruence_ascii_1dump(), Java_parma_1polyhedra_1library_Constraint_1System_ascii_1dump(), Java_parma_1polyhedra_1library_Constraint_ascii_1dump(), Java_parma_1polyhedra_1library_Generator_1System_ascii_1dump(), Java_parma_1polyhedra_1library_Generator_ascii_1dump(),

Java_parma_1polyhedra_1library_Grid_1Generator_1System_ascii_1dump(), Java_parma_1polyhedra_-1library_Grid_1Generator_ascii_1dump(), Java_parma_1polyhedra_1library_IO_wrap_1string(), Java_parma_1polyhedra_1library_Linear_1Expression_all_1homogeneous_1terms_1are_1zero(), Java_parma_1polyhedra_1library_Linear_1Expression_ascii_1dump(), Java_parma_1polyhedra_-1library_Linear_1Expression_is_1zero(), Java_parma_1polyhedra_1library_MIP_1Problem_add_-1constraint(), Java_parma_1polyhedra_1library_MIP_1Problem_add_1constraints(), Java_parma_-1polyhedra_1library_MIP_1Problem_add_1space_1dimensions_1and_1embed(), Java_parma_-1polyhedra_1library_MIP_1Problem_add_1to_1integer_1space_1dimensions(), Java_parma_-1polyhedra_1library_MIP_1Problem_ascii_1dump(), Java_parma_1polyhedra_1library_MIP_-1Problem_build_1cpp_1object__J(), Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_-1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Linear_-1Expression_2Lparma_1polyhedra_1library_Optimization_1Mode_2(), Java_parma_1polyhedra_-1library_MIP_1Problem_clear(), Java_parma_1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_1polyhedra_1library_MIP_1Problem_evaluate_1objective_1function(), Java_parma_-1polyhedra_1library_MIP_1Problem_feasible_1point(), Java_parma_1polyhedra_1library_MIP_-1Problem_get_1control_1parameter(), Java_parma_1polyhedra_1library_MIP_1Problem_integer_-1space_1dimensions(), Java_parma_1polyhedra_1library_MIP_1Problem_is_1satisfiable(), Java_-parma_1polyhedra_1library_MIP_1Problem_max_1space_1dimension(), Java_parma_1polyhedra_-1library_MIP_1Problem_objective_1function(), Java_parma_1polyhedra_1library_MIP_1Problem_-OK(), Java_parma_1polyhedra_1library_MIP_1Problem_optimal_1value(), Java_parma_1polyhedra_-1library_MIP_1Problem_optimization_1mode(), Java_parma_1polyhedra_1library_MIP_1Problem_-optimizing_1point(), Java_parma_1polyhedra_1library_MIP_1Problem_set_1control_1parameter(), Java_parma_1polyhedra_1library_MIP_1Problem_set_1objective_1function(), Java_parma_1polyhedra_-1library_MIP_1Problem_set_1optimization_1mode(), Java_parma_1polyhedra_1library_MIP_-1Problem_solve(), Java_parma_1polyhedra_1library_MIP_1Problem_space_1dimension(), Java_-parma_1polyhedra_1library_MIP_1Problem_total_1memory_1in_1bytes(), Java_parma_1polyhedra_-1library_Parma_1Polyhedra_1Library_irrational_1precision(), Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_reset_1deterministic_1timeout(), Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_reset_1timeout(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_restore_1pre_1PPL_1rounding(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_set_1deterministic_1timeout(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_set_1irrational_1precision(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-set_1rounding_1for_1PPL(), Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_-1timeout(), Java_parma_1polyhedra_1library_Partial_1Function_build_1cpp_1object(), Java_parma_-1polyhedra_1library_Partial_1Function_has_1empty_1codomain(), Java_parma_1polyhedra_1library_-Partial_1Function_insert(), Java_parma_1polyhedra_1library_Partial_1Function_max_1in_1codomain(), Java_parma_1polyhedra_1library_PIP_1Decision_1Node_child_1node(), Java_parma_1polyhedra_-1library_PIP_1Problem_add_1constraint(), Java_parma_1polyhedra_1library_PIP_1Problem_add_-1constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_add_1space_1dimensions_1and_-1embed(), Java_parma_1polyhedra_1library_PIP_1Problem_add_1to_1parameter_1space_1dimensions(), Java_parma_1polyhedra_1library_PIP_1Problem_ascii_1dump(), Java_parma_1polyhedra_1library_-PIP_1Problem_build_1cpp_1object__J(), Java_parma_1polyhedra_1library_PIP_1Problem_build_-1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_-Variables_1Set_2(), Java_parma_1polyhedra_1library_PIP_1Problem_constraint_1at_1index(), Java_-parma_1polyhedra_1library_PIP_1Problem_constraints(), Java_parma_1polyhedra_1library_PIP_-1Problem_external_1memory_1in_1bytes(), Java_parma_1polyhedra_1library_PIP_1Problem_get_-1big_1parameter_1dimension(), Java_parma_1polyhedra_1library_PIP_1Problem_get_1pip_1problem_-1control_1parameter(), Java_parma_1polyhedra_1library_PIP_1Problem_is_1satisfiable(), Java_parma_-1polyhedra_1library_PIP_1Problem_max_1space_1dimension(), Java_parma_1polyhedra_1library_-PIP_1Problem_number_1of_1constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_number_-1of_1parameter_1space_1dimensions(), Java_parma_1polyhedra_1library_PIP_1Problem_OK(), Java_-parma_1polyhedra_1library_PIP_1Problem_optimizing_1solution(), Java_parma_1polyhedra_1library_-PIP_1Problem_parameter_1space_1dimensions(), Java_parma_1polyhedra_1library_PIP_1Problem_-set_1big_1parameter_1dimension(), Java_parma_1polyhedra_1library_PIP_1Problem_set_1pip_-

1problem_1control_1parameter(), Java_parma_1polyhedra_1library_PIP_1Problem_solution(), Java_-parma_1polyhedra_1library_PIP_1Problem_solve(), Java_parma_1polyhedra_1library_PIP_1Problem_-space_1dimension(), Java_parma_1polyhedra_1library_PIP_1Problem_total_1memory_1in_1bytes(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_artificials(), Java_parma_1polyhedra_1library_-PIP_1Tree_1Node_as_1decision(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1solution(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_constraints(), Java_parma_1polyhedra_1library_-PIP_1Tree_1Node_number_1of_1artificials(), and Java_parma_1polyhedra_1library_PIP_1Tree_1Node_-OK().

12.154.1.2 #define CHECK_EXCEPTION_ASSERT(env) assert(!env->ExceptionOccurred())

Definition at line 72 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_system().

12.154.1.3 #define CHECK_EXCEPTION_RETURN(env, val)

Value:

```
do {                                    \
    if (env->ExceptionOccurred())         \
      return val;                         \
  } while (0)
```

Definition at line 79 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_MIP_1Problem_constraints(), Java_parma_-1polyhedra_1library_PIP_1Problem_constraints(), and Java_parma_1polyhedra_1library_PIP_1Tree_-1Node_artificials().

12.154.1.4 #define CHECK_EXCEPTION_RETURN_VOID(env)

Value:

```
do {                                    \
    if (env->ExceptionOccurred())         \
      return;                             \
  } while (0)
```

Definition at line 84 of file ppl_java_common.defs.hh.

12.154.1.5 #define CHECK_EXCEPTION_THROW(env)

Value:

```
do {                                    \
    if (env->ExceptionOccurred())         \
      throw Java_ExceptionOccurred();     \
  } while (0)
```

Definition at line 74 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_coeff(), Parma_Polyhedra_-Library::Interfaces::Java::build_cxx_system(), and Parma_Polyhedra_Library::Interfaces::Java::build_-linear_expression().

12.154.1.6 #define CHECK_RESULT_ABORT(env, cond)

Value:

```
do {                                    \
    if (!(cond))                          \
      abort();                            \
  } while (0)
```

Definition at line 89 of file ppl_java_common.defs.hh.

12.154.1.7 #define CHECK_RESULT_ASSERT(env, cond) assert(cond)

Definition at line 94 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_Artificial_1Parameter_1Sequence_initIDs(), Java_parma_1polyhedra_1library_Artificial_1Parameter_initIDs(), Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Overflow_initIDs(), Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Representation_initIDs(), Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_1Width_initIDs(), Java_parma_1polyhedra_1library_By_1Reference_initIDs(), Java_parma_1polyhedra_1library_Coefficient_initIDs(), Java_parma_1polyhedra_1library_Complexity_1Class_initIDs(), Java_parma_1polyhedra_1library_Congruence_1System_initIDs(), Java_parma_1polyhedra_1library_Congruence_initIDs(), Java_parma_1polyhedra_1library_Constraint_1System_initIDs(), Java_parma_1polyhedra_1library_Constraint_initIDs(), Java_parma_1polyhedra_1library_Degenerate_1Element_initIDs(), Java_parma_1polyhedra_1library_Generator_1System_initIDs(), Java_parma_1polyhedra_1library_Generator_1Type_initIDs(), Java_parma_1polyhedra_1library_Generator_initIDs(), Java_parma_1polyhedra_1library_Grid_1Generator_1System_initIDs(), Java_parma_1polyhedra_1library_Grid_1Generator_1Type_initIDs(), Java_parma_1polyhedra_1library_Grid_1Generator_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Coefficient_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Difference_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Sum_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Times_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Unary_1Minus_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_1Variable_initIDs(), Java_parma_1polyhedra_1library_Linear_1Expression_initIDs(), Java_parma_1polyhedra_1library_MIP_1Problem_1Status_initIDs(), Java_parma_1polyhedra_1library_Optimization_1Mode_initIDs(), Java_parma_1polyhedra_1library_Pair_initIDs(), Java_parma_1polyhedra_1library_PIP_1Decision_1Node_child_1node(), Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs(), Java_parma_1polyhedra_1library_PIP_1Problem_optimizing_1solution(), Java_parma_1polyhedra_1library_PIP_1Problem_solution(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1decision(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1solution(), Java_parma_1polyhedra_1library_Poly_1Con_1Relation_initIDs(), Java_parma_1polyhedra_1library_Poly_1Gen_1Relation_initIDs(), Java_parma_1polyhedra_1library_PPL_1Object_initIDs(), Java_parma_1polyhedra_1library_Relation_1Symbol_initIDs(), Java_parma_1polyhedra_1library_Variable_initIDs(), and Java_parma_1polyhedra_1library_Variables_1Set_initIDs().

12.154.1.8 #define CHECK_RESULT_RETURN(env, cond, val)

Value:

```
do {                                    \
    if (!(cond))                          \
      return val;                         \
  } while (0)
```

Definition at line 101 of file ppl_java_common.defs.hh.

Referenced by Java_parma_1polyhedra_1library_IO_wrap_1string(), Java_parma_1polyhedra_1library_-MIP_1Problem_constraints(), Java_parma_1polyhedra_1library_MIP_1Problem_objective_1function(), Java_parma_1polyhedra_1library_PIP_1Decision_1Node_child_1node(), Java_parma_1polyhedra_-1library_PIP_1Problem_constraints(), Java_parma_1polyhedra_1library_PIP_1Problem_optimizing_-1solution(), Java_parma_1polyhedra_1library_PIP_1Problem_solution(), Java_parma_1polyhedra_-1library_PIP_1Tree_1Node_artificials(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_-1decision(), Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1solution(), and Java_parma_-1polyhedra_1library_PIP_1Tree_1Node_constraints().

12.154.1.9 #define CHECK_RESULT_RETURN_VOID(env, cond)

Value:

```
do {                                        \
    if (!(cond))                              \
      return;                                 \
  } while (0)
```

Definition at line 106 of file ppl_java_common.defs.hh.

12.154.1.10 #define CHECK_RESULT_THROW(env, cond)

Value:

```
do {                                    \
    if (!(cond))                          \
      throw Java_ExceptionOccurred();     \
  } while (0)
```

Definition at line 96 of file ppl_java_common.defs.hh.

Referenced by Parma_Polyhedra_Library::Interfaces::Java::build_cxx_coeff(), Parma_Polyhedra_-Library::Interfaces::Java::build_java_coeff(), Parma_Polyhedra_Library::Interfaces::Java::build_java_-variable(), and Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression().


12.154.1.11 #define PPL_NO_AUTOMATIC_INITIALIZATION

Definition at line 27 of file ppl_java_common.defs.hh.


12.155 ppl_java_common.inlines.hh File Reference

```
#include <cassert>
```

Include dependency graph for ppl_java_common.inlines.hh:



This graph shows which files directly or indirectly include this file:



Namespaces

- namespace Parma_Polyhedra_Library
- namespace Parma_Polyhedra_Library::Interfaces
- namespace Parma_Polyhedra_Library::Interfaces::Java

Functions

- template<typename U , typename V >
  U Parma_Polyhedra_Library::Interfaces::Java::jtype_to_unsigned (const V &value)

  Builds an unsigned C++ number from the Java native number `value`.

- template<typename T >
  void Parma_Polyhedra_Library::Interfaces::Java::set_ptr (JNIEnv *env, jobject ppl_object, const T *address, bool to_be_marked=false)

  Sets the pointer of the underlying C++ object in the Java object.

- void * Parma_Polyhedra_Library::Interfaces::Java::get_ptr (JNIEnv *env, jobject ppl_object)

  Returns a pointer to the C++ object wrapped by `ppl_object`.

- bool Parma_Polyhedra_Library::Interfaces::Java::is_java_marked (JNIEnv *env, jobject ppl_object)

  Returns `true` *if and only if the Java object* `ppl_object` *refers to a C++ object.*

- void Parma_Polyhedra_Library::Interfaces::Java::set_coefficient (JNIEnv *env, jobject dst, jobject src)

  Sets Java Coefficient `dst` *to have the same value as* `src`.

- void Parma_Polyhedra_Library::Interfaces::Java::set_by_reference (JNIEnv *env, jobject by_ref_dst, jobject src)

  Modifies parma_polyhedra_library::By_Reference object `by_ref_dst` *so that it references object* `src`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::get_by_reference (JNIEnv *env, jobject by_reference)

  Returns the object referenced by parma_polyhedra_library::By_Reference object `by_reference`.

- template<typename R >
  jobject Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression (JNIEnv *env, const R &r)

Builds a Java parma_polyhedra_library::Linear_Expression from the C++ constraint/congruence `r`.

- Variable Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variable (JNIEnv *env, jobject j_var)

  Builds a C++ Variable from Java parma_polyhedra_library::Variable `j_var`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_variable (JNIEnv *env, const Variable &var)

  Builds a Java parma_polyhedra_library::Variable from C++ Variable `var`.

- Coefficient Parma_Polyhedra_Library::Interfaces::Java::build_cxx_coeff (JNIEnv *env, jobject j_coeff)

  Builds a C++ Coefficient from Java parma_polyhedra_library::Coefficient `j_coeff`.

- jobject Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff (JNIEnv *env, const Coefficient &ppl_coeff)

  Builds a Java parma_polyhedra_library::Coefficient from C++ Coefficient `ppl_coeff`.

- template<typename System , typename Elem_Builder >
  System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_system (JNIEnv *env, jobject j_iterable, Elem_Builder build_cxx_elem)
- Congruence_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence_system (JNIEnv *env, jobject j_cgs)

  Builds a C++ Congruence_System from Java parma_polyhedra_library::Congruence_System `j_cgs`.

- Constraint_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system (JNIEnv *env, jobject j_cs)

  Builds a C++ Constraint_System from Java parma_polyhedra_library::Constraint_System `j_cs`.

- Generator_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator_system (JNIEnv *env, jobject j_gs)

  Builds a C++ Generator_System from Java parma_polyhedra_library::Generator_System `j_gs`.

- Grid_Generator_System Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator_system (JNIEnv *env, jobject j_gs)

  Builds a C++ Grid_Generator_System from Java parma_polyhedra_library::Grid_Generator_System `j_gs`.

12.156 ppl_java_globals.cc File Reference

```
#include "ppl_java_common.defs.hh"
#include "parma_polyhedra_library_Artificial_Parameter.h"
#include "parma_polyhedra_library_Artificial_Parameter_Sequence.h"
#include "parma_polyhedra_library_Bounded_Integer_Type_Overflow.h"
#include "parma_polyhedra_library_Bounded_Integer_Type_-
Representation.h"
#include "parma_polyhedra_library_Bounded_Integer_Type_Width.h"
```

```
#include "parma_polyhedra_library_By_Reference.h"
#include "parma_polyhedra_library_Coefficient.h"
#include "parma_polyhedra_library_Complexity_Class.h"
#include "parma_polyhedra_library_Congruence.h"
#include "parma_polyhedra_library_Congruence_System.h"
#include "parma_polyhedra_library_Constraint.h"
#include "parma_polyhedra_library_Constraint_System.h"
#include "parma_polyhedra_library_Degenerate_Element.h"
#include "parma_polyhedra_library_Generator.h"
#include "parma_polyhedra_library_Generator_System.h"
#include "parma_polyhedra_library_Generator_Type.h"
#include "parma_polyhedra_library_Grid_Generator.h"
#include "parma_polyhedra_library_Grid_Generator_System.h"
#include "parma_polyhedra_library_Grid_Generator_Type.h"
#include "parma_polyhedra_library_IO.h"
#include "parma_polyhedra_library_Linear_Expression.h"
#include "parma_polyhedra_library_Linear_Expression_Coefficient.h"
#include "parma_polyhedra_library_Linear_Expression_Difference.h"
#include "parma_polyhedra_library_Linear_Expression_Sum.h"
#include "parma_polyhedra_library_Linear_Expression_Times.h"
#include "parma_polyhedra_library_Linear_Expression_Unary_Minus.h"
#include "parma_polyhedra_library_Linear_Expression_Variable.h"
#include "parma_polyhedra_library_MIP_Problem.h"
#include "parma_polyhedra_library_MIP_Problem_Status.h"
#include "parma_polyhedra_library_Optimization_Mode.h"
#include "parma_polyhedra_library_Pair.h"
#include "parma_polyhedra_library_Parma_Polyhedra_Library.h"
#include "parma_polyhedra_library_Partial_Function.h"
#include "parma_polyhedra_library_PIP_Problem.h"
#include "parma_polyhedra_library_PIP_Problem_Status.h"
#include "parma_polyhedra_library_PIP_Decision_Node.h"
#include "parma_polyhedra_library_PIP_Solution_Node.h"
#include "parma_polyhedra_library_PIP_Tree_Node.h"
#include "parma_polyhedra_library_Poly_Con_Relation.h"
#include "parma_polyhedra_library_Poly_Gen_Relation.h"
#include "parma_polyhedra_library_PPL_Object.h"
```

```
#include "parma_polyhedra_library_Relation_Symbol.h"
#include "parma_polyhedra_library_Variable.h"
#include "parma_polyhedra_library_Variables_Set.h"
```

Include dependency graph for ppl_java_globals.cc:

Functions

- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-initialize_1library (JNIEnv ∗env, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-finalize_1library (JNIEnv ∗env, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_By_1Reference_initIDs (JNIEnv ∗env, jclass j_by_ref_class)
- JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Coefficient_bits (JNIEnv ∗, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Coefficient_initIDs (JNIEnv ∗env, jclass j_coeff_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Complexity_1Class_initIDs (JNIEnv ∗env, jclass j_complexity_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Congruence_initIDs (JNIEnv ∗env, jclass j_congruence_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Congruence_1System_initIDs (JNIEnv ∗env, jclass j_con_sys_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Constraint_initIDs (JNIEnv ∗env, jclass j_constraint_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Constraint_1System_initIDs (JNIEnv ∗env, jclass j_con_sys_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Degenerate_1Element_initIDs (JNIEnv ∗env, jclass j_degenerate_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Generator_initIDs (JNIEnv ∗env, jclass j_generator_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Generator_1System_initIDs (JNIEnv ∗env, jclass j_gen_sys_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Generator_1Type_initIDs (JNIEnv ∗env, jclass j_gen_type_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_initIDs (JNIEnv ∗env, jclass j_grid_generator_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_1System_initIDs (JNIEnv ∗env, jclass j_gen_sys_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_1Type_initIDs (JNIEnv ∗env, jclass j_grid_gen_type_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_initIDs (JNIEnv ∗env, jclass j_le_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_1Coefficient_-initIDs (JNIEnv ∗env, jclass j_le_coeff_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_1Difference_-initIDs (JNIEnv ∗env, jclass j_le_diff_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_1Sum_initIDs (JNIEnv ∗env, jclass j_le_sum_class)

- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_1Times_-initIDs (JNIEnv ∗env, jclass j_le_times_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_1Unary_-1Minus_initIDs (JNIEnv ∗env, jclass j_le_uminus_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_1Variable_-initIDs (JNIEnv ∗env, jclass j_le_var_class)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_is_1zero (JNIEnv ∗env, jobject j_this)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_all_-1homogeneous_1terms_1are_1zero (JNIEnv ∗env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_1Status_initIDs (JNIEnv ∗env, jclass j_mip_status_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs (JNIEnv ∗env, jclass j_mip_status_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Optimization_1Mode_initIDs (JNIEnv ∗env, jclass j_opt_mode_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Pair_initIDs (JNIEnv ∗env, jclass j_pair_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Poly_1Con_1Relation_initIDs (JNIEnv ∗env, jclass j_poly_con_relation_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Poly_1Gen_1Relation_initIDs (JNIEnv ∗env, jclass j_poly_gen_relation_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PPL_1Object_initIDs (JNIEnv ∗env, jclass j_ppl_object_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Relation_1Symbol_initIDs (JNIEnv ∗env, jclass j_rel_sym_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_-1Overflow_initIDs (JNIEnv ∗env, jclass j_bounded_overflow_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_-1Representation_initIDs (JNIEnv ∗env, jclass j_bounded_rep_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Bounded_1Integer_1Type_-1Width_initIDs (JNIEnv ∗env, jclass j_bounded_width_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Variable_initIDs (JNIEnv ∗env, jclass j_variable_class)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Variables_1Set_initIDs (JNIEnv ∗env, jclass j_vset_class)
- JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-version_1major (JNIEnv ∗, jclass)
- JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-version_1minor (JNIEnv ∗, jclass)
- JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-version_1revision (JNIEnv ∗, jclass)
- JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-version_1beta (JNIEnv ∗, jclass)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-version (JNIEnv ∗env, jclass)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-banner (JNIEnv ∗env, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_-1rounding_1for_1PPL (JNIEnv ∗env, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-restore_1pre_1PPL_1rounding (JNIEnv ∗env, jclass)

- JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-irrational_1precision (JNIEnv *env, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_-1irrational_1precision (JNIEnv *env, jclass, jint p)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_-1timeout (JNIEnv *env, jclass, jint hsecs)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-reset_1timeout (JNIEnv *env, jclass)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_set_-1deterministic_1timeout (JNIEnv *env, jclass, jint weight)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_1Library_-reset_1deterministic_1timeout (JNIEnv *env, jclass)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_max_1space_-1dimension (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_space_1dimension (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_integer_-1space_1dimensions (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_objective_-1function (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_optimization_-1mode (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_get_1control_-1parameter (JNIEnv *env, jobject j_this_mip_problem, jobject j_cpn)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_set_1control_-1parameter (JNIEnv *env, jobject j_this_mip_problem, jobject j_cpv)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_constraints (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_clear (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_add_1space_-1dimensions_1and_1embed (JNIEnv *env, jobject j_this_mip_problem, jlong j_dim)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_add_1to_-1integer_1space_1dimensions (JNIEnv *env, jobject j_this_mip_problem, jobject j_vset)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_add_1constraint (JNIEnv *env, jobject j_this_mip_problem, jobject j_c)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_add_1constraints (JNIEnv *env, jobject j_this_mip_problem, jobject j_cs)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_set_1objective_-1function (JNIEnv *env, jobject j_this_mip_problem, jobject j_le)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_set_-1optimization_1mode (JNIEnv *env, jobject j_this_mip_problem, jobject j_opt_mode)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_is_1satisfiable (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_solve (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_evaluate_-1objective_1function (JNIEnv *env, jobject j_this_mip_problem, jobject j_gen, jobject j_coeff_num, jobject j_coeff_den)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_feasible_1point (JNIEnv *env, jobject j_this_mip_problem)

- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_optimizing_-1point (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_optimal_1value (JNIEnv *env, jobject j_this_mip_problem, jobject j_coeff_num, jobject j_coeff_den)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_OK (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_-1object__J (JNIEnv *env, jobject j_this_mip_problem, jlong j_dim)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_-1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_-Linear_1Expression_2Lparma_1polyhedra_1library_Optimization_1Mode_2 (JNIEnv *env, jobject j_this_mip_problem, jlong j_dim, jobject j_cs, jobject j_le, jobject j_opt_mode)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_build_1cpp_-1object__Lparma_1polyhedra_1library_MIP_1Problem_2 (JNIEnv *env, jobject j_this, jobject j_y)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_free (JNIEnv *env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_finalize (JNIEnv *env, jobject j_this)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_total_1memory_-1in_1bytes (JNIEnv *env, jobject j_this_mip_problem)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_toString (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_toString (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Linear_1Expression_ascii_-1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Generator_toString (JNIEnv *env, jobject g)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Generator_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Constraint_toString (JNIEnv *env, jobject c)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Constraint_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_toString (JNIEnv *env, jobject g)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Congruence_toString (JNIEnv *env, jobject g)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Congruence_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_1System_-toString (JNIEnv *env, jobject ggs)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_1System_-ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Generator_1System_toString (JNIEnv *env, jobject gs)

- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Generator_1System_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Constraint_1System_toString (JNIEnv *env, jobject cs)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Constraint_1System_ascii_-1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Congruence_1System_toString (JNIEnv *env, jobject cgs)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Congruence_1System_ascii_-1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_IO_wrap_1string (JNIEnv *env, jclass, jstring str, jint indent_depth, jint preferred_first_line_length, jint preferred_line_length)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_-1object__J (JNIEnv *env, jobject j_this_pip_problem, jlong j_dim)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_-1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_-Variables_1Set_2 (JNIEnv *env, jobject j_this_pip_problem, jlong j_dim, jobject j_cs, jobject j_vars)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_-1object__Lparma_1polyhedra_1library_PIP_1Problem_2 (JNIEnv *env, jobject j_this, jobject j_y)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_OK (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_total_1memory_-1in_1bytes (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_external_-1memory_1in_1bytes (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_toString (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_ascii_1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_free (JNIEnv *env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1_problem_finalize (JNIEnv *env, jobject j_this)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_max_1space_-1dimension (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_space_1dimension (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_get_1big_-1parameter_1dimension (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_parameter_-1space_1dimensions (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_set_1big_-1parameter_1dimension (JNIEnv *env, jobject j_this_pip_problem, jlong j_dim)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_number_1of_-1parameter_1space_1dimensions (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1space_-1dimensions_1and_1embed (JNIEnv *env, jobject j_this_pip_problem, jlong j_dim_vars, jlong j_dim_pars)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1to_-1parameter_1space_1dimensions (JNIEnv *env, jobject j_this_pip_problem, jobject j_vars)

- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_number_1of_-1constraints (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraint (JNIEnv *env, jobject j_this_pip_problem, jobject j_c)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraints (JNIEnv *env, jobject j_this_pip_problem, jobject j_cs)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_is_1satisfiable (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_solve (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_solution (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_optimizing_-1solution (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_get_1pip_-1problem_1control_1parameter (JNIEnv *env, jobject j_this_pip_problem, jobject j_cpn)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_constraint_1at_-1index (JNIEnv *env, jobject j_this_pip_problem, jlong j_index)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_constraints (JNIEnv *env, jobject j_this_pip_problem)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_set_1pip_-1problem_1control_1parameter (JNIEnv *env, jobject j_this_pip_problem, jobject j_cpv)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_OK (JNIEnv *env, jobject j_this_pip_tree)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_free (JNIEnv *env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_finalize (JNIEnv *env, jobject j_this)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_constraints (JNIEnv *env, jobject j_this_pip_node)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1solution (JNIEnv *env, jobject j_this)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1decision (JNIEnv *env, jobject j_this)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_number_1of_-1artificials (JNIEnv *env, jobject j_this)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_artificials (JNIEnv *env, jobject j_this_pip_node)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_toString (JNIEnv *env, jobject j_this)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Decision_1Node_child_-1node (JNIEnv *env, jobject j_this, jboolean j_branch)
- JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Solution_1Node_-parametric_1values (JNIEnv *env, jobject j_this, jobject j_var)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Artificial_1Parameter_initIDs (JNIEnv *env, jclass j_artificial_parameter_class)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Artificial_1Parameter_ascii_-1dump (JNIEnv *env, jobject j_this)
- JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Artificial_1Parameter_toString (JNIEnv *env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Artificial_1Parameter_1Sequence_-initIDs (JNIEnv *env, jclass j_aps_class)

- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_1Function_build_1cpp_-1object (JNIEnv ∗env, jobject j_this_pfunc)
- JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_Partial_1Function_has_-1empty_1codomain (JNIEnv ∗env, jobject j_this_pfunc)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_Partial_1Function_max_1in_-1codomain (JNIEnv ∗env, jobject j_this_pfunc)
- JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_Partial_1Function_maps (JNIEnv ∗env, jobject j_this_pfunc, jlong j_i)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_1Function_insert (JNIEnv ∗env, jobject j_this_pfunc, jlong i, jlong j)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_1Function_free (JNIEnv ∗env, jobject j_this)
- JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_1Function_finalize (JNIEnv ∗env, jobject j_this)

12.156.1 Function Documentation

12.156.1.1 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Artificial_1Parameter_1Sequence_initIDs (JNIEnv ∗ *env*, jclass *j_aps_class*)

Definition at line 2112 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_-Sequence_add_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_-Parameter_Sequence_init_ID, Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, and CHECK_RESULT_ASSERT.

12.156.1.2 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_-Artificial_1Parameter_ascii_1dump (JNIEnv ∗ *env*, jobject *j_this*)

Definition at line 2087 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter(), and CATCH_-ALL.

12.156.1.3 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Artificial_-1Parameter_initIDs (JNIEnv ∗ *env*, jclass *j_artificial_parameter_class*)

Definition at line 2067 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_-den_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_init_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_le_ID, Parma_-Polyhedra_Library::Interfaces::Java::cached_FMIDs, and CHECK_RESULT_ASSERT.

12.156.1.4 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Artificial_-1Parameter_toString (JNIEnv * *env*, jobject *j_this*)

Definition at line 2101 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_artificial_parameter().

12.156.1.5 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Bounded_1Integer_1Type_1Overflow_initIDs (JNIEnv * *env*, jclass *j_bounded_overflow_class*)

Definition at line 607 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Overflow_ordinal_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Bounded_Integer_Type_Overflow_OVERFLOW_IMPOSSIBLE_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Overflow_OVERFLOW_-UNDEFINED_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_-Type_Overflow_OVERFLOW_WRAPS_ID, Parma_Polyhedra_Library::Interfaces::Java::cached_-FMIDs, and CHECK_RESULT_ASSERT.

12.156.1.6 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Bounded_1Integer_1Type_1Representation_initIDs (JNIEnv * *env*, jclass *j_bounded_rep_class*)

Definition at line 629 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_-Type_Representation_ordinal_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Bounded_Integer_Type_Representation_SIGNED_2_COMPLEMENT_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Representation_UNSIGNED_ID, Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, and CHECK_RESULT_ASSERT.

12.156.1.7 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Bounded_1Integer_1Type_1Width_initIDs (JNIEnv * *env*, jclass *j_bounded_width_class*)

Definition at line 647 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_-Width_BITS_128_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_-Integer_Type_Width_BITS_16_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Bounded_Integer_Type_Width_BITS_32_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache::Bounded_Integer_Type_Width_BITS_64_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Width_BITS_8_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Bounded_Integer_Type_Width_ordinal_ID, Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, and CHECK_RESULT_ASSERT.

12.156.1.8 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_By_1Reference_-initIDs (JNIEnv * *env*, jclass *j_by_ref_class*)

Definition at line 90 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::By_Reference_init_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::By_Reference_obj_ID, Parma_-Polyhedra_Library::Interfaces::Java::cached_FMIDs, and CHECK_RESULT_ASSERT.

12.156.1.9 JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Coefficient_bits (JNIEnv *, jclass)

Definition at line 102 of file ppl_java_globals.cc.

12.156.1.10 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Coefficient_initIDs (JNIEnv * *env*, jclass *j_coeff_class*)

Definition at line 108 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Boolean, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Boolean_valueOf_ID, Parma_Polyhedra_-Library::Interfaces::Java::cached_classes, Parma_Polyhedra_Library::Interfaces::Java::cached_-FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Coefficient_init_from_String_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache::Coefficient_toString_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Coefficient_value_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Integer, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Integer_intValue_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Integer_valueOf_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_Cache::Long, Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache::Long_longValue_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Long_valueOf_ID.

12.156.1.11 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Complexity_-1Class_initIDs (JNIEnv * *env*, jclass *j_complexity_class*)

Definition at line 145 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Complexity_Class_ordinal_ID.

12.156.1.12 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_-Congruence_1System_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1465 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence_system(), and CATCH_-ALL.

12.156.1.13 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Congruence_-1System_initIDs (JNIEnv * *env*, jclass *j_con_sys_class*)

Definition at line 178 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Congruence_System_add_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Congruence_System_init_ID.

12.156.1.14 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Congruence_1System_toString (JNIEnv * *env*, jobject *cgs*)

Definition at line 1455 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence_system().

12.156.1.15 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Congruence_-ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1372 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence(), and CATCH_ALL.

12.156.1.16 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Congruence_initIDs (JNIEnv * *env*, jclass *j_congruence_class*)

Definition at line 153 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_-ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Congruence_init_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Congruence_lhs_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Congruence_mod_ID, and Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Congruence_rhs_ID.

12.156.1.17 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Congruence_-toString (JNIEnv * *env*, jobject *g*)

Definition at line 1362 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_congruence().

12.156.1.18 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Constraint_1System_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1442 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system(), and CATCH_-ALL.

12.156.1.19 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Constraint_-1System_initIDs (JNIEnv * *env*, jclass *j_con_sys_class*)

Definition at line 215 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_classes, Parma_Polyhedra_-Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_add_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_init_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_Cache::Iterator, Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache::System_Iterator_has_next_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache::System_iterator_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::System_Iterator_next_ID.

12.156.1.20 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Constraint_1System_toString (JNIEnv * *env*, jobject *cs*)

Definition at line 1431 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system().

12.156.1.21 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Constraint_ascii_-1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1326 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint(), and CATCH_ALL.

12.156.1.22 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Constraint_initIDs (JNIEnv * *env*, jclass *j_constraint_class*)

Definition at line 190 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_-ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Constraint_init_ID,

Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Constraint_kind_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Constraint_lhs_ID, and Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Constraint_rhs_ID.

12.156.1.23 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Constraint_-toString (JNIEnv * *env*, jobject *c*)

Definition at line 1316 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint().

12.156.1.24 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Degenerate_-1Element_initIDs (JNIEnv * *env*, jclass *j_degenerate_class*)

Definition at line 240 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Degenerate_Element_ordinal_ID.

12.156.1.25 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Generator_1System_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1418 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator_system(), and CATCH_-ALL.

12.156.1.26 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Generator_-1System_initIDs (JNIEnv * *env*, jclass *j_gen_sys_class*)

Definition at line 289 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_System_add_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_System_init_ID.

12.156.1.27 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Generator_1System_toString (JNIEnv * *env*, jobject *gs*)

Definition at line 1408 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator_system().

12.156.1.28 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Generator_1Type_-initIDs (JNIEnv * *env*, jclass *j_gen_type_class*)

Definition at line 301 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_Type_ordinal_ID.

12.156.1.29 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Generator_ascii_-1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1303 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator(), and CATCH_ALL.

12.156.1.30 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Generator_initIDs (JNIEnv * *env*, jclass *j_generator_class*)

Definition at line 248 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_-ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_closure_-point_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_-div_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_gt_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_le_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Generator_line_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Generator_point_ID, and Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Generator_ray_ID.

12.156.1.31 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Generator_-toString (JNIEnv * *env*, jobject *g*)

Definition at line 1293 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator().

12.156.1.32 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_-Grid_1Generator_1System_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1395 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator_system(), and CATCH_ALL.

12.156.1.33 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_-1System_initIDs (JNIEnv * *env*, jclass *j_gen_sys_class*)

Definition at line 346 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_System_add_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_System_init_ID.

12.156.1.34 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_-Grid_1Generator_1System_toString (JNIEnv * *env*, jobject *ggs*)

Definition at line 1385 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator_system().

12.156.1.35 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_-1Type_initIDs (JNIEnv * *env*, jclass *j_grid_gen_type_class*)

Definition at line 358 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_Type_ordinal_ID.

12.156.1.36 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Grid_1Generator_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1349 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator(), and CATCH_ALL.

12.156.1.37 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Grid_1Generator_-initIDs (JNIEnv * *env*, jclass *j_grid_generator_class*)

Definition at line 310 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_div_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_grid_line_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_grid_point_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_gt_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_le_ID, and Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Grid_Generator_parameter_ID.

12.156.1.38 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_Grid_-1Generator_toString (JNIEnv * *env*, jobject *g*)

Definition at line 1339 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_grid_generator().

12.156.1.39 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_IO_wrap_1string (JNIEnv * *env*, jclass, jstring *str*, jint *indent_depth*, jint *preferred_first_line_length*, jint *preferred_line_length*)

Definition at line 1478 of file ppl_java_globals.cc.

References CATCH_ALL, and CHECK_RESULT_RETURN.

12.156.1.40 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Linear_1Expression_1Coefficient_initIDs (JNIEnv * *env*, jclass *j_le_coeff_class*)

Definition at line 383 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Coefficient_-coeff_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_-Coefficient_init_ID.

12.156.1.41 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Linear_1Expression_1Difference_initIDs (JNIEnv * *env*, jclass *j_le_diff_class*)

Definition at line 398 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Difference_lhs_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Difference_-rhs_ID.

12.156.1.42 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Linear_1Expression_1Sum_initIDs (JNIEnv * *env*, jclass *j_le_sum_class*)

Definition at line 412 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Sum_lhs_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Sum_rhs_ID.

12.156.1.43 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Linear_1Expression_1Times_initIDs (JNIEnv * *env*, jclass *j_le_times_class*)

Definition at line 426 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Times_coeff_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Times_init_from_-coeff_var_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_-Times_lin_expr_ID.

12.156.1.44 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Linear_1Expression_1Unary_1Minus_initIDs (JNIEnv * *env*, jclass *j_le_uminus_class*)

Definition at line 446 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Unary_Minus_-arg_ID.

12.156.1.45 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Linear_1Expression_1Variable_initIDs (JNIEnv * *env*, jclass *j_le_var_class*)

Definition at line 456 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Variable_init_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Variable_var_-id_ID.

12.156.1.46 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_Linear_-1Expression_all_1homogeneous_1terms_1are_1zero (JNIEnv * *env*, jobject *j_this*)

Definition at line 479 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression(), and CATCH_-ALL.

12.156.1.47 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Linear_1Expression_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1280 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression(), and CATCH_-ALL.

12.156.1.48 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Linear_-1Expression_initIDs (JNIEnv * *env*, jclass *j_le_class*)

Definition at line 367 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_sum_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_times_ID.

12.156.1.49 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_-1library_Linear_1Expression_is_1zero (JNIEnv * *env*, jobject *j_this*)

Definition at line 469 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression(), and CATCH_-ALL.

12.156.1.50 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Linear_1Expression_toString (JNIEnv * *env*, jobject *j_this*)

Definition at line 1270 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression().

12.156.1.51 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-1Status_initIDs (JNIEnv * *env*, jclass *j_mip_status_class*)

Definition at line 489 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_Problem_Status_OPTIMIZED_-MIP_PROBLEM_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_Problem_-Status_ordinal_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::MIP_Problem_-Status_UNBOUNDED_MIP_PROBLEM_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache::MIP_Problem_Status_UNFEASIBLE_MIP_PROBLEM_ID.

12.156.1.52 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_-1Problem_add_1constraint (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_c*)

Definition at line 1034 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.53 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_-1Problem_add_1constraints (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_cs*)

Definition at line 1046 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.54 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-add_1space_1dimensions_1and_1embed (JNIEnv * *env*, jobject *j_this_mip_problem*, jlong *j_dim*)

Definition at line 1010 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.55 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-add_1to_1integer_1space_1dimensions (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_vset*)

Definition at line 1022 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variables_set(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.56 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_MIP_1Problem_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1256 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.57 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-build_1cpp_1object__J (JNIEnv * *env*, jobject *j_this_mip_problem*, jlong *j_dim*)

Definition at line 1179 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.58 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_-2Lparma_1polyhedra_1library_Linear_1Expression_2Lparma_1polyhedra_-1library_Optimization_1Mode_2 (JNIEnv * *env*, jobject *j_this_mip_problem*, jlong *j_dim*, jobject *j_cs*, jobject *j_le*, jobject *j_opt_mode*)

Definition at line 1190 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system(), Parma_-Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression(), Parma_Polyhedra_-Library::Interfaces::Java::build_cxx_optimization_mode(), CATCH_ALL, and Parma_Polyhedra_-Library::Interfaces::Java::set_ptr().

12.156.1.59 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-build_1cpp_1object__Lparma_1polyhedra_1library_MIP_1Problem_2 (JNIEnv * *env*, jobject *j_this*, jobject *j_y*)

Definition at line 1205 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_-Library::Interfaces::Java::set_ptr().

12.156.1.60 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-clear (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 999 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.61 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-constraints (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 974 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint(), Parma_Polyhedra_-Library::Interfaces::Java::cached_classes, Parma_Polyhedra_Library::Interfaces::Java::cached_-FMIDs, CATCH_ALL, CHECK_EXCEPTION_RETURN, CHECK_RESULT_RETURN, Parma_-Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Constraint_System, Parma_Polyhedra_-

Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_add_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_init_ID, and Parma_Polyhedra_-Library::Interfaces::Java::get_ptr().

12.156.1.62 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-evaluate_1objective_1function (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_gen*, jobject *j_coeff_num*, jobject *j_coeff_den*)

Definition at line 1106 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_generator(), Parma_-Polyhedra_Library::Interfaces::Java::build_java_coeff(), CATCH_ALL, Parma_Polyhedra_-Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_coefficient().

12.156.1.63 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_-1library_MIP_1Problem_feasible_1point (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 1123 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_generator(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.64 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-finalize (JNIEnv * *env*, jobject *j_this*)

Definition at line 1225 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked().

12.156.1.65 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_free (JNIEnv * *env*, jobject *j_this*)

Definition at line 1214 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.66 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-get_1control_1parameter (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_cpn*)

Definition at line 942 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_name(), Parma_-Polyhedra_Library::Interfaces::Java::build_java_control_parameter_value(), CATCH_ALL, and Parma_-Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.67 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_-MIP_1Problem_integer_1space_1dimensions (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 890 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_variables_set(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.68 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_-1library_MIP_1Problem_is_1satisfiable (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 1082 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.69 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-MIP_1Problem_max_1space_1dimension (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 866 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.70 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_-MIP_1Problem_objective_1function (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 903 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff(), Parma_-Polyhedra_Library::Interfaces::Java::build_linear_expression(), Parma_Polyhedra_-Library::Interfaces::Java::cached_classes, Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CATCH_ALL, CHECK_RESULT_RETURN, Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Linear_Expression_Coefficient, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_Coefficient_init_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Linear_Expression_sum_ID.

12.156.1.71 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_MIP_-1Problem_OK (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 1167 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.72 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-optimal_1value (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_coeff_num*, jobject *j_coeff_den*)

Definition at line 1151 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_coeff(), CATCH_ALL, Parma_-Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_-coefficient().

12.156.1.73 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_-MIP_1Problem_optimization_1mode (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 929 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_optimization_mode(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.74 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_-1library_MIP_1Problem_optimizing_1point (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 1137 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_generator(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.75 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-set_1control_1parameter (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_cpv*)

Definition at line 960 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_control_parameter_value(), CATCH_-ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.76 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-set_1objective_1function (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_le*)

Definition at line 1058 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_linear_expression(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.77 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-set_1optimization_1mode (JNIEnv * *env*, jobject *j_this_mip_problem*, jobject *j_opt_mode*)

Definition at line 1070 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_optimization_mode(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.78 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-solve (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 1093 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_mip_status(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.79 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-MIP_1Problem_space_1dimension (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 878 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.80 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_MIP_1Problem_-toString (JNIEnv * *env*, jobject *j_this*)

Definition at line 1245 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.81 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-MIP_1Problem_total_1memory_1in_1bytes (JNIEnv * *env*, jobject *j_this_mip_problem*)

Definition at line 1233 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.82 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Optimization_-1Mode_initIDs (JNIEnv * *env*, jclass *j_opt_mode_class*)

Definition at line 529 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_-ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Optimization_Mode_-MAXIMIZATION_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Optimization_-Mode_MINIMIZATION_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_-Cache::Optimization_Mode_ordinal_ID.

12.156.1.83 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Pair_initIDs (JNIEnv * *env*, jclass *j_pair_class*)

Definition at line 547 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Pair_first_ID, and Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Pair_second_ID.

12.156.1.84 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Parma_1Polyhedra_1Library_banner (JNIEnv * *env*, jclass)

Definition at line 743 of file ppl_java_globals.cc.

12.156.1.85 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_finalize_1library (JNIEnv * *env*, jclass)

Definition at line 82 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_classes, and Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_Cache::clear_cache().

12.156.1.86 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_initialize_1library (JNIEnv * *env*, jclass)

Definition at line 75 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_classes, and Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_Cache::init_cache().

12.156.1.87 JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_irrational_1precision (JNIEnv * *env*, jclass)

Definition at line 767 of file ppl_java_globals.cc.

References CATCH_ALL.

12.156.1.88 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_reset_1deterministic_1timeout (JNIEnv * *env*, jclass)

Definition at line 850 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::reset_deterministic_timeout().

12.156.1.89 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_reset_1timeout (JNIEnv * *env*, jclass)

Definition at line 811 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::reset_timeout().

12.156.1.90 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_restore_1pre_1PPL_1rounding (JNIEnv * *env*, jclass)

Definition at line 758 of file ppl_java_globals.cc.

References CATCH_ALL.

12.156.1.91 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1deterministic_1timeout (JNIEnv * *env*, jclass, jint *weight*)

Definition at line 827 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::reset_deterministic_timeout().

12.156.1.92 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1irrational_1precision (JNIEnv * *env*, jclass, jint *p*)

Definition at line 777 of file ppl_java_globals.cc.

References CATCH_ALL.

12.156.1.93 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_set_1rounding_1for_1PPL (JNIEnv * *env*, jclass)

Definition at line 749 of file ppl_java_globals.cc.

References CATCH_ALL.

12.156.1.94 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_set_1timeout (JNIEnv * *env*, jclass, jint *hsecs*)

Definition at line 787 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::reset_timeout().

12.156.1.95 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_Parma_1Polyhedra_1Library_version (JNIEnv * *env*, jclass)

Definition at line 737 of file ppl_java_globals.cc.

12.156.1.96 JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_version_1beta (JNIEnv *, jclass)

Definition at line 731 of file ppl_java_globals.cc.

12.156.1.97 JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_version_1major (JNIEnv *, jclass)

Definition at line 713 of file ppl_java_globals.cc.

12.156.1.98 JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_Parma_1Polyhedra_-1Library_version_1minor (JNIEnv *, jclass)

Definition at line 719 of file ppl_java_globals.cc.

12.156.1.99 JNIEXPORT jint JNICALL Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_version_1revision (JNIEnv *, jclass)

Definition at line 725 of file ppl_java_globals.cc.

12.156.1.100 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_-Partial_1Function_build_1cpp_1object (JNIEnv * *env*, jobject *j_this_pfunc*)

Definition at line 2125 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.101 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_-1Function_finalize (JNIEnv * *env*, jobject *j_this*)

Definition at line 2195 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked().

12.156.1.102 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_-1Function_free (JNIEnv * *env*, jobject *j_this*)

Definition at line 2183 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.103 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_-Partial_1Function_has_1empty_1codomain (JNIEnv * *env*, jobject *j_this_pfunc*)

Definition at line 2135 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.104 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Partial_-1Function_insert (JNIEnv * *env*, jobject *j_this_pfunc*, jlong *i*, jlong *j*)

Definition at line 2172 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.105 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-Partial_1Function_maps (JNIEnv * *env*, jobject *j_this_pfunc*, jlong *j_i*)

Definition at line 2159 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.106 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-Partial_1Function_max_1in_1codomain (JNIEnv * *env*, jobject *j_this_pfunc*)

Definition at line 2147 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.107 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1_problem_-finalize (JNIEnv * *env*, jobject *j_this*)

Definition at line 1605 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked().

12.156.1.108 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_-1Decision_1Node_child_1node (JNIEnv * *env*, jobject *j_this*, jboolean *j_branch*)

Definition at line 2033 of file ppl_java_globals.cc.

References CATCH_ALL, CHECK_RESULT_ASSERT, CHECK_RESULT_RETURN, Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.109 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_1Status_initIDs (JNIEnv * *env*, jclass *j_mip_status_class*)

Definition at line 511 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_Problem_Status_OPTIMIZED_PIP_PROBLEM_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_Problem_Status_ordinal_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PIP_Problem_Status_UNFEASIBLE_PIP_PROBLEM_ID.

12.156.1.110 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraint (JNIEnv * *env*, jobject *j_this_pip_problem*, jobject *j_c*)

Definition at line 1723 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.111 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1constraints (JNIEnv * *env*, jobject *j_this_pip_problem*, jobject *j_cs*)

Definition at line 1735 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.112 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1space_1dimensions_1and_1embed (JNIEnv * *env*, jobject *j_this_pip_problem*, jlong *j_dim_vars*, jlong *j_dim_pars*)

Definition at line 1686 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.113 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_add_1to_1parameter_1space_1dimensions (JNIEnv * *env*, jobject *j_this_pip_problem*, jobject *j_vars*)

Definition at line 1699 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variables_set(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.114 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_ascii_1dump (JNIEnv * *env*, jobject *j_this*)

Definition at line 1580 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.115 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__J (JNIEnv * *env*, jobject *j_this_pip_problem*, jlong *j_dim*)

Definition at line 1498 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.116 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__JLparma_1polyhedra_1library_Constraint_1System_2Lparma_1polyhedra_1library_Variables_1Set_2 (JNIEnv * *env*, jobject *j_this_pip_problem*, jlong *j_dim*, jobject *j_cs*, jobject *j_vars*)

Definition at line 1509 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_constraint_system(), Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variables_set(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.117 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_build_1cpp_1object__Lparma_1polyhedra_1library_PIP_1Problem_2 (JNIEnv * *env*, jobject *j_this*, jobject *j_y*)

Definition at line 1524 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.118 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_constraint_1at_1index (JNIEnv * *env*, jobject *j_this_pip_problem*, jlong *j_index*)

Definition at line 1832 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.119 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_-1library_PIP_1Problem_constraints (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1846 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint(), Parma_Polyhedra_-Library::Interfaces::Java::cached_classes, Parma_Polyhedra_Library::Interfaces::Java::cached_-FMIDs, CATCH_ALL, CHECK_EXCEPTION_RETURN, CHECK_RESULT_RETURN, Parma_-Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Constraint_System, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_add_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_init_ID, and Parma_Polyhedra_-Library::Interfaces::Java::get_ptr().

12.156.1.120 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_external_1memory_1in_1bytes (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1557 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.121 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_free (JNIEnv * *env*, jobject *j_this*)

Definition at line 1594 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.122 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_-1Problem_get_1big_1parameter_1dimension (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1637 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.123 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_-get_1pip_1problem_1control_1parameter (JNIEnv * *env*, jobject *j_this_pip_problem*, jobject *j_cpn*)

Definition at line 1814 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_pip_problem_control_parameter_-name(), Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_problem_control_parameter_value(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.124 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_-1library_PIP_1Problem_is_1satisfiable (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1747 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.125 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_max_1space_1dimension (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1613 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.126 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_number_1of_1constraints (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1711 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.127 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_PIP_-1Problem_number_1of_1parameter_1space_1dimensions (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1674 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.128 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_PIP_-1Problem_OK (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1533 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.129 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_optimizing_1solution (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1792 of file ppl_java_globals.cc.

References CATCH_ALL, CHECK_RESULT_ASSERT, CHECK_RESULT_RETURN, Parma_-Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.130 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_parameter_1space_1dimensions (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1649 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_variables_set(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.131 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_-set_1big_1parameter_1dimension (JNIEnv * *env*, jobject *j_this_pip_problem*, jlong *j_dim*)

Definition at line 1662 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.132 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_-set_1pip_1problem_1control_1parameter (JNIEnv * *env*, jobject *j_this_pip_problem*, jobject *j_cpv*)

Definition at line 1871 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_pip_problem_control_parameter_-value(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.133 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_-solution (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1770 of file ppl_java_globals.cc.

References CATCH_ALL, CHECK_RESULT_ASSERT, CHECK_RESULT_RETURN, Parma_-Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.134 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_-solve (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1758 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_pip_status(), CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.135 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_space_1dimension (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1625 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.136 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_1library_PIP_1Problem_-toString (JNIEnv * *env*, jobject *j_this*)

Definition at line 1569 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.137 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-PIP_1Problem_total_1memory_1in_1bytes (JNIEnv * *env*, jobject *j_this_pip_problem*)

Definition at line 1545 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.138 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_-1Solution_1Node_parametric_1values (JNIEnv * *env*, jobject *j_this*, jobject *j_var*)

Definition at line 2058 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_cxx_variable(), Parma_Polyhedra_Library::Interfaces::Java::build_linear_expression(), and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.139 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_artificials (JNIEnv * *env*, jobject *j_this_pip_node*)

Definition at line 1995 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Artificial_Parameter_Sequence, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_Sequence_add_ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Artificial_Parameter_Sequence_init_ID, Parma_Polyhedra_Library::Interfaces::Java::build_java_artificial_parameter(), Parma_Polyhedra_Library::Interfaces::Java::cached_classes, Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CATCH_ALL, CHECK_EXCEPTION_RETURN, CHECK_RESULT_RETURN, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.140 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1decision (JNIEnv * *env*, jobject *j_this*)

Definition at line 1958 of file ppl_java_globals.cc.

References CATCH_ALL, CHECK_RESULT_ASSERT, CHECK_RESULT_RETURN, Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.141 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_as_1solution (JNIEnv * *env*, jobject *j_this*)

Definition at line 1932 of file ppl_java_globals.cc.

References CATCH_ALL, CHECK_RESULT_ASSERT, CHECK_RESULT_RETURN, Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.142 JNIEXPORT jobject JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_1Node_constraints (JNIEnv * *env*, jobject *j_this_pip_node*)

Definition at line 1915 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::build_java_constraint_system(), Parma_Polyhedra_Library::Interfaces::Java::cached_classes, Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CATCH_ALL, CHECK_RESULT_RETURN, Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache::Constraint_System, Parma_Polyhedra_

Library::Interfaces::Java::Java_FMID_Cache::Constraint_System_init_ID, and Parma_Polyhedra_-Library::Interfaces::Java::get_ptr().

12.156.1.143 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_-1Node_finalize (JNIEnv * *env*, jobject *j_this*)

Definition at line 1907 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), and Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked().

12.156.1.144 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_-1Node_free (JNIEnv * *env*, jobject *j_this*)

Definition at line 1896 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr(), Parma_Polyhedra_-Library::Interfaces::Java::is_java_marked(), and Parma_Polyhedra_Library::Interfaces::Java::set_ptr().

12.156.1.145 JNIEXPORT jlong JNICALL Java_parma_1polyhedra_1library_-PIP_1Tree_1Node_number_1of_1artificials (JNIEnv * *env*, jobject *j_this*)

Definition at line 1984 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.146 JNIEXPORT jboolean JNICALL Java_parma_1polyhedra_1library_PIP_1Tree_-1Node_OK (JNIEnv * *env*, jobject *j_this_pip_tree*)

Definition at line 1884 of file ppl_java_globals.cc.

References CATCH_ALL, and Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.147 JNIEXPORT jstring JNICALL Java_parma_1polyhedra_-1library_PIP_1Tree_1Node_toString (JNIEnv * *env*, jobject *j_this*)

Definition at line 2022 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::get_ptr().

12.156.1.148 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Poly_1Con_-1Relation_initIDs (JNIEnv * *env*, jclass *j_poly_con_relation_class*)

Definition at line 559 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Poly_Con_Relation_init_ID.

12.156.1.149 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Poly_1Gen_-1Relation_initIDs (JNIEnv * *env*, jclass *j_poly_gen_relation_class*)

Definition at line 568 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Poly_Gen_Relation_init_ID.

12.156.1.150 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_PPL_1Object_-initIDs (JNIEnv * *env*, jclass *j_ppl_object_class*)

Definition at line 577 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::PPL_Object_ptr_ID.

12.156.1.151 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Relation_-1Symbol_initIDs (JNIEnv * *env*, jclass *j_rel_sym_class*)

Definition at line 585 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Relation_Symbol_EQUAL_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Relation_Symbol_GREATER_OR_EQUAL_-ID, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Relation_Symbol_GREATER_-THAN_ID, and Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Relation_Symbol_-ordinal_ID.

12.156.1.152 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Variable_initIDs (JNIEnv * *env*, jclass *j_variable_class*)

Definition at line 677 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Variable_init_ID, and Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Variable_varid_ID.

12.156.1.153 JNIEXPORT void JNICALL Java_parma_1polyhedra_1library_Variables_1Set_-initIDs (JNIEnv * *env*, jclass *j_vset_class*)

Definition at line 688 of file ppl_java_globals.cc.

References Parma_Polyhedra_Library::Interfaces::Java::cached_FMIDs, CHECK_RESULT_ASSERT, Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Variables_Set_add_ID, Parma_-Polyhedra_Library::Interfaces::Java::Java_FMID_Cache::Variables_Set_init_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Variables_Set_Iterator_has_next_ID, Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Variables_Set_iterator_ID, and Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_Cache::Variables_Set_Iterator_next_ID.

12.157 PPL_Object.java File Reference

Classes

- class parma_polyhedra_library::PPL_Object

  Smart pointer to a PPL, C++ object.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.158 Rational_Box.java File Reference

Classes

- class parma_polyhedra_library::Rational_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.159 Relation_Symbol.java File Reference

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Relation_Symbol {

  parma_polyhedra_library::LESS_THAN, parma_polyhedra_library::LESS_OR_EQUAL, parma_polyhedra_library::EQUAL, parma_polyhedra_library::GREATER_OR_EQUAL,

  parma_polyhedra_library::GREATER_THAN }

  Relation symbols.

12.160 Termination.java File Reference

Classes

- class parma_polyhedra_library::Termination

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.161 Timeout_Exception.java File Reference

Classes

- class parma_polyhedra_library::Timeout_Exception

  Exceptions caused by timeout expiring.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.162 Uint16_Box.java File Reference

Classes

- class parma_polyhedra_library::Uint16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

12.163 Uint32_Box.java File Reference

Classes

- class parma_polyhedra_library::Uint32_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.164 Uint64_Box.java File Reference

Classes

- class parma_polyhedra_library::Uint64_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.165 Uint8_Box.java File Reference

Classes

- class parma_polyhedra_library::Uint8_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.166 Variable.java File Reference

Classes

- class parma_polyhedra_library::Variable
  A dimension of the vector space.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.167 Variables_Set.java File Reference

Classes

- class parma_polyhedra_library::Variables_Set
  A java.util.TreeSet of variables' indexes.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

12.168 Z_Box.java File Reference

Classes

- class parma_polyhedra_library::Z_Box
  Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

Namespaces

- namespace parma_polyhedra_library
  The PPL Java interface package.

Index

add_congruence
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 134
parma_polyhedra_library::BD_Shape_int16_t, 169
parma_polyhedra_library::BD_Shape_int32_t, 204
parma_polyhedra_library::BD_Shape_int64_t, 239
parma_polyhedra_library::BD_Shape_int8_t, 274
parma_polyhedra_library::BD_Shape_long_double, 309
parma_polyhedra_library::BD_Shape_mpq_class, 344
parma_polyhedra_library::BD_Shape_mpz_class, 379
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 455
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 491
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 564
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 633
parma_polyhedra_library::Grid, 672
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 900
parma_polyhedra_library::Octagonal_Shape_double, 969
parma_polyhedra_library::Octagonal_Shape_float, 1004
parma_polyhedra_library::Octagonal_Shape_int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_long_double, 1179
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1251
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1296
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1331
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1349
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1384
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1402
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1420
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1438
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1456
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1473
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1489
parma_polyhedra_library::Pointset_Powerset_Grid, 1506
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1570
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1639
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t,

1657
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1675
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1693
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1711
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1729
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1747
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1765
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1816
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1849
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1915
parma_polyhedra_library::Uint16_Box, 2026
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2093
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2162
add_congruences
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 134
parma_polyhedra_library::BD_Shape_int16_t, 169
parma_polyhedra_library::BD_Shape_int32_t, 204
parma_polyhedra_library::BD_Shape_int64_t, 239
parma_polyhedra_library::BD_Shape_int8_t, 274
parma_polyhedra_library::BD_Shape_long_-double, 309
parma_polyhedra_library::BD_Shape_mpq_-class, 344
parma_polyhedra_library::BD_Shape_mpz_-class, 379
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 455
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 491
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 564
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 633
parma_polyhedra_library::Grid, 672
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 900
parma_polyhedra_library::Octagonal_Shape_-double, 969
parma_polyhedra_library::Octagonal_Shape_-float, 1004
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_-long_double, 1179
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1251
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1296
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1331
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1349
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1384
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1402

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1420
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1438
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1456
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1473
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1489
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1506
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1570
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1622
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1639
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1657
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1675
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1693
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1711
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1729
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1747
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1765
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1816
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1849
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1915
parma_polyhedra_library::Uint16_Box, 2026
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2093
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2162
add_constraint
parma_polyhedra_library::BD_Shape_double,
100
parma_polyhedra_library::BD_Shape_float,
134
parma_polyhedra_library::BD_Shape_int16_t,
169
parma_polyhedra_library::BD_Shape_int32_t,
204
parma_polyhedra_library::BD_Shape_int64_t,
239
parma_polyhedra_library::BD_Shape_int8_t,
274
parma_polyhedra_library::BD_Shape_long_-
double, 309
parma_polyhedra_library::BD_Shape_mpq_-
class, 344
parma_polyhedra_library::BD_Shape_mpz_-
class, 379
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 455
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 564
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 633
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box,
900
parma_polyhedra_library::MIP_Problem, 921
parma_polyhedra_library::Octagonal_Shape_-
double, 969

parma_polyhedra_library::Octagonal_Shape_-float, 1004
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_-long_double, 1179
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1251
parma_polyhedra_library::PIP_Problem, 1284
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1296
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1349
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1402
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1420
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1438
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1456
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1473
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1489
parma_polyhedra_library::Pointset_-Powerset_Grid, 1506
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1570
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1657
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1675
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1693
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1711
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1729
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1747
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1765
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1816
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1849
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1915
parma_polyhedra_library::Uint16_Box, 2026
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2093
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
add_constraints
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 134
parma_polyhedra_library::BD_Shape_int16_t, 169

parma_polyhedra_library::BD_Shape_int32_t, 204
parma_polyhedra_library::BD_Shape_int64_t, 239
parma_polyhedra_library::BD_Shape_int8_t, 274
parma_polyhedra_library::BD_Shape_long_-double, 309
parma_polyhedra_library::BD_Shape_mpq_-class, 344
parma_polyhedra_library::BD_Shape_mpz_-class, 379
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 564
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 633
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 900
parma_polyhedra_library::MIP_Problem, 921
parma_polyhedra_library::Octagonal_Shape_-double, 969
parma_polyhedra_library::Octagonal_Shape_-float, 1004
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_-long_double, 1179
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1251
parma_polyhedra_library::PIP_Problem, 1284
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1296
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1349
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1402
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1420
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1438
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1456
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1473
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1489
parma_polyhedra_library::Pointset_-Powerset_Grid, 1506
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1570
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1657
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1675
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1693
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1711
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-

double, 1729
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1747
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1765
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1816
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1849
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1915
parma_polyhedra_library::Uint16_Box, 2026
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2093
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
add_disjunct
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1296
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1349
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1402
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1420
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1438
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1456
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1473
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_-Powerset_Grid, 1506
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1657
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1675
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1693
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1711
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1729
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1747
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1765
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1816
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1866
add_generator
parma_polyhedra_library::Polyhedron, 1887
add_generators
parma_polyhedra_library::Polyhedron, 1887

add_grid_generator
parma_polyhedra_library::Grid, 673
add_grid_generators
parma_polyhedra_library::Grid, 673
add_space_dimensions_and_embed
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 135
parma_polyhedra_library::BD_Shape_int16_t, 170
parma_polyhedra_library::BD_Shape_int32_t, 205
parma_polyhedra_library::BD_Shape_int64_t, 240
parma_polyhedra_library::BD_Shape_int8_t, 275
parma_polyhedra_library::BD_Shape_long_double, 310
parma_polyhedra_library::BD_Shape_mpq_class, 345
parma_polyhedra_library::BD_Shape_mpz_class, 380
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 564
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 633
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 900
parma_polyhedra_library::MIP_Problem, 921
parma_polyhedra_library::Octagonal_Shape_double, 969
parma_polyhedra_library::Octagonal_Shape_float, 1004
parma_polyhedra_library::Octagonal_Shape_int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_long_double, 1180
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1251
parma_polyhedra_library::PIP_Problem, 1284
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1349
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1402
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1420
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1438
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1456
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_Powerset_Grid, 1506
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1657

parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1675
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1693
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1711
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1730
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1748
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1766
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2026
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2093
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
add_space_dimensions_and_project
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 135
parma_polyhedra_library::BD_Shape_int16_t, 170
parma_polyhedra_library::BD_Shape_int32_t, 205
parma_polyhedra_library::BD_Shape_int64_t, 240
parma_polyhedra_library::BD_Shape_int8_t, 275
parma_polyhedra_library::BD_Shape_long_-double, 310
parma_polyhedra_library::BD_Shape_mpq_-class, 345
parma_polyhedra_library::BD_Shape_mpz_-class, 380
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 633
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 901
parma_polyhedra_library::Octagonal_Shape_-double, 969
parma_polyhedra_library::Octagonal_Shape_-float, 1004
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_-long_double, 1180
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1251
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1421

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1506
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1522
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1538
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1554
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1622
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1658
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1676
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1694
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1712
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1730
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1748
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1766
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2026
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2093
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
add_to_integer_space_dimensions
parma_polyhedra_library::MIP_Problem, 922
add_to_parameter_space_dimensions
parma_polyhedra_library::PIP_Problem, 1284
affine_dimension
parma_polyhedra_library::BD_Shape_double,
100
parma_polyhedra_library::BD_Shape_float,
135
parma_polyhedra_library::BD_Shape_int16_t,
170
parma_polyhedra_library::BD_Shape_int32_t,
205
parma_polyhedra_library::BD_Shape_int64_t,
240
parma_polyhedra_library::BD_Shape_int8_t,
275
parma_polyhedra_library::BD_Shape_long_-
double, 310
parma_polyhedra_library::BD_Shape_mpq_-
class, 345
parma_polyhedra_library::BD_Shape_mpz_-
class, 380
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 600
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box,
901

parma_polyhedra_library::Octagonal_Shape_-double, 969
parma_polyhedra_library::Octagonal_Shape_-float, 1004
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_-long_double, 1180
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1251
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1314
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1367
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_-Powerset_Grid, 1506
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1604
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1658
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1676
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1694
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1712
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1730
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1748
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1766
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1783
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1833
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
affine_image
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 135
parma_polyhedra_library::BD_Shape_int16_t,

170
parma_polyhedra_library::BD_Shape_int32_t, 205
parma_polyhedra_library::BD_Shape_int64_t, 240
parma_polyhedra_library::BD_Shape_int8_t, 275
parma_polyhedra_library::BD_Shape_long_double, 310
parma_polyhedra_library::BD_Shape_mpq_class, 345
parma_polyhedra_library::BD_Shape_mpz_class, 380
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 901
parma_polyhedra_library::Octagonal_Shape_double, 969
parma_polyhedra_library::Octagonal_Shape_float, 1004
parma_polyhedra_library::Octagonal_Shape_int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_long_double, 1180
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1216
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1251
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_Powerset_Grid, 1506
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1587
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1605
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1622
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1658
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1676
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1694
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t, 1712
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double, 1730
parma_polyhedra_library::Pointset_-

Powerset_Octagonal_Shape_mpq_class, 1748
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class, 1766
parma_polyhedra_library::Pointset_Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_Powerset_Z_Box, 1866
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
affine_preimage
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 135
parma_polyhedra_library::BD_Shape_int16_t, 170
parma_polyhedra_library::BD_Shape_int32_t, 205
parma_polyhedra_library::BD_Shape_int64_t, 240
parma_polyhedra_library::BD_Shape_int8_t, 275
parma_polyhedra_library::BD_Shape_long_double, 310
parma_polyhedra_library::BD_Shape_mpq_class, 345
parma_polyhedra_library::BD_Shape_mpz_class, 380
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 528
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 673
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Long_Double_Box, 901
parma_polyhedra_library::Octagonal_Shape_double, 969
parma_polyhedra_library::Octagonal_Shape_float, 1004
parma_polyhedra_library::Octagonal_Shape_int16_t, 1039
parma_polyhedra_library::Octagonal_Shape_int32_t, 1074
parma_polyhedra_library::Octagonal_Shape_int64_t, 1109
parma_polyhedra_library::Octagonal_Shape_int8_t, 1144
parma_polyhedra_library::Octagonal_Shape_long_double, 1180
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1252
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_Powerset_Grid, 1506
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1523

parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1605
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1623
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1658
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1676
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1694
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1712
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1730
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1748
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1766
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1800
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1867
parma_polyhedra_library::Polyhedron, 1887
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
all_affine_quasi_ranking_functions_MS_BD_-
Shape_double
parma_polyhedra_library::Termination, 1948
all_affine_quasi_ranking_functions_MS_BD_-
Shape_double_2
parma_polyhedra_library::Termination, 1948
all_affine_quasi_ranking_functions_MS_BD_-
Shape_float
parma_polyhedra_library::Termination, 1948
all_affine_quasi_ranking_functions_MS_BD_-
Shape_float_2
parma_polyhedra_library::Termination, 1948
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int16_t
parma_polyhedra_library::Termination, 1948
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int16_t_2
parma_polyhedra_library::Termination, 1948
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int32_t
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int32_t_2
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int64_t
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int64_t_2
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int8_t
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_int8_t_2
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_long_double
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_long_double_2
parma_polyhedra_library::Termination, 1949
all_affine_quasi_ranking_functions_MS_BD_-
Shape_mpq_class
parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_BD_-
Shape_mpq_class_2
parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_BD_-
Shape_mpz_class
parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_BD_-
Shape_mpz_class_2

parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_C_-Polyhedron
parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_C_-Polyhedron_2
parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_Double_-Box
parma_polyhedra_library::Termination, 1950
all_affine_quasi_ranking_functions_MS_Double_-Box_2
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Float_-Box
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Float_-Box_2
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Grid
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Grid_2
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Int16_-Box
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Int16_-Box_2
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Int32_-Box
parma_polyhedra_library::Termination, 1951
all_affine_quasi_ranking_functions_MS_Int32_-Box_2
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_Int64_-Box
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_Int64_-Box_2
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_Int8_Box
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_Int8_-Box_2
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_Long_-Double_Box
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_Long_-Double_Box_2
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_NNC_-Polyhedron
parma_polyhedra_library::Termination, 1952
all_affine_quasi_ranking_functions_MS_NNC_-Polyhedron_2
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_double
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_double_2
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_float
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_float_2
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int16_t
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int16_t_2
parma_polyhedra_library::Termination, 1953
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int32_t
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int32_t_2
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int64_t
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int64_t_2
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int8_t
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_int8_t_2
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_long_double
parma_polyhedra_library::Termination, 1954
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_long_double_2
parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_mpq_class
parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_mpq_class_2
parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_mpz_class

parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_-Octagonal_Shape_mpz_class_2
parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_-Rational_Box
parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_-Rational_Box_2
parma_polyhedra_library::Termination, 1955
all_affine_quasi_ranking_functions_MS_Uint16_-Box
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint16_-Box_2
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint32_-Box
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint32_-Box_2
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint64_-Box
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint64_-Box_2
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint8_-Box
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Uint8_-Box_2
parma_polyhedra_library::Termination, 1956
all_affine_quasi_ranking_functions_MS_Z_Box
parma_polyhedra_library::Termination, 1957
all_affine_quasi_ranking_functions_MS_Z_Box_2
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_-double
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_-double_2
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_float
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_-float_2
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_-int16_t
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_-int16_t_2
parma_polyhedra_library::Termination, 1957
all_affine_ranking_functions_MS_BD_Shape_-int32_t
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-int32_t_2
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-int64_t
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-int64_t_2
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-int8_t
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-int8_t_2
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-long_double
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-long_double_2
parma_polyhedra_library::Termination, 1958
all_affine_ranking_functions_MS_BD_Shape_-mpq_class
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_BD_Shape_-mpq_class_2
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_BD_Shape_-mpz_class
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_BD_Shape_-mpz_class_2
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_C_Polyhedron
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_C_Polyhedron_-2
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_Double_Box
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_Double_Box_2
parma_polyhedra_library::Termination, 1959
all_affine_ranking_functions_MS_Float_Box
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Float_Box_2
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Grid
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Grid_2
parma_polyhedra_library::Termination, 1960

all_affine_ranking_functions_MS_Int16_Box
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Int16_Box_2
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Int32_Box
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Int32_Box_2
parma_polyhedra_library::Termination, 1960
all_affine_ranking_functions_MS_Int64_Box
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_Int64_Box_2
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_Int8_Box
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_Int8_Box_2
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_Long_Double_-
Box
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_Long_Double_-
Box_2
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_NNC_-
Polyhedron
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_NNC_-
Polyhedron_2
parma_polyhedra_library::Termination, 1961
all_affine_ranking_functions_MS_Octagonal_-
Shape_double
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_double_2
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_float
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_float_2
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_int16_t
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_int16_t_2
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_int32_t
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_int32_t_2
parma_polyhedra_library::Termination, 1962
all_affine_ranking_functions_MS_Octagonal_-
Shape_int64_t
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_int64_t_2
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_int8_t
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_int8_t_2
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_long_double
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_long_double_2
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_mpq_class
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_mpq_class_2
parma_polyhedra_library::Termination, 1963
all_affine_ranking_functions_MS_Octagonal_-
Shape_mpz_class
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Octagonal_-
Shape_mpz_class_2
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Rational_Box
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Rational_Box_2
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Uint16_Box
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Uint16_Box_2
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Uint32_Box
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Uint32_Box_2
parma_polyhedra_library::Termination, 1964
all_affine_ranking_functions_MS_Uint64_Box
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_MS_Uint64_Box_2
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_MS_Uint8_Box
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_MS_Uint8_Box_2
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_MS_Z_Box
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_MS_Z_Box_2
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_PR_BD_Shape_-
double

parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_PR_BD_Shape_-double_2
parma_polyhedra_library::Termination, 1965
all_affine_ranking_functions_PR_BD_Shape_float
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-float_2
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int16_t
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int16_t_2
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int32_t
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int32_t_2
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int64_t
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int64_t_2
parma_polyhedra_library::Termination, 1966
all_affine_ranking_functions_PR_BD_Shape_-int8_t
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-int8_t_2
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-long_double
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-long_double_2
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-mpq_class
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-mpq_class_2
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-mpz_class
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_BD_Shape_-mpz_class_2
parma_polyhedra_library::Termination, 1967
all_affine_ranking_functions_PR_C_Polyhedron
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_C_Polyhedron_2
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Double_Box
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Double_Box_2
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Float_Box
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Float_Box_2
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Grid
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Grid_2
parma_polyhedra_library::Termination, 1968
all_affine_ranking_functions_PR_Int16_Box
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int16_Box_2
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int32_Box
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int32_Box_2
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int64_Box
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int64_Box_2
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int8_Box
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Int8_Box_2
parma_polyhedra_library::Termination, 1969
all_affine_ranking_functions_PR_Long_Double_-Box
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_Long_Double_-Box_2
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_NNC_-Polyhedron
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_NNC_-Polyhedron_2
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_double
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_double_2
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_float
parma_polyhedra_library::Termination, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_float_2
parma_polyhedra_library::Termination, 1970

all_affine_ranking_functions_PR_Octagonal_-
Shape_int16_t
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int16_t_2
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int32_t
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int32_t_2
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int64_t
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int64_t_2
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int8_t
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_int8_t_2
parma_polyhedra_library::Termination, 1971
all_affine_ranking_functions_PR_Octagonal_-
Shape_long_double
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Octagonal_-
Shape_long_double_2
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Octagonal_-
Shape_mpq_class
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Octagonal_-
Shape_mpq_class_2
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Octagonal_-
Shape_mpz_class
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Octagonal_-
Shape_mpz_class_2
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Rational_Box
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Rational_Box_2
parma_polyhedra_library::Termination, 1972
all_affine_ranking_functions_PR_Uint16_Box
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint16_Box_2
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint32_Box
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint32_Box_2
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint64_Box
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint64_Box_2
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint8_Box
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Uint8_Box_2
parma_polyhedra_library::Termination, 1973
all_affine_ranking_functions_PR_Z_Box
parma_polyhedra_library::Termination, 1974
all_affine_ranking_functions_PR_Z_Box_2
parma_polyhedra_library::Termination, 1974
all_homogeneous_terms_are_zero
parma_polyhedra_library::Linear_Expression,
862
ANY_COMPLEXITY
PPL_Java_interface, 42
approximate_partition
parma_polyhedra_library::Grid, 673
arg
parma_polyhedra_library::Linear_-
Expression_Unary_Minus, 879
parma_polyhedra_library::Linear_-
Expression_Variable, 881
argument
parma_polyhedra_library::Linear_-
Expression_Coefficient, 865
parma_polyhedra_library::Linear_-
Expression_Unary_Minus, 878
parma_polyhedra_library::Linear_-
Expression_Variable, 880
Artificial_Parameter
parma_polyhedra_library::Artificial_-
Parameter, 79
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 832
Artificial_Parameter.java, 2178
Artificial_Parameter_den_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 841
Artificial_Parameter_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 841
Artificial_Parameter_le_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 841
Artificial_Parameter_Sequence
parma_polyhedra_library::Artificial_-
Parameter_Sequence, 81

Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 832
Artificial_Parameter_Sequence.java, 2178
Artificial_Parameter_Sequence_add_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 841
Artificial_Parameter_Sequence_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 842
artificials
parma_polyhedra_library::PIP_Tree_Node,
1291
as_decision
parma_polyhedra_library::PIP_Tree_Node,
1291
as_solution
parma_polyhedra_library::PIP_Tree_Node,
1291
ascii_dump
parma_polyhedra_library::Artificial_-
Parameter, 79
parma_polyhedra_library::BD_Shape_double,
100
parma_polyhedra_library::BD_Shape_float,
135
parma_polyhedra_library::BD_Shape_int16_t,
170
parma_polyhedra_library::BD_Shape_int32_t,
205
parma_polyhedra_library::BD_Shape_int64_t,
240
parma_polyhedra_library::BD_Shape_int8_t,
275
parma_polyhedra_library::BD_Shape_long_-
double, 310
parma_polyhedra_library::BD_Shape_mpq_-
class, 345
parma_polyhedra_library::BD_Shape_mpz_-
class, 380
parma_polyhedra_library::Congruence, 428
parma_polyhedra_library::Congruence_-
System, 431
parma_polyhedra_library::Constraint, 433
parma_polyhedra_library::Constraint_System,
436
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 529
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Generator, 651
parma_polyhedra_library::Generator_System,
655
parma_polyhedra_library::Grid, 674
parma_polyhedra_library::Grid_Generator,
691
parma_polyhedra_library::Grid_Generator_-
System, 695
parma_polyhedra_library::Int16_Box, 713
parma_polyhedra_library::Int32_Box, 746
parma_polyhedra_library::Int64_Box, 779
parma_polyhedra_library::Int8_Box, 812
parma_polyhedra_library::Linear_Expression,
862
parma_polyhedra_library::Long_Double_Box,
901
parma_polyhedra_library::MIP_Problem, 922
parma_polyhedra_library::Octagonal_Shape_-
double, 970
parma_polyhedra_library::Octagonal_Shape_-
float, 1005
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1040
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1075
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1110
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1145
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1180
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1252
parma_polyhedra_library::PIP_Problem, 1284
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1332
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1385
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,

1403
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_-Powerset_Grid, 1507
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1605
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1623
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1640
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1658
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1676
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1694
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1712
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1730
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1748
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1766
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1801
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1867
parma_polyhedra_library::Polyhedron, 1888
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163

banner
parma_polyhedra_library::Parma_Polyhedra_-Library, 1272
BD_Shape_double
parma_polyhedra_library::BD_Shape_double, 87–99
BD_Shape_double.java, 2179
BD_Shape_float
parma_polyhedra_library::BD_Shape_float, 122–134
BD_Shape_float.java, 2179
BD_Shape_int16_t
parma_polyhedra_library::BD_Shape_int16_t, 157–169
BD_Shape_int16_t.java, 2179
BD_Shape_int32_t
parma_polyhedra_library::BD_Shape_int32_t, 192–204
BD_Shape_int32_t.java, 2180
BD_Shape_int64_t
parma_polyhedra_library::BD_Shape_int64_t, 227–239
BD_Shape_int64_t.java, 2180
BD_Shape_int8_t
parma_polyhedra_library::BD_Shape_int8_t, 262–274
BD_Shape_int8_t.java, 2180
BD_Shape_long_double
parma_polyhedra_library::BD_Shape_long_-double, 297–309
BD_Shape_long_double.java, 2181
BD_Shape_mpq_class
parma_polyhedra_library::BD_Shape_mpq_-class, 332–344
BD_Shape_mpq_class.java, 2181
BD_Shape_mpz_class

parma_polyhedra_library::BD_Shape_mpz_-class, 367–379
BD_Shape_mpz_class.java, 2181
begin_iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_-Powerset_Grid, 1507
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1605
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1623
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1658
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1676
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1694
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1712
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1730
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1748
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1766
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1801
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1867
BGP99_BHMZ05_extrapolation_assign
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1623
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t,

1658
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1676
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1694
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1712
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1730
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1748
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1766
BGP99_BHRZ03_extrapolation_assign
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1605
BGP99_congruence_extrapolation_assign
parma_polyhedra_library::Pointset_-Powerset_Grid, 1507
BGP99_generator_extrapolation_assign
parma_polyhedra_library::Pointset_-Powerset_Grid, 1507
BGP99_H79_extrapolation_assign
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1297
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1350
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1403
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1421
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1439
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1605
BHMZ05_widening_assign
parma_polyhedra_library::BD_Shape_double, 100
parma_polyhedra_library::BD_Shape_float, 135
parma_polyhedra_library::BD_Shape_int16_t, 170
parma_polyhedra_library::BD_Shape_int32_t, 205
parma_polyhedra_library::BD_Shape_int64_t, 240
parma_polyhedra_library::BD_Shape_int8_t, 275
parma_polyhedra_library::BD_Shape_long_-double, 310
parma_polyhedra_library::BD_Shape_mpq_-class, 345
parma_polyhedra_library::BD_Shape_mpz_-class, 380
parma_polyhedra_library::Octagonal_Shape_-double, 970
parma_polyhedra_library::Octagonal_Shape_-float, 1005
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1040
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1075
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1110
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1145
parma_polyhedra_library::Octagonal_Shape_-long_double, 1180
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1252
BHRZ03_widening_assign
parma_polyhedra_library::Polyhedron, 1888
BHZ03_BHRZ03_BHRZ03_widening_assign
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1457
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1605
BHZ03_Grid_congruence_widening_assign
parma_polyhedra_library::Pointset_-Powerset_Grid, 1507
BHZ03_Grid_generator_widening_assign
parma_polyhedra_library::Pointset_-Powerset_Grid, 1507
BHZ03_H79_BHMZ05_widening_assign
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1298

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1351
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1404
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1422
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1440
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1623
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1658
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1676
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1694
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1712
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1731
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1749
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1767
BHZ03_H79_H79_widening_assign
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1298
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1315
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1351
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1368
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1404
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1422
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1440
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1458
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1605
bits
parma_polyhedra_library::Coefficient, 425
BITS_128
PPL_Java_interface, 41
BITS_16
PPL_Java_interface, 41
BITS_32
PPL_Java_interface, 41
BITS_64
PPL_Java_interface, 41
BITS_8
PPL_Java_interface, 41
bool_to_j_boolean_class
Parma_Polyhedra_Library::Interfaces::Java,
61
Boolean
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 832
Boolean_boolValue_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 842
Boolean_valueOf_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 842
bounded_affine_image
parma_polyhedra_library::BD_Shape_double,
101
parma_polyhedra_library::BD_Shape_float,
135
parma_polyhedra_library::BD_Shape_int16_t,
170
parma_polyhedra_library::BD_Shape_int32_t,
205
parma_polyhedra_library::BD_Shape_int64_t,
240
parma_polyhedra_library::BD_Shape_int8_t,
275

parma_polyhedra_library::BD_Shape_long_-
double, 310
parma_polyhedra_library::BD_Shape_mpq_-
class, 345
parma_polyhedra_library::BD_Shape_mpz_-
class, 380
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 492
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 529
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 674
parma_polyhedra_library::Int16_Box, 714
parma_polyhedra_library::Int32_Box, 747
parma_polyhedra_library::Int64_Box, 780
parma_polyhedra_library::Int8_Box, 813
parma_polyhedra_library::Long_Double_Box,
901
parma_polyhedra_library::Octagonal_Shape_-
double, 970
parma_polyhedra_library::Octagonal_Shape_-
float, 1005
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1040
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1075
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1110
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1145
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1180
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1252
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1298
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1316
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1351
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1369
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1404
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1422
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1440
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1458
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1490
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1507
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1571
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1606
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1623
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1659
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1677
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1695
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1713
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1731
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1749
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1767
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1784

parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1801
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1850
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1867
parma_polyhedra_library::Polyhedron, 1888
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2060
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2127
parma_polyhedra_library::Z_Box, 2163
bounded_affine_preimage
parma_polyhedra_library::BD_Shape_double,
101
parma_polyhedra_library::BD_Shape_float,
135
parma_polyhedra_library::BD_Shape_int16_t,
170
parma_polyhedra_library::BD_Shape_int32_t,
205
parma_polyhedra_library::BD_Shape_int64_t,
240
parma_polyhedra_library::BD_Shape_int8_t,
275
parma_polyhedra_library::BD_Shape_long_-
double, 310
parma_polyhedra_library::BD_Shape_mpq_-
class, 345
parma_polyhedra_library::BD_Shape_mpz_-
class, 380
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 456
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 493
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 529
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 674
parma_polyhedra_library::Int16_Box, 714
parma_polyhedra_library::Int32_Box, 747
parma_polyhedra_library::Int64_Box, 780
parma_polyhedra_library::Int8_Box, 813
parma_polyhedra_library::Long_Double_Box,
901
parma_polyhedra_library::Octagonal_Shape_-
double, 970
parma_polyhedra_library::Octagonal_Shape_-
float, 1005
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1040
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1075
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1110
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1145
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1180
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1252
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1298
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1316
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1351
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1369
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1404
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1422
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1440
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1458
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1474
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1491
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1507
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1572
parma_polyhedra_library::Pointset_-

Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1606
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1623
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1659
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1677
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1695
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1713
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1731
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1749
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1767
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1801
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1817
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1851
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1867
parma_polyhedra_library::Polyhedron, 1888
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2061
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2128
parma_polyhedra_library::Z_Box, 2163
bounded_BHRZ03_extrapolation_assign
parma_polyhedra_library::Polyhedron, 1888
bounded_H79_extrapolation_assign
parma_polyhedra_library::Polyhedron, 1888
Bounded_Integer_Type_Overflow
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 832
PPL_Java_interface, 41
Bounded_Integer_Type_Overflow.java, 2181
Bounded_Integer_Type_Overflow_ordinal_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 842
Bounded_Integer_Type_Overflow_OVERFLOW_-IMPOSSIBLE_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 842
Bounded_Integer_Type_Overflow_OVERFLOW_-UNDEFINED_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 842
Bounded_Integer_Type_Overflow_OVERFLOW_-WRAPS_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 843
Bounded_Integer_Type_Representation
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 832
PPL_Java_interface, 41
Bounded_Integer_Type_Representation.java, 2182
Bounded_Integer_Type_Representation_ordinal_-ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 843
Bounded_Integer_Type_Representation_-SIGNED_2_COMPLEMENT_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 843
Bounded_Integer_Type_Representation_-UNSIGNED_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 843
Bounded_Integer_Type_Width
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 832
PPL_Java_interface, 41
Bounded_Integer_Type_Width.java, 2182
Bounded_Integer_Type_Width_BITS_128_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 843

Bounded_Integer_Type_Width_BITS_16_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 843
Bounded_Integer_Type_Width_BITS_32_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 844
Bounded_Integer_Type_Width_BITS_64_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 844
Bounded_Integer_Type_Width_BITS_8_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 844
Bounded_Integer_Type_Width_ordinal_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 844
bounds_from_above
parma_polyhedra_library::BD_Shape_double,
101
parma_polyhedra_library::BD_Shape_float,
136
parma_polyhedra_library::BD_Shape_int16_t,
171
parma_polyhedra_library::BD_Shape_int32_t,
206
parma_polyhedra_library::BD_Shape_int64_t,
241
parma_polyhedra_library::BD_Shape_int8_t,
276
parma_polyhedra_library::BD_Shape_long_-
double, 311
parma_polyhedra_library::BD_Shape_mpq_-
class, 346
parma_polyhedra_library::BD_Shape_mpz_-
class, 381
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 457
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 493
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 529
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 565
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 674
parma_polyhedra_library::Int16_Box, 714
parma_polyhedra_library::Int32_Box, 747
parma_polyhedra_library::Int64_Box, 780
parma_polyhedra_library::Int8_Box, 813
parma_polyhedra_library::Long_Double_Box,
901
parma_polyhedra_library::Octagonal_Shape_-
double, 970
parma_polyhedra_library::Octagonal_Shape_-
float, 1005
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1040
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1075
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1110
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1145
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1181
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1252
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1298
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1316
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1333
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1351
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1369
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1386
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1404
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1422
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1440
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1458
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1475
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1491
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1508
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-

Powerset_Int8_Box, 1572
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1606
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1623
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1659
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1677
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1695
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1713
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1731
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1749
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1767
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1801
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1818
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1851
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1867
parma_polyhedra_library::Polyhedron, 1888
parma_polyhedra_library::Rational_Box, 1916
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2061
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2128
parma_polyhedra_library::Z_Box, 2164
bounds_from_below
parma_polyhedra_library::BD_Shape_double, 101
parma_polyhedra_library::BD_Shape_float, 136
parma_polyhedra_library::BD_Shape_int16_t, 171
parma_polyhedra_library::BD_Shape_int32_t, 206
parma_polyhedra_library::BD_Shape_int64_t, 241
parma_polyhedra_library::BD_Shape_int8_t, 276
parma_polyhedra_library::BD_Shape_long_-double, 311
parma_polyhedra_library::BD_Shape_mpq_-class, 346
parma_polyhedra_library::BD_Shape_mpz_-class, 381
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 457
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 493
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 529
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 566
parma_polyhedra_library::Double_Box, 601
parma_polyhedra_library::Float_Box, 634
parma_polyhedra_library::Grid, 674
parma_polyhedra_library::Int16_Box, 714
parma_polyhedra_library::Int32_Box, 747
parma_polyhedra_library::Int64_Box, 780
parma_polyhedra_library::Int8_Box, 813
parma_polyhedra_library::Long_Double_Box, 901
parma_polyhedra_library::Octagonal_Shape_-double, 970
parma_polyhedra_library::Octagonal_Shape_-float, 1005
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1040
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1075
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1110
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1145
parma_polyhedra_library::Octagonal_Shape_-long_double, 1181
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1217
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1252
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1298
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1316

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1334
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1351
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1369
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1387
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1404
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1422
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1440
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1458
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1475
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1491
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1508
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1523
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1539
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1555
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1572
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1588
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1606
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1624
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1641
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1659
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1677
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1695
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1713
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1731
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1749
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1767
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1784
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1801
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1818
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1834
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1851
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1867
parma_polyhedra_library::Polyhedron, 1888
parma_polyhedra_library::Rational_Box, 1917
parma_polyhedra_library::Uint16_Box, 2027
parma_polyhedra_library::Uint32_Box, 2061
parma_polyhedra_library::Uint64_Box, 2094
parma_polyhedra_library::Uint8_Box, 2128
parma_polyhedra_library::Z_Box, 2164
build_cpp_object
parma_polyhedra_library::BD_Shape_double,
101–109
parma_polyhedra_library::BD_Shape_float,
136–144
parma_polyhedra_library::BD_Shape_int16_t,
171–179
parma_polyhedra_library::BD_Shape_int32_t,
206–214
parma_polyhedra_library::BD_Shape_int64_t,
241–249
parma_polyhedra_library::BD_Shape_int8_t,
276–284
parma_polyhedra_library::BD_Shape_long_-
double, 311–319
parma_polyhedra_library::BD_Shape_mpq_-
class, 346–354
parma_polyhedra_library::BD_Shape_mpz_-
class, 381–389
parma_polyhedra_library::C_Polyhedron,
414–422
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 457–466
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 493–502
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 529–
538

parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 566–575
parma_polyhedra_library::Double_Box, 601–609
parma_polyhedra_library::Float_Box, 634–642
parma_polyhedra_library::Grid, 674–682
parma_polyhedra_library::Int16_Box, 714–722
parma_polyhedra_library::Int32_Box, 747–755
parma_polyhedra_library::Int64_Box, 780–788
parma_polyhedra_library::Int8_Box, 813–821
parma_polyhedra_library::Long_Double_Box, 902–909
parma_polyhedra_library::MIP_Problem, 922
parma_polyhedra_library::NNC_Polyhedron, 942–950
parma_polyhedra_library::Octagonal_Shape_-double, 970–978
parma_polyhedra_library::Octagonal_Shape_-float, 1005–1013
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1040–1048
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1075–1083
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1110–1118
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1145–1153
parma_polyhedra_library::Octagonal_Shape_-long_double, 1181–1189
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1217–1225
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1252–1260
parma_polyhedra_library::Partial_Function, 1276
parma_polyhedra_library::PIP_Problem, 1284, 1285
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1298, 1299
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1308
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1316, 1317
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1334
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1343
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1351, 1352
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1361
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1369, 1370
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1379
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1387
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1396
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1404, 1405
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1414
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1422, 1423
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1432
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1440, 1441
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1450
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1458, 1459
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1475
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1484
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1491, 1492
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1500
parma_polyhedra_library::Pointset_-Powerset_Grid, 1508
parma_polyhedra_library::Pointset_-

Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1524
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1540
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1556
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1565
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1572, 1573
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1581
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1588, 1589
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1598
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1606, 1607
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron_Iterator, 1616
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1624
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1634
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1641, 1642
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1651
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1659, 1660
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-t_Iterator, 1669
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1677, 1678
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_-t_Iterator, 1687
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1695, 1696
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_-t_Iterator, 1705
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1713, 1714
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t_-Iterator, 1723
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1731, 1732
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double_Iterator, 1741
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1749, 1750
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_-class_Iterator, 1759
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1767, 1768
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_-class_Iterator, 1777
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1784, 1785
parma_polyhedra_library::Pointset_-Powerset_Rational_Box_Iterator, 1794
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1801, 1802
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1818, 1819
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box_Iterator, 1827
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1834, 1835
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box_Iterator, 1844
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1851, 1852
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box_Iterator, 1860
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1867, 1868
parma_polyhedra_library::Pointset_-Powerset_Z_Box_Iterator, 1876
parma_polyhedra_library::Rational_Box,

1917–1925
parma_polyhedra_library::Uint16_Box, 2027–2035
parma_polyhedra_library::Uint32_Box, 2061–2069
parma_polyhedra_library::Uint64_Box, 2094–2102
parma_polyhedra_library::Uint8_Box, 2128–2136
parma_polyhedra_library::Z_Box, 2164–2172
build_cxx_artificial_parameter
Parma_Polyhedra_Library::Interfaces::Java, 61
build_cxx_artificial_parameter_sequence
Parma_Polyhedra_Library::Interfaces::Java, 61
build_cxx_bounded_overflow
Parma_Polyhedra_Library::Interfaces::Java, 61
build_cxx_bounded_rep
Parma_Polyhedra_Library::Interfaces::Java, 62
build_cxx_bounded_width
Parma_Polyhedra_Library::Interfaces::Java, 62
build_cxx_coeff
Parma_Polyhedra_Library::Interfaces::Java, 62
build_cxx_congruence
Parma_Polyhedra_Library::Interfaces::Java, 62
build_cxx_congruence_system
Parma_Polyhedra_Library::Interfaces::Java, 62
build_cxx_constraint
Parma_Polyhedra_Library::Interfaces::Java, 63
build_cxx_constraint_system
Parma_Polyhedra_Library::Interfaces::Java, 63
build_cxx_control_parameter_name
Parma_Polyhedra_Library::Interfaces::Java, 63
build_cxx_control_parameter_value
Parma_Polyhedra_Library::Interfaces::Java, 63
build_cxx_generator
Parma_Polyhedra_Library::Interfaces::Java, 64
build_cxx_generator_system
Parma_Polyhedra_Library::Interfaces::Java, 64
build_cxx_grid_generator
Parma_Polyhedra_Library::Interfaces::Java, 64
build_cxx_grid_generator_system
Parma_Polyhedra_Library::Interfaces::Java, 64
build_cxx_linear_expression
Parma_Polyhedra_Library::Interfaces::Java, 64
build_cxx_optimization_mode
Parma_Polyhedra_Library::Interfaces::Java, 65
build_cxx_pip_problem_control_parameter_name
Parma_Polyhedra_Library::Interfaces::Java, 65
build_cxx_pip_problem_control_parameter_value
Parma_Polyhedra_Library::Interfaces::Java, 65
build_cxx_relsym
Parma_Polyhedra_Library::Interfaces::Java, 65
build_cxx_system
Parma_Polyhedra_Library::Interfaces::Java, 65
build_cxx_variable
Parma_Polyhedra_Library::Interfaces::Java, 66
build_cxx_variables_set
Parma_Polyhedra_Library::Interfaces::Java, 66
build_java_artificial_parameter
Parma_Polyhedra_Library::Interfaces::Java, 66
build_java_artificial_parameter_sequence
Parma_Polyhedra_Library::Interfaces::Java, 66
build_java_coeff
Parma_Polyhedra_Library::Interfaces::Java, 66
build_java_congruence
Parma_Polyhedra_Library::Interfaces::Java, 67
build_java_congruence_system
Parma_Polyhedra_Library::Interfaces::Java, 67
build_java_constraint
Parma_Polyhedra_Library::Interfaces::Java, 67
build_java_constraint_system
Parma_Polyhedra_Library::Interfaces::Java, 67
build_java_control_parameter_name
Parma_Polyhedra_Library::Interfaces::Java, 67
build_java_control_parameter_value

Parma_Polyhedra_Library::Interfaces::Java, 68
build_java_generator
Parma_Polyhedra_Library::Interfaces::Java, 68
build_java_generator_system
Parma_Polyhedra_Library::Interfaces::Java, 68
build_java_grid_generator
Parma_Polyhedra_Library::Interfaces::Java, 68
build_java_grid_generator_system
Parma_Polyhedra_Library::Interfaces::Java, 68
build_java_linear_expression_coefficient
Parma_Polyhedra_Library::Interfaces::Java, 68
build_java_mip_status
Parma_Polyhedra_Library::Interfaces::Java, 69
build_java_optimization_mode
Parma_Polyhedra_Library::Interfaces::Java, 69
build_java_pip_problem_control_parameter_name
Parma_Polyhedra_Library::Interfaces::Java, 69
build_java_pip_problem_control_parameter_value
Parma_Polyhedra_Library::Interfaces::Java, 69
build_java_pip_status
Parma_Polyhedra_Library::Interfaces::Java, 69
build_java_poly_con_relation
Parma_Polyhedra_Library::Interfaces::Java, 70
build_java_poly_gen_relation
Parma_Polyhedra_Library::Interfaces::Java, 70
build_java_variable
Parma_Polyhedra_Library::Interfaces::Java, 70
build_java_variables_set
Parma_Polyhedra_Library::Interfaces::Java, 70
build_linear_expression
Parma_Polyhedra_Library::Interfaces::Java, 70
build_pip_problem_java_control_parameter_name
Parma_Polyhedra_Library::Interfaces::Java, 71
build_ppl_object
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1308
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1343
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1361
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1379
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1396
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1414
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1432
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1450
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1484
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1500
parma_polyhedra_library::Pointset_-Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1565
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1581
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1598
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron_Iterator, 1616
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1634
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1651
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-

t_Iterator, 1669
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_-t_Iterator, 1687
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_-t_Iterator, 1705
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t_-Iterator, 1723
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double_Iterator, 1741
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_-class_Iterator, 1759
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_-class_Iterator, 1777
parma_polyhedra_library::Pointset_-Powerset_Rational_Box_Iterator, 1794
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box_Iterator, 1827
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box_Iterator, 1844
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box_Iterator, 1860
parma_polyhedra_library::Pointset_-Powerset_Z_Box_Iterator, 1876
By_Reference
parma_polyhedra_library::By_Reference< T >, 397
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 833
By_Reference.java, 2182
By_Reference_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 844
By_Reference_obj_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 844

C_Polyhedron
parma_polyhedra_library::C_Polyhedron, 402–414
C_Polyhedron.java, 2183
cached_classes
Parma_Polyhedra_Library::Interfaces::Java, 76
cached_FMIDs
Parma_Polyhedra_Library::Interfaces::Java, 77
CATCH_ALL
ppl_java_common.defs.hh, 2234
CC76_extrapolation_assign
parma_polyhedra_library::BD_Shape_double, 109
parma_polyhedra_library::BD_Shape_float, 144
parma_polyhedra_library::BD_Shape_int16_t, 179
parma_polyhedra_library::BD_Shape_int32_t, 214
parma_polyhedra_library::BD_Shape_int64_t, 249
parma_polyhedra_library::BD_Shape_int8_t, 284
parma_polyhedra_library::BD_Shape_long_-double, 319
parma_polyhedra_library::BD_Shape_mpq_-class, 354
parma_polyhedra_library::BD_Shape_mpz_-class, 389
parma_polyhedra_library::Octagonal_Shape_-double, 978
parma_polyhedra_library::Octagonal_Shape_-float, 1013
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1048
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1083
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1118
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1153
parma_polyhedra_library::Octagonal_Shape_-long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1225
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1260
CC76_narrowing_assign
parma_polyhedra_library::BD_Shape_double, 109
parma_polyhedra_library::BD_Shape_float, 144
parma_polyhedra_library::BD_Shape_int16_t, 179
parma_polyhedra_library::BD_Shape_int32_t, 214
parma_polyhedra_library::BD_Shape_int64_t, 249

parma_polyhedra_library::BD_Shape_int8_t, 284
parma_polyhedra_library::BD_Shape_long_-double, 319
parma_polyhedra_library::BD_Shape_mpq_-class, 354
parma_polyhedra_library::BD_Shape_mpz_-class, 389
parma_polyhedra_library::Octagonal_Shape_-double, 978
parma_polyhedra_library::Octagonal_Shape_-float, 1013
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1048
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1083
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1118
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1153
parma_polyhedra_library::Octagonal_Shape_-long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1225
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1260
CC76_widening_assign
parma_polyhedra_library::Double_Box, 609
parma_polyhedra_library::Float_Box, 642
parma_polyhedra_library::Int16_Box, 722
parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2035
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2102
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172
CHECK_EXCEPTION_ASSERT
ppl_java_common.defs.hh, 2236
CHECK_EXCEPTION_RETURN
ppl_java_common.defs.hh, 2236
CHECK_EXCEPTION_RETURN_VOID
ppl_java_common.defs.hh, 2236
CHECK_EXCEPTION_THROW
ppl_java_common.defs.hh, 2236
CHECK_RESULT_ABORT
ppl_java_common.defs.hh, 2236
CHECK_RESULT_ASSERT
ppl_java_common.defs.hh, 2237
CHECK_RESULT_RETURN
ppl_java_common.defs.hh, 2237
CHECK_RESULT_RETURN_VOID
ppl_java_common.defs.hh, 2238
CHECK_RESULT_THROW
ppl_java_common.defs.hh, 2238
child_node
parma_polyhedra_library::PIP_Decision_-Node, 1279
clear
parma_polyhedra_library::MIP_Problem, 922
parma_polyhedra_library::PIP_Problem, 1285
clear_cache
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 831
clone
parma_polyhedra_library::Linear_Expression, 862
parma_polyhedra_library::Linear_-Expression_Coefficient, 866
parma_polyhedra_library::Linear_-Expression_Difference, 868
parma_polyhedra_library::Linear_-Expression_Sum, 871
parma_polyhedra_library::Linear_-Expression_Times, 875
parma_polyhedra_library::Linear_-Expression_Unary_Minus, 878
parma_polyhedra_library::Linear_-Expression_Variable, 881
CLOSURE_POINT
PPL_Java_interface, 43
closure_point
parma_polyhedra_library::Generator, 651
coeff
parma_polyhedra_library::Linear_-Expression_Coefficient, 866
parma_polyhedra_library::Linear_-Expression_Times, 876
Coefficient
parma_polyhedra_library::Coefficient, 424, 425
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 833
coefficient
parma_polyhedra_library::Linear_-Expression_Times, 875
Coefficient.java, 2183
Coefficient_init_from_String_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 845
Coefficient_toString_ID

Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 845
Coefficient_value_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 845
compareTo
parma_polyhedra_library::Variable, 2144
Complexity_Class
PPL_Java_interface, 41
Complexity_Class.java, 2183
Complexity_Class_ordinal_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 845
concatenate_assign
parma_polyhedra_library::BD_Shape_double,
109
parma_polyhedra_library::BD_Shape_float,
144
parma_polyhedra_library::BD_Shape_int16_t,
179
parma_polyhedra_library::BD_Shape_int32_t,
214
parma_polyhedra_library::BD_Shape_int64_t,
249
parma_polyhedra_library::BD_Shape_int8_t,
284
parma_polyhedra_library::BD_Shape_long_-
double, 319
parma_polyhedra_library::BD_Shape_mpq_-
class, 354
parma_polyhedra_library::BD_Shape_mpz_-
class, 389
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 466
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 502
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 538
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 575
parma_polyhedra_library::Double_Box, 609
parma_polyhedra_library::Float_Box, 642
parma_polyhedra_library::Grid, 682
parma_polyhedra_library::Int16_Box, 722
parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821
parma_polyhedra_library::Long_Double_Box,
910
parma_polyhedra_library::Octagonal_Shape_-
double, 978
parma_polyhedra_library::Octagonal_Shape_-
float, 1013
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1048
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1083
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1118
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1153
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1261
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1299
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1317
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1352
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1370
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1405
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1423
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1441
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1459
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1524
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1540
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1556
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1589
parma_polyhedra_library::Pointset_-

Powerset_NNC_Polyhedron, 1607
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1625
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1642
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1660
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1678
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1696
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1714
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1732
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1750
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1768
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1785
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1802
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1835
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1868
parma_polyhedra_library::Polyhedron, 1888
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172
Congruence
parma_polyhedra_library::Congruence, 428
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 833
Congruence.java, 2184
Congruence_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 845
Congruence_lhs_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 846
Congruence_mod_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 846
Congruence_rhs_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 846
Congruence_System
parma_polyhedra_library::Congruence_-System, 431
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 833
Congruence_System.java, 2184
Congruence_System_add_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 846
Congruence_System_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 846
congruence_widening_assign
parma_polyhedra_library::Grid, 682
congruences
parma_polyhedra_library::BD_Shape_double, 109
parma_polyhedra_library::BD_Shape_float, 144
parma_polyhedra_library::BD_Shape_int16_t, 179
parma_polyhedra_library::BD_Shape_int32_t, 214
parma_polyhedra_library::BD_Shape_int64_t, 249
parma_polyhedra_library::BD_Shape_int8_t, 284
parma_polyhedra_library::BD_Shape_long_-double, 319
parma_polyhedra_library::BD_Shape_mpq_-class, 354
parma_polyhedra_library::BD_Shape_mpz_-class, 389
parma_polyhedra_library::Double_Box, 609
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 682
parma_polyhedra_library::Int16_Box, 722

parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Octagonal_Shape_-double, 979
parma_polyhedra_library::Octagonal_Shape_-float, 1014
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_-long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1261
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172
constrains
parma_polyhedra_library::BD_Shape_double, 109
parma_polyhedra_library::BD_Shape_float, 144
parma_polyhedra_library::BD_Shape_int16_t, 179
parma_polyhedra_library::BD_Shape_int32_t, 214
parma_polyhedra_library::BD_Shape_int64_t, 249
parma_polyhedra_library::BD_Shape_int8_t, 284
parma_polyhedra_library::BD_Shape_long_-double, 319
parma_polyhedra_library::BD_Shape_mpq_-class, 354
parma_polyhedra_library::BD_Shape_mpz_-class, 389
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 466
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 502
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 538
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 575
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 682
parma_polyhedra_library::Int16_Box, 722
parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Octagonal_Shape_-double, 979
parma_polyhedra_library::Octagonal_Shape_-float, 1014
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_-long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1261
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1299
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1317
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1352
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1370
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1405
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1423
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1441
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1459
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1476

parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1524
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1540
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1589
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1607
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1625
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1642
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1660
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1678
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1696
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1714
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1732
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1750
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1768
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1785
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1802
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1835
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1868
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172
Constraint
parma_polyhedra_library::Constraint, 433
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 833
Constraint.java, 2184
constraint_at_index
parma_polyhedra_library::PIP_Problem, 1285
Constraint_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 846
Constraint_kind_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 846
Constraint_lhs_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 847
Constraint_rhs_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 847
Constraint_System
parma_polyhedra_library::Constraint_System,
435
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 833
Constraint_System.java, 2184
Constraint_System_add_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 847
Constraint_System_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 847
constraints
parma_polyhedra_library::BD_Shape_double,
110
parma_polyhedra_library::BD_Shape_float,
144
parma_polyhedra_library::BD_Shape_int16_t,
179

parma_polyhedra_library::BD_Shape_int32_t, 214
parma_polyhedra_library::BD_Shape_int64_t, 249
parma_polyhedra_library::BD_Shape_int8_t, 284
parma_polyhedra_library::BD_Shape_long_double, 319
parma_polyhedra_library::BD_Shape_mpq_class, 354
parma_polyhedra_library::BD_Shape_mpz_class, 389
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 682
parma_polyhedra_library::Int16_Box, 722
parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::MIP_Problem, 923
parma_polyhedra_library::Octagonal_Shape_double, 979
parma_polyhedra_library::Octagonal_Shape_float, 1014
parma_polyhedra_library::Octagonal_Shape_int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_long_double, 1190
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1261
parma_polyhedra_library::PIP_Problem, 1285
parma_polyhedra_library::PIP_Tree_Node, 1291
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172

Constraints_Product_C_Polyhedron_Grid
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 442–455
Constraints_Product_C_Polyhedron_Grid.java, 2185

Constraints_Product_Grid_C_Polyhedron
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 478–491
Constraints_Product_Grid_C_Polyhedron.java, 2185

Constraints_Product_Grid_NNC_Polyhedron
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 514–527
Constraints_Product_Grid_NNC_Polyhedron.java, 2185

Constraints_Product_NNC_Polyhedron_Grid
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 551–564
Constraints_Product_NNC_Polyhedron_Grid.java, 2186

contains
parma_polyhedra_library::BD_Shape_double, 110
parma_polyhedra_library::BD_Shape_float, 144
parma_polyhedra_library::BD_Shape_int16_t, 179
parma_polyhedra_library::BD_Shape_int32_t, 214
parma_polyhedra_library::BD_Shape_int64_t, 249
parma_polyhedra_library::BD_Shape_int8_t, 284
parma_polyhedra_library::BD_Shape_long_double, 319
parma_polyhedra_library::BD_Shape_mpq_class, 354
parma_polyhedra_library::BD_Shape_mpz_class, 389
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 466
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 502
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 539
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 575
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 682
parma_polyhedra_library::Int16_Box, 722
parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821

parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Octagonal_Shape_-double, 979
parma_polyhedra_library::Octagonal_Shape_-float, 1014
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_-long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1261
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1299
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1317
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1352
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1370
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1405
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1423
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1441
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1459
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_-Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1607
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1625
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1660
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1678
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1696
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1714
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1732
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1750
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1768
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1802
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1868
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172
contains_integer_point
parma_polyhedra_library::BD_Shape_double, 110
parma_polyhedra_library::BD_Shape_float,

144
parma_polyhedra_library::BD_Shape_int16_t, 180
parma_polyhedra_library::BD_Shape_int32_t, 215
parma_polyhedra_library::BD_Shape_int64_t, 250
parma_polyhedra_library::BD_Shape_int8_t, 285
parma_polyhedra_library::BD_Shape_long_double, 320
parma_polyhedra_library::BD_Shape_mpq_class, 355
parma_polyhedra_library::BD_Shape_mpz_class, 390
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 722
parma_polyhedra_library::Int32_Box, 755
parma_polyhedra_library::Int64_Box, 788
parma_polyhedra_library::Int8_Box, 821
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Octagonal_Shape_double, 979
parma_polyhedra_library::Octagonal_Shape_float, 1014
parma_polyhedra_library::Octagonal_Shape_int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_long_double, 1190
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1261
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1317
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1353
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1370
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1406
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1442
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1459
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_Powerset_Grid, 1509
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1607
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1625
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1660
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1678
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1696
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t, 1714
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double, 1732
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class, 1750
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class, 1768
parma_polyhedra_library::Pointset_-

Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1802
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1868
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2069
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2136
parma_polyhedra_library::Z_Box, 2172
Control_Parameter_Name
PPL_Java_interface, 42
Control_Parameter_Name.java, 2186
Control_Parameter_Value
PPL_Java_interface, 42
Control_Parameter_Value.java, 2186
CUTTING_STRATEGY
PPL_Java_interface, 44
CUTTING_STRATEGY_ALL
PPL_Java_interface, 44
CUTTING_STRATEGY_DEEPEST
PPL_Java_interface, 44
CUTTING_STRATEGY_FIRST
PPL_Java_interface, 44

Degenerate_Element
PPL_Java_interface, 42
Degenerate_Element.java, 2187
Degenerate_Element_ordinal_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 847
den
parma_polyhedra_library::Artificial_-Parameter, 80
denominator
parma_polyhedra_library::Artificial_-Parameter, 79
difference_assign
parma_polyhedra_library::BD_Shape_double, 110
parma_polyhedra_library::BD_Shape_float, 145
parma_polyhedra_library::BD_Shape_int16_t, 180
parma_polyhedra_library::BD_Shape_int32_t, 215
parma_polyhedra_library::BD_Shape_int64_t, 250
parma_polyhedra_library::BD_Shape_int8_t, 285
parma_polyhedra_library::BD_Shape_long_-double, 320
parma_polyhedra_library::BD_Shape_mpq_-class, 355
parma_polyhedra_library::BD_Shape_mpz_-class, 390
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 466
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 502
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 539
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 575
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Octagonal_Shape_-double, 979
parma_polyhedra_library::Octagonal_Shape_-float, 1014
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_-long_double, 1190
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1261
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1317
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1335

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1353
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1370
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1406
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1442
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1607
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1625
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1660
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1678
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1696
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1714
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1733
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1751
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1769
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1869
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2172
div
parma_polyhedra_library::Generator, 653
parma_polyhedra_library::Grid_Generator,
693
divisor
parma_polyhedra_library::Generator, 651
parma_polyhedra_library::Grid_Generator,
692
Domain_Error_Exception
parma_polyhedra_library::Domain_Error_-
Exception, 582
Domain_Error_Exception.java, 2187
Double_Box
parma_polyhedra_library::Double_Box, 588–
600
Double_Box.java, 2187
drop_disjunct
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1353
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1371
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1388

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1406
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1442
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1608
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1625
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1661
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1679
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1697
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1715
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1733
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1751
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1769
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1869
drop_disjuncts
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1353
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1371
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1406
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1442
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1492
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1573
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1608
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1625

parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1661
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1679
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1697
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1715
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1733
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1751
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1769
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1852
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1869
drop_some_non_integer_points
parma_polyhedra_library::BD_Shape_double, 110
parma_polyhedra_library::BD_Shape_float, 145
parma_polyhedra_library::BD_Shape_int16_t, 180
parma_polyhedra_library::BD_Shape_int32_t, 215
parma_polyhedra_library::BD_Shape_int64_t, 250
parma_polyhedra_library::BD_Shape_int8_t, 285
parma_polyhedra_library::BD_Shape_long_-double, 320
parma_polyhedra_library::BD_Shape_mpq_-class, 355
parma_polyhedra_library::BD_Shape_mpz_-class, 390
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 466
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 539
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 575
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box, 910
parma_polyhedra_library::Octagonal_Shape_-double, 979
parma_polyhedra_library::Octagonal_Shape_-float, 1014
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1049
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_-long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1261
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1353
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1371
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1406
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1442

parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1608
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1625
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1661
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1679
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1697
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1715
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1733
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1751
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1769
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1819
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1869
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1925
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173
drop_some_non_integer_points_2
parma_polyhedra_library::BD_Shape_double,
110
parma_polyhedra_library::BD_Shape_float,
145
parma_polyhedra_library::BD_Shape_int16_t,
180
parma_polyhedra_library::BD_Shape_int32_t,
215
parma_polyhedra_library::BD_Shape_int64_t,
250
parma_polyhedra_library::BD_Shape_int8_t,
285
parma_polyhedra_library::BD_Shape_long_-
double, 320
parma_polyhedra_library::BD_Shape_mpq_-
class, 355
parma_polyhedra_library::BD_Shape_mpz_-
class, 390
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 466
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 539
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 575
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box,
911
parma_polyhedra_library::Octagonal_Shape_-
double, 979
parma_polyhedra_library::Octagonal_Shape_-
float, 1014
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1049

parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154
parma_polyhedra_library::Octagonal_Shape_-long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1226
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1261
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1335
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1353
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1371
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1388
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1406
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1442
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1476
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-Powerset_Grid, 1509
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1608
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1626
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1661
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1679
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1697
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1715
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1733
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1751
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1769
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1820
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1869
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2036
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2103
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173

EMPTY
PPL_Java_interface, 42
end_iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1300
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1353

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1371
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1406
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1424
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1442
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1525
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1541
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1557
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1590
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1608
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1626
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1643
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1661
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1679
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1697
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1715
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1733
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1751
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1769
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1786
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1820
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1836
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1869
EQUAL
PPL_Java_interface, 45
equals
parma_polyhedra_library::BD_Shape_double,
110
parma_polyhedra_library::BD_Shape_float,
145
parma_polyhedra_library::BD_Shape_int16_t,
180
parma_polyhedra_library::BD_Shape_int32_t,
215
parma_polyhedra_library::BD_Shape_int64_t,
250
parma_polyhedra_library::BD_Shape_int8_t,
285
parma_polyhedra_library::BD_Shape_long_-
double, 320
parma_polyhedra_library::BD_Shape_mpq_-
class, 355
parma_polyhedra_library::BD_Shape_mpz_-
class, 390
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 467
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 539
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 576
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 643
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box,
911

parma_polyhedra_library::Octagonal_Shape_-double, 979, 980
parma_polyhedra_library::Octagonal_Shape_-float, 1014, 1015
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1049, 1050
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1084, 1085
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1119, 1120
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1154, 1155
parma_polyhedra_library::Octagonal_Shape_-long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1262
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1300, 1301
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1308
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1343
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1353, 1354
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1361
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1371
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1379
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1396
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1406, 1407
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1415
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1424, 1425
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1432
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1442, 1443
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1450
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1460
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1484
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1500
parma_polyhedra_library::Pointset_-Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1525, 1526
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1541, 1542
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1558
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1565
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1581
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1591
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1598
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1608
parma_polyhedra_library::Pointset_-

Powerset_NNC_Polyhedron_Iterator, 1616
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1626
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1634
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1644
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1652
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1661
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-t_Iterator, 1669
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1679
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_-t_Iterator, 1687
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1697
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_-t_Iterator, 1705
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1715
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t_-Iterator, 1723
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1733
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double_Iterator, 1742
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1751
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_-class_Iterator, 1760
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1769
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_-class_Iterator, 1778
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1787
parma_polyhedra_library::Pointset_-Powerset_Rational_Box_Iterator, 1794
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1803
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1820
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box_Iterator, 1828
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1836, 1837
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box_Iterator, 1844
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box_Iterator, 1861
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1869
parma_polyhedra_library::Pointset_-Powerset_Z_Box_Iterator, 1877
parma_polyhedra_library::Polyhedron, 1889
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2036, 2037
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2103, 2104
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173
evaluate_objective_function
parma_polyhedra_library::MIP_Problem, 923
expand_space_dimension
parma_polyhedra_library::BD_Shape_double, 110
parma_polyhedra_library::BD_Shape_float, 145
parma_polyhedra_library::BD_Shape_int16_t, 180
parma_polyhedra_library::BD_Shape_int32_t, 215
parma_polyhedra_library::BD_Shape_int64_t, 250
parma_polyhedra_library::BD_Shape_int8_t, 285
parma_polyhedra_library::BD_Shape_long_-double, 320
parma_polyhedra_library::BD_Shape_mpq_-class, 355

parma_polyhedra_library::BD_Shape_mpz_-class, 390
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 467
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 539
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 576
parma_polyhedra_library::Double_Box, 610
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box, 911
parma_polyhedra_library::Octagonal_Shape_-double, 980
parma_polyhedra_library::Octagonal_Shape_-float, 1015
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1050
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1085
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1120
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1155
parma_polyhedra_library::Octagonal_Shape_-long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1262
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1301
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1318
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1354
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1407
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1425
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1443
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1526
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1542
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1558
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1591
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1609
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1626
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1644
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1662
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1680
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1698
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1716
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1734
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1752
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1770
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1787
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1820

parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1837
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1870
parma_polyhedra_library::Polyhedron, 1890
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173
external_memory_in_bytes
parma_polyhedra_library::BD_Shape_double,
111
parma_polyhedra_library::BD_Shape_float,
145
parma_polyhedra_library::BD_Shape_int16_t,
180
parma_polyhedra_library::BD_Shape_int32_t,
215
parma_polyhedra_library::BD_Shape_int64_t,
250
parma_polyhedra_library::BD_Shape_int8_t,
285
parma_polyhedra_library::BD_Shape_long_-
double, 320
parma_polyhedra_library::BD_Shape_mpq_-
class, 355
parma_polyhedra_library::BD_Shape_mpz_-
class, 390
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 467
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 540
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 576
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box,
911
parma_polyhedra_library::Octagonal_Shape_-
double, 980
parma_polyhedra_library::Octagonal_Shape_-
float, 1015
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1050
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1085
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1120
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1155
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1262
parma_polyhedra_library::PIP_Problem, 1285
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1301
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1354
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1407
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1425
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1443
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1526
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1542
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1558
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1591
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1609

parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1626
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1644
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1662
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1680
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1698
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1716
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1734
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1752
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1770
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1787
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1820
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1837
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1870
parma_polyhedra_library::Polyhedron, 1890
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173

fdl.dox, 2187
feasible_point
parma_polyhedra_library::MIP_Problem, 923
finalize
parma_polyhedra_library::BD_Shape_double,
111
parma_polyhedra_library::BD_Shape_float,
145
parma_polyhedra_library::BD_Shape_int16_t,
180
parma_polyhedra_library::BD_Shape_int32_t,
215
parma_polyhedra_library::BD_Shape_int64_t,
250
parma_polyhedra_library::BD_Shape_int8_t,
285
parma_polyhedra_library::BD_Shape_long_-
double, 320
parma_polyhedra_library::BD_Shape_mpq_-
class, 355
parma_polyhedra_library::BD_Shape_mpz_-
class, 390
parma_polyhedra_library::C_Polyhedron, 422
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 467
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 540
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 576
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box,
911
parma_polyhedra_library::MIP_Problem, 923
parma_polyhedra_library::NNC_Polyhedron,
950
parma_polyhedra_library::Octagonal_Shape_-
double, 980
parma_polyhedra_library::Octagonal_Shape_-
float, 1015
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1050
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1085
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1120
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1155
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1262

parma_polyhedra_library::Partial_Function, 1276
parma_polyhedra_library::PIP_Problem, 1285
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1301
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1308
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1344
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1354
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1361
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1379
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1397
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1407
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1415
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1425
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1433
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1443
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1451
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1484
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1493
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1500
parma_polyhedra_library::Pointset_-Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1526
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1542
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1558
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1565
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1574
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1581
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1591
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1598
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1609
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron_Iterator, 1616
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1626
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1634
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1644
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1652
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1662
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-t_Iterator, 1670

parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t, 1680
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_-
t_Iterator, 1688
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t, 1698
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_-
t_Iterator, 1706
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t, 1716
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t_-
Iterator, 1724
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1734
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double_Iterator, 1742
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class, 1752
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_-
class_Iterator, 1760
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class, 1770
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_-
class_Iterator, 1778
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1787
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box_Iterator, 1794
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1820
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box_Iterator, 1828
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1837
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box_Iterator, 1844
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1853
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box_Iterator, 1861
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1870
parma_polyhedra_library::Pointset_-
Powerset_Z_Box_Iterator, 1877
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173
finalize_library
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1272
first
parma_polyhedra_library::Pair< K, V >, 1270
Float_Box
parma_polyhedra_library::Float_Box, 622–633
Float_Box.java, 2187
fold_space_dimensions
parma_polyhedra_library::BD_Shape_double, 111
parma_polyhedra_library::BD_Shape_float, 145
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_-
double, 321
parma_polyhedra_library::BD_Shape_mpq_-
class, 356
parma_polyhedra_library::BD_Shape_mpz_-
class, 391
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 467
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 503
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 540
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 576
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 683
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789

parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box, 911
parma_polyhedra_library::Octagonal_Shape_-double, 980
parma_polyhedra_library::Octagonal_Shape_-float, 1015
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1050
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1085
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1120
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1155
parma_polyhedra_library::Octagonal_Shape_-long_double, 1191
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1262
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1301
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1354
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1407
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1425
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1443
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1494
parma_polyhedra_library::Pointset_-Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1526
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1542
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1558
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1575
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1591
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1609
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1626
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1644
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1662
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1680
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1698
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1716
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1734
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1752
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1770
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1787
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1820
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1837
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1854
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1870
parma_polyhedra_library::Polyhedron, 1890
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173
free
parma_polyhedra_library::BD_Shape_double, 111

parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_double, 321
parma_polyhedra_library::BD_Shape_mpq_class, 356
parma_polyhedra_library::BD_Shape_mpz_class, 391
parma_polyhedra_library::C_Polyhedron, 422
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 467
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 504
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 540
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 576
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 684
parma_polyhedra_library::Int16_Box, 723
parma_polyhedra_library::Int32_Box, 756
parma_polyhedra_library::Int64_Box, 789
parma_polyhedra_library::Int8_Box, 822
parma_polyhedra_library::Long_Double_Box, 911
parma_polyhedra_library::MIP_Problem, 923
parma_polyhedra_library::NNC_Polyhedron, 950
parma_polyhedra_library::Octagonal_Shape_double, 980
parma_polyhedra_library::Octagonal_Shape_float, 1015
parma_polyhedra_library::Octagonal_Shape_int16_t, 1050
parma_polyhedra_library::Octagonal_Shape_int32_t, 1085
parma_polyhedra_library::Octagonal_Shape_int64_t, 1120
parma_polyhedra_library::Octagonal_Shape_int8_t, 1155
parma_polyhedra_library::Octagonal_Shape_long_double, 1192
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1262
parma_polyhedra_library::Partial_Function, 1276
parma_polyhedra_library::PIP_Problem, 1286
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1301
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator, 1309
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1336
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator, 1344
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1354
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator, 1362
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator, 1379
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1389
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator, 1397
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1407
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator, 1415
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1425
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator, 1433
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1443
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator, 1451
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_

Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1477
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1484
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1494
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1501
parma_polyhedra_library::Pointset_-Powerset_Grid, 1510
parma_polyhedra_library::Pointset_-Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1526
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1542
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1558
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1565
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1575
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1582
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1591
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1598
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1609
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron_Iterator, 1616
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1627
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1634
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1644
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1652
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1662
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-t_Iterator, 1670
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1680
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_-t_Iterator, 1688
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1698
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_-t_Iterator, 1706
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1716
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t_-Iterator, 1724
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1734
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double_Iterator, 1742
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1752
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_-class_Iterator, 1760
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1770
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_-class_Iterator, 1778
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1787
parma_polyhedra_library::Pointset_-Powerset_Rational_Box_Iterator, 1794
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1821
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box_Iterator, 1828
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1837
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box_Iterator, 1844

parma_polyhedra_library::Pointset_Powerset_Uint8_Box, 1854
parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator, 1861
parma_polyhedra_library::Pointset_Powerset_Z_Box, 1870
parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator, 1877
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2070
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2137
parma_polyhedra_library::Z_Box, 2173
frequency
parma_polyhedra_library::BD_Shape_double, 111
parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_double, 321
parma_polyhedra_library::BD_Shape_mpq_class, 356
parma_polyhedra_library::BD_Shape_mpz_class, 391
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 684
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 911
parma_polyhedra_library::Octagonal_Shape_double, 980
parma_polyhedra_library::Octagonal_Shape_float, 1015
parma_polyhedra_library::Octagonal_Shape_int16_t, 1050
parma_polyhedra_library::Octagonal_Shape_int32_t, 1085
parma_polyhedra_library::Octagonal_Shape_int64_t, 1120
parma_polyhedra_library::Octagonal_Shape_int8_t, 1155
parma_polyhedra_library::Octagonal_Shape_long_double, 1192
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1227
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1262
parma_polyhedra_library::Polyhedron, 1890
parma_polyhedra_library::Rational_Box, 1926
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2173

generalized_affine_image
parma_polyhedra_library::BD_Shape_double, 111
parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_double, 321
parma_polyhedra_library::BD_Shape_mpq_class, 356
parma_polyhedra_library::BD_Shape_mpz_class, 391
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 467, 468
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 504
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 540
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 576, 577
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 684
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 912
parma_polyhedra_library::Octagonal_Shape_double, 980, 981

parma_polyhedra_library::Octagonal_Shape_-float, 1015, 1016
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1050, 1051
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1085, 1086
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1120, 1121
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1155, 1156
parma_polyhedra_library::Octagonal_Shape_-long_double, 1192
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1263
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1301
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1337
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1354
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1390
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1407
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1425
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1443
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1494
parma_polyhedra_library::Pointset_-Powerset_Grid, 1510, 1511
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1526
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1542
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1558, 1559
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1575
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1591, 1592
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1609
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1627
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1644, 1645
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1662
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1680
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1698
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1716
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1734
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1752
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1770
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1787, 1788
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1821
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1837
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1854
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1870
parma_polyhedra_library::Polyhedron, 1890
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2037
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2104
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2174
generalized_affine_image_lhs_rhs_with_-congruence
parma_polyhedra_library::Grid, 684
generalized_affine_image_with_congruence
parma_polyhedra_library::Grid, 684
generalized_affine_preimage

parma_polyhedra_library::BD_Shape_double, 111
parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_double, 321
parma_polyhedra_library::BD_Shape_mpq_class, 356
parma_polyhedra_library::BD_Shape_mpz_class, 391
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 468
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 504
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 540
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 577
parma_polyhedra_library::Double_Box, 611
parma_polyhedra_library::Float_Box, 644
parma_polyhedra_library::Grid, 684
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 912
parma_polyhedra_library::Octagonal_Shape_double, 981
parma_polyhedra_library::Octagonal_Shape_float, 1016
parma_polyhedra_library::Octagonal_Shape_int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_long_double, 1192
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1263
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1337
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1355
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1372
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1390
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1408
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1461
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1494
parma_polyhedra_library::Pointset_Powerset_Grid, 1511
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1559
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1575
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1592
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1609
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1627
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1645
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1662
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1680
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1698
parma_polyhedra_library::Pointset_-

Powerset_Octagonal_Shape_int8_t, 1716
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1734, 1735
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1752, 1753
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1770, 1771
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1788
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1804
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1821
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1854
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1870
parma_polyhedra_library::Polyhedron, 1890
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2174
generalized_affine_preimage_lhs_rhs_with_-congruence
parma_polyhedra_library::Grid, 684
generalized_affine_preimage_with_congruence
parma_polyhedra_library::Grid, 685
Generator
parma_polyhedra_library::Generator, 651
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 834
Generator.java, 2188
Generator_closure_point_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_div_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_gt_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_le_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_line_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_point_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_ray_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 848
Generator_System
parma_polyhedra_library::Generator_System, 654
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 834
Generator_System.java, 2188
Generator_System_add_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 849
Generator_System_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 849
Generator_Type
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 834
PPL_Java_interface, 42
Generator_Type.java, 2188
Generator_Type_ordinal_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 849
generator_widening_assign
parma_polyhedra_library::Grid, 685
generators
parma_polyhedra_library::Polyhedron, 1890
geometrically_covers
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1319
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1337
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1355

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1390
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1408
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1494
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1511
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1559
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1575
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1592
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1627
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1645
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1663
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1681
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1699
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1717
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1735
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1753
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1771
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1788
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1821
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1854
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1871
geometrically_equals
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1337
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1355
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1390
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1408
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1494
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1511
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1559
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1575
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1592
parma_polyhedra_library::Pointset_-

Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1627
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1645
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1663
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1681
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1699
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1717
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1735
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1753
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1771
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1788
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1821
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1854
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1871
get
parma_polyhedra_library::By_Reference< T >, 397
get_big_parameter_dimension
parma_polyhedra_library::PIP_Problem, 1286
get_by_reference
Parma_Polyhedra_Library::Interfaces::Java, 71
get_control_parameter
parma_polyhedra_library::MIP_Problem, 923
get_disjunct
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1309
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1344
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1362
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1379
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1397
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1415
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1433
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1451
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1485
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1501
parma_polyhedra_library::Pointset_-Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1566
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1582
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1599
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron_Iterator, 1616
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1634
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1652
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-t_Iterator, 1670

parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_-
t_Iterator, 1688
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_-
t_Iterator, 1706
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t_-
Iterator, 1724
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double_Iterator, 1742
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_-
class_Iterator, 1760
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_-
class_Iterator, 1778
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box_Iterator, 1795
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box_Iterator, 1828
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box_Iterator, 1845
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box_Iterator, 1861
parma_polyhedra_library::Pointset_-
Powerset_Z_Box_Iterator, 1877
get_pair_element
Parma_Polyhedra_Library::Interfaces::Java,
71
get_pip_problem_control_parameter
parma_polyhedra_library::PIP_Problem, 1286
get_ptr
Parma_Polyhedra_Library::Interfaces::Java,
71
getBigInteger
parma_polyhedra_library::Coefficient, 425
getFirst
parma_polyhedra_library::Pair< K, V >, 1269
getSecond
parma_polyhedra_library::Pair< K, V >, 1269
gpl.dox, 2189
GREATER_OR_EQUAL
PPL_Java_interface, 45
GREATER_THAN
PPL_Java_interface, 45
Grid
parma_polyhedra_library::Grid, 661–672
Grid.java, 2189
Grid_Generator
parma_polyhedra_library::Grid_Generator,
691
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 834
Grid_Generator.java, 2189
Grid_Generator_div_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 849
Grid_Generator_grid_line_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 849
Grid_Generator_grid_point_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 849
Grid_Generator_gt_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 850
Grid_Generator_le_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 850
Grid_Generator_parameter_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 850
Grid_Generator_System
parma_polyhedra_library::Grid_Generator_-
System, 695
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 834
Grid_Generator_System.java, 2189
Grid_Generator_System_add_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 850
Grid_Generator_System_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 850
Grid_Generator_Type
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 834
PPL_Java_interface, 43
Grid_Generator_Type.java, 2190
Grid_Generator_Type_ordinal_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-

Cache, 850
grid_generators
parma_polyhedra_library::Grid, 685
grid_line
parma_polyhedra_library::Grid_Generator, 692
grid_point
parma_polyhedra_library::Grid_Generator, 692
gt
parma_polyhedra_library::Generator, 653
parma_polyhedra_library::Grid_Generator, 693

H79_widening_assign
parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_double, 321
parma_polyhedra_library::BD_Shape_mpq_class, 356
parma_polyhedra_library::BD_Shape_mpz_class, 391
parma_polyhedra_library::Polyhedron, 1891
handle_exception
Parma_Polyhedra_Library::Interfaces::Java, 72, 73
has_empty_codomain
parma_polyhedra_library::Partial_Function, 1277
hashCode
parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 181
parma_polyhedra_library::BD_Shape_int32_t, 216
parma_polyhedra_library::BD_Shape_int64_t, 251
parma_polyhedra_library::BD_Shape_int8_t, 286
parma_polyhedra_library::BD_Shape_long_double, 321
parma_polyhedra_library::BD_Shape_mpq_class, 356
parma_polyhedra_library::BD_Shape_mpz_class, 391
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 468
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 504
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 577
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Octagonal_Shape_double, 981
parma_polyhedra_library::Octagonal_Shape_float, 1016
parma_polyhedra_library::Octagonal_Shape_int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_long_double, 1192
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1263
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1337
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1355
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1390
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1408
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1462

parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1511
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1559
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1592
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1627
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1645
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1663
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1681
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1699
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1717
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1735
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1753
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1771
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1788
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1821
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891

id
parma_polyhedra_library::Variable, 2144
implies
parma_polyhedra_library::Poly_Con_-
Relation, 1879
parma_polyhedra_library::Poly_Gen_-
Relation, 1882
init_cache
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 831
initialize_library
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1272
initIDs
parma_polyhedra_library::Artificial_-
Parameter, 80
parma_polyhedra_library::Artificial_-
Parameter_Sequence, 81
parma_polyhedra_library::By_Reference< T
>, 397
parma_polyhedra_library::Coefficient, 426
parma_polyhedra_library::Congruence, 428
parma_polyhedra_library::Congruence_-
System, 431
parma_polyhedra_library::Constraint, 433
parma_polyhedra_library::Constraint_System,
436
parma_polyhedra_library::Generator, 652
parma_polyhedra_library::Generator_System,
655
parma_polyhedra_library::Grid_Generator,
692
parma_polyhedra_library::Grid_Generator_-
System, 695
parma_polyhedra_library::Linear_Expression,
863
parma_polyhedra_library::Linear_-
Expression_Coefficient, 866
parma_polyhedra_library::Linear_-
Expression_Difference, 868
parma_polyhedra_library::Linear_-
Expression_Sum, 871
parma_polyhedra_library::Linear_-
Expression_Times, 875
parma_polyhedra_library::Linear_-
Expression_Unary_Minus, 878
parma_polyhedra_library::Linear_-
Expression_Variable, 881
parma_polyhedra_library::Pair< K, V >, 1270

parma_polyhedra_library::Poly_Con_-Relation, 1879
parma_polyhedra_library::Poly_Gen_-Relation, 1883
parma_polyhedra_library::PPL_Object, 1897
parma_polyhedra_library::Variable, 2144
parma_polyhedra_library::Variables_Set, 2145
insert
parma_polyhedra_library::Partial_Function, 1277
Int16_Box
parma_polyhedra_library::Int16_Box, 701–712
Int16_Box.java, 2190
Int32_Box
parma_polyhedra_library::Int32_Box, 734–745
Int32_Box.java, 2190
Int64_Box
parma_polyhedra_library::Int64_Box, 767–778
Int64_Box.java, 2191
Int8_Box
parma_polyhedra_library::Int8_Box, 800–811
Int8_Box.java, 2191
Integer
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 834
Integer_intValue_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 851
integer_space_dimensions
parma_polyhedra_library::MIP_Problem, 924
Integer_valueOf_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 851
intersection_assign
parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 146
parma_polyhedra_library::BD_Shape_int16_t, 182
parma_polyhedra_library::BD_Shape_int32_t, 217
parma_polyhedra_library::BD_Shape_int64_t, 252
parma_polyhedra_library::BD_Shape_int8_t, 287
parma_polyhedra_library::BD_Shape_long_-double, 322
parma_polyhedra_library::BD_Shape_mpq_-class, 357
parma_polyhedra_library::BD_Shape_mpz_-class, 392
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 468
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 504
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 577
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 912
parma_polyhedra_library::Octagonal_Shape_-double, 981
parma_polyhedra_library::Octagonal_Shape_-float, 1016
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_-long_double, 1192
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1263
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1337
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1355
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1390
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1408

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1511
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1559
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1592
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1628
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1645
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1663
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1681
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1699
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1717
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1735
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1753
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1771
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1788
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2174
Invalid_Argument_Exception
parma_polyhedra_library::Invalid_-
Argument_Exception, 828
Invalid_Argument_Exception.java, 2191
IO.java, 2191
irrational_precision
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1272
is_bounded
parma_polyhedra_library::BD_Shape_double,
112
parma_polyhedra_library::BD_Shape_float,
147
parma_polyhedra_library::BD_Shape_int16_t,
182
parma_polyhedra_library::BD_Shape_int32_t,
217
parma_polyhedra_library::BD_Shape_int64_t,
252
parma_polyhedra_library::BD_Shape_int8_t,
287
parma_polyhedra_library::BD_Shape_long_-
double, 322
parma_polyhedra_library::BD_Shape_mpq_-
class, 357
parma_polyhedra_library::BD_Shape_mpz_-
class, 392
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 468
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 504
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 577
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Int16_Box, 724

parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 912
parma_polyhedra_library::Octagonal_Shape_-double, 981
parma_polyhedra_library::Octagonal_Shape_-float, 1016
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_-long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1263
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1355
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1408
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1478
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-Powerset_Grid, 1511
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1559
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1592
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1628
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1645
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1663
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1681
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1699
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1717
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1735
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1753
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1771
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1788
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2174
is_discrete

parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 147
parma_polyhedra_library::BD_Shape_int16_t, 182
parma_polyhedra_library::BD_Shape_int32_t, 217
parma_polyhedra_library::BD_Shape_int64_t, 252
parma_polyhedra_library::BD_Shape_int8_t, 287
parma_polyhedra_library::BD_Shape_long_double, 322
parma_polyhedra_library::BD_Shape_mpq_class, 357
parma_polyhedra_library::BD_Shape_mpz_class, 392
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 468
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 577
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 912
parma_polyhedra_library::Octagonal_Shape_double, 981
parma_polyhedra_library::Octagonal_Shape_float, 1016
parma_polyhedra_library::Octagonal_Shape_int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_long_double, 1193
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1263
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1302
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1355
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1408
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1426
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1444
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_Powerset_Grid, 1511
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1628
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1663
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1681
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1699
parma_polyhedra_library::Pointset_-

Powerset_Octagonal_Shape_int8_t, 1717
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1735
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1753
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1771
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1838
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2174
IS_DISJOINT
parma_polyhedra_library::Poly_Con_-Relation, 1880
is_disjoint
parma_polyhedra_library::Poly_Con_-Relation, 1879
is_disjoint_from
parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 147
parma_polyhedra_library::BD_Shape_int16_t, 182
parma_polyhedra_library::BD_Shape_int32_t, 217
parma_polyhedra_library::BD_Shape_int64_t, 252
parma_polyhedra_library::BD_Shape_int8_t, 287
parma_polyhedra_library::BD_Shape_long_-double, 322
parma_polyhedra_library::BD_Shape_mpq_-class, 357
parma_polyhedra_library::BD_Shape_mpz_-class, 392
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 468
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 577
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box, 912
parma_polyhedra_library::Octagonal_Shape_-double, 981
parma_polyhedra_library::Octagonal_Shape_-float, 1016
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_-long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1228
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1263
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1409
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1427

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1445
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1512
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1527
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1543
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1628
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1663
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1681
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1699
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1717
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1735
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1753
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1771
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2071
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2138
parma_polyhedra_library::Z_Box, 2174
is_empty
parma_polyhedra_library::BD_Shape_double,
112
parma_polyhedra_library::BD_Shape_float,
147
parma_polyhedra_library::BD_Shape_int16_t,
182
parma_polyhedra_library::BD_Shape_int32_t,
217
parma_polyhedra_library::BD_Shape_int64_t,
252
parma_polyhedra_library::BD_Shape_int8_t,
287
parma_polyhedra_library::BD_Shape_long_-
double, 322
parma_polyhedra_library::BD_Shape_mpq_-
class, 357
parma_polyhedra_library::BD_Shape_mpz_-
class, 392
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 469
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 578
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Int16_Box, 724
parma_polyhedra_library::Int32_Box, 757
parma_polyhedra_library::Int64_Box, 790
parma_polyhedra_library::Int8_Box, 823
parma_polyhedra_library::Long_Double_Box,
912
parma_polyhedra_library::Octagonal_Shape_-
double, 981
parma_polyhedra_library::Octagonal_Shape_-
float, 1016

parma_polyhedra_library::Octagonal_Shape_-int16_t, 1051
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1086
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1121
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1156
parma_polyhedra_library::Octagonal_Shape_-long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1264
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1373
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1409
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1427
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1445
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-Powerset_Grid, 1512
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1610
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1628
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1663
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1681
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1699
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1717
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1736
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1754
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1772
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1927
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2174
IS_INCLUDED
parma_polyhedra_library::Poly_Con_-Relation, 1880
is_included
parma_polyhedra_library::Poly_Con_-Relation, 1879
is_java_marked
Parma_Polyhedra_Library::Interfaces::Java, 73
is_satisfiable

parma_polyhedra_library::MIP_Problem, 924
parma_polyhedra_library::PIP_Problem, 1286
is_topologically_closed
parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 147
parma_polyhedra_library::BD_Shape_int16_t, 182
parma_polyhedra_library::BD_Shape_int32_t, 217
parma_polyhedra_library::BD_Shape_int64_t, 252
parma_polyhedra_library::BD_Shape_int8_t, 287
parma_polyhedra_library::BD_Shape_long_double, 322
parma_polyhedra_library::BD_Shape_mpq_class, 357
parma_polyhedra_library::BD_Shape_mpz_class, 392
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 469
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 578
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 685
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box, 913
parma_polyhedra_library::Octagonal_Shape_double, 982
parma_polyhedra_library::Octagonal_Shape_float, 1017
parma_polyhedra_library::Octagonal_Shape_int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_int32_t, 1087
parma_polyhedra_library::Octagonal_Shape_int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_long_double, 1193
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1264
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1409
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1427
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1445
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1462
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_Powerset_Grid, 1512
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1628
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1664
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1682
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t,

1700
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1718
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1736
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1754
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1772
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1805
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1928
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2174
is_universe
parma_polyhedra_library::BD_Shape_double, 112
parma_polyhedra_library::BD_Shape_float, 147
parma_polyhedra_library::BD_Shape_int16_t, 182
parma_polyhedra_library::BD_Shape_int32_t, 217
parma_polyhedra_library::BD_Shape_int64_t, 252
parma_polyhedra_library::BD_Shape_int8_t, 287
parma_polyhedra_library::BD_Shape_long_-double, 322
parma_polyhedra_library::BD_Shape_mpq_-class, 357
parma_polyhedra_library::BD_Shape_mpz_-class, 392
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 469
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 578
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 686
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box, 913
parma_polyhedra_library::Octagonal_Shape_-double, 982
parma_polyhedra_library::Octagonal_Shape_-float, 1017
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1087
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_-long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1264
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1320
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1409
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1427
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1445
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1463

parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1512
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1628
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1664
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1682
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1700
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1718
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1736
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1754
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1772
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1871
parma_polyhedra_library::Polyhedron, 1891
parma_polyhedra_library::Rational_Box, 1928
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2175
is_zero
parma_polyhedra_library::Linear_Expression,
863
Iterator
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 835

j_int_to_j_integer
Parma_Polyhedra_Library::Interfaces::Java,
74
j_integer_to_j_int
Parma_Polyhedra_Library::Interfaces::Java,
74
j_long_class_to_j_long
Parma_Polyhedra_Library::Interfaces::Java,
74
j_long_to_j_long_class
Parma_Polyhedra_Library::Interfaces::Java,
74
Java Language Interface, 37
Java_Class_Cache
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 830, 831
Java_parma_1polyhedra_1library_Artificial_-
1Parameter_1Sequence_initIDs
ppl_java_globals.cc, 2248
Java_parma_1polyhedra_1library_Artificial_-
1Parameter_ascii_1dump
ppl_java_globals.cc, 2248
Java_parma_1polyhedra_1library_Artificial_-
1Parameter_initIDs
ppl_java_globals.cc, 2248
Java_parma_1polyhedra_1library_Artificial_-
1Parameter_toString
ppl_java_globals.cc, 2248
Java_parma_1polyhedra_1library_Bounded_-
1Integer_1Type_1Overflow_initIDs
ppl_java_globals.cc, 2249
Java_parma_1polyhedra_1library_Bounded_-
1Integer_1Type_1Representation_initIDs
ppl_java_globals.cc, 2249
Java_parma_1polyhedra_1library_Bounded_-
1Integer_1Type_1Width_initIDs

ppl_java_globals.cc, 2249
Java_parma_1polyhedra_1library_By_-1Reference_initIDs
ppl_java_globals.cc, 2249
Java_parma_1polyhedra_1library_Coefficient_bits
ppl_java_globals.cc, 2250
Java_parma_1polyhedra_1library_Coefficient_-initIDs
ppl_java_globals.cc, 2250
Java_parma_1polyhedra_1library_Complexity_-1Class_initIDs
ppl_java_globals.cc, 2250
Java_parma_1polyhedra_1library_Congruence_-1System_ascii_1dump
ppl_java_globals.cc, 2250
Java_parma_1polyhedra_1library_Congruence_-1System_initIDs
ppl_java_globals.cc, 2251
Java_parma_1polyhedra_1library_Congruence_-1System_toString
ppl_java_globals.cc, 2251
Java_parma_1polyhedra_1library_Congruence_-ascii_1dump
ppl_java_globals.cc, 2251
Java_parma_1polyhedra_1library_Congruence_-initIDs
ppl_java_globals.cc, 2251
Java_parma_1polyhedra_1library_Congruence_-toString
ppl_java_globals.cc, 2251
Java_parma_1polyhedra_1library_Constraint_-1System_ascii_1dump
ppl_java_globals.cc, 2251
Java_parma_1polyhedra_1library_Constraint_-1System_initIDs
ppl_java_globals.cc, 2252
Java_parma_1polyhedra_1library_Constraint_-1System_toString
ppl_java_globals.cc, 2252
Java_parma_1polyhedra_1library_Constraint_-ascii_1dump
ppl_java_globals.cc, 2252
Java_parma_1polyhedra_1library_Constraint_-initIDs
ppl_java_globals.cc, 2252
Java_parma_1polyhedra_1library_Constraint_-toString
ppl_java_globals.cc, 2253
Java_parma_1polyhedra_1library_Degenerate_-1Element_initIDs
ppl_java_globals.cc, 2253
Java_parma_1polyhedra_1library_Generator_-1System_ascii_1dump
ppl_java_globals.cc, 2253
Java_parma_1polyhedra_1library_Generator_-1System_initIDs
ppl_java_globals.cc, 2253
Java_parma_1polyhedra_1library_Generator_-1System_toString
ppl_java_globals.cc, 2253
Java_parma_1polyhedra_1library_Generator_-1Type_initIDs
ppl_java_globals.cc, 2253
Java_parma_1polyhedra_1library_Generator_-ascii_1dump
ppl_java_globals.cc, 2254
Java_parma_1polyhedra_1library_Generator_-initIDs
ppl_java_globals.cc, 2254
Java_parma_1polyhedra_1library_Generator_-toString
ppl_java_globals.cc, 2254
Java_parma_1polyhedra_1library_Grid_-1Generator_1System_ascii_1dump
ppl_java_globals.cc, 2254
Java_parma_1polyhedra_1library_Grid_-1Generator_1System_initIDs
ppl_java_globals.cc, 2254
Java_parma_1polyhedra_1library_Grid_-1Generator_1System_toString
ppl_java_globals.cc, 2255
Java_parma_1polyhedra_1library_Grid_-1Generator_1Type_initIDs
ppl_java_globals.cc, 2255
Java_parma_1polyhedra_1library_Grid_-1Generator_ascii_1dump
ppl_java_globals.cc, 2255
Java_parma_1polyhedra_1library_Grid_-1Generator_initIDs
ppl_java_globals.cc, 2255
Java_parma_1polyhedra_1library_Grid_-1Generator_toString
ppl_java_globals.cc, 2255
Java_parma_1polyhedra_1library_IO_wrap_1string
ppl_java_globals.cc, 2256
Java_parma_1polyhedra_1library_Linear_-1Expression_1Coefficient_initIDs
ppl_java_globals.cc, 2256
Java_parma_1polyhedra_1library_Linear_-1Expression_1Difference_initIDs
ppl_java_globals.cc, 2256
Java_parma_1polyhedra_1library_Linear_-1Expression_1Sum_initIDs
ppl_java_globals.cc, 2256
Java_parma_1polyhedra_1library_Linear_-1Expression_1Times_initIDs
ppl_java_globals.cc, 2256

Java_parma_1polyhedra_1library_Linear_-
1Expression_1Unary_1Minus_initIDs
ppl_java_globals.cc, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Variable_initIDs
ppl_java_globals.cc, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_all_1homogeneous_-
1terms_1are_1zero
ppl_java_globals.cc, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_ascii_1dump
ppl_java_globals.cc, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_initIDs
ppl_java_globals.cc, 2258
Java_parma_1polyhedra_1library_Linear_-
1Expression_is_1zero
ppl_java_globals.cc, 2258
Java_parma_1polyhedra_1library_Linear_-
1Expression_toString
ppl_java_globals.cc, 2258
Java_parma_1polyhedra_1library_MIP_-
1Problem_1Status_initIDs
ppl_java_globals.cc, 2258
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1constraint
ppl_java_globals.cc, 2258
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1constraints
ppl_java_globals.cc, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1space_1dimensions_-
1and_1embed
ppl_java_globals.cc, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1to_1integer_1space_-
1dimensions
ppl_java_globals.cc, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_ascii_1dump
ppl_java_globals.cc, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_build_1cpp_1object__J
ppl_java_globals.cc, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_build_1cpp_1object__-
Lparma_1polyhedra_1library_MIP_-
1Problem_2
ppl_java_globals.cc, 2260
Java_parma_1polyhedra_1library_MIP_-
1Problem_clear
ppl_java_globals.cc, 2260
Java_parma_1polyhedra_1library_MIP_-
1Problem_constraints
ppl_java_globals.cc, 2260
Java_parma_1polyhedra_1library_MIP_-
1Problem_evaluate_1objective_1function
ppl_java_globals.cc, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_feasible_1point
ppl_java_globals.cc, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_finalize
ppl_java_globals.cc, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_free
ppl_java_globals.cc, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_get_1control_1parameter
ppl_java_globals.cc, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_integer_1space_1dimensions
ppl_java_globals.cc, 2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_is_1satisfiable
ppl_java_globals.cc, 2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_max_1space_1dimension
ppl_java_globals.cc, 2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_objective_1function
ppl_java_globals.cc, 2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_OK
ppl_java_globals.cc, 2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_optimal_1value
ppl_java_globals.cc, 2263
Java_parma_1polyhedra_1library_MIP_-
1Problem_optimization_1mode
ppl_java_globals.cc, 2263
Java_parma_1polyhedra_1library_MIP_-
1Problem_optimizing_1point
ppl_java_globals.cc, 2263
Java_parma_1polyhedra_1library_MIP_-
1Problem_set_1control_1parameter
ppl_java_globals.cc, 2263
Java_parma_1polyhedra_1library_MIP_-
1Problem_set_1objective_1function
ppl_java_globals.cc, 2263
Java_parma_1polyhedra_1library_MIP_-
1Problem_set_1optimization_1mode
ppl_java_globals.cc, 2264
Java_parma_1polyhedra_1library_MIP_-
1Problem_solve
ppl_java_globals.cc, 2264

Java_parma_1polyhedra_1library_MIP_-1Problem_space_1dimension
ppl_java_globals.cc, 2264
Java_parma_1polyhedra_1library_MIP_-1Problem_toString
ppl_java_globals.cc, 2264
Java_parma_1polyhedra_1library_MIP_-1Problem_total_1memory_1in_1bytes
ppl_java_globals.cc, 2264
Java_parma_1polyhedra_1library_Optimization_-1Mode_initIDs
ppl_java_globals.cc, 2265
Java_parma_1polyhedra_1library_Pair_initIDs
ppl_java_globals.cc, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_banner
ppl_java_globals.cc, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_finalize_1library
ppl_java_globals.cc, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_initialize_1library
ppl_java_globals.cc, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_irrational_-1precision
ppl_java_globals.cc, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_reset_-1deterministic_1timeout
ppl_java_globals.cc, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_reset_1timeout
ppl_java_globals.cc, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_restore_1pre_-1PPL_1rounding
ppl_java_globals.cc, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_-1deterministic_1timeout
ppl_java_globals.cc, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1irrational_-1precision
ppl_java_globals.cc, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1rounding_-1for_1PPL
ppl_java_globals.cc, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1timeout
ppl_java_globals.cc, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version
ppl_java_globals.cc, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1beta
ppl_java_globals.cc, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1major
ppl_java_globals.cc, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1minor
ppl_java_globals.cc, 2268
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1revision
ppl_java_globals.cc, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_build_1cpp_1object
ppl_java_globals.cc, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_finalize
ppl_java_globals.cc, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_free
ppl_java_globals.cc, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_has_1empty_1codomain
ppl_java_globals.cc, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_insert
ppl_java_globals.cc, 2269
Java_parma_1polyhedra_1library_Partial_-1Function_maps
ppl_java_globals.cc, 2269
Java_parma_1polyhedra_1library_Partial_-1Function_max_1in_1codomain
ppl_java_globals.cc, 2269
Java_parma_1polyhedra_1library_PIP_1_-problem_finalize
ppl_java_globals.cc, 2269
Java_parma_1polyhedra_1library_PIP_1Decision_-1Node_child_1node
ppl_java_globals.cc, 2269
Java_parma_1polyhedra_1library_PIP_1Problem_-1Status_initIDs
ppl_java_globals.cc, 2270
Java_parma_1polyhedra_1library_PIP_1Problem_-add_1constraint
ppl_java_globals.cc, 2270
Java_parma_1polyhedra_1library_PIP_1Problem_-add_1constraints
ppl_java_globals.cc, 2270
Java_parma_1polyhedra_1library_PIP_1Problem_-add_1space_1dimensions_1and_1embed
ppl_java_globals.cc, 2270

Java_parma_1polyhedra_1library_PIP_1Problem_-
add_1to_1parameter_1space_-
1dimensions
ppl_java_globals.cc, 2270
Java_parma_1polyhedra_1library_PIP_1Problem_-
ascii_1dump
ppl_java_globals.cc, 2271
Java_parma_1polyhedra_1library_PIP_1Problem_-
build_1cpp_1object__J
ppl_java_globals.cc, 2271
Java_parma_1polyhedra_1library_PIP_1Problem_-
build_1cpp_1object__Lparma_-
1polyhedra_1library_PIP_1Problem_2
ppl_java_globals.cc, 2271
Java_parma_1polyhedra_1library_PIP_1Problem_-
constraint_1at_1index
ppl_java_globals.cc, 2271
Java_parma_1polyhedra_1library_PIP_1Problem_-
constraints
ppl_java_globals.cc, 2272
Java_parma_1polyhedra_1library_PIP_1Problem_-
external_1memory_1in_1bytes
ppl_java_globals.cc, 2272
Java_parma_1polyhedra_1library_PIP_1Problem_-
free
ppl_java_globals.cc, 2272
Java_parma_1polyhedra_1library_PIP_1Problem_-
get_1big_1parameter_1dimension
ppl_java_globals.cc, 2272
Java_parma_1polyhedra_1library_PIP_1Problem_-
get_1pip_1problem_1control_1parameter
ppl_java_globals.cc, 2272
Java_parma_1polyhedra_1library_PIP_1Problem_-
is_1satisfiable
ppl_java_globals.cc, 2273
Java_parma_1polyhedra_1library_PIP_1Problem_-
max_1space_1dimension
ppl_java_globals.cc, 2273
Java_parma_1polyhedra_1library_PIP_1Problem_-
number_1of_1constraints
ppl_java_globals.cc, 2273
Java_parma_1polyhedra_1library_PIP_1Problem_-
number_1of_1parameter_1space_-
1dimensions
ppl_java_globals.cc, 2273
Java_parma_1polyhedra_1library_PIP_1Problem_-
OK
ppl_java_globals.cc, 2273
Java_parma_1polyhedra_1library_PIP_1Problem_-
optimizing_1solution
ppl_java_globals.cc, 2274
Java_parma_1polyhedra_1library_PIP_1Problem_-
parameter_1space_1dimensions
ppl_java_globals.cc, 2274
Java_parma_1polyhedra_1library_PIP_1Problem_-
set_1big_1parameter_1dimension
ppl_java_globals.cc, 2274
Java_parma_1polyhedra_1library_PIP_1Problem_-
set_1pip_1problem_1control_1parameter
ppl_java_globals.cc, 2274
Java_parma_1polyhedra_1library_PIP_1Problem_-
solution
ppl_java_globals.cc, 2274
Java_parma_1polyhedra_1library_PIP_1Problem_-
solve
ppl_java_globals.cc, 2275
Java_parma_1polyhedra_1library_PIP_1Problem_-
space_1dimension
ppl_java_globals.cc, 2275
Java_parma_1polyhedra_1library_PIP_1Problem_-
toString
ppl_java_globals.cc, 2275
Java_parma_1polyhedra_1library_PIP_1Problem_-
total_1memory_1in_1bytes
ppl_java_globals.cc, 2275
Java_parma_1polyhedra_1library_PIP_1Solution_-
1Node_parametric_1values
ppl_java_globals.cc, 2275
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_artificials
ppl_java_globals.cc, 2276
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_as_1decision
ppl_java_globals.cc, 2276
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_as_1solution
ppl_java_globals.cc, 2276
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_constraints
ppl_java_globals.cc, 2276
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_finalize
ppl_java_globals.cc, 2277
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_free
ppl_java_globals.cc, 2277
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_number_1of_1artificials
ppl_java_globals.cc, 2277
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_OK
ppl_java_globals.cc, 2277
Java_parma_1polyhedra_1library_PIP_1Tree_-
1Node_toString
ppl_java_globals.cc, 2277
Java_parma_1polyhedra_1library_Poly_1Con_-
1Relation_initIDs
ppl_java_globals.cc, 2277

Java_parma_1polyhedra_1library_Poly_1Gen_-
1Relation_initIDs
ppl_java_globals.cc, 2278
Java_parma_1polyhedra_1library_PPL_1Object_-
initIDs
ppl_java_globals.cc, 2278
Java_parma_1polyhedra_1library_Relation_-
1Symbol_initIDs
ppl_java_globals.cc, 2278
Java_parma_1polyhedra_1library_Variable_initIDs
ppl_java_globals.cc, 2278
Java_parma_1polyhedra_1library_Variables_1Set_-
initIDs
ppl_java_globals.cc, 2278
jtype_to_unsigned
Parma_Polyhedra_Library::Interfaces::Java,
74

kind
parma_polyhedra_library::Constraint, 433,
434

le
parma_polyhedra_library::Artificial_-
Parameter, 80
parma_polyhedra_library::Generator, 653
parma_polyhedra_library::Grid_Generator,
694
left_hand_side
parma_polyhedra_library::Congruence, 429
parma_polyhedra_library::Constraint, 434
parma_polyhedra_library::Linear_-
Expression_Difference, 869
parma_polyhedra_library::Linear_-
Expression_Sum, 872
Length_Error_Exception
parma_polyhedra_library::Length_Error_-
Exception, 860
Length_Error_Exception.java, 2192
LESS_OR_EQUAL
PPL_Java_interface, 44
LESS_THAN
PPL_Java_interface, 44
lhs
parma_polyhedra_library::Congruence, 429
parma_polyhedra_library::Constraint, 434
parma_polyhedra_library::Linear_-
Expression_Difference, 869
parma_polyhedra_library::Linear_-
Expression_Sum, 872
limited_BHMZ05_extrapolation_assign
parma_polyhedra_library::BD_Shape_double,
112
parma_polyhedra_library::BD_Shape_float,
147
parma_polyhedra_library::BD_Shape_int16_t,
182
parma_polyhedra_library::BD_Shape_int32_t,
217
parma_polyhedra_library::BD_Shape_int64_t,
252
parma_polyhedra_library::BD_Shape_int8_t,
287
parma_polyhedra_library::BD_Shape_long_-
double, 322
parma_polyhedra_library::BD_Shape_mpq_-
class, 357
parma_polyhedra_library::BD_Shape_mpz_-
class, 392
parma_polyhedra_library::Octagonal_Shape_-
double, 982
parma_polyhedra_library::Octagonal_Shape_-
float, 1017
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1087
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1264
limited_BHRZ03_extrapolation_assign
parma_polyhedra_library::Polyhedron, 1891
limited_CC76_extrapolation_assign
parma_polyhedra_library::BD_Shape_double,
113
parma_polyhedra_library::BD_Shape_float,
147
parma_polyhedra_library::BD_Shape_int16_t,
182
parma_polyhedra_library::BD_Shape_int32_t,
217
parma_polyhedra_library::BD_Shape_int64_t,
252
parma_polyhedra_library::BD_Shape_int8_t,
287
parma_polyhedra_library::BD_Shape_long_-
double, 322
parma_polyhedra_library::BD_Shape_mpq_-
class, 357

parma_polyhedra_library::BD_Shape_mpz_-class, 392
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box, 913
parma_polyhedra_library::Octagonal_Shape_-double, 982
parma_polyhedra_library::Octagonal_Shape_-float, 1017
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1087
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_-long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1264
parma_polyhedra_library::Rational_Box, 1928
parma_polyhedra_library::Uint16_Box, 2038
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2105
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2175
limited_congruence_extrapolation_assign
parma_polyhedra_library::Grid, 686
limited_generator_extrapolation_assign
parma_polyhedra_library::Grid, 686
limited_H79_extrapolation_assign
parma_polyhedra_library::BD_Shape_double, 113
parma_polyhedra_library::BD_Shape_float, 147
parma_polyhedra_library::BD_Shape_int16_t, 182
parma_polyhedra_library::BD_Shape_int32_t, 217
parma_polyhedra_library::BD_Shape_int64_t, 252
parma_polyhedra_library::BD_Shape_int8_t, 287
parma_polyhedra_library::BD_Shape_long_-double, 322
parma_polyhedra_library::BD_Shape_mpq_-class, 357
parma_polyhedra_library::BD_Shape_mpz_-class, 392
parma_polyhedra_library::Polyhedron, 1892
lin_expr
parma_polyhedra_library::Linear_-Expression_Times, 876
LINE
PPL_Java_interface, 43
line
parma_polyhedra_library::Generator, 652
Linear_Expression
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 835
linear_expression
parma_polyhedra_library::Artificial_-Parameter, 80
parma_polyhedra_library::Generator, 652
parma_polyhedra_library::Grid_Generator, 692
parma_polyhedra_library::Linear_-Expression_Times, 875
Linear_Expression.java, 2192
Linear_Expression_Coefficient
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 835
parma_polyhedra_library::Linear_-Expression_Coefficient, 865
Linear_Expression_Coefficient.java, 2192
Linear_Expression_Coefficient_coeff_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 851
Linear_Expression_Coefficient_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 851
Linear_Expression_Difference
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 835
parma_polyhedra_library::Linear_-Expression_Difference, 868
Linear_Expression_Difference.java, 2193
Linear_Expression_Difference_lhs_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 851
Linear_Expression_Difference_rhs_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-

Cache, 851
Linear_Expression_Sum
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 835
parma_polyhedra_library::Linear_-
Expression_Sum, 871
Linear_Expression_Sum.java, 2193
Linear_Expression_sum_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 852
Linear_Expression_Sum_lhs_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 852
Linear_Expression_Sum_rhs_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 852
Linear_Expression_Times
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 835
parma_polyhedra_library::Linear_-
Expression_Times, 874
Linear_Expression_Times.java, 2193
Linear_Expression_Times_coeff_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 852
Linear_Expression_times_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 852
Linear_Expression_Times_init_from_coeff_var_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 852
Linear_Expression_Times_lin_expr_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 853
Linear_Expression_Unary_Minus
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 836
parma_polyhedra_library::Linear_-
Expression_Unary_Minus, 878
Linear_Expression_Unary_Minus.java, 2193
Linear_Expression_Unary_Minus_arg_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 853
Linear_Expression_Variable
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 836
parma_polyhedra_library::Linear_-
Expression_Variable, 880
Linear_Expression_Variable.java, 2194
Linear_Expression_Variable_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 853
Linear_Expression_Variable_var_id_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 853
linear_partition
parma_polyhedra_library::BD_Shape_double,
113
parma_polyhedra_library::BD_Shape_float,
147
parma_polyhedra_library::BD_Shape_int16_t,
183
parma_polyhedra_library::BD_Shape_int32_t,
218
parma_polyhedra_library::BD_Shape_int64_t,
253
parma_polyhedra_library::BD_Shape_int8_t,
288
parma_polyhedra_library::BD_Shape_long_-
double, 323
parma_polyhedra_library::BD_Shape_mpq_-
class, 358
parma_polyhedra_library::BD_Shape_mpz_-
class, 393
parma_polyhedra_library::C_Polyhedron, 422
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box,
913
parma_polyhedra_library::NNC_Polyhedron,
951
parma_polyhedra_library::Octagonal_Shape_-
double, 982
parma_polyhedra_library::Octagonal_Shape_-
float, 1017
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1087

parma_polyhedra_library::Octagonal_Shape_-int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_-long_double, 1193
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1264
parma_polyhedra_library::Rational_Box, 1928
parma_polyhedra_library::Uint16_Box, 2039
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2106
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2175
Logic_Error_Exception
parma_polyhedra_library::Logic_Error_-Exception, 882
Logic_Error_Exception.java, 2194
Long
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 836
Long_Double_Box
parma_polyhedra_library::Long_Double_Box, 888–900
Long_Double_Box.java, 2194
Long_longValue_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 853
Long_valueOf_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 853

map_space_dimensions
parma_polyhedra_library::BD_Shape_double, 113
parma_polyhedra_library::BD_Shape_float, 148
parma_polyhedra_library::BD_Shape_int16_t, 183
parma_polyhedra_library::BD_Shape_int32_t, 218
parma_polyhedra_library::BD_Shape_int64_t, 253
parma_polyhedra_library::BD_Shape_int8_t, 288
parma_polyhedra_library::BD_Shape_long_-double, 323
parma_polyhedra_library::BD_Shape_mpq_-class, 358
parma_polyhedra_library::BD_Shape_mpz_-class, 393
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 469
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 541
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 578
parma_polyhedra_library::Double_Box, 612
parma_polyhedra_library::Float_Box, 645
parma_polyhedra_library::Grid, 686
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box, 913
parma_polyhedra_library::Octagonal_Shape_-double, 982
parma_polyhedra_library::Octagonal_Shape_-float, 1017
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1087
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_-long_double, 1194
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1264
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1409
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1427

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1445
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1463
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1495
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1512
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1576
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1628
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1664
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1682
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1700
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1718
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1736
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1754
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1772
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1822
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1855
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1872
parma_polyhedra_library::Polyhedron, 1892
parma_polyhedra_library::Rational_Box, 1928
parma_polyhedra_library::Uint16_Box, 2039
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2106
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2175
maps
parma_polyhedra_library::Partial_Function,
1277
mask_value
parma_polyhedra_library::Poly_Con_-
Relation, 1880
parma_polyhedra_library::Poly_Gen_-
Relation, 1883
max_in_codomain
parma_polyhedra_library::Partial_Function,
1277
max_space_dimension
parma_polyhedra_library::MIP_Problem, 924
parma_polyhedra_library::PIP_Problem, 1286
MAXIMIZATION
PPL_Java_interface, 43
maximize
parma_polyhedra_library::BD_Shape_double,
113
parma_polyhedra_library::BD_Shape_float,
148
parma_polyhedra_library::BD_Shape_int16_t,
183
parma_polyhedra_library::BD_Shape_int32_t,
218
parma_polyhedra_library::BD_Shape_int64_t,
253
parma_polyhedra_library::BD_Shape_int8_t,
288
parma_polyhedra_library::BD_Shape_long_-
double, 323
parma_polyhedra_library::BD_Shape_mpq_-
class, 358
parma_polyhedra_library::BD_Shape_mpz_-
class, 393
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 469
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 505
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 542

parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 578
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 686
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box,
913
parma_polyhedra_library::Octagonal_Shape_-
double, 982
parma_polyhedra_library::Octagonal_Shape_-
float, 1017
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1052
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1087
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1122
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1157
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1194
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1229
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1264
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1338
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1391
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1409
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1427
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1445
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1463
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1479
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1495, 1496
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1512
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1560
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1576, 1577
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1593
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1628, 1629
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1646
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1664
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1682
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1700
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1718
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1736
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1754
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1772
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1789
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1822, 1823
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1872
parma_polyhedra_library::Polyhedron, 1892
parma_polyhedra_library::Rational_Box, 1928

parma_polyhedra_library::Uint16_Box, 2039
parma_polyhedra_library::Uint32_Box, 2072
parma_polyhedra_library::Uint64_Box, 2106
parma_polyhedra_library::Uint8_Box, 2139
parma_polyhedra_library::Z_Box, 2175
MINIMIZATION
PPL_Java_interface, 43
minimize
parma_polyhedra_library::BD_Shape_double, 113
parma_polyhedra_library::BD_Shape_float, 148
parma_polyhedra_library::BD_Shape_int16_t, 183
parma_polyhedra_library::BD_Shape_int32_t, 218
parma_polyhedra_library::BD_Shape_int64_t, 253
parma_polyhedra_library::BD_Shape_int8_t, 288
parma_polyhedra_library::BD_Shape_long_-double, 323
parma_polyhedra_library::BD_Shape_mpq_-class, 358
parma_polyhedra_library::BD_Shape_mpz_-class, 393
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 469
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 505, 506
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 542
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 578
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 686
parma_polyhedra_library::Int16_Box, 725
parma_polyhedra_library::Int32_Box, 758
parma_polyhedra_library::Int64_Box, 791
parma_polyhedra_library::Int8_Box, 824
parma_polyhedra_library::Long_Double_Box, 913
parma_polyhedra_library::Octagonal_Shape_-double, 982, 983
parma_polyhedra_library::Octagonal_Shape_-float, 1017, 1018
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1052, 1053
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1087, 1088
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1122, 1123
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1157, 1158
parma_polyhedra_library::Octagonal_Shape_-long_double, 1194
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1265
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1303
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1356
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1409, 1410
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1427, 1428
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1445, 1446
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1463
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1479, 1480
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_-Powerset_Grid, 1512
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1560, 1561
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1593, 1594
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1629
parma_polyhedra_library::Pointset_-

Powerset_Octagonal_Shape_float, 1646, 1647
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1664
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1682
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1700
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t, 1718
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double, 1736
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class, 1754
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class, 1772
parma_polyhedra_library::Pointset_Powerset_Rational_Box, 1789, 1790
parma_polyhedra_library::Pointset_Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_Powerset_Uint64_Box, 1839
parma_polyhedra_library::Pointset_Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_Powerset_Z_Box, 1872
parma_polyhedra_library::Polyhedron, 1892
parma_polyhedra_library::Rational_Box, 1928
parma_polyhedra_library::Uint16_Box, 2039
parma_polyhedra_library::Uint32_Box, 2072, 2073
parma_polyhedra_library::Uint64_Box, 2106
parma_polyhedra_library::Uint8_Box, 2139, 2140
parma_polyhedra_library::Z_Box, 2175
minimized_congruences
parma_polyhedra_library::BD_Shape_double, 114
parma_polyhedra_library::BD_Shape_float, 148
parma_polyhedra_library::BD_Shape_int16_t, 183
parma_polyhedra_library::BD_Shape_int32_t, 218
parma_polyhedra_library::BD_Shape_int64_t, 253
parma_polyhedra_library::BD_Shape_int8_t, 288
parma_polyhedra_library::BD_Shape_long_double, 323
parma_polyhedra_library::BD_Shape_mpq_class, 358
parma_polyhedra_library::BD_Shape_mpz_class, 393
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 686
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::Octagonal_Shape_double, 983
parma_polyhedra_library::Octagonal_Shape_float, 1018
parma_polyhedra_library::Octagonal_Shape_int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_long_double, 1194
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1265
parma_polyhedra_library::Polyhedron, 1892
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2039
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2106
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2175
minimized_constraints
parma_polyhedra_library::BD_Shape_double, 114
parma_polyhedra_library::BD_Shape_float, 148
parma_polyhedra_library::BD_Shape_int16_t, 183
parma_polyhedra_library::BD_Shape_int32_t, 218
parma_polyhedra_library::BD_Shape_int64_t, 253

parma_polyhedra_library::BD_Shape_int8_t, 288
parma_polyhedra_library::BD_Shape_long_-double, 323
parma_polyhedra_library::BD_Shape_mpq_-class, 358
parma_polyhedra_library::BD_Shape_mpz_-class, 393
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 687
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::Octagonal_Shape_-double, 983
parma_polyhedra_library::Octagonal_Shape_-float, 1018
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_-long_double, 1194
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1265
parma_polyhedra_library::Polyhedron, 1892
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2039
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2106
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2176

minimized_generators
parma_polyhedra_library::Polyhedron, 1892

minimized_grid_generators
parma_polyhedra_library::Grid, 687

MIP_Problem
parma_polyhedra_library::MIP_Problem, 920, 921

MIP_Problem.java, 2195

MIP_Problem_Status
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 836
PPL_Java_interface, 43

MIP_Problem_Status.java, 2195

MIP_Problem_Status_OPTIMIZED_MIP_-PROBLEM_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 854

MIP_Problem_Status_ordinal_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 854

MIP_Problem_Status_UNBOUNDED_MIP_-PROBLEM_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 854

MIP_Problem_Status_UNFEASIBLE_MIP_-PROBLEM_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 854

mod
parma_polyhedra_library::Congruence, 429

modulus
parma_polyhedra_library::Congruence, 429

next
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1309
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1326
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1344
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1362
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1380
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1397
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1415
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1433
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1451

parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron_Iterator, 1468
parma_polyhedra_library::Pointset_-
Powerset_Double_Box_Iterator, 1485
parma_polyhedra_library::Pointset_-
Powerset_Float_Box_Iterator, 1501
parma_polyhedra_library::Pointset_-
Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box_Iterator, 1566
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box_Iterator, 1582
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box_Iterator,
1599
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron_Iterator,
1617
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double_-
Iterator, 1634
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float_-
Iterator, 1652
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_-
t_Iterator, 1670
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_-
t_Iterator, 1688
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_-
t_Iterator, 1706
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t_-
Iterator, 1724
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double_Iterator, 1742
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_-
class_Iterator, 1760
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_-
class_Iterator, 1778
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box_Iterator, 1795
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box_Iterator, 1828
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box_Iterator, 1845
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box_Iterator, 1861
parma_polyhedra_library::Pointset_-
Powerset_Z_Box_Iterator, 1877
NNC_Polyhedron
parma_polyhedra_library::NNC_Polyhedron,
930–942
NNC_Polyhedron.java, 2195
NOTHING
parma_polyhedra_library::Poly_Con_-
Relation, 1881
parma_polyhedra_library::Poly_Gen_-
Relation, 1883
nothing
parma_polyhedra_library::Poly_Con_-
Relation, 1880
parma_polyhedra_library::Poly_Gen_-
Relation, 1883
number_of_artificials
parma_polyhedra_library::PIP_Tree_Node,
1291
number_of_constraints
parma_polyhedra_library::PIP_Problem, 1286
number_of_parameter_space_dimensions
parma_polyhedra_library::PIP_Problem, 1286

obj
parma_polyhedra_library::By_Reference< T
>, 398
objective_function
parma_polyhedra_library::MIP_Problem, 924
Octagonal_Shape_double
parma_polyhedra_library::Octagonal_Shape_-
double, 957–968
Octagonal_Shape_double.java, 2195
Octagonal_Shape_float
parma_polyhedra_library::Octagonal_Shape_-
float, 992–1003
Octagonal_Shape_float.java, 2196
Octagonal_Shape_int16_t
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1027–1038
Octagonal_Shape_int16_t.java, 2196
Octagonal_Shape_int32_t
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1062–1073
Octagonal_Shape_int32_t.java, 2196
Octagonal_Shape_int64_t
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1097–1108
Octagonal_Shape_int64_t.java, 2197

Octagonal_Shape_int8_t
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1132–1143
Octagonal_Shape_int8_t.java, 2197
Octagonal_Shape_long_double
parma_polyhedra_library::Octagonal_Shape_-long_double, 1167–1179
Octagonal_Shape_long_double.java, 2197
Octagonal_Shape_mpq_class
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1203–1215
Octagonal_Shape_mpq_class.java, 2198
Octagonal_Shape_mpz_class
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1239–1250
Octagonal_Shape_mpz_class.java, 2198
OK
parma_polyhedra_library::BD_Shape_double, 114
parma_polyhedra_library::BD_Shape_float, 148
parma_polyhedra_library::BD_Shape_int16_t, 184
parma_polyhedra_library::BD_Shape_int32_t, 219
parma_polyhedra_library::BD_Shape_int64_t, 254
parma_polyhedra_library::BD_Shape_int8_t, 289
parma_polyhedra_library::BD_Shape_long_-double, 324
parma_polyhedra_library::BD_Shape_mpq_-class, 359
parma_polyhedra_library::BD_Shape_mpz_-class, 394
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 506
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 542
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 579
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 687
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::MIP_Problem, 924
parma_polyhedra_library::Octagonal_Shape_-double, 983
parma_polyhedra_library::Octagonal_Shape_-float, 1018
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_-long_double, 1194
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1265
parma_polyhedra_library::PIP_Problem, 1286
parma_polyhedra_library::PIP_Tree_Node, 1291
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1410
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1463
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_-Powerset_Grid, 1513
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1528
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1544
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1561

parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1629
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1664
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1682
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1700
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1718
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1737
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1755
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1773
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1872
parma_polyhedra_library::Polyhedron, 1893
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2176
omega_reduce
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1374
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1410
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1463
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1513
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1561
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1611
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1629
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1665
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1683
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1701
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1719

parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1737
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1755
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1773
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1872
one_affine_ranking_function_MS_BD_Shape_-
double
parma_polyhedra_library::Termination, 1974
one_affine_ranking_function_MS_BD_Shape_-
double_2
parma_polyhedra_library::Termination, 1974
one_affine_ranking_function_MS_BD_Shape_float
parma_polyhedra_library::Termination, 1974
one_affine_ranking_function_MS_BD_Shape_-
float_2
parma_polyhedra_library::Termination, 1974
one_affine_ranking_function_MS_BD_Shape_-
int16_t
parma_polyhedra_library::Termination, 1974
one_affine_ranking_function_MS_BD_Shape_-
int16_t_2
parma_polyhedra_library::Termination, 1974
one_affine_ranking_function_MS_BD_Shape_-
int32_t
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
int32_t_2
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
int64_t
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
int64_t_2
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
int8_t
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
int8_t_2
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
long_double
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
long_double_2
parma_polyhedra_library::Termination, 1975
one_affine_ranking_function_MS_BD_Shape_-
mpq_class
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_BD_Shape_-
mpq_class_2
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_BD_Shape_-
mpz_class
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_BD_Shape_-
mpz_class_2
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_C_Polyhedron
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_C_Polyhedron_-
2
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_Double_Box
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_Double_Box_2
parma_polyhedra_library::Termination, 1976
one_affine_ranking_function_MS_Float_Box
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Float_Box_2
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Grid
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Grid_2
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Int16_Box
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Int16_Box_2
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Int32_Box
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Int32_Box_2
parma_polyhedra_library::Termination, 1977
one_affine_ranking_function_MS_Int64_Box
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_Int64_Box_2
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_Int8_Box
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_Int8_Box_2
parma_polyhedra_library::Termination, 1978

one_affine_ranking_function_MS_Long_Double_-Box
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_Long_Double_-Box_2
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_NNC_-Polyhedron
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_NNC_-Polyhedron_2
parma_polyhedra_library::Termination, 1978
one_affine_ranking_function_MS_Octagonal_-Shape_double
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_double_2
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_float
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_float_2
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_int16_t
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_int16_t_2
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_int32_t
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_int32_t_2
parma_polyhedra_library::Termination, 1979
one_affine_ranking_function_MS_Octagonal_-Shape_int64_t
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_int64_t_2
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_int8_t
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_int8_t_2
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_long_double
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_long_double_2
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_mpq_class
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_mpq_class_2
parma_polyhedra_library::Termination, 1980
one_affine_ranking_function_MS_Octagonal_-Shape_mpz_class
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Octagonal_-Shape_mpz_class_2
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Rational_Box
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Rational_Box_2
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Uint16_Box
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Uint16_Box_2
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Uint32_Box
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Uint32_Box_2
parma_polyhedra_library::Termination, 1981
one_affine_ranking_function_MS_Uint64_Box
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_MS_Uint64_Box_2
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_MS_Uint8_Box
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_MS_Uint8_Box_2
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_MS_Z_Box
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_MS_Z_Box_2
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_PR_BD_Shape_-double
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_PR_BD_Shape_-double_2
parma_polyhedra_library::Termination, 1982
one_affine_ranking_function_PR_BD_Shape_float
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-float_2
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-int16_t
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-int16_t_2
parma_polyhedra_library::Termination, 1983

one_affine_ranking_function_PR_BD_Shape_-int32_t
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-int32_t_2
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-int64_t
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-int64_t_2
parma_polyhedra_library::Termination, 1983
one_affine_ranking_function_PR_BD_Shape_-int8_t
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-int8_t_2
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-long_double
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-long_double_2
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-mpq_class
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-mpq_class_2
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-mpz_class
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_BD_Shape_-mpz_class_2
parma_polyhedra_library::Termination, 1984
one_affine_ranking_function_PR_C_Polyhedron
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_C_Polyhedron_2
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Double_Box
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Double_Box_2
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Float_Box
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Float_Box_2
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Grid
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Grid_2
parma_polyhedra_library::Termination, 1985
one_affine_ranking_function_PR_Int16_Box
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int16_Box_2
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int32_Box
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int32_Box_2
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int64_Box
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int64_Box_2
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int8_Box
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Int8_Box_2
parma_polyhedra_library::Termination, 1986
one_affine_ranking_function_PR_Long_Double_-Box
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_Long_Double_-Box_2
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_NNC_-Polyhedron
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_NNC_-Polyhedron_2
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_Octagonal_-Shape_double
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_Octagonal_-Shape_double_2
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_Octagonal_-Shape_float
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_Octagonal_-Shape_float_2
parma_polyhedra_library::Termination, 1987
one_affine_ranking_function_PR_Octagonal_-Shape_int16_t
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-Shape_int16_t_2
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-Shape_int32_t
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-Shape_int32_t_2
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-Shape_int64_t
parma_polyhedra_library::Termination, 1988

one_affine_ranking_function_PR_Octagonal_-
Shape_int64_t_2
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-
Shape_int8_t
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-
Shape_int8_t_2
parma_polyhedra_library::Termination, 1988
one_affine_ranking_function_PR_Octagonal_-
Shape_long_double
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Octagonal_-
Shape_long_double_2
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Octagonal_-
Shape_mpq_class
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Octagonal_-
Shape_mpq_class_2
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Octagonal_-
Shape_mpz_class
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Octagonal_-
Shape_mpz_class_2
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Rational_Box
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Rational_Box_2
parma_polyhedra_library::Termination, 1989
one_affine_ranking_function_PR_Uint16_Box
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint16_Box_2
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint32_Box
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint32_Box_2
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint64_Box
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint64_Box_2
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint8_Box
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Uint8_Box_2
parma_polyhedra_library::Termination, 1990
one_affine_ranking_function_PR_Z_Box
parma_polyhedra_library::Termination, 1991
one_affine_ranking_function_PR_Z_Box_2
parma_polyhedra_library::Termination, 1991
operator=
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 832
optimal_value
parma_polyhedra_library::MIP_Problem, 924
Optimization_Mode
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 836
PPL_Java_interface, 43
optimization_mode
parma_polyhedra_library::MIP_Problem, 925
Optimization_Mode.java, 2198
Optimization_Mode_MAXIMIZATION_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 854
Optimization_Mode_MINIMIZATION_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 854
Optimization_Mode_ordinal_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 855
OPTIMIZED_MIP_PROBLEM
PPL_Java_interface, 43
OPTIMIZED_PIP_PROBLEM
PPL_Java_interface, 44
optimizing_point
parma_polyhedra_library::MIP_Problem, 925
optimizing_solution
parma_polyhedra_library::PIP_Problem, 1287
OVERFLOW_IMPOSSIBLE
PPL_Java_interface, 41
OVERFLOW_UNDEFINED
PPL_Java_interface, 41
OVERFLOW_WRAPS
PPL_Java_interface, 41
Overflow_Error_Exception
parma_polyhedra_library::Overflow_Error_-
Exception, 1268
Overflow_Error_Exception.java, 2198

Pair
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 836
Pair.java, 2199
Pair_first_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 855
Pair_second_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-

Cache, 855
pairwise_reduce
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1375
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1410
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1463
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_-Powerset_Grid, 1513
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1561
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1629
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1665
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1683
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1701
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1719
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1737
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1755
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1773
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1806
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1872
PARAMETER
PPL_Java_interface, 43
parameter
parma_polyhedra_library::Grid_Generator, 693
parameter_space_dimensions
parma_polyhedra_library::PIP_Problem, 1287
parametric_values
parma_polyhedra_library::PIP_Solution_-Node, 1289
Parma_Polyhedra_Library, 45
parma_polyhedra_library, 45
Parma_Polyhedra_Library.java, 2199
parma_polyhedra_library::Artificial_Parameter, 78
Artificial_Parameter, 79
ascii_dump, 79
den, 80
denominator, 79
initIDs, 80
le, 80
linear_expression, 80
toString, 80
parma_polyhedra_library::Artificial_Parameter_-Sequence, 81
Artificial_Parameter_Sequence, 81
initIDs, 81
parma_polyhedra_library::BD_Shape_double, 82
add_congruence, 100
add_congruences, 100

add_constraint, 100
add_constraints, 100
add_space_dimensions_and_embed, 100
add_space_dimensions_and_project, 100
affine_dimension, 100
affine_image, 100
affine_preimage, 100
ascii_dump, 100
BD_Shape_double, 87–99
BHMZ05_widening_assign, 100
bounded_affine_image, 101
bounded_affine_preimage, 101
bounds_from_above, 101
bounds_from_below, 101
build_cpp_object, 101–109
CC76_extrapolation_assign, 109
CC76_narrowing_assign, 109
concatenate_assign, 109
congruences, 109
constrains, 109
constraints, 110
contains, 110
contains_integer_point, 110
difference_assign, 110
drop_some_non_integer_points, 110
drop_some_non_integer_points_2, 110
equals, 110
expand_space_dimension, 110
external_memory_in_bytes, 111
finalize, 111
fold_space_dimensions, 111
free, 111
frequency, 111
generalized_affine_image, 111
generalized_affine_preimage, 111
H79_widening_assign, 112
hashCode, 112
intersection_assign, 112
is_bounded, 112
is_discrete, 112
is_disjoint_from, 112
is_empty, 112
is_topologically_closed, 112
is_universe, 112
limited_BHMZ05_extrapolation_assign, 112
limited_CC76_extrapolation_assign, 113
limited_H79_extrapolation_assign, 113
linear_partition, 113
map_space_dimensions, 113
maximize, 113
minimize, 113
minimized_congruences, 114
minimized_constraints, 114
OK, 114
refine_with_congruence, 114
refine_with_congruences, 114
refine_with_constraint, 114
refine_with_constraints, 114
relation_with, 114, 115
remove_higher_space_dimensions, 115
remove_space_dimensions, 115
simplify_using_context_assign, 115
space_dimension, 115
strictly_contains, 115
swap, 115
time_elapse_assign, 115
topological_closure_assign, 115
toString, 115
total_memory_in_bytes, 116
unconstrain_space_dimension, 116
unconstrain_space_dimensions, 116
upper_bound_assign, 116
upper_bound_assign_if_exact, 116
widening_assign, 116
wrap_assign, 116
parma_polyhedra_library::BD_Shape_float, 116
add_congruence, 134
add_congruences, 134
add_constraint, 134
add_constraints, 134
add_space_dimensions_and_embed, 135
add_space_dimensions_and_project, 135
affine_dimension, 135
affine_image, 135
affine_preimage, 135
ascii_dump, 135
BD_Shape_float, 122–134
BHMZ05_widening_assign, 135
bounded_affine_image, 135
bounded_affine_preimage, 135
bounds_from_above, 136
bounds_from_below, 136
build_cpp_object, 136–144
CC76_extrapolation_assign, 144
CC76_narrowing_assign, 144
concatenate_assign, 144
congruences, 144
constrains, 144
constraints, 144
contains, 144
contains_integer_point, 144
difference_assign, 145
drop_some_non_integer_points, 145
drop_some_non_integer_points_2, 145
equals, 145
expand_space_dimension, 145
external_memory_in_bytes, 145
finalize, 145

fold_space_dimensions, 145
free, 146
frequency, 146
generalized_affine_image, 146
generalized_affine_preimage, 146
H79_widening_assign, 146
hashCode, 146
intersection_assign, 146
is_bounded, 147
is_discrete, 147
is_disjoint_from, 147
is_empty, 147
is_topologically_closed, 147
is_universe, 147
limited_BHMZ05_extrapolation_assign, 147
limited_CC76_extrapolation_assign, 147
limited_H79_extrapolation_assign, 147
linear_partition, 147
map_space_dimensions, 148
maximize, 148
minimize, 148
minimized_congruences, 148
minimized_constraints, 148
OK, 148
refine_with_congruence, 148
refine_with_congruences, 149
refine_with_constraint, 149
refine_with_constraints, 149
relation_with, 149
remove_higher_space_dimensions, 149
remove_space_dimensions, 149
simplify_using_context_assign, 149
space_dimension, 150
strictly_contains, 150
swap, 150
time_elapse_assign, 150
topological_closure_assign, 150
toString, 150
total_memory_in_bytes, 150
unconstrain_space_dimension, 150
unconstrain_space_dimensions, 150
upper_bound_assign, 150
upper_bound_assign_if_exact, 151
widening_assign, 151
wrap_assign, 151
parma_polyhedra_library::BD_Shape_int16_t, 151
add_congruence, 169
add_congruences, 169
add_constraint, 169
add_constraints, 169
add_space_dimensions_and_embed, 170
add_space_dimensions_and_project, 170
affine_dimension, 170
affine_image, 170
affine_preimage, 170
ascii_dump, 170
BD_Shape_int16_t, 157–169
BHMZ05_widening_assign, 170
bounded_affine_image, 170
bounded_affine_preimage, 170
bounds_from_above, 171
bounds_from_below, 171
build_cpp_object, 171–179
CC76_extrapolation_assign, 179
CC76_narrowing_assign, 179
concatenate_assign, 179
congruences, 179
constrains, 179
constraints, 179
contains, 179
contains_integer_point, 180
difference_assign, 180
drop_some_non_integer_points, 180
drop_some_non_integer_points_2, 180
equals, 180
expand_space_dimension, 180
external_memory_in_bytes, 180
finalize, 180
fold_space_dimensions, 181
free, 181
frequency, 181
generalized_affine_image, 181
generalized_affine_preimage, 181
H79_widening_assign, 181
hashCode, 181
intersection_assign, 182
is_bounded, 182
is_discrete, 182
is_disjoint_from, 182
is_empty, 182
is_topologically_closed, 182
is_universe, 182
limited_BHMZ05_extrapolation_assign, 182
limited_CC76_extrapolation_assign, 182
limited_H79_extrapolation_assign, 182
linear_partition, 183
map_space_dimensions, 183
maximize, 183
minimize, 183
minimized_congruences, 183
minimized_constraints, 183
OK, 184
refine_with_congruence, 184
refine_with_congruences, 184
refine_with_constraint, 184
refine_with_constraints, 184
relation_with, 184
remove_higher_space_dimensions, 184

remove_space_dimensions, 184
simplify_using_context_assign, 185
space_dimension, 185
strictly_contains, 185
swap, 185
time_elapse_assign, 185
topological_closure_assign, 185
toString, 185
total_memory_in_bytes, 185
unconstrain_space_dimension, 185
unconstrain_space_dimensions, 185
upper_bound_assign, 186
upper_bound_assign_if_exact, 186
widening_assign, 186
wrap_assign, 186
parma_polyhedra_library::BD_Shape_int32_t, 186
add_congruence, 204
add_congruences, 204
add_constraint, 204
add_constraints, 204
add_space_dimensions_and_embed, 205
add_space_dimensions_and_project, 205
affine_dimension, 205
affine_image, 205
affine_preimage, 205
ascii_dump, 205
BD_Shape_int32_t, 192–204
BHMZ05_widening_assign, 205
bounded_affine_image, 205
bounded_affine_preimage, 205
bounds_from_above, 206
bounds_from_below, 206
build_cpp_object, 206–214
CC76_extrapolation_assign, 214
CC76_narrowing_assign, 214
concatenate_assign, 214
congruences, 214
constrains, 214
constraints, 214
contains, 214
contains_integer_point, 215
difference_assign, 215
drop_some_non_integer_points, 215
drop_some_non_integer_points_2, 215
equals, 215
expand_space_dimension, 215
external_memory_in_bytes, 215
finalize, 215
fold_space_dimensions, 216
free, 216
frequency, 216
generalized_affine_image, 216
generalized_affine_preimage, 216
H79_widening_assign, 216
hashCode, 216
intersection_assign, 217
is_bounded, 217
is_discrete, 217
is_disjoint_from, 217
is_empty, 217
is_topologically_closed, 217
is_universe, 217
limited_BHMZ05_extrapolation_assign, 217
limited_CC76_extrapolation_assign, 217
limited_H79_extrapolation_assign, 217
linear_partition, 218
map_space_dimensions, 218
maximize, 218
minimize, 218
minimized_congruences, 218
minimized_constraints, 218
OK, 219
refine_with_congruence, 219
refine_with_congruences, 219
refine_with_constraint, 219
refine_with_constraints, 219
relation_with, 219
remove_higher_space_dimensions, 219
remove_space_dimensions, 219
simplify_using_context_assign, 220
space_dimension, 220
strictly_contains, 220
swap, 220
time_elapse_assign, 220
topological_closure_assign, 220
toString, 220
total_memory_in_bytes, 220
unconstrain_space_dimension, 220
unconstrain_space_dimensions, 220
upper_bound_assign, 221
upper_bound_assign_if_exact, 221
widening_assign, 221
wrap_assign, 221
parma_polyhedra_library::BD_Shape_int64_t, 221
add_congruence, 239
add_congruences, 239
add_constraint, 239
add_constraints, 239
add_space_dimensions_and_embed, 240
add_space_dimensions_and_project, 240
affine_dimension, 240
affine_image, 240
affine_preimage, 240
ascii_dump, 240
BD_Shape_int64_t, 227–239
BHMZ05_widening_assign, 240
bounded_affine_image, 240
bounded_affine_preimage, 240

bounds_from_above, 241
bounds_from_below, 241
build_cpp_object, 241–249
CC76_extrapolation_assign, 249
CC76_narrowing_assign, 249
concatenate_assign, 249
congruences, 249
constrains, 249
constraints, 249
contains, 249
contains_integer_point, 250
difference_assign, 250
drop_some_non_integer_points, 250
drop_some_non_integer_points_2, 250
equals, 250
expand_space_dimension, 250
external_memory_in_bytes, 250
finalize, 250
fold_space_dimensions, 251
free, 251
frequency, 251
generalized_affine_image, 251
generalized_affine_preimage, 251
H79_widening_assign, 251
hashCode, 251
intersection_assign, 252
is_bounded, 252
is_discrete, 252
is_disjoint_from, 252
is_empty, 252
is_topologically_closed, 252
is_universe, 252
limited_BHMZ05_extrapolation_assign, 252
limited_CC76_extrapolation_assign, 252
limited_H79_extrapolation_assign, 252
linear_partition, 253
map_space_dimensions, 253
maximize, 253
minimize, 253
minimized_congruences, 253
minimized_constraints, 253
OK, 254
refine_with_congruence, 254
refine_with_congruences, 254
refine_with_constraint, 254
refine_with_constraints, 254
relation_with, 254
remove_higher_space_dimensions, 254
remove_space_dimensions, 254
simplify_using_context_assign, 255
space_dimension, 255
strictly_contains, 255
swap, 255
time_elapse_assign, 255
topological_closure_assign, 255
toString, 255
total_memory_in_bytes, 255
unconstrain_space_dimension, 255
unconstrain_space_dimensions, 255
upper_bound_assign, 256
upper_bound_assign_if_exact, 256
widening_assign, 256
wrap_assign, 256
parma_polyhedra_library::BD_Shape_int8_t, 256
add_congruence, 274
add_congruences, 274
add_constraint, 274
add_constraints, 274
add_space_dimensions_and_embed, 275
add_space_dimensions_and_project, 275
affine_dimension, 275
affine_image, 275
affine_preimage, 275
ascii_dump, 275
BD_Shape_int8_t, 262–274
BHMZ05_widening_assign, 275
bounded_affine_image, 275
bounded_affine_preimage, 275
bounds_from_above, 276
bounds_from_below, 276
build_cpp_object, 276–284
CC76_extrapolation_assign, 284
CC76_narrowing_assign, 284
concatenate_assign, 284
congruences, 284
constrains, 284
constraints, 284
contains, 284
contains_integer_point, 285
difference_assign, 285
drop_some_non_integer_points, 285
drop_some_non_integer_points_2, 285
equals, 285
expand_space_dimension, 285
external_memory_in_bytes, 285
finalize, 285
fold_space_dimensions, 286
free, 286
frequency, 286
generalized_affine_image, 286
generalized_affine_preimage, 286
H79_widening_assign, 286
hashCode, 286
intersection_assign, 287
is_bounded, 287
is_discrete, 287
is_disjoint_from, 287
is_empty, 287

is_topologically_closed, 287
is_universe, 287
limited_BHMZ05_extrapolation_assign, 287
limited_CC76_extrapolation_assign, 287
limited_H79_extrapolation_assign, 287
linear_partition, 288
map_space_dimensions, 288
maximize, 288
minimize, 288
minimized_congruences, 288
minimized_constraints, 288
OK, 289
refine_with_congruence, 289
refine_with_congruences, 289
refine_with_constraint, 289
refine_with_constraints, 289
relation_with, 289
remove_higher_space_dimensions, 289
remove_space_dimensions, 289
simplify_using_context_assign, 290
space_dimension, 290
strictly_contains, 290
swap, 290
time_elapse_assign, 290
topological_closure_assign, 290
toString, 290
total_memory_in_bytes, 290
unconstrain_space_dimension, 290
unconstrain_space_dimensions, 290
upper_bound_assign, 291
upper_bound_assign_if_exact, 291
widening_assign, 291
wrap_assign, 291
parma_polyhedra_library::BD_Shape_long_double, 291
add_congruence, 309
add_congruences, 309
add_constraint, 309
add_constraints, 309
add_space_dimensions_and_embed, 310
add_space_dimensions_and_project, 310
affine_dimension, 310
affine_image, 310
affine_preimage, 310
ascii_dump, 310
BD_Shape_long_double, 297–309
BHMZ05_widening_assign, 310
bounded_affine_image, 310
bounded_affine_preimage, 310
bounds_from_above, 311
bounds_from_below, 311
build_cpp_object, 311–319
CC76_extrapolation_assign, 319
CC76_narrowing_assign, 319
concatenate_assign, 319
congruences, 319
constrains, 319
constraints, 319
contains, 319
contains_integer_point, 320
difference_assign, 320
drop_some_non_integer_points, 320
drop_some_non_integer_points_2, 320
equals, 320
expand_space_dimension, 320
external_memory_in_bytes, 320
finalize, 320
fold_space_dimensions, 321
free, 321
frequency, 321
generalized_affine_image, 321
generalized_affine_preimage, 321
H79_widening_assign, 321
hashCode, 321
intersection_assign, 322
is_bounded, 322
is_discrete, 322
is_disjoint_from, 322
is_empty, 322
is_topologically_closed, 322
is_universe, 322
limited_BHMZ05_extrapolation_assign, 322
limited_CC76_extrapolation_assign, 322
limited_H79_extrapolation_assign, 322
linear_partition, 323
map_space_dimensions, 323
maximize, 323
minimize, 323
minimized_congruences, 323
minimized_constraints, 323
OK, 324
refine_with_congruence, 324
refine_with_congruences, 324
refine_with_constraint, 324
refine_with_constraints, 324
relation_with, 324
remove_higher_space_dimensions, 324
remove_space_dimensions, 324
simplify_using_context_assign, 325
space_dimension, 325
strictly_contains, 325
swap, 325
time_elapse_assign, 325
topological_closure_assign, 325
toString, 325
total_memory_in_bytes, 325
unconstrain_space_dimension, 325
unconstrain_space_dimensions, 325

upper_bound_assign, 326
upper_bound_assign_if_exact, 326
widening_assign, 326
wrap_assign, 326
parma_polyhedra_library::BD_Shape_mpq_class, 326
add_congruence, 344
add_congruences, 344
add_constraint, 344
add_constraints, 344
add_space_dimensions_and_embed, 345
add_space_dimensions_and_project, 345
affine_dimension, 345
affine_image, 345
affine_preimage, 345
ascii_dump, 345
BD_Shape_mpq_class, 332–344
BHMZ05_widening_assign, 345
bounded_affine_image, 345
bounded_affine_preimage, 345
bounds_from_above, 346
bounds_from_below, 346
build_cpp_object, 346–354
CC76_extrapolation_assign, 354
CC76_narrowing_assign, 354
concatenate_assign, 354
congruences, 354
constrains, 354
constraints, 354
contains, 354
contains_integer_point, 355
difference_assign, 355
drop_some_non_integer_points, 355
drop_some_non_integer_points_2, 355
equals, 355
expand_space_dimension, 355
external_memory_in_bytes, 355
finalize, 355
fold_space_dimensions, 356
free, 356
frequency, 356
generalized_affine_image, 356
generalized_affine_preimage, 356
H79_widening_assign, 356
hashCode, 356
intersection_assign, 357
is_bounded, 357
is_discrete, 357
is_disjoint_from, 357
is_empty, 357
is_topologically_closed, 357
is_universe, 357
limited_BHMZ05_extrapolation_assign, 357
limited_CC76_extrapolation_assign, 357
limited_H79_extrapolation_assign, 357
linear_partition, 358
map_space_dimensions, 358
maximize, 358
minimize, 358
minimized_congruences, 358
minimized_constraints, 358
OK, 359
refine_with_congruence, 359
refine_with_congruences, 359
refine_with_constraint, 359
refine_with_constraints, 359
relation_with, 359
remove_higher_space_dimensions, 359
remove_space_dimensions, 359
simplify_using_context_assign, 360
space_dimension, 360
strictly_contains, 360
swap, 360
time_elapse_assign, 360
topological_closure_assign, 360
toString, 360
total_memory_in_bytes, 360
unconstrain_space_dimension, 360
unconstrain_space_dimensions, 360
upper_bound_assign, 361
upper_bound_assign_if_exact, 361
widening_assign, 361
wrap_assign, 361
parma_polyhedra_library::BD_Shape_mpz_class, 361
add_congruence, 379
add_congruences, 379
add_constraint, 379
add_constraints, 379
add_space_dimensions_and_embed, 380
add_space_dimensions_and_project, 380
affine_dimension, 380
affine_image, 380
affine_preimage, 380
ascii_dump, 380
BD_Shape_mpz_class, 367–379
BHMZ05_widening_assign, 380
bounded_affine_image, 380
bounded_affine_preimage, 380
bounds_from_above, 381
bounds_from_below, 381
build_cpp_object, 381–389
CC76_extrapolation_assign, 389
CC76_narrowing_assign, 389
concatenate_assign, 389
congruences, 389
constrains, 389
constraints, 389

contains, 389
contains_integer_point, 390
difference_assign, 390
drop_some_non_integer_points, 390
drop_some_non_integer_points_2, 390
equals, 390
expand_space_dimension, 390
external_memory_in_bytes, 390
finalize, 390
fold_space_dimensions, 391
free, 391
frequency, 391
generalized_affine_image, 391
generalized_affine_preimage, 391
H79_widening_assign, 391
hashCode, 391
intersection_assign, 392
is_bounded, 392
is_discrete, 392
is_disjoint_from, 392
is_empty, 392
is_topologically_closed, 392
is_universe, 392
limited_BHMZ05_extrapolation_assign, 392
limited_CC76_extrapolation_assign, 392
limited_H79_extrapolation_assign, 392
linear_partition, 393
map_space_dimensions, 393
maximize, 393
minimize, 393
minimized_congruences, 393
minimized_constraints, 393
OK, 394
refine_with_congruence, 394
refine_with_congruences, 394
refine_with_constraint, 394
refine_with_constraints, 394
relation_with, 394
remove_higher_space_dimensions, 394
remove_space_dimensions, 394
simplify_using_context_assign, 395
space_dimension, 395
strictly_contains, 395
swap, 395
time_elapse_assign, 395
topological_closure_assign, 395
toString, 395
total_memory_in_bytes, 395
unconstrain_space_dimension, 395
unconstrain_space_dimensions, 395
upper_bound_assign, 396
upper_bound_assign_if_exact, 396
widening_assign, 396
wrap_assign, 396
parma_polyhedra_library::By_Reference< T >, 396
By_Reference, 397
get, 397
initIDs, 397
obj, 398
set, 397
parma_polyhedra_library::C_Polyhedron, 398
build_cpp_object, 414–422
C_Polyhedron, 402–414
finalize, 422
free, 422
linear_partition, 422
poly_hull_assign_if_exact, 422
upper_bound_assign_if_exact, 422
parma_polyhedra_library::Coefficient, 423
bits, 425
Coefficient, 424, 425
getBigInteger, 425
initIDs, 426
toString, 426
value, 426
parma_polyhedra_library::Congruence, 426
ascii_dump, 428
Congruence, 428
initIDs, 428
left_hand_side, 429
lhs, 429
mod, 429
modulus, 429
rhs, 430
right_hand_side, 429
toString, 429
parma_polyhedra_library::Congruence_System, 430
ascii_dump, 431
Congruence_System, 431
initIDs, 431
toString, 431
parma_polyhedra_library::Constraint, 431
ascii_dump, 433
Constraint, 433
initIDs, 433
kind, 433, 434
left_hand_side, 434
lhs, 434
rhs, 434
right_hand_side, 434
toString, 434
parma_polyhedra_library::Constraint_System, 435
ascii_dump, 436
Constraint_System, 435
initIDs, 436
toString, 436

parma_polyhedra_library::Constraints_Product_-
C_Polyhedron_Grid, 436
add_congruence, 455
add_congruences, 455
add_constraint, 455
add_constraints, 456
add_space_dimensions_and_embed, 456
add_space_dimensions_and_project, 456
affine_dimension, 456
affine_image, 456
affine_preimage, 456
ascii_dump, 456
bounded_affine_image, 456
bounded_affine_preimage, 456
bounds_from_above, 457
bounds_from_below, 457
build_cpp_object, 457–466
concatenate_assign, 466
constrains, 466
Constraints_Product_C_Polyhedron_Grid,
442–455
contains, 466
difference_assign, 466
drop_some_non_integer_points, 466
drop_some_non_integer_points_2, 466
equals, 467
expand_space_dimension, 467
external_memory_in_bytes, 467
finalize, 467
fold_space_dimensions, 467
free, 467
generalized_affine_image, 467, 468
generalized_affine_preimage, 468
hashCode, 468
intersection_assign, 468
is_bounded, 468
is_discrete, 468
is_disjoint_from, 468
is_empty, 469
is_topologically_closed, 469
is_universe, 469
map_space_dimensions, 469
maximize, 469
minimize, 469
OK, 470
refine_with_congruence, 470
refine_with_congruences, 470
refine_with_constraint, 470
refine_with_constraints, 470
relation_with, 470
remove_higher_space_dimensions, 470
remove_space_dimensions, 471
space_dimension, 471
strictly_contains, 471
swap, 471
time_elapse_assign, 471
topological_closure_assign, 471
toString, 471
total_memory_in_bytes, 471
unconstrain_space_dimension, 472
unconstrain_space_dimensions, 472
upper_bound_assign, 472
upper_bound_assign_if_exact, 472
widening_assign, 472
parma_polyhedra_library::Constraints_Product_-
Grid_C_Polyhedron, 472
add_congruence, 491
add_congruences, 491
add_constraint, 492
add_constraints, 492
add_space_dimensions_and_embed, 492
add_space_dimensions_and_project, 492
affine_dimension, 492
affine_image, 492
affine_preimage, 492
ascii_dump, 492
bounded_affine_image, 492
bounded_affine_preimage, 493
bounds_from_above, 493
bounds_from_below, 493
build_cpp_object, 493–502
concatenate_assign, 502
constrains, 502
Constraints_Product_Grid_C_Polyhedron,
478–491
contains, 502
difference_assign, 502
drop_some_non_integer_points, 503
drop_some_non_integer_points_2, 503
equals, 503
expand_space_dimension, 503
external_memory_in_bytes, 503
finalize, 503
fold_space_dimensions, 503
free, 504
generalized_affine_image, 504
generalized_affine_preimage, 504
hashCode, 504
intersection_assign, 504
is_bounded, 504
is_discrete, 505
is_disjoint_from, 505
is_empty, 505
is_topologically_closed, 505
is_universe, 505
map_space_dimensions, 505
maximize, 505
minimize, 505, 506

OK, 506
refine_with_congruence, 506
refine_with_congruences, 506
refine_with_constraint, 506
refine_with_constraints, 506
relation_with, 506
remove_higher_space_dimensions, 507
remove_space_dimensions, 507
space_dimension, 507
strictly_contains, 507
swap, 507
time_elapse_assign, 507
topological_closure_assign, 507
toString, 507
total_memory_in_bytes, 508
unconstrain_space_dimension, 508
unconstrain_space_dimensions, 508
upper_bound_assign, 508
upper_bound_assign_if_exact, 508
widening_assign, 508
parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron, 508
add_congruence, 528
add_congruences, 528
add_constraint, 528
add_constraints, 528
add_space_dimensions_and_embed, 528
add_space_dimensions_and_project, 528
affine_dimension, 528
affine_image, 528
affine_preimage, 528
ascii_dump, 529
bounded_affine_image, 529
bounded_affine_preimage, 529
bounds_from_above, 529
bounds_from_below, 529
build_cpp_object, 529–538
concatenate_assign, 538
constrains, 538
Constraints_Product_Grid_NNC_Polyhedron, 514–527
contains, 539
difference_assign, 539
drop_some_non_integer_points, 539
drop_some_non_integer_points_2, 539
equals, 539
expand_space_dimension, 539
external_memory_in_bytes, 540
finalize, 540
fold_space_dimensions, 540
free, 540
generalized_affine_image, 540
generalized_affine_preimage, 540
hashCode, 541
intersection_assign, 541
is_bounded, 541
is_discrete, 541
is_disjoint_from, 541
is_empty, 541
is_topologically_closed, 541
is_universe, 541
map_space_dimensions, 541
maximize, 542
minimize, 542
OK, 542
refine_with_congruence, 542
refine_with_congruences, 542
refine_with_constraint, 542
refine_with_constraints, 543
relation_with, 543
remove_higher_space_dimensions, 543
remove_space_dimensions, 543
space_dimension, 543
strictly_contains, 543
swap, 544
time_elapse_assign, 544
topological_closure_assign, 544
toString, 544
total_memory_in_bytes, 544
unconstrain_space_dimension, 544
unconstrain_space_dimensions, 544
upper_bound_assign, 544
upper_bound_assign_if_exact, 545
widening_assign, 545
parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid, 545
add_congruence, 564
add_congruences, 564
add_constraint, 564
add_constraints, 564
add_space_dimensions_and_embed, 564
add_space_dimensions_and_project, 565
affine_dimension, 565
affine_image, 565
affine_preimage, 565
ascii_dump, 565
bounded_affine_image, 565
bounded_affine_preimage, 565
bounds_from_above, 565
bounds_from_below, 566
build_cpp_object, 566–575
concatenate_assign, 575
constrains, 575
Constraints_Product_NNC_Polyhedron_Grid, 551–564
contains, 575
difference_assign, 575
drop_some_non_integer_points, 575

drop_some_non_integer_points_2, 575
equals, 576
expand_space_dimension, 576
external_memory_in_bytes, 576
finalize, 576
fold_space_dimensions, 576
free, 576
generalized_affine_image, 576, 577
generalized_affine_preimage, 577
hashCode, 577
intersection_assign, 577
is_bounded, 577
is_discrete, 577
is_disjoint_from, 577
is_empty, 578
is_topologically_closed, 578
is_universe, 578
map_space_dimensions, 578
maximize, 578
minimize, 578
OK, 579
refine_with_congruence, 579
refine_with_congruences, 579
refine_with_constraint, 579
refine_with_constraints, 579
relation_with, 579
remove_higher_space_dimensions, 580
remove_space_dimensions, 580
space_dimension, 580
strictly_contains, 580
swap, 580
time_elapse_assign, 580
topological_closure_assign, 580
toString, 580
total_memory_in_bytes, 581
unconstrain_space_dimension, 581
unconstrain_space_dimensions, 581
upper_bound_assign, 581
upper_bound_assign_if_exact, 581
widening_assign, 581
parma_polyhedra_library::Domain_Error_-Exception, 582
Domain_Error_Exception, 582
parma_polyhedra_library::Double_Box, 583
add_congruence, 600
add_congruences, 600
add_constraint, 600
add_constraints, 600
add_space_dimensions_and_embed, 600
add_space_dimensions_and_project, 600
affine_dimension, 600
affine_image, 601
affine_preimage, 601
ascii_dump, 601
bounded_affine_image, 601
bounded_affine_preimage, 601
bounds_from_above, 601
bounds_from_below, 601
build_cpp_object, 601–609
CC76_widening_assign, 609
concatenate_assign, 609
congruences, 609
constrains, 610
constraints, 610
contains, 610
contains_integer_point, 610
difference_assign, 610
Double_Box, 588–600
drop_some_non_integer_points, 610
drop_some_non_integer_points_2, 610
equals, 610
expand_space_dimension, 610
external_memory_in_bytes, 611
finalize, 611
fold_space_dimensions, 611
free, 611
frequency, 611
generalized_affine_image, 611
generalized_affine_preimage, 611
intersection_assign, 612
is_bounded, 612
is_discrete, 612
is_disjoint_from, 612
is_empty, 612
is_topologically_closed, 612
is_universe, 612
limited_CC76_extrapolation_assign, 612
linear_partition, 612
map_space_dimensions, 612
maximize, 613
minimize, 613
minimized_congruences, 613
minimized_constraints, 613
OK, 613
refine_with_congruence, 613
refine_with_congruences, 613
refine_with_constraint, 614
refine_with_constraints, 614
relation_with, 614
remove_higher_space_dimensions, 614
remove_space_dimensions, 614
simplify_using_context_assign, 614
space_dimension, 614
strictly_contains, 614
swap, 615
time_elapse_assign, 615
topological_closure_assign, 615
toString, 615

total_memory_in_bytes, 615
unconstrain_space_dimension, 615
unconstrain_space_dimensions, 615
upper_bound_assign, 615
upper_bound_assign_if_exact, 615
widening_assign, 615
wrap_assign, 616
parma_polyhedra_library::Float_Box, 616
add_congruence, 633
add_congruences, 633
add_constraint, 633
add_constraints, 633
add_space_dimensions_and_embed, 633
add_space_dimensions_and_project, 633
affine_dimension, 634
affine_image, 634
affine_preimage, 634
ascii_dump, 634
bounded_affine_image, 634
bounded_affine_preimage, 634
bounds_from_above, 634
bounds_from_below, 634
build_cpp_object, 634–642
CC76_widening_assign, 642
concatenate_assign, 642
congruences, 643
constrains, 643
constraints, 643
contains, 643
contains_integer_point, 643
difference_assign, 643
drop_some_non_integer_points, 643
drop_some_non_integer_points_2, 643
equals, 643
expand_space_dimension, 644
external_memory_in_bytes, 644
finalize, 644
Float_Box, 622–633
fold_space_dimensions, 644
free, 644
frequency, 644
generalized_affine_image, 644
generalized_affine_preimage, 644
intersection_assign, 645
is_bounded, 645
is_discrete, 645
is_disjoint_from, 645
is_empty, 645
is_topologically_closed, 645
is_universe, 645
limited_CC76_extrapolation_assign, 645
linear_partition, 645
map_space_dimensions, 645
maximize, 646
minimize, 646
minimized_congruences, 646
minimized_constraints, 646
OK, 646
refine_with_congruence, 646
refine_with_congruences, 646
refine_with_constraint, 647
refine_with_constraints, 647
relation_with, 647
remove_higher_space_dimensions, 647
remove_space_dimensions, 647
simplify_using_context_assign, 647
space_dimension, 647
strictly_contains, 647
swap, 648
time_elapse_assign, 648
topological_closure_assign, 648
toString, 648
total_memory_in_bytes, 648
unconstrain_space_dimension, 648
unconstrain_space_dimensions, 648
upper_bound_assign, 648
upper_bound_assign_if_exact, 648
widening_assign, 648
wrap_assign, 648
parma_polyhedra_library::Generator, 649
ascii_dump, 651
closure_point, 651
div, 653
divisor, 651
Generator, 651
gt, 653
initIDs, 652
le, 653
line, 652
linear_expression, 652
point, 652
ray, 652
toString, 653
type, 653
parma_polyhedra_library::Generator_System, 654
ascii_dump, 655
Generator_System, 654
initIDs, 655
toString, 655
parma_polyhedra_library::Grid, 655
add_congruence, 672
add_congruences, 672
add_constraint, 673
add_constraints, 673
add_grid_generator, 673
add_grid_generators, 673
add_space_dimensions_and_embed, 673
add_space_dimensions_and_project, 673

affine_dimension, 673
affine_image, 673
affine_preimage, 673
approximate_partition, 673
ascii_dump, 674
bounded_affine_image, 674
bounded_affine_preimage, 674
bounds_from_above, 674
bounds_from_below, 674
build_cpp_object, 674–682
concatenate_assign, 682
congruence_widening_assign, 682
congruences, 682
constrains, 682
constraints, 682
contains, 682
contains_integer_point, 683
difference_assign, 683
drop_some_non_integer_points, 683
drop_some_non_integer_points_2, 683
equals, 683
expand_space_dimension, 683
external_memory_in_bytes, 683
finalize, 683
fold_space_dimensions, 683
free, 684
frequency, 684
generalized_affine_image, 684
generalized_affine_image_lhs_rhs_with_-congruence, 684
generalized_affine_image_with_congruence, 684
generalized_affine_preimage, 684
generalized_affine_preimage_lhs_rhs_with_-congruence, 684
generalized_affine_preimage_with_-congruence, 685
generator_widening_assign, 685
Grid, 661–672
grid_generators, 685
hashCode, 685
intersection_assign, 685
is_bounded, 685
is_discrete, 685
is_disjoint_from, 685
is_empty, 685
is_topologically_closed, 685
is_universe, 686
limited_congruence_extrapolation_assign, 686
limited_generator_extrapolation_assign, 686
map_space_dimensions, 686
maximize, 686
minimize, 686
minimized_congruences, 686
minimized_constraints, 687
minimized_grid_generators, 687
OK, 687
refine_with_congruence, 687
refine_with_congruences, 687
refine_with_constraint, 687
refine_with_constraints, 687
relation_with, 687, 688
remove_higher_space_dimensions, 688
remove_space_dimensions, 688
simplify_using_context_assign, 688
space_dimension, 688
strictly_contains, 688
swap, 688
time_elapse_assign, 688
topological_closure_assign, 688
toString, 688
total_memory_in_bytes, 689
unconstrain_space_dimension, 689
unconstrain_space_dimensions, 689
upper_bound_assign, 689
upper_bound_assign_if_exact, 689
widening_assign, 689
wrap_assign, 689
parma_polyhedra_library::Grid_Generator, 689
ascii_dump, 691
div, 693
divisor, 692
Grid_Generator, 691
grid_line, 692
grid_point, 692
gt, 693
initIDs, 692
le, 694
linear_expression, 692
parameter, 693
toString, 693
type, 693
parma_polyhedra_library::Grid_Generator_-System, 694
ascii_dump, 695
Grid_Generator_System, 695
initIDs, 695
toString, 695
parma_polyhedra_library::Int16_Box, 695
add_congruence, 713
add_congruences, 713
add_constraint, 713
add_constraints, 713
add_space_dimensions_and_embed, 713
add_space_dimensions_and_project, 713
affine_dimension, 713
affine_image, 713
affine_preimage, 713

ascii_dump, 713
bounded_affine_image, 714
bounded_affine_preimage, 714
bounds_from_above, 714
bounds_from_below, 714
build_cpp_object, 714–722
CC76_widening_assign, 722
concatenate_assign, 722
congruences, 722
constrains, 722
constraints, 722
contains, 722
contains_integer_point, 722
difference_assign, 723
drop_some_non_integer_points, 723
drop_some_non_integer_points_2, 723
equals, 723
expand_space_dimension, 723
external_memory_in_bytes, 723
finalize, 723
fold_space_dimensions, 723
free, 723
frequency, 724
generalized_affine_image, 724
generalized_affine_preimage, 724
Int16_Box, 701–712
intersection_assign, 724
is_bounded, 724
is_discrete, 724
is_disjoint_from, 724
is_empty, 724
is_topologically_closed, 725
is_universe, 725
limited_CC76_extrapolation_assign, 725
linear_partition, 725
map_space_dimensions, 725
maximize, 725
minimize, 725
minimized_congruences, 726
minimized_constraints, 726
OK, 726
refine_with_congruence, 726
refine_with_congruences, 726
refine_with_constraint, 726
refine_with_constraints, 726
relation_with, 726
remove_higher_space_dimensions, 727
remove_space_dimensions, 727
simplify_using_context_assign, 727
space_dimension, 727
strictly_contains, 727
swap, 727
time_elapse_assign, 727
topological_closure_assign, 727
toString, 727
total_memory_in_bytes, 727
unconstrain_space_dimension, 727
unconstrain_space_dimensions, 728
upper_bound_assign, 728
upper_bound_assign_if_exact, 728
widening_assign, 728
wrap_assign, 728
parma_polyhedra_library::Int32_Box, 728
add_congruence, 746
add_congruences, 746
add_constraint, 746
add_constraints, 746
add_space_dimensions_and_embed, 746
add_space_dimensions_and_project, 746
affine_dimension, 746
affine_image, 746
affine_preimage, 746
ascii_dump, 746
bounded_affine_image, 747
bounded_affine_preimage, 747
bounds_from_above, 747
bounds_from_below, 747
build_cpp_object, 747–755
CC76_widening_assign, 755
concatenate_assign, 755
congruences, 755
constrains, 755
constraints, 755
contains, 755
contains_integer_point, 755
difference_assign, 756
drop_some_non_integer_points, 756
drop_some_non_integer_points_2, 756
equals, 756
expand_space_dimension, 756
external_memory_in_bytes, 756
finalize, 756
fold_space_dimensions, 756
free, 756
frequency, 757
generalized_affine_image, 757
generalized_affine_preimage, 757
Int32_Box, 734–745
intersection_assign, 757
is_bounded, 757
is_discrete, 757
is_disjoint_from, 757
is_empty, 757
is_topologically_closed, 758
is_universe, 758
limited_CC76_extrapolation_assign, 758
linear_partition, 758
map_space_dimensions, 758

maximize, 758
minimize, 758
minimized_congruences, 759
minimized_constraints, 759
OK, 759
refine_with_congruence, 759
refine_with_congruences, 759
refine_with_constraint, 759
refine_with_constraints, 759
relation_with, 759
remove_higher_space_dimensions, 760
remove_space_dimensions, 760
simplify_using_context_assign, 760
space_dimension, 760
strictly_contains, 760
swap, 760
time_elapse_assign, 760
topological_closure_assign, 760
toString, 760
total_memory_in_bytes, 760
unconstrain_space_dimension, 760
unconstrain_space_dimensions, 761
upper_bound_assign, 761
upper_bound_assign_if_exact, 761
widening_assign, 761
wrap_assign, 761
parma_polyhedra_library::Int64_Box, 761
add_congruence, 779
add_congruences, 779
add_constraint, 779
add_constraints, 779
add_space_dimensions_and_embed, 779
add_space_dimensions_and_project, 779
affine_dimension, 779
affine_image, 779
affine_preimage, 779
ascii_dump, 779
bounded_affine_image, 780
bounded_affine_preimage, 780
bounds_from_above, 780
bounds_from_below, 780
build_cpp_object, 780–788
CC76_widening_assign, 788
concatenate_assign, 788
congruences, 788
constrains, 788
constraints, 788
contains, 788
contains_integer_point, 788
difference_assign, 789
drop_some_non_integer_points, 789
drop_some_non_integer_points_2, 789
equals, 789
expand_space_dimension, 789
external_memory_in_bytes, 789
finalize, 789
fold_space_dimensions, 789
free, 789
frequency, 790
generalized_affine_image, 790
generalized_affine_preimage, 790
Int64_Box, 767–778
intersection_assign, 790
is_bounded, 790
is_discrete, 790
is_disjoint_from, 790
is_empty, 790
is_topologically_closed, 791
is_universe, 791
limited_CC76_extrapolation_assign, 791
linear_partition, 791
map_space_dimensions, 791
maximize, 791
minimize, 791
minimized_congruences, 792
minimized_constraints, 792
OK, 792
refine_with_congruence, 792
refine_with_congruences, 792
refine_with_constraint, 792
refine_with_constraints, 792
relation_with, 792
remove_higher_space_dimensions, 793
remove_space_dimensions, 793
simplify_using_context_assign, 793
space_dimension, 793
strictly_contains, 793
swap, 793
time_elapse_assign, 793
topological_closure_assign, 793
toString, 793
total_memory_in_bytes, 793
unconstrain_space_dimension, 793
unconstrain_space_dimensions, 794
upper_bound_assign, 794
upper_bound_assign_if_exact, 794
widening_assign, 794
wrap_assign, 794
parma_polyhedra_library::Int8_Box, 794
add_congruence, 812
add_congruences, 812
add_constraint, 812
add_constraints, 812
add_space_dimensions_and_embed, 812
add_space_dimensions_and_project, 812
affine_dimension, 812
affine_image, 812
affine_preimage, 812

ascii_dump, 812
bounded_affine_image, 813
bounded_affine_preimage, 813
bounds_from_above, 813
bounds_from_below, 813
build_cpp_object, 813–821
CC76_widening_assign, 821
concatenate_assign, 821
congruences, 821
constrains, 821
constraints, 821
contains, 821
contains_integer_point, 821
difference_assign, 822
drop_some_non_integer_points, 822
drop_some_non_integer_points_2, 822
equals, 822
expand_space_dimension, 822
external_memory_in_bytes, 822
finalize, 822
fold_space_dimensions, 822
free, 822
frequency, 823
generalized_affine_image, 823
generalized_affine_preimage, 823
Int8_Box, 800–811
intersection_assign, 823
is_bounded, 823
is_discrete, 823
is_disjoint_from, 823
is_empty, 823
is_topologically_closed, 824
is_universe, 824
limited_CC76_extrapolation_assign, 824
linear_partition, 824
map_space_dimensions, 824
maximize, 824
minimize, 824
minimized_congruences, 825
minimized_constraints, 825
OK, 825
refine_with_congruence, 825
refine_with_congruences, 825
refine_with_constraint, 825
refine_with_constraints, 825
relation_with, 825
remove_higher_space_dimensions, 826
remove_space_dimensions, 826
simplify_using_context_assign, 826
space_dimension, 826
strictly_contains, 826
swap, 826
time_elapse_assign, 826
topological_closure_assign, 826
toString, 826
total_memory_in_bytes, 826
unconstrain_space_dimension, 826
unconstrain_space_dimensions, 827
upper_bound_assign, 827
upper_bound_assign_if_exact, 827
widening_assign, 827
wrap_assign, 827
Parma_Polyhedra_Library::Interfaces, 56
Parma_Polyhedra_Library::Interfaces::Java, 56
bool_to_j_boolean_class, 61
build_cxx_artificial_parameter, 61
build_cxx_artificial_parameter_sequence, 61
build_cxx_bounded_overflow, 61
build_cxx_bounded_rep, 62
build_cxx_bounded_width, 62
build_cxx_coeff, 62
build_cxx_congruence, 62
build_cxx_congruence_system, 62
build_cxx_constraint, 63
build_cxx_constraint_system, 63
build_cxx_control_parameter_name, 63
build_cxx_control_parameter_value, 63
build_cxx_generator, 64
build_cxx_generator_system, 64
build_cxx_grid_generator, 64
build_cxx_grid_generator_system, 64
build_cxx_linear_expression, 64
build_cxx_optimization_mode, 65
build_cxx_pip_problem_control_parameter_-name, 65
build_cxx_pip_problem_control_parameter_-value, 65
build_cxx_relsym, 65
build_cxx_system, 65
build_cxx_variable, 66
build_cxx_variables_set, 66
build_java_artificial_parameter, 66
build_java_artificial_parameter_sequence, 66
build_java_coeff, 66
build_java_congruence, 67
build_java_congruence_system, 67
build_java_constraint, 67
build_java_constraint_system, 67
build_java_control_parameter_name, 67
build_java_control_parameter_value, 68
build_java_generator, 68
build_java_generator_system, 68
build_java_grid_generator, 68
build_java_grid_generator_system, 68
build_java_linear_expression_coefficient, 68
build_java_mip_status, 69
build_java_optimization_mode, 69

build_java_pip_problem_control_parameter_-name, 69
build_java_pip_problem_control_parameter_-value, 69
build_java_pip_status, 69
build_java_poly_con_relation, 70
build_java_poly_gen_relation, 70
build_java_variable, 70
build_java_variables_set, 70
build_linear_expression, 70
build_pip_problem_java_control_parameter_-name, 71
cached_classes, 76
cached_FMIDs, 77
get_by_reference, 71
get_pair_element, 71
get_ptr, 71
handle_exception, 72, 73
is_java_marked, 73
j_int_to_j_integer, 74
j_integer_to_j_int, 74
j_long_class_to_j_long, 74
j_long_to_j_long_class, 74
jtype_to_unsigned, 74
reset_deterministic_timeout, 75
reset_timeout, 75
set_by_reference, 75
set_coefficient, 75
set_generator, 75
set_pair_element, 76
set_ptr, 76
Parma_Polyhedra_-Library::Interfaces::Java::deterministic_-timeout_exception, 581
priority, 582
throw_me, 582
Parma_Polyhedra_Library::Interfaces::Java::Java_-Class_Cache, 829
Artificial_Parameter, 832
Artificial_Parameter_Sequence, 832
Boolean, 832
Bounded_Integer_Type_Overflow, 832
Bounded_Integer_Type_Representation, 832
Bounded_Integer_Type_Width, 832
By_Reference, 833
clear_cache, 831
Coefficient, 833
Congruence, 833
Congruence_System, 833
Constraint, 833
Constraint_System, 833
Generator, 834
Generator_System, 834
Generator_Type, 834
Grid_Generator, 834
Grid_Generator_System, 834
Grid_Generator_Type, 834
init_cache, 831
Integer, 834
Iterator, 835
Java_Class_Cache, 830, 831
Linear_Expression, 835
Linear_Expression_Coefficient, 835
Linear_Expression_Difference, 835
Linear_Expression_Sum, 835
Linear_Expression_Times, 835
Linear_Expression_Unary_Minus, 836
Linear_Expression_Variable, 836
Long, 836
MIP_Problem_Status, 836
operator=, 832
Optimization_Mode, 836
Pair, 836
PIP_Problem_Control_Parameter_Name, 837
PIP_Problem_Control_Parameter_Value, 837
PIP_Problem_Status, 837
Poly_Con_Relation, 837
Poly_Gen_Relation, 837
PPL_Object, 837
Relation_Symbol, 838
Variable, 838
Variables_Set, 838
Parma_Polyhedra_Library::Interfaces::Java::Java_-ExceptionOccurred, 838
Parma_Polyhedra_Library::Interfaces::Java::Java_-FMID_Cache, 838
Artificial_Parameter_den_ID, 841
Artificial_Parameter_init_ID, 841
Artificial_Parameter_le_ID, 841
Artificial_Parameter_Sequence_add_ID, 841
Artificial_Parameter_Sequence_init_ID, 842
Boolean_boolValue_ID, 842
Boolean_valueOf_ID, 842
Bounded_Integer_Type_Overflow_ordinal_-ID, 842
Bounded_Integer_Type_Overflow_-OVERFLOW_IMPOSSIBLE_ID, 842
Bounded_Integer_Type_Overflow_-OVERFLOW_UNDEFINED_ID, 842
Bounded_Integer_Type_Overflow_-OVERFLOW_WRAPS_ID, 843
Bounded_Integer_Type_Representation_-ordinal_ID, 843
Bounded_Integer_Type_Representation_-SIGNED_2_COMPLEMENT_ID, 843
Bounded_Integer_Type_Representation_-UNSIGNED_ID, 843

Bounded_Integer_Type_Width_BITS_128_-ID, 843
Bounded_Integer_Type_Width_BITS_16_ID, 843
Bounded_Integer_Type_Width_BITS_32_ID, 844
Bounded_Integer_Type_Width_BITS_64_ID, 844
Bounded_Integer_Type_Width_BITS_8_ID, 844
Bounded_Integer_Type_Width_ordinal_ID, 844
By_Reference_init_ID, 844
By_Reference_obj_ID, 844
Coefficient_init_from_String_ID, 845
Coefficient_toString_ID, 845
Coefficient_value_ID, 845
Complexity_Class_ordinal_ID, 845
Congruence_init_ID, 845
Congruence_lhs_ID, 846
Congruence_mod_ID, 846
Congruence_rhs_ID, 846
Congruence_System_add_ID, 846
Congruence_System_init_ID, 846
Constraint_init_ID, 846
Constraint_kind_ID, 846
Constraint_lhs_ID, 847
Constraint_rhs_ID, 847
Constraint_System_add_ID, 847
Constraint_System_init_ID, 847
Degenerate_Element_ordinal_ID, 847
Generator_closure_point_ID, 848
Generator_div_ID, 848
Generator_gt_ID, 848
Generator_le_ID, 848
Generator_line_ID, 848
Generator_point_ID, 848
Generator_ray_ID, 848
Generator_System_add_ID, 849
Generator_System_init_ID, 849
Generator_Type_ordinal_ID, 849
Grid_Generator_div_ID, 849
Grid_Generator_grid_line_ID, 849
Grid_Generator_grid_point_ID, 849
Grid_Generator_gt_ID, 850
Grid_Generator_le_ID, 850
Grid_Generator_parameter_ID, 850
Grid_Generator_System_add_ID, 850
Grid_Generator_System_init_ID, 850
Grid_Generator_Type_ordinal_ID, 850
Integer_intValue_ID, 851
Integer_valueOf_ID, 851
Linear_Expression_Coefficient_coeff_ID, 851
Linear_Expression_Coefficient_init_ID, 851
Linear_Expression_Difference_lhs_ID, 851
Linear_Expression_Difference_rhs_ID, 851
Linear_Expression_sum_ID, 852
Linear_Expression_Sum_lhs_ID, 852
Linear_Expression_Sum_rhs_ID, 852
Linear_Expression_Times_coeff_ID, 852
Linear_Expression_times_ID, 852
Linear_Expression_Times_init_from_coeff_-var_ID, 852
Linear_Expression_Times_lin_expr_ID, 853
Linear_Expression_Unary_Minus_arg_ID, 853
Linear_Expression_Variable_init_ID, 853
Linear_Expression_Variable_var_id_ID, 853
Long_longValue_ID, 853
Long_valueOf_ID, 853
MIP_Problem_Status_OPTIMIZED_MIP_-PROBLEM_ID, 854
MIP_Problem_Status_ordinal_ID, 854
MIP_Problem_Status_UNBOUNDED_MIP_-PROBLEM_ID, 854
MIP_Problem_Status_UNFEASIBLE_MIP_-PROBLEM_ID, 854
Optimization_Mode_MAXIMIZATION_ID, 854
Optimization_Mode_MINIMIZATION_ID, 854
Optimization_Mode_ordinal_ID, 855
Pair_first_ID, 855
Pair_second_ID, 855
PIP_Problem_Control_Parameter_Name_-CUTTING_STRATEGY_ID, 855
PIP_Problem_Control_Parameter_Name_-ordinal_ID, 855
PIP_Problem_Control_Parameter_Name_-PIVOT_ROW_STRATEGY, 855
PIP_Problem_Control_Parameter_Value_-CUTTING_STRATEGY_ALL_ID, 856
PIP_Problem_Control_Parameter_Value_-CUTTING_STRATEGY_DEEPEST_ID, 856
PIP_Problem_Control_Parameter_Value_-CUTTING_STRATEGY_FIRST_ID, 856
PIP_Problem_Control_Parameter_Value_-ordinal_ID, 856
PIP_Problem_Control_Parameter_Value_-PIVOT_ROW_STRATEGY_FIRST_ID, 856
PIP_Problem_Control_Parameter_Value_-PIVOT_ROW_STRATEGY_MAX_-COLUMN_ID, 856

PIP_Problem_Status_OPTIMIZED_PIP_-PROBLEM_ID, 856
PIP_Problem_Status_ordinal_ID, 856
PIP_Problem_Status_UNFEASIBLE_PIP_-PROBLEM_ID, 857
Poly_Con_Relation_init_ID, 857
Poly_Gen_Relation_init_ID, 857
PPL_Object_ptr_ID, 857
Relation_Symbol_EQUAL_ID, 857
Relation_Symbol_GREATER_OR_EQUAL_-ID, 857
Relation_Symbol_GREATER_THAN_ID, 858
Relation_Symbol_ordinal_ID, 858
System_Iterator_has_next_ID, 858
System_iterator_ID, 858
System_Iterator_next_ID, 858
Variable_init_ID, 858
Variable_varid_ID, 859
Variables_Set_add_ID, 859
Variables_Set_init_ID, 859
Variables_Set_Iterator_has_next_ID, 859
Variables_Set_iterator_ID, 859
Variables_Set_Iterator_next_ID, 859
Parma_Polyhedra_-Library::Interfaces::Java::timeout_-exception, 2007
priority, 2008
throw_me, 2008
parma_polyhedra_library::Invalid_Argument_-Exception, 827
Invalid_Argument_Exception, 828
parma_polyhedra_library::IO, 828
wrap_string, 828
parma_polyhedra_library::Length_Error_-Exception, 860
Length_Error_Exception, 860
parma_polyhedra_library::Linear_Expression, 860
all_homogeneous_terms_are_zero, 862
ascii_dump, 862
clone, 862
initIDs, 863
is_zero, 863
subtract, 863
sum, 863
times, 863
toString, 863
unary_minus, 863
parma_polyhedra_library::Linear_Expression_-Coefficient, 864
argument, 865
clone, 866
coeff, 866
initIDs, 866
Linear_Expression_Coefficient, 865
parma_polyhedra_library::Linear_Expression_-Difference, 866
clone, 868
initIDs, 868
left_hand_side, 869
lhs, 869
Linear_Expression_Difference, 868
rhs, 869
right_hand_side, 869
parma_polyhedra_library::Linear_Expression_-Sum, 870
clone, 871
initIDs, 871
left_hand_side, 872
lhs, 872
Linear_Expression_Sum, 871
rhs, 872
right_hand_side, 872
parma_polyhedra_library::Linear_Expression_-Times, 873
clone, 875
coeff, 876
coefficient, 875
initIDs, 875
lin_expr, 876
linear_expression, 875
Linear_Expression_Times, 874
parma_polyhedra_library::Linear_Expression_-Unary_Minus, 876
arg, 879
argument, 878
clone, 878
initIDs, 878
Linear_Expression_Unary_Minus, 878
parma_polyhedra_library::Linear_Expression_-Variable, 879
arg, 881
argument, 880
clone, 881
initIDs, 881
Linear_Expression_Variable, 880
var_id, 881
parma_polyhedra_library::Logic_Error_Exception, 881
Logic_Error_Exception, 882
parma_polyhedra_library::Long_Double_Box, 882
add_congruence, 900
add_congruences, 900
add_constraint, 900
add_constraints, 900
add_space_dimensions_and_embed, 900
add_space_dimensions_and_project, 901
affine_dimension, 901

affine_image, 901
affine_preimage, 901
ascii_dump, 901
bounded_affine_image, 901
bounded_affine_preimage, 901
bounds_from_above, 901
bounds_from_below, 901
build_cpp_object, 902–909
CC76_widening_assign, 910
concatenate_assign, 910
congruences, 910
constrains, 910
constraints, 910
contains, 910
contains_integer_point, 910
difference_assign, 910
drop_some_non_integer_points, 910
drop_some_non_integer_points_2, 911
equals, 911
expand_space_dimension, 911
external_memory_in_bytes, 911
finalize, 911
fold_space_dimensions, 911
free, 911
frequency, 911
generalized_affine_image, 912
generalized_affine_preimage, 912
intersection_assign, 912
is_bounded, 912
is_discrete, 912
is_disjoint_from, 912
is_empty, 912
is_topologically_closed, 913
is_universe, 913
limited_CC76_extrapolation_assign, 913
linear_partition, 913
Long_Double_Box, 888–900
map_space_dimensions, 913
maximize, 913
minimize, 913
minimized_congruences, 914
minimized_constraints, 914
OK, 914
refine_with_congruence, 914
refine_with_congruences, 914
refine_with_constraint, 914
refine_with_constraints, 914
relation_with, 914, 915
remove_higher_space_dimensions, 915
remove_space_dimensions, 915
simplify_using_context_assign, 915
space_dimension, 915
strictly_contains, 915
swap, 915
time_elapse_assign, 915
topological_closure_assign, 915
toString, 915
total_memory_in_bytes, 916
unconstrain_space_dimension, 916
unconstrain_space_dimensions, 916
upper_bound_assign, 916
upper_bound_assign_if_exact, 916
widening_assign, 916
wrap_assign, 916
parma_polyhedra_library::MIP_Problem, 916
add_constraint, 921
add_constraints, 921
add_space_dimensions_and_embed, 921
add_to_integer_space_dimensions, 922
ascii_dump, 922
build_cpp_object, 922
clear, 922
constraints, 923
evaluate_objective_function, 923
feasible_point, 923
finalize, 923
free, 923
get_control_parameter, 923
integer_space_dimensions, 924
is_satisfiable, 924
max_space_dimension, 924
MIP_Problem, 920, 921
objective_function, 924
OK, 924
optimal_value, 924
optimization_mode, 925
optimizing_point, 925
set_control_parameter, 925
set_objective_function, 925
set_optimization_mode, 925
solve, 925
space_dimension, 926
toString, 926
total_memory_in_bytes, 926
parma_polyhedra_library::NNC_Polyhedron, 926
build_cpp_object, 942–950
finalize, 950
free, 950
linear_partition, 951
NNC_Polyhedron, 930–942
poly_hull_assign_if_exact, 951
upper_bound_assign_if_exact, 951
parma_polyhedra_library::Octagonal_Shape_-
double, 951
add_congruence, 969
add_congruences, 969
add_constraint, 969
add_constraints, 969

add_space_dimensions_and_embed, 969
add_space_dimensions_and_project, 969
affine_dimension, 969
affine_image, 969
affine_preimage, 969
ascii_dump, 970
BHMZ05_widening_assign, 970
bounded_affine_image, 970
bounded_affine_preimage, 970
bounds_from_above, 970
bounds_from_below, 970
build_cpp_object, 970–978
CC76_extrapolation_assign, 978
CC76_narrowing_assign, 978
concatenate_assign, 978
congruences, 979
constrains, 979
constraints, 979
contains, 979
contains_integer_point, 979
difference_assign, 979
drop_some_non_integer_points, 979
drop_some_non_integer_points_2, 979
equals, 979, 980
expand_space_dimension, 980
external_memory_in_bytes, 980
finalize, 980
fold_space_dimensions, 980
free, 980
frequency, 980
generalized_affine_image, 980, 981
generalized_affine_preimage, 981
hashCode, 981
intersection_assign, 981
is_bounded, 981
is_discrete, 981
is_disjoint_from, 981
is_empty, 981
is_topologically_closed, 982
is_universe, 982
limited_BHMZ05_extrapolation_assign, 982
limited_CC76_extrapolation_assign, 982
linear_partition, 982
map_space_dimensions, 982
maximize, 982
minimize, 982, 983
minimized_congruences, 983
minimized_constraints, 983
Octagonal_Shape_double, 957–968
OK, 983
refine_with_congruence, 983
refine_with_congruences, 983
refine_with_constraint, 983
refine_with_constraints, 983
relation_with, 983, 984
remove_higher_space_dimensions, 984
remove_space_dimensions, 984
simplify_using_context_assign, 984
space_dimension, 984
strictly_contains, 984
swap, 984
time_elapse_assign, 984
topological_closure_assign, 985
toString, 985
total_memory_in_bytes, 985
unconstrain_space_dimension, 985
unconstrain_space_dimensions, 985
upper_bound_assign, 985
upper_bound_assign_if_exact, 985
widening_assign, 985
wrap_assign, 985
parma_polyhedra_library::Octagonal_Shape_float, 986
add_congruence, 1004
add_congruences, 1004
add_constraint, 1004
add_constraints, 1004
add_space_dimensions_and_embed, 1004
add_space_dimensions_and_project, 1004
affine_dimension, 1004
affine_image, 1004
affine_preimage, 1004
ascii_dump, 1005
BHMZ05_widening_assign, 1005
bounded_affine_image, 1005
bounded_affine_preimage, 1005
bounds_from_above, 1005
bounds_from_below, 1005
build_cpp_object, 1005–1013
CC76_extrapolation_assign, 1013
CC76_narrowing_assign, 1013
concatenate_assign, 1013
congruences, 1014
constrains, 1014
constraints, 1014
contains, 1014
contains_integer_point, 1014
difference_assign, 1014
drop_some_non_integer_points, 1014
drop_some_non_integer_points_2, 1014
equals, 1014, 1015
expand_space_dimension, 1015
external_memory_in_bytes, 1015
finalize, 1015
fold_space_dimensions, 1015
free, 1015
frequency, 1015
generalized_affine_image, 1015, 1016

generalized_affine_preimage, 1016
hashCode, 1016
intersection_assign, 1016
is_bounded, 1016
is_discrete, 1016
is_disjoint_from, 1016
is_empty, 1016
is_topologically_closed, 1017
is_universe, 1017
limited_BHMZ05_extrapolation_assign, 1017
limited_CC76_extrapolation_assign, 1017
linear_partition, 1017
map_space_dimensions, 1017
maximize, 1017
minimize, 1017, 1018
minimized_congruences, 1018
minimized_constraints, 1018
Octagonal_Shape_float, 992–1003
OK, 1018
refine_with_congruence, 1018
refine_with_congruences, 1018
refine_with_constraint, 1018
refine_with_constraints, 1018
relation_with, 1018, 1019
remove_higher_space_dimensions, 1019
remove_space_dimensions, 1019
simplify_using_context_assign, 1019
space_dimension, 1019
strictly_contains, 1019
swap, 1019
time_elapse_assign, 1019
topological_closure_assign, 1020
toString, 1020
total_memory_in_bytes, 1020
unconstrain_space_dimension, 1020
unconstrain_space_dimensions, 1020
upper_bound_assign, 1020
upper_bound_assign_if_exact, 1020
widening_assign, 1020
wrap_assign, 1020
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1021
add_congruence, 1039
add_congruences, 1039
add_constraint, 1039
add_constraints, 1039
add_space_dimensions_and_embed, 1039
add_space_dimensions_and_project, 1039
affine_dimension, 1039
affine_image, 1039
affine_preimage, 1039
ascii_dump, 1040
BHMZ05_widening_assign, 1040
bounded_affine_image, 1040
bounded_affine_preimage, 1040
bounds_from_above, 1040
bounds_from_below, 1040
build_cpp_object, 1040–1048
CC76_extrapolation_assign, 1048
CC76_narrowing_assign, 1048
concatenate_assign, 1048
congruences, 1049
constrains, 1049
constraints, 1049
contains, 1049
contains_integer_point, 1049
difference_assign, 1049
drop_some_non_integer_points, 1049
drop_some_non_integer_points_2, 1049
equals, 1049, 1050
expand_space_dimension, 1050
external_memory_in_bytes, 1050
finalize, 1050
fold_space_dimensions, 1050
free, 1050
frequency, 1050
generalized_affine_image, 1050, 1051
generalized_affine_preimage, 1051
hashCode, 1051
intersection_assign, 1051
is_bounded, 1051
is_discrete, 1051
is_disjoint_from, 1051
is_empty, 1051
is_topologically_closed, 1052
is_universe, 1052
limited_BHMZ05_extrapolation_assign, 1052
limited_CC76_extrapolation_assign, 1052
linear_partition, 1052
map_space_dimensions, 1052
maximize, 1052
minimize, 1052, 1053
minimized_congruences, 1053
minimized_constraints, 1053
Octagonal_Shape_int16_t, 1027–1038
OK, 1053
refine_with_congruence, 1053
refine_with_congruences, 1053
refine_with_constraint, 1053
refine_with_constraints, 1053
relation_with, 1053, 1054
remove_higher_space_dimensions, 1054
remove_space_dimensions, 1054
simplify_using_context_assign, 1054
space_dimension, 1054
strictly_contains, 1054
swap, 1054
time_elapse_assign, 1054

topological_closure_assign, 1055
toString, 1055
total_memory_in_bytes, 1055
unconstrain_space_dimension, 1055
unconstrain_space_dimensions, 1055
upper_bound_assign, 1055
upper_bound_assign_if_exact, 1055
widening_assign, 1055
wrap_assign, 1055
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1056
add_congruence, 1074
add_congruences, 1074
add_constraint, 1074
add_constraints, 1074
add_space_dimensions_and_embed, 1074
add_space_dimensions_and_project, 1074
affine_dimension, 1074
affine_image, 1074
affine_preimage, 1074
ascii_dump, 1075
BHMZ05_widening_assign, 1075
bounded_affine_image, 1075
bounded_affine_preimage, 1075
bounds_from_above, 1075
bounds_from_below, 1075
build_cpp_object, 1075–1083
CC76_extrapolation_assign, 1083
CC76_narrowing_assign, 1083
concatenate_assign, 1083
congruences, 1084
constrains, 1084
constraints, 1084
contains, 1084
contains_integer_point, 1084
difference_assign, 1084
drop_some_non_integer_points, 1084
drop_some_non_integer_points_2, 1084
equals, 1084, 1085
expand_space_dimension, 1085
external_memory_in_bytes, 1085
finalize, 1085
fold_space_dimensions, 1085
free, 1085
frequency, 1085
generalized_affine_image, 1085, 1086
generalized_affine_preimage, 1086
hashCode, 1086
intersection_assign, 1086
is_bounded, 1086
is_discrete, 1086
is_disjoint_from, 1086
is_empty, 1086
is_topologically_closed, 1087
is_universe, 1087
limited_BHMZ05_extrapolation_assign, 1087
limited_CC76_extrapolation_assign, 1087
linear_partition, 1087
map_space_dimensions, 1087
maximize, 1087
minimize, 1087, 1088
minimized_congruences, 1088
minimized_constraints, 1088
Octagonal_Shape_int32_t, 1062–1073
OK, 1088
refine_with_congruence, 1088
refine_with_congruences, 1088
refine_with_constraint, 1088
refine_with_constraints, 1088
relation_with, 1088, 1089
remove_higher_space_dimensions, 1089
remove_space_dimensions, 1089
simplify_using_context_assign, 1089
space_dimension, 1089
strictly_contains, 1089
swap, 1089
time_elapse_assign, 1089
topological_closure_assign, 1090
toString, 1090
total_memory_in_bytes, 1090
unconstrain_space_dimension, 1090
unconstrain_space_dimensions, 1090
upper_bound_assign, 1090
upper_bound_assign_if_exact, 1090
widening_assign, 1090
wrap_assign, 1090
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1091
add_congruence, 1109
add_congruences, 1109
add_constraint, 1109
add_constraints, 1109
add_space_dimensions_and_embed, 1109
add_space_dimensions_and_project, 1109
affine_dimension, 1109
affine_image, 1109
affine_preimage, 1109
ascii_dump, 1110
BHMZ05_widening_assign, 1110
bounded_affine_image, 1110
bounded_affine_preimage, 1110
bounds_from_above, 1110
bounds_from_below, 1110
build_cpp_object, 1110–1118
CC76_extrapolation_assign, 1118
CC76_narrowing_assign, 1118
concatenate_assign, 1118
congruences, 1119

constrains, 1119
constraints, 1119
contains, 1119
contains_integer_point, 1119
difference_assign, 1119
drop_some_non_integer_points, 1119
drop_some_non_integer_points_2, 1119
equals, 1119, 1120
expand_space_dimension, 1120
external_memory_in_bytes, 1120
finalize, 1120
fold_space_dimensions, 1120
free, 1120
frequency, 1120
generalized_affine_image, 1120, 1121
generalized_affine_preimage, 1121
hashCode, 1121
intersection_assign, 1121
is_bounded, 1121
is_discrete, 1121
is_disjoint_from, 1121
is_empty, 1121
is_topologically_closed, 1122
is_universe, 1122
limited_BHMZ05_extrapolation_assign, 1122
limited_CC76_extrapolation_assign, 1122
linear_partition, 1122
map_space_dimensions, 1122
maximize, 1122
minimize, 1122, 1123
minimized_congruences, 1123
minimized_constraints, 1123
Octagonal_Shape_int64_t, 1097–1108
OK, 1123
refine_with_congruence, 1123
refine_with_congruences, 1123
refine_with_constraint, 1123
refine_with_constraints, 1123
relation_with, 1123, 1124
remove_higher_space_dimensions, 1124
remove_space_dimensions, 1124
simplify_using_context_assign, 1124
space_dimension, 1124
strictly_contains, 1124
swap, 1124
time_elapse_assign, 1124
topological_closure_assign, 1125
toString, 1125
total_memory_in_bytes, 1125
unconstrain_space_dimension, 1125
unconstrain_space_dimensions, 1125
upper_bound_assign, 1125
upper_bound_assign_if_exact, 1125
widening_assign, 1125
wrap_assign, 1125
parma_polyhedra_library::Octagonal_Shape_int8_t, 1126
add_congruence, 1144
add_congruences, 1144
add_constraint, 1144
add_constraints, 1144
add_space_dimensions_and_embed, 1144
add_space_dimensions_and_project, 1144
affine_dimension, 1144
affine_image, 1144
affine_preimage, 1144
ascii_dump, 1145
BHMZ05_widening_assign, 1145
bounded_affine_image, 1145
bounded_affine_preimage, 1145
bounds_from_above, 1145
bounds_from_below, 1145
build_cpp_object, 1145–1153
CC76_extrapolation_assign, 1153
CC76_narrowing_assign, 1153
concatenate_assign, 1153
congruences, 1154
constrains, 1154
constraints, 1154
contains, 1154
contains_integer_point, 1154
difference_assign, 1154
drop_some_non_integer_points, 1154
drop_some_non_integer_points_2, 1154
equals, 1154, 1155
expand_space_dimension, 1155
external_memory_in_bytes, 1155
finalize, 1155
fold_space_dimensions, 1155
free, 1155
frequency, 1155
generalized_affine_image, 1155, 1156
generalized_affine_preimage, 1156
hashCode, 1156
intersection_assign, 1156
is_bounded, 1156
is_discrete, 1156
is_disjoint_from, 1156
is_empty, 1156
is_topologically_closed, 1157
is_universe, 1157
limited_BHMZ05_extrapolation_assign, 1157
limited_CC76_extrapolation_assign, 1157
linear_partition, 1157
map_space_dimensions, 1157
maximize, 1157
minimize, 1157, 1158
minimized_congruences, 1158

minimized_constraints, 1158
Octagonal_Shape_int8_t, 1132–1143
OK, 1158
refine_with_congruence, 1158
refine_with_congruences, 1158
refine_with_constraint, 1158
refine_with_constraints, 1158
relation_with, 1158, 1159
remove_higher_space_dimensions, 1159
remove_space_dimensions, 1159
simplify_using_context_assign, 1159
space_dimension, 1159
strictly_contains, 1159
swap, 1159
time_elapse_assign, 1159
topological_closure_assign, 1160
toString, 1160
total_memory_in_bytes, 1160
unconstrain_space_dimension, 1160
unconstrain_space_dimensions, 1160
upper_bound_assign, 1160
upper_bound_assign_if_exact, 1160
widening_assign, 1160
wrap_assign, 1160
parma_polyhedra_library::Octagonal_Shape_-long_double, 1161
add_congruence, 1179
add_congruences, 1179
add_constraint, 1179
add_constraints, 1179
add_space_dimensions_and_embed, 1180
add_space_dimensions_and_project, 1180
affine_dimension, 1180
affine_image, 1180
affine_preimage, 1180
ascii_dump, 1180
BHMZ05_widening_assign, 1180
bounded_affine_image, 1180
bounded_affine_preimage, 1180
bounds_from_above, 1181
bounds_from_below, 1181
build_cpp_object, 1181–1189
CC76_extrapolation_assign, 1190
CC76_narrowing_assign, 1190
concatenate_assign, 1190
congruences, 1190
constrains, 1190
constraints, 1190
contains, 1190
contains_integer_point, 1190
difference_assign, 1190
drop_some_non_integer_points, 1191
drop_some_non_integer_points_2, 1191
equals, 1191
expand_space_dimension, 1191
external_memory_in_bytes, 1191
finalize, 1191
fold_space_dimensions, 1191
free, 1192
frequency, 1192
generalized_affine_image, 1192
generalized_affine_preimage, 1192
hashCode, 1192
intersection_assign, 1192
is_bounded, 1193
is_discrete, 1193
is_disjoint_from, 1193
is_empty, 1193
is_topologically_closed, 1193
is_universe, 1193
limited_BHMZ05_extrapolation_assign, 1193
limited_CC76_extrapolation_assign, 1193
linear_partition, 1193
map_space_dimensions, 1194
maximize, 1194
minimize, 1194
minimized_congruences, 1194
minimized_constraints, 1194
Octagonal_Shape_long_double, 1167–1179
OK, 1194
refine_with_congruence, 1195
refine_with_congruences, 1195
refine_with_constraint, 1195
refine_with_constraints, 1195
relation_with, 1195
remove_higher_space_dimensions, 1195
remove_space_dimensions, 1195
simplify_using_context_assign, 1195
space_dimension, 1196
strictly_contains, 1196
swap, 1196
time_elapse_assign, 1196
topological_closure_assign, 1196
toString, 1196
total_memory_in_bytes, 1196
unconstrain_space_dimension, 1196
unconstrain_space_dimensions, 1196
upper_bound_assign, 1197
upper_bound_assign_if_exact, 1197
widening_assign, 1197
wrap_assign, 1197
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1197
add_congruence, 1216
add_congruences, 1216
add_constraint, 1216
add_constraints, 1216
add_space_dimensions_and_embed, 1216

add_space_dimensions_and_project, 1216
affine_dimension, 1216
affine_image, 1216
affine_preimage, 1217
ascii_dump, 1217
BHMZ05_widening_assign, 1217
bounded_affine_image, 1217
bounded_affine_preimage, 1217
bounds_from_above, 1217
bounds_from_below, 1217
build_cpp_object, 1217–1225
CC76_extrapolation_assign, 1225
CC76_narrowing_assign, 1225
concatenate_assign, 1226
congruences, 1226
constrains, 1226
constraints, 1226
contains, 1226
contains_integer_point, 1226
difference_assign, 1226
drop_some_non_integer_points, 1226
drop_some_non_integer_points_2, 1226
equals, 1227
expand_space_dimension, 1227
external_memory_in_bytes, 1227
finalize, 1227
fold_space_dimensions, 1227
free, 1227
frequency, 1227
generalized_affine_image, 1228
generalized_affine_preimage, 1228
hashCode, 1228
intersection_assign, 1228
is_bounded, 1228
is_discrete, 1228
is_disjoint_from, 1228
is_empty, 1229
is_topologically_closed, 1229
is_universe, 1229
limited_BHMZ05_extrapolation_assign, 1229
limited_CC76_extrapolation_assign, 1229
linear_partition, 1229
map_space_dimensions, 1229
maximize, 1229
minimize, 1230
minimized_congruences, 1230
minimized_constraints, 1230
Octagonal_Shape_mpq_class, 1203–1215
OK, 1230
refine_with_congruence, 1230
refine_with_congruences, 1230
refine_with_constraint, 1230
refine_with_constraints, 1230
relation_with, 1231
remove_higher_space_dimensions, 1231
remove_space_dimensions, 1231
simplify_using_context_assign, 1231
space_dimension, 1231
strictly_contains, 1231
swap, 1231
time_elapse_assign, 1232
topological_closure_assign, 1232
toString, 1232
total_memory_in_bytes, 1232
unconstrain_space_dimension, 1232
unconstrain_space_dimensions, 1232
upper_bound_assign, 1232
upper_bound_assign_if_exact, 1232
widening_assign, 1232
wrap_assign, 1233
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1233
add_congruence, 1251
add_congruences, 1251
add_constraint, 1251
add_constraints, 1251
add_space_dimensions_and_embed, 1251
add_space_dimensions_and_project, 1251
affine_dimension, 1251
affine_image, 1251
affine_preimage, 1252
ascii_dump, 1252
BHMZ05_widening_assign, 1252
bounded_affine_image, 1252
bounded_affine_preimage, 1252
bounds_from_above, 1252
bounds_from_below, 1252
build_cpp_object, 1252–1260
CC76_extrapolation_assign, 1260
CC76_narrowing_assign, 1260
concatenate_assign, 1261
congruences, 1261
constrains, 1261
constraints, 1261
contains, 1261
contains_integer_point, 1261
difference_assign, 1261
drop_some_non_integer_points, 1261
drop_some_non_integer_points_2, 1261
equals, 1262
expand_space_dimension, 1262
external_memory_in_bytes, 1262
finalize, 1262
fold_space_dimensions, 1262
free, 1262
frequency, 1262
generalized_affine_image, 1263
generalized_affine_preimage, 1263

hashCode, 1263
intersection_assign, 1263
is_bounded, 1263
is_discrete, 1263
is_disjoint_from, 1263
is_empty, 1264
is_topologically_closed, 1264
is_universe, 1264
limited_BHMZ05_extrapolation_assign, 1264
limited_CC76_extrapolation_assign, 1264
linear_partition, 1264
map_space_dimensions, 1264
maximize, 1264
minimize, 1265
minimized_congruences, 1265
minimized_constraints, 1265
Octagonal_Shape_mpz_class, 1239–1250
OK, 1265
refine_with_congruence, 1265
refine_with_congruences, 1265
refine_with_constraint, 1265
refine_with_constraints, 1265
relation_with, 1266
remove_higher_space_dimensions, 1266
remove_space_dimensions, 1266
simplify_using_context_assign, 1266
space_dimension, 1266
strictly_contains, 1266
swap, 1266
time_elapse_assign, 1267
topological_closure_assign, 1267
toString, 1267
total_memory_in_bytes, 1267
unconstrain_space_dimension, 1267
unconstrain_space_dimensions, 1267
upper_bound_assign, 1267
upper_bound_assign_if_exact, 1267
widening_assign, 1267
wrap_assign, 1268
parma_polyhedra_library::Overflow_Error_-Exception, 1268
Overflow_Error_Exception, 1268
parma_polyhedra_library::Pair< K, V >, 1268
first, 1270
getFirst, 1269
getSecond, 1269
initIDs, 1270
second, 1270
parma_polyhedra_library::Parma_Polyhedra_-Library, 1270
banner, 1272
finalize_library, 1272
initialize_library, 1272
irrational_precision, 1272
reset_deterministic_timeout, 1272
reset_timeout, 1272
restore_pre_PPL_rounding, 1272
set_deterministic_timeout, 1273
set_irrational_precision, 1273
set_rounding_for_PPL, 1273
set_timeout, 1274
version, 1274
version_beta, 1274
version_major, 1274
version_minor, 1274
version_revision, 1274
parma_polyhedra_library::Partial_Function, 1275
build_cpp_object, 1276
finalize, 1276
free, 1276
has_empty_codomain, 1277
insert, 1277
maps, 1277
max_in_codomain, 1277
Partial_Function, 1276
parma_polyhedra_library::PIP_Decision_Node, 1277
child_node, 1279
parma_polyhedra_library::PIP_Problem, 1279
add_constraint, 1284
add_constraints, 1284
add_space_dimensions_and_embed, 1284
add_to_parameter_space_dimensions, 1284
ascii_dump, 1284
build_cpp_object, 1284, 1285
clear, 1285
constraint_at_index, 1285
constraints, 1285
external_memory_in_bytes, 1285
finalize, 1285
free, 1286
get_big_parameter_dimension, 1286
get_pip_problem_control_parameter, 1286
is_satisfiable, 1286
max_space_dimension, 1286
number_of_constraints, 1286
number_of_parameter_space_dimensions, 1286
OK, 1286
optimizing_solution, 1287
parameter_space_dimensions, 1287
PIP_Problem, 1283
set_big_parameter_dimension, 1287
set_pip_problem_control_parameter, 1287
solution, 1287
solve, 1287
space_dimension, 1287
toString, 1288

total_memory_in_bytes, 1288
parma_polyhedra_library::PIP_Solution_Node, 1288
parametric_values, 1289
parma_polyhedra_library::PIP_Tree_Node, 1289
artificials, 1291
as_decision, 1291
as_solution, 1291
constraints, 1291
number_of_artificials, 1291
OK, 1291
toString, 1291
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_double, 1292
add_congruence, 1296
add_congruences, 1296
add_constraint, 1296
add_constraints, 1296
add_disjunct, 1296
add_space_dimensions_and_embed, 1297
add_space_dimensions_and_project, 1297
affine_dimension, 1297
affine_image, 1297
affine_preimage, 1297
ascii_dump, 1297
begin_iterator, 1297
BGP99_BHMZ05_extrapolation_assign, 1297
BGP99_H79_extrapolation_assign, 1297
BHZ03_H79_BHMZ05_widening_assign, 1298
BHZ03_H79_H79_widening_assign, 1298
bounded_affine_image, 1298
bounded_affine_preimage, 1298
bounds_from_above, 1298
bounds_from_below, 1298
build_cpp_object, 1298, 1299
concatenate_assign, 1299
constrains, 1299
contains, 1299
contains_integer_point, 1300
difference_assign, 1300
drop_disjunct, 1300
drop_disjuncts, 1300
drop_some_non_integer_points, 1300
drop_some_non_integer_points_2, 1300
end_iterator, 1300
equals, 1300, 1301
expand_space_dimension, 1301
external_memory_in_bytes, 1301
finalize, 1301
fold_space_dimensions, 1301
free, 1301
generalized_affine_image, 1301
generalized_affine_preimage, 1302
geometrically_covers, 1302
geometrically_equals, 1302
hashCode, 1302
intersection_assign, 1302
is_bounded, 1302
is_discrete, 1302
is_disjoint_from, 1303
is_empty, 1303
is_topologically_closed, 1303
is_universe, 1303
map_space_dimensions, 1303
maximize, 1303
minimize, 1303
OK, 1304
omega_reduce, 1304
pairwise_reduce, 1304
Pointset_Powerset_BD_Shape_double, 1295, 1296
refine_with_congruence, 1304
refine_with_congruences, 1304
refine_with_constraint, 1304
refine_with_constraints, 1304
relation_with, 1304, 1305
remove_higher_space_dimensions, 1305
remove_space_dimensions, 1305
simplify_using_context_assign, 1305
size, 1305
space_dimension, 1305
strictly_contains, 1305
swap, 1305
time_elapse_assign, 1305
topological_closure_assign, 1306
toString, 1306
total_memory_in_bytes, 1306
unconstrain_space_dimension, 1306
unconstrain_space_dimensions, 1306
upper_bound_assign, 1306
upper_bound_assign_if_exact, 1306
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_double_Iterator, 1307
build_cpp_object, 1308
build_ppl_object, 1308
equals, 1308
finalize, 1308
free, 1309
get_disjunct, 1309
next, 1309
Pointset_Powerset_BD_Shape_double_-Iterator, 1308
prev, 1309
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_float, 1309
add_congruence, 1314
add_congruences, 1314

add_constraint, 1314
add_constraints, 1314
add_disjunct, 1314
add_space_dimensions_and_embed, 1314
add_space_dimensions_and_project, 1314
affine_dimension, 1314
affine_image, 1315
affine_preimage, 1315
ascii_dump, 1315
begin_iterator, 1315
BGP99_BHMZ05_extrapolation_assign, 1315
BGP99_H79_extrapolation_assign, 1315
BHZ03_H79_BHMZ05_widening_assign, 1315
BHZ03_H79_H79_widening_assign, 1315
bounded_affine_image, 1316
bounded_affine_preimage, 1316
bounds_from_above, 1316
bounds_from_below, 1316
build_cpp_object, 1316, 1317
concatenate_assign, 1317
constrains, 1317
contains, 1317
contains_integer_point, 1317
difference_assign, 1317
drop_disjunct, 1318
drop_disjuncts, 1318
drop_some_non_integer_points, 1318
drop_some_non_integer_points_2, 1318
end_iterator, 1318
equals, 1318
expand_space_dimension, 1318
external_memory_in_bytes, 1319
finalize, 1319
fold_space_dimensions, 1319
free, 1319
generalized_affine_image, 1319
generalized_affine_preimage, 1319
geometrically_covers, 1319
geometrically_equals, 1320
hashCode, 1320
intersection_assign, 1320
is_bounded, 1320
is_discrete, 1320
is_disjoint_from, 1320
is_empty, 1320
is_topologically_closed, 1320
is_universe, 1320
map_space_dimensions, 1321
maximize, 1321
minimize, 1321
OK, 1321
omega_reduce, 1321
pairwise_reduce, 1321
Pointset_Powerset_BD_Shape_float, 1312, 1313
refine_with_congruence, 1321
refine_with_congruences, 1322
refine_with_constraint, 1322
refine_with_constraints, 1322
relation_with, 1322
remove_higher_space_dimensions, 1322
remove_space_dimensions, 1322
simplify_using_context_assign, 1322
size, 1323
space_dimension, 1323
strictly_contains, 1323
swap, 1323
time_elapse_assign, 1323
topological_closure_assign, 1323
toString, 1323
total_memory_in_bytes, 1323
unconstrain_space_dimension, 1323
unconstrain_space_dimensions, 1324
upper_bound_assign, 1324
upper_bound_assign_if_exact, 1324
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator, 1324
build_cpp_object, 1326
build_ppl_object, 1326
equals, 1326
finalize, 1326
free, 1326
get_disjunct, 1326
next, 1326
Pointset_Powerset_BD_Shape_float_Iterator, 1325
prev, 1327
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1327
add_congruence, 1331
add_congruences, 1331
add_constraint, 1332
add_constraints, 1332
add_disjunct, 1332
add_space_dimensions_and_embed, 1332
add_space_dimensions_and_project, 1332
affine_dimension, 1332
affine_image, 1332
affine_preimage, 1332
ascii_dump, 1332
begin_iterator, 1333
BGP99_BHMZ05_extrapolation_assign, 1333
BGP99_H79_extrapolation_assign, 1333
BHZ03_H79_BHMZ05_widening_assign, 1333
BHZ03_H79_H79_widening_assign, 1333
bounded_affine_image, 1333

bounded_affine_preimage, 1333
bounds_from_above, 1333
bounds_from_below, 1334
build_cpp_object, 1334
concatenate_assign, 1335
constrains, 1335
contains, 1335
contains_integer_point, 1335
difference_assign, 1335
drop_disjunct, 1335
drop_disjuncts, 1335
drop_some_non_integer_points, 1335
drop_some_non_integer_points_2, 1335
end_iterator, 1336
equals, 1336
expand_space_dimension, 1336
external_memory_in_bytes, 1336
finalize, 1336
fold_space_dimensions, 1336
free, 1336
generalized_affine_image, 1337
generalized_affine_preimage, 1337
geometrically_covers, 1337
geometrically_equals, 1337
hashCode, 1337
intersection_assign, 1337
is_bounded, 1338
is_discrete, 1338
is_disjoint_from, 1338
is_empty, 1338
is_topologically_closed, 1338
is_universe, 1338
map_space_dimensions, 1338
maximize, 1338
minimize, 1339
OK, 1339
omega_reduce, 1339
pairwise_reduce, 1339
Pointset_Powerset_BD_Shape_int16_t, 1330, 1331
refine_with_congruence, 1339
refine_with_congruences, 1339
refine_with_constraint, 1339
refine_with_constraints, 1339
relation_with, 1340
remove_higher_space_dimensions, 1340
remove_space_dimensions, 1340
simplify_using_context_assign, 1340
size, 1340
space_dimension, 1340
strictly_contains, 1340
swap, 1341
time_elapse_assign, 1341
topological_closure_assign, 1341
toString, 1341
total_memory_in_bytes, 1341
unconstrain_space_dimension, 1341
unconstrain_space_dimensions, 1341
upper_bound_assign, 1341
upper_bound_assign_if_exact, 1341
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator, 1342
build_cpp_object, 1343
build_ppl_object, 1343
equals, 1343
finalize, 1344
free, 1344
get_disjunct, 1344
next, 1344
Pointset_Powerset_BD_Shape_int16_t_Iterator, 1343
prev, 1344
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1344
add_congruence, 1349
add_congruences, 1349
add_constraint, 1349
add_constraints, 1349
add_disjunct, 1349
add_space_dimensions_and_embed, 1349
add_space_dimensions_and_project, 1350
affine_dimension, 1350
affine_image, 1350
affine_preimage, 1350
ascii_dump, 1350
begin_iterator, 1350
BGP99_BHMZ05_extrapolation_assign, 1350
BGP99_H79_extrapolation_assign, 1350
BHZ03_H79_BHMZ05_widening_assign, 1351
BHZ03_H79_H79_widening_assign, 1351
bounded_affine_image, 1351
bounded_affine_preimage, 1351
bounds_from_above, 1351
bounds_from_below, 1351
build_cpp_object, 1351, 1352
concatenate_assign, 1352
constrains, 1352
contains, 1352
contains_integer_point, 1353
difference_assign, 1353
drop_disjunct, 1353
drop_disjuncts, 1353
drop_some_non_integer_points, 1353
drop_some_non_integer_points_2, 1353
end_iterator, 1353
equals, 1353, 1354
expand_space_dimension, 1354

external_memory_in_bytes, 1354
finalize, 1354
fold_space_dimensions, 1354
free, 1354
generalized_affine_image, 1354
generalized_affine_preimage, 1355
geometrically_covers, 1355
geometrically_equals, 1355
hashCode, 1355
intersection_assign, 1355
is_bounded, 1355
is_discrete, 1355
is_disjoint_from, 1356
is_empty, 1356
is_topologically_closed, 1356
is_universe, 1356
map_space_dimensions, 1356
maximize, 1356
minimize, 1356
OK, 1357
omega_reduce, 1357
pairwise_reduce, 1357
Pointset_Powerset_BD_Shape_int32_t, 1348, 1349
refine_with_congruence, 1357
refine_with_congruences, 1357
refine_with_constraint, 1357
refine_with_constraints, 1357
relation_with, 1357, 1358
remove_higher_space_dimensions, 1358
remove_space_dimensions, 1358
simplify_using_context_assign, 1358
size, 1358
space_dimension, 1358
strictly_contains, 1358
swap, 1358
time_elapse_assign, 1358
topological_closure_assign, 1359
toString, 1359
total_memory_in_bytes, 1359
unconstrain_space_dimension, 1359
unconstrain_space_dimensions, 1359
upper_bound_assign, 1359
upper_bound_assign_if_exact, 1359
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator, 1360
build_cpp_object, 1361
build_ppl_object, 1361
equals, 1361
finalize, 1361
free, 1362
get_disjunct, 1362
next, 1362
Pointset_Powerset_BD_Shape_int32_t_Iterator, 1361
prev, 1362
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1362
add_congruence, 1367
add_congruences, 1367
add_constraint, 1367
add_constraints, 1367
add_disjunct, 1367
add_space_dimensions_and_embed, 1367
add_space_dimensions_and_project, 1367
affine_dimension, 1367
affine_image, 1368
affine_preimage, 1368
ascii_dump, 1368
begin_iterator, 1368
BGP99_BHMZ05_extrapolation_assign, 1368
BGP99_H79_extrapolation_assign, 1368
BHZ03_H79_BHMZ05_widening_assign, 1368
BHZ03_H79_H79_widening_assign, 1368
bounded_affine_image, 1369
bounded_affine_preimage, 1369
bounds_from_above, 1369
bounds_from_below, 1369
build_cpp_object, 1369, 1370
concatenate_assign, 1370
constrains, 1370
contains, 1370
contains_integer_point, 1370
difference_assign, 1370
drop_disjunct, 1371
drop_disjuncts, 1371
drop_some_non_integer_points, 1371
drop_some_non_integer_points_2, 1371
end_iterator, 1371
equals, 1371
expand_space_dimension, 1372
external_memory_in_bytes, 1372
finalize, 1372
fold_space_dimensions, 1372
free, 1372
generalized_affine_image, 1372
generalized_affine_preimage, 1372
geometrically_covers, 1373
geometrically_equals, 1373
hashCode, 1373
intersection_assign, 1373
is_bounded, 1373
is_discrete, 1373
is_disjoint_from, 1373
is_empty, 1373
is_topologically_closed, 1374

is_universe, 1374
map_space_dimensions, 1374
maximize, 1374
minimize, 1374
OK, 1374
omega_reduce, 1374
pairwise_reduce, 1375
Pointset_Powerset_BD_Shape_int64_t, 1365, 1366
refine_with_congruence, 1375
refine_with_congruences, 1375
refine_with_constraint, 1375
refine_with_constraints, 1375
relation_with, 1375
remove_higher_space_dimensions, 1375
remove_space_dimensions, 1376
simplify_using_context_assign, 1376
size, 1376
space_dimension, 1376
strictly_contains, 1376
swap, 1376
time_elapse_assign, 1376
topological_closure_assign, 1376
toString, 1376
total_memory_in_bytes, 1377
unconstrain_space_dimension, 1377
unconstrain_space_dimensions, 1377
upper_bound_assign, 1377
upper_bound_assign_if_exact, 1377
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator, 1377
build_cpp_object, 1379
build_ppl_object, 1379
equals, 1379
finalize, 1379
free, 1379
get_disjunct, 1379
next, 1380
Pointset_Powerset_BD_Shape_int64_t_Iterator, 1379
prev, 1380
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1380
add_congruence, 1384
add_congruences, 1384
add_constraint, 1385
add_constraints, 1385
add_disjunct, 1385
add_space_dimensions_and_embed, 1385
add_space_dimensions_and_project, 1385
affine_dimension, 1385
affine_image, 1385
affine_preimage, 1385
ascii_dump, 1385
begin_iterator, 1386
BGP99_BHMZ05_extrapolation_assign, 1386
BGP99_H79_extrapolation_assign, 1386
BHZ03_H79_BHMZ05_widening_assign, 1386
BHZ03_H79_H79_widening_assign, 1386
bounded_affine_image, 1386
bounded_affine_preimage, 1386
bounds_from_above, 1386
bounds_from_below, 1387
build_cpp_object, 1387
concatenate_assign, 1388
constrains, 1388
contains, 1388
contains_integer_point, 1388
difference_assign, 1388
drop_disjunct, 1388
drop_disjuncts, 1388
drop_some_non_integer_points, 1388
drop_some_non_integer_points_2, 1388
end_iterator, 1389
equals, 1389
expand_space_dimension, 1389
external_memory_in_bytes, 1389
finalize, 1389
fold_space_dimensions, 1389
free, 1389
generalized_affine_image, 1390
generalized_affine_preimage, 1390
geometrically_covers, 1390
geometrically_equals, 1390
hashCode, 1390
intersection_assign, 1390
is_bounded, 1391
is_discrete, 1391
is_disjoint_from, 1391
is_empty, 1391
is_topologically_closed, 1391
is_universe, 1391
map_space_dimensions, 1391
maximize, 1391
minimize, 1392
OK, 1392
omega_reduce, 1392
pairwise_reduce, 1392
Pointset_Powerset_BD_Shape_int8_t, 1383, 1384
refine_with_congruence, 1392
refine_with_congruences, 1392
refine_with_constraint, 1392
refine_with_constraints, 1392
relation_with, 1393
remove_higher_space_dimensions, 1393
remove_space_dimensions, 1393

simplify_using_context_assign, 1393
size, 1393
space_dimension, 1393
strictly_contains, 1393
swap, 1394
time_elapse_assign, 1394
topological_closure_assign, 1394
toString, 1394
total_memory_in_bytes, 1394
unconstrain_space_dimension, 1394
unconstrain_space_dimensions, 1394
upper_bound_assign, 1394
upper_bound_assign_if_exact, 1394
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_int8_t_Iterator, 1395
build_cpp_object, 1396
build_ppl_object, 1396
equals, 1396
finalize, 1397
free, 1397
get_disjunct, 1397
next, 1397
Pointset_Powerset_BD_Shape_int8_t_Iterator, 1396
prev, 1397
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_long_double, 1397
add_congruence, 1402
add_congruences, 1402
add_constraint, 1402
add_constraints, 1402
add_disjunct, 1402
add_space_dimensions_and_embed, 1402
add_space_dimensions_and_project, 1403
affine_dimension, 1403
affine_image, 1403
affine_preimage, 1403
ascii_dump, 1403
begin_iterator, 1403
BGP99_BHMZ05_extrapolation_assign, 1403
BGP99_H79_extrapolation_assign, 1403
BHZ03_H79_BHMZ05_widening_assign, 1404
BHZ03_H79_H79_widening_assign, 1404
bounded_affine_image, 1404
bounded_affine_preimage, 1404
bounds_from_above, 1404
bounds_from_below, 1404
build_cpp_object, 1404, 1405
concatenate_assign, 1405
constrains, 1405
contains, 1405
contains_integer_point, 1406
difference_assign, 1406
drop_disjunct, 1406
drop_disjuncts, 1406
drop_some_non_integer_points, 1406
drop_some_non_integer_points_2, 1406
end_iterator, 1406
equals, 1406, 1407
expand_space_dimension, 1407
external_memory_in_bytes, 1407
finalize, 1407
fold_space_dimensions, 1407
free, 1407
generalized_affine_image, 1407
generalized_affine_preimage, 1408
geometrically_covers, 1408
geometrically_equals, 1408
hashCode, 1408
intersection_assign, 1408
is_bounded, 1408
is_discrete, 1408
is_disjoint_from, 1409
is_empty, 1409
is_topologically_closed, 1409
is_universe, 1409
map_space_dimensions, 1409
maximize, 1409
minimize, 1409, 1410
OK, 1410
omega_reduce, 1410
pairwise_reduce, 1410
Pointset_Powerset_BD_Shape_long_double, 1401, 1402
refine_with_congruence, 1410
refine_with_congruences, 1410
refine_with_constraint, 1410
refine_with_constraints, 1410
relation_with, 1410, 1411
remove_higher_space_dimensions, 1411
remove_space_dimensions, 1411
simplify_using_context_assign, 1411
size, 1411
space_dimension, 1411
strictly_contains, 1411
swap, 1412
time_elapse_assign, 1412
topological_closure_assign, 1412
toString, 1412
total_memory_in_bytes, 1412
unconstrain_space_dimension, 1412
unconstrain_space_dimensions, 1412
upper_bound_assign, 1412
upper_bound_assign_if_exact, 1413
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_long_double_Iterator, 1413
build_cpp_object, 1414

build_ppl_object, 1414
equals, 1415
finalize, 1415
free, 1415
get_disjunct, 1415
next, 1415
Pointset_Powerset_BD_Shape_long_double_-Iterator, 1414
prev, 1415
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpq_class, 1415
add_congruence, 1420
add_congruences, 1420
add_constraint, 1420
add_constraints, 1420
add_disjunct, 1420
add_space_dimensions_and_embed, 1420
add_space_dimensions_and_project, 1421
affine_dimension, 1421
affine_image, 1421
affine_preimage, 1421
ascii_dump, 1421
begin_iterator, 1421
BGP99_BHMZ05_extrapolation_assign, 1421
BGP99_H79_extrapolation_assign, 1421
BHZ03_H79_BHMZ05_widening_assign, 1422
BHZ03_H79_H79_widening_assign, 1422
bounded_affine_image, 1422
bounded_affine_preimage, 1422
bounds_from_above, 1422
bounds_from_below, 1422
build_cpp_object, 1422, 1423
concatenate_assign, 1423
constrains, 1423
contains, 1423
contains_integer_point, 1424
difference_assign, 1424
drop_disjunct, 1424
drop_disjuncts, 1424
drop_some_non_integer_points, 1424
drop_some_non_integer_points_2, 1424
end_iterator, 1424
equals, 1424, 1425
expand_space_dimension, 1425
external_memory_in_bytes, 1425
finalize, 1425
fold_space_dimensions, 1425
free, 1425
generalized_affine_image, 1425
generalized_affine_preimage, 1426
geometrically_covers, 1426
geometrically_equals, 1426
hashCode, 1426
intersection_assign, 1426
is_bounded, 1426
is_discrete, 1426
is_disjoint_from, 1427
is_empty, 1427
is_topologically_closed, 1427
is_universe, 1427
map_space_dimensions, 1427
maximize, 1427
minimize, 1427, 1428
OK, 1428
omega_reduce, 1428
pairwise_reduce, 1428
Pointset_Powerset_BD_Shape_mpq_class, 1419, 1420
refine_with_congruence, 1428
refine_with_congruences, 1428
refine_with_constraint, 1428
refine_with_constraints, 1428
relation_with, 1428, 1429
remove_higher_space_dimensions, 1429
remove_space_dimensions, 1429
simplify_using_context_assign, 1429
size, 1429
space_dimension, 1429
strictly_contains, 1429
swap, 1429
time_elapse_assign, 1430
topological_closure_assign, 1430
toString, 1430
total_memory_in_bytes, 1430
unconstrain_space_dimension, 1430
unconstrain_space_dimensions, 1430
upper_bound_assign, 1430
upper_bound_assign_if_exact, 1430
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpq_class_Iterator, 1431
build_cpp_object, 1432
build_ppl_object, 1432
equals, 1432
finalize, 1433
free, 1433
get_disjunct, 1433
next, 1433
Pointset_Powerset_BD_Shape_mpq_class_-Iterator, 1432
prev, 1433
parma_polyhedra_library::Pointset_Powerset_-BD_Shape_mpz_class, 1433
add_congruence, 1438
add_congruences, 1438
add_constraint, 1438
add_constraints, 1438
add_disjunct, 1438

add_space_dimensions_and_embed, 1438
add_space_dimensions_and_project, 1439
affine_dimension, 1439
affine_image, 1439
affine_preimage, 1439
ascii_dump, 1439
begin_iterator, 1439
BGP99_BHMZ05_extrapolation_assign, 1439
BGP99_H79_extrapolation_assign, 1439
BHZ03_H79_BHMZ05_widening_assign, 1440
BHZ03_H79_H79_widening_assign, 1440
bounded_affine_image, 1440
bounded_affine_preimage, 1440
bounds_from_above, 1440
bounds_from_below, 1440
build_cpp_object, 1440, 1441
concatenate_assign, 1441
constrains, 1441
contains, 1441
contains_integer_point, 1442
difference_assign, 1442
drop_disjunct, 1442
drop_disjuncts, 1442
drop_some_non_integer_points, 1442
drop_some_non_integer_points_2, 1442
end_iterator, 1442
equals, 1442, 1443
expand_space_dimension, 1443
external_memory_in_bytes, 1443
finalize, 1443
fold_space_dimensions, 1443
free, 1443
generalized_affine_image, 1443
generalized_affine_preimage, 1444
geometrically_covers, 1444
geometrically_equals, 1444
hashCode, 1444
intersection_assign, 1444
is_bounded, 1444
is_discrete, 1444
is_disjoint_from, 1445
is_empty, 1445
is_topologically_closed, 1445
is_universe, 1445
map_space_dimensions, 1445
maximize, 1445
minimize, 1445, 1446
OK, 1446
omega_reduce, 1446
pairwise_reduce, 1446
Pointset_Powerset_BD_Shape_mpz_class, 1437, 1438
refine_with_congruence, 1446
refine_with_congruences, 1446
refine_with_constraint, 1446
refine_with_constraints, 1446
relation_with, 1446, 1447
remove_higher_space_dimensions, 1447
remove_space_dimensions, 1447
simplify_using_context_assign, 1447
size, 1447
space_dimension, 1447
strictly_contains, 1447
swap, 1447
time_elapse_assign, 1448
topological_closure_assign, 1448
toString, 1448
total_memory_in_bytes, 1448
unconstrain_space_dimension, 1448
unconstrain_space_dimensions, 1448
upper_bound_assign, 1448
upper_bound_assign_if_exact, 1448
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator, 1449
build_cpp_object, 1450
build_ppl_object, 1450
equals, 1450
finalize, 1451
free, 1451
get_disjunct, 1451
next, 1451
Pointset_Powerset_BD_Shape_mpz_class_Iterator, 1450
prev, 1451
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1451
add_congruence, 1456
add_congruences, 1456
add_constraint, 1456
add_constraints, 1456
add_disjunct, 1456
add_space_dimensions_and_embed, 1456
add_space_dimensions_and_project, 1457
affine_dimension, 1457
affine_image, 1457
affine_preimage, 1457
ascii_dump, 1457
begin_iterator, 1457
BGP99_BHRZ03_extrapolation_assign, 1457
BGP99_H79_extrapolation_assign, 1457
BHZ03_BHRZ03_BHRZ03_widening_assign, 1457
BHZ03_H79_H79_widening_assign, 1458
bounded_affine_image, 1458
bounded_affine_preimage, 1458
bounds_from_above, 1458
bounds_from_below, 1458

build_cpp_object, 1458, 1459
concatenate_assign, 1459
constrains, 1459
contains, 1459
contains_integer_point, 1459
difference_assign, 1460
drop_disjunct, 1460
drop_disjuncts, 1460
drop_some_non_integer_points, 1460
drop_some_non_integer_points_2, 1460
end_iterator, 1460
equals, 1460
expand_space_dimension, 1461
external_memory_in_bytes, 1461
finalize, 1461
fold_space_dimensions, 1461
free, 1461
generalized_affine_image, 1461
generalized_affine_preimage, 1461
geometrically_covers, 1462
geometrically_equals, 1462
hashCode, 1462
intersection_assign, 1462
is_bounded, 1462
is_discrete, 1462
is_disjoint_from, 1462
is_empty, 1462
is_topologically_closed, 1462
is_universe, 1463
map_space_dimensions, 1463
maximize, 1463
minimize, 1463
OK, 1463
omega_reduce, 1463
pairwise_reduce, 1463
Pointset_Powerset_C_Polyhedron, 1455, 1456
refine_with_congruence, 1464
refine_with_congruences, 1464
refine_with_constraint, 1464
refine_with_constraints, 1464
relation_with, 1464
remove_higher_space_dimensions, 1464
remove_space_dimensions, 1464
simplify_using_context_assign, 1465
size, 1465
space_dimension, 1465
strictly_contains, 1465
swap, 1465
time_elapse_assign, 1465
topological_closure_assign, 1465
toString, 1465
total_memory_in_bytes, 1465
unconstrain_space_dimension, 1466
unconstrain_space_dimensions, 1466
upper_bound_assign, 1466
upper_bound_assign_if_exact, 1466
parma_polyhedra_library::Pointset_Powerset_C_-Polyhedron_Iterator, 1466
build_cpp_object, 1468
build_ppl_object, 1468
equals, 1468
finalize, 1468
free, 1468
get_disjunct, 1468
next, 1468
Pointset_Powerset_C_Polyhedron_Iterator, 1467
prev, 1469
parma_polyhedra_library::Pointset_Powerset_-Double_Box, 1469
add_congruence, 1473
add_congruences, 1473
add_constraint, 1473
add_constraints, 1473
add_disjunct, 1473
add_space_dimensions_and_embed, 1474
add_space_dimensions_and_project, 1474
affine_dimension, 1474
affine_image, 1474
affine_preimage, 1474
ascii_dump, 1474
begin_iterator, 1474
bounded_affine_image, 1474
bounded_affine_preimage, 1474
bounds_from_above, 1475
bounds_from_below, 1475
build_cpp_object, 1475
concatenate_assign, 1476
constrains, 1476
contains, 1476
contains_integer_point, 1476
difference_assign, 1476
drop_disjunct, 1476
drop_disjuncts, 1476
drop_some_non_integer_points, 1476
drop_some_non_integer_points_2, 1476
end_iterator, 1477
equals, 1477
expand_space_dimension, 1477
external_memory_in_bytes, 1477
finalize, 1477
fold_space_dimensions, 1477
free, 1477
generalized_affine_image, 1478
generalized_affine_preimage, 1478
geometrically_covers, 1478
geometrically_equals, 1478
hashCode, 1478

intersection_assign, 1478
is_bounded, 1478
is_discrete, 1479
is_disjoint_from, 1479
is_empty, 1479
is_topologically_closed, 1479
is_universe, 1479
map_space_dimensions, 1479
maximize, 1479
minimize, 1479, 1480
OK, 1480
omega_reduce, 1480
pairwise_reduce, 1480
Pointset_Powerset_Double_Box, 1472, 1473
refine_with_congruence, 1480
refine_with_congruences, 1480
refine_with_constraint, 1480
refine_with_constraints, 1480
relation_with, 1480, 1481
remove_higher_space_dimensions, 1481
remove_space_dimensions, 1481
simplify_using_context_assign, 1481
size, 1481
space_dimension, 1481
strictly_contains, 1481
swap, 1481
time_elapse_assign, 1482
topological_closure_assign, 1482
toString, 1482
total_memory_in_bytes, 1482
unconstrain_space_dimension, 1482
unconstrain_space_dimensions, 1482
upper_bound_assign, 1482
upper_bound_assign_if_exact, 1482
parma_polyhedra_library::Pointset_Powerset_-Double_Box_Iterator, 1483
build_cpp_object, 1484
build_ppl_object, 1484
equals, 1484
finalize, 1484
free, 1484
get_disjunct, 1485
next, 1485
Pointset_Powerset_Double_Box_Iterator, 1484
prev, 1485
parma_polyhedra_library::Pointset_Powerset_-Float_Box, 1485
add_congruence, 1489
add_congruences, 1489
add_constraint, 1489
add_constraints, 1489
add_disjunct, 1490
add_space_dimensions_and_embed, 1490
add_space_dimensions_and_project, 1490
affine_dimension, 1490
affine_image, 1490
affine_preimage, 1490
ascii_dump, 1490
begin_iterator, 1490
bounded_affine_image, 1490
bounded_affine_preimage, 1491
bounds_from_above, 1491
bounds_from_below, 1491
build_cpp_object, 1491, 1492
concatenate_assign, 1492
constrains, 1492
contains, 1492
contains_integer_point, 1492
difference_assign, 1492
drop_disjunct, 1492
drop_disjuncts, 1492
drop_some_non_integer_points, 1493
drop_some_non_integer_points_2, 1493
end_iterator, 1493
equals, 1493
expand_space_dimension, 1493
external_memory_in_bytes, 1493
finalize, 1493
fold_space_dimensions, 1494
free, 1494
generalized_affine_image, 1494
generalized_affine_preimage, 1494
geometrically_covers, 1494
geometrically_equals, 1494
hashCode, 1495
intersection_assign, 1495
is_bounded, 1495
is_discrete, 1495
is_disjoint_from, 1495
is_empty, 1495
is_topologically_closed, 1495
is_universe, 1495
map_space_dimensions, 1495
maximize, 1495, 1496
minimize, 1496
OK, 1496
omega_reduce, 1496
pairwise_reduce, 1496
Pointset_Powerset_Float_Box, 1488, 1489
refine_with_congruence, 1496
refine_with_congruences, 1496
refine_with_constraint, 1496
refine_with_constraints, 1497
relation_with, 1497
remove_higher_space_dimensions, 1497
remove_space_dimensions, 1497
simplify_using_context_assign, 1497

size, 1497
space_dimension, 1497
strictly_contains, 1498
swap, 1498
time_elapse_assign, 1498
topological_closure_assign, 1498
toString, 1498
total_memory_in_bytes, 1498
unconstrain_space_dimension, 1498
unconstrain_space_dimensions, 1498
upper_bound_assign, 1498
upper_bound_assign_if_exact, 1498
parma_polyhedra_library::Pointset_Powerset_-Float_Box_Iterator, 1499
build_cpp_object, 1500
build_ppl_object, 1500
equals, 1500
finalize, 1500
free, 1501
get_disjunct, 1501
next, 1501
Pointset_Powerset_Float_Box_Iterator, 1500
prev, 1501
parma_polyhedra_library::Pointset_Powerset_Grid, 1501
add_congruence, 1506
add_congruences, 1506
add_constraint, 1506
add_constraints, 1506
add_disjunct, 1506
add_space_dimensions_and_embed, 1506
add_space_dimensions_and_project, 1506
affine_dimension, 1506
affine_image, 1506
affine_preimage, 1506
ascii_dump, 1507
begin_iterator, 1507
BGP99_congruence_extrapolation_assign, 1507
BGP99_generator_extrapolation_assign, 1507
BHZ03_Grid_congruence_widening_assign, 1507
BHZ03_Grid_generator_widening_assign, 1507
bounded_affine_image, 1507
bounded_affine_preimage, 1507
bounds_from_above, 1508
bounds_from_below, 1508
build_cpp_object, 1508
concatenate_assign, 1509
constrains, 1509
contains, 1509
contains_integer_point, 1509
difference_assign, 1509
drop_disjunct, 1509
drop_disjuncts, 1509
drop_some_non_integer_points, 1509
drop_some_non_integer_points_2, 1509
end_iterator, 1510
equals, 1510
expand_space_dimension, 1510
external_memory_in_bytes, 1510
finalize, 1510
fold_space_dimensions, 1510
free, 1510
generalized_affine_image, 1510, 1511
generalized_affine_preimage, 1511
geometrically_covers, 1511
geometrically_equals, 1511
hashCode, 1511
intersection_assign, 1511
is_bounded, 1511
is_discrete, 1511
is_disjoint_from, 1512
is_empty, 1512
is_topologically_closed, 1512
is_universe, 1512
map_space_dimensions, 1512
maximize, 1512
minimize, 1512
OK, 1513
omega_reduce, 1513
pairwise_reduce, 1513
Pointset_Powerset_Grid, 1504, 1505
refine_with_congruence, 1513
refine_with_congruences, 1513
refine_with_constraint, 1513
refine_with_constraints, 1513
relation_with, 1513
remove_higher_space_dimensions, 1514
remove_space_dimensions, 1514
simplify_using_context_assign, 1514
size, 1514
space_dimension, 1514
strictly_contains, 1514
swap, 1514
time_elapse_assign, 1514
topological_closure_assign, 1514
toString, 1514
total_memory_in_bytes, 1515
unconstrain_space_dimension, 1515
unconstrain_space_dimensions, 1515
upper_bound_assign, 1515
upper_bound_assign_if_exact, 1515
parma_polyhedra_library::Pointset_Powerset_-Grid_Iterator, 1515
build_cpp_object, 1517
build_ppl_object, 1517

equals, 1517
finalize, 1517
free, 1517
get_disjunct, 1517
next, 1517
Pointset_Powerset_Grid_Iterator, 1516
prev, 1517
parma_polyhedra_library::Pointset_Powerset_-Int16_Box, 1518
add_congruence, 1522
add_congruences, 1522
add_constraint, 1522
add_constraints, 1522
add_disjunct, 1522
add_space_dimensions_and_embed, 1522
add_space_dimensions_and_project, 1522
affine_dimension, 1523
affine_image, 1523
affine_preimage, 1523
ascii_dump, 1523
begin_iterator, 1523
bounded_affine_image, 1523
bounded_affine_preimage, 1523
bounds_from_above, 1523
bounds_from_below, 1523
build_cpp_object, 1524
concatenate_assign, 1524
constrains, 1524
contains, 1525
contains_integer_point, 1525
difference_assign, 1525
drop_disjunct, 1525
drop_disjuncts, 1525
drop_some_non_integer_points, 1525
drop_some_non_integer_points_2, 1525
end_iterator, 1525
equals, 1525, 1526
expand_space_dimension, 1526
external_memory_in_bytes, 1526
finalize, 1526
fold_space_dimensions, 1526
free, 1526
generalized_affine_image, 1526
generalized_affine_preimage, 1527
geometrically_covers, 1527
geometrically_equals, 1527
hashCode, 1527
intersection_assign, 1527
is_bounded, 1527
is_discrete, 1527
is_disjoint_from, 1527
is_empty, 1528
is_topologically_closed, 1528
is_universe, 1528
map_space_dimensions, 1528
maximize, 1528
minimize, 1528
OK, 1528
omega_reduce, 1529
pairwise_reduce, 1529
Pointset_Powerset_Int16_Box, 1521, 1522
refine_with_congruence, 1529
refine_with_congruences, 1529
refine_with_constraint, 1529
refine_with_constraints, 1529
relation_with, 1529
remove_higher_space_dimensions, 1529
remove_space_dimensions, 1530
simplify_using_context_assign, 1530
size, 1530
space_dimension, 1530
strictly_contains, 1530
swap, 1530
time_elapse_assign, 1530
topological_closure_assign, 1530
toString, 1530
total_memory_in_bytes, 1530
unconstrain_space_dimension, 1531
unconstrain_space_dimensions, 1531
upper_bound_assign, 1531
upper_bound_assign_if_exact, 1531
parma_polyhedra_library::Pointset_Powerset_-Int16_Box_Iterator, 1531
build_cpp_object, 1533
build_ppl_object, 1533
equals, 1533
finalize, 1533
free, 1533
get_disjunct, 1533
next, 1533
Pointset_Powerset_Int16_Box_Iterator, 1532
prev, 1533
parma_polyhedra_library::Pointset_Powerset_-Int32_Box, 1534
add_congruence, 1538
add_congruences, 1538
add_constraint, 1538
add_constraints, 1538
add_disjunct, 1538
add_space_dimensions_and_embed, 1538
add_space_dimensions_and_project, 1538
affine_dimension, 1539
affine_image, 1539
affine_preimage, 1539
ascii_dump, 1539
begin_iterator, 1539
bounded_affine_image, 1539
bounded_affine_preimage, 1539

bounds_from_above, 1539
bounds_from_below, 1539
build_cpp_object, 1540
concatenate_assign, 1540
constrains, 1540
contains, 1541
contains_integer_point, 1541
difference_assign, 1541
drop_disjunct, 1541
drop_disjuncts, 1541
drop_some_non_integer_points, 1541
drop_some_non_integer_points_2, 1541
end_iterator, 1541
equals, 1541, 1542
expand_space_dimension, 1542
external_memory_in_bytes, 1542
finalize, 1542
fold_space_dimensions, 1542
free, 1542
generalized_affine_image, 1542
generalized_affine_preimage, 1543
geometrically_covers, 1543
geometrically_equals, 1543
hashCode, 1543
intersection_assign, 1543
is_bounded, 1543
is_discrete, 1543
is_disjoint_from, 1543
is_empty, 1544
is_topologically_closed, 1544
is_universe, 1544
map_space_dimensions, 1544
maximize, 1544
minimize, 1544
OK, 1544
omega_reduce, 1545
pairwise_reduce, 1545
Pointset_Powerset_Int32_Box, 1537, 1538
refine_with_congruence, 1545
refine_with_congruences, 1545
refine_with_constraint, 1545
refine_with_constraints, 1545
relation_with, 1545
remove_higher_space_dimensions, 1545
remove_space_dimensions, 1546
simplify_using_context_assign, 1546
size, 1546
space_dimension, 1546
strictly_contains, 1546
swap, 1546
time_elapse_assign, 1546
topological_closure_assign, 1546
toString, 1546
total_memory_in_bytes, 1546
unconstrain_space_dimension, 1547
unconstrain_space_dimensions, 1547
upper_bound_assign, 1547
upper_bound_assign_if_exact, 1547
parma_polyhedra_library::Pointset_Powerset_-Int32_Box_Iterator, 1547
build_cpp_object, 1549
build_ppl_object, 1549
equals, 1549
finalize, 1549
free, 1549
get_disjunct, 1549
next, 1549
Pointset_Powerset_Int32_Box_Iterator, 1548
prev, 1549
parma_polyhedra_library::Pointset_Powerset_-Int64_Box, 1550
add_congruence, 1554
add_congruences, 1554
add_constraint, 1554
add_constraints, 1554
add_disjunct, 1554
add_space_dimensions_and_embed, 1554
add_space_dimensions_and_project, 1554
affine_dimension, 1555
affine_image, 1555
affine_preimage, 1555
ascii_dump, 1555
begin_iterator, 1555
bounded_affine_image, 1555
bounded_affine_preimage, 1555
bounds_from_above, 1555
bounds_from_below, 1555
build_cpp_object, 1556
concatenate_assign, 1556
constrains, 1557
contains, 1557
contains_integer_point, 1557
difference_assign, 1557
drop_disjunct, 1557
drop_disjuncts, 1557
drop_some_non_integer_points, 1557
drop_some_non_integer_points_2, 1557
end_iterator, 1557
equals, 1558
expand_space_dimension, 1558
external_memory_in_bytes, 1558
finalize, 1558
fold_space_dimensions, 1558
free, 1558
generalized_affine_image, 1558, 1559
generalized_affine_preimage, 1559
geometrically_covers, 1559
geometrically_equals, 1559

hashCode, 1559
intersection_assign, 1559
is_bounded, 1559
is_discrete, 1560
is_disjoint_from, 1560
is_empty, 1560
is_topologically_closed, 1560
is_universe, 1560
map_space_dimensions, 1560
maximize, 1560
minimize, 1560, 1561
OK, 1561
omega_reduce, 1561
pairwise_reduce, 1561
Pointset_Powerset_Int64_Box, 1553, 1554
refine_with_congruence, 1561
refine_with_congruences, 1561
refine_with_constraint, 1561
refine_with_constraints, 1561
relation_with, 1561, 1562
remove_higher_space_dimensions, 1562
remove_space_dimensions, 1562
simplify_using_context_assign, 1562
size, 1562
space_dimension, 1562
strictly_contains, 1562
swap, 1562
time_elapse_assign, 1563
topological_closure_assign, 1563
toString, 1563
total_memory_in_bytes, 1563
unconstrain_space_dimension, 1563
unconstrain_space_dimensions, 1563
upper_bound_assign, 1563
upper_bound_assign_if_exact, 1563
parma_polyhedra_library::Pointset_Powerset_-Int64_Box_Iterator, 1564
build_cpp_object, 1565
build_ppl_object, 1565
equals, 1565
finalize, 1565
free, 1565
get_disjunct, 1566
next, 1566
Pointset_Powerset_Int64_Box_Iterator, 1565
prev, 1566
parma_polyhedra_library::Pointset_Powerset_-Int8_Box, 1566
add_congruence, 1570
add_congruences, 1570
add_constraint, 1570
add_constraints, 1570
add_disjunct, 1571
add_space_dimensions_and_embed, 1571
add_space_dimensions_and_project, 1571
affine_dimension, 1571
affine_image, 1571
affine_preimage, 1571
ascii_dump, 1571
begin_iterator, 1571
bounded_affine_image, 1571
bounded_affine_preimage, 1572
bounds_from_above, 1572
bounds_from_below, 1572
build_cpp_object, 1572, 1573
concatenate_assign, 1573
constrains, 1573
contains, 1573
contains_integer_point, 1573
difference_assign, 1573
drop_disjunct, 1573
drop_disjuncts, 1573
drop_some_non_integer_points, 1574
drop_some_non_integer_points_2, 1574
end_iterator, 1574
equals, 1574
expand_space_dimension, 1574
external_memory_in_bytes, 1574
finalize, 1574
fold_space_dimensions, 1575
free, 1575
generalized_affine_image, 1575
generalized_affine_preimage, 1575
geometrically_covers, 1575
geometrically_equals, 1575
hashCode, 1576
intersection_assign, 1576
is_bounded, 1576
is_discrete, 1576
is_disjoint_from, 1576
is_empty, 1576
is_topologically_closed, 1576
is_universe, 1576
map_space_dimensions, 1576
maximize, 1576, 1577
minimize, 1577
OK, 1577
omega_reduce, 1577
pairwise_reduce, 1577
Pointset_Powerset_Int8_Box, 1569, 1570
refine_with_congruence, 1577
refine_with_congruences, 1577
refine_with_constraint, 1577
refine_with_constraints, 1578
relation_with, 1578
remove_higher_space_dimensions, 1578
remove_space_dimensions, 1578
simplify_using_context_assign, 1578

size, 1578
space_dimension, 1578
strictly_contains, 1579
swap, 1579
time_elapse_assign, 1579
topological_closure_assign, 1579
toString, 1579
total_memory_in_bytes, 1579
unconstrain_space_dimension, 1579
unconstrain_space_dimensions, 1579
upper_bound_assign, 1579
upper_bound_assign_if_exact, 1579
parma_polyhedra_library::Pointset_Powerset_-Int8_Box_Iterator, 1580
build_cpp_object, 1581
build_ppl_object, 1581
equals, 1581
finalize, 1581
free, 1582
get_disjunct, 1582
next, 1582
Pointset_Powerset_Int8_Box_Iterator, 1581
prev, 1582
parma_polyhedra_library::Pointset_Powerset_-Long_Double_Box, 1582
add_congruence, 1587
add_congruences, 1587
add_constraint, 1587
add_constraints, 1587
add_disjunct, 1587
add_space_dimensions_and_embed, 1587
add_space_dimensions_and_project, 1587
affine_dimension, 1587
affine_image, 1587
affine_preimage, 1588
ascii_dump, 1588
begin_iterator, 1588
bounded_affine_image, 1588
bounded_affine_preimage, 1588
bounds_from_above, 1588
bounds_from_below, 1588
build_cpp_object, 1588, 1589
concatenate_assign, 1589
constrains, 1589
contains, 1590
contains_integer_point, 1590
difference_assign, 1590
drop_disjunct, 1590
drop_disjuncts, 1590
drop_some_non_integer_points, 1590
drop_some_non_integer_points_2, 1590
end_iterator, 1590
equals, 1591
expand_space_dimension, 1591
external_memory_in_bytes, 1591
finalize, 1591
fold_space_dimensions, 1591
free, 1591
generalized_affine_image, 1591, 1592
generalized_affine_preimage, 1592
geometrically_covers, 1592
geometrically_equals, 1592
hashCode, 1592
intersection_assign, 1592
is_bounded, 1592
is_discrete, 1593
is_disjoint_from, 1593
is_empty, 1593
is_topologically_closed, 1593
is_universe, 1593
map_space_dimensions, 1593
maximize, 1593
minimize, 1593, 1594
OK, 1594
omega_reduce, 1594
pairwise_reduce, 1594
Pointset_Powerset_Long_Double_Box, 1585, 1586
refine_with_congruence, 1594
refine_with_congruences, 1594
refine_with_constraint, 1594
refine_with_constraints, 1594
relation_with, 1594, 1595
remove_higher_space_dimensions, 1595
remove_space_dimensions, 1595
simplify_using_context_assign, 1595
size, 1595
space_dimension, 1595
strictly_contains, 1595
swap, 1595
time_elapse_assign, 1596
topological_closure_assign, 1596
toString, 1596
total_memory_in_bytes, 1596
unconstrain_space_dimension, 1596
unconstrain_space_dimensions, 1596
upper_bound_assign, 1596
upper_bound_assign_if_exact, 1596
parma_polyhedra_library::Pointset_Powerset_-Long_Double_Box_Iterator, 1597
build_cpp_object, 1598
build_ppl_object, 1598
equals, 1598
finalize, 1598
free, 1598
get_disjunct, 1599
next, 1599

Pointset_Powerset_Long_Double_Box_-Iterator, 1598
prev, 1599
parma_polyhedra_library::Pointset_Powerset_-NNC_Polyhedron, 1599
add_congruence, 1604
add_congruences, 1604
add_constraint, 1604
add_constraints, 1604
add_disjunct, 1604
add_space_dimensions_and_embed, 1604
add_space_dimensions_and_project, 1604
affine_dimension, 1604
affine_image, 1605
affine_preimage, 1605
ascii_dump, 1605
begin_iterator, 1605
BGP99_BHRZ03_extrapolation_assign, 1605
BGP99_H79_extrapolation_assign, 1605
BHZ03_BHRZ03_BHRZ03_widening_-assign, 1605
BHZ03_H79_H79_widening_assign, 1605
bounded_affine_image, 1606
bounded_affine_preimage, 1606
bounds_from_above, 1606
bounds_from_below, 1606
build_cpp_object, 1606, 1607
concatenate_assign, 1607
constrains, 1607
contains, 1607
contains_integer_point, 1607
difference_assign, 1607
drop_disjunct, 1608
drop_disjuncts, 1608
drop_some_non_integer_points, 1608
drop_some_non_integer_points_2, 1608
end_iterator, 1608
equals, 1608
expand_space_dimension, 1609
external_memory_in_bytes, 1609
finalize, 1609
fold_space_dimensions, 1609
free, 1609
generalized_affine_image, 1609
generalized_affine_preimage, 1609
geometrically_covers, 1610
geometrically_equals, 1610
hashCode, 1610
intersection_assign, 1610
is_bounded, 1610
is_discrete, 1610
is_disjoint_from, 1610
is_empty, 1610
is_topologically_closed, 1611
is_universe, 1611
map_space_dimensions, 1611
maximize, 1611
minimize, 1611
OK, 1611
omega_reduce, 1611
pairwise_reduce, 1612
Pointset_Powerset_NNC_Polyhedron, 1602, 1603
refine_with_congruence, 1612
refine_with_congruences, 1612
refine_with_constraint, 1612
refine_with_constraints, 1612
relation_with, 1612
remove_higher_space_dimensions, 1612
remove_space_dimensions, 1613
simplify_using_context_assign, 1613
size, 1613
space_dimension, 1613
strictly_contains, 1613
swap, 1613
time_elapse_assign, 1613
topological_closure_assign, 1613
toString, 1613
total_memory_in_bytes, 1614
unconstrain_space_dimension, 1614
unconstrain_space_dimensions, 1614
upper_bound_assign, 1614
upper_bound_assign_if_exact, 1614
parma_polyhedra_library::Pointset_Powerset_-NNC_Polyhedron_Iterator, 1614
build_cpp_object, 1616
build_ppl_object, 1616
equals, 1616
finalize, 1616
free, 1616
get_disjunct, 1616
next, 1617
Pointset_Powerset_NNC_Polyhedron_-Iterator, 1616
prev, 1617
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_double, 1617
add_congruence, 1622
add_congruences, 1622
add_constraint, 1622
add_constraints, 1622
add_disjunct, 1622
add_space_dimensions_and_embed, 1622
add_space_dimensions_and_project, 1622
affine_dimension, 1622
affine_image, 1622
affine_preimage, 1623
ascii_dump, 1623

begin_iterator, 1623
BGP99_BHMZ05_extrapolation_assign, 1623
BHZ03_H79_BHMZ05_widening_assign, 1623
bounded_affine_image, 1623
bounded_affine_preimage, 1623
bounds_from_above, 1623
bounds_from_below, 1624
build_cpp_object, 1624
concatenate_assign, 1625
constrains, 1625
contains, 1625
contains_integer_point, 1625
difference_assign, 1625
drop_disjunct, 1625
drop_disjuncts, 1625
drop_some_non_integer_points, 1625
drop_some_non_integer_points_2, 1626
end_iterator, 1626
equals, 1626
expand_space_dimension, 1626
external_memory_in_bytes, 1626
finalize, 1626
fold_space_dimensions, 1626
free, 1627
generalized_affine_image, 1627
generalized_affine_preimage, 1627
geometrically_covers, 1627
geometrically_equals, 1627
hashCode, 1627
intersection_assign, 1628
is_bounded, 1628
is_discrete, 1628
is_disjoint_from, 1628
is_empty, 1628
is_topologically_closed, 1628
is_universe, 1628
map_space_dimensions, 1628
maximize, 1628, 1629
minimize, 1629
OK, 1629
omega_reduce, 1629
pairwise_reduce, 1629
Pointset_Powerset_Octagonal_Shape_double, 1620, 1621
refine_with_congruence, 1629
refine_with_congruences, 1629
refine_with_constraint, 1630
refine_with_constraints, 1630
relation_with, 1630
remove_higher_space_dimensions, 1630
remove_space_dimensions, 1630
simplify_using_context_assign, 1630
size, 1631
space_dimension, 1631
strictly_contains, 1631
swap, 1631
time_elapse_assign, 1631
topological_closure_assign, 1631
toString, 1631
total_memory_in_bytes, 1631
unconstrain_space_dimension, 1631
unconstrain_space_dimensions, 1632
upper_bound_assign, 1632
upper_bound_assign_if_exact, 1632
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator, 1632
build_cpp_object, 1634
build_ppl_object, 1634
equals, 1634
finalize, 1634
free, 1634
get_disjunct, 1634
next, 1634
Pointset_Powerset_Octagonal_Shape_double_Iterator, 1633
prev, 1635
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1635
add_congruence, 1639
add_congruences, 1639
add_constraint, 1640
add_constraints, 1640
add_disjunct, 1640
add_space_dimensions_and_embed, 1640
add_space_dimensions_and_project, 1640
affine_dimension, 1640
affine_image, 1640
affine_preimage, 1640
ascii_dump, 1640
begin_iterator, 1641
BGP99_BHMZ05_extrapolation_assign, 1641
BHZ03_H79_BHMZ05_widening_assign, 1641
bounded_affine_image, 1641
bounded_affine_preimage, 1641
bounds_from_above, 1641
bounds_from_below, 1641
build_cpp_object, 1641, 1642
concatenate_assign, 1642
constrains, 1642
contains, 1643
contains_integer_point, 1643
difference_assign, 1643
drop_disjunct, 1643
drop_disjuncts, 1643
drop_some_non_integer_points, 1643
drop_some_non_integer_points_2, 1643

end_iterator, 1643
equals, 1644
expand_space_dimension, 1644
external_memory_in_bytes, 1644
finalize, 1644
fold_space_dimensions, 1644
free, 1644
generalized_affine_image, 1644, 1645
generalized_affine_preimage, 1645
geometrically_covers, 1645
geometrically_equals, 1645
hashCode, 1645
intersection_assign, 1645
is_bounded, 1645
is_discrete, 1646
is_disjoint_from, 1646
is_empty, 1646
is_topologically_closed, 1646
is_universe, 1646
map_space_dimensions, 1646
maximize, 1646
minimize, 1646, 1647
OK, 1647
omega_reduce, 1647
pairwise_reduce, 1647
Pointset_Powerset_Octagonal_Shape_float, 1638, 1639
refine_with_congruence, 1647
refine_with_congruences, 1647
refine_with_constraint, 1647
refine_with_constraints, 1647
relation_with, 1647, 1648
remove_higher_space_dimensions, 1648
remove_space_dimensions, 1648
simplify_using_context_assign, 1648
size, 1648
space_dimension, 1648
strictly_contains, 1648
swap, 1649
time_elapse_assign, 1649
topological_closure_assign, 1649
toString, 1649
total_memory_in_bytes, 1649
unconstrain_space_dimension, 1649
unconstrain_space_dimensions, 1649
upper_bound_assign, 1649
upper_bound_assign_if_exact, 1650
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_float_Iterator, 1650
build_cpp_object, 1651
build_ppl_object, 1651
equals, 1652
finalize, 1652
free, 1652
get_disjunct, 1652
next, 1652
Pointset_Powerset_Octagonal_Shape_float_-Iterator, 1651
prev, 1652
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int16_t, 1652
add_congruence, 1657
add_congruences, 1657
add_constraint, 1657
add_constraints, 1657
add_disjunct, 1657
add_space_dimensions_and_embed, 1657
add_space_dimensions_and_project, 1658
affine_dimension, 1658
affine_image, 1658
affine_preimage, 1658
ascii_dump, 1658
begin_iterator, 1658
BGP99_BHMZ05_extrapolation_assign, 1658
BHZ03_H79_BHMZ05_widening_assign, 1658
bounded_affine_image, 1659
bounded_affine_preimage, 1659
bounds_from_above, 1659
bounds_from_below, 1659
build_cpp_object, 1659, 1660
concatenate_assign, 1660
constrains, 1660
contains, 1660
contains_integer_point, 1660
difference_assign, 1660
drop_disjunct, 1661
drop_disjuncts, 1661
drop_some_non_integer_points, 1661
drop_some_non_integer_points_2, 1661
end_iterator, 1661
equals, 1661
expand_space_dimension, 1662
external_memory_in_bytes, 1662
finalize, 1662
fold_space_dimensions, 1662
free, 1662
generalized_affine_image, 1662
generalized_affine_preimage, 1662
geometrically_covers, 1663
geometrically_equals, 1663
hashCode, 1663
intersection_assign, 1663
is_bounded, 1663
is_discrete, 1663
is_disjoint_from, 1663
is_empty, 1663
is_topologically_closed, 1664

is_universe, 1664
map_space_dimensions, 1664
maximize, 1664
minimize, 1664
OK, 1664
omega_reduce, 1665
pairwise_reduce, 1665
Pointset_Powerset_Octagonal_Shape_int16_t, 1656, 1657
refine_with_congruence, 1665
refine_with_congruences, 1665
refine_with_constraint, 1665
refine_with_constraints, 1665
relation_with, 1665, 1666
remove_higher_space_dimensions, 1666
remove_space_dimensions, 1666
simplify_using_context_assign, 1666
size, 1666
space_dimension, 1666
strictly_contains, 1666
swap, 1666
time_elapse_assign, 1667
topological_closure_assign, 1667
toString, 1667
total_memory_in_bytes, 1667
unconstrain_space_dimension, 1667
unconstrain_space_dimensions, 1667
upper_bound_assign, 1667
upper_bound_assign_if_exact, 1667
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator, 1668
build_cpp_object, 1669
build_ppl_object, 1669
equals, 1669
finalize, 1670
free, 1670
get_disjunct, 1670
next, 1670
Pointset_Powerset_Octagonal_Shape_int16_t_Iterator, 1669
prev, 1670
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1670
add_congruence, 1675
add_congruences, 1675
add_constraint, 1675
add_constraints, 1675
add_disjunct, 1675
add_space_dimensions_and_embed, 1675
add_space_dimensions_and_project, 1676
affine_dimension, 1676
affine_image, 1676
affine_preimage, 1676
ascii_dump, 1676
begin_iterator, 1676
BGP99_BHMZ05_extrapolation_assign, 1676
BHZ03_H79_BHMZ05_widening_assign, 1676
bounded_affine_image, 1677
bounded_affine_preimage, 1677
bounds_from_above, 1677
bounds_from_below, 1677
build_cpp_object, 1677, 1678
concatenate_assign, 1678
constrains, 1678
contains, 1678
contains_integer_point, 1678
difference_assign, 1678
drop_disjunct, 1679
drop_disjuncts, 1679
drop_some_non_integer_points, 1679
drop_some_non_integer_points_2, 1679
end_iterator, 1679
equals, 1679
expand_space_dimension, 1680
external_memory_in_bytes, 1680
finalize, 1680
fold_space_dimensions, 1680
free, 1680
generalized_affine_image, 1680
generalized_affine_preimage, 1680
geometrically_covers, 1681
geometrically_equals, 1681
hashCode, 1681
intersection_assign, 1681
is_bounded, 1681
is_discrete, 1681
is_disjoint_from, 1681
is_empty, 1681
is_topologically_closed, 1682
is_universe, 1682
map_space_dimensions, 1682
maximize, 1682
minimize, 1682
OK, 1682
omega_reduce, 1683
pairwise_reduce, 1683
Pointset_Powerset_Octagonal_Shape_int32_t, 1674, 1675
refine_with_congruence, 1683
refine_with_congruences, 1683
refine_with_constraint, 1683
refine_with_constraints, 1683
relation_with, 1683, 1684
remove_higher_space_dimensions, 1684
remove_space_dimensions, 1684
simplify_using_context_assign, 1684
size, 1684

space_dimension, 1684
strictly_contains, 1684
swap, 1684
time_elapse_assign, 1685
topological_closure_assign, 1685
toString, 1685
total_memory_in_bytes, 1685
unconstrain_space_dimension, 1685
unconstrain_space_dimensions, 1685
upper_bound_assign, 1685
upper_bound_assign_if_exact, 1685
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int32_t_Iterator, 1686
build_cpp_object, 1687
build_ppl_object, 1687
equals, 1687
finalize, 1688
free, 1688
get_disjunct, 1688
next, 1688
Pointset_Powerset_Octagonal_Shape_int32_-t_Iterator, 1687
prev, 1688
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t, 1688
add_congruence, 1693
add_congruences, 1693
add_constraint, 1693
add_constraints, 1693
add_disjunct, 1693
add_space_dimensions_and_embed, 1693
add_space_dimensions_and_project, 1694
affine_dimension, 1694
affine_image, 1694
affine_preimage, 1694
ascii_dump, 1694
begin_iterator, 1694
BGP99_BHMZ05_extrapolation_assign, 1694
BHZ03_H79_BHMZ05_widening_assign, 1694
bounded_affine_image, 1695
bounded_affine_preimage, 1695
bounds_from_above, 1695
bounds_from_below, 1695
build_cpp_object, 1695, 1696
concatenate_assign, 1696
constrains, 1696
contains, 1696
contains_integer_point, 1696
difference_assign, 1696
drop_disjunct, 1697
drop_disjuncts, 1697
drop_some_non_integer_points, 1697
drop_some_non_integer_points_2, 1697
end_iterator, 1697
equals, 1697
expand_space_dimension, 1698
external_memory_in_bytes, 1698
finalize, 1698
fold_space_dimensions, 1698
free, 1698
generalized_affine_image, 1698
generalized_affine_preimage, 1698
geometrically_covers, 1699
geometrically_equals, 1699
hashCode, 1699
intersection_assign, 1699
is_bounded, 1699
is_discrete, 1699
is_disjoint_from, 1699
is_empty, 1699
is_topologically_closed, 1700
is_universe, 1700
map_space_dimensions, 1700
maximize, 1700
minimize, 1700
OK, 1700
omega_reduce, 1701
pairwise_reduce, 1701
Pointset_Powerset_Octagonal_Shape_int64_t, 1692, 1693
refine_with_congruence, 1701
refine_with_congruences, 1701
refine_with_constraint, 1701
refine_with_constraints, 1701
relation_with, 1701, 1702
remove_higher_space_dimensions, 1702
remove_space_dimensions, 1702
simplify_using_context_assign, 1702
size, 1702
space_dimension, 1702
strictly_contains, 1702
swap, 1702
time_elapse_assign, 1703
topological_closure_assign, 1703
toString, 1703
total_memory_in_bytes, 1703
unconstrain_space_dimension, 1703
unconstrain_space_dimensions, 1703
upper_bound_assign, 1703
upper_bound_assign_if_exact, 1703
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int64_t_Iterator, 1704
build_cpp_object, 1705
build_ppl_object, 1705
equals, 1705
finalize, 1706
free, 1706

get_disjunct, 1706
next, 1706
Pointset_Powerset_Octagonal_Shape_int64_-t_Iterator, 1705
prev, 1706
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t, 1706
add_congruence, 1711
add_congruences, 1711
add_constraint, 1711
add_constraints, 1711
add_disjunct, 1711
add_space_dimensions_and_embed, 1711
add_space_dimensions_and_project, 1712
affine_dimension, 1712
affine_image, 1712
affine_preimage, 1712
ascii_dump, 1712
begin_iterator, 1712
BGP99_BHMZ05_extrapolation_assign, 1712
BHZ03_H79_BHMZ05_widening_assign, 1712
bounded_affine_image, 1713
bounded_affine_preimage, 1713
bounds_from_above, 1713
bounds_from_below, 1713
build_cpp_object, 1713, 1714
concatenate_assign, 1714
constrains, 1714
contains, 1714
contains_integer_point, 1714
difference_assign, 1714
drop_disjunct, 1715
drop_disjuncts, 1715
drop_some_non_integer_points, 1715
drop_some_non_integer_points_2, 1715
end_iterator, 1715
equals, 1715
expand_space_dimension, 1716
external_memory_in_bytes, 1716
finalize, 1716
fold_space_dimensions, 1716
free, 1716
generalized_affine_image, 1716
generalized_affine_preimage, 1716
geometrically_covers, 1717
geometrically_equals, 1717
hashCode, 1717
intersection_assign, 1717
is_bounded, 1717
is_discrete, 1717
is_disjoint_from, 1717
is_empty, 1717
is_topologically_closed, 1718
is_universe, 1718
map_space_dimensions, 1718
maximize, 1718
minimize, 1718
OK, 1718
omega_reduce, 1719
pairwise_reduce, 1719
Pointset_Powerset_Octagonal_Shape_int8_t, 1710, 1711
refine_with_congruence, 1719
refine_with_congruences, 1719
refine_with_constraint, 1719
refine_with_constraints, 1719
relation_with, 1719, 1720
remove_higher_space_dimensions, 1720
remove_space_dimensions, 1720
simplify_using_context_assign, 1720
size, 1720
space_dimension, 1720
strictly_contains, 1720
swap, 1720
time_elapse_assign, 1721
topological_closure_assign, 1721
toString, 1721
total_memory_in_bytes, 1721
unconstrain_space_dimension, 1721
unconstrain_space_dimensions, 1721
upper_bound_assign, 1721
upper_bound_assign_if_exact, 1721
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_int8_t_Iterator, 1722
build_cpp_object, 1723
build_ppl_object, 1723
equals, 1723
finalize, 1724
free, 1724
get_disjunct, 1724
next, 1724
Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator, 1723
prev, 1724
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_long_double, 1724
add_congruence, 1729
add_congruences, 1729
add_constraint, 1729
add_constraints, 1729
add_disjunct, 1729
add_space_dimensions_and_embed, 1730
add_space_dimensions_and_project, 1730
affine_dimension, 1730
affine_image, 1730
affine_preimage, 1730
ascii_dump, 1730

begin_iterator, 1730
BGP99_BHMZ05_extrapolation_assign, 1730
BHZ03_H79_BHMZ05_widening_assign, 1731
bounded_affine_image, 1731
bounded_affine_preimage, 1731
bounds_from_above, 1731
bounds_from_below, 1731
build_cpp_object, 1731, 1732
concatenate_assign, 1732
constrains, 1732
contains, 1732
contains_integer_point, 1732
difference_assign, 1733
drop_disjunct, 1733
drop_disjuncts, 1733
drop_some_non_integer_points, 1733
drop_some_non_integer_points_2, 1733
end_iterator, 1733
equals, 1733
expand_space_dimension, 1734
external_memory_in_bytes, 1734
finalize, 1734
fold_space_dimensions, 1734
free, 1734
generalized_affine_image, 1734
generalized_affine_preimage, 1734, 1735
geometrically_covers, 1735
geometrically_equals, 1735
hashCode, 1735
intersection_assign, 1735
is_bounded, 1735
is_discrete, 1735
is_disjoint_from, 1735
is_empty, 1736
is_topologically_closed, 1736
is_universe, 1736
map_space_dimensions, 1736
maximize, 1736
minimize, 1736
OK, 1737
omega_reduce, 1737
pairwise_reduce, 1737
Pointset_Powerset_Octagonal_Shape_long_double, 1728, 1729
refine_with_congruence, 1737
refine_with_congruences, 1737
refine_with_constraint, 1737
refine_with_constraints, 1737
relation_with, 1737, 1738
remove_higher_space_dimensions, 1738
remove_space_dimensions, 1738
simplify_using_context_assign, 1738
size, 1738
space_dimension, 1738
strictly_contains, 1738
swap, 1739
time_elapse_assign, 1739
topological_closure_assign, 1739
toString, 1739
total_memory_in_bytes, 1739
unconstrain_space_dimension, 1739
unconstrain_space_dimensions, 1739
upper_bound_assign, 1739
upper_bound_assign_if_exact, 1740
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator, 1740
build_cpp_object, 1741
build_ppl_object, 1741
equals, 1742
finalize, 1742
free, 1742
get_disjunct, 1742
next, 1742
Pointset_Powerset_Octagonal_Shape_long_double_Iterator, 1741
prev, 1742
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class, 1742
add_congruence, 1747
add_congruences, 1747
add_constraint, 1747
add_constraints, 1747
add_disjunct, 1747
add_space_dimensions_and_embed, 1748
add_space_dimensions_and_project, 1748
affine_dimension, 1748
affine_image, 1748
affine_preimage, 1748
ascii_dump, 1748
begin_iterator, 1748
BGP99_BHMZ05_extrapolation_assign, 1748
BHZ03_H79_BHMZ05_widening_assign, 1749
bounded_affine_image, 1749
bounded_affine_preimage, 1749
bounds_from_above, 1749
bounds_from_below, 1749
build_cpp_object, 1749, 1750
concatenate_assign, 1750
constrains, 1750
contains, 1750
contains_integer_point, 1750
difference_assign, 1751
drop_disjunct, 1751
drop_disjuncts, 1751
drop_some_non_integer_points, 1751

drop_some_non_integer_points_2, 1751
end_iterator, 1751
equals, 1751
expand_space_dimension, 1752
external_memory_in_bytes, 1752
finalize, 1752
fold_space_dimensions, 1752
free, 1752
generalized_affine_image, 1752
generalized_affine_preimage, 1752, 1753
geometrically_covers, 1753
geometrically_equals, 1753
hashCode, 1753
intersection_assign, 1753
is_bounded, 1753
is_discrete, 1753
is_disjoint_from, 1753
is_empty, 1754
is_topologically_closed, 1754
is_universe, 1754
map_space_dimensions, 1754
maximize, 1754
minimize, 1754
OK, 1755
omega_reduce, 1755
pairwise_reduce, 1755
Pointset_Powerset_Octagonal_Shape_mpq_-class, 1746, 1747
refine_with_congruence, 1755
refine_with_congruences, 1755
refine_with_constraint, 1755
refine_with_constraints, 1755
relation_with, 1755, 1756
remove_higher_space_dimensions, 1756
remove_space_dimensions, 1756
simplify_using_context_assign, 1756
size, 1756
space_dimension, 1756
strictly_contains, 1756
swap, 1757
time_elapse_assign, 1757
topological_closure_assign, 1757
toString, 1757
total_memory_in_bytes, 1757
unconstrain_space_dimension, 1757
unconstrain_space_dimensions, 1757
upper_bound_assign, 1757
upper_bound_assign_if_exact, 1758
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpq_class_Iterator, 1758
build_cpp_object, 1759
build_ppl_object, 1759
equals, 1760
finalize, 1760
free, 1760
get_disjunct, 1760
next, 1760
Pointset_Powerset_Octagonal_Shape_mpq_-class_Iterator, 1759
prev, 1760
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpz_class, 1760
add_congruence, 1765
add_congruences, 1765
add_constraint, 1765
add_constraints, 1765
add_disjunct, 1765
add_space_dimensions_and_embed, 1766
add_space_dimensions_and_project, 1766
affine_dimension, 1766
affine_image, 1766
affine_preimage, 1766
ascii_dump, 1766
begin_iterator, 1766
BGP99_BHMZ05_extrapolation_assign, 1766
BHZ03_H79_BHMZ05_widening_assign, 1767
bounded_affine_image, 1767
bounded_affine_preimage, 1767
bounds_from_above, 1767
bounds_from_below, 1767
build_cpp_object, 1767, 1768
concatenate_assign, 1768
constrains, 1768
contains, 1768
contains_integer_point, 1768
difference_assign, 1769
drop_disjunct, 1769
drop_disjuncts, 1769
drop_some_non_integer_points, 1769
drop_some_non_integer_points_2, 1769
end_iterator, 1769
equals, 1769
expand_space_dimension, 1770
external_memory_in_bytes, 1770
finalize, 1770
fold_space_dimensions, 1770
free, 1770
generalized_affine_image, 1770
generalized_affine_preimage, 1770, 1771
geometrically_covers, 1771
geometrically_equals, 1771
hashCode, 1771
intersection_assign, 1771
is_bounded, 1771
is_discrete, 1771
is_disjoint_from, 1771

is_empty, 1772
is_topologically_closed, 1772
is_universe, 1772
map_space_dimensions, 1772
maximize, 1772
minimize, 1772
OK, 1773
omega_reduce, 1773
pairwise_reduce, 1773
Pointset_Powerset_Octagonal_Shape_mpz_-class, 1764, 1765
refine_with_congruence, 1773
refine_with_congruences, 1773
refine_with_constraint, 1773
refine_with_constraints, 1773
relation_with, 1773, 1774
remove_higher_space_dimensions, 1774
remove_space_dimensions, 1774
simplify_using_context_assign, 1774
size, 1774
space_dimension, 1774
strictly_contains, 1774
swap, 1775
time_elapse_assign, 1775
topological_closure_assign, 1775
toString, 1775
total_memory_in_bytes, 1775
unconstrain_space_dimension, 1775
unconstrain_space_dimensions, 1775
upper_bound_assign, 1775
upper_bound_assign_if_exact, 1776
parma_polyhedra_library::Pointset_Powerset_-Octagonal_Shape_mpz_class_Iterator, 1776
build_cpp_object, 1777
build_ppl_object, 1777
equals, 1778
finalize, 1778
free, 1778
get_disjunct, 1778
next, 1778
Pointset_Powerset_Octagonal_Shape_mpz_-class_Iterator, 1777
prev, 1778
parma_polyhedra_library::Pointset_Powerset_-Rational_Box, 1778
add_congruence, 1783
add_congruences, 1783
add_constraint, 1783
add_constraints, 1783
add_disjunct, 1783
add_space_dimensions_and_embed, 1783
add_space_dimensions_and_project, 1783
affine_dimension, 1783
affine_image, 1784
affine_preimage, 1784
ascii_dump, 1784
begin_iterator, 1784
bounded_affine_image, 1784
bounded_affine_preimage, 1784
bounds_from_above, 1784
bounds_from_below, 1784
build_cpp_object, 1784, 1785
concatenate_assign, 1785
constrains, 1785
contains, 1786
contains_integer_point, 1786
difference_assign, 1786
drop_disjunct, 1786
drop_disjuncts, 1786
drop_some_non_integer_points, 1786
drop_some_non_integer_points_2, 1786
end_iterator, 1786
equals, 1787
expand_space_dimension, 1787
external_memory_in_bytes, 1787
finalize, 1787
fold_space_dimensions, 1787
free, 1787
generalized_affine_image, 1787, 1788
generalized_affine_preimage, 1788
geometrically_covers, 1788
geometrically_equals, 1788
hashCode, 1788
intersection_assign, 1788
is_bounded, 1788
is_discrete, 1789
is_disjoint_from, 1789
is_empty, 1789
is_topologically_closed, 1789
is_universe, 1789
map_space_dimensions, 1789
maximize, 1789
minimize, 1789, 1790
OK, 1790
omega_reduce, 1790
pairwise_reduce, 1790
Pointset_Powerset_Rational_Box, 1781, 1782
refine_with_congruence, 1790
refine_with_congruences, 1790
refine_with_constraint, 1790
refine_with_constraints, 1790
relation_with, 1790, 1791
remove_higher_space_dimensions, 1791
remove_space_dimensions, 1791
simplify_using_context_assign, 1791
size, 1791
space_dimension, 1791

strictly_contains, 1791
swap, 1791
time_elapse_assign, 1792
topological_closure_assign, 1792
toString, 1792
total_memory_in_bytes, 1792
unconstrain_space_dimension, 1792
unconstrain_space_dimensions, 1792
upper_bound_assign, 1792
upper_bound_assign_if_exact, 1792
parma_polyhedra_library::Pointset_Powerset_-Rational_Box_Iterator, 1793
build_cpp_object, 1794
build_ppl_object, 1794
equals, 1794
finalize, 1794
free, 1794
get_disjunct, 1795
next, 1795
Pointset_Powerset_Rational_Box_Iterator, 1794
prev, 1795
parma_polyhedra_library::Pointset_Powerset_-Uint16_Box, 1795
add_congruence, 1800
add_congruences, 1800
add_constraint, 1800
add_constraints, 1800
add_disjunct, 1800
add_space_dimensions_and_embed, 1800
add_space_dimensions_and_project, 1800
affine_dimension, 1800
affine_image, 1800
affine_preimage, 1800
ascii_dump, 1801
begin_iterator, 1801
bounded_affine_image, 1801
bounded_affine_preimage, 1801
bounds_from_above, 1801
bounds_from_below, 1801
build_cpp_object, 1801, 1802
concatenate_assign, 1802
constrains, 1802
contains, 1802
contains_integer_point, 1802
difference_assign, 1803
drop_disjunct, 1803
drop_disjuncts, 1803
drop_some_non_integer_points, 1803
drop_some_non_integer_points_2, 1803
end_iterator, 1803
equals, 1803
expand_space_dimension, 1804
external_memory_in_bytes, 1804
finalize, 1804
fold_space_dimensions, 1804
free, 1804
generalized_affine_image, 1804
generalized_affine_preimage, 1804
geometrically_covers, 1805
geometrically_equals, 1805
hashCode, 1805
intersection_assign, 1805
is_bounded, 1805
is_discrete, 1805
is_disjoint_from, 1805
is_empty, 1805
is_topologically_closed, 1805
is_universe, 1806
map_space_dimensions, 1806
maximize, 1806
minimize, 1806
OK, 1806
omega_reduce, 1806
pairwise_reduce, 1806
Pointset_Powerset_Uint16_Box, 1798, 1799
refine_with_congruence, 1807
refine_with_congruences, 1807
refine_with_constraint, 1807
refine_with_constraints, 1807
relation_with, 1807
remove_higher_space_dimensions, 1807
remove_space_dimensions, 1807
simplify_using_context_assign, 1808
size, 1808
space_dimension, 1808
strictly_contains, 1808
swap, 1808
time_elapse_assign, 1808
topological_closure_assign, 1808
toString, 1808
total_memory_in_bytes, 1808
unconstrain_space_dimension, 1809
unconstrain_space_dimensions, 1809
upper_bound_assign, 1809
upper_bound_assign_if_exact, 1809
parma_polyhedra_library::Pointset_Powerset_-Uint16_Box_Iterator, 1809
build_cpp_object, 1811
build_ppl_object, 1811
equals, 1811
finalize, 1811
free, 1811
get_disjunct, 1811
next, 1811
Pointset_Powerset_Uint16_Box_Iterator, 1810
prev, 1811

parma_polyhedra_library::Pointset_Powerset_-
Uint32_Box, 1812
add_congruence, 1816
add_congruences, 1816
add_constraint, 1816
add_constraints, 1816
add_disjunct, 1816
add_space_dimensions_and_embed, 1817
add_space_dimensions_and_project, 1817
affine_dimension, 1817
affine_image, 1817
affine_preimage, 1817
ascii_dump, 1817
begin_iterator, 1817
bounded_affine_image, 1817
bounded_affine_preimage, 1817
bounds_from_above, 1818
bounds_from_below, 1818
build_cpp_object, 1818, 1819
concatenate_assign, 1819
constrains, 1819
contains, 1819
contains_integer_point, 1819
difference_assign, 1819
drop_disjunct, 1819
drop_disjuncts, 1819
drop_some_non_integer_points, 1819
drop_some_non_integer_points_2, 1820
end_iterator, 1820
equals, 1820
expand_space_dimension, 1820
external_memory_in_bytes, 1820
finalize, 1820
fold_space_dimensions, 1820
free, 1821
generalized_affine_image, 1821
generalized_affine_preimage, 1821
geometrically_covers, 1821
geometrically_equals, 1821
hashCode, 1821
intersection_assign, 1822
is_bounded, 1822
is_discrete, 1822
is_disjoint_from, 1822
is_empty, 1822
is_topologically_closed, 1822
is_universe, 1822
map_space_dimensions, 1822
maximize, 1822, 1823
minimize, 1823
OK, 1823
omega_reduce, 1823
pairwise_reduce, 1823
Pointset_Powerset_Uint32_Box, 1815, 1816
refine_with_congruence, 1823
refine_with_congruences, 1823
refine_with_constraint, 1823
refine_with_constraints, 1824
relation_with, 1824
remove_higher_space_dimensions, 1824
remove_space_dimensions, 1824
simplify_using_context_assign, 1824
size, 1824
space_dimension, 1824
strictly_contains, 1825
swap, 1825
time_elapse_assign, 1825
topological_closure_assign, 1825
toString, 1825
total_memory_in_bytes, 1825
unconstrain_space_dimension, 1825
unconstrain_space_dimensions, 1825
upper_bound_assign, 1825
upper_bound_assign_if_exact, 1826
parma_polyhedra_library::Pointset_Powerset_-
Uint32_Box_Iterator, 1826
build_cpp_object, 1827
build_ppl_object, 1827
equals, 1828
finalize, 1828
free, 1828
get_disjunct, 1828
next, 1828
Pointset_Powerset_Uint32_Box_Iterator, 1827
prev, 1828
parma_polyhedra_library::Pointset_Powerset_-
Uint64_Box, 1828
add_congruence, 1833
add_congruences, 1833
add_constraint, 1833
add_constraints, 1833
add_disjunct, 1833
add_space_dimensions_and_embed, 1833
add_space_dimensions_and_project, 1833
affine_dimension, 1833
affine_image, 1834
affine_preimage, 1834
ascii_dump, 1834
begin_iterator, 1834
bounded_affine_image, 1834
bounded_affine_preimage, 1834
bounds_from_above, 1834
bounds_from_below, 1834
build_cpp_object, 1834, 1835
concatenate_assign, 1835
constrains, 1835
contains, 1836
contains_integer_point, 1836

difference_assign, 1836
drop_disjunct, 1836
drop_disjuncts, 1836
drop_some_non_integer_points, 1836
drop_some_non_integer_points_2, 1836
end_iterator, 1836
equals, 1836, 1837
expand_space_dimension, 1837
external_memory_in_bytes, 1837
finalize, 1837
fold_space_dimensions, 1837
free, 1837
generalized_affine_image, 1837
generalized_affine_preimage, 1838
geometrically_covers, 1838
geometrically_equals, 1838
hashCode, 1838
intersection_assign, 1838
is_bounded, 1838
is_discrete, 1838
is_disjoint_from, 1839
is_empty, 1839
is_topologically_closed, 1839
is_universe, 1839
map_space_dimensions, 1839
maximize, 1839
minimize, 1839
OK, 1840
omega_reduce, 1840
pairwise_reduce, 1840
Pointset_Powerset_Uint64_Box, 1831, 1832
refine_with_congruence, 1840
refine_with_congruences, 1840
refine_with_constraint, 1840
refine_with_constraints, 1840
relation_with, 1840, 1841
remove_higher_space_dimensions, 1841
remove_space_dimensions, 1841
simplify_using_context_assign, 1841
size, 1841
space_dimension, 1841
strictly_contains, 1841
swap, 1841
time_elapse_assign, 1841
topological_closure_assign, 1842
toString, 1842
total_memory_in_bytes, 1842
unconstrain_space_dimension, 1842
unconstrain_space_dimensions, 1842
upper_bound_assign, 1842
upper_bound_assign_if_exact, 1842
parma_polyhedra_library::Pointset_Powerset_-Uint64_Box_Iterator, 1843
build_cpp_object, 1844
build_ppl_object, 1844
equals, 1844
finalize, 1844
free, 1844
get_disjunct, 1845
next, 1845
Pointset_Powerset_Uint64_Box_Iterator, 1844
prev, 1845
parma_polyhedra_library::Pointset_Powerset_-Uint8_Box, 1845
add_congruence, 1849
add_congruences, 1849
add_constraint, 1849
add_constraints, 1849
add_disjunct, 1850
add_space_dimensions_and_embed, 1850
add_space_dimensions_and_project, 1850
affine_dimension, 1850
affine_image, 1850
affine_preimage, 1850
ascii_dump, 1850
begin_iterator, 1850
bounded_affine_image, 1850
bounded_affine_preimage, 1851
bounds_from_above, 1851
bounds_from_below, 1851
build_cpp_object, 1851, 1852
concatenate_assign, 1852
constrains, 1852
contains, 1852
contains_integer_point, 1852
difference_assign, 1852
drop_disjunct, 1852
drop_disjuncts, 1852
drop_some_non_integer_points, 1853
drop_some_non_integer_points_2, 1853
end_iterator, 1853
equals, 1853
expand_space_dimension, 1853
external_memory_in_bytes, 1853
finalize, 1853
fold_space_dimensions, 1854
free, 1854
generalized_affine_image, 1854
generalized_affine_preimage, 1854
geometrically_covers, 1854
geometrically_equals, 1854
hashCode, 1855
intersection_assign, 1855
is_bounded, 1855
is_discrete, 1855
is_disjoint_from, 1855
is_empty, 1855
is_topologically_closed, 1855

is_universe, 1855
map_space_dimensions, 1855
maximize, 1856
minimize, 1856
OK, 1856
omega_reduce, 1856
pairwise_reduce, 1856
Pointset_Powerset_Uint8_Box, 1848, 1849
refine_with_congruence, 1856
refine_with_congruences, 1856
refine_with_constraint, 1857
refine_with_constraints, 1857
relation_with, 1857
remove_higher_space_dimensions, 1857
remove_space_dimensions, 1857
simplify_using_context_assign, 1857
size, 1857
space_dimension, 1858
strictly_contains, 1858
swap, 1858
time_elapse_assign, 1858
topological_closure_assign, 1858
toString, 1858
total_memory_in_bytes, 1858
unconstrain_space_dimension, 1858
unconstrain_space_dimensions, 1858
upper_bound_assign, 1859
upper_bound_assign_if_exact, 1859
parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator, 1859
build_cpp_object, 1860
build_ppl_object, 1860
equals, 1861
finalize, 1861
free, 1861
get_disjunct, 1861
next, 1861
Pointset_Powerset_Uint8_Box_Iterator, 1860
prev, 1861
parma_polyhedra_library::Pointset_Powerset_Z_Box, 1861
add_congruence, 1866
add_congruences, 1866
add_constraint, 1866
add_constraints, 1866
add_disjunct, 1866
add_space_dimensions_and_embed, 1866
add_space_dimensions_and_project, 1866
affine_dimension, 1866
affine_image, 1866
affine_preimage, 1867
ascii_dump, 1867
begin_iterator, 1867
bounded_affine_image, 1867
bounded_affine_preimage, 1867
bounds_from_above, 1867
bounds_from_below, 1867
build_cpp_object, 1867, 1868
concatenate_assign, 1868
constrains, 1868
contains, 1868
contains_integer_point, 1868
difference_assign, 1869
drop_disjunct, 1869
drop_disjuncts, 1869
drop_some_non_integer_points, 1869
drop_some_non_integer_points_2, 1869
end_iterator, 1869
equals, 1869
expand_space_dimension, 1870
external_memory_in_bytes, 1870
finalize, 1870
fold_space_dimensions, 1870
free, 1870
generalized_affine_image, 1870
generalized_affine_preimage, 1870
geometrically_covers, 1871
geometrically_equals, 1871
hashCode, 1871
intersection_assign, 1871
is_bounded, 1871
is_discrete, 1871
is_disjoint_from, 1871
is_empty, 1871
is_topologically_closed, 1871
is_universe, 1871
map_space_dimensions, 1872
maximize, 1872
minimize, 1872
OK, 1872
omega_reduce, 1872
pairwise_reduce, 1872
Pointset_Powerset_Z_Box, 1864, 1865
refine_with_congruence, 1872
refine_with_congruences, 1873
refine_with_constraint, 1873
refine_with_constraints, 1873
relation_with, 1873
remove_higher_space_dimensions, 1873
remove_space_dimensions, 1873
simplify_using_context_assign, 1873
size, 1874
space_dimension, 1874
strictly_contains, 1874
swap, 1874
time_elapse_assign, 1874
topological_closure_assign, 1874
toString, 1874

total_memory_in_bytes, 1874
unconstrain_space_dimension, 1874
unconstrain_space_dimensions, 1874
upper_bound_assign, 1875
upper_bound_assign_if_exact, 1875
parma_polyhedra_library::Pointset_Powerset_Z_-Box_Iterator, 1875
build_cpp_object, 1876
build_ppl_object, 1876
equals, 1877
finalize, 1877
free, 1877
get_disjunct, 1877
next, 1877
Pointset_Powerset_Z_Box_Iterator, 1876
prev, 1877
parma_polyhedra_library::Poly_Con_Relation, 1877
implies, 1879
initIDs, 1879
IS_DISJOINT, 1880
is_disjoint, 1879
IS_INCLUDED, 1880
is_included, 1879
mask_value, 1880
NOTHING, 1881
nothing, 1880
Poly_Con_Relation, 1879
SATURATES, 1881
saturates, 1880
STRICTLY_INTERSECTS, 1881
strictly_intersects, 1880
parma_polyhedra_library::Poly_Gen_Relation, 1881
implies, 1882
initIDs, 1883
mask_value, 1883
NOTHING, 1883
nothing, 1883
Poly_Gen_Relation, 1882
SUBSUMES, 1883
subsumes, 1883
parma_polyhedra_library::Polyhedron, 1884
add_congruence, 1887
add_congruences, 1887
add_constraint, 1887
add_constraints, 1887
add_generator, 1887
add_generators, 1887
add_space_dimensions_and_embed, 1887
add_space_dimensions_and_project, 1887
affine_dimension, 1887
affine_image, 1887
affine_preimage, 1887
ascii_dump, 1888
BHRZ03_widening_assign, 1888
bounded_affine_image, 1888
bounded_affine_preimage, 1888
bounded_BHRZ03_extrapolation_assign, 1888
bounded_H79_extrapolation_assign, 1888
bounds_from_above, 1888
bounds_from_below, 1888
concatenate_assign, 1888
congruences, 1889
constrains, 1889
constraints, 1889
contains, 1889
contains_integer_point, 1889
difference_assign, 1889
drop_some_non_integer_points, 1889
drop_some_non_integer_points_2, 1889
equals, 1889
expand_space_dimension, 1890
external_memory_in_bytes, 1890
fold_space_dimensions, 1890
frequency, 1890
generalized_affine_image, 1890
generalized_affine_preimage, 1890
generators, 1890
H79_widening_assign, 1891
hashCode, 1891
intersection_assign, 1891
is_bounded, 1891
is_discrete, 1891
is_disjoint_from, 1891
is_empty, 1891
is_topologically_closed, 1891
is_universe, 1891
limited_BHRZ03_extrapolation_assign, 1891
limited_H79_extrapolation_assign, 1892
map_space_dimensions, 1892
maximize, 1892
minimize, 1892
minimized_congruences, 1892
minimized_constraints, 1892
minimized_generators, 1892
OK, 1893
poly_difference_assign, 1893
poly_hull_assign, 1893
refine_with_congruence, 1893
refine_with_congruences, 1893
refine_with_constraint, 1893
refine_with_constraints, 1893
relation_with, 1893
remove_higher_space_dimensions, 1894
remove_space_dimensions, 1894
simplify_using_context_assign, 1894

space_dimension, 1894
strictly_contains, 1894
swap, 1894
time_elapse_assign, 1894
topological_closure_assign, 1894
toString, 1894
total_memory_in_bytes, 1894
unconstrain_space_dimension, 1895
unconstrain_space_dimensions, 1895
upper_bound_assign, 1895
widening_assign, 1895
wrap_assign, 1895
parma_polyhedra_library::PPL_Object, 1895
initIDs, 1897
PPL_Object, 1897
ptr, 1898
parma_polyhedra_library::Rational_Box, 1898
add_congruence, 1915
add_congruences, 1915
add_constraint, 1915
add_constraints, 1915
add_space_dimensions_and_embed, 1916
add_space_dimensions_and_project, 1916
affine_dimension, 1916
affine_image, 1916
affine_preimage, 1916
ascii_dump, 1916
bounded_affine_image, 1916
bounded_affine_preimage, 1916
bounds_from_above, 1916
bounds_from_below, 1917
build_cpp_object, 1917–1925
CC76_widening_assign, 1925
concatenate_assign, 1925
congruences, 1925
constrains, 1925
constraints, 1925
contains, 1925
contains_integer_point, 1925
difference_assign, 1925
drop_some_non_integer_points, 1925
drop_some_non_integer_points_2, 1926
equals, 1926
expand_space_dimension, 1926
external_memory_in_bytes, 1926
finalize, 1926
fold_space_dimensions, 1926
free, 1926
frequency, 1926
generalized_affine_image, 1927
generalized_affine_preimage, 1927
intersection_assign, 1927
is_bounded, 1927
is_discrete, 1927
is_disjoint_from, 1927
is_empty, 1927
is_topologically_closed, 1928
is_universe, 1928
limited_CC76_extrapolation_assign, 1928
linear_partition, 1928
map_space_dimensions, 1928
maximize, 1928
minimize, 1928
minimized_congruences, 1929
minimized_constraints, 1929
OK, 1929
Rational_Box, 1904–1915
refine_with_congruence, 1929
refine_with_congruences, 1929
refine_with_constraint, 1929
refine_with_constraints, 1929
relation_with, 1929, 1930
remove_higher_space_dimensions, 1930
remove_space_dimensions, 1930
simplify_using_context_assign, 1930
space_dimension, 1930
strictly_contains, 1930
swap, 1930
time_elapse_assign, 1930
topological_closure_assign, 1930
toString, 1930
total_memory_in_bytes, 1931
unconstrain_space_dimension, 1931
unconstrain_space_dimensions, 1931
upper_bound_assign, 1931
upper_bound_assign_if_exact, 1931
widening_assign, 1931
wrap_assign, 1931
parma_polyhedra_library::Termination, 1931
all_affine_quasi_ranking_functions_MS_-BD_Shape_double, 1948
all_affine_quasi_ranking_functions_MS_-BD_Shape_double_2, 1948
all_affine_quasi_ranking_functions_MS_-BD_Shape_float, 1948
all_affine_quasi_ranking_functions_MS_-BD_Shape_float_2, 1948
all_affine_quasi_ranking_functions_MS_-BD_Shape_int16_t, 1948
all_affine_quasi_ranking_functions_MS_-BD_Shape_int16_t_2, 1948
all_affine_quasi_ranking_functions_MS_-BD_Shape_int32_t, 1949
all_affine_quasi_ranking_functions_MS_-BD_Shape_int32_t_2, 1949
all_affine_quasi_ranking_functions_MS_-BD_Shape_int64_t, 1949

all_affine_quasi_ranking_functions_MS_-
BD_Shape_int64_t_2, 1949
all_affine_quasi_ranking_functions_MS_-
BD_Shape_int8_t, 1949
all_affine_quasi_ranking_functions_MS_-
BD_Shape_int8_t_2, 1949
all_affine_quasi_ranking_functions_MS_-
BD_Shape_long_double, 1949
all_affine_quasi_ranking_functions_MS_-
BD_Shape_long_double_2, 1949
all_affine_quasi_ranking_functions_MS_-
BD_Shape_mpq_class, 1950
all_affine_quasi_ranking_functions_MS_-
BD_Shape_mpq_class_2, 1950
all_affine_quasi_ranking_functions_MS_-
BD_Shape_mpz_class, 1950
all_affine_quasi_ranking_functions_MS_-
BD_Shape_mpz_class_2, 1950
all_affine_quasi_ranking_functions_MS_C_-
Polyhedron, 1950
all_affine_quasi_ranking_functions_MS_C_-
Polyhedron_2, 1950
all_affine_quasi_ranking_functions_MS_-
Double_Box, 1950
all_affine_quasi_ranking_functions_MS_-
Double_Box_2, 1951
all_affine_quasi_ranking_functions_MS_-
Float_Box, 1951
all_affine_quasi_ranking_functions_MS_-
Float_Box_2, 1951
all_affine_quasi_ranking_functions_MS_Grid,
1951
all_affine_quasi_ranking_functions_MS_-
Grid_2, 1951
all_affine_quasi_ranking_functions_MS_-
Int16_Box, 1951
all_affine_quasi_ranking_functions_MS_-
Int16_Box_2, 1951
all_affine_quasi_ranking_functions_MS_-
Int32_Box, 1951
all_affine_quasi_ranking_functions_MS_-
Int32_Box_2, 1952
all_affine_quasi_ranking_functions_MS_-
Int64_Box, 1952
all_affine_quasi_ranking_functions_MS_-
Int64_Box_2, 1952
all_affine_quasi_ranking_functions_MS_-
Int8_Box, 1952
all_affine_quasi_ranking_functions_MS_-
Int8_Box_2, 1952
all_affine_quasi_ranking_functions_MS_-
Long_Double_Box, 1952
all_affine_quasi_ranking_functions_MS_-
Long_Double_Box_2, 1952
all_affine_quasi_ranking_functions_MS_-
NNC_Polyhedron, 1952
all_affine_quasi_ranking_functions_MS_-
NNC_Polyhedron_2, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_double, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_double_2, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_float, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_float_2, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int16_t, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int16_t_2, 1953
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int32_t, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int32_t_2, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int64_t, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int64_t_2, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int8_t, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_int8_t_2, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_long_double, 1954
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_long_double_2, 1955
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_mpq_class, 1955
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_mpq_class_2, 1955
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_mpz_class, 1955
all_affine_quasi_ranking_functions_MS_-
Octagonal_Shape_mpz_class_2, 1955
all_affine_quasi_ranking_functions_MS_-
Rational_Box, 1955
all_affine_quasi_ranking_functions_MS_-
Rational_Box_2, 1955
all_affine_quasi_ranking_functions_MS_-
Uint16_Box, 1956
all_affine_quasi_ranking_functions_MS_-
Uint16_Box_2, 1956
all_affine_quasi_ranking_functions_MS_-
Uint32_Box, 1956
all_affine_quasi_ranking_functions_MS_-
Uint32_Box_2, 1956
all_affine_quasi_ranking_functions_MS_-
Uint64_Box, 1956

all_affine_quasi_ranking_functions_MS_-
Uint64_Box_2, 1956
all_affine_quasi_ranking_functions_MS_-
Uint8_Box, 1956
all_affine_quasi_ranking_functions_MS_-
Uint8_Box_2, 1956
all_affine_quasi_ranking_functions_MS_Z_-
Box, 1957
all_affine_quasi_ranking_functions_MS_Z_-
Box_2, 1957
all_affine_ranking_functions_MS_BD_-
Shape_double, 1957
all_affine_ranking_functions_MS_BD_-
Shape_double_2, 1957
all_affine_ranking_functions_MS_BD_-
Shape_float, 1957
all_affine_ranking_functions_MS_BD_-
Shape_float_2, 1957
all_affine_ranking_functions_MS_BD_-
Shape_int16_t, 1957
all_affine_ranking_functions_MS_BD_-
Shape_int16_t_2, 1957
all_affine_ranking_functions_MS_BD_-
Shape_int32_t, 1958
all_affine_ranking_functions_MS_BD_-
Shape_int32_t_2, 1958
all_affine_ranking_functions_MS_BD_-
Shape_int64_t, 1958
all_affine_ranking_functions_MS_BD_-
Shape_int64_t_2, 1958
all_affine_ranking_functions_MS_BD_-
Shape_int8_t, 1958
all_affine_ranking_functions_MS_BD_-
Shape_int8_t_2, 1958
all_affine_ranking_functions_MS_BD_-
Shape_long_double, 1958
all_affine_ranking_functions_MS_BD_-
Shape_long_double_2, 1958
all_affine_ranking_functions_MS_BD_-
Shape_mpq_class, 1959
all_affine_ranking_functions_MS_BD_-
Shape_mpq_class_2, 1959
all_affine_ranking_functions_MS_BD_-
Shape_mpz_class, 1959
all_affine_ranking_functions_MS_BD_-
Shape_mpz_class_2, 1959
all_affine_ranking_functions_MS_C_-
Polyhedron, 1959
all_affine_ranking_functions_MS_C_-
Polyhedron_2, 1959
all_affine_ranking_functions_MS_Double_-
Box, 1959
all_affine_ranking_functions_MS_Double_-
Box_2, 1959
all_affine_ranking_functions_MS_Float_Box,
1960
all_affine_ranking_functions_MS_Float_-
Box_2, 1960
all_affine_ranking_functions_MS_Grid, 1960
all_affine_ranking_functions_MS_Grid_2,
1960
all_affine_ranking_functions_MS_Int16_Box,
1960
all_affine_ranking_functions_MS_Int16_-
Box_2, 1960
all_affine_ranking_functions_MS_Int32_Box,
1960
all_affine_ranking_functions_MS_Int32_-
Box_2, 1960
all_affine_ranking_functions_MS_Int64_Box,
1961
all_affine_ranking_functions_MS_Int64_-
Box_2, 1961
all_affine_ranking_functions_MS_Int8_Box,
1961
all_affine_ranking_functions_MS_Int8_Box_-
2, 1961
all_affine_ranking_functions_MS_Long_-
Double_Box, 1961
all_affine_ranking_functions_MS_Long_-
Double_Box_2, 1961
all_affine_ranking_functions_MS_NNC_-
Polyhedron, 1961
all_affine_ranking_functions_MS_NNC_-
Polyhedron_2, 1961
all_affine_ranking_functions_MS_-
Octagonal_Shape_double, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_double_2, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_float, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_float_2, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_int16_t, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_int16_t_2, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_int32_t, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_int32_t_2, 1962
all_affine_ranking_functions_MS_-
Octagonal_Shape_int64_t, 1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_int64_t_2, 1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_int8_t, 1963

all_affine_ranking_functions_MS_-
Octagonal_Shape_int8_t_2, 1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_long_double, 1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_long_double_2,
1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_mpq_class, 1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_mpq_class_2, 1963
all_affine_ranking_functions_MS_-
Octagonal_Shape_mpz_class, 1964
all_affine_ranking_functions_MS_-
Octagonal_Shape_mpz_class_2, 1964
all_affine_ranking_functions_MS_Rational_-
Box, 1964
all_affine_ranking_functions_MS_Rational_-
Box_2, 1964
all_affine_ranking_functions_MS_Uint16_-
Box, 1964
all_affine_ranking_functions_MS_Uint16_-
Box_2, 1964
all_affine_ranking_functions_MS_Uint32_-
Box, 1964
all_affine_ranking_functions_MS_Uint32_-
Box_2, 1964
all_affine_ranking_functions_MS_Uint64_-
Box, 1965
all_affine_ranking_functions_MS_Uint64_-
Box_2, 1965
all_affine_ranking_functions_MS_Uint8_Box,
1965
all_affine_ranking_functions_MS_Uint8_-
Box_2, 1965
all_affine_ranking_functions_MS_Z_Box,
1965
all_affine_ranking_functions_MS_Z_Box_2,
1965
all_affine_ranking_functions_PR_BD_-
Shape_double, 1965
all_affine_ranking_functions_PR_BD_-
Shape_double_2, 1965
all_affine_ranking_functions_PR_BD_-
Shape_float, 1966
all_affine_ranking_functions_PR_BD_-
Shape_float_2, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int16_t, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int16_t_2, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int32_t, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int32_t_2, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int64_t, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int64_t_2, 1966
all_affine_ranking_functions_PR_BD_-
Shape_int8_t, 1967
all_affine_ranking_functions_PR_BD_-
Shape_int8_t_2, 1967
all_affine_ranking_functions_PR_BD_-
Shape_long_double, 1967
all_affine_ranking_functions_PR_BD_-
Shape_long_double_2, 1967
all_affine_ranking_functions_PR_BD_-
Shape_mpq_class, 1967
all_affine_ranking_functions_PR_BD_-
Shape_mpq_class_2, 1967
all_affine_ranking_functions_PR_BD_-
Shape_mpz_class, 1967
all_affine_ranking_functions_PR_BD_-
Shape_mpz_class_2, 1967
all_affine_ranking_functions_PR_C_-
Polyhedron, 1968
all_affine_ranking_functions_PR_C_-
Polyhedron_2, 1968
all_affine_ranking_functions_PR_Double_-
Box, 1968
all_affine_ranking_functions_PR_Double_-
Box_2, 1968
all_affine_ranking_functions_PR_Float_Box,
1968
all_affine_ranking_functions_PR_Float_-
Box_2, 1968
all_affine_ranking_functions_PR_Grid, 1968
all_affine_ranking_functions_PR_Grid_2,
1968
all_affine_ranking_functions_PR_Int16_Box,
1969
all_affine_ranking_functions_PR_Int16_-
Box_2, 1969
all_affine_ranking_functions_PR_Int32_Box,
1969
all_affine_ranking_functions_PR_Int32_-
Box_2, 1969
all_affine_ranking_functions_PR_Int64_Box,
1969
all_affine_ranking_functions_PR_Int64_-
Box_2, 1969
all_affine_ranking_functions_PR_Int8_Box,
1969
all_affine_ranking_functions_PR_Int8_Box_-
2, 1969
all_affine_ranking_functions_PR_Long_-
Double_Box, 1970

all_affine_ranking_functions_PR_Long_-Double_Box_2, 1970
all_affine_ranking_functions_PR_NNC_-Polyhedron, 1970
all_affine_ranking_functions_PR_NNC_-Polyhedron_2, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_double, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_double_2, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_float, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_float_2, 1970
all_affine_ranking_functions_PR_Octagonal_-Shape_int16_t, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int16_t_2, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int32_t, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int32_t_2, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int64_t, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int64_t_2, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int8_t, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_int8_t_2, 1971
all_affine_ranking_functions_PR_Octagonal_-Shape_long_double, 1972
all_affine_ranking_functions_PR_Octagonal_-Shape_long_double_2, 1972
all_affine_ranking_functions_PR_Octagonal_-Shape_mpq_class, 1972
all_affine_ranking_functions_PR_Octagonal_-Shape_mpq_class_2, 1972
all_affine_ranking_functions_PR_Octagonal_-Shape_mpz_class, 1972
all_affine_ranking_functions_PR_Octagonal_-Shape_mpz_class_2, 1972
all_affine_ranking_functions_PR_Rational_-Box, 1972
all_affine_ranking_functions_PR_Rational_-Box_2, 1972
all_affine_ranking_functions_PR_Uint16_-Box, 1973
all_affine_ranking_functions_PR_Uint16_-Box_2, 1973
all_affine_ranking_functions_PR_Uint32_-Box, 1973
all_affine_ranking_functions_PR_Uint32_-Box_2, 1973
all_affine_ranking_functions_PR_Uint64_-Box, 1973
all_affine_ranking_functions_PR_Uint64_-Box_2, 1973
all_affine_ranking_functions_PR_Uint8_Box, 1973
all_affine_ranking_functions_PR_Uint8_-Box_2, 1973
all_affine_ranking_functions_PR_Z_Box, 1974
all_affine_ranking_functions_PR_Z_Box_2, 1974
one_affine_ranking_function_MS_BD_-Shape_double, 1974
one_affine_ranking_function_MS_BD_-Shape_double_2, 1974
one_affine_ranking_function_MS_BD_-Shape_float, 1974
one_affine_ranking_function_MS_BD_-Shape_float_2, 1974
one_affine_ranking_function_MS_BD_-Shape_int16_t, 1974
one_affine_ranking_function_MS_BD_-Shape_int16_t_2, 1974
one_affine_ranking_function_MS_BD_-Shape_int32_t, 1975
one_affine_ranking_function_MS_BD_-Shape_int32_t_2, 1975
one_affine_ranking_function_MS_BD_-Shape_int64_t, 1975
one_affine_ranking_function_MS_BD_-Shape_int64_t_2, 1975
one_affine_ranking_function_MS_BD_-Shape_int8_t, 1975
one_affine_ranking_function_MS_BD_-Shape_int8_t_2, 1975
one_affine_ranking_function_MS_BD_-Shape_long_double, 1975
one_affine_ranking_function_MS_BD_-Shape_long_double_2, 1975
one_affine_ranking_function_MS_BD_-Shape_mpq_class, 1976
one_affine_ranking_function_MS_BD_-Shape_mpq_class_2, 1976
one_affine_ranking_function_MS_BD_-Shape_mpz_class, 1976
one_affine_ranking_function_MS_BD_-Shape_mpz_class_2, 1976
one_affine_ranking_function_MS_C_-Polyhedron, 1976
one_affine_ranking_function_MS_C_-Polyhedron_2, 1976
one_affine_ranking_function_MS_Double_-Box, 1976

one_affine_ranking_function_MS_Double_-Box_2, 1976
one_affine_ranking_function_MS_Float_Box, 1977
one_affine_ranking_function_MS_Float_-Box_2, 1977
one_affine_ranking_function_MS_Grid, 1977
one_affine_ranking_function_MS_Grid_2, 1977
one_affine_ranking_function_MS_Int16_Box, 1977
one_affine_ranking_function_MS_Int16_-Box_2, 1977
one_affine_ranking_function_MS_Int32_Box, 1977
one_affine_ranking_function_MS_Int32_-Box_2, 1977
one_affine_ranking_function_MS_Int64_Box, 1978
one_affine_ranking_function_MS_Int64_-Box_2, 1978
one_affine_ranking_function_MS_Int8_Box, 1978
one_affine_ranking_function_MS_Int8_Box_-2, 1978
one_affine_ranking_function_MS_Long_-Double_Box, 1978
one_affine_ranking_function_MS_Long_-Double_Box_2, 1978
one_affine_ranking_function_MS_NNC_-Polyhedron, 1978
one_affine_ranking_function_MS_NNC_-Polyhedron_2, 1978
one_affine_ranking_function_MS_-Octagonal_Shape_double, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_double_2, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_float, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_float_2, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_int16_t, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_int16_t_2, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_int32_t, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_int32_t_2, 1979
one_affine_ranking_function_MS_-Octagonal_Shape_int64_t, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_int64_t_2, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_int8_t, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_int8_t_2, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_long_double, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_long_double_2, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_mpq_class, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_mpq_class_2, 1980
one_affine_ranking_function_MS_-Octagonal_Shape_mpz_class, 1981
one_affine_ranking_function_MS_-Octagonal_Shape_mpz_class_2, 1981
one_affine_ranking_function_MS_Rational_-Box, 1981
one_affine_ranking_function_MS_Rational_-Box_2, 1981
one_affine_ranking_function_MS_Uint16_-Box, 1981
one_affine_ranking_function_MS_Uint16_-Box_2, 1981
one_affine_ranking_function_MS_Uint32_-Box, 1981
one_affine_ranking_function_MS_Uint32_-Box_2, 1981
one_affine_ranking_function_MS_Uint64_-Box, 1982
one_affine_ranking_function_MS_Uint64_-Box_2, 1982
one_affine_ranking_function_MS_Uint8_Box, 1982
one_affine_ranking_function_MS_Uint8_-Box_2, 1982
one_affine_ranking_function_MS_Z_Box, 1982
one_affine_ranking_function_MS_Z_Box_2, 1982
one_affine_ranking_function_PR_BD_-Shape_double, 1982
one_affine_ranking_function_PR_BD_-Shape_double_2, 1982
one_affine_ranking_function_PR_BD_-Shape_float, 1983
one_affine_ranking_function_PR_BD_-Shape_float_2, 1983
one_affine_ranking_function_PR_BD_-Shape_int16_t, 1983
one_affine_ranking_function_PR_BD_-Shape_int16_t_2, 1983
one_affine_ranking_function_PR_BD_-

Shape_int32_t, 1983
one_affine_ranking_function_PR_BD_-Shape_int32_t_2, 1983
one_affine_ranking_function_PR_BD_-Shape_int64_t, 1983
one_affine_ranking_function_PR_BD_-Shape_int64_t_2, 1983
one_affine_ranking_function_PR_BD_-Shape_int8_t, 1984
one_affine_ranking_function_PR_BD_-Shape_int8_t_2, 1984
one_affine_ranking_function_PR_BD_-Shape_long_double, 1984
one_affine_ranking_function_PR_BD_-Shape_long_double_2, 1984
one_affine_ranking_function_PR_BD_-Shape_mpq_class, 1984
one_affine_ranking_function_PR_BD_-Shape_mpq_class_2, 1984
one_affine_ranking_function_PR_BD_-Shape_mpz_class, 1984
one_affine_ranking_function_PR_BD_-Shape_mpz_class_2, 1984
one_affine_ranking_function_PR_C_-Polyhedron, 1985
one_affine_ranking_function_PR_C_-Polyhedron_2, 1985
one_affine_ranking_function_PR_Double_-Box, 1985
one_affine_ranking_function_PR_Double_-Box_2, 1985
one_affine_ranking_function_PR_Float_Box, 1985
one_affine_ranking_function_PR_Float_-Box_2, 1985
one_affine_ranking_function_PR_Grid, 1985
one_affine_ranking_function_PR_Grid_2, 1985
one_affine_ranking_function_PR_Int16_Box, 1986
one_affine_ranking_function_PR_Int16_-Box_2, 1986
one_affine_ranking_function_PR_Int32_Box, 1986
one_affine_ranking_function_PR_Int32_-Box_2, 1986
one_affine_ranking_function_PR_Int64_Box, 1986
one_affine_ranking_function_PR_Int64_-Box_2, 1986
one_affine_ranking_function_PR_Int8_Box, 1986
one_affine_ranking_function_PR_Int8_Box_-2, 1986
one_affine_ranking_function_PR_Long_-Double_Box, 1987
one_affine_ranking_function_PR_Long_-Double_Box_2, 1987
one_affine_ranking_function_PR_NNC_-Polyhedron, 1987
one_affine_ranking_function_PR_NNC_-Polyhedron_2, 1987
one_affine_ranking_function_PR_-Octagonal_Shape_double, 1987
one_affine_ranking_function_PR_-Octagonal_Shape_double_2, 1987
one_affine_ranking_function_PR_-Octagonal_Shape_float, 1987
one_affine_ranking_function_PR_-Octagonal_Shape_float_2, 1987
one_affine_ranking_function_PR_-Octagonal_Shape_int16_t, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int16_t_2, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int32_t, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int32_t_2, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int64_t, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int64_t_2, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int8_t, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_int8_t_2, 1988
one_affine_ranking_function_PR_-Octagonal_Shape_long_double, 1989
one_affine_ranking_function_PR_-Octagonal_Shape_long_double_2, 1989
one_affine_ranking_function_PR_-Octagonal_Shape_mpq_class, 1989
one_affine_ranking_function_PR_-Octagonal_Shape_mpq_class_2, 1989
one_affine_ranking_function_PR_-Octagonal_Shape_mpz_class, 1989
one_affine_ranking_function_PR_-Octagonal_Shape_mpz_class_2, 1989
one_affine_ranking_function_PR_Rational_-Box, 1989
one_affine_ranking_function_PR_Rational_-Box_2, 1989
one_affine_ranking_function_PR_Uint16_-Box, 1990
one_affine_ranking_function_PR_Uint16_-Box_2, 1990
one_affine_ranking_function_PR_Uint32_-

Box, 1990
one_affine_ranking_function_PR_Uint32_-Box_2, 1990
one_affine_ranking_function_PR_Uint64_-Box, 1990
one_affine_ranking_function_PR_Uint64_-Box_2, 1990
one_affine_ranking_function_PR_Uint8_Box, 1990
one_affine_ranking_function_PR_Uint8_-Box_2, 1990
one_affine_ranking_function_PR_Z_Box, 1991
one_affine_ranking_function_PR_Z_Box_2, 1991
termination_test_MS_BD_Shape_double, 1991
termination_test_MS_BD_Shape_double_2, 1991
termination_test_MS_BD_Shape_float, 1991
termination_test_MS_BD_Shape_float_2, 1991
termination_test_MS_BD_Shape_int16_t, 1991
termination_test_MS_BD_Shape_int16_t_2, 1991
termination_test_MS_BD_Shape_int32_t, 1992
termination_test_MS_BD_Shape_int32_t_2, 1992
termination_test_MS_BD_Shape_int64_t, 1992
termination_test_MS_BD_Shape_int64_t_2, 1992
termination_test_MS_BD_Shape_int8_t, 1992
termination_test_MS_BD_Shape_int8_t_2, 1992
termination_test_MS_BD_Shape_long_-double, 1992
termination_test_MS_BD_Shape_long_-double_2, 1992
termination_test_MS_BD_Shape_mpq_class, 1993
termination_test_MS_BD_Shape_mpq_-class_2, 1993
termination_test_MS_BD_Shape_mpz_class, 1993
termination_test_MS_BD_Shape_mpz_-class_2, 1993
termination_test_MS_C_Polyhedron, 1993
termination_test_MS_C_Polyhedron_2, 1993
termination_test_MS_Double_Box, 1993
termination_test_MS_Double_Box_2, 1993
termination_test_MS_Float_Box, 1994
termination_test_MS_Float_Box_2, 1994
termination_test_MS_Grid, 1994
termination_test_MS_Grid_2, 1994
termination_test_MS_Int16_Box, 1994
termination_test_MS_Int16_Box_2, 1994
termination_test_MS_Int32_Box, 1994
termination_test_MS_Int32_Box_2, 1994
termination_test_MS_Int64_Box, 1994
termination_test_MS_Int64_Box_2, 1995
termination_test_MS_Int8_Box, 1995
termination_test_MS_Int8_Box_2, 1995
termination_test_MS_Long_Double_Box, 1995
termination_test_MS_Long_Double_Box_2, 1995
termination_test_MS_NNC_Polyhedron, 1995
termination_test_MS_NNC_Polyhedron_2, 1995
termination_test_MS_Octagonal_Shape_-double, 1995
termination_test_MS_Octagonal_Shape_-double_2, 1996
termination_test_MS_Octagonal_Shape_float, 1996
termination_test_MS_Octagonal_Shape_-float_2, 1996
termination_test_MS_Octagonal_Shape_-int16_t, 1996
termination_test_MS_Octagonal_Shape_-int16_t_2, 1996
termination_test_MS_Octagonal_Shape_-int32_t, 1996
termination_test_MS_Octagonal_Shape_-int32_t_2, 1996
termination_test_MS_Octagonal_Shape_-int64_t, 1996
termination_test_MS_Octagonal_Shape_-int64_t_2, 1997
termination_test_MS_Octagonal_Shape_-int8_t, 1997
termination_test_MS_Octagonal_Shape_-int8_t_2, 1997
termination_test_MS_Octagonal_Shape_-long_double, 1997
termination_test_MS_Octagonal_Shape_-long_double_2, 1997
termination_test_MS_Octagonal_Shape_-mpq_class, 1997
termination_test_MS_Octagonal_Shape_-mpq_class_2, 1997
termination_test_MS_Octagonal_Shape_-mpz_class, 1997
termination_test_MS_Octagonal_Shape_-mpz_class_2, 1998

termination_test_MS_Rational_Box, 1998
termination_test_MS_Rational_Box_2, 1998
termination_test_MS_Uint16_Box, 1998
termination_test_MS_Uint16_Box_2, 1998
termination_test_MS_Uint32_Box, 1998
termination_test_MS_Uint32_Box_2, 1998
termination_test_MS_Uint64_Box, 1998
termination_test_MS_Uint64_Box_2, 1999
termination_test_MS_Uint8_Box, 1999
termination_test_MS_Uint8_Box_2, 1999
termination_test_MS_Z_Box, 1999
termination_test_MS_Z_Box_2, 1999
termination_test_PR_BD_Shape_double, 1999
termination_test_PR_BD_Shape_double_2, 1999
termination_test_PR_BD_Shape_float, 1999
termination_test_PR_BD_Shape_float_2, 1999
termination_test_PR_BD_Shape_int16_t, 2000
termination_test_PR_BD_Shape_int16_t_2, 2000
termination_test_PR_BD_Shape_int32_t, 2000
termination_test_PR_BD_Shape_int32_t_2, 2000
termination_test_PR_BD_Shape_int64_t, 2000
termination_test_PR_BD_Shape_int64_t_2, 2000
termination_test_PR_BD_Shape_int8_t, 2000
termination_test_PR_BD_Shape_int8_t_2, 2000
termination_test_PR_BD_Shape_long_double, 2001
termination_test_PR_BD_Shape_long_double_2, 2001
termination_test_PR_BD_Shape_mpq_class, 2001
termination_test_PR_BD_Shape_mpq_class_2, 2001
termination_test_PR_BD_Shape_mpz_class, 2001
termination_test_PR_BD_Shape_mpz_class_2, 2001
termination_test_PR_C_Polyhedron, 2001
termination_test_PR_C_Polyhedron_2, 2001
termination_test_PR_Double_Box, 2002
termination_test_PR_Double_Box_2, 2002
termination_test_PR_Float_Box, 2002
termination_test_PR_Float_Box_2, 2002
termination_test_PR_Grid, 2002
termination_test_PR_Grid_2, 2002
termination_test_PR_Int16_Box, 2002
termination_test_PR_Int16_Box_2, 2002
termination_test_PR_Int32_Box, 2002
termination_test_PR_Int32_Box_2, 2003
termination_test_PR_Int64_Box, 2003
termination_test_PR_Int64_Box_2, 2003
termination_test_PR_Int8_Box, 2003
termination_test_PR_Int8_Box_2, 2003
termination_test_PR_Long_Double_Box, 2003
termination_test_PR_Long_Double_Box_2, 2003
termination_test_PR_NNC_Polyhedron, 2003
termination_test_PR_NNC_Polyhedron_2, 2003
termination_test_PR_Octagonal_Shape_double, 2004
termination_test_PR_Octagonal_Shape_double_2, 2004
termination_test_PR_Octagonal_Shape_float, 2004
termination_test_PR_Octagonal_Shape_float_2, 2004
termination_test_PR_Octagonal_Shape_int16_t, 2004
termination_test_PR_Octagonal_Shape_int16_t_2, 2004
termination_test_PR_Octagonal_Shape_int32_t, 2004
termination_test_PR_Octagonal_Shape_int32_t_2, 2004
termination_test_PR_Octagonal_Shape_int64_t, 2005
termination_test_PR_Octagonal_Shape_int64_t_2, 2005
termination_test_PR_Octagonal_Shape_int8_t, 2005
termination_test_PR_Octagonal_Shape_int8_t_2, 2005
termination_test_PR_Octagonal_Shape_long_double, 2005
termination_test_PR_Octagonal_Shape_long_double_2, 2005
termination_test_PR_Octagonal_Shape_mpq_class, 2005
termination_test_PR_Octagonal_Shape_mpq_class_2, 2005
termination_test_PR_Octagonal_Shape_mpz_class, 2006
termination_test_PR_Octagonal_Shape_mpz_class_2, 2006
termination_test_PR_Rational_Box, 2006
termination_test_PR_Rational_Box_2, 2006
termination_test_PR_Uint16_Box, 2006

termination_test_PR_Uint16_Box_2, 2006
termination_test_PR_Uint32_Box, 2006
termination_test_PR_Uint32_Box_2, 2006
termination_test_PR_Uint64_Box, 2007
termination_test_PR_Uint64_Box_2, 2007
termination_test_PR_Uint8_Box, 2007
termination_test_PR_Uint8_Box_2, 2007
termination_test_PR_Z_Box, 2007
termination_test_PR_Z_Box_2, 2007
parma_polyhedra_library::Timeout_Exception, 2008
Timeout_Exception, 2008
parma_polyhedra_library::Uint16_Box, 2009
add_congruence, 2026
add_congruences, 2026
add_constraint, 2026
add_constraints, 2026
add_space_dimensions_and_embed, 2026
add_space_dimensions_and_project, 2026
affine_dimension, 2027
affine_image, 2027
affine_preimage, 2027
ascii_dump, 2027
bounded_affine_image, 2027
bounded_affine_preimage, 2027
bounds_from_above, 2027
bounds_from_below, 2027
build_cpp_object, 2027–2035
CC76_widening_assign, 2035
concatenate_assign, 2036
congruences, 2036
constrains, 2036
constraints, 2036
contains, 2036
contains_integer_point, 2036
difference_assign, 2036
drop_some_non_integer_points, 2036
drop_some_non_integer_points_2, 2036
equals, 2036, 2037
expand_space_dimension, 2037
external_memory_in_bytes, 2037
finalize, 2037
fold_space_dimensions, 2037
free, 2037
frequency, 2037
generalized_affine_image, 2037
generalized_affine_preimage, 2038
intersection_assign, 2038
is_bounded, 2038
is_discrete, 2038
is_disjoint_from, 2038
is_empty, 2038
is_topologically_closed, 2038
is_universe, 2038
limited_CC76_extrapolation_assign, 2038
linear_partition, 2039
map_space_dimensions, 2039
maximize, 2039
minimize, 2039
minimized_congruences, 2039
minimized_constraints, 2039
OK, 2040
refine_with_congruence, 2040
refine_with_congruences, 2040
refine_with_constraint, 2040
refine_with_constraints, 2040
relation_with, 2040
remove_higher_space_dimensions, 2040
remove_space_dimensions, 2040
simplify_using_context_assign, 2041
space_dimension, 2041
strictly_contains, 2041
swap, 2041
time_elapse_assign, 2041
topological_closure_assign, 2041
toString, 2041
total_memory_in_bytes, 2041
Uint16_Box, 2014–2026
unconstrain_space_dimension, 2041
unconstrain_space_dimensions, 2041
upper_bound_assign, 2042
upper_bound_assign_if_exact, 2042
widening_assign, 2042
wrap_assign, 2042
parma_polyhedra_library::Uint32_Box, 2042
add_congruence, 2060
add_congruences, 2060
add_constraint, 2060
add_constraints, 2060
add_space_dimensions_and_embed, 2060
add_space_dimensions_and_project, 2060
affine_dimension, 2060
affine_image, 2060
affine_preimage, 2060
ascii_dump, 2060
bounded_affine_image, 2060
bounded_affine_preimage, 2061
bounds_from_above, 2061
bounds_from_below, 2061
build_cpp_object, 2061–2069
CC76_widening_assign, 2069
concatenate_assign, 2069
congruences, 2069
constrains, 2069
constraints, 2069
contains, 2069
contains_integer_point, 2069
difference_assign, 2070

drop_some_non_integer_points, 2070
drop_some_non_integer_points_2, 2070
equals, 2070
expand_space_dimension, 2070
external_memory_in_bytes, 2070
finalize, 2070
fold_space_dimensions, 2070
free, 2070
frequency, 2071
generalized_affine_image, 2071
generalized_affine_preimage, 2071
intersection_assign, 2071
is_bounded, 2071
is_discrete, 2071
is_disjoint_from, 2071
is_empty, 2072
is_topologically_closed, 2072
is_universe, 2072
limited_CC76_extrapolation_assign, 2072
linear_partition, 2072
map_space_dimensions, 2072
maximize, 2072
minimize, 2072, 2073
minimized_congruences, 2073
minimized_constraints, 2073
OK, 2073
refine_with_congruence, 2073
refine_with_congruences, 2073
refine_with_constraint, 2073
refine_with_constraints, 2073
relation_with, 2073, 2074
remove_higher_space_dimensions, 2074
remove_space_dimensions, 2074
simplify_using_context_assign, 2074
space_dimension, 2074
strictly_contains, 2074
swap, 2074
time_elapse_assign, 2074
topological_closure_assign, 2074
toString, 2075
total_memory_in_bytes, 2075
Uint32_Box, 2048–2059
unconstrain_space_dimension, 2075
unconstrain_space_dimensions, 2075
upper_bound_assign, 2075
upper_bound_assign_if_exact, 2075
widening_assign, 2075
wrap_assign, 2075
parma_polyhedra_library::Uint64_Box, 2076
add_congruence, 2093
add_congruences, 2093
add_constraint, 2093
add_constraints, 2093
add_space_dimensions_and_embed, 2093
add_space_dimensions_and_project, 2093
affine_dimension, 2094
affine_image, 2094
affine_preimage, 2094
ascii_dump, 2094
bounded_affine_image, 2094
bounded_affine_preimage, 2094
bounds_from_above, 2094
bounds_from_below, 2094
build_cpp_object, 2094–2102
CC76_widening_assign, 2102
concatenate_assign, 2103
congruences, 2103
constrains, 2103
constraints, 2103
contains, 2103
contains_integer_point, 2103
difference_assign, 2103
drop_some_non_integer_points, 2103
drop_some_non_integer_points_2, 2103
equals, 2103, 2104
expand_space_dimension, 2104
external_memory_in_bytes, 2104
finalize, 2104
fold_space_dimensions, 2104
free, 2104
frequency, 2104
generalized_affine_image, 2104
generalized_affine_preimage, 2105
intersection_assign, 2105
is_bounded, 2105
is_discrete, 2105
is_disjoint_from, 2105
is_empty, 2105
is_topologically_closed, 2105
is_universe, 2105
limited_CC76_extrapolation_assign, 2105
linear_partition, 2106
map_space_dimensions, 2106
maximize, 2106
minimize, 2106
minimized_congruences, 2106
minimized_constraints, 2106
OK, 2107
refine_with_congruence, 2107
refine_with_congruences, 2107
refine_with_constraint, 2107
refine_with_constraints, 2107
relation_with, 2107
remove_higher_space_dimensions, 2107
remove_space_dimensions, 2107
simplify_using_context_assign, 2108
space_dimension, 2108
strictly_contains, 2108

swap, 2108
time_elapse_assign, 2108
topological_closure_assign, 2108
toString, 2108
total_memory_in_bytes, 2108
Uint64_Box, 2081–2093
unconstrain_space_dimension, 2108
unconstrain_space_dimensions, 2108
upper_bound_assign, 2109
upper_bound_assign_if_exact, 2109
widening_assign, 2109
wrap_assign, 2109
parma_polyhedra_library::Uint8_Box, 2109
add_congruence, 2127
add_congruences, 2127
add_constraint, 2127
add_constraints, 2127
add_space_dimensions_and_embed, 2127
add_space_dimensions_and_project, 2127
affine_dimension, 2127
affine_image, 2127
affine_preimage, 2127
ascii_dump, 2127
bounded_affine_image, 2127
bounded_affine_preimage, 2128
bounds_from_above, 2128
bounds_from_below, 2128
build_cpp_object, 2128–2136
CC76_widening_assign, 2136
concatenate_assign, 2136
congruences, 2136
constrains, 2136
constraints, 2136
contains, 2136
contains_integer_point, 2136
difference_assign, 2137
drop_some_non_integer_points, 2137
drop_some_non_integer_points_2, 2137
equals, 2137
expand_space_dimension, 2137
external_memory_in_bytes, 2137
finalize, 2137
fold_space_dimensions, 2137
free, 2137
frequency, 2138
generalized_affine_image, 2138
generalized_affine_preimage, 2138
intersection_assign, 2138
is_bounded, 2138
is_discrete, 2138
is_disjoint_from, 2138
is_empty, 2139
is_topologically_closed, 2139
is_universe, 2139
limited_CC76_extrapolation_assign, 2139
linear_partition, 2139
map_space_dimensions, 2139
maximize, 2139
minimize, 2139, 2140
minimized_congruences, 2140
minimized_constraints, 2140
OK, 2140
refine_with_congruence, 2140
refine_with_congruences, 2140
refine_with_constraint, 2140
refine_with_constraints, 2140
relation_with, 2140, 2141
remove_higher_space_dimensions, 2141
remove_space_dimensions, 2141
simplify_using_context_assign, 2141
space_dimension, 2141
strictly_contains, 2141
swap, 2141
time_elapse_assign, 2141
topological_closure_assign, 2141
toString, 2142
total_memory_in_bytes, 2142
Uint8_Box, 2115–2126
unconstrain_space_dimension, 2142
unconstrain_space_dimensions, 2142
upper_bound_assign, 2142
upper_bound_assign_if_exact, 2142
widening_assign, 2142
wrap_assign, 2142
parma_polyhedra_library::Variable, 2143
compareTo, 2144
id, 2144
initIDs, 2144
Variable, 2143
varid, 2144
parma_polyhedra_library::Variables_Set, 2145
initIDs, 2145
Variables_Set, 2145
parma_polyhedra_library::Z_Box, 2146
add_congruence, 2162
add_congruences, 2162
add_constraint, 2163
add_constraints, 2163
add_space_dimensions_and_embed, 2163
add_space_dimensions_and_project, 2163
affine_dimension, 2163
affine_image, 2163
affine_preimage, 2163
ascii_dump, 2163
bounded_affine_image, 2163
bounded_affine_preimage, 2163
bounds_from_above, 2164
bounds_from_below, 2164

build_cpp_object, 2164–2172
CC76_widening_assign, 2172
concatenate_assign, 2172
congruences, 2172
constrains, 2172
constraints, 2172
contains, 2172
contains_integer_point, 2172
difference_assign, 2172
drop_some_non_integer_points, 2173
drop_some_non_integer_points_2, 2173
equals, 2173
expand_space_dimension, 2173
external_memory_in_bytes, 2173
finalize, 2173
fold_space_dimensions, 2173
free, 2173
frequency, 2173
generalized_affine_image, 2174
generalized_affine_preimage, 2174
intersection_assign, 2174
is_bounded, 2174
is_discrete, 2174
is_disjoint_from, 2174
is_empty, 2174
is_topologically_closed, 2174
is_universe, 2175
limited_CC76_extrapolation_assign, 2175
linear_partition, 2175
map_space_dimensions, 2175
maximize, 2175
minimize, 2175
minimized_congruences, 2175
minimized_constraints, 2176
OK, 2176
refine_with_congruence, 2176
refine_with_congruences, 2176
refine_with_constraint, 2176
refine_with_constraints, 2176
relation_with, 2176
remove_higher_space_dimensions, 2176
remove_space_dimensions, 2177
simplify_using_context_assign, 2177
space_dimension, 2177
strictly_contains, 2177
swap, 2177
time_elapse_assign, 2177
topological_closure_assign, 2177
toString, 2177
total_memory_in_bytes, 2177
unconstrain_space_dimension, 2177
unconstrain_space_dimensions, 2177
upper_bound_assign, 2178
upper_bound_assign_if_exact, 2178
widening_assign, 2178
wrap_assign, 2178
Z_Box, 2151–2162
Partial_Function
parma_polyhedra_library::Partial_Function, 1276
Partial_Function.java, 2199
PIP_Decision_Node.java, 2200
PIP_Problem
parma_polyhedra_library::PIP_Problem, 1283
PIP_Problem.java, 2200
PIP_Problem_Control_Parameter_Name
Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache, 837
PPL_Java_interface, 43
PIP_Problem_Control_Parameter_Name.java, 2200
PIP_Problem_Control_Parameter_Name_CUTTING_STRATEGY_ID
Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache, 855
PIP_Problem_Control_Parameter_Name_ordinal_ID
Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache, 855
PIP_Problem_Control_Parameter_Name_PIVOT_ROW_STRATEGY
Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache, 855
PIP_Problem_Control_Parameter_Value
Parma_Polyhedra_Library::Interfaces::Java::Java_Class_Cache, 837
PPL_Java_interface, 44
PIP_Problem_Control_Parameter_Value.java, 2200
PIP_Problem_Control_Parameter_Value_CUTTING_STRATEGY_ALL_ID
Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache, 856
PIP_Problem_Control_Parameter_Value_CUTTING_STRATEGY_DEEPEST_ID
Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache, 856
PIP_Problem_Control_Parameter_Value_CUTTING_STRATEGY_FIRST_ID
Parma_Polyhedra_Library::Interfaces::Java::Java_FMID_Cache, 856

PIP_Problem_Control_Parameter_Value_ordinal_-ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 856
PIP_Problem_Control_Parameter_Value_PIVOT_-ROW_STRATEGY_FIRST_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 856
PIP_Problem_Control_Parameter_Value_PIVOT_-ROW_STRATEGY_MAX_COLUMN_-ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 856
PIP_Problem_Status
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 837
PPL_Java_interface, 44
PIP_Problem_Status.java, 2201
PIP_Problem_Status_OPTIMIZED_PIP_-PROBLEM_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 856
PIP_Problem_Status_ordinal_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 856
PIP_Problem_Status_UNFEASIBLE_PIP_-PROBLEM_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 857
PIP_Solution_Node.java, 2201
PIP_Tree_Node.java, 2201
PIVOT_ROW_STRATEGY
PPL_Java_interface, 44
PIVOT_ROW_STRATEGY_FIRST
PPL_Java_interface, 44
PIVOT_ROW_STRATEGY_MAX_COLUMN
PPL_Java_interface, 44
POINT
PPL_Java_interface, 43
point
parma_polyhedra_library::Generator, 652
Pointset_Powerset_BD_Shape_double
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1295, 1296
Pointset_Powerset_BD_Shape_double.java, 2202
Pointset_Powerset_BD_Shape_double_Iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1308
Pointset_Powerset_BD_Shape_double_-Iterator.java, 2202
Pointset_Powerset_BD_Shape_float
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1312, 1313
Pointset_Powerset_BD_Shape_float.java, 2202
Pointset_Powerset_BD_Shape_float_Iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1325
Pointset_Powerset_BD_Shape_float_Iterator.java, 2203
Pointset_Powerset_BD_Shape_int16_t
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1330, 1331
Pointset_Powerset_BD_Shape_int16_t.java, 2203
Pointset_Powerset_BD_Shape_int16_t_Iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1343
Pointset_Powerset_BD_Shape_int16_t_-Iterator.java, 2203
Pointset_Powerset_BD_Shape_int32_t
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1348, 1349
Pointset_Powerset_BD_Shape_int32_t.java, 2203
Pointset_Powerset_BD_Shape_int32_t_Iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1361
Pointset_Powerset_BD_Shape_int32_t_-Iterator.java, 2204
Pointset_Powerset_BD_Shape_int64_t
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1365, 1366
Pointset_Powerset_BD_Shape_int64_t.java, 2204
Pointset_Powerset_BD_Shape_int64_t_Iterator
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1379
Pointset_Powerset_BD_Shape_int64_t_-Iterator.java, 2204
Pointset_Powerset_BD_Shape_int8_t
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1383, 1384
Pointset_Powerset_BD_Shape_int8_t.java, 2205
Pointset_Powerset_BD_Shape_int8_t_Iterator

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t_Iterator, 1396
Pointset_Powerset_BD_Shape_int8_t_Iterator.java, 2205
Pointset_Powerset_BD_Shape_long_double
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double, 1401, 1402
Pointset_Powerset_BD_Shape_long_double.java, 2205
Pointset_Powerset_BD_Shape_long_double_-
Iterator
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double_-
Iterator, 1414
Pointset_Powerset_BD_Shape_long_double_-
Iterator.java, 2206
Pointset_Powerset_BD_Shape_mpq_class
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1419, 1420
Pointset_Powerset_BD_Shape_mpq_class.java, 2206
Pointset_Powerset_BD_Shape_mpq_class_Iterator
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class_-
Iterator, 1432
Pointset_Powerset_BD_Shape_mpq_class_-
Iterator.java, 2206
Pointset_Powerset_BD_Shape_mpz_class
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1437, 1438
Pointset_Powerset_BD_Shape_mpz_class.java, 2206
Pointset_Powerset_BD_Shape_mpz_class_Iterator
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class_-
Iterator, 1450
Pointset_Powerset_BD_Shape_mpz_class_-
Iterator.java, 2207
Pointset_Powerset_C_Polyhedron
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1455, 1456
Pointset_Powerset_C_Polyhedron.java, 2207
Pointset_Powerset_C_Polyhedron_Iterator
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron_Iterator, 1467
Pointset_Powerset_C_Polyhedron_Iterator.java, 2207
Pointset_Powerset_Double_Box
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1472, 1473
Pointset_Powerset_Double_Box.java, 2208
Pointset_Powerset_Double_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Double_Box_Iterator, 1484
Pointset_Powerset_Double_Box_Iterator.java, 2208
Pointset_Powerset_Float_Box
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1488, 1489
Pointset_Powerset_Float_Box.java, 2208
Pointset_Powerset_Float_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Float_Box_Iterator, 1500
Pointset_Powerset_Float_Box_Iterator.java, 2209
Pointset_Powerset_Grid
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1504, 1505
Pointset_Powerset_Grid.java, 2209
Pointset_Powerset_Grid_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Grid_Iterator, 1516
Pointset_Powerset_Grid_Iterator.java, 2209
Pointset_Powerset_Int16_Box
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1521, 1522
Pointset_Powerset_Int16_Box.java, 2209
Pointset_Powerset_Int16_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box_Iterator, 1532
Pointset_Powerset_Int16_Box_Iterator.java, 2210
Pointset_Powerset_Int32_Box
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1537, 1538
Pointset_Powerset_Int32_Box.java, 2210
Pointset_Powerset_Int32_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box_Iterator, 1548
Pointset_Powerset_Int32_Box_Iterator.java, 2210
Pointset_Powerset_Int64_Box
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1553, 1554
Pointset_Powerset_Int64_Box.java, 2211
Pointset_Powerset_Int64_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box_Iterator, 1565
Pointset_Powerset_Int64_Box_Iterator.java, 2211
Pointset_Powerset_Int8_Box
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1569, 1570
Pointset_Powerset_Int8_Box.java, 2211
Pointset_Powerset_Int8_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box_Iterator, 1581
Pointset_Powerset_Int8_Box_Iterator.java, 2211
Pointset_Powerset_Long_Double_Box

parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1585, 1586
Pointset_Powerset_Long_Double_Box.java, 2212
Pointset_Powerset_Long_Double_Box_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box_Iterator, 1598
Pointset_Powerset_Long_Double_Box_-
Iterator.java, 2212
Pointset_Powerset_NNC_Polyhedron
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1602, 1603
Pointset_Powerset_NNC_Polyhedron.java, 2212
Pointset_Powerset_NNC_Polyhedron_Iterator
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron_Iterator, 1616
Pointset_Powerset_NNC_Polyhedron_Iterator.java, 2213
Pointset_Powerset_Octagonal_Shape_double
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double, 1620, 1621
Pointset_Powerset_Octagonal_Shape_double.java, 2213
Pointset_Powerset_Octagonal_Shape_double_-
Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double_-
Iterator, 1633
Pointset_Powerset_Octagonal_Shape_double_-
Iterator.java, 2213
Pointset_Powerset_Octagonal_Shape_float
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1638, 1639
Pointset_Powerset_Octagonal_Shape_float.java, 2213
Pointset_Powerset_Octagonal_Shape_float_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float_-
Iterator, 1651
Pointset_Powerset_Octagonal_Shape_float_-
Iterator.java, 2214
Pointset_Powerset_Octagonal_Shape_int16_t
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t, 1656, 1657
Pointset_Powerset_Octagonal_Shape_int16_t.java, 2214
Pointset_Powerset_Octagonal_Shape_int16_t_-
Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_-
t_Iterator, 1669
Pointset_Powerset_Octagonal_Shape_int16_t_-
Iterator.java, 2214
Pointset_Powerset_Octagonal_Shape_int32_t
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t, 1674, 1675
Pointset_Powerset_Octagonal_Shape_int32_t.java, 2215
Pointset_Powerset_Octagonal_Shape_int32_t_-
Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_-
t_Iterator, 1687
Pointset_Powerset_Octagonal_Shape_int32_t_-
Iterator.java, 2215
Pointset_Powerset_Octagonal_Shape_int64_t
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t, 1692, 1693
Pointset_Powerset_Octagonal_Shape_int64_t.java, 2215
Pointset_Powerset_Octagonal_Shape_int64_t_-
Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_-
t_Iterator, 1705
Pointset_Powerset_Octagonal_Shape_int64_t_-
Iterator.java, 2216
Pointset_Powerset_Octagonal_Shape_int8_t
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t, 1710, 1711
Pointset_Powerset_Octagonal_Shape_int8_t.java, 2216
Pointset_Powerset_Octagonal_Shape_int8_t_-
Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t_-
Iterator, 1723
Pointset_Powerset_Octagonal_Shape_int8_t_-
Iterator.java, 2216
Pointset_Powerset_Octagonal_Shape_long_double
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1728, 1729
Pointset_Powerset_Octagonal_Shape_long_-
double.java, 2216
Pointset_Powerset_Octagonal_Shape_long_-
double_Iterator
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-

double_Iterator, 1741
Pointset_Powerset_Octagonal_Shape_long_-double_Iterator.java, 2217
Pointset_Powerset_Octagonal_Shape_mpq_class
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1746, 1747
Pointset_Powerset_Octagonal_Shape_mpq_-class.java, 2217
Pointset_Powerset_Octagonal_Shape_mpq_class_-Iterator
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_-class_Iterator, 1759
Pointset_Powerset_Octagonal_Shape_mpq_class_-Iterator.java, 2217
Pointset_Powerset_Octagonal_Shape_mpz_class
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1764, 1765
Pointset_Powerset_Octagonal_Shape_mpz_-class.java, 2218
Pointset_Powerset_Octagonal_Shape_mpz_class_-Iterator
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_-class_Iterator, 1777
Pointset_Powerset_Octagonal_Shape_mpz_class_-Iterator.java, 2218
Pointset_Powerset_Rational_Box
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1781, 1782
Pointset_Powerset_Rational_Box.java, 2218
Pointset_Powerset_Rational_Box_Iterator
parma_polyhedra_library::Pointset_-Powerset_Rational_Box_Iterator, 1794
Pointset_Powerset_Rational_Box_Iterator.java, 2219
Pointset_Powerset_Uint16_Box
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1798, 1799
Pointset_Powerset_Uint16_Box.java, 2219
Pointset_Powerset_Uint16_Box_Iterator
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box_Iterator, 1810
Pointset_Powerset_Uint16_Box_Iterator.java, 2219
Pointset_Powerset_Uint32_Box
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1815, 1816
Pointset_Powerset_Uint32_Box.java, 2219
Pointset_Powerset_Uint32_Box_Iterator
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box_Iterator, 1827
Pointset_Powerset_Uint32_Box_Iterator.java, 2220
Pointset_Powerset_Uint64_Box
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1831, 1832
Pointset_Powerset_Uint64_Box.java, 2220
Pointset_Powerset_Uint64_Box_Iterator
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box_Iterator, 1844
Pointset_Powerset_Uint64_Box_Iterator.java, 2220
Pointset_Powerset_Uint8_Box
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1848, 1849
Pointset_Powerset_Uint8_Box.java, 2221
Pointset_Powerset_Uint8_Box_Iterator
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box_Iterator, 1860
Pointset_Powerset_Uint8_Box_Iterator.java, 2221
Pointset_Powerset_Z_Box
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1864, 1865
Pointset_Powerset_Z_Box.java, 2221
Pointset_Powerset_Z_Box_Iterator
parma_polyhedra_library::Pointset_-Powerset_Z_Box_Iterator, 1876
Pointset_Powerset_Z_Box_Iterator.java, 2221
Poly_Con_Relation
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 837
parma_polyhedra_library::Poly_Con_-Relation, 1879
Poly_Con_Relation.java, 2222
Poly_Con_Relation_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 857
poly_difference_assign
parma_polyhedra_library::Polyhedron, 1893
Poly_Gen_Relation
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 837
parma_polyhedra_library::Poly_Gen_-Relation, 1882
Poly_Gen_Relation.java, 2222
Poly_Gen_Relation_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 857
poly_hull_assign
parma_polyhedra_library::Polyhedron, 1893
poly_hull_assign_if_exact
parma_polyhedra_library::C_Polyhedron, 422
parma_polyhedra_library::NNC_Polyhedron, 951

Polyhedron.java, 2222
POLYNOMIAL_COMPLEXITY
PPL_Java_interface, 42
PPL_Java_interface
ANY_COMPLEXITY, 42
BITS_128, 41
BITS_16, 41
BITS_32, 41
BITS_64, 41
BITS_8, 41
CLOSURE_POINT, 43
CUTTING_STRATEGY, 44
CUTTING_STRATEGY_ALL, 44
CUTTING_STRATEGY_DEEPEST, 44
CUTTING_STRATEGY_FIRST, 44
EMPTY, 42
EQUAL, 45
GREATER_OR_EQUAL, 45
GREATER_THAN, 45
LESS_OR_EQUAL, 44
LESS_THAN, 44
LINE, 43
MAXIMIZATION, 43
MINIMIZATION, 43
OPTIMIZED_MIP_PROBLEM, 43
OPTIMIZED_PIP_PROBLEM, 44
OVERFLOW_IMPOSSIBLE, 41
OVERFLOW_UNDEFINED, 41
OVERFLOW_WRAPS, 41
PARAMETER, 43
PIVOT_ROW_STRATEGY, 44
PIVOT_ROW_STRATEGY_FIRST, 44
PIVOT_ROW_STRATEGY_MAX_-COLUMN, 44
POINT, 43
POLYNOMIAL_COMPLEXITY, 42
PRICING, 42
PRICING_STEEPEST_EDGE_EXACT, 42
PRICING_STEEPEST_EDGE_FLOAT, 42
PRICING_TEXTBOOK, 42
RAY, 43
SIGNED_2_COMPLEMENT, 41
SIMPLEX_COMPLEXITY, 42
UNBOUNDED_MIP_PROBLEM, 43
UNFEASIBLE_MIP_PROBLEM, 43
UNFEASIBLE_PIP_PROBLEM, 44
UNIVERSE, 42
UNSIGNED, 41
ppl_java_common.cc, 2223
ppl_java_common.defs.hh, 2227
CATCH_ALL, 2234
CHECK_EXCEPTION_ASSERT, 2236
CHECK_EXCEPTION_RETURN, 2236
CHECK_EXCEPTION_RETURN_VOID, 2236
CHECK_EXCEPTION_THROW, 2236
CHECK_RESULT_ABORT, 2236
CHECK_RESULT_ASSERT, 2237
CHECK_RESULT_RETURN, 2237
CHECK_RESULT_RETURN_VOID, 2238
CHECK_RESULT_THROW, 2238
PPL_NO_AUTOMATIC_INITIALIZATION, 2238
ppl_java_common.inlines.hh, 2238
ppl_java_globals.cc, 2240
Java_parma_1polyhedra_1library_Artificial_-1Parameter_1Sequence_initIDs, 2248
Java_parma_1polyhedra_1library_Artificial_-1Parameter_ascii_1dump, 2248
Java_parma_1polyhedra_1library_Artificial_-1Parameter_initIDs, 2248
Java_parma_1polyhedra_1library_Artificial_-1Parameter_toString, 2248
Java_parma_1polyhedra_1library_Bounded_-1Integer_1Type_1Overflow_initIDs, 2249
Java_parma_1polyhedra_1library_Bounded_-1Integer_1Type_1Representation_-initIDs, 2249
Java_parma_1polyhedra_1library_Bounded_-1Integer_1Type_1Width_initIDs, 2249
Java_parma_1polyhedra_1library_By_-1Reference_initIDs, 2249
Java_parma_1polyhedra_1library_-Coefficient_bits, 2250
Java_parma_1polyhedra_1library_-Coefficient_initIDs, 2250
Java_parma_1polyhedra_1library_-Complexity_1Class_initIDs, 2250
Java_parma_1polyhedra_1library_-Congruence_1System_ascii_1dump, 2250
Java_parma_1polyhedra_1library_-Congruence_1System_initIDs, 2251
Java_parma_1polyhedra_1library_-Congruence_1System_toString, 2251
Java_parma_1polyhedra_1library_-Congruence_ascii_1dump, 2251
Java_parma_1polyhedra_1library_-Congruence_initIDs, 2251
Java_parma_1polyhedra_1library_-Congruence_toString, 2251
Java_parma_1polyhedra_1library_-Constraint_1System_ascii_1dump, 2251
Java_parma_1polyhedra_1library_-Constraint_1System_initIDs, 2252

Java_parma_1polyhedra_1library_-
Constraint_1System_toString, 2252
Java_parma_1polyhedra_1library_-
Constraint_ascii_1dump, 2252
Java_parma_1polyhedra_1library_-
Constraint_initIDs, 2252
Java_parma_1polyhedra_1library_-
Constraint_toString, 2253
Java_parma_1polyhedra_1library_-
Degenerate_1Element_initIDs, 2253
Java_parma_1polyhedra_1library_Generator_-
1System_ascii_1dump, 2253
Java_parma_1polyhedra_1library_Generator_-
1System_initIDs, 2253
Java_parma_1polyhedra_1library_Generator_-
1System_toString, 2253
Java_parma_1polyhedra_1library_Generator_-
1Type_initIDs, 2253
Java_parma_1polyhedra_1library_Generator_-
ascii_1dump, 2254
Java_parma_1polyhedra_1library_Generator_-
initIDs, 2254
Java_parma_1polyhedra_1library_Generator_-
toString, 2254
Java_parma_1polyhedra_1library_Grid_-
1Generator_1System_ascii_1dump,
2254
Java_parma_1polyhedra_1library_Grid_-
1Generator_1System_initIDs, 2254
Java_parma_1polyhedra_1library_Grid_-
1Generator_1System_toString, 2255
Java_parma_1polyhedra_1library_Grid_-
1Generator_1Type_initIDs, 2255
Java_parma_1polyhedra_1library_Grid_-
1Generator_ascii_1dump, 2255
Java_parma_1polyhedra_1library_Grid_-
1Generator_initIDs, 2255
Java_parma_1polyhedra_1library_Grid_-
1Generator_toString, 2255
Java_parma_1polyhedra_1library_IO_wrap_-
1string, 2256
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Coefficient_initIDs, 2256
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Difference_initIDs, 2256
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Sum_initIDs, 2256
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Times_initIDs, 2256
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Unary_1Minus_initIDs,
2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_1Variable_initIDs, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_all_1homogeneous_-
1terms_1are_1zero, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_ascii_1dump, 2257
Java_parma_1polyhedra_1library_Linear_-
1Expression_initIDs, 2258
Java_parma_1polyhedra_1library_Linear_-
1Expression_is_1zero, 2258
Java_parma_1polyhedra_1library_Linear_-
1Expression_toString, 2258
Java_parma_1polyhedra_1library_MIP_-
1Problem_1Status_initIDs, 2258
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1constraint, 2258
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1constraints, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1space_1dimensions_-
1and_1embed, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_add_1to_1integer_1space_-
1dimensions, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_ascii_1dump, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_build_1cpp_1object__J, 2259
Java_parma_1polyhedra_1library_MIP_-
1Problem_clear, 2260
Java_parma_1polyhedra_1library_MIP_-
1Problem_constraints, 2260
Java_parma_1polyhedra_1library_MIP_-
1Problem_evaluate_1objective_-
1function, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_feasible_1point, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_finalize, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_free, 2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_get_1control_1parameter,
2261
Java_parma_1polyhedra_1library_MIP_-
1Problem_integer_1space_1dimensions,
2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_is_1satisfiable, 2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_max_1space_1dimension,
2262
Java_parma_1polyhedra_1library_MIP_-
1Problem_objective_1function, 2262
Java_parma_1polyhedra_1library_MIP_-

1Problem_OK, 2262
Java_parma_1polyhedra_1library_MIP_-1Problem_optimal_1value, 2263
Java_parma_1polyhedra_1library_MIP_-1Problem_optimization_1mode, 2263
Java_parma_1polyhedra_1library_MIP_-1Problem_optimizing_1point, 2263
Java_parma_1polyhedra_1library_MIP_-1Problem_set_1control_1parameter, 2263
Java_parma_1polyhedra_1library_MIP_-1Problem_set_1objective_1function, 2263
Java_parma_1polyhedra_1library_MIP_-1Problem_set_1optimization_1mode, 2264
Java_parma_1polyhedra_1library_MIP_-1Problem_solve, 2264
Java_parma_1polyhedra_1library_MIP_-1Problem_space_1dimension, 2264
Java_parma_1polyhedra_1library_MIP_-1Problem_toString, 2264
Java_parma_1polyhedra_1library_MIP_-1Problem_total_1memory_1in_1bytes, 2264
Java_parma_1polyhedra_1library_-Optimization_1Mode_initIDs, 2265
Java_parma_1polyhedra_1library_Pair_-initIDs, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_banner, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_finalize_1library, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_initialize_1library, 2265
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_irrational_-1precision, 2266
Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_reset_-1deterministic_1timeout, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_reset_1timeout, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_restore_1pre_-1PPL_1rounding, 2266
Java_parma_1polyhedra_1library_-Parma_1Polyhedra_1Library_set_-1deterministic_1timeout, 2266
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1irrational_-1precision, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1rounding_-1for_1PPL, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_set_1timeout, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1beta, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1major, 2267
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1minor, 2268
Java_parma_1polyhedra_1library_Parma_-1Polyhedra_1Library_version_1revision, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_build_1cpp_1object, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_finalize, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_free, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_has_1empty_1codomain, 2268
Java_parma_1polyhedra_1library_Partial_-1Function_insert, 2269
Java_parma_1polyhedra_1library_Partial_-1Function_maps, 2269
Java_parma_1polyhedra_1library_Partial_-1Function_max_1in_1codomain, 2269
Java_parma_1polyhedra_1library_PIP_1_-problem_finalize, 2269
Java_parma_1polyhedra_1library_PIP_-1Decision_1Node_child_1node, 2269
Java_parma_1polyhedra_1library_PIP_-1Problem_1Status_initIDs, 2270
Java_parma_1polyhedra_1library_PIP_-1Problem_add_1constraint, 2270
Java_parma_1polyhedra_1library_PIP_-1Problem_add_1constraints, 2270
Java_parma_1polyhedra_1library_PIP_-1Problem_add_1space_1dimensions_-1and_1embed, 2270
Java_parma_1polyhedra_1library_PIP_-1Problem_add_1to_1parameter_1space_-1dimensions, 2270
Java_parma_1polyhedra_1library_PIP_-1Problem_ascii_1dump, 2271

Java_parma_1polyhedra_1library_PIP_-1Problem_build_1cpp_1object__J, 2271
Java_parma_1polyhedra_1library_PIP_-1Problem_constraint_1at_1index, 2271
Java_parma_1polyhedra_1library_PIP_-1Problem_constraints, 2272
Java_parma_1polyhedra_1library_PIP_-1Problem_external_1memory_1in_-1bytes, 2272
Java_parma_1polyhedra_1library_PIP_-1Problem_free, 2272
Java_parma_1polyhedra_1library_PIP_-1Problem_get_1big_1parameter_-1dimension, 2272
Java_parma_1polyhedra_1library_PIP_-1Problem_get_1pip_1problem_-1control_1parameter, 2272
Java_parma_1polyhedra_1library_PIP_-1Problem_is_1satisfiable, 2273
Java_parma_1polyhedra_1library_PIP_-1Problem_max_1space_1dimension, 2273
Java_parma_1polyhedra_1library_PIP_-1Problem_number_1of_1constraints, 2273
Java_parma_1polyhedra_1library_PIP_-1Problem_number_1of_1parameter_-1space_1dimensions, 2273
Java_parma_1polyhedra_1library_PIP_-1Problem_OK, 2273
Java_parma_1polyhedra_1library_PIP_-1Problem_optimizing_1solution, 2274
Java_parma_1polyhedra_1library_PIP_-1Problem_parameter_1space_-1dimensions, 2274
Java_parma_1polyhedra_1library_PIP_-1Problem_set_1big_1parameter_-1dimension, 2274
Java_parma_1polyhedra_1library_PIP_-1Problem_set_1pip_1problem_-1control_1parameter, 2274
Java_parma_1polyhedra_1library_PIP_-1Problem_solution, 2274
Java_parma_1polyhedra_1library_PIP_-1Problem_solve, 2275
Java_parma_1polyhedra_1library_PIP_-1Problem_space_1dimension, 2275
Java_parma_1polyhedra_1library_PIP_-1Problem_toString, 2275
Java_parma_1polyhedra_1library_PIP_-1Problem_total_1memory_1in_1bytes, 2275
Java_parma_1polyhedra_1library_PIP_-1Solution_1Node_parametric_1values, 2275
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_artificials, 2276
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_as_1decision, 2276
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_as_1solution, 2276
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_constraints, 2276
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_finalize, 2277
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_free, 2277
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_number_1of_1artificials, 2277
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_OK, 2277
Java_parma_1polyhedra_1library_PIP_-1Tree_1Node_toString, 2277
Java_parma_1polyhedra_1library_Poly_-1Con_1Relation_initIDs, 2277
Java_parma_1polyhedra_1library_Poly_-1Gen_1Relation_initIDs, 2278
Java_parma_1polyhedra_1library_PPL_-1Object_initIDs, 2278
Java_parma_1polyhedra_1library_Relation_-1Symbol_initIDs, 2278
Java_parma_1polyhedra_1library_Variable_-initIDs, 2278
Java_parma_1polyhedra_1library_Variables_-1Set_initIDs, 2278
PPL_Java_interface
Bounded_Integer_Type_Overflow, 41
Bounded_Integer_Type_Representation, 41
Bounded_Integer_Type_Width, 41
Complexity_Class, 41
Control_Parameter_Name, 42
Control_Parameter_Value, 42
Degenerate_Element, 42
Generator_Type, 42
Grid_Generator_Type, 43
MIP_Problem_Status, 43
Optimization_Mode, 43
PIP_Problem_Control_Parameter_Name, 43
PIP_Problem_Control_Parameter_Value, 44
PIP_Problem_Status, 44
Relation_Symbol, 44
PPL_NO_AUTOMATIC_INITIALIZATION
ppl_java_common.defs.hh, 2238
PPL_Object
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 837

parma_polyhedra_library::PPL_Object, 1897
PPL_Object.java, 2279
PPL_Object_ptr_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 857
prev
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double_Iterator, 1309
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float_Iterator, 1327
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t_Iterator, 1344
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t_Iterator, 1362
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t_Iterator, 1380
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t_Iterator, 1397
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double_-Iterator, 1415
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class_-Iterator, 1433
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class_-Iterator, 1451
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron_Iterator, 1469
parma_polyhedra_library::Pointset_-Powerset_Double_Box_Iterator, 1485
parma_polyhedra_library::Pointset_-Powerset_Float_Box_Iterator, 1501
parma_polyhedra_library::Pointset_-Powerset_Grid_Iterator, 1517
parma_polyhedra_library::Pointset_-Powerset_Int16_Box_Iterator, 1533
parma_polyhedra_library::Pointset_-Powerset_Int32_Box_Iterator, 1549
parma_polyhedra_library::Pointset_-Powerset_Int64_Box_Iterator, 1566
parma_polyhedra_library::Pointset_-Powerset_Int8_Box_Iterator, 1582
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box_Iterator, 1599
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron_Iterator, 1617
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double_-Iterator, 1635
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float_-Iterator, 1652
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_-t_Iterator, 1670
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_-t_Iterator, 1688
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_-t_Iterator, 1706
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t_-Iterator, 1724
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double_Iterator, 1742
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_-class_Iterator, 1760
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_-class_Iterator, 1778
parma_polyhedra_library::Pointset_-Powerset_Rational_Box_Iterator, 1795
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box_Iterator, 1811
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box_Iterator, 1828
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box_Iterator, 1845
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box_Iterator, 1861
parma_polyhedra_library::Pointset_-Powerset_Z_Box_Iterator, 1877
PRICING
PPL_Java_interface, 42
PRICING_STEEPEST_EDGE_EXACT
PPL_Java_interface, 42
PRICING_STEEPEST_EDGE_FLOAT
PPL_Java_interface, 42
PRICING_TEXTBOOK
PPL_Java_interface, 42
priority
Parma_Polyhedra_-Library::Interfaces::Java::deterministic_-timeout_exception, 582
Parma_Polyhedra_-

Library::Interfaces::Java::timeout_exception, 2008
ptr
parma_polyhedra_library::PPL_Object, 1898

Rational_Box
parma_polyhedra_library::Rational_Box, 1904–1915
Rational_Box.java, 2279
RAY
PPL_Java_interface, 43
ray
parma_polyhedra_library::Generator, 652
refine_with_congruence
parma_polyhedra_library::BD_Shape_double, 114
parma_polyhedra_library::BD_Shape_float, 148
parma_polyhedra_library::BD_Shape_int16_t, 184
parma_polyhedra_library::BD_Shape_int32_t, 219
parma_polyhedra_library::BD_Shape_int64_t, 254
parma_polyhedra_library::BD_Shape_int8_t, 289
parma_polyhedra_library::BD_Shape_long_double, 324
parma_polyhedra_library::BD_Shape_mpq_class, 359
parma_polyhedra_library::BD_Shape_mpz_class, 394
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 506
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 542
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 579
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 687
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::Octagonal_Shape_double, 983
parma_polyhedra_library::Octagonal_Shape_float, 1018
parma_polyhedra_library::Octagonal_Shape_int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_long_double, 1195
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1265
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1321
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1375
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1410
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_Powerset_Grid, 1513
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1561
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_

Powerset_Octagonal_Shape_double, 1629
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1665
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1683
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1701
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1719
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1737
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1755
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1773
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1872
parma_polyhedra_library::Polyhedron, 1893
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2176
refine_with_congruences
parma_polyhedra_library::BD_Shape_double, 114
parma_polyhedra_library::BD_Shape_float, 149
parma_polyhedra_library::BD_Shape_int16_t, 184
parma_polyhedra_library::BD_Shape_int32_t, 219
parma_polyhedra_library::BD_Shape_int64_t, 254
parma_polyhedra_library::BD_Shape_int8_t, 289
parma_polyhedra_library::BD_Shape_long_-double, 324
parma_polyhedra_library::BD_Shape_mpq_-class, 359
parma_polyhedra_library::BD_Shape_mpz_-class, 394
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 506
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 542
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 579
parma_polyhedra_library::Double_Box, 613
parma_polyhedra_library::Float_Box, 646
parma_polyhedra_library::Grid, 687
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::Octagonal_Shape_-double, 983
parma_polyhedra_library::Octagonal_Shape_-float, 1018
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_-long_double, 1195
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1265
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1322
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1375

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1410
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1513
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1561
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1629
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1665
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1683
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1701
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1719
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1737
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1755
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1773
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1856
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1893
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2176
refine_with_constraint
parma_polyhedra_library::BD_Shape_double,
114
parma_polyhedra_library::BD_Shape_float,
149
parma_polyhedra_library::BD_Shape_int16_t,
184
parma_polyhedra_library::BD_Shape_int32_t,
219
parma_polyhedra_library::BD_Shape_int64_t,
254
parma_polyhedra_library::BD_Shape_int8_t,
289
parma_polyhedra_library::BD_Shape_long_-
double, 324
parma_polyhedra_library::BD_Shape_mpq_-
class, 359
parma_polyhedra_library::BD_Shape_mpz_-
class, 394
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 506
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 542
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 579
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 687
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825

parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::Octagonal_Shape_-double, 983
parma_polyhedra_library::Octagonal_Shape_-float, 1018
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_-long_double, 1195
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1265
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1322
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1375
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1410
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1496
parma_polyhedra_library::Pointset_-Powerset_Grid, 1513
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1561
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1577
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1630
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1665
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1683
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1701
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1719
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1737
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1755
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1773
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1823
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1893
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2176
refine_with_constraints
parma_polyhedra_library::BD_Shape_double, 114
parma_polyhedra_library::BD_Shape_float,

149
parma_polyhedra_library::BD_Shape_int16_t, 184
parma_polyhedra_library::BD_Shape_int32_t, 219
parma_polyhedra_library::BD_Shape_int64_t, 254
parma_polyhedra_library::BD_Shape_int8_t, 289
parma_polyhedra_library::BD_Shape_long_double, 324
parma_polyhedra_library::BD_Shape_mpq_class, 359
parma_polyhedra_library::BD_Shape_mpz_class, 394
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 506
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 543
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 579
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 687
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914
parma_polyhedra_library::Octagonal_Shape_double, 983
parma_polyhedra_library::Octagonal_Shape_float, 1018
parma_polyhedra_library::Octagonal_Shape_int16_t, 1053
parma_polyhedra_library::Octagonal_Shape_int32_t, 1088
parma_polyhedra_library::Octagonal_Shape_int64_t, 1123
parma_polyhedra_library::Octagonal_Shape_int8_t, 1158
parma_polyhedra_library::Octagonal_Shape_long_double, 1195
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1230
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1265
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1304
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1322
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1339
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1357
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1375
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1392
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1410
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1428
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1446
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1480
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_Powerset_Grid, 1513
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1561
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1594
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1630
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1647
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1665
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1683
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1701
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t, 1719
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_-

double, 1737
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1755
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1773
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1790
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1840
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1893
parma_polyhedra_library::Rational_Box, 1929
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2073
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2140
parma_polyhedra_library::Z_Box, 2176
Relation_Symbol
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 838
PPL_Java_interface, 44
Relation_Symbol.java, 2279
Relation_Symbol_EQUAL_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 857
Relation_Symbol_GREATER_OR_EQUAL_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 857
Relation_Symbol_GREATER_THAN_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 858
Relation_Symbol_ordinal_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 858
relation_with
parma_polyhedra_library::BD_Shape_double, 114, 115
parma_polyhedra_library::BD_Shape_float, 149
parma_polyhedra_library::BD_Shape_int16_t, 184
parma_polyhedra_library::BD_Shape_int32_t, 219
parma_polyhedra_library::BD_Shape_int64_t, 254
parma_polyhedra_library::BD_Shape_int8_t, 289
parma_polyhedra_library::BD_Shape_long_-double, 324
parma_polyhedra_library::BD_Shape_mpq_-class, 359
parma_polyhedra_library::BD_Shape_mpz_-class, 394
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 506
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 543
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 579
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 687, 688
parma_polyhedra_library::Int16_Box, 726
parma_polyhedra_library::Int32_Box, 759
parma_polyhedra_library::Int64_Box, 792
parma_polyhedra_library::Int8_Box, 825
parma_polyhedra_library::Long_Double_Box, 914, 915
parma_polyhedra_library::Octagonal_Shape_-double, 983, 984
parma_polyhedra_library::Octagonal_Shape_-float, 1018, 1019
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1053, 1054
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1088, 1089
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1123, 1124
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1158, 1159
parma_polyhedra_library::Octagonal_Shape_-long_double, 1195
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1266
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1304, 1305
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1322

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1357, 1358
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1375
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double, 1410, 1411
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1428, 1429
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1446, 1447
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1480, 1481
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1513
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1561, 1562
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1594, 1595
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double, 1630
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1647, 1648
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t, 1665, 1666
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t, 1683, 1684
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t, 1701, 1702
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t, 1719, 1720
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1737, 1738
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class, 1755, 1756
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class, 1773, 1774
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1790, 1791
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1840, 1841
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1893
parma_polyhedra_library::Rational_Box, 1929, 1930
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2073, 2074
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2140, 2141
parma_polyhedra_library::Z_Box, 2176
remove_higher_space_dimensions
parma_polyhedra_library::BD_Shape_double, 115
parma_polyhedra_library::BD_Shape_float, 149
parma_polyhedra_library::BD_Shape_int16_t, 184
parma_polyhedra_library::BD_Shape_int32_t, 219
parma_polyhedra_library::BD_Shape_int64_t, 254
parma_polyhedra_library::BD_Shape_int8_t, 289
parma_polyhedra_library::BD_Shape_long_-
double, 324
parma_polyhedra_library::BD_Shape_mpq_-
class, 359
parma_polyhedra_library::BD_Shape_mpz_-
class, 394

parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 470
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 543
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box, 915
parma_polyhedra_library::Octagonal_Shape_-double, 984
parma_polyhedra_library::Octagonal_Shape_-float, 1019
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_-long_double, 1195
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1266
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1322
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1375
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1411
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_-Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1529
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1545
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1612
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1630
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1648
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1666
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1684
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1702
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1720
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1738
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1756
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1774
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1791
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1841

parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2176
remove_space_dimensions
parma_polyhedra_library::BD_Shape_double,
115
parma_polyhedra_library::BD_Shape_float,
149
parma_polyhedra_library::BD_Shape_int16_t,
184
parma_polyhedra_library::BD_Shape_int32_t,
219
parma_polyhedra_library::BD_Shape_int64_t,
254
parma_polyhedra_library::BD_Shape_int8_t,
289
parma_polyhedra_library::BD_Shape_long_-
double, 324
parma_polyhedra_library::BD_Shape_mpq_-
class, 359
parma_polyhedra_library::BD_Shape_mpz_-
class, 394
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 543
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box,
915
parma_polyhedra_library::Octagonal_Shape_-
double, 984
parma_polyhedra_library::Octagonal_Shape_-
float, 1019
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1195
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1266
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1322
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1411
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1464
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1630

parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1648
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1666
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1684
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1702
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1720
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1738
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1756
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1774
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1791
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1807
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2040
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2107
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
reset_deterministic_timeout
Parma_Polyhedra_Library::Interfaces::Java, 75
parma_polyhedra_library::Parma_Polyhedra_-Library, 1272
reset_timeout
Parma_Polyhedra_Library::Interfaces::Java, 75
parma_polyhedra_library::Parma_Polyhedra_-Library, 1272
restore_pre_PPL_rounding
parma_polyhedra_library::Parma_Polyhedra_-Library, 1272
rhs
parma_polyhedra_library::Congruence, 430
parma_polyhedra_library::Constraint, 434
parma_polyhedra_library::Linear_-Expression_Difference, 869
parma_polyhedra_library::Linear_-Expression_Sum, 872
right_hand_side
parma_polyhedra_library::Congruence, 429
parma_polyhedra_library::Constraint, 434
parma_polyhedra_library::Linear_-Expression_Difference, 869
parma_polyhedra_library::Linear_-Expression_Sum, 872

SATURATES
parma_polyhedra_library::Poly_Con_-Relation, 1881
saturates
parma_polyhedra_library::Poly_Con_-Relation, 1880
second
parma_polyhedra_library::Pair< K, V >, 1270
set
parma_polyhedra_library::By_Reference< T >, 397
set_big_parameter_dimension
parma_polyhedra_library::PIP_Problem, 1287
set_by_reference
Parma_Polyhedra_Library::Interfaces::Java, 75
set_coefficient
Parma_Polyhedra_Library::Interfaces::Java, 75
set_control_parameter
parma_polyhedra_library::MIP_Problem, 925
set_deterministic_timeout
parma_polyhedra_library::Parma_Polyhedra_-Library, 1273
set_generator
Parma_Polyhedra_Library::Interfaces::Java, 75
set_irrational_precision
parma_polyhedra_library::Parma_Polyhedra_-Library, 1273
set_objective_function
parma_polyhedra_library::MIP_Problem, 925
set_optimization_mode
parma_polyhedra_library::MIP_Problem, 925
set_pair_element
Parma_Polyhedra_Library::Interfaces::Java, 76

set_pip_problem_control_parameter
parma_polyhedra_library::PIP_Problem, 1287
set_ptr
Parma_Polyhedra_Library::Interfaces::Java, 76
set_rounding_for_PPL
parma_polyhedra_library::Parma_Polyhedra_Library, 1273
set_timeout
parma_polyhedra_library::Parma_Polyhedra_Library, 1274
SIGNED_2_COMPLEMENT
PPL_Java_interface, 41
SIMPLEX_COMPLEXITY
PPL_Java_interface, 42
simplify_using_context_assign
parma_polyhedra_library::BD_Shape_double, 115
parma_polyhedra_library::BD_Shape_float, 149
parma_polyhedra_library::BD_Shape_int16_t, 185
parma_polyhedra_library::BD_Shape_int32_t, 220
parma_polyhedra_library::BD_Shape_int64_t, 255
parma_polyhedra_library::BD_Shape_int8_t, 290
parma_polyhedra_library::BD_Shape_long_double, 325
parma_polyhedra_library::BD_Shape_mpq_class, 360
parma_polyhedra_library::BD_Shape_mpz_class, 395
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box, 915
parma_polyhedra_library::Octagonal_Shape_double, 984
parma_polyhedra_library::Octagonal_Shape_float, 1019
parma_polyhedra_library::Octagonal_Shape_int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_long_double, 1195
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1266
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1322
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1411
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_Powerset_Grid, 1514
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1630
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1648
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t,

1666
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1684
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1702
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1720
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1738
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1756
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1774
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1791
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1873
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
size
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1411
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_-Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1631
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1648
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1666
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1684
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1702
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1720
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1738
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1756
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1774
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1791
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1808

parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1857
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1874
solution
parma_polyhedra_library::PIP_Problem, 1287
solve
parma_polyhedra_library::MIP_Problem, 925
parma_polyhedra_library::PIP_Problem, 1287
space_dimension
parma_polyhedra_library::BD_Shape_double,
115
parma_polyhedra_library::BD_Shape_float,
150
parma_polyhedra_library::BD_Shape_int16_t,
185
parma_polyhedra_library::BD_Shape_int32_t,
220
parma_polyhedra_library::BD_Shape_int64_t,
255
parma_polyhedra_library::BD_Shape_int8_t,
290
parma_polyhedra_library::BD_Shape_long_-
double, 325
parma_polyhedra_library::BD_Shape_mpq_-
class, 360
parma_polyhedra_library::BD_Shape_mpz_-
class, 395
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 543
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box,
915
parma_polyhedra_library::MIP_Problem, 926
parma_polyhedra_library::Octagonal_Shape_-
double, 984
parma_polyhedra_library::Octagonal_Shape_-
float, 1019
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1266
parma_polyhedra_library::PIP_Problem, 1287
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1411
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1497
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1578
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1613

parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1631
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1648
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1666
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1684
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1702
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1720
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1738
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1756
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1774
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1791
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1824
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
strictly_contains
parma_polyhedra_library::BD_Shape_double, 115
parma_polyhedra_library::BD_Shape_float, 150
parma_polyhedra_library::BD_Shape_int16_t, 185
parma_polyhedra_library::BD_Shape_int32_t, 220
parma_polyhedra_library::BD_Shape_int64_t, 255
parma_polyhedra_library::BD_Shape_int8_t, 290
parma_polyhedra_library::BD_Shape_long_-double, 325
parma_polyhedra_library::BD_Shape_mpq_-class, 360
parma_polyhedra_library::BD_Shape_mpz_-class, 395
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 543
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 614
parma_polyhedra_library::Float_Box, 647
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box, 915
parma_polyhedra_library::Octagonal_Shape_-double, 984
parma_polyhedra_library::Octagonal_Shape_-float, 1019
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_-long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1266
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1340
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1358

parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1393
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1411
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1631
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1648
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1666
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1684
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1702
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1720
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1738
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1756
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1774
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1791
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
STRICTLY_INTERSECTS
parma_polyhedra_library::Poly_Con_-
Relation, 1881
strictly_intersects
parma_polyhedra_library::Poly_Con_-
Relation, 1880
SUBSUMES
parma_polyhedra_library::Poly_Gen_-
Relation, 1883
subsumes
parma_polyhedra_library::Poly_Gen_-
Relation, 1883
subtract
parma_polyhedra_library::Linear_Expression,
863
sum
parma_polyhedra_library::Linear_Expression,
863
swap
parma_polyhedra_library::BD_Shape_double,
115
parma_polyhedra_library::BD_Shape_float,
150
parma_polyhedra_library::BD_Shape_int16_t,
185
parma_polyhedra_library::BD_Shape_int32_t,
220
parma_polyhedra_library::BD_Shape_int64_t,
255
parma_polyhedra_library::BD_Shape_int8_t,
290

parma_polyhedra_library::BD_Shape_long_-
double, 325
parma_polyhedra_library::BD_Shape_mpq_-
class, 360
parma_polyhedra_library::BD_Shape_mpz_-
class, 395
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box,
915
parma_polyhedra_library::Octagonal_Shape_-
double, 984
parma_polyhedra_library::Octagonal_Shape_-
float, 1019
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1231
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1266
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1412
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1429
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1447
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1481
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1562
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1595
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1631
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1666
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1684
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1702
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1720
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1739
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1757
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1775
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1791

parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
System_Iterator_has_next_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 858
System_iterator_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 858
System_Iterator_next_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 858

Termination.java, 2280
termination_test_MS_BD_Shape_double
parma_polyhedra_library::Termination, 1991
termination_test_MS_BD_Shape_double_2
parma_polyhedra_library::Termination, 1991
termination_test_MS_BD_Shape_float
parma_polyhedra_library::Termination, 1991
termination_test_MS_BD_Shape_float_2
parma_polyhedra_library::Termination, 1991
termination_test_MS_BD_Shape_int16_t
parma_polyhedra_library::Termination, 1991
termination_test_MS_BD_Shape_int16_t_2
parma_polyhedra_library::Termination, 1991
termination_test_MS_BD_Shape_int32_t
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_int32_t_2
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_int64_t
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_int64_t_2
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_int8_t
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_int8_t_2
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_long_double
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_long_double_2
parma_polyhedra_library::Termination, 1992
termination_test_MS_BD_Shape_mpq_class
parma_polyhedra_library::Termination, 1993
termination_test_MS_BD_Shape_mpq_class_2
parma_polyhedra_library::Termination, 1993
termination_test_MS_BD_Shape_mpz_class
parma_polyhedra_library::Termination, 1993
termination_test_MS_BD_Shape_mpz_class_2
parma_polyhedra_library::Termination, 1993
termination_test_MS_C_Polyhedron
parma_polyhedra_library::Termination, 1993
termination_test_MS_C_Polyhedron_2
parma_polyhedra_library::Termination, 1993
termination_test_MS_Double_Box
parma_polyhedra_library::Termination, 1993
termination_test_MS_Double_Box_2
parma_polyhedra_library::Termination, 1993
termination_test_MS_Float_Box
parma_polyhedra_library::Termination, 1994
termination_test_MS_Float_Box_2
parma_polyhedra_library::Termination, 1994
termination_test_MS_Grid
parma_polyhedra_library::Termination, 1994
termination_test_MS_Grid_2
parma_polyhedra_library::Termination, 1994
termination_test_MS_Int16_Box
parma_polyhedra_library::Termination, 1994
termination_test_MS_Int16_Box_2
parma_polyhedra_library::Termination, 1994
termination_test_MS_Int32_Box
parma_polyhedra_library::Termination, 1994
termination_test_MS_Int32_Box_2
parma_polyhedra_library::Termination, 1994
termination_test_MS_Int64_Box
parma_polyhedra_library::Termination, 1994
termination_test_MS_Int64_Box_2
parma_polyhedra_library::Termination, 1995
termination_test_MS_Int8_Box
parma_polyhedra_library::Termination, 1995
termination_test_MS_Int8_Box_2
parma_polyhedra_library::Termination, 1995
termination_test_MS_Long_Double_Box
parma_polyhedra_library::Termination, 1995
termination_test_MS_Long_Double_Box_2
parma_polyhedra_library::Termination, 1995
termination_test_MS_NNC_Polyhedron
parma_polyhedra_library::Termination, 1995
termination_test_MS_NNC_Polyhedron_2
parma_polyhedra_library::Termination, 1995
termination_test_MS_Octagonal_Shape_double

parma_polyhedra_library::Termination, 1995
termination_test_MS_Octagonal_Shape_double_2
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_float
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_float_2
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_int16_t
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_int16_t_2
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_int32_t
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_int32_t_2
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_int64_t
parma_polyhedra_library::Termination, 1996
termination_test_MS_Octagonal_Shape_int64_t_2
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_int8_t
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_int8_t_2
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_long_-
double
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_long_-
double_2
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_mpq_class
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_mpq_-
class_2
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_mpz_class
parma_polyhedra_library::Termination, 1997
termination_test_MS_Octagonal_Shape_mpz_-
class_2
parma_polyhedra_library::Termination, 1998
termination_test_MS_Rational_Box
parma_polyhedra_library::Termination, 1998
termination_test_MS_Rational_Box_2
parma_polyhedra_library::Termination, 1998
termination_test_MS_Uint16_Box
parma_polyhedra_library::Termination, 1998
termination_test_MS_Uint16_Box_2
parma_polyhedra_library::Termination, 1998
termination_test_MS_Uint32_Box
parma_polyhedra_library::Termination, 1998
termination_test_MS_Uint32_Box_2
parma_polyhedra_library::Termination, 1998
termination_test_MS_Uint64_Box
parma_polyhedra_library::Termination, 1998
termination_test_MS_Uint64_Box_2
parma_polyhedra_library::Termination, 1999
termination_test_MS_Uint8_Box
parma_polyhedra_library::Termination, 1999
termination_test_MS_Uint8_Box_2
parma_polyhedra_library::Termination, 1999
termination_test_MS_Z_Box
parma_polyhedra_library::Termination, 1999
termination_test_MS_Z_Box_2
parma_polyhedra_library::Termination, 1999
termination_test_PR_BD_Shape_double
parma_polyhedra_library::Termination, 1999
termination_test_PR_BD_Shape_double_2
parma_polyhedra_library::Termination, 1999
termination_test_PR_BD_Shape_float
parma_polyhedra_library::Termination, 1999
termination_test_PR_BD_Shape_float_2
parma_polyhedra_library::Termination, 1999
termination_test_PR_BD_Shape_int16_t
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int16_t_2
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int32_t
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int32_t_2
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int64_t
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int64_t_2
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int8_t
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_int8_t_2
parma_polyhedra_library::Termination, 2000
termination_test_PR_BD_Shape_long_double
parma_polyhedra_library::Termination, 2001
termination_test_PR_BD_Shape_long_double_2
parma_polyhedra_library::Termination, 2001
termination_test_PR_BD_Shape_mpq_class
parma_polyhedra_library::Termination, 2001
termination_test_PR_BD_Shape_mpq_class_2
parma_polyhedra_library::Termination, 2001
termination_test_PR_BD_Shape_mpz_class
parma_polyhedra_library::Termination, 2001
termination_test_PR_BD_Shape_mpz_class_2
parma_polyhedra_library::Termination, 2001
termination_test_PR_C_Polyhedron
parma_polyhedra_library::Termination, 2001
termination_test_PR_C_Polyhedron_2
parma_polyhedra_library::Termination, 2001
termination_test_PR_Double_Box
parma_polyhedra_library::Termination, 2002
termination_test_PR_Double_Box_2
parma_polyhedra_library::Termination, 2002
termination_test_PR_Float_Box

parma_polyhedra_library::Termination, 2002
termination_test_PR_Float_Box_2
parma_polyhedra_library::Termination, 2002
termination_test_PR_Grid
parma_polyhedra_library::Termination, 2002
termination_test_PR_Grid_2
parma_polyhedra_library::Termination, 2002
termination_test_PR_Int16_Box
parma_polyhedra_library::Termination, 2002
termination_test_PR_Int16_Box_2
parma_polyhedra_library::Termination, 2002
termination_test_PR_Int32_Box
parma_polyhedra_library::Termination, 2002
termination_test_PR_Int32_Box_2
parma_polyhedra_library::Termination, 2003
termination_test_PR_Int64_Box
parma_polyhedra_library::Termination, 2003
termination_test_PR_Int64_Box_2
parma_polyhedra_library::Termination, 2003
termination_test_PR_Int8_Box
parma_polyhedra_library::Termination, 2003
termination_test_PR_Int8_Box_2
parma_polyhedra_library::Termination, 2003
termination_test_PR_Long_Double_Box
parma_polyhedra_library::Termination, 2003
termination_test_PR_Long_Double_Box_2
parma_polyhedra_library::Termination, 2003
termination_test_PR_NNC_Polyhedron
parma_polyhedra_library::Termination, 2003
termination_test_PR_NNC_Polyhedron_2
parma_polyhedra_library::Termination, 2003
termination_test_PR_Octagonal_Shape_double
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_double_2
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_float
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_float_2
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_int16_t
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_int16_t_2
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_int32_t
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_int32_t_2
parma_polyhedra_library::Termination, 2004
termination_test_PR_Octagonal_Shape_int64_t
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_int64_t_2
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_int8_t
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_int8_t_2
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_long_-
double
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_long_-
double_2
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_mpq_class
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_mpq_-
class_2
parma_polyhedra_library::Termination, 2005
termination_test_PR_Octagonal_Shape_mpz_class
parma_polyhedra_library::Termination, 2006
termination_test_PR_Octagonal_Shape_mpz_-
class_2
parma_polyhedra_library::Termination, 2006
termination_test_PR_Rational_Box
parma_polyhedra_library::Termination, 2006
termination_test_PR_Rational_Box_2
parma_polyhedra_library::Termination, 2006
termination_test_PR_Uint16_Box
parma_polyhedra_library::Termination, 2006
termination_test_PR_Uint16_Box_2
parma_polyhedra_library::Termination, 2006
termination_test_PR_Uint32_Box
parma_polyhedra_library::Termination, 2006
termination_test_PR_Uint32_Box_2
parma_polyhedra_library::Termination, 2006
termination_test_PR_Uint64_Box
parma_polyhedra_library::Termination, 2007
termination_test_PR_Uint64_Box_2
parma_polyhedra_library::Termination, 2007
termination_test_PR_Uint8_Box
parma_polyhedra_library::Termination, 2007
termination_test_PR_Uint8_Box_2
parma_polyhedra_library::Termination, 2007
termination_test_PR_Z_Box
parma_polyhedra_library::Termination, 2007
termination_test_PR_Z_Box_2
parma_polyhedra_library::Termination, 2007
throw_me
Parma_Polyhedra_-
Library::Interfaces::Java::deterministic_-
timeout_exception, 582
Parma_Polyhedra_-
Library::Interfaces::Java::timeout_-
exception, 2008
time_elapse_assign
parma_polyhedra_library::BD_Shape_double,
115
parma_polyhedra_library::BD_Shape_float,
150

parma_polyhedra_library::BD_Shape_int16_t, 185
parma_polyhedra_library::BD_Shape_int32_t, 220
parma_polyhedra_library::BD_Shape_int64_t, 255
parma_polyhedra_library::BD_Shape_int8_t, 290
parma_polyhedra_library::BD_Shape_long_-double, 325
parma_polyhedra_library::BD_Shape_mpq_-class, 360
parma_polyhedra_library::BD_Shape_mpz_-class, 395
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box, 915
parma_polyhedra_library::Octagonal_Shape_-double, 984
parma_polyhedra_library::Octagonal_Shape_-float, 1019
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1054
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1089
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1124
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1159
parma_polyhedra_library::Octagonal_Shape_-long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1267
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1305
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1358
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1412
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1631
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1667
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1685
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1703
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1721
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-

double, 1739
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1757
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1775
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1841
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
Timeout_Exception
parma_polyhedra_library::Timeout_-Exception, 2008
Timeout_Exception.java, 2280
times
parma_polyhedra_library::Linear_Expression, 863
topological_closure_assign
parma_polyhedra_library::BD_Shape_double, 115
parma_polyhedra_library::BD_Shape_float, 150
parma_polyhedra_library::BD_Shape_int16_t, 185
parma_polyhedra_library::BD_Shape_int32_t, 220
parma_polyhedra_library::BD_Shape_int64_t, 255
parma_polyhedra_library::BD_Shape_int8_t, 290
parma_polyhedra_library::BD_Shape_long_-double, 325
parma_polyhedra_library::BD_Shape_mpq_-class, 360
parma_polyhedra_library::BD_Shape_mpz_-class, 395
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box, 915
parma_polyhedra_library::Octagonal_Shape_-double, 985
parma_polyhedra_library::Octagonal_Shape_-float, 1020
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1267
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1412
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1465

parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1631
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1667
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1685
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1703
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1721
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1739
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1757
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1775
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2074
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2141
parma_polyhedra_library::Z_Box, 2177
toString
parma_polyhedra_library::Artificial_-
Parameter, 80
parma_polyhedra_library::BD_Shape_double,
115
parma_polyhedra_library::BD_Shape_float,
150
parma_polyhedra_library::BD_Shape_int16_t,
185
parma_polyhedra_library::BD_Shape_int32_t,
220
parma_polyhedra_library::BD_Shape_int64_t,
255
parma_polyhedra_library::BD_Shape_int8_t,
290
parma_polyhedra_library::BD_Shape_long_-
double, 325
parma_polyhedra_library::BD_Shape_mpq_-
class, 360
parma_polyhedra_library::BD_Shape_mpz_-
class, 395
parma_polyhedra_library::Coefficient, 426
parma_polyhedra_library::Congruence, 429
parma_polyhedra_library::Congruence_-
System, 431
parma_polyhedra_library::Constraint, 434
parma_polyhedra_library::Constraint_System,
436
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 507
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 580
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Generator, 653
parma_polyhedra_library::Generator_System,
655
parma_polyhedra_library::Grid, 688
parma_polyhedra_library::Grid_Generator,
693

parma_polyhedra_library::Grid_Generator_-
System, 695
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Linear_Expression,
863
parma_polyhedra_library::Long_Double_Box,
915
parma_polyhedra_library::MIP_Problem, 926
parma_polyhedra_library::Octagonal_Shape_-
double, 985
parma_polyhedra_library::Octagonal_Shape_-
float, 1020
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1267
parma_polyhedra_library::PIP_Problem, 1288
parma_polyhedra_library::PIP_Tree_Node,
1291
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1376
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1412
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1514
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1613
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1631
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1667
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1685
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1703
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1721
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1739
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1757
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1775
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1858

parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1930
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2177
total_memory_in_bytes
parma_polyhedra_library::BD_Shape_double,
116
parma_polyhedra_library::BD_Shape_float,
150
parma_polyhedra_library::BD_Shape_int16_t,
185
parma_polyhedra_library::BD_Shape_int32_t,
220
parma_polyhedra_library::BD_Shape_int64_t,
255
parma_polyhedra_library::BD_Shape_int8_t,
290
parma_polyhedra_library::BD_Shape_long_-
double, 325
parma_polyhedra_library::BD_Shape_mpq_-
class, 360
parma_polyhedra_library::BD_Shape_mpz_-
class, 395
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 471
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 508
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 581
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box,
916
parma_polyhedra_library::MIP_Problem, 926
parma_polyhedra_library::Octagonal_Shape_-
double, 985
parma_polyhedra_library::Octagonal_Shape_-
float, 1020
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1267
parma_polyhedra_library::PIP_Problem, 1288
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int64_t, 1377
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_long_double,
1412
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-
Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-
Powerset_C_Polyhedron, 1465
parma_polyhedra_library::Pointset_-
Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-
Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-
Powerset_Grid, 1515
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1530
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1546
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1614
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1631
parma_polyhedra_library::Pointset_-

Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1667
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1685
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1703
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1721
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1739
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1757
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1775
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1808
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1894
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2177
type
parma_polyhedra_library::Generator, 653
parma_polyhedra_library::Grid_Generator, 693

Uint16_Box
parma_polyhedra_library::Uint16_Box, 2014–2026
Uint16_Box.java, 2280
Uint32_Box
parma_polyhedra_library::Uint32_Box, 2048–2059
Uint32_Box.java, 2281
Uint64_Box
parma_polyhedra_library::Uint64_Box, 2081–2093
Uint64_Box.java, 2281
Uint8_Box
parma_polyhedra_library::Uint8_Box, 2115–2126
Uint8_Box.java, 2281
unary_minus
parma_polyhedra_library::Linear_Expression, 863
UNBOUNDED_MIP_PROBLEM
PPL_Java_interface, 43
unconstrain_space_dimension
parma_polyhedra_library::BD_Shape_double, 116
parma_polyhedra_library::BD_Shape_float, 150
parma_polyhedra_library::BD_Shape_int16_t, 185
parma_polyhedra_library::BD_Shape_int32_t, 220
parma_polyhedra_library::BD_Shape_int64_t, 255
parma_polyhedra_library::BD_Shape_int8_t, 290
parma_polyhedra_library::BD_Shape_long_-double, 325
parma_polyhedra_library::BD_Shape_mpq_-class, 360
parma_polyhedra_library::BD_Shape_mpz_-class, 395
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 472
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 508
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 581
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 727
parma_polyhedra_library::Int32_Box, 760
parma_polyhedra_library::Int64_Box, 793
parma_polyhedra_library::Int8_Box, 826
parma_polyhedra_library::Long_Double_Box, 916
parma_polyhedra_library::Octagonal_Shape_-double, 985
parma_polyhedra_library::Octagonal_Shape_-float, 1020

parma_polyhedra_library::Octagonal_Shape_-int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-long_double, 1196
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1267
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1323
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1377
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1412
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1466
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-Powerset_Grid, 1515
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1531
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1547
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1614
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1631
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1667
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1685
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1703
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1721
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1739
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1757
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1775
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1809
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1895
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2177
unconstrain_space_dimensions
parma_polyhedra_library::BD_Shape_double, 116
parma_polyhedra_library::BD_Shape_float, 150
parma_polyhedra_library::BD_Shape_int16_t, 185
parma_polyhedra_library::BD_Shape_int32_t, 220
parma_polyhedra_library::BD_Shape_int64_t,

255
parma_polyhedra_library::BD_Shape_int8_t, 290
parma_polyhedra_library::BD_Shape_long_double, 325
parma_polyhedra_library::BD_Shape_mpq_class, 360
parma_polyhedra_library::BD_Shape_mpz_class, 395
parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid, 472
parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron, 508
parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid, 581
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 728
parma_polyhedra_library::Int32_Box, 761
parma_polyhedra_library::Int64_Box, 794
parma_polyhedra_library::Int8_Box, 827
parma_polyhedra_library::Long_Double_Box, 916
parma_polyhedra_library::Octagonal_Shape_double, 985
parma_polyhedra_library::Octagonal_Shape_float, 1020
parma_polyhedra_library::Octagonal_Shape_int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_long_double, 1196
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1267
parma_polyhedra_library::Pointset_Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_Powerset_BD_Shape_float, 1324
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t, 1377
parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double, 1412
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_Powerset_C_Polyhedron, 1466
parma_polyhedra_library::Pointset_Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_Powerset_Grid, 1515
parma_polyhedra_library::Pointset_Powerset_Int16_Box, 1531
parma_polyhedra_library::Pointset_Powerset_Int32_Box, 1547
parma_polyhedra_library::Pointset_Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron, 1614
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double, 1632
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t, 1667
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t, 1685
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t, 1703
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t, 1721
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double, 1739
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class, 1757
parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class,

1775
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1809
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1858
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1874
parma_polyhedra_library::Polyhedron, 1895
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2041
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2108
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2177
UNFEASIBLE_MIP_PROBLEM
PPL_Java_interface, 43
UNFEASIBLE_PIP_PROBLEM
PPL_Java_interface, 44
UNIVERSE
PPL_Java_interface, 42
UNSIGNED
PPL_Java_interface, 41
upper_bound_assign
parma_polyhedra_library::BD_Shape_double, 116
parma_polyhedra_library::BD_Shape_float, 150
parma_polyhedra_library::BD_Shape_int16_t, 186
parma_polyhedra_library::BD_Shape_int32_t, 221
parma_polyhedra_library::BD_Shape_int64_t, 256
parma_polyhedra_library::BD_Shape_int8_t, 291
parma_polyhedra_library::BD_Shape_long_-double, 326
parma_polyhedra_library::BD_Shape_mpq_-class, 361
parma_polyhedra_library::BD_Shape_mpz_-class, 396
parma_polyhedra_library::Constraints_-Product_C_Polyhedron_Grid, 472
parma_polyhedra_library::Constraints_-Product_Grid_C_Polyhedron, 508
parma_polyhedra_library::Constraints_-Product_Grid_NNC_Polyhedron, 544
parma_polyhedra_library::Constraints_-Product_NNC_Polyhedron_Grid, 581
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 728
parma_polyhedra_library::Int32_Box, 761
parma_polyhedra_library::Int64_Box, 794
parma_polyhedra_library::Int8_Box, 827
parma_polyhedra_library::Long_Double_Box, 916
parma_polyhedra_library::Octagonal_Shape_-double, 985
parma_polyhedra_library::Octagonal_Shape_-float, 1020
parma_polyhedra_library::Octagonal_Shape_-int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_-int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-long_double, 1197
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1267
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1324
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1377
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1412
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1466
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1498

parma_polyhedra_library::Pointset_-
Powerset_Grid, 1515
parma_polyhedra_library::Pointset_-
Powerset_Int16_Box, 1531
parma_polyhedra_library::Pointset_-
Powerset_Int32_Box, 1547
parma_polyhedra_library::Pointset_-
Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-
Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-
Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-
Powerset_NNC_Polyhedron, 1614
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_double,
1632
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_float, 1649
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int16_t,
1667
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int32_t,
1685
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int64_t,
1703
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_int8_t,
1721
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_long_-
double, 1739
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpq_class,
1757
parma_polyhedra_library::Pointset_-
Powerset_Octagonal_Shape_mpz_class,
1775
parma_polyhedra_library::Pointset_-
Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-
Powerset_Uint16_Box, 1809
parma_polyhedra_library::Pointset_-
Powerset_Uint32_Box, 1825
parma_polyhedra_library::Pointset_-
Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-
Powerset_Uint8_Box, 1859
parma_polyhedra_library::Pointset_-
Powerset_Z_Box, 1875
parma_polyhedra_library::Polyhedron, 1895
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2042
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2109
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2178
upper_bound_assign_if_exact
parma_polyhedra_library::BD_Shape_double,
116
parma_polyhedra_library::BD_Shape_float,
151
parma_polyhedra_library::BD_Shape_int16_t,
186
parma_polyhedra_library::BD_Shape_int32_t,
221
parma_polyhedra_library::BD_Shape_int64_t,
256
parma_polyhedra_library::BD_Shape_int8_t,
291
parma_polyhedra_library::BD_Shape_long_-
double, 326
parma_polyhedra_library::BD_Shape_mpq_-
class, 361
parma_polyhedra_library::BD_Shape_mpz_-
class, 396
parma_polyhedra_library::C_Polyhedron, 422
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 472
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 508
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 545
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 581
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 728
parma_polyhedra_library::Int32_Box, 761
parma_polyhedra_library::Int64_Box, 794
parma_polyhedra_library::Int8_Box, 827
parma_polyhedra_library::Long_Double_Box,
916
parma_polyhedra_library::NNC_Polyhedron,
951
parma_polyhedra_library::Octagonal_Shape_-
double, 985
parma_polyhedra_library::Octagonal_Shape_-
float, 1020
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1125

parma_polyhedra_library::Octagonal_Shape_-int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-long_double, 1197
parma_polyhedra_library::Octagonal_Shape_-mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-mpz_class, 1267
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_double, 1306
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_float, 1324
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int16_t, 1341
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int32_t, 1359
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int64_t, 1377
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_int8_t, 1394
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_long_double, 1413
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpq_class, 1430
parma_polyhedra_library::Pointset_-Powerset_BD_Shape_mpz_class, 1448
parma_polyhedra_library::Pointset_-Powerset_C_Polyhedron, 1466
parma_polyhedra_library::Pointset_-Powerset_Double_Box, 1482
parma_polyhedra_library::Pointset_-Powerset_Float_Box, 1498
parma_polyhedra_library::Pointset_-Powerset_Grid, 1515
parma_polyhedra_library::Pointset_-Powerset_Int16_Box, 1531
parma_polyhedra_library::Pointset_-Powerset_Int32_Box, 1547
parma_polyhedra_library::Pointset_-Powerset_Int64_Box, 1563
parma_polyhedra_library::Pointset_-Powerset_Int8_Box, 1579
parma_polyhedra_library::Pointset_-Powerset_Long_Double_Box, 1596
parma_polyhedra_library::Pointset_-Powerset_NNC_Polyhedron, 1614
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_double, 1632
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_float, 1650
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int16_t, 1667
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int32_t, 1685
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int64_t, 1703
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_int8_t, 1721
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_long_-double, 1740
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpq_class, 1758
parma_polyhedra_library::Pointset_-Powerset_Octagonal_Shape_mpz_class, 1776
parma_polyhedra_library::Pointset_-Powerset_Rational_Box, 1792
parma_polyhedra_library::Pointset_-Powerset_Uint16_Box, 1809
parma_polyhedra_library::Pointset_-Powerset_Uint32_Box, 1826
parma_polyhedra_library::Pointset_-Powerset_Uint64_Box, 1842
parma_polyhedra_library::Pointset_-Powerset_Uint8_Box, 1859
parma_polyhedra_library::Pointset_-Powerset_Z_Box, 1875
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2042
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2109
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2178

value
parma_polyhedra_library::Coefficient, 426
var_id
parma_polyhedra_library::Linear_-Expression_Variable, 881
Variable
Parma_Polyhedra_-Library::Interfaces::Java::Java_Class_-Cache, 838
parma_polyhedra_library::Variable, 2143
Variable.java, 2281
Variable_init_ID
Parma_Polyhedra_-Library::Interfaces::Java::Java_FMID_-Cache, 858
Variable_varid_ID

Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 859
Variables_Set
Parma_Polyhedra_-
Library::Interfaces::Java::Java_Class_-
Cache, 838
parma_polyhedra_library::Variables_Set, 2145
Variables_Set.java, 2282
Variables_Set_add_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 859
Variables_Set_init_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 859
Variables_Set_Iterator_has_next_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 859
Variables_Set_iterator_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 859
Variables_Set_Iterator_next_ID
Parma_Polyhedra_-
Library::Interfaces::Java::Java_FMID_-
Cache, 859
varid
parma_polyhedra_library::Variable, 2144
version
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1274
version_beta
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1274
version_major
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1274
version_minor
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1274
version_revision
parma_polyhedra_library::Parma_Polyhedra_-
Library, 1274

widening_assign
parma_polyhedra_library::BD_Shape_double,
116
parma_polyhedra_library::BD_Shape_float,
151
parma_polyhedra_library::BD_Shape_int16_t,
186
parma_polyhedra_library::BD_Shape_int32_t,
221
parma_polyhedra_library::BD_Shape_int64_t,
256
parma_polyhedra_library::BD_Shape_int8_t,
291
parma_polyhedra_library::BD_Shape_long_-
double, 326
parma_polyhedra_library::BD_Shape_mpq_-
class, 361
parma_polyhedra_library::BD_Shape_mpz_-
class, 396
parma_polyhedra_library::Constraints_-
Product_C_Polyhedron_Grid, 472
parma_polyhedra_library::Constraints_-
Product_Grid_C_Polyhedron, 508
parma_polyhedra_library::Constraints_-
Product_Grid_NNC_Polyhedron, 545
parma_polyhedra_library::Constraints_-
Product_NNC_Polyhedron_Grid, 581
parma_polyhedra_library::Double_Box, 615
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 728
parma_polyhedra_library::Int32_Box, 761
parma_polyhedra_library::Int64_Box, 794
parma_polyhedra_library::Int8_Box, 827
parma_polyhedra_library::Long_Double_Box,
916
parma_polyhedra_library::Octagonal_Shape_-
double, 985
parma_polyhedra_library::Octagonal_Shape_-
float, 1020
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_-
int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_-
long_double, 1197
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 1232
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 1267
parma_polyhedra_library::Polyhedron, 1895
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2042
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2109
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2178

wrap_assign
parma_polyhedra_library::BD_Shape_double, 116
parma_polyhedra_library::BD_Shape_float, 151
parma_polyhedra_library::BD_Shape_int16_t, 186
parma_polyhedra_library::BD_Shape_int32_t, 221
parma_polyhedra_library::BD_Shape_int64_t, 256
parma_polyhedra_library::BD_Shape_int8_t, 291
parma_polyhedra_library::BD_Shape_long_double, 326
parma_polyhedra_library::BD_Shape_mpq_class, 361
parma_polyhedra_library::BD_Shape_mpz_class, 396
parma_polyhedra_library::Double_Box, 616
parma_polyhedra_library::Float_Box, 648
parma_polyhedra_library::Grid, 689
parma_polyhedra_library::Int16_Box, 728
parma_polyhedra_library::Int32_Box, 761
parma_polyhedra_library::Int64_Box, 794
parma_polyhedra_library::Int8_Box, 827
parma_polyhedra_library::Long_Double_Box, 916
parma_polyhedra_library::Octagonal_Shape_double, 985
parma_polyhedra_library::Octagonal_Shape_float, 1020
parma_polyhedra_library::Octagonal_Shape_int16_t, 1055
parma_polyhedra_library::Octagonal_Shape_int32_t, 1090
parma_polyhedra_library::Octagonal_Shape_int64_t, 1125
parma_polyhedra_library::Octagonal_Shape_int8_t, 1160
parma_polyhedra_library::Octagonal_Shape_long_double, 1197
parma_polyhedra_library::Octagonal_Shape_mpq_class, 1233
parma_polyhedra_library::Octagonal_Shape_mpz_class, 1268
parma_polyhedra_library::Polyhedron, 1895
parma_polyhedra_library::Rational_Box, 1931
parma_polyhedra_library::Uint16_Box, 2042
parma_polyhedra_library::Uint32_Box, 2075
parma_polyhedra_library::Uint64_Box, 2109
parma_polyhedra_library::Uint8_Box, 2142
parma_polyhedra_library::Z_Box, 2178
wrap_string
parma_polyhedra_library::IO, 828
Z_Box
parma_polyhedra_library::Z_Box, 2151–2162
Z_Box.java, 2282