

The Parma Polyhedra Library

Configured OCaml Language Interface

Developer's Manual*

(version 0.11.2)

Roberto Bagnara[†]

Patricia M. Hill[‡]

Enea Zaffanella[§]

February 27, 2011

*This work has been partly supported by: University of Parma's FIL scientific research project (ex 60%) "Pure and Applied Mathematics"; MURST project "Automatic Program Certification by Abstract Interpretation"; MURST project "Abstract Interpretation, Type Systems and Control-Flow Analysis"; MURST project "Automatic Aggregate- and Number-Reasoning for Computing: from Decision Algorithms to Constraint Programming with Multisets, Sets, and Maps"; MURST project "Constraint Based Verification of Reactive Systems"; MURST project "Abstract Interpretation: Design and Applications"; EPSRC project "Numerical Domains for Software Analysis"; EPSRC project "Geometric Abstractions for Scalable Program Analyzers".

[†]bagnara@cs.unipr.it, Department of Mathematics, University of Parma, Italy.

[‡]hill@comp.leeds.ac.uk, School of Computing, University of Leeds, U.K.

[§]zaffanella@cs.unipr.it, Department of Mathematics, University of Parma, Italy.

Copyright © 2001–2010 Roberto Bagnara (bagnara@cs.unipr.it).

This document describes the Parma Polyhedra Library (PPL).

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the [Free Software Foundation](#); with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled “[GNU Free Documentation License](#)”.

The PPL is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the [Free Software Foundation](#); either version 3 of the License, or (at your option) any later version. A copy of the license is included in the section entitled “[GNU GENERAL PUBLIC LICENSE](#)”.

The PPL is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

For the most up-to-date information see the Parma Polyhedra Library site:

<http://www.cs.unipr.it/ppl/>

Contents

1	OCaml Language Interface	1
2	Module <code>Ppl_ocaml</code>	19
3	GNU General Public License	466
4	GNU Free Documentation License	475
5	Module Index	480
5.1	Modules	480
6	Namespace Index	480
6.1	Namespace List	480
7	Class Index	481
7.1	Class List	481
8	File Index	481
8.1	File List	481
9	Module Documentation	481
9.1	OCaml Language Interface	481
10	Namespace Documentation	481
10.1	Parma_Polyhedra_Library Namespace Reference	481

10.2 Parma_Polyhedra_Library::Interfaces Namespace Reference	481
10.3 Parma_Polyhedra_Library::Interfaces::OCaml Namespace Reference	482
11 Class Documentation	491
11.1 Parma_Polyhedra_Library::Interfaces::OCaml::deterministic_timeout_exception Class Reference	491
11.2 Parma_Polyhedra_Library::Interfaces::OCaml::timeout_exception Class Reference	492
12 File Documentation	493
12.1 fdl.dox File Reference	493
12.2 gpl.dox File Reference	493
12.3 OCaml_interface.dox File Reference	493
12.4 ppl_ocaml_common.cc File Reference	493
12.5 ppl_ocaml_common.defs.hh File Reference	511
12.6 ppl_ocaml_common.inlines.hh File Reference	514

1 OCaml Language Interface

The Parma Polyhedra Library comes equipped with an interface for the OCaml language.

The main features of the library are described in Section [OCaml Interface Features](#). Section [OCaml doc Documentation](#) lists all the functions available to the default generated domains in the OCaml interface. Section [Compilation and Installation](#) explains how the OCaml interface is compiled and installed.

In the sequel, `prefix` is the prefix under which you have installed the library (typically `/usr` or `/usr/local`).

OCaml Interface Features

The OCaml interface provides access to the numerical abstractions (convex polyhedra, BD shapes, octagonal shapes, etc.) implemented by the PPL library. A general introduction to the numerical abstractions, their representation in the PPL and the operations provided by the PPL is given in the main *PPL user manual*. Here we just describe those aspects that are specific to the OCaml interface.

Overview

First, here is a list of notes with general information and advice on the use of the OCaml interface.

- The numerical abstract domains available to the OCaml user consist of the *simple* domains, *powersets* of a simple domain and *products* of simple domains.
 - The simple domains are:
 - * convex polyhedra, which consist of `C_Polyhedron` and `NNC_Polyhedron`;
 - * weakly relational, which consist of `BD_Shape_N` and `Octagonal_Shape_N` where `N` is one of the numeric types `short`, `signed_char`, `int`, `long`, `long_long`, `mpz_class`, `mpq_class`;

- * boxes which consist of `Int8_Box`, `Int16_Box`, `Int32_Box`, `Int64_Box`, `UInt8_Box`, `UInt16_Box`, `UInt32_Box`, `UInt64_Box`, `Double_Box`, `Long_Double_Box`, `Z_Box`, `Rational_Box`, `Float_Box`; and
- * the Grid domain.
- The powerset domains are `Pointset_Powerset_S` where `S` is a simple domain.
- The product domains consist of `Direct_Product_S_T`, `Smash_Product_S_T` and `Constraints_Product_S_T` where `S` and `T` are simple domains.
- In the following, any of the above numerical abstract domains is called a PPL *domain* and any element of a PPL domain is called a *PPL object*.
- The OCaml interface files are all installed in the directory `prefix/lib/ppl`. Since this includes shared and dynamically loaded libraries, you must make your dynamic linker/loader aware of this fact. If you use a GNU/Linux system, try the commands `man ld.so` and `man ldconfig` for more information.
- A PPL object such as a polyhedron can only be accessed by means of a OCaml term called a *handle*. Note, however, that the data structure of a handle, is implementation-dependent, system-dependent and version-dependent, and, for this reason, deliberately left unspecified. What we do guarantee is that the handle requires very little memory.
- An OCaml program can obtain a valid handle for a PPL object by using functions such as

```
ppl_new_C_Polyhedron_from_space_dimension,
ppl_new_C_Polyhedron_from_C_Polyhedron,
ppl_new_C_Polyhedron_from_constraints,
ppl_new_C_Polyhedron_from_generators.
```

These functions will return a new handle for referencing a PPL polyhedron.

- For a PPL object with space dimension k , the identifiers used for the PPL variables must lie between 0 and $k - 1$ and correspond to the indices of the associated Cartesian axes. For example, when using the functions that combine PPL polyhedra or add constraints or generators to a representation of a PPL polyhedron, the polyhedra referenced and any constraints or generators in the call should follow all the (space) dimension-compatibility rules stated in Section *Representations of Convex Polyhedra* of the main PPL user manual.
- As explained above, a polyhedron has a fixed topology `C` or `NNC`, that is determined at the time of its initialization. All subsequent operations on the polyhedron must respect all the topological compatibility rules stated in Section *Representations of Convex Polyhedra* of the main PPL user manual.
- Any application using the PPL should make sure that only the intended version(s) of the library are ever used. Functions

```
ppl_version_major,
ppl_version_minor,
ppl_version_revision,
ppl_version_beta,
ppl_version,
ppl_banner.
```

allow run-time checking of information about the version being used.

Function Descriptions

Below is a short description of many of the interface functions. For full definitions of terminology used here, see the main PPL user manual.

Domain Independent Functions

First we describe some domain independent functions included with all instantiations of the OCaml interfaces.

ppl_version_major

Returns the major number of the PPL version.

ppl_version_minor

Returns the minor number of the PPL version.

ppl_version_revision

Returns the revision number of the PPL version.

ppl_version_beta

Returns the beta number of the PPL version.

ppl_version

Returns the PPL version.

ppl_banner

Returns information about the PPL version, the licensing, the lack of any warranty whatsoever, the C++ compiler used to build the library, where to report bugs and where to look for further information.

ppl_max_space_dimension

Returns the maximum space dimension the C++ interface can handle.

ppl_Coefficient_bits

Returns the number of bits used in the C++ interface for PPL coefficients; 0 if unbounded.

ppl_Coefficient_is_bounded

Returns true if and only if the coefficients in the C++ interface are bounded.

ppl_Coefficient_max

If the coefficients are bounded, returns the maximum coefficient the C++ interface can handle.

ppl_Coefficient_min

If the coefficients are bounded, returns the minimum coefficient the C++ interface can handle.

ppl_io_wrap_string source_string indent_depth preferred_first_line_length preferred_line_length

Utility function for the wrapping of lines of text. The function wraps the lines of text stored in its first string argument according to the next three integer arguments, which are interpreted as the indentation depth, the preferred length for the first line and the preferred length for all the other lines, respectively; it returns a string containing the wrapped text.

ppl_set_timeout hsecs

Computations taking exponential time will be interrupted some time after `hsecs` hundredths of seconds after that call. If the computation is interrupted that way, a timeout exception will be thrown. An exception is immediately thrown if `hsecs` is not strictly greater than zero, or if the PPL Watchdog library is not enabled.

ppl_reset_timeout

Resets the timeout time so that the computation is not interrupted. An exception is thrown if the PPL Watchdog library is not enabled.

ppl_set_deterministic_timeout weight

Computations taking exponential time will be interrupted some time after reaching the `weight` complexity threshold. If the computation is interrupted that way, a timeout exception will be thrown. An exception is immediately thrown if `hsecs` is not strictly greater than zero, or if the PPL Watchdog library is not enabled. *NOTE:* This "timeout" checking functionality is said to be *deterministic* because it is not based on actual elapsed time. Its behavior will only depend on (some of the) computations performed in the PPL library and it will be otherwise independent from the computation environment (CPU, operating system, compiler, etc.). The weight mechanism is under alpha testing: client applications should be ready to reconsider the tuning of these weight thresholds when upgrading to newer version of the PPL.

ppl_reset_deterministic_timeout

Resets the timeout time so that the computation is not interrupted. An exception is thrown if the PPL Watchdog library is not enabled.

ppl_set_rounding_for_PPL

Sets the FPU rounding mode so that the PPL abstractions based on floating point numbers work correctly. This is performed automatically at initialization-time. Calling this function is needed only if `restore_pre_PPL_rounding` has previously been called.

ppl_restore_pre_PPL_rounding

Sets the FPU rounding mode as it was before initialization of the PPL. After calling this function it is absolutely necessary to call `set_rounding_for_PPL` before using any PPL abstractions based on floating point numbers. This is performed automatically at finalization-time.

ppl_irrational_precision

Returns the precision parameter for irrational calculations.

ppl_set_irrational_precision

Sets the precision parameter `p` for irrational calculations. In the following irrational calculations returning an unbounded rational (e.g., when computing a square root), the lesser between numerator and denominator will be limited to 2^{**p} .

MIP Functions

Here we describe some functions available for PPL objects defining mixed integer (linear) programming problems.

ppl_new_MIP_Problem_from_space_dimension dimension

Return a handle to an MIP Problem `MIP` with the feasible region the vector space of dimension `dimension`, objective function 0 and optimization mode `max`.

**ppl_new_MIP_Problem dimension constraint_system lin_expr
optimization_mode**

Return a handle to an MIP Problem `MIP` having space dimension `dimension`, a feasible region represented by `constraint_system`, objective function `lin_expr` and optimization mode `optimization_mode`.

ppl_MIP_Problem_get_control_parameter handle param_name

Returns the value of the control parameter named `param_name`.

ppl_MIP_Problem_set_control_parameter handle param_value

Sets control parameter value `param_value`.

ppl_MIP_Problem_swap handle_1 handle_2

Swaps the MIP Problem referenced by `handle_1` with the one referenced by `handle_2`.

ppl_MIP_Problem_space_dimension handle

Returns the dimension of the vector space in which the MIP Problem referenced by `handle` is embedded.

ppl_MIP_Problem_integer_space_dimensions handle

Returns a list of variables representing representing the integer space dimensions of the MIP Problem referenced by `handle`.

ppl_MIP_Problem_constraints handle

Returns a list of the constraints in the constraints system representing the feasible region for the MIP Problem referenced by `handle`.

ppl_MIP_Problem_objective_function handle

Returns the objective function for the MIP Problem referenced by `handle`.

ppl_MIP_Problem_optimization_mode handle

Returns the optimization mode for the MIP Problem referenced by `handle`.

ppl_MIP_Problem_clear handle

Resets the MIP problem referenced by `handle` to be the trivial problem with the feasible region the 0-dimensional universe, objective function 0 and optimization mode `Maximization`.

ppl_MIP_Problem_add_space_dimensions_and_embed handle dimension

Embeds the MIP problem referenced by `handle` in a space that is enlarged by `dimension` dimensions,

ppl_MIP_Problem_add_to_integer_space_dimensions handle vars_list

Updates the MIP Problem referenced by `handle` so that the variables in `vars_list` are added to the set of integer space dimensions.

ppl_MIP_Problem_add_constraint handle constraint

Updates the MIP Problem referenced by `handle` so that the feasible region is represented by the original constraint system together with the constraint `constraint`.

ppl_MIP_Problem_add_constraints handle constraint_system

Updates the MIP Problem referenced by `handle` so that the feasible region is represented by the original constraint system together with all the constraints in `constraint_system`.

ppl_MIP_Problem_set_objective_function handle lin_expr

Updates the MIP Problem referenced by `handle` so that the objective function is changed to `lin_expr`.

ppl_MIP_Problem_set_optimization_mode handle optimization_mode

Updates the MIP Problem referenced by `handle` so that the optimization mode is changed to `optimization_mode`.

ppl_MIP_Problem_is_satisfiable handle

Returns true if the MIP Problem referenced by `handle` is satisfiable and false otherwise.

ppl_MIP_Problem_solve handle

Solves the MIP problem referenced by `handle` and returns 0, if the MIP problem is not satisfiable; 1, if the MIP problem is satisfiable but there is no finite bound to the value of the objective function; 2, if the MIP problem admits an optimal solution.

ppl_MIP_Problem_feasible_point handle

Returns a feasible point for the MIP problem referenced by `handle`.

ppl_MIP_Problem_optimizing_point handle

Returns an optimizing point for the MIP problem referenced by `handle`.

ppl_MIP_Problem_optimal_value handle

Returns a pair of numbers, the first being the numerator and the second the denominator, for the optimal value for the MIP problem referenced by `handle`.

ppl_MIP_Problem_evaluate_objective_function handle generator

Evaluates the objective function of the MIP problem referenced by `handle` at point `generator`. Returns a pair of numbers, the first being the numerator and the second the denominator, for the objective function value for the MIP problem referenced by `handle`.

ppl_MIP_Problem_OK handle

Returns true if the MIP Problem referenced by `handle` is well formed, i.e., if it satisfies all its implementation invariants and false, otherwise. Useful for debugging purposes.

ppl_MIP_Problem_ascii_dump handle

Returns a string containing an ASCII dump of the internal representation of the MIP_Problem referenced by `handle`. Useful for debugging purposes.

PIP Functions

Here we describe some functions available for PPL objects defining parametric integer programming problems.

ppl_new_PIP_Problem_from_space_dimension dimension

Return a handle to a PIP Problem PIP with the feasible region the vector space of dimension `dimension`, empty `constraint_system` and empty set of parametric variables.

ppl_new_PIP_Problem dimension constraint_system vars_list

Return a handle to a PIP Problem PIP having space dimension `dimension`, a feasible region represented by `constraint_system` and parametric variables represented by `vars_list`.

ppl_PIP_Problem_get_control_parameter handle param_name

Returns the value of the control parameter named `param_name`.

ppl_PIP_Problem_set_control_parameter handle param_value

Sets control parameter value `param_value`.

ppl_PIP_Problem_swap handle_1 handle_2

Swaps the PIP Problem referenced by `handle_1` with the one referenced by `handle_2`.

ppl_PIP_Problem_space_dimension handle

Returns the dimension of the vector space in which the PIP Problem referenced by `handle` is embedded.

ppl_PIP_Problem_parameter_space_dimensions handle

Returns a list of variables representing representing the parameter space dimensions of the PIP Problem referenced by `handle`.

ppl_PIP_Problem_constraints handle

Returns a list of the constraints in the constraints system representing the feasible region for the PIP Problem referenced by `handle`.

ppl_PIP_Problem_clear handle

Resets the PIP problem referenced by `handle` to be the trivial problem with space dimension 0.

ppl_PIP_Problem_add_space_dimensions_and_embed *handle* *dimension_0* *dimension_1*

Embeds the PIP problem referenced by *handle* in a space that is enlarged by *dimension_0* non-parameter dimensions and *dimension_1* parameter dimensions,

ppl_PIP_Problem_add_to_parameter_space_dimensions *handle* *vars_list*

Sets the space dimensions whose indexes are in *vars_list* to be parameter space dimensions.

ppl_PIP_Problem_add_constraint *handle* *constraint*

Updates the PIP Problem referenced by *handle* so that the feasible region is represented by the original constraint system together with the constraint *constraint*.

ppl_PIP_Problem_add_constraints *handle* *constraint_system*

Updates the PIP Problem referenced by *handle* so that the feasible region is represented by the original constraint system together with all the constraints in *constraint_system*.

ppl_PIP_Problem_set_big_parameter_dimension *handle* *dimension*

Sets the dimension for the big parameter to *dimension*.

ppl_PIP_Problem_get_big_parameter_dimension *handle*

Returns the dimension for the big parameter. Exception is thrown if no big parameter dimension has been set.

ppl_PIP_Problem_has_big_parameter_dimension *handle*

Returns true if and only if the dimension for the big parameter has been set.

ppl_PIP_Problem_is_satisfiable *handle*

Returns true if the PIP Problem referenced by *handle* is satisfiable and false otherwise.

ppl_PIP_Problem_solve *handle*

Solves the PIP problem referenced by *handle* and returns a status flag indicating the outcome of the optimization attempt: `Optimized_Pip_Problem` if the optimization attempt succeeds; `Unfeasible_Pip_Problem` otherwise.

ppl_PIP_Problem_solution *handle*

Solves the PIP problem referenced by *handle* and returns a handle to a `PIP_Tree` representing a feasible solution, if it exists and bottom otherwise.

ppl_PIP_Problem_optimizing_solution handle

Solves the PIP problem referenced by `handle` and returns a handle to a `PIP_Tree` representing an `optimizing_solution`, if it exists and bottom otherwise.

ppl_PIP_Problem_OK handle

Returns true if the PIP Problem referenced by `handle` is well formed, i.e., if it satisfies all its implementation invariants and false, otherwise. Useful for debugging purposes.

ppl_PIP_Problem_ascii_dump handle

Returns a string containing an ASCII dump of the internal representation of the `PIP_Problem` referenced by `handle`. Useful for debugging purposes.

ppl_PIP_Tree_Node_swap handle_1 handle_2

Swaps the PIP tree node referenced by `handle_1` with the one referenced by `handle_2`.

ppl_PIP_Tree_Node_OK handle

Returns true if the PIP tree node referenced by `handle` is well formed, i.e., if it satisfies all its implementation invariants and false, otherwise. Useful for debugging purposes.

ppl_PIP_Tree_Node_ascii_dump handle

Returns a string containing an ASCII dump of the internal representation of the Pip tree node referenced by `handle`. Useful for debugging purposes.

ppl_PIP_Tree_Node_constraints handle

Returns a list of the parameter constraints in the PIP tree node referenced by `handle`.

ppl_PIP_Tree_Node_artificials handle

Returns a list of the artificial parameters in the PIP tree node referenced by `handle`.

ppl_PIP_Tree_Node_is_bottom handle

Returns true if and only if `handle` represents bottom.

ppl_PIP_Tree_Node_is_decision handle

Returns true if and only if `handle` represents a decision node.

ppl_PIP_Tree_Node_is_solution handle

Returns true if and only if `handle` represents a solution node.

ppl_PIP_Tree_Node_parametric_values handle var

Returns a linear expression representing the values of problem variable `var` in the solution node represented by `handle`. The returned linear expression may involve problem parameters as well as artificial parameters.

ppl_PIP_Tree_Node_true_child handle var

Returns a handle to the child on the true branch of the PIP tree node represented by `handle`.

ppl_PIP_Tree_Node_false_child handle var

Returns a handle to the child on the false branch of the PIP tree node represented by `handle`.

C_Polyhedron Functions

Here we describe the main functions available for PPL objects defining convex and closed polyhedra.

ppl_new_C_Polyhedron_from_space_dimension space_dimension universe_or_empty

Returns a handle to a C polyhedron $\mathcal{P}$ with `space_dimension` dimensions; it is empty or the universe polyhedron depending on whether `universe_or_empty` is `empty` or `universe`, respectively.

ppl_new_C_Polyhedron_from_C_Polyhedron handle

If `handle` refers to a C polyhedron $\mathcal{P}_1$, then the expression will return a handle to a copy $\mathcal{P}_2$ of $\mathcal{P}_1$.

ppl_new_C_Polyhedron_from_NNC_Polyhedron handle

If `handle` refers to an NNC polyhedron $\mathcal{P}_1$, then the expression returns a handle to a copy $\mathcal{P}_2$ of $\mathcal{P}_1$.

When using `ppl_new_C_Polyhedron_from_NNC_Polyhedron/2`, care must be taken that the source polyhedron referenced by `handle` is topologically closed.

ppl_new_C_Polyhedron_from_constraints constraint_system

Returns a handle to a C polyhedron $\mathcal{P}$ represented by `constraint_system`.

ppl_new_C_Polyhedron_from_generators generator_system

Returns a handle to a C polyhedron $\mathcal{P}$ represented by `generator_system`.

ppl_Polyhedron_swap handle_1 handle_2

Swaps the polyhedron $\mathcal{P}$ referenced by `handle_1` with the polyhedron $\mathcal{Q}$ referenced by `handle_2`. The polyhedra $\mathcal{P}$ and $\mathcal{Q}$ must have the same topology.

ppl_Polyhedron_space_dimension handle

Returns the dimension of the vector space in which the polyhedron referenced by `handle` is embedded.

ppl_Polyhedron_affine_dimension handle

Returns the actual dimension of the polyhedron referenced by `handle`.

ppl_Polyhedron_get_constraints handle

Return a list of the constraints in the constraints system representing the polyhedron referenced by `handle`.

ppl_Polyhedron_get_minimized_constraints handle

Returns a minimized list of the constraints in the constraints system representing the polyhedron referenced by `handle`.

ppl_Polyhedron_get_generators handle

Returns a list of the generators in the generators system representing the polyhedron referenced by `handle`.

ppl_Polyhedron_get_minimized_generators handle

Returns a minimized list of the generators in the generators system representing the polyhedron referenced by `handle`.

ppl_Polyhedron_relation_with_constraint handle constraint

Returns the list of relations the polyhedron referenced by `handle` has with `constraint`. The possible relations and their meaning is given in Section *Relation-With Operators* of the main PPL user manual.

ppl_Polyhedron_relation_with_generator handle generator

Returns the list of relations the polyhedron referenced by `handle` has with `generator`. The possible relations and their meaning is given in Section *Relation-With Operators* of the main PPL user manual.

ppl_Polyhedron_is_empty handle

Returns true if the polyhedron referenced by `handle` is empty and false, otherwise.

ppl_Polyhedron_is_universe handle

Returns true if the polyhedron referenced by `handle` is the universe and false, otherwise.

ppl_Polyhedron_is_bounded handle

Returns true if the polyhedron referenced by `handle` is bounded and false, otherwise.

ppl_Polyhedron_contains_integer_point handle

Returns true if the polyhedron referenced by `handle` contains at least one integer point and false, otherwise.

ppl_Polyhedron_bounds_from_above handle lin_expr

Returns true if the polyhedron referenced by `handle` is bounded from above by `lin_expr` and false, otherwise.

ppl_Polyhedron_bounds_from_below handle lin_expr

Returns true if the polyhedron referenced by `handle` is bounded from below by `lin_expr` and false, otherwise.

ppl_Polyhedron_maximize handle lin_expr

Returns a record `bool_1 * coefficient_1 * coefficient_2 * bool_2` where: `bool_1` is true if the polyhedron P referenced by `handle` is not empty and `lin_expr` is bounded from above in P and false, otherwise. `coefficient_1` is the numerator of the supremum value and `coefficient_2` the denominator of the supremum value. If the supremum is also the maximum, `bool_2` is true and false, otherwise.

ppl_Polyhedron_maximize_with_point handle lin_expr

Returns a record `bool_1 * coefficient_1 * coefficient_2 * bool_2 * Point` `bool_1` is true if the polyhedron P referenced by `handle` is not empty and `lin_expr` is bounded from above in P and false, otherwise. `coefficient_1` is the numerator of the supremum value and `coefficient_2` the denominator of the supremum value. If the supremum is also the maximum, `bool_2` is true and false, otherwise. `Point` is the point or closure point where `lin_expr` reaches the supremum.

ppl_Polyhedron_minimize handle lin_expr

Returns a record `bool_1 * coefficient_1 * coefficient_2 * bool_2` `bool_1` is true if the polyhedron P referenced by `handle` is not empty and `lin_expr` is bounded from below in P and false, otherwise. `coefficient_1` is the numerator of the infimum value and `coefficient_2` the denominator of the infimum value. If the infimum is also the minimum, `bool_2` is true and false, otherwise.

ppl_Polyhedron_minimize_with_point handle lin_expr

Returns a record `bool_1 * coefficient_1 * coefficient_2 * bool_2` `bool_1` is true if the polyhedron P referenced by `handle` is not empty and `lin_expr` is bounded from below in P and false, otherwise. `coefficient_1` is the numerator of the infimum value and `coefficient_2` the denominator of the infimum value. If the infimum is also the minimum, `bool_2` is true and false, otherwise. `Point` is the point or closure point where `lin_expr` reaches the infimum.

ppl_Polyhedron_is_topologically_closed handle

Returns true if the polyhedron referenced by `handle` is topologically closed and false, otherwise.

ppl_Polyhedron_contains_Polyhedron handle_1 handle_2

Returns true if the polyhedron referenced by `handle_2` is included in or equal to the polyhedron referenced by `handle_1` and false, otherwise.

ppl_Polyhedron_strictly_contains_Polyhedron handle_1 handle_2

Returns true if the polyhedron referenced by `handle_2` is included in but not equal to the polyhedron referenced by `handle_1` and false, otherwise.

ppl_Polyhedron_is_disjoint_from_Polyhedron handle_1 handle_2

Returns true if the polyhedron referenced by `handle_1` is disjoint from the polyhedron referenced by `handle_2` and false, otherwise.

ppl_Polyhedron_equals_Polyhedron handle_1 handle_2

Returns true if the polyhedron referenced by `handle_1` is equal to the polyhedron referenced by `handle_2` and false, otherwise.

ppl_Polyhedron_OK handle

Returns true if the polyhedron referenced by `handle` is well formed, i.e., if it satisfies all its implementation invariants and false, otherwise. Useful for debugging purposes.

ppl_Polyhedron_add_constraint handle constraint

Updates the polyhedron referenced by `handle` to one obtained by adding `constraint` to its constraint system.

ppl_Polyhedron_add_generator handle generator

Updates the polyhedron referenced by `handle` to one obtained by adding `generator` to its generator system.

ppl_Polyhedron_add_constraints handle constraint_system

Updates the polyhedron referenced by `handle` to one obtained by adding to its constraint system the constraints in `constraint_system`.

ppl_C_Polyhedron_add_generators handle generator_system

Updates the polyhedron referenced by `handle` to one obtained by adding to its generator system the generators in `generator_system`.

ppl_Polyhedron_intersection_assign handle_1 handle_2

Assigns to the polyhedron referenced by `handle_1` its intersection with the polyhedron referenced by `handle_2`.

ppl_Polyhedron_poly_hull_assign handle_1 handle_2

Assigns to the polyhedron referenced by `handle_1` its poly-hull with the polyhedron referenced by `handle_2`.

ppl_Polyhedron_poly_difference_assign handle_1 handle_2

Assigns to the polyhedron referenced by `handle_1` its poly-difference with the polyhedron referenced by `handle_2`.

ppl_Polyhedron_affine_image handle var lin_expr coefficient

Transforms the polyhedron referenced by `handle` assigning the affine expression `lin_expr/coefficient` to `var`.

ppl_Polyhedron_affine_preimage handle var lin_expr coefficient

This is the inverse transformation to that for `ppl_affine_image`.

ppl_Polyhedron_bounded_affine_image handle var lin_expr_1 lin_expr_2 coefficient

Transforms the polyhedron referenced by `handle` assigning the image with respect to the transfer relation `lin_expr_1/coefficient <= var <= lin_expr_2/coefficient`.

ppl_Polyhedron_generalized_affine_image handle var Relation_Symbol lin_expr coefficient

Transforms the polyhedron referenced by `handle` assigning the generalized affine image with respect to the transfer function `var Relation_Symbol lin_expr/coefficient`.

**ppl_Polyhedron_generalized_affine_image_lhs_rhs handle lin_expr_1
Relation_Symbol lin_expr_2**

Transforms the polyhedron referenced by `handle` assigning the generalized affine image with respect to the transfer function `lin_expr_1 Relation_Symbol lin_expr_2`.

ppl_Polyhedron_time_elapse_assign handle_1 handle_2

Assigns to the polyhedron $\mathcal{P}$ referenced by `handle_1` the time-elapse $(\mathcal{P} \nearrow \mathcal{Q})$ with the polyhedron $\mathcal{Q}$ referenced by `handle_2`.

ppl_Polyhedron_BHRZ03_widening_assign handle_1 handle_2

If the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, then `handle_1` will refer to the BHRZ03-widening of $\mathcal{P}_1$ with $\mathcal{P}_2$.

**ppl_Polyhedron_BHRZ03_widening_assign_with_tokens handle_1 handle_2
c_unsigned_1**

It is assumed that the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`; let $\mathcal{P}$ denote the BHRZ03-widening of $\mathcal{P}_1$ with $\mathcal{P}_2$. Assuming that the quantity t_1 given by `c_unsigned_1` is the number of tokens available, Then this function will return the number of tokens remaining at the end of the operation.

**ppl_Polyhedron_limited_BHRZ03_extrapolation_assign handle_1 handle_2
constraint_system**

If the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, then `handle_1` will refer to the BHRZ03-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$ improved by enforcing the constraints in `constraint_system`.

**ppl_Polyhedron_limited_BHRZ03_extrapolation_assign_with_tokens
handle_1 handle_2 constraint_system c_unsigned_1**

It is assumed that the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`; let $\mathcal{P}$ denote the BHRZ03-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$, improved by enforcing those constraints in `constraint_system`.

Assuming that the quantity t_1 given by `c_unsigned_1` is the number of tokens available, then this function will return the number of tokens t_2 remaining at the end of the operation.

**ppl_Polyhedron_bounded_BHRZ03_extrapolation_assign handle_1 handle_2
constraint_system**

If the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, then `handle_1` will refer to the BHRZ03-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$ improved by enforcing the constraints in `constraint_system` together with all constraints of the form $\pm x \leq r$ and $\pm x < r$ that are satisfied by every point in $\mathcal{P}_1$.

ppl_Polyhedron_bounded_BHRZ03_extrapolation_assign_with_tokens
handle_1 handle_2 constraint_system c_unsigned_1

It is assumed that the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`; let $\mathcal{P}$ denote the BHRZ03-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$ improved by enforcing those constraints in `constraint_system` together with all constraints of the form $\pm x \leq r$ and $\pm x < r$ that are satisfied by every point in $\mathcal{P}_1$.

Assuming that the quantity t_1 given by `c_unsigned_1` is the number of tokens available, this function will return the number of tokens t_2 remaining at the end of the operation.

ppl_Polyhedron_H79_widening_assign handle_1 handle_2

If the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, then `handle_1` will refer to the H79-widening of $\mathcal{P}_1$ with $\mathcal{P}_2$.

ppl_Polyhedron_H79_widening_assign_with_tokens handle_1 handle_2 c_unsigned_1

It is assumed that the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`; let $\mathcal{P}$ denote the H79-widening of $\mathcal{P}_1$ with $\mathcal{P}_2$. Assuming that the quantity t_1 given by `c_unsigned_1` is the number of tokens available, Then this function will return the number of tokens remaining at the end of the operation.

ppl_Polyhedron_limited_H79_extrapolation_assign handle_1 handle_2
constraint_system

If the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, then `handle_1` will refer to the H79-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$ improved by enforcing the constraints in `constraint_system`.

ppl_Polyhedron_limited_H79_extrapolation_assign_with_tokens handle_1
handle_2 constraint_system c_unsigned_1

It is assumed that the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`; let $\mathcal{P}$ denote the H79-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$, improved by enforcing those constraints in `constraint_system`.

Assuming that the quantity t_1 given by `c_unsigned_1` is the number of tokens available, then this function will return the number of tokens t_2 remaining at the end of the operation.

ppl_Polyhedron_bounded_H79_extrapolation_assign handle_1 handle_2
constraint_system

If the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, then `handle_1` will refer to the H79-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$ improved by enforcing the constraints in `constraint_system` together with all constraints of the form $\pm x \leq r$ and $\pm x < r$ that are satisfied by every point in $\mathcal{P}_1$.

ppl_Polyhedron_bounded_H79_extrapolation_assign_with_tokens handle_1 handle_2 constraint_system c_unsigned_1

It is assumed that the polyhedron $\mathcal{P}_1$ referenced by `handle_1` contains the polyhedron $\mathcal{P}_2$ referenced by `handle_2`; let $\mathcal{P}$ denote the H79-extrapolation of $\mathcal{P}_1$ with $\mathcal{P}_2$, improved by enforcing those constraints in `constraint_system` together with all constraints of the form $\pm x \leq r$ and $\pm x < r$ that are satisfied by every point in $\mathcal{P}_1$.

Assuming that the quantity t_1 given by `c_unsigned_1` is the number of tokens available, this function will return the number of tokens t_2 remaining at the end of the operation.

ppl_Polyhedron_topological_closure_assign handle

Assigns to the polyhedron referenced by `handle` its topological closure.

ppl_Polyhedron_add_space_dimensions_and_embed handle space_dimension

Embeds the polyhedron referenced by `handle` in a space that is enlarged by `space_dimension` dimensions,

ppl_Polyhedron_concatenate_assign handle_1 handle_2

Updates the polyhedron $\mathcal{P}_1$ referenced by `handle_1` by first embedding $\mathcal{P}_1$ in a new space enlarged by the space dimensions of the polyhedron $\mathcal{P}_2$ referenced by `handle_2`, and then adds to its system of constraints a renamed-apart version of the constraints of $\mathcal{P}_2$.

ppl_Polyhedron_add_space_dimensions_and_project handle space_dimension

Projects the polyhedron referenced by `handle` onto a space that is enlarged by `space_dimension` dimensions,

ppl_Polyhedron_remove_space_dimensions handle Int_List

Removes the space dimensions given by the identifiers of the PPL variables in list `Int_List` from the polyhedron referenced by `handle`. The identifiers for the remaining PPL variables are renumbered so that they are consecutive and the maximum index is less than the number of dimensions.

ppl_Polyhedron_remove_higher_space_dimensions handle space_dimension

Projects the polyhedron referenced to by `handle` onto the first `space_dimension` dimensions.

ppl_Polyhedron_expand_space_dimension handle var space_dimension

`space_dimension` copies of the space dimension referenced by variable `var` are added to the polyhedron referenced to by `handle`.

ppl_Polyhedron_fold_space_dimensions handle list_of_vars var

The space dimensions referenced by the PPL variables in list `list_of_vars` are folded into the dimension referenced by `var` and removed. The result is undefined if `list_of_vars` does not have the properties described in Section *Folding Multiple Dimensions of the Vector Space into One Dimension* of the main PPL user manual.

ppl_Polyhedron_map_space_dimensions handle p_func

Maps the space dimensions of the polyhedron referenced by `handle` using the partial function defined by a list of pairs of integers `p_func`. The result is undefined if `p_func` does not encode a partial function with the properties described in Section *Mapping the Dimensions of the Vector Space* of the main PPL user manual.

**ppl_Polyhedron_wrap_assign handle list_of_vars width representation
overflow constraint_system complexity_threshold wrap_indicator**

Transforms the polyhedron referenced by `handle` by wrapping the dimensions given by `list_of_vars` while respecting the specified `width`, `representation` and `overflow` behavior of all these variables. The parameter `constraint_system` represents the conditional or looping construct guard with respect to which wrapping is performed. The non-negative integer `complexity_threshold` and Boolean `wrap_indicator` allow control of the complexity/precision ratio; higher values for `complexity_threshold` will lead to possibly greater precision while a true value for `wrap_indicator` indicates that the space dimensions should be wrapped individually. See Section *Wrapping Operator* for a more detailed description of this operator.

ppl_Polyhedron_ascii_dump handle

Returns a string containing an ASCII dump of the internal representation of the polyhedron referenced by `handle`. Useful for debugging purposes.

OCamlDoc Documentation

NOTE: the complete documentation for module `Ppl_ocaml`, including all the types and functions that were enabled at configuration time, is only available in the *configuration dependent* OCamlDoc documentation. The configuration independent OCamlDoc documentation only contains those types and functions that are always enabled, which are grouped into module `Ppl_ocaml_globals`. Also note that module `Ppl_ocaml` automatically includes module `Ppl_ocaml_globals`.

2 Module Ppl_ocaml

```
exception PPL_arithmetic_overflow of string
exception PPL_timeout_exception
exception PPL_internal_error of string
exception PPL_unknown_standard_exception of string
exception PPL_unexpected_error of string
type degenerate_element =
```

```

    | Universe
    | Empty
type linear_expression =
    | Variable of int
    | Coefficient of Gmp.Z.t
    | Unary_Plus of linear_expression
    | Unary_Minus of linear_expression
    | Plus of linear_expression * linear_expression
    | Minus of linear_expression * linear_expression
    | Times of Gmp.Z.t * linear_expression
type linear_constraint =
    | Less_Than of linear_expression * linear_expression
    | Less_Or_Equal of linear_expression * linear_expression
    | Equal of linear_expression * linear_expression
    | Greater_Than of linear_expression * linear_expression
    | Greater_Or_Equal of linear_expression * linear_expression
type linear_generator =
    | Line of linear_expression
    | Ray of linear_expression
    | Point of linear_expression * Gmp.Z.t
    | Closure_Point of linear_expression * Gmp.Z.t
type linear_grid_generator =
    | Grid_Line of linear_expression
    | Grid_Parameter of linear_expression * Gmp.Z.t
    | Grid_Point of linear_expression * Gmp.Z.t
type poly_gen_relation =
    | Subsumes
type poly_con_relation =
    | Is_Disjoint
    | Strictly_Intersects
    | Is_Included
    | Saturates
type relation_with_congruence =
    | Is_Disjoint
    | Strictly_Intersects
    | Is_Included
type linear_congruence = linear_expression * linear_expression * Gmp.Z.t
type constraint_system = linear_constraint list
type generator_system = linear_generator list
type grid_generator_system = linear_grid_generator list
type congruence_system = linear_congruence list
type relation_symbol =
    | Less_Than_RS
    | Less_Or_Equal_RS
    | Equal_RS
    | Greater_Than_RS
    | Greater_Or_Equal_RS
type bounded_integer_type_overflow =
    | Overflow_Wraps
    | Overflow_Undefined
    | Overflow_Impossible

```

```

type bounded_integer_type_representation =
  | Unsigned
  | Signed_2_Complement
type bounded_integer_type_width =
  | Bits_8
  | Bits_16
  | Bits_32
  | Bits_64
  | Bits_128
type complexity_class =
  | Polynomial_Complexity
  | Simplex_Complexity
  | Any_Complexity
type optimization_mode =
  | Minimization
  | Maximization
type mip_problem_status =
  | Unfeasible_Mip_Problem
  | Unbounded_Mip_Problem
  | Optimized_Mip_Problem
type control_parameter_name =
  | Pricing
type control_parameter_value =
  | Pricing_Steepest_Edge_Float
  | Pricing_Steepest_Edge_Exact
  | Pricing_Textbook
type pip_problem_status =
  | Unfeasible_Pip_Problem
  | Optimized_Pip_Problem
type pip_problem_control_parameter_name =
  | Cutting_Strategy
  | Pivot_Row_Strategy
type pip_problem_control_parameter_value =
  | Cutting_Strategy_First
  | Cutting_Strategy_Deeppest
  | Cutting_Strategy_All
  | Pivot_Row_Strategy_First
  | Pivot_Row_Strategy_Max_Columnn
val ppl_version_major : unit -> int
val ppl_version_minor : unit -> int
val ppl_version_revision : unit -> int
val ppl_version_beta : unit -> int
val ppl_version : unit -> string
val ppl_banner : unit -> string
val ppl_io_wrap_string : string -> int -> int -> int -> string
val ppl_max_space_dimension : unit -> int
val ppl_Coefficient_bits : unit -> int
val ppl_Coefficient_is_bounded : unit -> bool
val ppl_Coefficient_max : unit -> Gmp.Z.t

```

```

val ppl_Coefficient_min : unit -> Gmp.Z.t
val ppl_Linear_Expression_is_zero : linear_expression -> bool
val ppl_Linear_Expression_all_homogeneous_terms_are_zero :
  linear_expression -> bool
val ppl_set_rounding_for_PPL : unit -> unit
val ppl_restore_pre_PPL_rounding : unit -> unit
val ppl_irrational_precision : unit -> int
val ppl_set_irrational_precision : int -> unit
val ppl_set_timeout : int -> unit
val ppl_reset_timeout : unit -> unit
val ppl_set_deterministic_timeout : int -> unit
val ppl_reset_deterministic_timeout : unit -> unit
type mip_problem
val ppl_new_MIP_Problem_from_space_dimension : int -> mip_problem
val ppl_new_MIP_Problem :
  int ->
  constraint_system ->
  linear_expression ->
  optimization_mode -> mip_problem
val ppl_MIP_Problem_space_dimension : mip_problem -> int
val ppl_MIP_Problem_integer_space_dimensions : mip_problem -> int list
val ppl_MIP_Problem_constraints : mip_problem -> constraint_system
val ppl_MIP_Problem_add_space_dimensions_and_embed :
  mip_problem -> int -> unit
val ppl_MIP_Problem_add_to_integer_space_dimensions :
  mip_problem -> int list -> unit
val ppl_MIP_Problem_add_constraint : mip_problem -> linear_constraint -> unit
val ppl_MIP_Problem_add_constraints :
  mip_problem -> constraint_system -> unit
val ppl_MIP_Problem_set_objective_function :
  mip_problem -> linear_expression -> unit
val ppl_MIP_Problem_is_satisfiable : mip_problem -> bool
val ppl_MIP_Problem_solve : mip_problem -> mip_problem_status
val ppl_MIP_Problem_optimization_mode : mip_problem -> optimization_mode
val ppl_MIP_Problem_feasible_point : mip_problem -> linear_generator
val ppl_MIP_Problem_optimizing_point : mip_problem -> linear_generator
val ppl_MIP_Problem_objective_function : mip_problem -> linear_expression
val ppl_MIP_Problem_optimal_value : mip_problem -> Gmp.Z.t * Gmp.Z.t
val ppl_MIP_Problem_evaluate_objective_function :
  mip_problem -> linear_generator -> Gmp.Z.t * Gmp.Z.t
val ppl_MIP_Problem_OK : mip_problem -> bool
val ppl_MIP_Problem_clear : mip_problem -> unit
val ppl_MIP_Problem_set_optimization_mode :
  mip_problem -> optimization_mode -> unit
val ppl_MIP_Problem_set_control_parameter :
  mip_problem -> control_parameter_value -> unit

```



```

val ppl_MIP_Problem_get_control_parameter :
  mip_problem ->
  control_parameter_name -> control_parameter_value
val ppl_MIP_Problem_swap : mip_problem -> mip_problem -> unit
val ppl_MIP_Problem_ascii_dump : mip_problem -> string
type pip_problem
type pip_tree_node
type artificial_parameter = linear_expression * Gmp.Z.t
val ppl_new_PIP_Problem_from_space_dimension : int -> pip_problem
val ppl_new_PIP_Problem : int -> constraint_system -> int list -> pip_problem
val ppl_PIP_Problem_space_dimension : pip_problem -> int
val ppl_PIP_Problem_parameter_space_dimensions : pip_problem -> int list
val ppl_PIP_Problem_constraints : pip_problem -> constraint_system
val ppl_PIP_Problem_add_space_dimensions_and_embed :
  pip_problem -> int -> int -> unit
val ppl_PIP_Problem_add_to_parameter_space_dimensions :
  pip_problem -> int list -> unit
val ppl_PIP_Problem_add_constraint : pip_problem -> linear_constraint -> unit
val ppl_PIP_Problem_add_constraints :
  pip_problem -> constraint_system -> unit
val ppl_PIP_Problem_is_satisfiable : pip_problem -> bool
val ppl_PIP_Problem_solve : pip_problem -> pip_problem_status
val ppl_PIP_Problem_solution : pip_problem -> pip_tree_node
val ppl_PIP_Problem_optimizing_solution : pip_problem -> pip_tree_node
val ppl_PIP_Problem_get_big_parameter_dimension : pip_problem -> int
val ppl_PIP_Problem_set_big_parameter_dimension : pip_problem -> int -> unit
val ppl_PIP_Problem_has_big_parameter_dimension : pip_problem -> bool
val ppl_PIP_Problem_OK : pip_problem -> bool
val ppl_PIP_Problem_clear : pip_problem -> unit
val ppl_PIP_Problem_set_control_parameter :
  pip_problem ->
  pip_problem_control_parameter_value -> unit
val ppl_PIP_Problem_get_control_parameter :
  pip_problem ->
  pip_problem_control_parameter_name ->
  pip_problem_control_parameter_value
val ppl_PIP_Problem_swap : pip_problem -> pip_problem -> unit
val ppl_PIP_Problem_ascii_dump : pip_problem -> string
val ppl_PIP_Tree_Node_constraints : pip_tree_node -> constraint_system
val ppl_PIP_Tree_Node_artificials :
  pip_tree_node -> artificial_parameter list
val ppl_PIP_Tree_Node_ascii_dump : pip_tree_node -> string
val ppl_PIP_Tree_Node_OK : pip_tree_node -> bool
val ppl_PIP_Tree_Node_is_bottom : pip_tree_node -> bool
val ppl_PIP_Tree_Node_is_solution : pip_tree_node -> bool
val ppl_PIP_Tree_Node_parametric_values :

```

```

    pip_tree_node -> int -> linear_expression
val ppl_PIP_Tree_Node_is_decision : pip_tree_node -> bool
val ppl_PIP_Tree_Node_true_child : pip_tree_node -> pip_tree_node
val ppl_PIP_Tree_Node_false_child : pip_tree_node -> pip_tree_node
type int8_box
type int16_box
type int32_box
type int64_box
type uint8_box
type uint16_box
type uint32_box
type uint64_box
type z_box
type rational_box
type bd_shape_int8_t
type bd_shape_int16_t
type bd_shape_int32_t
type bd_shape_int64_t
type bd_shape_mpz_class
type bd_shape_mpq_class
type octagonal_shape_int8_t
type octagonal_shape_int16_t
type octagonal_shape_int32_t
type octagonal_shape_int64_t
type octagonal_shape_mpz_class
type octagonal_shape_mpq_class
type polyhedron
type grid
type pointset_powerset_int8_box
type pointset_powerset_int16_box
type pointset_powerset_int32_box
type pointset_powerset_int64_box
type pointset_powerset_uint8_box
type pointset_powerset_uint16_box
type pointset_powerset_uint32_box
type pointset_powerset_uint64_box
type pointset_powerset_rational_box
type pointset_powerset_z_box
type pointset_powerset_bd_shape_int8_t
type pointset_powerset_bd_shape_int16_t
type pointset_powerset_bd_shape_int32_t
type pointset_powerset_bd_shape_int64_t
type pointset_powerset_bd_shape_mpq_class

```

```

type pointset_powerset_bd_shape_mpz_class
type pointset_powerset_octagonal_shape_int8_t
type pointset_powerset_octagonal_shape_int16_t
type pointset_powerset_octagonal_shape_int32_t
type pointset_powerset_octagonal_shape_int64_t
type pointset_powerset_octagonal_shape_mpq_class
type pointset_powerset_octagonal_shape_mpz_class
type pointset_powerset_c_polyhedron
type pointset_powerset_nnc_polyhedron
type pointset_powerset_grid
type constraints_product_c_polyhedron_grid
type constraints_product_nnc_polyhedron_grid
type constraints_product_grid_c_polyhedron
type constraints_product_grid_nnc_polyhedron
type float_box
type bd_shape_float
type octagonal_shape_float
type pointset_powerset_float_box
type pointset_powerset_bd_shape_float
type pointset_powerset_octagonal_shape_float
type double_box
type bd_shape_double
type octagonal_shape_double
type pointset_powerset_double_box
type pointset_powerset_bd_shape_double
type pointset_powerset_octagonal_shape_double
type long_double_box
type bd_shape_long_double
type octagonal_shape_long_double
type pointset_powerset_long_double_box
type pointset_powerset_bd_shape_long_double
type pointset_powerset_octagonal_shape_long_double
val ppl_new_Int8_Box_from_space_dimension :
  int -> degenerate_element -> int8_box
val ppl_new_Int8_Box_from_Int8_Box : int8_box -> int8_box
val ppl_new_Int8_Box_from_Int16_Box : int16_box -> int8_box
val ppl_new_Int8_Box_from_Int32_Box : int32_box -> int8_box
val ppl_new_Int8_Box_from_Int64_Box : int64_box -> int8_box
val ppl_new_Int8_Box_from_Uint8_Box : uint8_box -> int8_box
val ppl_new_Int8_Box_from_Uint16_Box : uint16_box -> int8_box
val ppl_new_Int8_Box_from_Uint32_Box : uint32_box -> int8_box
val ppl_new_Int8_Box_from_Uint64_Box : uint64_box -> int8_box
val ppl_new_Int8_Box_from_Z_Box : z_box -> int8_box
val ppl_new_Int8_Box_from_Rational_Box : rational_box -> int8_box

```

```

val ppl_new_Int8_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_mpz_class : bd_shape_mpz_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_mpq_class : bd_shape_mpq_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> int8_box
val ppl_new_Int8_Box_from_C_Polyhedron : polyhedron -> int8_box
val ppl_new_Int8_Box_from_NNC_Polyhedron : polyhedron -> int8_box
val ppl_new_Int8_Box_from_Grid : grid -> int8_box
val ppl_new_Int8_Box_from_Float_Box : float_box -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_float : bd_shape_float -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> int8_box
val ppl_new_Int8_Box_from_Double_Box : double_box -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_double : bd_shape_double -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> int8_box
val ppl_new_Int8_Box_from_Long_Double_Box : long_double_box -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> int8_box
val ppl_new_Int8_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Uint32_Box_with_complexity :

```

```

    uint32_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Uint64_Box_with_complexity :
    uint64_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Z_Box_with_complexity :
    z_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Rational_Box_with_complexity :
    rational_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> int8_box
val ppl_new_Int8_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Grid_with_complexity :
    grid -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Float_Box_with_complexity :

```

```

float_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> int8_box
val ppl_new_Int8_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_double_with_complexity :
  bd_shape_double -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> int8_box
val ppl_new_Int8_Box_from_Long_Double_Box_with_complexity :
  long_double_box -> complexity_class -> int8_box
val ppl_new_Int8_Box_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> int8_box
val ppl_new_Int8_Box_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> int8_box
val ppl_new_Int8_Box_from_constraints : constraint_system -> int8_box
val ppl_new_Int8_Box_from_congruences : congruence_system -> int8_box
val ppl_new_Int8_Box_from_generators : generator_system -> int8_box
val ppl_Int8_Box_swap : int8_box -> int8_box -> unit
val ppl_Int8_Box_space_dimension : int8_box -> int
val ppl_Int8_Box_affine_dimension : int8_box -> int
val ppl_Int8_Box_relation_with_constraint :
  int8_box ->
  linear_constraint -> poly_con_relation list
val ppl_Int8_Box_relation_with_generator :
  int8_box ->
  linear_generator -> poly_gen_relation list
val ppl_Int8_Box_relation_with_congruence :
  int8_box ->
  linear_congruence -> poly_con_relation list
val ppl_Int8_Box_get_constraints : int8_box -> constraint_system
val ppl_Int8_Box_get_congruences : int8_box -> congruence_system
val ppl_Int8_Box_get_minimized_constraints : int8_box -> constraint_system
val ppl_Int8_Box_get_minimized_congruences : int8_box -> congruence_system
val ppl_Int8_Box_is_empty : int8_box -> bool
val ppl_Int8_Box_is_universe : int8_box -> bool
val ppl_Int8_Box_is_bounded : int8_box -> bool
val ppl_Int8_Box_contains_integer_point : int8_box -> bool
val ppl_Int8_Box_is_topologically_closed : int8_box -> bool
val ppl_Int8_Box_is_discrete : int8_box -> bool
val ppl_Int8_Box_topological_closure_assign : int8_box -> unit

```

```

val ppl_Int8_Box_bounds_from_above : int8_box -> linear_expression -> bool
val ppl_Int8_Box_bounds_from_below : int8_box -> linear_expression -> bool
val ppl_Int8_Box_maximize :
  int8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int8_Box_minimize :
  int8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int8_Box_maximize_with_point :
  int8_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int8_Box_minimize_with_point :
  int8_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int8_Box_frequency :
  int8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Int8_Box_contains_Int8_Box : int8_box -> int8_box -> bool
val ppl_Int8_Box_strictly_contains_Int8_Box : int8_box -> int8_box -> bool
val ppl_Int8_Box_is_disjoint_from_Int8_Box : int8_box -> int8_box -> bool
val ppl_Int8_Box_equals_Int8_Box : int8_box -> int8_box -> bool
val ppl_Int8_Box_OK : int8_box -> bool
val ppl_Int8_Box_add_constraint : int8_box -> linear_constraint -> unit
val ppl_Int8_Box_add_congruence : int8_box -> linear_congruence -> unit
val ppl_Int8_Box_add_constraints : int8_box -> constraint_system -> unit
val ppl_Int8_Box_add_congruences : int8_box -> congruence_system -> unit
val ppl_Int8_Box_refine_with_constraint :
  int8_box -> linear_constraint -> unit
val ppl_Int8_Box_refine_with_congruence :
  int8_box -> linear_congruence -> unit
val ppl_Int8_Box_refine_with_constraints :
  int8_box -> constraint_system -> unit
val ppl_Int8_Box_refine_with_congruences :
  int8_box -> congruence_system -> unit
val ppl_Int8_Box_intersection_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_upper_bound_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_difference_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_concatenate_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_time_elapse_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_upper_bound_assign_if_exact : int8_box -> int8_box -> bool
val ppl_Int8_Box_simplify_using_context_assign : int8_box -> int8_box -> bool
val ppl_Int8_Box_constrains : int8_box -> int -> bool
val ppl_Int8_Box_unconstrain_space_dimension : int8_box -> int -> unit
val ppl_Int8_Box_unconstrain_space_dimensions : int8_box -> int list -> unit
val ppl_Int8_Box_affine_image :

```

```

    int8_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int8_Box_affine_preimage :
    int8_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int8_Box_bounded_affine_image :
    int8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int8_Box_bounded_affine_preimage :
    int8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int8_Box_generalized_affine_image :
    int8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int8_Box_generalized_affine_preimage :
    int8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int8_Box_generalized_affine_image_lhs_rhs :
    int8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Int8_Box_generalized_affine_preimage_lhs_rhs :
    int8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Int8_Box_add_space_dimensions_and_embed : int8_box -> int -> unit
val ppl_Int8_Box_add_space_dimensions_and_project : int8_box -> int -> unit
val ppl_Int8_Box_remove_space_dimensions : int8_box -> int list -> unit
val ppl_Int8_Box_remove_higher_space_dimensions : int8_box -> int -> unit
val ppl_Int8_Box_expand_space_dimension : int8_box -> int -> int -> unit
val ppl_Int8_Box_fold_space_dimensions : int8_box -> int list -> int -> unit
val ppl_Int8_Box_map_space_dimensions : int8_box -> (int * int) list -> unit
val ppl_Int8_Box_drop_some_non_integer_points :
    int8_box -> complexity_class -> unit
val ppl_Int8_Box_drop_some_non_integer_points_2 :
    int8_box -> int list -> complexity_class -> unit
val ppl_Int8_Box_ascii_dump : int8_box -> string
val ppl_Int8_Box_external_memory_in_bytes : int8_box -> int
val ppl_Int8_Box_total_memory_in_bytes : int8_box -> int
val ppl_Int8_Box_CC76_widening_assign_with_tokens :
    int8_box -> int8_box -> int -> int
val ppl_Int8_Box_CC76_widening_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_widening_assign_with_tokens :
    int8_box -> int8_box -> int -> int
val ppl_Int8_Box_widening_assign : int8_box -> int8_box -> unit
val ppl_Int8_Box_limited_CC76_extrapolation_assign_with_tokens :

```



```

    int8_box ->
    int8_box -> constraint_system -> int -> int
val ppl_Int8_Box_limited_CC76_extrapolation_assign :
    int8_box ->
    int8_box -> constraint_system -> unit
val ppl_Int8_Box_linear_partition :
    int8_box ->
    int8_box ->
    int8_box * pointset_powerset_nnc_polyhedron
val ppl_Int8_Box_wrap_assign :
    int8_box ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Int8_Box : int8_box -> bool
val ppl_termination_test_PR_Int8_Box : int8_box -> bool
val ppl_one_affine_ranking_function_MS_Int8_Box :
    int8_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int8_Box :
    int8_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int8_Box : int8_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int8_Box : int8_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int8_Box :
    int8_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Int8_Box_2 : int8_box -> int8_box -> bool
val ppl_termination_test_PR_Int8_Box_2 : int8_box -> int8_box -> bool
val ppl_one_affine_ranking_function_MS_Int8_Box_2 :
    int8_box -> int8_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int8_Box_2 :
    int8_box -> int8_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int8_Box_2 :
    int8_box -> int8_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int8_Box_2 :
    int8_box -> int8_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int8_Box_2 :
    int8_box ->
    int8_box -> polyhedron * polyhedron
val ppl_new_Int16_Box_from_space_dimension :
    int -> degenerate_element -> int16_box
val ppl_new_Int16_Box_from_Int8_Box : int8_box -> int16_box
val ppl_new_Int16_Box_from_Int16_Box : int16_box -> int16_box
val ppl_new_Int16_Box_from_Int32_Box : int32_box -> int16_box
val ppl_new_Int16_Box_from_Int64_Box : int64_box -> int16_box
val ppl_new_Int16_Box_from_Uint8_Box : uint8_box -> int16_box
val ppl_new_Int16_Box_from_Uint16_Box : uint16_box -> int16_box
val ppl_new_Int16_Box_from_Uint32_Box : uint32_box -> int16_box

```

```

val ppl_new_Int16_Box_from_Uint64_Box : uint64_box -> int16_box
val ppl_new_Int16_Box_from_Z_Box : z_box -> int16_box
val ppl_new_Int16_Box_from_Rational_Box : rational_box -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> int16_box
val ppl_new_Int16_Box_from_C_Polyhedron : polyhedron -> int16_box
val ppl_new_Int16_Box_from_NNC_Polyhedron : polyhedron -> int16_box
val ppl_new_Int16_Box_from_Grid : grid -> int16_box
val ppl_new_Int16_Box_from_Float_Box : float_box -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_float : bd_shape_float -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> int16_box
val ppl_new_Int16_Box_from_Double_Box : double_box -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_double : bd_shape_double -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> int16_box
val ppl_new_Int16_Box_from_Long_Double_Box : long_double_box -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> int16_box
val ppl_new_Int16_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> int16_box

```

```

val ppl_new_Int16_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> int16_box

```

```

val ppl_new_Int16_Box_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Grid_with_complexity :
  grid -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Float_Box_with_complexity :
  float_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> int16_box
val ppl_new_Int16_Box_from_constraints : constraint_system -> int16_box
val ppl_new_Int16_Box_from_congruences : congruence_system -> int16_box
val ppl_new_Int16_Box_from_generators : generator_system -> int16_box
val ppl_Int16_Box_swap : int16_box -> int16_box -> unit
val ppl_Int16_Box_space_dimension : int16_box -> int
val ppl_Int16_Box_affine_dimension : int16_box -> int
val ppl_Int16_Box_relation_with_constraint :
  int16_box ->
  linear_constraint -> poly_con_relation list
val ppl_Int16_Box_relation_with_generator :
  int16_box ->
  linear_generator -> poly_gen_relation list
val ppl_Int16_Box_relation_with_congruence :
  int16_box ->
  linear_congruence -> poly_con_relation list
val ppl_Int16_Box_get_constraints : int16_box -> constraint_system
val ppl_Int16_Box_get_congruences : int16_box -> congruence_system
val ppl_Int16_Box_get_minimized_constraints : int16_box -> constraint_system
val ppl_Int16_Box_get_minimized_congruences : int16_box -> congruence_system
val ppl_Int16_Box_is_empty : int16_box -> bool

```

```

val ppl_Int16_Box_is_universe : int16_box -> bool
val ppl_Int16_Box_is_bounded : int16_box -> bool
val ppl_Int16_Box_contains_integer_point : int16_box -> bool
val ppl_Int16_Box_is_topologically_closed : int16_box -> bool
val ppl_Int16_Box_is_discrete : int16_box -> bool
val ppl_Int16_Box_topological_closure_assign : int16_box -> unit
val ppl_Int16_Box_bounds_from_above : int16_box -> linear_expression -> bool
val ppl_Int16_Box_bounds_from_below : int16_box -> linear_expression -> bool
val ppl_Int16_Box_maximize :
  int16_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int16_Box_minimize :
  int16_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int16_Box_maximize_with_point :
  int16_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int16_Box_minimize_with_point :
  int16_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int16_Box_frequency :
  int16_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Int16_Box_contains_Int16_Box : int16_box -> int16_box -> bool
val ppl_Int16_Box_strictly_contains_Int16_Box :
  int16_box -> int16_box -> bool
val ppl_Int16_Box_is_disjoint_from_Int16_Box : int16_box -> int16_box -> bool
val ppl_Int16_Box_equals_Int16_Box : int16_box -> int16_box -> bool
val ppl_Int16_Box_OK : int16_box -> bool
val ppl_Int16_Box_add_constraint : int16_box -> linear_constraint -> unit
val ppl_Int16_Box_add_congruence : int16_box -> linear_congruence -> unit
val ppl_Int16_Box_add_constraints : int16_box -> constraint_system -> unit
val ppl_Int16_Box_add_congruences : int16_box -> congruence_system -> unit
val ppl_Int16_Box_refine_with_constraint :
  int16_box -> linear_constraint -> unit
val ppl_Int16_Box_refine_with_congruence :
  int16_box -> linear_congruence -> unit
val ppl_Int16_Box_refine_with_constraints :
  int16_box -> constraint_system -> unit
val ppl_Int16_Box_refine_with_congruences :
  int16_box -> congruence_system -> unit
val ppl_Int16_Box_intersection_assign : int16_box -> int16_box -> unit
val ppl_Int16_Box_upper_bound_assign : int16_box -> int16_box -> unit
val ppl_Int16_Box_difference_assign : int16_box -> int16_box -> unit
val ppl_Int16_Box_concatenate_assign : int16_box -> int16_box -> unit

```

```

val ppl_Int16_Box_time_elapse_assign : int16_box -> int16_box -> unit
val ppl_Int16_Box_upper_bound_assign_if_exact :
  int16_box -> int16_box -> bool
val ppl_Int16_Box_simplify_using_context_assign :
  int16_box -> int16_box -> bool
val ppl_Int16_Box_constrains : int16_box -> int -> bool
val ppl_Int16_Box_unconstrain_space_dimension : int16_box -> int -> unit
val ppl_Int16_Box_unconstrain_space_dimensions :
  int16_box -> int list -> unit
val ppl_Int16_Box_affine_image :
  int16_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int16_Box_affine_preimage :
  int16_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int16_Box_bounded_affine_image :
  int16_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int16_Box_bounded_affine_preimage :
  int16_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int16_Box_generalized_affine_image :
  int16_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int16_Box_generalized_affine_preimage :
  int16_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int16_Box_generalized_affine_image_lhs_rhs :
  int16_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Int16_Box_generalized_affine_preimage_lhs_rhs :
  int16_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Int16_Box_add_space_dimensions_and_embed : int16_box -> int -> unit
val ppl_Int16_Box_add_space_dimensions_and_project : int16_box -> int -> unit
val ppl_Int16_Box_remove_space_dimensions : int16_box -> int list -> unit
val ppl_Int16_Box_remove_higher_space_dimensions : int16_box -> int -> unit
val ppl_Int16_Box_expand_space_dimension : int16_box -> int -> int -> unit
val ppl_Int16_Box_fold_space_dimensions :
  int16_box -> int list -> int -> unit
val ppl_Int16_Box_map_space_dimensions :
  int16_box -> (int * int) list -> unit
val ppl_Int16_Box_drop_some_non_integer_points :
  int16_box -> complexity_class -> unit
val ppl_Int16_Box_drop_some_non_integer_points_2 :

```

```

    int16_box -> int list -> complexity_class -> unit
val ppl_Int16_Box_ascii_dump : int16_box -> string
val ppl_Int16_Box_external_memory_in_bytes : int16_box -> int
val ppl_Int16_Box_total_memory_in_bytes : int16_box -> int
val ppl_Int16_Box_CC76_widening_assign_with_tokens :
    int16_box -> int16_box -> int -> int
val ppl_Int16_Box_CC76_widening_assign : int16_box -> int16_box -> unit
val ppl_Int16_Box_widening_assign_with_tokens :
    int16_box -> int16_box -> int -> int
val ppl_Int16_Box_widening_assign : int16_box -> int16_box -> unit
val ppl_Int16_Box_limited_CC76_extrapolation_assign_with_tokens :
    int16_box ->
    int16_box -> constraint_system -> int -> int
val ppl_Int16_Box_limited_CC76_extrapolation_assign :
    int16_box ->
    int16_box -> constraint_system -> unit
val ppl_Int16_Box_linear_partition :
    int16_box ->
    int16_box ->
    int16_box * pointset_powerset_nnc_polyhedron
val ppl_Int16_Box_wrap_assign :
    int16_box ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Int16_Box : int16_box -> bool
val ppl_termination_test_PR_Int16_Box : int16_box -> bool
val ppl_one_affine_ranking_function_MS_Int16_Box :
    int16_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int16_Box :
    int16_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int16_Box : int16_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int16_Box : int16_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int16_Box :
    int16_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Int16_Box_2 : int16_box -> int16_box -> bool
val ppl_termination_test_PR_Int16_Box_2 : int16_box -> int16_box -> bool
val ppl_one_affine_ranking_function_MS_Int16_Box_2 :
    int16_box ->
    int16_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int16_Box_2 :
    int16_box ->
    int16_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int16_Box_2 :
    int16_box -> int16_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int16_Box_2 :

```

```

    int16_box -> int16_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int16_Box_2 :
    int16_box ->
    int16_box -> polyhedron * polyhedron
val ppl_new_Int32_Box_from_space_dimension :
    int -> degenerate_element -> int32_box
val ppl_new_Int32_Box_from_Int8_Box : int8_box -> int32_box
val ppl_new_Int32_Box_from_Int16_Box : int16_box -> int32_box
val ppl_new_Int32_Box_from_Int32_Box : int32_box -> int32_box
val ppl_new_Int32_Box_from_Int64_Box : int64_box -> int32_box
val ppl_new_Int32_Box_from_Uint8_Box : uint8_box -> int32_box
val ppl_new_Int32_Box_from_Uint16_Box : uint16_box -> int32_box
val ppl_new_Int32_Box_from_Uint32_Box : uint32_box -> int32_box
val ppl_new_Int32_Box_from_Uint64_Box : uint64_box -> int32_box
val ppl_new_Int32_Box_from_Z_Box : z_box -> int32_box
val ppl_new_Int32_Box_from_Rational_Box : rational_box -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> int32_box
val ppl_new_Int32_Box_from_C_Polyhedron : polyhedron -> int32_box
val ppl_new_Int32_Box_from_NNC_Polyhedron : polyhedron -> int32_box
val ppl_new_Int32_Box_from_Grid : grid -> int32_box
val ppl_new_Int32_Box_from_Float_Box : float_box -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_float : bd_shape_float -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_float :
    octagonal_shape_float -> int32_box
val ppl_new_Int32_Box_from_Double_Box : double_box -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_double : bd_shape_double -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_double :

```



```

    octagonal_shape_double -> int32_box
val ppl_new_Int32_Box_from_Long_Double_Box : long_double_box -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_long_double :
    bd_shape_long_double -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> int32_box
val ppl_new_Int32_Box_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Int16_Box_with_complexity :
    int16_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Int32_Box_with_complexity :
    int32_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Int64_Box_with_complexity :
    int64_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Uint8_Box_with_complexity :
    uint8_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Uint16_Box_with_complexity :
    uint16_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Uint32_Box_with_complexity :
    uint32_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Uint64_Box_with_complexity :
    uint64_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Z_Box_with_complexity :
    z_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Rational_Box_with_complexity :
    rational_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->

```

```

    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Grid_with_complexity :
    grid -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Float_Box_with_complexity :
    float_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_float_with_complexity :
    bd_shape_float -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Double_Box_with_complexity :
    double_box -> complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> int32_box
val ppl_new_Int32_Box_from_constraints : constraint_system -> int32_box
val ppl_new_Int32_Box_from_congruences : congruence_system -> int32_box
val ppl_new_Int32_Box_from_generators : generator_system -> int32_box
val ppl_Int32_Box_swap : int32_box -> int32_box -> unit
val ppl_Int32_Box_space_dimension : int32_box -> int
val ppl_Int32_Box_affine_dimension : int32_box -> int

```

```

val ppl_Int32_Box_relation_with_constraint :
  int32_box ->
  linear_constraint -> poly_con_relation list
val ppl_Int32_Box_relation_with_generator :
  int32_box ->
  linear_generator -> poly_gen_relation list
val ppl_Int32_Box_relation_with_congruence :
  int32_box ->
  linear_congruence -> poly_con_relation list
val ppl_Int32_Box_get_constraints : int32_box -> constraint_system
val ppl_Int32_Box_get_congruences : int32_box -> congruence_system
val ppl_Int32_Box_get_minimized_constraints : int32_box -> constraint_system
val ppl_Int32_Box_get_minimized_congruences : int32_box -> congruence_system
val ppl_Int32_Box_is_empty : int32_box -> bool
val ppl_Int32_Box_is_universe : int32_box -> bool
val ppl_Int32_Box_is_bounded : int32_box -> bool
val ppl_Int32_Box_contains_integer_point : int32_box -> bool
val ppl_Int32_Box_is_topologically_closed : int32_box -> bool
val ppl_Int32_Box_is_discrete : int32_box -> bool
val ppl_Int32_Box_topological_closure_assign : int32_box -> unit
val ppl_Int32_Box_bounds_from_above : int32_box -> linear_expression -> bool
val ppl_Int32_Box_bounds_from_below : int32_box -> linear_expression -> bool
val ppl_Int32_Box_maximize :
  int32_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int32_Box_minimize :
  int32_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int32_Box_maximize_with_point :
  int32_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int32_Box_minimize_with_point :
  int32_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int32_Box_frequency :
  int32_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Int32_Box_contains_Int32_Box : int32_box -> int32_box -> bool
val ppl_Int32_Box_strictly_contains_Int32_Box :
  int32_box -> int32_box -> bool
val ppl_Int32_Box_is_disjoint_from_Int32_Box : int32_box -> int32_box -> bool
val ppl_Int32_Box_equals_Int32_Box : int32_box -> int32_box -> bool
val ppl_Int32_Box_OK : int32_box -> bool
val ppl_Int32_Box_add_constraint : int32_box -> linear_constraint -> unit
val ppl_Int32_Box_add_congruence : int32_box -> linear_congruence -> unit

```

```

val ppl_Int32_Box_add_constraints : int32_box -> constraint_system -> unit
val ppl_Int32_Box_add_congruences : int32_box -> congruence_system -> unit
val ppl_Int32_Box_refine_with_constraint :
  int32_box -> linear_constraint -> unit
val ppl_Int32_Box_refine_with_congruence :
  int32_box -> linear_congruence -> unit
val ppl_Int32_Box_refine_with_constraints :
  int32_box -> constraint_system -> unit
val ppl_Int32_Box_refine_with_congruences :
  int32_box -> congruence_system -> unit
val ppl_Int32_Box_intersection_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_upper_bound_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_difference_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_concatenate_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_time_elapse_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_upper_bound_assign_if_exact :
  int32_box -> int32_box -> bool
val ppl_Int32_Box_simplify_using_context_assign :
  int32_box -> int32_box -> bool
val ppl_Int32_Box_constrains : int32_box -> int -> bool
val ppl_Int32_Box_unconstrain_space_dimension : int32_box -> int -> unit
val ppl_Int32_Box_unconstrain_space_dimensions :
  int32_box -> int list -> unit
val ppl_Int32_Box_affine_image :
  int32_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int32_Box_affine_preimage :
  int32_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int32_Box_bounded_affine_image :
  int32_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int32_Box_bounded_affine_preimage :
  int32_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int32_Box_generalized_affine_image :
  int32_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int32_Box_generalized_affine_preimage :
  int32_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int32_Box_generalized_affine_image_lhs_rhs :
  int32_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Int32_Box_generalized_affine_preimage_lhs_rhs :

```

```

int32_box ->
linear_expression ->
relation_symbol -> linear_expression -> unit
val ppl_Int32_Box_add_space_dimensions_and_embed : int32_box -> int -> unit
val ppl_Int32_Box_add_space_dimensions_and_project : int32_box -> int -> unit
val ppl_Int32_Box_remove_space_dimensions : int32_box -> int list -> unit
val ppl_Int32_Box_remove_higher_space_dimensions : int32_box -> int -> unit
val ppl_Int32_Box_expand_space_dimension : int32_box -> int -> int -> unit
val ppl_Int32_Box_fold_space_dimensions :
  int32_box -> int list -> int -> unit
val ppl_Int32_Box_map_space_dimensions :
  int32_box -> (int * int) list -> unit
val ppl_Int32_Box_drop_some_non_integer_points :
  int32_box -> complexity_class -> unit
val ppl_Int32_Box_drop_some_non_integer_points_2 :
  int32_box -> int list -> complexity_class -> unit
val ppl_Int32_Box_ascii_dump : int32_box -> string
val ppl_Int32_Box_external_memory_in_bytes : int32_box -> int
val ppl_Int32_Box_total_memory_in_bytes : int32_box -> int
val ppl_Int32_Box_CC76_widening_assign_with_tokens :
  int32_box -> int32_box -> int -> int
val ppl_Int32_Box_CC76_widening_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_widening_assign_with_tokens :
  int32_box -> int32_box -> int -> int
val ppl_Int32_Box_widening_assign : int32_box -> int32_box -> unit
val ppl_Int32_Box_limited_CC76_extrapolation_assign_with_tokens :
  int32_box ->
  int32_box -> constraint_system -> int -> int
val ppl_Int32_Box_limited_CC76_extrapolation_assign :
  int32_box ->
  int32_box -> constraint_system -> unit
val ppl_Int32_Box_linear_partition :
  int32_box ->
  int32_box ->
  int32_box * pointset_powerset_nnc_polyhedron
val ppl_Int32_Box_wrap_assign :
  int32_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Int32_Box : int32_box -> bool
val ppl_termination_test_PR_Int32_Box : int32_box -> bool
val ppl_one_affine_ranking_function_MS_Int32_Box :
  int32_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int32_Box :
  int32_box -> bool * linear_generator

```

```

val ppl_all_affine_ranking_functions_MS_Int32_Box : int32_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int32_Box : int32_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int32_Box :
  int32_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Int32_Box_2 : int32_box -> int32_box -> bool
val ppl_termination_test_PR_Int32_Box_2 : int32_box -> int32_box -> bool
val ppl_one_affine_ranking_function_MS_Int32_Box_2 :
  int32_box ->
  int32_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int32_Box_2 :
  int32_box ->
  int32_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int32_Box_2 :
  int32_box -> int32_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int32_Box_2 :
  int32_box -> int32_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int32_Box_2 :
  int32_box ->
  int32_box -> polyhedron * polyhedron
val ppl_new_Int64_Box_from_space_dimension :
  int -> degenerate_element -> int64_box
val ppl_new_Int64_Box_from_Int8_Box : int8_box -> int64_box
val ppl_new_Int64_Box_from_Int16_Box : int16_box -> int64_box
val ppl_new_Int64_Box_from_Int32_Box : int32_box -> int64_box
val ppl_new_Int64_Box_from_Int64_Box : int64_box -> int64_box
val ppl_new_Int64_Box_from_Uint8_Box : uint8_box -> int64_box
val ppl_new_Int64_Box_from_Uint16_Box : uint16_box -> int64_box
val ppl_new_Int64_Box_from_Uint32_Box : uint32_box -> int64_box
val ppl_new_Int64_Box_from_Uint64_Box : uint64_box -> int64_box
val ppl_new_Int64_Box_from_Z_Box : z_box -> int64_box
val ppl_new_Int64_Box_from_Rational_Box : rational_box -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> int64_box

```

```

val ppl_new_Int64_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> int64_box
val ppl_new_Int64_Box_from_C_Polyhedron : polyhedron -> int64_box
val ppl_new_Int64_Box_from_NNC_Polyhedron : polyhedron -> int64_box
val ppl_new_Int64_Box_from_Grid : grid -> int64_box
val ppl_new_Int64_Box_from_Float_Box : float_box -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_float : bd_shape_float -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> int64_box
val ppl_new_Int64_Box_from_Double_Box : double_box -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_double : bd_shape_double -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> int64_box
val ppl_new_Int64_Box_from_Long_Double_Box : long_double_box -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> int64_box
val ppl_new_Int64_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->

```

```

    complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Grid_with_complexity :
    grid -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Float_Box_with_complexity :
    float_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_float_with_complexity :
    bd_shape_float -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Double_Box_with_complexity :
    double_box -> complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> int64_box

```



```

val ppl_new_Int64_Box_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> int64_box
val ppl_new_Int64_Box_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> int64_box
val ppl_new_Int64_Box_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> int64_box
val ppl_new_Int64_Box_from_constraints : constraint_system -> int64_box
val ppl_new_Int64_Box_from_congruences : congruence_system -> int64_box
val ppl_new_Int64_Box_from_generators : generator_system -> int64_box
val ppl_Int64_Box_swap : int64_box -> int64_box -> unit
val ppl_Int64_Box_space_dimension : int64_box -> int
val ppl_Int64_Box_affine_dimension : int64_box -> int
val ppl_Int64_Box_relation_with_constraint :
  int64_box ->
  linear_constraint -> poly_con_relation list
val ppl_Int64_Box_relation_with_generator :
  int64_box ->
  linear_generator -> poly_gen_relation list
val ppl_Int64_Box_relation_with_congruence :
  int64_box ->
  linear_congruence -> poly_con_relation list
val ppl_Int64_Box_get_constraints : int64_box -> constraint_system
val ppl_Int64_Box_get_congruences : int64_box -> congruence_system
val ppl_Int64_Box_get_minimized_constraints : int64_box -> constraint_system
val ppl_Int64_Box_get_minimized_congruences : int64_box -> congruence_system
val ppl_Int64_Box_is_empty : int64_box -> bool
val ppl_Int64_Box_is_universe : int64_box -> bool
val ppl_Int64_Box_is_bounded : int64_box -> bool
val ppl_Int64_Box_contains_integer_point : int64_box -> bool
val ppl_Int64_Box_is_topologically_closed : int64_box -> bool
val ppl_Int64_Box_is_discrete : int64_box -> bool
val ppl_Int64_Box_topological_closure_assign : int64_box -> unit
val ppl_Int64_Box_bounds_from_above : int64_box -> linear_expression -> bool
val ppl_Int64_Box_bounds_from_below : int64_box -> linear_expression -> bool
val ppl_Int64_Box_maximize :
  int64_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int64_Box_minimize :
  int64_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Int64_Box_maximize_with_point :
  int64_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator

```

```

val ppl_Int64_Box_minimize_with_point :
  int64_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Int64_Box_frequency :
  int64_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Int64_Box_contains_Int64_Box : int64_box -> int64_box -> bool
val ppl_Int64_Box_strictly_contains_Int64_Box :
  int64_box -> int64_box -> bool
val ppl_Int64_Box_is_disjoint_from_Int64_Box : int64_box -> int64_box -> bool
val ppl_Int64_Box_equals_Int64_Box : int64_box -> int64_box -> bool
val ppl_Int64_Box_OK : int64_box -> bool
val ppl_Int64_Box_add_constraint : int64_box -> linear_constraint -> unit
val ppl_Int64_Box_add_congruence : int64_box -> linear_congruence -> unit
val ppl_Int64_Box_add_constraints : int64_box -> constraint_system -> unit
val ppl_Int64_Box_add_congruences : int64_box -> congruence_system -> unit
val ppl_Int64_Box_refine_with_constraint :
  int64_box -> linear_constraint -> unit
val ppl_Int64_Box_refine_with_congruence :
  int64_box -> linear_congruence -> unit
val ppl_Int64_Box_refine_with_constraints :
  int64_box -> constraint_system -> unit
val ppl_Int64_Box_refine_with_congruences :
  int64_box -> congruence_system -> unit
val ppl_Int64_Box_intersection_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_upper_bound_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_difference_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_concatenate_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_time_elapse_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_upper_bound_assign_if_exact :
  int64_box -> int64_box -> bool
val ppl_Int64_Box_simplify_using_context_assign :
  int64_box -> int64_box -> bool
val ppl_Int64_Box_constrains : int64_box -> int -> bool
val ppl_Int64_Box_unconstrain_space_dimension : int64_box -> int -> unit
val ppl_Int64_Box_unconstrain_space_dimensions :
  int64_box -> int list -> unit
val ppl_Int64_Box_affine_image :
  int64_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int64_Box_affine_preimage :
  int64_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int64_Box_bounded_affine_image :
  int64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int64_Box_bounded_affine_preimage :

```

```

    int64_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int64_Box_generalized_affine_image :
    int64_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int64_Box_generalized_affine_preimage :
    int64_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Int64_Box_generalized_affine_image_lhs_rhs :
    int64_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Int64_Box_generalized_affine_preimage_lhs_rhs :
    int64_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Int64_Box_add_space_dimensions_and_embed : int64_box -> int -> unit
val ppl_Int64_Box_add_space_dimensions_and_project : int64_box -> int -> unit
val ppl_Int64_Box_remove_space_dimensions : int64_box -> int list -> unit
val ppl_Int64_Box_remove_higher_space_dimensions : int64_box -> int -> unit
val ppl_Int64_Box_expand_space_dimension : int64_box -> int -> int -> unit
val ppl_Int64_Box_fold_space_dimensions :
    int64_box -> int list -> int -> unit
val ppl_Int64_Box_map_space_dimensions :
    int64_box -> (int * int) list -> unit
val ppl_Int64_Box_drop_some_non_integer_points :
    int64_box -> complexity_class -> unit
val ppl_Int64_Box_drop_some_non_integer_points_2 :
    int64_box -> int list -> complexity_class -> unit
val ppl_Int64_Box_ascii_dump : int64_box -> string
val ppl_Int64_Box_external_memory_in_bytes : int64_box -> int
val ppl_Int64_Box_total_memory_in_bytes : int64_box -> int
val ppl_Int64_Box_CC76_widening_assign_with_tokens :
    int64_box -> int64_box -> int -> int
val ppl_Int64_Box_CC76_widening_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_widening_assign_with_tokens :
    int64_box -> int64_box -> int -> int
val ppl_Int64_Box_widening_assign : int64_box -> int64_box -> unit
val ppl_Int64_Box_limited_CC76_extrapolation_assign_with_tokens :
    int64_box ->
    int64_box -> constraint_system -> int -> int
val ppl_Int64_Box_limited_CC76_extrapolation_assign :
    int64_box ->
    int64_box -> constraint_system -> unit
val ppl_Int64_Box_linear_partition :

```

```

    int64_box ->
    int64_box ->
    int64_box * pointset_powerset_nnc_polyhedron
val ppl_Int64_Box_wrap_assign :
    int64_box ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Int64_Box : int64_box -> bool
val ppl_termination_test_PR_Int64_Box : int64_box -> bool
val ppl_one_affine_ranking_function_MS_Int64_Box :
    int64_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int64_Box :
    int64_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int64_Box : int64_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int64_Box : int64_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int64_Box :
    int64_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Int64_Box_2 : int64_box -> int64_box -> bool
val ppl_termination_test_PR_Int64_Box_2 : int64_box -> int64_box -> bool
val ppl_one_affine_ranking_function_MS_Int64_Box_2 :
    int64_box ->
    int64_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Int64_Box_2 :
    int64_box ->
    int64_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Int64_Box_2 :
    int64_box -> int64_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Int64_Box_2 :
    int64_box -> int64_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Int64_Box_2 :
    int64_box ->
    int64_box -> polyhedron * polyhedron
val ppl_new_Uint8_Box_from_space_dimension :
    int -> degenerate_element -> uint8_box
val ppl_new_Uint8_Box_from_Int8_Box : int8_box -> uint8_box
val ppl_new_Uint8_Box_from_Int16_Box : int16_box -> uint8_box
val ppl_new_Uint8_Box_from_Int32_Box : int32_box -> uint8_box
val ppl_new_Uint8_Box_from_Int64_Box : int64_box -> uint8_box
val ppl_new_Uint8_Box_from_Uint8_Box : uint8_box -> uint8_box
val ppl_new_Uint8_Box_from_Uint16_Box : uint16_box -> uint8_box
val ppl_new_Uint8_Box_from_Uint32_Box : uint32_box -> uint8_box
val ppl_new_Uint8_Box_from_Uint64_Box : uint64_box -> uint8_box
val ppl_new_Uint8_Box_from_Z_Box : z_box -> uint8_box
val ppl_new_Uint8_Box_from_Rational_Box : rational_box -> uint8_box

```

```

val ppl_new_Uint8_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> uint8_box
val ppl_new_Uint8_Box_from_C_Polyhedron : polyhedron -> uint8_box
val ppl_new_Uint8_Box_from_NNC_Polyhedron : polyhedron -> uint8_box
val ppl_new_Uint8_Box_from_Grid : grid -> uint8_box
val ppl_new_Uint8_Box_from_Float_Box : float_box -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_float : bd_shape_float -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> uint8_box
val ppl_new_Uint8_Box_from_Double_Box : double_box -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_double : bd_shape_double -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> uint8_box
val ppl_new_Uint8_Box_from_Long_Double_Box : long_double_box -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> uint8_box
val ppl_new_Uint8_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Uint16_Box_with_complexity :

```

```

uint16_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> uint8_box

```

```

val ppl_new_Uint8_Box_from_Grid_with_complexity :
  grid -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Float_Box_with_complexity :
  float_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> uint8_box
val ppl_new_Uint8_Box_from_constraints : constraint_system -> uint8_box
val ppl_new_Uint8_Box_from_congruences : congruence_system -> uint8_box
val ppl_new_Uint8_Box_from_generators : generator_system -> uint8_box
val ppl_Uint8_Box_swap : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_space_dimension : uint8_box -> int
val ppl_Uint8_Box_affine_dimension : uint8_box -> int
val ppl_Uint8_Box_relation_with_constraint :
  uint8_box ->
  linear_constraint -> poly_con_relation list
val ppl_Uint8_Box_relation_with_generator :
  uint8_box ->
  linear_generator -> poly_gen_relation list
val ppl_Uint8_Box_relation_with_congruence :
  uint8_box ->
  linear_congruence -> poly_con_relation list
val ppl_Uint8_Box_get_constraints : uint8_box -> constraint_system
val ppl_Uint8_Box_get_congruences : uint8_box -> congruence_system
val ppl_Uint8_Box_get_minimized_constraints : uint8_box -> constraint_system
val ppl_Uint8_Box_get_minimized_congruences : uint8_box -> congruence_system
val ppl_Uint8_Box_is_empty : uint8_box -> bool
val ppl_Uint8_Box_is_universe : uint8_box -> bool
val ppl_Uint8_Box_is_bounded : uint8_box -> bool

```

```

val ppl_Uint8_Box_contains_integer_point : uint8_box -> bool
val ppl_Uint8_Box_is_topologically_closed : uint8_box -> bool
val ppl_Uint8_Box_is_discrete : uint8_box -> bool
val ppl_Uint8_Box_topological_closure_assign : uint8_box -> unit
val ppl_Uint8_Box_bounds_from_above : uint8_box -> linear_expression -> bool
val ppl_Uint8_Box_bounds_from_below : uint8_box -> linear_expression -> bool
val ppl_Uint8_Box_maximize :
  uint8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint8_Box_minimize :
  uint8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint8_Box_maximize_with_point :
  uint8_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint8_Box_minimize_with_point :
  uint8_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint8_Box_frequency :
  uint8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Uint8_Box_contains_Uint8_Box : uint8_box -> uint8_box -> bool
val ppl_Uint8_Box_strictly_contains_Uint8_Box :
  uint8_box -> uint8_box -> bool
val ppl_Uint8_Box_is_disjoint_from_Uint8_Box : uint8_box -> uint8_box -> bool
val ppl_Uint8_Box_equals_Uint8_Box : uint8_box -> uint8_box -> bool
val ppl_Uint8_Box_OK : uint8_box -> bool
val ppl_Uint8_Box_add_constraint : uint8_box -> linear_constraint -> unit
val ppl_Uint8_Box_add_congruence : uint8_box -> linear_congruence -> unit
val ppl_Uint8_Box_add_constraints : uint8_box -> constraint_system -> unit
val ppl_Uint8_Box_add_congruences : uint8_box -> congruence_system -> unit
val ppl_Uint8_Box_refine_with_constraint :
  uint8_box -> linear_constraint -> unit
val ppl_Uint8_Box_refine_with_congruence :
  uint8_box -> linear_congruence -> unit
val ppl_Uint8_Box_refine_with_constraints :
  uint8_box -> constraint_system -> unit
val ppl_Uint8_Box_refine_with_congruences :
  uint8_box -> congruence_system -> unit
val ppl_Uint8_Box_intersection_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_upper_bound_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_difference_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_concatenate_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_time_elapse_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_upper_bound_assign_if_exact :

```



```

    uint8_box -> uint8_box -> bool
val ppl_Uint8_Box_simplify_using_context_assign :
    uint8_box -> uint8_box -> bool
val ppl_Uint8_Box_constrains : uint8_box -> int -> bool
val ppl_Uint8_Box_unconstrain_space_dimension : uint8_box -> int -> unit
val ppl_Uint8_Box_unconstrain_space_dimensions :
    uint8_box -> int list -> unit
val ppl_Uint8_Box_affine_image :
    uint8_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint8_Box_affine_preimage :
    uint8_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint8_Box_bounded_affine_image :
    uint8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint8_Box_bounded_affine_preimage :
    uint8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint8_Box_generalized_affine_image :
    uint8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint8_Box_generalized_affine_preimage :
    uint8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint8_Box_generalized_affine_image_lhs_rhs :
    uint8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Uint8_Box_generalized_affine_preimage_lhs_rhs :
    uint8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Uint8_Box_add_space_dimensions_and_embed : uint8_box -> int -> unit
val ppl_Uint8_Box_add_space_dimensions_and_project : uint8_box -> int -> unit
val ppl_Uint8_Box_remove_space_dimensions : uint8_box -> int list -> unit
val ppl_Uint8_Box_remove_higher_space_dimensions : uint8_box -> int -> unit
val ppl_Uint8_Box_expand_space_dimension : uint8_box -> int -> int -> unit
val ppl_Uint8_Box_fold_space_dimensions :
    uint8_box -> int list -> int -> unit
val ppl_Uint8_Box_map_space_dimensions :
    uint8_box -> (int * int) list -> unit
val ppl_Uint8_Box_drop_some_non_integer_points :
    uint8_box -> complexity_class -> unit
val ppl_Uint8_Box_drop_some_non_integer_points_2 :
    uint8_box -> int list -> complexity_class -> unit
val ppl_Uint8_Box_ascii_dump : uint8_box -> string

```

```

val ppl_Uint8_Box_external_memory_in_bytes : uint8_box -> int
val ppl_Uint8_Box_total_memory_in_bytes : uint8_box -> int
val ppl_Uint8_Box_CC76_widening_assign_with_tokens :
  uint8_box -> uint8_box -> int -> int
val ppl_Uint8_Box_CC76_widening_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_widening_assign_with_tokens :
  uint8_box -> uint8_box -> int -> int
val ppl_Uint8_Box_widening_assign : uint8_box -> uint8_box -> unit
val ppl_Uint8_Box_limited_CC76_extrapolation_assign_with_tokens :
  uint8_box ->
  uint8_box -> constraint_system -> int -> int
val ppl_Uint8_Box_limited_CC76_extrapolation_assign :
  uint8_box ->
  uint8_box -> constraint_system -> unit
val ppl_Uint8_Box_linear_partition :
  uint8_box ->
  uint8_box ->
  uint8_box * pointset_powerset_nnc_polyhedron
val ppl_Uint8_Box_wrap_assign :
  uint8_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Uint8_Box : uint8_box -> bool
val ppl_termination_test_PR_Uint8_Box : uint8_box -> bool
val ppl_one_affine_ranking_function_MS_Uint8_Box :
  uint8_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint8_Box :
  uint8_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint8_Box : uint8_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint8_Box : uint8_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint8_Box :
  uint8_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Uint8_Box_2 : uint8_box -> uint8_box -> bool
val ppl_termination_test_PR_Uint8_Box_2 : uint8_box -> uint8_box -> bool
val ppl_one_affine_ranking_function_MS_Uint8_Box_2 :
  uint8_box ->
  uint8_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint8_Box_2 :
  uint8_box ->
  uint8_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint8_Box_2 :
  uint8_box -> uint8_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint8_Box_2 :
  uint8_box -> uint8_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint8_Box_2 :

```

```

uint8_box ->
uint8_box -> polyhedron * polyhedron
val ppl_new_Uint16_Box_from_space_dimension :
  int -> degenerate_element -> uint16_box
val ppl_new_Uint16_Box_from_Int8_Box : int8_box -> uint16_box
val ppl_new_Uint16_Box_from_Int16_Box : int16_box -> uint16_box
val ppl_new_Uint16_Box_from_Int32_Box : int32_box -> uint16_box
val ppl_new_Uint16_Box_from_Int64_Box : int64_box -> uint16_box
val ppl_new_Uint16_Box_from_Uint8_Box : uint8_box -> uint16_box
val ppl_new_Uint16_Box_from_Uint16_Box : uint16_box -> uint16_box
val ppl_new_Uint16_Box_from_Uint32_Box : uint32_box -> uint16_box
val ppl_new_Uint16_Box_from_Uint64_Box : uint64_box -> uint16_box
val ppl_new_Uint16_Box_from_Z_Box : z_box -> uint16_box
val ppl_new_Uint16_Box_from_Rational_Box : rational_box -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> uint16_box
val ppl_new_Uint16_Box_from_C_Polyhedron : polyhedron -> uint16_box
val ppl_new_Uint16_Box_from_NNC_Polyhedron : polyhedron -> uint16_box
val ppl_new_Uint16_Box_from_Grid : grid -> uint16_box
val ppl_new_Uint16_Box_from_Float_Box : float_box -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_float : bd_shape_float -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> uint16_box
val ppl_new_Uint16_Box_from_Double_Box : double_box -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_double : bd_shape_double -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> uint16_box
val ppl_new_Uint16_Box_from_Long_Double_Box : long_double_box -> uint16_box

```

```

val ppl_new_Uint16_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> uint16_box
val ppl_new_Uint16_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int32_t_with_complexity :

```

```

    octagonal_shape_int32_t ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Grid_with_complexity :
    grid -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Float_Box_with_complexity :
    float_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Double_Box_with_complexity :
    double_box -> complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> uint16_box
val ppl_new_Uint16_Box_from_constraints : constraint_system -> uint16_box
val ppl_new_Uint16_Box_from_congruences : congruence_system -> uint16_box
val ppl_new_Uint16_Box_from_generators : generator_system -> uint16_box
val ppl_Uint16_Box_swap : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_space_dimension : uint16_box -> int
val ppl_Uint16_Box_affine_dimension : uint16_box -> int
val ppl_Uint16_Box_relation_with_constraint :

```

```

uint16_box ->
  linear_constraint -> poly_con_relation list
val ppl_Uint16_Box_relation_with_generator :
  uint16_box ->
    linear_generator -> poly_gen_relation list
val ppl_Uint16_Box_relation_with_congruence :
  uint16_box ->
    linear_congruence -> poly_con_relation list
val ppl_Uint16_Box_get_constraints : uint16_box -> constraint_system
val ppl_Uint16_Box_get_congruences : uint16_box -> congruence_system
val ppl_Uint16_Box_get_minimized_constraints :
  uint16_box -> constraint_system
val ppl_Uint16_Box_get_minimized_congruences :
  uint16_box -> congruence_system
val ppl_Uint16_Box_is_empty : uint16_box -> bool
val ppl_Uint16_Box_is_universe : uint16_box -> bool
val ppl_Uint16_Box_is_bounded : uint16_box -> bool
val ppl_Uint16_Box_contains_integer_point : uint16_box -> bool
val ppl_Uint16_Box_is_topologically_closed : uint16_box -> bool
val ppl_Uint16_Box_is_discrete : uint16_box -> bool
val ppl_Uint16_Box_topological_closure_assign : uint16_box -> unit
val ppl_Uint16_Box_bounds_from_above :
  uint16_box -> linear_expression -> bool
val ppl_Uint16_Box_bounds_from_below :
  uint16_box -> linear_expression -> bool
val ppl_Uint16_Box_maximize :
  uint16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint16_Box_minimize :
  uint16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint16_Box_maximize_with_point :
  uint16_box ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint16_Box_minimize_with_point :
  uint16_box ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint16_Box_frequency :
  uint16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Uint16_Box_contains_Uint16_Box : uint16_box -> uint16_box -> bool
val ppl_Uint16_Box_strictly_contains_Uint16_Box :
  uint16_box -> uint16_box -> bool
val ppl_Uint16_Box_is_disjoint_from_Uint16_Box :
  uint16_box -> uint16_box -> bool
val ppl_Uint16_Box_equals_Uint16_Box : uint16_box -> uint16_box -> bool

```

```

val ppl_Uint16_Box_OK : uint16_box -> bool
val ppl_Uint16_Box_add_constraint : uint16_box -> linear_constraint -> unit
val ppl_Uint16_Box_add_congruence : uint16_box -> linear_congruence -> unit
val ppl_Uint16_Box_add_constraints : uint16_box -> constraint_system -> unit
val ppl_Uint16_Box_add_congruences : uint16_box -> congruence_system -> unit
val ppl_Uint16_Box_refine_with_constraint :
  uint16_box -> linear_constraint -> unit
val ppl_Uint16_Box_refine_with_congruence :
  uint16_box -> linear_congruence -> unit
val ppl_Uint16_Box_refine_with_constraints :
  uint16_box -> constraint_system -> unit
val ppl_Uint16_Box_refine_with_congruences :
  uint16_box -> congruence_system -> unit
val ppl_Uint16_Box_intersection_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_upper_bound_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_difference_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_concatenate_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_time_elapse_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_upper_bound_assign_if_exact :
  uint16_box -> uint16_box -> bool
val ppl_Uint16_Box_simplify_using_context_assign :
  uint16_box -> uint16_box -> bool
val ppl_Uint16_Box_constrains : uint16_box -> int -> bool
val ppl_Uint16_Box_unconstrain_space_dimension : uint16_box -> int -> unit
val ppl_Uint16_Box_unconstrain_space_dimensions :
  uint16_box -> int list -> unit
val ppl_Uint16_Box_affine_image :
  uint16_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint16_Box_affine_preimage :
  uint16_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint16_Box_bounded_affine_image :
  uint16_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint16_Box_bounded_affine_preimage :
  uint16_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint16_Box_generalized_affine_image :
  uint16_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint16_Box_generalized_affine_preimage :
  uint16_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint16_Box_generalized_affine_image_lhs_rhs :
  uint16_box ->

```

```

    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Uint16_Box_generalized_affine_preimage_lhs_rhs :
    uint16_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Uint16_Box_add_space_dimensions_and_embed : uint16_box -> int -> unit
val ppl_Uint16_Box_add_space_dimensions_and_project :
    uint16_box -> int -> unit
val ppl_Uint16_Box_remove_space_dimensions : uint16_box -> int list -> unit
val ppl_Uint16_Box_remove_higher_space_dimensions : uint16_box -> int -> unit
val ppl_Uint16_Box_expand_space_dimension : uint16_box -> int -> int -> unit
val ppl_Uint16_Box_fold_space_dimensions :
    uint16_box -> int list -> int -> unit
val ppl_Uint16_Box_map_space_dimensions :
    uint16_box -> (int * int) list -> unit
val ppl_Uint16_Box_drop_some_non_integer_points :
    uint16_box -> complexity_class -> unit
val ppl_Uint16_Box_drop_some_non_integer_points_2 :
    uint16_box -> int list -> complexity_class -> unit
val ppl_Uint16_Box_ascii_dump : uint16_box -> string
val ppl_Uint16_Box_external_memory_in_bytes : uint16_box -> int
val ppl_Uint16_Box_total_memory_in_bytes : uint16_box -> int
val ppl_Uint16_Box_CC76_widening_assign_with_tokens :
    uint16_box -> uint16_box -> int -> int
val ppl_Uint16_Box_CC76_widening_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_widening_assign_with_tokens :
    uint16_box -> uint16_box -> int -> int
val ppl_Uint16_Box_widening_assign : uint16_box -> uint16_box -> unit
val ppl_Uint16_Box_limited_CC76_extrapolation_assign_with_tokens :
    uint16_box ->
    uint16_box -> constraint_system -> int -> int
val ppl_Uint16_Box_limited_CC76_extrapolation_assign :
    uint16_box ->
    uint16_box -> constraint_system -> unit
val ppl_Uint16_Box_linear_partition :
    uint16_box ->
    uint16_box ->
    uint16_box * pointset_powerset_nnc_polyhedron
val ppl_Uint16_Box_wrap_assign :
    uint16_box ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Uint16_Box : uint16_box -> bool
val ppl_termination_test_PR_Uint16_Box : uint16_box -> bool

```



```

val ppl_one_affine_ranking_function_MS_Uint16_Box :
  uint16_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint16_Box :
  uint16_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint16_Box : uint16_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint16_Box : uint16_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint16_Box :
  uint16_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Uint16_Box_2 : uint16_box -> uint16_box -> bool
val ppl_termination_test_PR_Uint16_Box_2 : uint16_box -> uint16_box -> bool
val ppl_one_affine_ranking_function_MS_Uint16_Box_2 :
  uint16_box ->
  uint16_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint16_Box_2 :
  uint16_box ->
  uint16_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint16_Box_2 :
  uint16_box -> uint16_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint16_Box_2 :
  uint16_box -> uint16_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint16_Box_2 :
  uint16_box ->
  uint16_box -> polyhedron * polyhedron
val ppl_new_Uint32_Box_from_space_dimension :
  int -> degenerate_element -> uint32_box
val ppl_new_Uint32_Box_from_Int8_Box : int8_box -> uint32_box
val ppl_new_Uint32_Box_from_Int16_Box : int16_box -> uint32_box
val ppl_new_Uint32_Box_from_Int32_Box : int32_box -> uint32_box
val ppl_new_Uint32_Box_from_Int64_Box : int64_box -> uint32_box
val ppl_new_Uint32_Box_from_Uint8_Box : uint8_box -> uint32_box
val ppl_new_Uint32_Box_from_Uint16_Box : uint16_box -> uint32_box
val ppl_new_Uint32_Box_from_Uint32_Box : uint32_box -> uint32_box
val ppl_new_Uint32_Box_from_Uint64_Box : uint64_box -> uint32_box
val ppl_new_Uint32_Box_from_Z_Box : z_box -> uint32_box
val ppl_new_Uint32_Box_from_Rational_Box : rational_box -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> uint32_box

```

```

val ppl_new_Uint32_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> uint32_box
val ppl_new_Uint32_Box_from_C_Polyhedron : polyhedron -> uint32_box
val ppl_new_Uint32_Box_from_NNC_Polyhedron : polyhedron -> uint32_box
val ppl_new_Uint32_Box_from_Grid : grid -> uint32_box
val ppl_new_Uint32_Box_from_Float_Box : float_box -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_float : bd_shape_float -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> uint32_box
val ppl_new_Uint32_Box_from_Double_Box : double_box -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_double : bd_shape_double -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> uint32_box
val ppl_new_Uint32_Box_from_Long_Double_Box : long_double_box -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> uint32_box
val ppl_new_Uint32_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> uint32_box

```

```

val ppl_new_Uint32_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Grid_with_complexity :
  grid -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Float_Box_with_complexity :
  float_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_double_with_complexity :

```

```

    bd_shape_double ->
    complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> uint32_box
val ppl_new_Uint32_Box_from_constraints : constraint_system -> uint32_box
val ppl_new_Uint32_Box_from_congruences : congruence_system -> uint32_box
val ppl_new_Uint32_Box_from_generators : generator_system -> uint32_box
val ppl_Uint32_Box_swap : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_space_dimension : uint32_box -> int
val ppl_Uint32_Box_affine_dimension : uint32_box -> int
val ppl_Uint32_Box_relation_with_constraint :
    uint32_box ->
    linear_constraint -> poly_con_relation list
val ppl_Uint32_Box_relation_with_generator :
    uint32_box ->
    linear_generator -> poly_gen_relation list
val ppl_Uint32_Box_relation_with_congruence :
    uint32_box ->
    linear_congruence -> poly_con_relation list
val ppl_Uint32_Box_get_constraints : uint32_box -> constraint_system
val ppl_Uint32_Box_get_congruences : uint32_box -> congruence_system
val ppl_Uint32_Box_get_minimized_constraints :
    uint32_box -> constraint_system
val ppl_Uint32_Box_get_minimized_congruences :
    uint32_box -> congruence_system
val ppl_Uint32_Box_is_empty : uint32_box -> bool
val ppl_Uint32_Box_is_universe : uint32_box -> bool
val ppl_Uint32_Box_is_bounded : uint32_box -> bool
val ppl_Uint32_Box_contains_integer_point : uint32_box -> bool
val ppl_Uint32_Box_is_topologically_closed : uint32_box -> bool
val ppl_Uint32_Box_is_discrete : uint32_box -> bool
val ppl_Uint32_Box_topological_closure_assign : uint32_box -> unit
val ppl_Uint32_Box_bounds_from_above :
    uint32_box -> linear_expression -> bool
val ppl_Uint32_Box_bounds_from_below :
    uint32_box -> linear_expression -> bool
val ppl_Uint32_Box_maximize :

```

```

    uint32_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint32_Box_minimize :
    uint32_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint32_Box_maximize_with_point :
    uint32_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint32_Box_minimize_with_point :
    uint32_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint32_Box_frequency :
    uint32_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Uint32_Box_contains_Uint32_Box : uint32_box -> uint32_box -> bool
val ppl_Uint32_Box_strictly_contains_Uint32_Box :
    uint32_box -> uint32_box -> bool
val ppl_Uint32_Box_is_disjoint_from_Uint32_Box :
    uint32_box -> uint32_box -> bool
val ppl_Uint32_Box_equals_Uint32_Box : uint32_box -> uint32_box -> bool
val ppl_Uint32_Box_OK : uint32_box -> bool
val ppl_Uint32_Box_add_constraint : uint32_box -> linear_constraint -> unit
val ppl_Uint32_Box_add_congruence : uint32_box -> linear_congruence -> unit
val ppl_Uint32_Box_add_constraints : uint32_box -> constraint_system -> unit
val ppl_Uint32_Box_add_congruences : uint32_box -> congruence_system -> unit
val ppl_Uint32_Box_refine_with_constraint :
    uint32_box -> linear_constraint -> unit
val ppl_Uint32_Box_refine_with_congruence :
    uint32_box -> linear_congruence -> unit
val ppl_Uint32_Box_refine_with_constraints :
    uint32_box -> constraint_system -> unit
val ppl_Uint32_Box_refine_with_congruences :
    uint32_box -> congruence_system -> unit
val ppl_Uint32_Box_intersection_assign : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_upper_bound_assign : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_difference_assign : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_concatenate_assign : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_time_elapse_assign : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_upper_bound_assign_if_exact :
    uint32_box -> uint32_box -> bool
val ppl_Uint32_Box_simplify_using_context_assign :
    uint32_box -> uint32_box -> bool
val ppl_Uint32_Box_constrains : uint32_box -> int -> bool
val ppl_Uint32_Box_unconstrain_space_dimension : uint32_box -> int -> unit
val ppl_Uint32_Box_unconstrain_space_dimensions :

```

```

    uint32_box -> int list -> unit
val ppl_Uint32_Box_affine_image :
    uint32_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint32_Box_affine_preimage :
    uint32_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint32_Box_bounded_affine_image :
    uint32_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint32_Box_bounded_affine_preimage :
    uint32_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint32_Box_generalized_affine_image :
    uint32_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint32_Box_generalized_affine_preimage :
    uint32_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint32_Box_generalized_affine_image_lhs_rhs :
    uint32_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Uint32_Box_generalized_affine_preimage_lhs_rhs :
    uint32_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Uint32_Box_add_space_dimensions_and_embed : uint32_box -> int -> unit
val ppl_Uint32_Box_add_space_dimensions_and_project :
    uint32_box -> int -> unit
val ppl_Uint32_Box_remove_space_dimensions : uint32_box -> int list -> unit
val ppl_Uint32_Box_remove_higher_space_dimensions : uint32_box -> int -> unit
val ppl_Uint32_Box_expand_space_dimension : uint32_box -> int -> int -> unit
val ppl_Uint32_Box_fold_space_dimensions :
    uint32_box -> int list -> int -> unit
val ppl_Uint32_Box_map_space_dimensions :
    uint32_box -> (int * int) list -> unit
val ppl_Uint32_Box_drop_some_non_integer_points :
    uint32_box -> complexity_class -> unit
val ppl_Uint32_Box_drop_some_non_integer_points_2 :
    uint32_box -> int list -> complexity_class -> unit
val ppl_Uint32_Box_ascii_dump : uint32_box -> string
val ppl_Uint32_Box_external_memory_in_bytes : uint32_box -> int
val ppl_Uint32_Box_total_memory_in_bytes : uint32_box -> int
val ppl_Uint32_Box_CC76_widening_assign_with_tokens :
    uint32_box -> uint32_box -> int -> int
val ppl_Uint32_Box_CC76_widening_assign : uint32_box -> uint32_box -> unit

```

```

val ppl_Uint32_Box_widening_assign_with_tokens :
  uint32_box -> uint32_box -> int -> int
val ppl_Uint32_Box_widening_assign : uint32_box -> uint32_box -> unit
val ppl_Uint32_Box_limited_CC76_extrapolation_assign_with_tokens :
  uint32_box ->
  uint32_box -> constraint_system -> int -> int
val ppl_Uint32_Box_limited_CC76_extrapolation_assign :
  uint32_box ->
  uint32_box -> constraint_system -> unit
val ppl_Uint32_Box_linear_partition :
  uint32_box ->
  uint32_box ->
  uint32_box * pointset_powerset_nnc_polyhedron
val ppl_Uint32_Box_wrap_assign :
  uint32_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Uint32_Box : uint32_box -> bool
val ppl_termination_test_PR_Uint32_Box : uint32_box -> bool
val ppl_one_affine_ranking_function_MS_Uint32_Box :
  uint32_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint32_Box :
  uint32_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint32_Box : uint32_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint32_Box : uint32_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint32_Box :
  uint32_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Uint32_Box_2 : uint32_box -> uint32_box -> bool
val ppl_termination_test_PR_Uint32_Box_2 : uint32_box -> uint32_box -> bool
val ppl_one_affine_ranking_function_MS_Uint32_Box_2 :
  uint32_box ->
  uint32_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint32_Box_2 :
  uint32_box ->
  uint32_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint32_Box_2 :
  uint32_box -> uint32_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint32_Box_2 :
  uint32_box -> uint32_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint32_Box_2 :
  uint32_box ->
  uint32_box -> polyhedron * polyhedron
val ppl_new_Uint64_Box_from_space_dimension :
  int -> degenerate_element -> uint64_box
val ppl_new_Uint64_Box_from_Int8_Box : int8_box -> uint64_box
val ppl_new_Uint64_Box_from_Int16_Box : int16_box -> uint64_box

```

```

val ppl_new_Uint64_Box_from_Int32_Box : int32_box -> uint64_box
val ppl_new_Uint64_Box_from_Int64_Box : int64_box -> uint64_box
val ppl_new_Uint64_Box_from_Uint8_Box : uint8_box -> uint64_box
val ppl_new_Uint64_Box_from_Uint16_Box : uint16_box -> uint64_box
val ppl_new_Uint64_Box_from_Uint32_Box : uint32_box -> uint64_box
val ppl_new_Uint64_Box_from_Uint64_Box : uint64_box -> uint64_box
val ppl_new_Uint64_Box_from_Z_Box : z_box -> uint64_box
val ppl_new_Uint64_Box_from_Rational_Box : rational_box -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> uint64_box
val ppl_new_Uint64_Box_from_C_Polyhedron : polyhedron -> uint64_box
val ppl_new_Uint64_Box_from_NNC_Polyhedron : polyhedron -> uint64_box
val ppl_new_Uint64_Box_from_Grid : grid -> uint64_box
val ppl_new_Uint64_Box_from_Float_Box : float_box -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_float : bd_shape_float -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> uint64_box
val ppl_new_Uint64_Box_from_Double_Box : double_box -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_double : bd_shape_double -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> uint64_box
val ppl_new_Uint64_Box_from_Long_Double_Box : long_double_box -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> uint64_box
val ppl_new_Uint64_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> uint64_box

```



```

val ppl_new_Uint64_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_mpz_class_with_complexity :

```

```

    octagonal_shape_mpz_class ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Grid_with_complexity :
    grid -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Float_Box_with_complexity :
    float_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Double_Box_with_complexity :
    double_box -> complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> uint64_box
val ppl_new_Uint64_Box_from_constraints : constraint_system -> uint64_box
val ppl_new_Uint64_Box_from_congruences : congruence_system -> uint64_box
val ppl_new_Uint64_Box_from_generators : generator_system -> uint64_box
val ppl_Uint64_Box_swap : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_space_dimension : uint64_box -> int
val ppl_Uint64_Box_affine_dimension : uint64_box -> int
val ppl_Uint64_Box_relation_with_constraint :
    uint64_box ->
    linear_constraint -> poly_con_relation list
val ppl_Uint64_Box_relation_with_generator :
    uint64_box ->
    linear_generator -> poly_gen_relation list
val ppl_Uint64_Box_relation_with_congruence :

```

```

uint64_box ->
  linear_congruence -> poly_con_relation list
val ppl_Uint64_Box_get_constraints : uint64_box -> constraint_system
val ppl_Uint64_Box_get_congruences : uint64_box -> congruence_system
val ppl_Uint64_Box_get_minimized_constraints :
  uint64_box -> constraint_system
val ppl_Uint64_Box_get_minimized_congruences :
  uint64_box -> congruence_system
val ppl_Uint64_Box_is_empty : uint64_box -> bool
val ppl_Uint64_Box_is_universe : uint64_box -> bool
val ppl_Uint64_Box_is_bounded : uint64_box -> bool
val ppl_Uint64_Box_contains_integer_point : uint64_box -> bool
val ppl_Uint64_Box_is_topologically_closed : uint64_box -> bool
val ppl_Uint64_Box_is_discrete : uint64_box -> bool
val ppl_Uint64_Box_topological_closure_assign : uint64_box -> unit
val ppl_Uint64_Box_bounds_from_above :
  uint64_box -> linear_expression -> bool
val ppl_Uint64_Box_bounds_from_below :
  uint64_box -> linear_expression -> bool
val ppl_Uint64_Box_maximize :
  uint64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint64_Box_minimize :
  uint64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Uint64_Box_maximize_with_point :
  uint64_box ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint64_Box_minimize_with_point :
  uint64_box ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Uint64_Box_frequency :
  uint64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Uint64_Box_contains_Uint64_Box : uint64_box -> uint64_box -> bool
val ppl_Uint64_Box_strictly_contains_Uint64_Box :
  uint64_box -> uint64_box -> bool
val ppl_Uint64_Box_is_disjoint_from_Uint64_Box :
  uint64_box -> uint64_box -> bool
val ppl_Uint64_Box_equals_Uint64_Box : uint64_box -> uint64_box -> bool
val ppl_Uint64_Box_OK : uint64_box -> bool
val ppl_Uint64_Box_add_constraint : uint64_box -> linear_constraint -> unit
val ppl_Uint64_Box_add_congruence : uint64_box -> linear_congruence -> unit
val ppl_Uint64_Box_add_constraints : uint64_box -> constraint_system -> unit
val ppl_Uint64_Box_add_congruences : uint64_box -> congruence_system -> unit

```

```

val ppl_Uint64_Box_refine_with_constraint :
  uint64_box -> linear_constraint -> unit
val ppl_Uint64_Box_refine_with_congruence :
  uint64_box -> linear_congruence -> unit
val ppl_Uint64_Box_refine_with_constraints :
  uint64_box -> constraint_system -> unit
val ppl_Uint64_Box_refine_with_congruences :
  uint64_box -> congruence_system -> unit
val ppl_Uint64_Box_intersection_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_upper_bound_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_difference_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_concatenate_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_time_elapse_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_upper_bound_assign_if_exact :
  uint64_box -> uint64_box -> bool
val ppl_Uint64_Box_simplify_using_context_assign :
  uint64_box -> uint64_box -> bool
val ppl_Uint64_Box_constrains : uint64_box -> int -> bool
val ppl_Uint64_Box_unconstrain_space_dimension : uint64_box -> int -> unit
val ppl_Uint64_Box_unconstrain_space_dimensions :
  uint64_box -> int list -> unit
val ppl_Uint64_Box_affine_image :
  uint64_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint64_Box_affine_preimage :
  uint64_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint64_Box_bounded_affine_image :
  uint64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint64_Box_bounded_affine_preimage :
  uint64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint64_Box_generalized_affine_image :
  uint64_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint64_Box_generalized_affine_preimage :
  uint64_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Uint64_Box_generalized_affine_image_lhs_rhs :
  uint64_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Uint64_Box_generalized_affine_preimage_lhs_rhs :
  uint64_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit

```

```

val ppl_Uint64_Box_add_space_dimensions_and_embed : uint64_box -> int -> unit
val ppl_Uint64_Box_add_space_dimensions_and_project :
  uint64_box -> int -> unit
val ppl_Uint64_Box_remove_space_dimensions : uint64_box -> int list -> unit
val ppl_Uint64_Box_remove_higher_space_dimensions : uint64_box -> int -> unit
val ppl_Uint64_Box_expand_space_dimension : uint64_box -> int -> int -> unit
val ppl_Uint64_Box_fold_space_dimensions :
  uint64_box -> int list -> int -> unit
val ppl_Uint64_Box_map_space_dimensions :
  uint64_box -> (int * int) list -> unit
val ppl_Uint64_Box_drop_some_non_integer_points :
  uint64_box -> complexity_class -> unit
val ppl_Uint64_Box_drop_some_non_integer_points_2 :
  uint64_box -> int list -> complexity_class -> unit
val ppl_Uint64_Box_ascii_dump : uint64_box -> string
val ppl_Uint64_Box_external_memory_in_bytes : uint64_box -> int
val ppl_Uint64_Box_total_memory_in_bytes : uint64_box -> int
val ppl_Uint64_Box_CC76_widening_assign_with_tokens :
  uint64_box -> uint64_box -> int -> int
val ppl_Uint64_Box_CC76_widening_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_widening_assign_with_tokens :
  uint64_box -> uint64_box -> int -> int
val ppl_Uint64_Box_widening_assign : uint64_box -> uint64_box -> unit
val ppl_Uint64_Box_limited_CC76_extrapolation_assign_with_tokens :
  uint64_box ->
  uint64_box -> constraint_system -> int -> int
val ppl_Uint64_Box_limited_CC76_extrapolation_assign :
  uint64_box ->
  uint64_box -> constraint_system -> unit
val ppl_Uint64_Box_linear_partition :
  uint64_box ->
  uint64_box ->
  uint64_box * pointset_powerset_nnc_polyhedron
val ppl_Uint64_Box_wrap_assign :
  uint64_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Uint64_Box : uint64_box -> bool
val ppl_termination_test_PR_Uint64_Box : uint64_box -> bool
val ppl_one_affine_ranking_function_MS_Uint64_Box :
  uint64_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint64_Box :
  uint64_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint64_Box : uint64_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint64_Box : uint64_box -> polyhedron

```

```

val ppl_all_affine_quasi_ranking_functions_MS_Uint64_Box :
  uint64_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Uint64_Box_2 : uint64_box -> uint64_box -> bool
val ppl_termination_test_PR_Uint64_Box_2 : uint64_box -> uint64_box -> bool
val ppl_one_affine_ranking_function_MS_Uint64_Box_2 :
  uint64_box ->
  uint64_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Uint64_Box_2 :
  uint64_box ->
  uint64_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Uint64_Box_2 :
  uint64_box -> uint64_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Uint64_Box_2 :
  uint64_box -> uint64_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Uint64_Box_2 :
  uint64_box ->
  uint64_box -> polyhedron * polyhedron
val ppl_new_Z_Box_from_space_dimension : int -> degenerate_element -> z_box
val ppl_new_Z_Box_from_Int8_Box : int8_box -> z_box
val ppl_new_Z_Box_from_Int16_Box : int16_box -> z_box
val ppl_new_Z_Box_from_Int32_Box : int32_box -> z_box
val ppl_new_Z_Box_from_Int64_Box : int64_box -> z_box
val ppl_new_Z_Box_from_Uint8_Box : uint8_box -> z_box
val ppl_new_Z_Box_from_Uint16_Box : uint16_box -> z_box
val ppl_new_Z_Box_from_Uint32_Box : uint32_box -> z_box
val ppl_new_Z_Box_from_Uint64_Box : uint64_box -> z_box
val ppl_new_Z_Box_from_Z_Box : z_box -> z_box
val ppl_new_Z_Box_from_Rational_Box : rational_box -> z_box
val ppl_new_Z_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> z_box
val ppl_new_Z_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> z_box
val ppl_new_Z_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> z_box
val ppl_new_Z_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> z_box
val ppl_new_Z_Box_from_BD_Shape_mpz_class : bd_shape_mpz_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_mpq_class : bd_shape_mpq_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> z_box

```

```

val ppl_new_Z_Box_from_C_Polyhedron : polyhedron -> z_box
val ppl_new_Z_Box_from_NNC_Polyhedron : polyhedron -> z_box
val ppl_new_Z_Box_from_Grid : grid -> z_box
val ppl_new_Z_Box_from_Float_Box : float_box -> z_box
val ppl_new_Z_Box_from_BD_Shape_float : bd_shape_float -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_float : octagonal_shape_float -> z_box
val ppl_new_Z_Box_from_Double_Box : double_box -> z_box
val ppl_new_Z_Box_from_BD_Shape_double : bd_shape_double -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> z_box
val ppl_new_Z_Box_from_Long_Double_Box : long_double_box -> z_box
val ppl_new_Z_Box_from_BD_Shape_long_double : bd_shape_long_double -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> z_box
val ppl_new_Z_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class -> complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int8_t_with_complexity :

```

```

    octagonal_shape_int8_t ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> z_box
val ppl_new_Z_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> z_box
val ppl_new_Z_Box_from_Grid_with_complexity :
    grid -> complexity_class -> z_box
val ppl_new_Z_Box_from_Float_Box_with_complexity :
    float_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_float_with_complexity :
    bd_shape_float -> complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Double_Box_with_complexity :
    double_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_double_with_complexity :
    bd_shape_double -> complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Long_Double_Box_with_complexity :
    long_double_box -> complexity_class -> z_box
val ppl_new_Z_Box_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> z_box
val ppl_new_Z_Box_from_constraints : constraint_system -> z_box
val ppl_new_Z_Box_from_congruences : congruence_system -> z_box
val ppl_new_Z_Box_from_generators : generator_system -> z_box
val ppl_Z_Box_swap : z_box -> z_box -> unit

```



```

val ppl_Z_Box_space_dimension : z_box -> int
val ppl_Z_Box_affine_dimension : z_box -> int
val ppl_Z_Box_relation_with_constraint :
  z_box ->
  linear_constraint -> poly_con_relation list
val ppl_Z_Box_relation_with_generator :
  z_box ->
  linear_generator -> poly_gen_relation list
val ppl_Z_Box_relation_with_congruence :
  z_box ->
  linear_congruence -> poly_con_relation list
val ppl_Z_Box_get_constraints : z_box -> constraint_system
val ppl_Z_Box_get_congruences : z_box -> congruence_system
val ppl_Z_Box_get_minimized_constraints : z_box -> constraint_system
val ppl_Z_Box_get_minimized_congruences : z_box -> congruence_system
val ppl_Z_Box_is_empty : z_box -> bool
val ppl_Z_Box_is_universe : z_box -> bool
val ppl_Z_Box_is_bounded : z_box -> bool
val ppl_Z_Box_contains_integer_point : z_box -> bool
val ppl_Z_Box_is_topologically_closed : z_box -> bool
val ppl_Z_Box_is_discrete : z_box -> bool
val ppl_Z_Box_topological_closure_assign : z_box -> unit
val ppl_Z_Box_bounds_from_above : z_box -> linear_expression -> bool
val ppl_Z_Box_bounds_from_below : z_box -> linear_expression -> bool
val ppl_Z_Box_maximize :
  z_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Z_Box_minimize :
  z_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Z_Box_maximize_with_point :
  z_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Z_Box_minimize_with_point :
  z_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Z_Box_frequency :
  z_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Z_Box_contains_Z_Box : z_box -> z_box -> bool
val ppl_Z_Box_strictly_contains_Z_Box : z_box -> z_box -> bool
val ppl_Z_Box_is_disjoint_from_Z_Box : z_box -> z_box -> bool
val ppl_Z_Box_equals_Z_Box : z_box -> z_box -> bool
val ppl_Z_Box_OK : z_box -> bool
val ppl_Z_Box_add_constraint : z_box -> linear_constraint -> unit

```

```

val ppl_Z_Box_add_congruence : z_box -> linear_congruence -> unit
val ppl_Z_Box_add_constraints : z_box -> constraint_system -> unit
val ppl_Z_Box_add_congruences : z_box -> congruence_system -> unit
val ppl_Z_Box_refine_with_constraint : z_box -> linear_constraint -> unit
val ppl_Z_Box_refine_with_congruence : z_box -> linear_congruence -> unit
val ppl_Z_Box_refine_with_constraints : z_box -> constraint_system -> unit
val ppl_Z_Box_refine_with_congruences : z_box -> congruence_system -> unit
val ppl_Z_Box_intersection_assign : z_box -> z_box -> unit
val ppl_Z_Box_upper_bound_assign : z_box -> z_box -> unit
val ppl_Z_Box_difference_assign : z_box -> z_box -> unit
val ppl_Z_Box_concatenate_assign : z_box -> z_box -> unit
val ppl_Z_Box_time_elapse_assign : z_box -> z_box -> unit
val ppl_Z_Box_upper_bound_assign_if_exact : z_box -> z_box -> bool
val ppl_Z_Box_simplify_using_context_assign : z_box -> z_box -> bool
val ppl_Z_Box_constrains : z_box -> int -> bool
val ppl_Z_Box_unconstrain_space_dimension : z_box -> int -> unit
val ppl_Z_Box_unconstrain_space_dimensions : z_box -> int list -> unit
val ppl_Z_Box_affine_image :
  z_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Z_Box_affine_preimage :
  z_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Z_Box_bounded_affine_image :
  z_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Z_Box_bounded_affine_preimage :
  z_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Z_Box_generalized_affine_image :
  z_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Z_Box_generalized_affine_preimage :
  z_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Z_Box_generalized_affine_image_lhs_rhs :
  z_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Z_Box_generalized_affine_preimage_lhs_rhs :
  z_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Z_Box_add_space_dimensions_and_embed : z_box -> int -> unit
val ppl_Z_Box_add_space_dimensions_and_project : z_box -> int -> unit

```

```

val ppl_Z_Box_remove_space_dimensions : z_box -> int list -> unit
val ppl_Z_Box_remove_higher_space_dimensions : z_box -> int -> unit
val ppl_Z_Box_expand_space_dimension : z_box -> int -> int -> unit
val ppl_Z_Box_fold_space_dimensions : z_box -> int list -> int -> unit
val ppl_Z_Box_map_space_dimensions : z_box -> (int * int) list -> unit
val ppl_Z_Box_drop_some_non_integer_points :
  z_box -> complexity_class -> unit
val ppl_Z_Box_drop_some_non_integer_points_2 :
  z_box -> int list -> complexity_class -> unit
val ppl_Z_Box_ascii_dump : z_box -> string
val ppl_Z_Box_external_memory_in_bytes : z_box -> int
val ppl_Z_Box_total_memory_in_bytes : z_box -> int
val ppl_Z_Box_CC76_widening_assign_with_tokens : z_box -> z_box -> int -> int
val ppl_Z_Box_CC76_widening_assign : z_box -> z_box -> unit
val ppl_Z_Box_widening_assign_with_tokens : z_box -> z_box -> int -> int
val ppl_Z_Box_widening_assign : z_box -> z_box -> unit
val ppl_Z_Box_limited_CC76_extrapolation_assign_with_tokens :
  z_box ->
  z_box -> constraint_system -> int -> int
val ppl_Z_Box_limited_CC76_extrapolation_assign :
  z_box -> z_box -> constraint_system -> unit
val ppl_Z_Box_linear_partition :
  z_box ->
  z_box ->
  z_box * pointset_powerset_nnc_polyhedron
val ppl_Z_Box_wrap_assign :
  z_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Z_Box : z_box -> bool
val ppl_termination_test_PR_Z_Box : z_box -> bool
val ppl_one_affine_ranking_function_MS_Z_Box :
  z_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Z_Box :
  z_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Z_Box : z_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Z_Box : z_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Z_Box :
  z_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Z_Box_2 : z_box -> z_box -> bool
val ppl_termination_test_PR_Z_Box_2 : z_box -> z_box -> bool
val ppl_one_affine_ranking_function_MS_Z_Box_2 :
  z_box -> z_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Z_Box_2 :

```

```

    z_box -> z_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Z_Box_2 :
    z_box -> z_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Z_Box_2 :
    z_box -> z_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Z_Box_2 :
    z_box ->
    z_box -> polyhedron * polyhedron
val ppl_new_Rational_Box_from_space_dimension :
    int -> degenerate_element -> rational_box
val ppl_new_Rational_Box_from_Int8_Box : int8_box -> rational_box
val ppl_new_Rational_Box_from_Int16_Box : int16_box -> rational_box
val ppl_new_Rational_Box_from_Int32_Box : int32_box -> rational_box
val ppl_new_Rational_Box_from_Int64_Box : int64_box -> rational_box
val ppl_new_Rational_Box_from_Uint8_Box : uint8_box -> rational_box
val ppl_new_Rational_Box_from_Uint16_Box : uint16_box -> rational_box
val ppl_new_Rational_Box_from_Uint32_Box : uint32_box -> rational_box
val ppl_new_Rational_Box_from_Uint64_Box : uint64_box -> rational_box
val ppl_new_Rational_Box_from_Z_Box : z_box -> rational_box
val ppl_new_Rational_Box_from_Rational_Box : rational_box -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int8_t :
    bd_shape_int8_t -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int16_t :
    bd_shape_int16_t -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int32_t :
    bd_shape_int32_t -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int64_t :
    bd_shape_int64_t -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> rational_box
val ppl_new_Rational_Box_from_C_Polyhedron : polyhedron -> rational_box
val ppl_new_Rational_Box_from_NNC_Polyhedron : polyhedron -> rational_box
val ppl_new_Rational_Box_from_Grid : grid -> rational_box

```

```

val ppl_new_Rational_Box_from_Float_Box : float_box -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_float : bd_shape_float -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> rational_box
val ppl_new_Rational_Box_from_Double_Box : double_box -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_double :
  bd_shape_double -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> rational_box
val ppl_new_Rational_Box_from_Long_Double_Box :
  long_double_box -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> rational_box
val ppl_new_Rational_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> rational_box

```

```

val ppl_new_Rational_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Grid_with_complexity :
  grid -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_Float_Box_with_complexity :
  float_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> rational_box
val ppl_new_Rational_Box_from_BD_Shape_long_double_with_complexity :

```

```

    bd_shape_long_double ->
    complexity_class -> rational_box
val ppl_new_Rational_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> rational_box
val ppl_new_Rational_Box_from_constraints : constraint_system -> rational_box
val ppl_new_Rational_Box_from_congruences : congruence_system -> rational_box
val ppl_new_Rational_Box_from_generators : generator_system -> rational_box
val ppl_Rational_Box_swap : rational_box -> rational_box -> unit
val ppl_Rational_Box_space_dimension : rational_box -> int
val ppl_Rational_Box_affine_dimension : rational_box -> int
val ppl_Rational_Box_relation_with_constraint :
    rational_box ->
    linear_constraint -> poly_con_relation list
val ppl_Rational_Box_relation_with_generator :
    rational_box ->
    linear_generator -> poly_gen_relation list
val ppl_Rational_Box_relation_with_congruence :
    rational_box ->
    linear_congruence -> poly_con_relation list
val ppl_Rational_Box_get_constraints : rational_box -> constraint_system
val ppl_Rational_Box_get_congruences : rational_box -> congruence_system
val ppl_Rational_Box_get_minimized_constraints :
    rational_box -> constraint_system
val ppl_Rational_Box_get_minimized_congruences :
    rational_box -> congruence_system
val ppl_Rational_Box_is_empty : rational_box -> bool
val ppl_Rational_Box_is_universe : rational_box -> bool
val ppl_Rational_Box_is_bounded : rational_box -> bool
val ppl_Rational_Box_contains_integer_point : rational_box -> bool
val ppl_Rational_Box_is_topologically_closed : rational_box -> bool
val ppl_Rational_Box_is_discrete : rational_box -> bool
val ppl_Rational_Box_topological_closure_assign : rational_box -> unit
val ppl_Rational_Box_bounds_from_above :
    rational_box -> linear_expression -> bool
val ppl_Rational_Box_bounds_from_below :
    rational_box -> linear_expression -> bool
val ppl_Rational_Box_maximize :
    rational_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Rational_Box_minimize :
    rational_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Rational_Box_maximize_with_point :
    rational_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator

```

```

val ppl_Rational_Box_minimize_with_point :
  rational_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Rational_Box_frequency :
  rational_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Rational_Box_contains_Rational_Box :
  rational_box -> rational_box -> bool
val ppl_Rational_Box_strictly_contains_Rational_Box :
  rational_box -> rational_box -> bool
val ppl_Rational_Box_is_disjoint_from_Rational_Box :
  rational_box -> rational_box -> bool
val ppl_Rational_Box_equals_Rational_Box :
  rational_box -> rational_box -> bool
val ppl_Rational_Box_OK : rational_box -> bool
val ppl_Rational_Box_add_constraint :
  rational_box -> linear_constraint -> unit
val ppl_Rational_Box_add_congruence :
  rational_box -> linear_congruence -> unit
val ppl_Rational_Box_add_constraints :
  rational_box -> constraint_system -> unit
val ppl_Rational_Box_add_congruences :
  rational_box -> congruence_system -> unit
val ppl_Rational_Box_refine_with_constraint :
  rational_box -> linear_constraint -> unit
val ppl_Rational_Box_refine_with_congruence :
  rational_box -> linear_congruence -> unit
val ppl_Rational_Box_refine_with_constraints :
  rational_box -> constraint_system -> unit
val ppl_Rational_Box_refine_with_congruences :
  rational_box -> congruence_system -> unit
val ppl_Rational_Box_intersection_assign :
  rational_box -> rational_box -> unit
val ppl_Rational_Box_upper_bound_assign :
  rational_box -> rational_box -> unit
val ppl_Rational_Box_difference_assign : rational_box -> rational_box -> unit
val ppl_Rational_Box_concatenate_assign :
  rational_box -> rational_box -> unit
val ppl_Rational_Box_time_elapse_assign :
  rational_box -> rational_box -> unit
val ppl_Rational_Box_upper_bound_assign_if_exact :
  rational_box -> rational_box -> bool
val ppl_Rational_Box_simplify_using_context_assign :
  rational_box -> rational_box -> bool
val ppl_Rational_Box_constrains : rational_box -> int -> bool
val ppl_Rational_Box_unconstrain_space_dimension :
  rational_box -> int -> unit

```



```

val ppl_Rational_Box_unconstrain_space_dimensions :
  rational_box -> int list -> unit
val ppl_Rational_Box_affine_image :
  rational_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Rational_Box_affine_preimage :
  rational_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Rational_Box_bounded_affine_image :
  rational_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Rational_Box_bounded_affine_preimage :
  rational_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Rational_Box_generalized_affine_image :
  rational_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Rational_Box_generalized_affine_preimage :
  rational_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Rational_Box_generalized_affine_image_lhs_rhs :
  rational_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Rational_Box_generalized_affine_preimage_lhs_rhs :
  rational_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Rational_Box_add_space_dimensions_and_embed :
  rational_box -> int -> unit
val ppl_Rational_Box_add_space_dimensions_and_project :
  rational_box -> int -> unit
val ppl_Rational_Box_remove_space_dimensions :
  rational_box -> int list -> unit
val ppl_Rational_Box_remove_higher_space_dimensions :
  rational_box -> int -> unit
val ppl_Rational_Box_expand_space_dimension :
  rational_box -> int -> int -> unit
val ppl_Rational_Box_fold_space_dimensions :
  rational_box -> int list -> int -> unit
val ppl_Rational_Box_map_space_dimensions :
  rational_box -> (int * int) list -> unit
val ppl_Rational_Box_drop_some_non_integer_points :
  rational_box -> complexity_class -> unit
val ppl_Rational_Box_drop_some_non_integer_points_2 :
  rational_box -> int list -> complexity_class -> unit

```

```

val ppl_Rational_Box_ascii_dump : rational_box -> string
val ppl_Rational_Box_external_memory_in_bytes : rational_box -> int
val ppl_Rational_Box_total_memory_in_bytes : rational_box -> int
val ppl_Rational_Box_CC76_widening_assign_with_tokens :
  rational_box -> rational_box -> int -> int
val ppl_Rational_Box_CC76_widening_assign :
  rational_box -> rational_box -> unit
val ppl_Rational_Box_widening_assign_with_tokens :
  rational_box -> rational_box -> int -> int
val ppl_Rational_Box_widening_assign : rational_box -> rational_box -> unit
val ppl_Rational_Box_limited_CC76_extrapolation_assign_with_tokens :
  rational_box ->
  rational_box -> constraint_system -> int -> int
val ppl_Rational_Box_limited_CC76_extrapolation_assign :
  rational_box ->
  rational_box -> constraint_system -> unit
val ppl_Rational_Box_linear_partition :
  rational_box ->
  rational_box ->
  rational_box * pointset_powerset_nnc_polyhedron
val ppl_Rational_Box_wrap_assign :
  rational_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Rational_Box : rational_box -> bool
val ppl_termination_test_PR_Rational_Box : rational_box -> bool
val ppl_one_affine_ranking_function_MS_Rational_Box :
  rational_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Rational_Box :
  rational_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Rational_Box :
  rational_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Rational_Box :
  rational_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Rational_Box :
  rational_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Rational_Box_2 :
  rational_box -> rational_box -> bool
val ppl_termination_test_PR_Rational_Box_2 :
  rational_box -> rational_box -> bool
val ppl_one_affine_ranking_function_MS_Rational_Box_2 :
  rational_box ->
  rational_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Rational_Box_2 :
  rational_box ->
  rational_box -> bool * linear_generator

```

```

val ppl_all_affine_ranking_functions_MS_Rational_Box_2 :
  rational_box -> rational_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Rational_Box_2 :
  rational_box -> rational_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Rational_Box_2 :
  rational_box ->
  rational_box -> polyhedron * polyhedron
val ppl_new_BD_Shape_int8_t_from_space_dimension :
  int -> degenerate_element -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int8_Box : int8_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int16_Box : int16_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int32_Box : int32_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int64_Box : int64_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint8_Box : uint8_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint16_Box : uint16_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint32_Box : uint32_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint64_Box : uint64_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Z_Box : z_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Rational_Box :
  rational_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int64_t :
  bd_shape_int64_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_C_Polyhedron : polyhedron -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_NNC_Polyhedron :
  polyhedron -> bd_shape_int8_t

```

```

val ppl_new_BD_Shape_int8_t_from_Grid : grid -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Float_Box : float_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_float :
  bd_shape_float -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_float :
  octagonal_shape_float -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Double_Box : double_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_double :
  bd_shape_double -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_double :
  octagonal_shape_double -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Long_Double_Box :
  long_double_box -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Z_Box_with_complexity :
  z_box -> complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int16_t_with_complexity :

```

```

    bd_shape_int16_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Grid_with_complexity :
    grid -> complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Double_Box_with_complexity :

```

```

double_box ->
complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_constraints :
  constraint_system -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_congruences :
  congruence_system -> bd_shape_int8_t
val ppl_new_BD_Shape_int8_t_from_generators :
  generator_system -> bd_shape_int8_t
val ppl_BD_Shape_int8_t_swap : bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_space_dimension : bd_shape_int8_t -> int
val ppl_BD_Shape_int8_t_affine_dimension : bd_shape_int8_t -> int
val ppl_BD_Shape_int8_t_relation_with_constraint :
  bd_shape_int8_t ->
  linear_constraint -> poly_con_relation list
val ppl_BD_Shape_int8_t_relation_with_generator :
  bd_shape_int8_t ->
  linear_generator -> poly_gen_relation list
val ppl_BD_Shape_int8_t_relation_with_congruence :
  bd_shape_int8_t ->
  linear_congruence -> poly_con_relation list
val ppl_BD_Shape_int8_t_get_constraints :
  bd_shape_int8_t -> constraint_system
val ppl_BD_Shape_int8_t_get_congruences :
  bd_shape_int8_t -> congruence_system
val ppl_BD_Shape_int8_t_get_minimized_constraints :
  bd_shape_int8_t -> constraint_system
val ppl_BD_Shape_int8_t_get_minimized_congruences :
  bd_shape_int8_t -> congruence_system
val ppl_BD_Shape_int8_t_is_empty : bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_is_universe : bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_is_bounded : bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_contains_integer_point : bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_is_topologically_closed : bd_shape_int8_t -> bool

```

```

val ppl_BD_Shape_int8_t_is_discrete : bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_topological_closure_assign : bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_bounds_from_above :
  bd_shape_int8_t -> linear_expression -> bool
val ppl_BD_Shape_int8_t_bounds_from_below :
  bd_shape_int8_t -> linear_expression -> bool
val ppl_BD_Shape_int8_t_maximize :
  bd_shape_int8_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int8_t_minimize :
  bd_shape_int8_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int8_t_maximize_with_point :
  bd_shape_int8_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int8_t_minimize_with_point :
  bd_shape_int8_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int8_t_frequency :
  bd_shape_int8_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_int8_t_contains_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_strictly_contains_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_is_disjoint_from_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_equals_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_OK : bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_add_constraint :
  bd_shape_int8_t -> linear_constraint -> unit
val ppl_BD_Shape_int8_t_add_congruence :
  bd_shape_int8_t -> linear_congruence -> unit
val ppl_BD_Shape_int8_t_add_constraints :
  bd_shape_int8_t -> constraint_system -> unit
val ppl_BD_Shape_int8_t_add_congruences :
  bd_shape_int8_t -> congruence_system -> unit
val ppl_BD_Shape_int8_t_refine_with_constraint :
  bd_shape_int8_t -> linear_constraint -> unit
val ppl_BD_Shape_int8_t_refine_with_congruence :
  bd_shape_int8_t -> linear_congruence -> unit
val ppl_BD_Shape_int8_t_refine_with_constraints :
  bd_shape_int8_t -> constraint_system -> unit
val ppl_BD_Shape_int8_t_refine_with_congruences :
  bd_shape_int8_t -> congruence_system -> unit
val ppl_BD_Shape_int8_t_intersection_assign :

```

```

    bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_upper_bound_assign :
    bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_difference_assign :
    bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_concatenate_assign :
    bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_time_elapse_assign :
    bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_upper_bound_assign_if_exact :
    bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_simplify_using_context_assign :
    bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_BD_Shape_int8_t_constrains : bd_shape_int8_t -> int -> bool
val ppl_BD_Shape_int8_t_unconstrain_space_dimension :
    bd_shape_int8_t -> int -> unit
val ppl_BD_Shape_int8_t_unconstrain_space_dimensions :
    bd_shape_int8_t -> int list -> unit
val ppl_BD_Shape_int8_t_affine_image :
    bd_shape_int8_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int8_t_affine_preimage :
    bd_shape_int8_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int8_t_bounded_affine_image :
    bd_shape_int8_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int8_t_bounded_affine_preimage :
    bd_shape_int8_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int8_t_generalized_affine_image :
    bd_shape_int8_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int8_t_generalized_affine_preimage :
    bd_shape_int8_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int8_t_generalized_affine_image_lhs_rhs :
    bd_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int8_t_generalized_affine_preimage_lhs_rhs :
    bd_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int8_t_add_space_dimensions_and_embed :
    bd_shape_int8_t -> int -> unit

```



```

val ppl_BD_Shape_int8_t_add_space_dimensions_and_project :
  bd_shape_int8_t -> int -> unit
val ppl_BD_Shape_int8_t_remove_space_dimensions :
  bd_shape_int8_t -> int list -> unit
val ppl_BD_Shape_int8_t_remove_higher_space_dimensions :
  bd_shape_int8_t -> int -> unit
val ppl_BD_Shape_int8_t_expand_space_dimension :
  bd_shape_int8_t -> int -> int -> unit
val ppl_BD_Shape_int8_t_fold_space_dimensions :
  bd_shape_int8_t -> int list -> int -> unit
val ppl_BD_Shape_int8_t_map_space_dimensions :
  bd_shape_int8_t -> (int * int) list -> unit
val ppl_BD_Shape_int8_t_drop_some_non_integer_points :
  bd_shape_int8_t -> complexity_class -> unit
val ppl_BD_Shape_int8_t_drop_some_non_integer_points_2 :
  bd_shape_int8_t -> int list -> complexity_class -> unit
val ppl_BD_Shape_int8_t_ascii_dump : bd_shape_int8_t -> string
val ppl_BD_Shape_int8_t_external_memory_in_bytes : bd_shape_int8_t -> int
val ppl_BD_Shape_int8_t_total_memory_in_bytes : bd_shape_int8_t -> int
val ppl_BD_Shape_int8_t_BHMZ05_widening_assign_with_tokens :
  bd_shape_int8_t -> bd_shape_int8_t -> int -> int
val ppl_BD_Shape_int8_t_H79_widening_assign_with_tokens :
  bd_shape_int8_t -> bd_shape_int8_t -> int -> int
val ppl_BD_Shape_int8_t_BHMZ05_widening_assign :
  bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_H79_widening_assign :
  bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_widening_assign_with_tokens :
  bd_shape_int8_t -> bd_shape_int8_t -> int -> int
val ppl_BD_Shape_int8_t_widening_assign :
  bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_limited_BHMZ05_extrapolation_assign_with_tokens :
  bd_shape_int8_t ->
  bd_shape_int8_t -> constraint_system -> int -> int
val ppl_BD_Shape_int8_t_limited_H79_extrapolation_assign_with_tokens :
  bd_shape_int8_t ->
  bd_shape_int8_t -> constraint_system -> int -> int
val ppl_BD_Shape_int8_t_limited_CC76_extrapolation_assign_with_tokens :
  bd_shape_int8_t ->
  bd_shape_int8_t -> constraint_system -> int -> int
val ppl_BD_Shape_int8_t_limited_BHMZ05_extrapolation_assign :
  bd_shape_int8_t ->
  bd_shape_int8_t -> constraint_system -> unit
val ppl_BD_Shape_int8_t_limited_H79_extrapolation_assign :
  bd_shape_int8_t ->
  bd_shape_int8_t -> constraint_system -> unit
val ppl_BD_Shape_int8_t_limited_CC76_extrapolation_assign :
  bd_shape_int8_t ->
  bd_shape_int8_t -> constraint_system -> unit

```

```

val ppl_BD_Shape_int8_t_CC76_extrapolation_assign_with_tokens :
  bd_shape_int8_t -> bd_shape_int8_t -> int -> int
val ppl_BD_Shape_int8_t_CC76_extrapolation_assign :
  bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_CC76_narrowing_assign :
  bd_shape_int8_t -> bd_shape_int8_t -> unit
val ppl_BD_Shape_int8_t_linear_partition :
  bd_shape_int8_t ->
  bd_shape_int8_t ->
  bd_shape_int8_t * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_int8_t_wrap_assign :
  bd_shape_int8_t ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_int8_t : bd_shape_int8_t -> bool
val ppl_termination_test_PR_BD_Shape_int8_t : bd_shape_int8_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int8_t :
  bd_shape_int8_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int8_t :
  bd_shape_int8_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int8_t :
  bd_shape_int8_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int8_t :
  bd_shape_int8_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int8_t :
  bd_shape_int8_t -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_int8_t_2 :
  bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_termination_test_PR_BD_Shape_int8_t_2 :
  bd_shape_int8_t -> bd_shape_int8_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int8_t_2 :
  bd_shape_int8_t ->
  bd_shape_int8_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int8_t_2 :
  bd_shape_int8_t ->
  bd_shape_int8_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int8_t_2 :
  bd_shape_int8_t ->
  bd_shape_int8_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int8_t_2 :
  bd_shape_int8_t ->
  bd_shape_int8_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int8_t_2 :
  bd_shape_int8_t ->
  bd_shape_int8_t -> polyhedron * polyhedron
val ppl_new_BD_Shape_int16_t_from_space_dimension :

```

```

    int -> degenerate_element -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int8_Box : int8_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int16_Box : int16_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int32_Box : int32_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int64_Box : int64_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint8_Box : uint8_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint16_Box : uint16_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint32_Box : uint32_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint64_Box : uint64_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Z_Box : z_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Rational_Box :
    rational_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int8_t :
    bd_shape_int8_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int16_t :
    bd_shape_int16_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int32_t :
    bd_shape_int32_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_C_Polyhedron :
    polyhedron -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_NNC_Polyhedron :
    polyhedron -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Grid : grid -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Float_Box : float_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_float :
    bd_shape_float -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_float :
    octagonal_shape_float -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Double_Box : double_box -> bd_shape_int16_t

```

```

val ppl_new_BD_Shape_int16_t_from_BD_Shape_double :
  bd_shape_double -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_double :
  octagonal_shape_double -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Long_Double_Box :
  long_double_box -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Z_Box_with_complexity :
  z_box -> complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->

```

```

    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Grid_with_complexity :
    grid -> complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->

```

```

    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_constraints :
    constraint_system -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_congruences :
    congruence_system -> bd_shape_int16_t
val ppl_new_BD_Shape_int16_t_from_generators :
    generator_system -> bd_shape_int16_t
val ppl_BD_Shape_int16_t_swap : bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_space_dimension : bd_shape_int16_t -> int
val ppl_BD_Shape_int16_t_affine_dimension : bd_shape_int16_t -> int
val ppl_BD_Shape_int16_t_relation_with_constraint :
    bd_shape_int16_t ->
    linear_constraint -> poly_con_relation list
val ppl_BD_Shape_int16_t_relation_with_generator :
    bd_shape_int16_t ->
    linear_generator -> poly_gen_relation list
val ppl_BD_Shape_int16_t_relation_with_congruence :
    bd_shape_int16_t ->
    linear_congruence -> poly_con_relation list
val ppl_BD_Shape_int16_t_get_constraints :
    bd_shape_int16_t -> constraint_system
val ppl_BD_Shape_int16_t_get_congruences :
    bd_shape_int16_t -> congruence_system
val ppl_BD_Shape_int16_t_get_minimized_constraints :
    bd_shape_int16_t -> constraint_system
val ppl_BD_Shape_int16_t_get_minimized_congruences :
    bd_shape_int16_t -> congruence_system
val ppl_BD_Shape_int16_t_is_empty : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_is_universe : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_is_bounded : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_contains_integer_point : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_is_topologically_closed : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_is_discrete : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_topological_closure_assign :
    bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_bounds_from_above :
    bd_shape_int16_t -> linear_expression -> bool
val ppl_BD_Shape_int16_t_bounds_from_below :
    bd_shape_int16_t -> linear_expression -> bool

```

```

val ppl_BD_Shape_int16_t_maximize :
  bd_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int16_t_minimize :
  bd_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int16_t_maximize_with_point :
  bd_shape_int16_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int16_t_minimize_with_point :
  bd_shape_int16_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int16_t_frequency :
  bd_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_int16_t_contains_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_strictly_contains_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_is_disjoint_from_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_equals_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_OK : bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_add_constraint :
  bd_shape_int16_t -> linear_constraint -> unit
val ppl_BD_Shape_int16_t_add_congruence :
  bd_shape_int16_t -> linear_congruence -> unit
val ppl_BD_Shape_int16_t_add_constraints :
  bd_shape_int16_t -> constraint_system -> unit
val ppl_BD_Shape_int16_t_add_congruences :
  bd_shape_int16_t -> congruence_system -> unit
val ppl_BD_Shape_int16_t_refine_with_constraint :
  bd_shape_int16_t -> linear_constraint -> unit
val ppl_BD_Shape_int16_t_refine_with_congruence :
  bd_shape_int16_t -> linear_congruence -> unit
val ppl_BD_Shape_int16_t_refine_with_constraints :
  bd_shape_int16_t -> constraint_system -> unit
val ppl_BD_Shape_int16_t_refine_with_congruences :
  bd_shape_int16_t -> congruence_system -> unit
val ppl_BD_Shape_int16_t_intersection_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_upper_bound_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_difference_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_concatenate_assign :

```

```

    bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_time_elapse_assign :
    bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_upper_bound_assign_if_exact :
    bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_simplify_using_context_assign :
    bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_BD_Shape_int16_t_constrains : bd_shape_int16_t -> int -> bool
val ppl_BD_Shape_int16_t_unconstrain_space_dimension :
    bd_shape_int16_t -> int -> unit
val ppl_BD_Shape_int16_t_unconstrain_space_dimensions :
    bd_shape_int16_t -> int list -> unit
val ppl_BD_Shape_int16_t_affine_image :
    bd_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int16_t_affine_preimage :
    bd_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int16_t_bounded_affine_image :
    bd_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int16_t_bounded_affine_preimage :
    bd_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int16_t_generalized_affine_image :
    bd_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int16_t_generalized_affine_preimage :
    bd_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int16_t_generalized_affine_image_lhs_rhs :
    bd_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int16_t_generalized_affine_preimage_lhs_rhs :
    bd_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int16_t_add_space_dimensions_and_embed :
    bd_shape_int16_t -> int -> unit
val ppl_BD_Shape_int16_t_add_space_dimensions_and_project :
    bd_shape_int16_t -> int -> unit
val ppl_BD_Shape_int16_t_remove_space_dimensions :
    bd_shape_int16_t -> int list -> unit
val ppl_BD_Shape_int16_t_remove_higher_space_dimensions :
    bd_shape_int16_t -> int -> unit

```



```

val ppl_BD_Shape_int16_t_expand_space_dimension :
  bd_shape_int16_t -> int -> int -> unit
val ppl_BD_Shape_int16_t_fold_space_dimensions :
  bd_shape_int16_t -> int list -> int -> unit
val ppl_BD_Shape_int16_t_map_space_dimensions :
  bd_shape_int16_t -> (int * int) list -> unit
val ppl_BD_Shape_int16_t_drop_some_non_integer_points :
  bd_shape_int16_t -> complexity_class -> unit
val ppl_BD_Shape_int16_t_drop_some_non_integer_points_2 :
  bd_shape_int16_t -> int list -> complexity_class -> unit
val ppl_BD_Shape_int16_t_ascii_dump : bd_shape_int16_t -> string
val ppl_BD_Shape_int16_t_external_memory_in_bytes : bd_shape_int16_t -> int
val ppl_BD_Shape_int16_t_total_memory_in_bytes : bd_shape_int16_t -> int
val ppl_BD_Shape_int16_t_BHMZ05_widening_assign_with_tokens :
  bd_shape_int16_t -> bd_shape_int16_t -> int -> int
val ppl_BD_Shape_int16_t_H79_widening_assign_with_tokens :
  bd_shape_int16_t -> bd_shape_int16_t -> int -> int
val ppl_BD_Shape_int16_t_BHMZ05_widening_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_H79_widening_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_widening_assign_with_tokens :
  bd_shape_int16_t -> bd_shape_int16_t -> int -> int
val ppl_BD_Shape_int16_t_widening_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_limited_BHMZ05_extrapolation_assign_with_tokens :
  bd_shape_int16_t ->
  bd_shape_int16_t -> constraint_system -> int -> int
val ppl_BD_Shape_int16_t_limited_H79_extrapolation_assign_with_tokens :
  bd_shape_int16_t ->
  bd_shape_int16_t -> constraint_system -> int -> int
val ppl_BD_Shape_int16_t_limited_CC76_extrapolation_assign_with_tokens :
  bd_shape_int16_t ->
  bd_shape_int16_t -> constraint_system -> int -> int
val ppl_BD_Shape_int16_t_limited_BHMZ05_extrapolation_assign :
  bd_shape_int16_t ->
  bd_shape_int16_t -> constraint_system -> unit
val ppl_BD_Shape_int16_t_limited_H79_extrapolation_assign :
  bd_shape_int16_t ->
  bd_shape_int16_t -> constraint_system -> unit
val ppl_BD_Shape_int16_t_limited_CC76_extrapolation_assign :
  bd_shape_int16_t ->
  bd_shape_int16_t -> constraint_system -> unit
val ppl_BD_Shape_int16_t_CC76_extrapolation_assign_with_tokens :
  bd_shape_int16_t -> bd_shape_int16_t -> int -> int
val ppl_BD_Shape_int16_t_CC76_extrapolation_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit
val ppl_BD_Shape_int16_t_CC76_narrowing_assign :
  bd_shape_int16_t -> bd_shape_int16_t -> unit

```

```

val ppl_BD_Shape_int16_t_linear_partition :
  bd_shape_int16_t ->
  bd_shape_int16_t ->
  bd_shape_int16_t * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_int16_t_wrap_assign :
  bd_shape_int16_t ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_int16_t : bd_shape_int16_t -> bool
val ppl_termination_test_PR_BD_Shape_int16_t : bd_shape_int16_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int16_t :
  bd_shape_int16_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int16_t :
  bd_shape_int16_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int16_t :
  bd_shape_int16_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int16_t :
  bd_shape_int16_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int16_t :
  bd_shape_int16_t -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_int16_t_2 :
  bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_termination_test_PR_BD_Shape_int16_t_2 :
  bd_shape_int16_t -> bd_shape_int16_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int16_t_2 :
  bd_shape_int16_t ->
  bd_shape_int16_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int16_t_2 :
  bd_shape_int16_t ->
  bd_shape_int16_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int16_t_2 :
  bd_shape_int16_t ->
  bd_shape_int16_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int16_t_2 :
  bd_shape_int16_t ->
  bd_shape_int16_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int16_t_2 :
  bd_shape_int16_t ->
  bd_shape_int16_t -> polyhedron * polyhedron
val ppl_new_BD_Shape_int32_t_from_space_dimension :
  int -> degenerate_element -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int8_Box : int8_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int16_Box : int16_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int32_Box : int32_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int64_Box : int64_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint8_Box : uint8_box -> bd_shape_int32_t

```

```

val ppl_new_BD_Shape_int32_t_from_Uint16_Box : uint16_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint32_Box : uint32_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint64_Box : uint64_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Z_Box : z_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Rational_Box :
  rational_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int64_t :
  bd_shape_int64_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_C_Polyhedron :
  polyhedron -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_NNC_Polyhedron :
  polyhedron -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Grid : grid -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Float_Box : float_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_float :
  bd_shape_float -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_float :
  octagonal_shape_float -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Double_Box : double_box -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_double :
  bd_shape_double -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_double :
  octagonal_shape_double -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Long_Double_Box :
  long_double_box -> bd_shape_int32_t

```

```

val ppl_new_BD_Shape_int32_t_from_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Z_Box_with_complexity :
  z_box -> complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->

```

```

    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Grid_with_complexity :
    grid -> complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->

```

```

    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_constraints :
    constraint_system -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_congruences :
    congruence_system -> bd_shape_int32_t
val ppl_new_BD_Shape_int32_t_from_generators :
    generator_system -> bd_shape_int32_t
val ppl_BD_Shape_int32_t_swap : bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_space_dimension : bd_shape_int32_t -> int
val ppl_BD_Shape_int32_t_affine_dimension : bd_shape_int32_t -> int
val ppl_BD_Shape_int32_t_relation_with_constraint :
    bd_shape_int32_t ->
    linear_constraint -> poly_con_relation list
val ppl_BD_Shape_int32_t_relation_with_generator :
    bd_shape_int32_t ->
    linear_generator -> poly_gen_relation list
val ppl_BD_Shape_int32_t_relation_with_congruence :
    bd_shape_int32_t ->
    linear_congruence -> poly_con_relation list
val ppl_BD_Shape_int32_t_get_constraints :
    bd_shape_int32_t -> constraint_system
val ppl_BD_Shape_int32_t_get_congruences :
    bd_shape_int32_t -> congruence_system
val ppl_BD_Shape_int32_t_get_minimized_constraints :
    bd_shape_int32_t -> constraint_system
val ppl_BD_Shape_int32_t_get_minimized_congruences :
    bd_shape_int32_t -> congruence_system
val ppl_BD_Shape_int32_t_is_empty : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_is_universe : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_is_bounded : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_contains_integer_point : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_is_topologically_closed : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_is_discrete : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_topological_closure_assign :
    bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_bounds_from_above :
    bd_shape_int32_t -> linear_expression -> bool
val ppl_BD_Shape_int32_t_bounds_from_below :
    bd_shape_int32_t -> linear_expression -> bool
val ppl_BD_Shape_int32_t_maximize :
    bd_shape_int32_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int32_t_minimize :
    bd_shape_int32_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool

```

```

val ppl_BD_Shape_int32_t_maximize_with_point :
  bd_shape_int32_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int32_t_minimize_with_point :
  bd_shape_int32_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int32_t_frequency :
  bd_shape_int32_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_int32_t_contains_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_strictly_contains_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_is_disjoint_from_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_equals_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_OK : bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_add_constraint :
  bd_shape_int32_t -> linear_constraint -> unit
val ppl_BD_Shape_int32_t_add_congruence :
  bd_shape_int32_t -> linear_congruence -> unit
val ppl_BD_Shape_int32_t_add_constraints :
  bd_shape_int32_t -> constraint_system -> unit
val ppl_BD_Shape_int32_t_add_congruences :
  bd_shape_int32_t -> congruence_system -> unit
val ppl_BD_Shape_int32_t_refine_with_constraint :
  bd_shape_int32_t -> linear_constraint -> unit
val ppl_BD_Shape_int32_t_refine_with_congruence :
  bd_shape_int32_t -> linear_congruence -> unit
val ppl_BD_Shape_int32_t_refine_with_constraints :
  bd_shape_int32_t -> constraint_system -> unit
val ppl_BD_Shape_int32_t_refine_with_congruences :
  bd_shape_int32_t -> congruence_system -> unit
val ppl_BD_Shape_int32_t_intersection_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_upper_bound_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_difference_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_concatenate_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_time_elapse_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_upper_bound_assign_if_exact :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_simplify_using_context_assign :

```

```

    bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_BD_Shape_int32_t_constrains : bd_shape_int32_t -> int -> bool
val ppl_BD_Shape_int32_t_unconstrain_space_dimension :
    bd_shape_int32_t -> int -> unit
val ppl_BD_Shape_int32_t_unconstrain_space_dimensions :
    bd_shape_int32_t -> int list -> unit
val ppl_BD_Shape_int32_t_affine_image :
    bd_shape_int32_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int32_t_affine_preimage :
    bd_shape_int32_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int32_t_bounded_affine_image :
    bd_shape_int32_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int32_t_bounded_affine_preimage :
    bd_shape_int32_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int32_t_generalized_affine_image :
    bd_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int32_t_generalized_affine_preimage :
    bd_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int32_t_generalized_affine_image_lhs_rhs :
    bd_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int32_t_generalized_affine_preimage_lhs_rhs :
    bd_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int32_t_add_space_dimensions_and_embed :
    bd_shape_int32_t -> int -> unit
val ppl_BD_Shape_int32_t_add_space_dimensions_and_project :
    bd_shape_int32_t -> int -> unit
val ppl_BD_Shape_int32_t_remove_space_dimensions :
    bd_shape_int32_t -> int list -> unit
val ppl_BD_Shape_int32_t_remove_higher_space_dimensions :
    bd_shape_int32_t -> int -> unit
val ppl_BD_Shape_int32_t_expand_space_dimension :
    bd_shape_int32_t -> int -> int -> unit
val ppl_BD_Shape_int32_t_fold_space_dimensions :
    bd_shape_int32_t -> int list -> int -> unit
val ppl_BD_Shape_int32_t_map_space_dimensions :
    bd_shape_int32_t -> (int * int) list -> unit

```



```

val ppl_BD_Shape_int32_t_drop_some_non_integer_points :
  bd_shape_int32_t -> complexity_class -> unit
val ppl_BD_Shape_int32_t_drop_some_non_integer_points_2 :
  bd_shape_int32_t -> int list -> complexity_class -> unit
val ppl_BD_Shape_int32_t_ascii_dump : bd_shape_int32_t -> string
val ppl_BD_Shape_int32_t_external_memory_in_bytes : bd_shape_int32_t -> int
val ppl_BD_Shape_int32_t_total_memory_in_bytes : bd_shape_int32_t -> int
val ppl_BD_Shape_int32_t_BHMZ05_widening_assign_with_tokens :
  bd_shape_int32_t -> bd_shape_int32_t -> int -> int
val ppl_BD_Shape_int32_t_H79_widening_assign_with_tokens :
  bd_shape_int32_t -> bd_shape_int32_t -> int -> int
val ppl_BD_Shape_int32_t_BHMZ05_widening_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_H79_widening_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_widening_assign_with_tokens :
  bd_shape_int32_t -> bd_shape_int32_t -> int -> int
val ppl_BD_Shape_int32_t_widening_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_limited_BHMZ05_extrapolation_assign_with_tokens :
  bd_shape_int32_t ->
  bd_shape_int32_t -> constraint_system -> int -> int
val ppl_BD_Shape_int32_t_limited_H79_extrapolation_assign_with_tokens :
  bd_shape_int32_t ->
  bd_shape_int32_t -> constraint_system -> int -> int
val ppl_BD_Shape_int32_t_limited_CC76_extrapolation_assign_with_tokens :
  bd_shape_int32_t ->
  bd_shape_int32_t -> constraint_system -> int -> int
val ppl_BD_Shape_int32_t_limited_BHMZ05_extrapolation_assign :
  bd_shape_int32_t ->
  bd_shape_int32_t -> constraint_system -> unit
val ppl_BD_Shape_int32_t_limited_H79_extrapolation_assign :
  bd_shape_int32_t ->
  bd_shape_int32_t -> constraint_system -> unit
val ppl_BD_Shape_int32_t_limited_CC76_extrapolation_assign :
  bd_shape_int32_t ->
  bd_shape_int32_t -> constraint_system -> unit
val ppl_BD_Shape_int32_t_CC76_extrapolation_assign_with_tokens :
  bd_shape_int32_t -> bd_shape_int32_t -> int -> int
val ppl_BD_Shape_int32_t_CC76_extrapolation_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_CC76_narrowing_assign :
  bd_shape_int32_t -> bd_shape_int32_t -> unit
val ppl_BD_Shape_int32_t_linear_partition :
  bd_shape_int32_t ->
  bd_shape_int32_t ->
  bd_shape_int32_t * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_int32_t_wrap_assign :
  bd_shape_int32_t ->

```

```

int list ->
bounded_integer_type_width ->
bounded_integer_type_representation ->
bounded_integer_type_overflow ->
constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_int32_t : bd_shape_int32_t -> bool
val ppl_termination_test_PR_BD_Shape_int32_t : bd_shape_int32_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int32_t :
  bd_shape_int32_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int32_t :
  bd_shape_int32_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int32_t :
  bd_shape_int32_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int32_t :
  bd_shape_int32_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int32_t :
  bd_shape_int32_t -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_int32_t_2 :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_termination_test_PR_BD_Shape_int32_t_2 :
  bd_shape_int32_t -> bd_shape_int32_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int32_t_2 :
  bd_shape_int32_t ->
  bd_shape_int32_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int32_t_2 :
  bd_shape_int32_t ->
  bd_shape_int32_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int32_t_2 :
  bd_shape_int32_t ->
  bd_shape_int32_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int32_t_2 :
  bd_shape_int32_t ->
  bd_shape_int32_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int32_t_2 :
  bd_shape_int32_t ->
  bd_shape_int32_t -> polyhedron * polyhedron
val ppl_new_BD_Shape_int64_t_from_space_dimension :
  int -> degenerate_element -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int8_Box : int8_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int16_Box : int16_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int32_Box : int32_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int64_Box : int64_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint8_Box : uint8_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint16_Box : uint16_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint32_Box : uint32_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint64_Box : uint64_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Z_Box : z_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Rational_Box :

```

```

    rational_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int8_t :
    bd_shape_int8_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int16_t :
    bd_shape_int16_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int32_t :
    bd_shape_int32_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_C_Polyhedron :
    polyhedron -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_NNC_Polyhedron :
    polyhedron -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Grid : grid -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Float_Box : float_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_float :
    bd_shape_float -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_float :
    octagonal_shape_float -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Double_Box : double_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_double :
    bd_shape_double -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_double :
    octagonal_shape_double -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Long_Double_Box :
    long_double_box -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_long_double :
    bd_shape_long_double -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int8_Box_with_complexity :
    int8_box ->

```

```

    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Z_Box_with_complexity :
    z_box -> complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->

```

```

    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Grid_with_complexity :
    grid -> complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_constraints :
    constraint_system -> bd_shape_int64_t

```

```

val ppl_new_BD_Shape_int64_t_from_congruences :
  congruence_system -> bd_shape_int64_t
val ppl_new_BD_Shape_int64_t_from_generators :
  generator_system -> bd_shape_int64_t
val ppl_BD_Shape_int64_t_swap : bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_space_dimension : bd_shape_int64_t -> int
val ppl_BD_Shape_int64_t_affine_dimension : bd_shape_int64_t -> int
val ppl_BD_Shape_int64_t_relation_with_constraint :
  bd_shape_int64_t ->
  linear_constraint -> poly_con_relation list
val ppl_BD_Shape_int64_t_relation_with_generator :
  bd_shape_int64_t ->
  linear_generator -> poly_gen_relation list
val ppl_BD_Shape_int64_t_relation_with_congruence :
  bd_shape_int64_t ->
  linear_congruence -> poly_con_relation list
val ppl_BD_Shape_int64_t_get_constraints :
  bd_shape_int64_t -> constraint_system
val ppl_BD_Shape_int64_t_get_congruences :
  bd_shape_int64_t -> congruence_system
val ppl_BD_Shape_int64_t_get_minimized_constraints :
  bd_shape_int64_t -> constraint_system
val ppl_BD_Shape_int64_t_get_minimized_congruences :
  bd_shape_int64_t -> congruence_system
val ppl_BD_Shape_int64_t_is_empty : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_is_universe : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_is_bounded : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_contains_integer_point : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_is_topologically_closed : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_is_discrete : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_topological_closure_assign :
  bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_bounds_from_above :
  bd_shape_int64_t -> linear_expression -> bool
val ppl_BD_Shape_int64_t_bounds_from_below :
  bd_shape_int64_t -> linear_expression -> bool
val ppl_BD_Shape_int64_t_maximize :
  bd_shape_int64_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int64_t_minimize :
  bd_shape_int64_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_int64_t_maximize_with_point :
  bd_shape_int64_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int64_t_minimize_with_point :
  bd_shape_int64_t ->

```

```

    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_int64_t_frequency :
    bd_shape_int64_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_int64_t_contains_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_strictly_contains_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_is_disjoint_from_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_equals_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_OK : bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_add_constraint :
    bd_shape_int64_t -> linear_constraint -> unit
val ppl_BD_Shape_int64_t_add_congruence :
    bd_shape_int64_t -> linear_congruence -> unit
val ppl_BD_Shape_int64_t_add_constraints :
    bd_shape_int64_t -> constraint_system -> unit
val ppl_BD_Shape_int64_t_add_congruences :
    bd_shape_int64_t -> congruence_system -> unit
val ppl_BD_Shape_int64_t_refine_with_constraint :
    bd_shape_int64_t -> linear_constraint -> unit
val ppl_BD_Shape_int64_t_refine_with_congruence :
    bd_shape_int64_t -> linear_congruence -> unit
val ppl_BD_Shape_int64_t_refine_with_constraints :
    bd_shape_int64_t -> constraint_system -> unit
val ppl_BD_Shape_int64_t_refine_with_congruences :
    bd_shape_int64_t -> congruence_system -> unit
val ppl_BD_Shape_int64_t_intersection_assign :
    bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_upper_bound_assign :
    bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_difference_assign :
    bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_concatenate_assign :
    bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_time_elapse_assign :
    bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_upper_bound_assign_if_exact :
    bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_simplify_using_context_assign :
    bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_BD_Shape_int64_t_constrains : bd_shape_int64_t -> int -> bool
val ppl_BD_Shape_int64_t_unconstrain_space_dimension :
    bd_shape_int64_t -> int -> unit
val ppl_BD_Shape_int64_t_unconstrain_space_dimensions :

```

```

    bd_shape_int64_t -> int list -> unit
val ppl_BD_Shape_int64_t_affine_image :
    bd_shape_int64_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int64_t_affine_preimage :
    bd_shape_int64_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int64_t_bounded_affine_image :
    bd_shape_int64_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int64_t_bounded_affine_preimage :
    bd_shape_int64_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int64_t_generalized_affine_image :
    bd_shape_int64_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int64_t_generalized_affine_preimage :
    bd_shape_int64_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_int64_t_generalized_affine_image_lhs_rhs :
    bd_shape_int64_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int64_t_generalized_affine_preimage_lhs_rhs :
    bd_shape_int64_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_int64_t_add_space_dimensions_and_embed :
    bd_shape_int64_t -> int -> unit
val ppl_BD_Shape_int64_t_add_space_dimensions_and_project :
    bd_shape_int64_t -> int -> unit
val ppl_BD_Shape_int64_t_remove_space_dimensions :
    bd_shape_int64_t -> int list -> unit
val ppl_BD_Shape_int64_t_remove_higher_space_dimensions :
    bd_shape_int64_t -> int -> unit
val ppl_BD_Shape_int64_t_expand_space_dimension :
    bd_shape_int64_t -> int -> int -> unit
val ppl_BD_Shape_int64_t_fold_space_dimensions :
    bd_shape_int64_t -> int list -> int -> unit
val ppl_BD_Shape_int64_t_map_space_dimensions :
    bd_shape_int64_t -> (int * int) list -> unit
val ppl_BD_Shape_int64_t_drop_some_non_integer_points :
    bd_shape_int64_t -> complexity_class -> unit
val ppl_BD_Shape_int64_t_drop_some_non_integer_points_2 :
    bd_shape_int64_t -> int list -> complexity_class -> unit
val ppl_BD_Shape_int64_t_ascii_dump : bd_shape_int64_t -> string

```



```

val ppl_BD_Shape_int64_t_external_memory_in_bytes : bd_shape_int64_t -> int
val ppl_BD_Shape_int64_t_total_memory_in_bytes : bd_shape_int64_t -> int
val ppl_BD_Shape_int64_t_BHMZ05_widening_assign_with_tokens :
  bd_shape_int64_t -> bd_shape_int64_t -> int -> int
val ppl_BD_Shape_int64_t_H79_widening_assign_with_tokens :
  bd_shape_int64_t -> bd_shape_int64_t -> int -> int
val ppl_BD_Shape_int64_t_BHMZ05_widening_assign :
  bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_H79_widening_assign :
  bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_widening_assign_with_tokens :
  bd_shape_int64_t -> bd_shape_int64_t -> int -> int
val ppl_BD_Shape_int64_t_widening_assign :
  bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_limited_BHMZ05_extrapolation_assign_with_tokens :
  bd_shape_int64_t ->
  bd_shape_int64_t -> constraint_system -> int -> int
val ppl_BD_Shape_int64_t_limited_H79_extrapolation_assign_with_tokens :
  bd_shape_int64_t ->
  bd_shape_int64_t -> constraint_system -> int -> int
val ppl_BD_Shape_int64_t_limited_CC76_extrapolation_assign_with_tokens :
  bd_shape_int64_t ->
  bd_shape_int64_t -> constraint_system -> int -> int
val ppl_BD_Shape_int64_t_limited_BHMZ05_extrapolation_assign :
  bd_shape_int64_t ->
  bd_shape_int64_t -> constraint_system -> unit
val ppl_BD_Shape_int64_t_limited_H79_extrapolation_assign :
  bd_shape_int64_t ->
  bd_shape_int64_t -> constraint_system -> unit
val ppl_BD_Shape_int64_t_limited_CC76_extrapolation_assign :
  bd_shape_int64_t ->
  bd_shape_int64_t -> constraint_system -> unit
val ppl_BD_Shape_int64_t_CC76_extrapolation_assign_with_tokens :
  bd_shape_int64_t -> bd_shape_int64_t -> int -> int
val ppl_BD_Shape_int64_t_CC76_extrapolation_assign :
  bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_CC76_narrowing_assign :
  bd_shape_int64_t -> bd_shape_int64_t -> unit
val ppl_BD_Shape_int64_t_linear_partition :
  bd_shape_int64_t ->
  bd_shape_int64_t ->
  bd_shape_int64_t * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_int64_t_wrap_assign :
  bd_shape_int64_t ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit

```

```

val ppl_termination_test_MS_BD_Shape_int64_t : bd_shape_int64_t -> bool
val ppl_termination_test_PR_BD_Shape_int64_t : bd_shape_int64_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int64_t :
  bd_shape_int64_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int64_t :
  bd_shape_int64_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int64_t :
  bd_shape_int64_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int64_t :
  bd_shape_int64_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int64_t :
  bd_shape_int64_t -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_int64_t_2 :
  bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_termination_test_PR_BD_Shape_int64_t_2 :
  bd_shape_int64_t -> bd_shape_int64_t -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_int64_t_2 :
  bd_shape_int64_t ->
  bd_shape_int64_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_int64_t_2 :
  bd_shape_int64_t ->
  bd_shape_int64_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_int64_t_2 :
  bd_shape_int64_t ->
  bd_shape_int64_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_int64_t_2 :
  bd_shape_int64_t ->
  bd_shape_int64_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_int64_t_2 :
  bd_shape_int64_t ->
  bd_shape_int64_t -> polyhedron * polyhedron
val ppl_new_BD_Shape_mpz_class_from_space_dimension :
  int -> degenerate_element -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int8_Box : int8_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int16_Box :
  int16_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int32_Box :
  int32_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int64_Box :
  int64_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint8_Box :
  uint8_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint16_Box :
  uint16_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint32_Box :
  uint32_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint64_Box :
  uint64_box -> bd_shape_mpz_class

```

```

val ppl_new_BD_Shape_mpz_class_from_Z_Box : z_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Rational_Box :
  rational_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int64_t :
  bd_shape_int64_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_C_Polyhedron :
  polyhedron -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_NNC_Polyhedron :
  polyhedron -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Grid : grid -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Float_Box :
  float_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_float :
  bd_shape_float -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_float :
  octagonal_shape_float -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Double_Box :
  double_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_double :
  bd_shape_double -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_double :
  octagonal_shape_double -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Long_Double_Box :
  long_double_box -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_mpz_class

```

```

val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Z_Box_with_complexity :
  z_box -> complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int8_t_with_complexity :

```

```

    octagonal_shape_int8_t ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Grid_with_complexity :
    grid -> complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_Octagonal_Shape_long_double_with_complexity :

```

```

    octagonal_shape_long_double ->
    complexity_class -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_constraints :
    constraint_system -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_congruences :
    congruence_system -> bd_shape_mpz_class
val ppl_new_BD_Shape_mpz_class_from_generators :
    generator_system -> bd_shape_mpz_class
val ppl_BD_Shape_mpz_class_swap :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_space_dimension : bd_shape_mpz_class -> int
val ppl_BD_Shape_mpz_class_affine_dimension : bd_shape_mpz_class -> int
val ppl_BD_Shape_mpz_class_relation_with_constraint :
    bd_shape_mpz_class ->
    linear_constraint -> poly_con_relation list
val ppl_BD_Shape_mpz_class_relation_with_generator :
    bd_shape_mpz_class ->
    linear_generator -> poly_gen_relation list
val ppl_BD_Shape_mpz_class_relation_with_congruence :
    bd_shape_mpz_class ->
    linear_congruence -> poly_con_relation list
val ppl_BD_Shape_mpz_class_get_constraints :
    bd_shape_mpz_class -> constraint_system
val ppl_BD_Shape_mpz_class_get_congruences :
    bd_shape_mpz_class -> congruence_system
val ppl_BD_Shape_mpz_class_get_minimized_constraints :
    bd_shape_mpz_class -> constraint_system
val ppl_BD_Shape_mpz_class_get_minimized_congruences :
    bd_shape_mpz_class -> congruence_system
val ppl_BD_Shape_mpz_class_is_empty : bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_is_universe : bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_is_bounded : bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_contains_integer_point :
    bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_is_topologically_closed :
    bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_is_discrete : bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_topological_closure_assign :
    bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_bounds_from_above :
    bd_shape_mpz_class -> linear_expression -> bool
val ppl_BD_Shape_mpz_class_bounds_from_below :
    bd_shape_mpz_class -> linear_expression -> bool
val ppl_BD_Shape_mpz_class_maximize :
    bd_shape_mpz_class ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_mpz_class_minimize :
    bd_shape_mpz_class ->

```

```

    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_mpz_class_maximize_with_point :
    bd_shape_mpz_class ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_mpz_class_minimize_with_point :
    bd_shape_mpz_class ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_mpz_class_frequency :
    bd_shape_mpz_class ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_mpz_class_contains_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_strictly_contains_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_is_disjoint_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_equals_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_OK : bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_add_constraint :
    bd_shape_mpz_class -> linear_constraint -> unit
val ppl_BD_Shape_mpz_class_add_congruence :
    bd_shape_mpz_class -> linear_congruence -> unit
val ppl_BD_Shape_mpz_class_add_constraints :
    bd_shape_mpz_class -> constraint_system -> unit
val ppl_BD_Shape_mpz_class_add_congruences :
    bd_shape_mpz_class -> congruence_system -> unit
val ppl_BD_Shape_mpz_class_refine_with_constraint :
    bd_shape_mpz_class -> linear_constraint -> unit
val ppl_BD_Shape_mpz_class_refine_with_congruence :
    bd_shape_mpz_class -> linear_congruence -> unit
val ppl_BD_Shape_mpz_class_refine_with_constraints :
    bd_shape_mpz_class -> constraint_system -> unit
val ppl_BD_Shape_mpz_class_refine_with_congruences :
    bd_shape_mpz_class -> congruence_system -> unit
val ppl_BD_Shape_mpz_class_intersection_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_upper_bound_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_difference_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_concatenate_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_time_elapse_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_upper_bound_assign_if_exact :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool

```

```

val ppl_BD_Shape_mpz_class_simplify_using_context_assign :
  bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_BD_Shape_mpz_class_constrains : bd_shape_mpz_class -> int -> bool
val ppl_BD_Shape_mpz_class_unconstrain_space_dimension :
  bd_shape_mpz_class -> int -> unit
val ppl_BD_Shape_mpz_class_unconstrain_space_dimensions :
  bd_shape_mpz_class -> int list -> unit
val ppl_BD_Shape_mpz_class_affine_image :
  bd_shape_mpz_class ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpz_class_affine_preimage :
  bd_shape_mpz_class ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpz_class_bounded_affine_image :
  bd_shape_mpz_class ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpz_class_bounded_affine_preimage :
  bd_shape_mpz_class ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpz_class_generalized_affine_image :
  bd_shape_mpz_class ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpz_class_generalized_affine_preimage :
  bd_shape_mpz_class ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpz_class_generalized_affine_image_lhs_rhs :
  bd_shape_mpz_class ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_mpz_class_generalized_affine_preimage_lhs_rhs :
  bd_shape_mpz_class ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_mpz_class_add_space_dimensions_and_embed :
  bd_shape_mpz_class -> int -> unit
val ppl_BD_Shape_mpz_class_add_space_dimensions_and_project :
  bd_shape_mpz_class -> int -> unit
val ppl_BD_Shape_mpz_class_remove_space_dimensions :
  bd_shape_mpz_class -> int list -> unit
val ppl_BD_Shape_mpz_class_remove_higher_space_dimensions :
  bd_shape_mpz_class -> int -> unit
val ppl_BD_Shape_mpz_class_expand_space_dimension :
  bd_shape_mpz_class -> int -> int -> unit
val ppl_BD_Shape_mpz_class_fold_space_dimensions :
  bd_shape_mpz_class -> int list -> int -> unit
val ppl_BD_Shape_mpz_class_map_space_dimensions :

```



```

    bd_shape_mpz_class -> (int * int) list -> unit
val ppl_BD_Shape_mpz_class_drop_some_non_integer_points :
    bd_shape_mpz_class -> complexity_class -> unit
val ppl_BD_Shape_mpz_class_drop_some_non_integer_points_2 :
    bd_shape_mpz_class ->
    int list -> complexity_class -> unit
val ppl_BD_Shape_mpz_class_ascii_dump : bd_shape_mpz_class -> string
val ppl_BD_Shape_mpz_class_external_memory_in_bytes :
    bd_shape_mpz_class -> int
val ppl_BD_Shape_mpz_class_total_memory_in_bytes : bd_shape_mpz_class -> int
val ppl_BD_Shape_mpz_class_BHMZ05_widening_assign_with_tokens :
    bd_shape_mpz_class -> bd_shape_mpz_class -> int -> int
val ppl_BD_Shape_mpz_class_H79_widening_assign_with_tokens :
    bd_shape_mpz_class -> bd_shape_mpz_class -> int -> int
val ppl_BD_Shape_mpz_class_BHMZ05_widening_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_H79_widening_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_widening_assign_with_tokens :
    bd_shape_mpz_class -> bd_shape_mpz_class -> int -> int
val ppl_BD_Shape_mpz_class_widening_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_limited_BHMZ05_extrapolation_assign_with_tokens :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> constraint_system -> int -> int
val ppl_BD_Shape_mpz_class_limited_H79_extrapolation_assign_with_tokens :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> constraint_system -> int -> int
val ppl_BD_Shape_mpz_class_limited_CC76_extrapolation_assign_with_tokens :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> constraint_system -> int -> int
val ppl_BD_Shape_mpz_class_limited_BHMZ05_extrapolation_assign :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> constraint_system -> unit
val ppl_BD_Shape_mpz_class_limited_H79_extrapolation_assign :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> constraint_system -> unit
val ppl_BD_Shape_mpz_class_limited_CC76_extrapolation_assign :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> constraint_system -> unit
val ppl_BD_Shape_mpz_class_CC76_extrapolation_assign_with_tokens :
    bd_shape_mpz_class -> bd_shape_mpz_class -> int -> int
val ppl_BD_Shape_mpz_class_CC76_extrapolation_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_CC76_narrowing_assign :
    bd_shape_mpz_class -> bd_shape_mpz_class -> unit
val ppl_BD_Shape_mpz_class_linear_partition :
    bd_shape_mpz_class ->
    bd_shape_mpz_class ->

```

```

    bd_shape_mpz_class * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_mpz_class_wrap_assign :
    bd_shape_mpz_class ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_mpz_class : bd_shape_mpz_class -> bool
val ppl_termination_test_PR_BD_Shape_mpz_class : bd_shape_mpz_class -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_mpz_class :
    bd_shape_mpz_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_mpz_class :
    bd_shape_mpz_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_mpz_class :
    bd_shape_mpz_class -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_termination_test_PR_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class -> bd_shape_mpz_class -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_mpz_class_2 :
    bd_shape_mpz_class ->
    bd_shape_mpz_class -> polyhedron * polyhedron
val ppl_new_BD_Shape_mpq_class_from_space_dimension :
    int -> degenerate_element -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int8_Box : int8_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int16_Box :
    int16_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int32_Box :
    int32_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int64_Box :
    int64_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint8_Box :

```

```

    uint8_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint16_Box :
    uint16_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint32_Box :
    uint32_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint64_Box :
    uint64_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Z_Box : z_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Rational_Box :
    rational_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int8_t :
    bd_shape_int8_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int16_t :
    bd_shape_int16_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int32_t :
    bd_shape_int32_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_C_Polyhedron :
    polyhedron -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_NNC_Polyhedron :
    polyhedron -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Grid : grid -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Float_Box :
    float_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_float :
    bd_shape_float -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_float :
    octagonal_shape_float -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Double_Box :
    double_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_double :

```

```

    bd_shape_double -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_double :
    octagonal_shape_double -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Long_Double_Box :
    long_double_box -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_long_double :
    bd_shape_long_double -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Z_Box_with_complexity :
    z_box -> complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> bd_shape_mpq_class

```

```

val ppl_new_BD_Shape_mpq_class_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_C_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_NNC_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Grid_with_complexity :
  grid -> complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> bd_shape_mpq_class

```

```

val ppl_new_BD_Shape_mpq_class_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_constraints :
  constraint_system -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_congruences :
  congruence_system -> bd_shape_mpq_class
val ppl_new_BD_Shape_mpq_class_from_generators :
  generator_system -> bd_shape_mpq_class
val ppl_BD_Shape_mpq_class_swap :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_space_dimension : bd_shape_mpq_class -> int
val ppl_BD_Shape_mpq_class_affine_dimension : bd_shape_mpq_class -> int
val ppl_BD_Shape_mpq_class_relation_with_constraint :
  bd_shape_mpq_class ->
  linear_constraint -> poly_con_relation list
val ppl_BD_Shape_mpq_class_relation_with_generator :
  bd_shape_mpq_class ->
  linear_generator -> poly_gen_relation list
val ppl_BD_Shape_mpq_class_relation_with_congruence :
  bd_shape_mpq_class ->
  linear_congruence -> poly_con_relation list
val ppl_BD_Shape_mpq_class_get_constraints :
  bd_shape_mpq_class -> constraint_system
val ppl_BD_Shape_mpq_class_get_congruences :
  bd_shape_mpq_class -> congruence_system
val ppl_BD_Shape_mpq_class_get_minimized_constraints :
  bd_shape_mpq_class -> constraint_system
val ppl_BD_Shape_mpq_class_get_minimized_congruences :
  bd_shape_mpq_class -> congruence_system
val ppl_BD_Shape_mpq_class_is_empty : bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_is_universe : bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_is_bounded : bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_contains_integer_point :
  bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_is_topologically_closed :
  bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_is_discrete : bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_topological_closure_assign :
  bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_bounds_from_above :
  bd_shape_mpq_class -> linear_expression -> bool

```

```

val ppl_BD_Shape_mpq_class_bounds_from_below :
  bd_shape_mpq_class -> linear_expression -> bool
val ppl_BD_Shape_mpq_class_maximize :
  bd_shape_mpq_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_mpq_class_minimize :
  bd_shape_mpq_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_mpq_class_maximize_with_point :
  bd_shape_mpq_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_mpq_class_minimize_with_point :
  bd_shape_mpq_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_mpq_class_frequency :
  bd_shape_mpq_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_mpq_class_contains_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_strictly_contains_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_is_disjoint_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_equals_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_OK : bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_add_constraint :
  bd_shape_mpq_class -> linear_constraint -> unit
val ppl_BD_Shape_mpq_class_add_congruence :
  bd_shape_mpq_class -> linear_congruence -> unit
val ppl_BD_Shape_mpq_class_add_constraints :
  bd_shape_mpq_class -> constraint_system -> unit
val ppl_BD_Shape_mpq_class_add_congruences :
  bd_shape_mpq_class -> congruence_system -> unit
val ppl_BD_Shape_mpq_class_refine_with_constraint :
  bd_shape_mpq_class -> linear_constraint -> unit
val ppl_BD_Shape_mpq_class_refine_with_congruence :
  bd_shape_mpq_class -> linear_congruence -> unit
val ppl_BD_Shape_mpq_class_refine_with_constraints :
  bd_shape_mpq_class -> constraint_system -> unit
val ppl_BD_Shape_mpq_class_refine_with_congruences :
  bd_shape_mpq_class -> congruence_system -> unit
val ppl_BD_Shape_mpq_class_intersection_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_upper_bound_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_difference_assign :

```

```

    bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_concatenate_assign :
    bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_time_elapse_assign :
    bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_upper_bound_assign_if_exact :
    bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_simplify_using_context_assign :
    bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_BD_Shape_mpq_class_constrains : bd_shape_mpq_class -> int -> bool
val ppl_BD_Shape_mpq_class_unconstrain_space_dimension :
    bd_shape_mpq_class -> int -> unit
val ppl_BD_Shape_mpq_class_unconstrain_space_dimensions :
    bd_shape_mpq_class -> int list -> unit
val ppl_BD_Shape_mpq_class_affine_image :
    bd_shape_mpq_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpq_class_affine_preimage :
    bd_shape_mpq_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpq_class_bounded_affine_image :
    bd_shape_mpq_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpq_class_bounded_affine_preimage :
    bd_shape_mpq_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpq_class_generalized_affine_image :
    bd_shape_mpq_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpq_class_generalized_affine_preimage :
    bd_shape_mpq_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_mpq_class_generalized_affine_image_lhs_rhs :
    bd_shape_mpq_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_mpq_class_generalized_affine_preimage_lhs_rhs :
    bd_shape_mpq_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_mpq_class_add_space_dimensions_and_embed :
    bd_shape_mpq_class -> int -> unit
val ppl_BD_Shape_mpq_class_add_space_dimensions_and_project :
    bd_shape_mpq_class -> int -> unit
val ppl_BD_Shape_mpq_class_remove_space_dimensions :
    bd_shape_mpq_class -> int list -> unit

```



```

val ppl_BD_Shape_mpq_class_remove_higher_space_dimensions :
  bd_shape_mpq_class -> int -> unit
val ppl_BD_Shape_mpq_class_expand_space_dimension :
  bd_shape_mpq_class -> int -> int -> unit
val ppl_BD_Shape_mpq_class_fold_space_dimensions :
  bd_shape_mpq_class -> int list -> int -> unit
val ppl_BD_Shape_mpq_class_map_space_dimensions :
  bd_shape_mpq_class -> (int * int) list -> unit
val ppl_BD_Shape_mpq_class_drop_some_non_integer_points :
  bd_shape_mpq_class -> complexity_class -> unit
val ppl_BD_Shape_mpq_class_drop_some_non_integer_points_2 :
  bd_shape_mpq_class ->
  int list -> complexity_class -> unit
val ppl_BD_Shape_mpq_class_ascii_dump : bd_shape_mpq_class -> string
val ppl_BD_Shape_mpq_class_external_memory_in_bytes :
  bd_shape_mpq_class -> int
val ppl_BD_Shape_mpq_class_total_memory_in_bytes : bd_shape_mpq_class -> int
val ppl_BD_Shape_mpq_class_BHMZ05_widening_assign_with_tokens :
  bd_shape_mpq_class -> bd_shape_mpq_class -> int -> int
val ppl_BD_Shape_mpq_class_H79_widening_assign_with_tokens :
  bd_shape_mpq_class -> bd_shape_mpq_class -> int -> int
val ppl_BD_Shape_mpq_class_BHMZ05_widening_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_H79_widening_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_widening_assign_with_tokens :
  bd_shape_mpq_class -> bd_shape_mpq_class -> int -> int
val ppl_BD_Shape_mpq_class_widening_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_limited_BHMZ05_extrapolation_assign_with_tokens :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> constraint_system -> int -> int
val ppl_BD_Shape_mpq_class_limited_H79_extrapolation_assign_with_tokens :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> constraint_system -> int -> int
val ppl_BD_Shape_mpq_class_limited_CC76_extrapolation_assign_with_tokens :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> constraint_system -> int -> int
val ppl_BD_Shape_mpq_class_limited_BHMZ05_extrapolation_assign :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> constraint_system -> unit
val ppl_BD_Shape_mpq_class_limited_H79_extrapolation_assign :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> constraint_system -> unit
val ppl_BD_Shape_mpq_class_limited_CC76_extrapolation_assign :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> constraint_system -> unit
val ppl_BD_Shape_mpq_class_CC76_extrapolation_assign_with_tokens :
  bd_shape_mpq_class -> bd_shape_mpq_class -> int -> int

```

```

val ppl_BD_Shape_mpq_class_CC76_extrapolation_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_CC76_narrowing_assign :
  bd_shape_mpq_class -> bd_shape_mpq_class -> unit
val ppl_BD_Shape_mpq_class_linear_partition :
  bd_shape_mpq_class ->
  bd_shape_mpq_class ->
  bd_shape_mpq_class * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_mpq_class_wrap_assign :
  bd_shape_mpq_class ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_mpq_class : bd_shape_mpq_class -> bool
val ppl_termination_test_PR_BD_Shape_mpq_class : bd_shape_mpq_class -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_mpq_class :
  bd_shape_mpq_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_mpq_class :
  bd_shape_mpq_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_mpq_class :
  bd_shape_mpq_class -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_termination_test_PR_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class -> bd_shape_mpq_class -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_mpq_class_2 :
  bd_shape_mpq_class ->
  bd_shape_mpq_class -> polyhedron * polyhedron
val ppl_new_Octagonal_Shape_int8_t_from_space_dimension :
  int -> degenerate_element -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int8_Box :

```

```

    int8_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int16_Box :
    int16_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int32_Box :
    int32_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int64_Box :
    int64_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint8_Box :
    uint8_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint16_Box :
    uint16_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint32_Box :
    uint32_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint64_Box :
    uint64_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Z_Box :
    z_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Rational_Box :
    rational_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int8_t :
    bd_shape_int8_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int16_t :
    bd_shape_int16_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int32_t :
    bd_shape_int32_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int64_t :
    bd_shape_int64_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_C_Polyhedron :
    polyhedron -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_NNC_Polyhedron :
    polyhedron -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Grid : grid -> octagonal_shape_int8_t

```

```

val ppl_new_Octagonal_Shape_int8_t_from_Float_Box :
  float_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_float :
  bd_shape_float -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Double_Box :
  double_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_double :
  bd_shape_double -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_double :
  octagonal_shape_double -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Long_Double_Box :
  long_double_box -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_long_double :
  bd_shape_long_double -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Z_Box_with_complexity :
  z_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int8_t_with_complexity :

```

```

    bd_shape_int8_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Grid_with_complexity :
    grid ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> octagonal_shape_int8_t

```

```

val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_constraints :
  constraint_system -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_congruences :
  congruence_system -> octagonal_shape_int8_t
val ppl_new_Octagonal_Shape_int8_t_from_generators :
  generator_system -> octagonal_shape_int8_t
val ppl_Octagonal_Shape_int8_t_swap :
  octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_space_dimension :
  octagonal_shape_int8_t -> int
val ppl_Octagonal_Shape_int8_t_affine_dimension :
  octagonal_shape_int8_t -> int
val ppl_Octagonal_Shape_int8_t_relation_with_constraint :
  octagonal_shape_int8_t ->
  linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_int8_t_relation_with_generator :
  octagonal_shape_int8_t ->
  linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_int8_t_relation_with_congruence :
  octagonal_shape_int8_t ->
  linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_int8_t_get_constraints :
  octagonal_shape_int8_t -> constraint_system
val ppl_Octagonal_Shape_int8_t_get_congruences :
  octagonal_shape_int8_t -> congruence_system
val ppl_Octagonal_Shape_int8_t_get_minimized_constraints :
  octagonal_shape_int8_t -> constraint_system
val ppl_Octagonal_Shape_int8_t_get_minimized_congruences :

```

```

    octagonal_shape_int8_t -> congruence_system
val ppl_Octagonal_Shape_int8_t_is_empty : octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_is_universe : octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_is_bounded : octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_contains_integer_point :
    octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_is_topologically_closed :
    octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_is_discrete : octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_topological_closure_assign :
    octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_bounds_from_above :
    octagonal_shape_int8_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int8_t_bounds_from_below :
    octagonal_shape_int8_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int8_t_maximize :
    octagonal_shape_int8_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int8_t_minimize :
    octagonal_shape_int8_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int8_t_maximize_with_point :
    octagonal_shape_int8_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int8_t_minimize_with_point :
    octagonal_shape_int8_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int8_t_frequency :
    octagonal_shape_int8_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_int8_t_contains_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_strictly_contains_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_is_disjoint_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_equals_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_OK : octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_add_constraint :
    octagonal_shape_int8_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int8_t_add_congruence :
    octagonal_shape_int8_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int8_t_add_constraints :
    octagonal_shape_int8_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int8_t_add_congruences :

```

```

    octagonal_shape_int8_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int8_t_refine_with_constraint :
    octagonal_shape_int8_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int8_t_refine_with_congruence :
    octagonal_shape_int8_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int8_t_refine_with_constraints :
    octagonal_shape_int8_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int8_t_refine_with_congruences :
    octagonal_shape_int8_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int8_t_intersection_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_upper_bound_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_difference_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_concatenate_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_time_elapse_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_upper_bound_assign_if_exact :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_simplify_using_context_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_Octagonal_Shape_int8_t_constrains :
    octagonal_shape_int8_t -> int -> bool
val ppl_Octagonal_Shape_int8_t_unconstrain_space_dimension :
    octagonal_shape_int8_t -> int -> unit
val ppl_Octagonal_Shape_int8_t_unconstrain_space_dimensions :
    octagonal_shape_int8_t -> int list -> unit
val ppl_Octagonal_Shape_int8_t_affine_image :
    octagonal_shape_int8_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int8_t_affine_preimage :
    octagonal_shape_int8_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int8_t_bounded_affine_image :
    octagonal_shape_int8_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int8_t_bounded_affine_preimage :
    octagonal_shape_int8_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int8_t_generalized_affine_image :
    octagonal_shape_int8_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int8_t_generalized_affine_preimage :
    octagonal_shape_int8_t ->

```



```

    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int8_t_generalized_affine_image_lhs_rhs :
    octagonal_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int8_t_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int8_t_add_space_dimensions_and_embed :
    octagonal_shape_int8_t -> int -> unit
val ppl_Octagonal_Shape_int8_t_add_space_dimensions_and_project :
    octagonal_shape_int8_t -> int -> unit
val ppl_Octagonal_Shape_int8_t_remove_space_dimensions :
    octagonal_shape_int8_t -> int list -> unit
val ppl_Octagonal_Shape_int8_t_remove_higher_space_dimensions :
    octagonal_shape_int8_t -> int -> unit
val ppl_Octagonal_Shape_int8_t_expand_space_dimension :
    octagonal_shape_int8_t -> int -> int -> unit
val ppl_Octagonal_Shape_int8_t_fold_space_dimensions :
    octagonal_shape_int8_t -> int list -> int -> unit
val ppl_Octagonal_Shape_int8_t_map_space_dimensions :
    octagonal_shape_int8_t -> (int * int) list -> unit
val ppl_Octagonal_Shape_int8_t_drop_some_non_integer_points :
    octagonal_shape_int8_t -> complexity_class -> unit
val ppl_Octagonal_Shape_int8_t_drop_some_non_integer_points_2 :
    octagonal_shape_int8_t ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_int8_t_ascii_dump : octagonal_shape_int8_t -> string
val ppl_Octagonal_Shape_int8_t_external_memory_in_bytes :
    octagonal_shape_int8_t -> int
val ppl_Octagonal_Shape_int8_t_total_memory_in_bytes :
    octagonal_shape_int8_t -> int
val ppl_Octagonal_Shape_int8_t_BHMZ05_widening_assign_with_tokens :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> int -> int
val ppl_Octagonal_Shape_int8_t_BHMZ05_widening_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_widening_assign_with_tokens :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> int -> int
val ppl_Octagonal_Shape_int8_t_widening_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_limited_BHMZ05_extrapolation_assign_with_tokens :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> constraint_system -> int -> int
val ppl_Octagonal_Shape_int8_t_limited_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_int8_t ->

```

```

    octagonal_shape_int8_t -> constraint_system -> int -> int
val ppl_Octagonal_Shape_int8_t_limited_BHMZ05_extrapolation_assign :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int8_t_limited_CC76_extrapolation_assign :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int8_t_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> int -> int
val ppl_Octagonal_Shape_int8_t_CC76_extrapolation_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_CC76_narrowing_assign :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> unit
val ppl_Octagonal_Shape_int8_t_linear_partition :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t * pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_int8_t_wrap_assign :
    octagonal_shape_int8_t ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t ->
    polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_int8_t_2 :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int8_t_2 :
    octagonal_shape_int8_t -> octagonal_shape_int8_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int8_t_2 :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int8_t_2 :
    octagonal_shape_int8_t ->
    octagonal_shape_int8_t -> bool * linear_generator

```

```

val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int8_t_2 :
  octagonal_shape_int8_t ->
  octagonal_shape_int8_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int8_t_2 :
  octagonal_shape_int8_t ->
  octagonal_shape_int8_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int8_t_2 :
  octagonal_shape_int8_t ->
  octagonal_shape_int8_t ->
  polyhedron * polyhedron
val ppl_new_Octagonal_Shape_int16_t_from_space_dimension :
  int -> degenerate_element -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int8_Box :
  int8_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int16_Box :
  int16_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int32_Box :
  int32_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int64_Box :
  int64_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint8_Box :
  uint8_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint16_Box :
  uint16_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint32_Box :
  uint32_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint64_Box :
  uint64_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Z_Box :
  z_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Rational_Box :
  rational_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int32_t :

```

```

    octagonal_shape_int32_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_C_Polyhedron :
    polyhedron -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_NNC_Polyhedron :
    polyhedron -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Grid :
    grid -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Float_Box :
    float_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_float :
    bd_shape_float -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_float :
    octagonal_shape_float -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Double_Box :
    double_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_double :
    bd_shape_double -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_double :
    octagonal_shape_double -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Long_Double_Box :
    long_double_box -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_long_double :
    bd_shape_long_double -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> octagonal_shape_int16_t

```

```

val ppl_new_Octagonal_Shape_int16_t_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Z_Box_with_complexity :
  z_box ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_C_Polyhedron_with_complexity :
  polyhedron ->

```

```

    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Grid_with_complexity :
    grid ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_constraints :
    constraint_system -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_congruences :
    congruence_system -> octagonal_shape_int16_t
val ppl_new_Octagonal_Shape_int16_t_from_generators :
    generator_system -> octagonal_shape_int16_t
val ppl_Octagonal_Shape_int16_t_swap :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_space_dimension :
    octagonal_shape_int16_t -> int
val ppl_Octagonal_Shape_int16_t_affine_dimension :
    octagonal_shape_int16_t -> int
val ppl_Octagonal_Shape_int16_t_relation_with_constraint :
    octagonal_shape_int16_t ->
    linear_constraint -> poly_con_relation list

```

```

val ppl_Octagonal_Shape_int16_t_relation_with_generator :
  octagonal_shape_int16_t ->
  linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_int16_t_relation_with_congruence :
  octagonal_shape_int16_t ->
  linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_int16_t_get_constraints :
  octagonal_shape_int16_t -> constraint_system
val ppl_Octagonal_Shape_int16_t_get_congruences :
  octagonal_shape_int16_t -> congruence_system
val ppl_Octagonal_Shape_int16_t_get_minimized_constraints :
  octagonal_shape_int16_t -> constraint_system
val ppl_Octagonal_Shape_int16_t_get_minimized_congruences :
  octagonal_shape_int16_t -> congruence_system
val ppl_Octagonal_Shape_int16_t_is_empty : octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_is_universe : octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_is_bounded : octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_contains_integer_point :
  octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_is_topologically_closed :
  octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_is_discrete : octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_topological_closure_assign :
  octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_bounds_from_above :
  octagonal_shape_int16_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int16_t_bounds_from_below :
  octagonal_shape_int16_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int16_t_maximize :
  octagonal_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int16_t_minimize :
  octagonal_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int16_t_maximize_with_point :
  octagonal_shape_int16_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int16_t_minimize_with_point :
  octagonal_shape_int16_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int16_t_frequency :
  octagonal_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_int16_t_contains_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t ->
  octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_strictly_contains_Octagonal_Shape_int16_t :

```

```

    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_is_disjoint_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_equals_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_OK : octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_add_constraint :
    octagonal_shape_int16_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int16_t_add_congruence :
    octagonal_shape_int16_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int16_t_add_constraints :
    octagonal_shape_int16_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int16_t_add_congruences :
    octagonal_shape_int16_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int16_t_refine_with_constraint :
    octagonal_shape_int16_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int16_t_refine_with_congruence :
    octagonal_shape_int16_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int16_t_refine_with_constraints :
    octagonal_shape_int16_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int16_t_refine_with_congruences :
    octagonal_shape_int16_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int16_t_intersection_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_upper_bound_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_difference_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_concatenate_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_time_elapse_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_upper_bound_assign_if_exact :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_simplify_using_context_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_Octagonal_Shape_int16_t_constrains :
    octagonal_shape_int16_t -> int -> bool
val ppl_Octagonal_Shape_int16_t_unconstrain_space_dimension :

```



```

    octagonal_shape_int16_t -> int -> unit
val ppl_Octagonal_Shape_int16_t_unconstrain_space_dimensions :
    octagonal_shape_int16_t -> int list -> unit
val ppl_Octagonal_Shape_int16_t_affine_image :
    octagonal_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int16_t_affine_preimage :
    octagonal_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int16_t_bounded_affine_image :
    octagonal_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int16_t_bounded_affine_preimage :
    octagonal_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int16_t_generalized_affine_image :
    octagonal_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int16_t_generalized_affine_preimage :
    octagonal_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int16_t_generalized_affine_image_lhs_rhs :
    octagonal_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int16_t_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int16_t_add_space_dimensions_and_embed :
    octagonal_shape_int16_t -> int -> unit
val ppl_Octagonal_Shape_int16_t_add_space_dimensions_and_project :
    octagonal_shape_int16_t -> int -> unit
val ppl_Octagonal_Shape_int16_t_remove_space_dimensions :
    octagonal_shape_int16_t -> int list -> unit
val ppl_Octagonal_Shape_int16_t_remove_higher_space_dimensions :
    octagonal_shape_int16_t -> int -> unit
val ppl_Octagonal_Shape_int16_t_expand_space_dimension :
    octagonal_shape_int16_t -> int -> int -> unit
val ppl_Octagonal_Shape_int16_t_fold_space_dimensions :
    octagonal_shape_int16_t -> int list -> int -> unit
val ppl_Octagonal_Shape_int16_t_map_space_dimensions :
    octagonal_shape_int16_t -> (int * int) list -> unit
val ppl_Octagonal_Shape_int16_t_drop_some_non_integer_points :
    octagonal_shape_int16_t -> complexity_class -> unit
val ppl_Octagonal_Shape_int16_t_drop_some_non_integer_points_2 :

```

```

    octagonal_shape_int16_t ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_int16_t_ascii_dump :
    octagonal_shape_int16_t -> string
val ppl_Octagonal_Shape_int16_t_external_memory_in_bytes :
    octagonal_shape_int16_t -> int
val ppl_Octagonal_Shape_int16_t_total_memory_in_bytes :
    octagonal_shape_int16_t -> int
val ppl_Octagonal_Shape_int16_t_BHMZ05_widening_assign_with_tokens :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> int -> int
val ppl_Octagonal_Shape_int16_t_BHMZ05_widening_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_widening_assign_with_tokens :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> int -> int
val ppl_Octagonal_Shape_int16_t_widening_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_limited_BHMZ05_extrapolation_assign_with_tokens :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t ->
    constraint_system -> int -> int
val ppl_Octagonal_Shape_int16_t_limited_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t ->
    constraint_system -> int -> int
val ppl_Octagonal_Shape_int16_t_limited_BHMZ05_extrapolation_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int16_t_limited_CC76_extrapolation_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int16_t_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> int -> int
val ppl_Octagonal_Shape_int16_t_CC76_extrapolation_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_CC76_narrowing_assign :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Octagonal_Shape_int16_t_linear_partition :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t *
    pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_int16_t_wrap_assign :
    octagonal_shape_int16_t ->

```

```

    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t ->
    polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int16_t_2 :
    octagonal_shape_int16_t ->
    octagonal_shape_int16_t ->
    polyhedron * polyhedron
val ppl_new_Octagonal_Shape_int32_t_from_space_dimension :
    int -> degenerate_element -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int8_Box :
    int8_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int16_Box :
    int16_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int32_Box :
    int32_box -> octagonal_shape_int32_t

```

```

val ppl_new_Octagonal_Shape_int32_t_from_Int64_Box :
  int64_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint8_Box :
  uint8_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint16_Box :
  uint16_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint32_Box :
  uint32_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint64_Box :
  uint64_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Z_Box :
  z_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Rational_Box :
  rational_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_C_Polyhedron :
  polyhedron -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_NNC_Polyhedron :
  polyhedron -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Grid :
  grid -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Float_Box :
  float_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_float :
  bd_shape_float -> octagonal_shape_int32_t

```

```

val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Double_Box :
  double_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_double :
  bd_shape_double -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_double :
  octagonal_shape_double -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Long_Double_Box :
  long_double_box -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_long_double :
  bd_shape_long_double -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Z_Box_with_complexity :
  z_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> octagonal_shape_int32_t

```

```

val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_C_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_NNC_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Grid_with_complexity :
  grid ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Double_Box_with_complexity :
  double_box ->

```

```

    complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_constraints :
    constraint_system -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_congruences :
    congruence_system -> octagonal_shape_int32_t
val ppl_new_Octagonal_Shape_int32_t_from_generators :
    generator_system -> octagonal_shape_int32_t
val ppl_Octagonal_Shape_int32_t_swap :
    octagonal_shape_int32_t ->
    octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_space_dimension :
    octagonal_shape_int32_t -> int
val ppl_Octagonal_Shape_int32_t_affine_dimension :
    octagonal_shape_int32_t -> int
val ppl_Octagonal_Shape_int32_t_relation_with_constraint :
    octagonal_shape_int32_t ->
    linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_int32_t_relation_with_generator :
    octagonal_shape_int32_t ->
    linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_int32_t_relation_with_congruence :
    octagonal_shape_int32_t ->
    linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_int32_t_get_constraints :
    octagonal_shape_int32_t -> constraint_system
val ppl_Octagonal_Shape_int32_t_get_congruences :
    octagonal_shape_int32_t -> congruence_system
val ppl_Octagonal_Shape_int32_t_get_minimized_constraints :
    octagonal_shape_int32_t -> constraint_system
val ppl_Octagonal_Shape_int32_t_get_minimized_congruences :
    octagonal_shape_int32_t -> congruence_system
val ppl_Octagonal_Shape_int32_t_is_empty : octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_is_universe : octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_is_bounded : octagonal_shape_int32_t -> bool

```

```

val ppl_Octagonal_Shape_int32_t_contains_integer_point :
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_is_topologically_closed :
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_is_discrete : octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_topological_closure_assign :
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_bounds_from_above :
  octagonal_shape_int32_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int32_t_bounds_from_below :
  octagonal_shape_int32_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int32_t_maximize :
  octagonal_shape_int32_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int32_t_minimize :
  octagonal_shape_int32_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int32_t_maximize_with_point :
  octagonal_shape_int32_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int32_t_minimize_with_point :
  octagonal_shape_int32_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int32_t_frequency :
  octagonal_shape_int32_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_int32_t_contains_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_strictly_contains_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_is_disjoint_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_equals_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_OK : octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_add_constraint :
  octagonal_shape_int32_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int32_t_add_congruence :
  octagonal_shape_int32_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int32_t_add_constraints :
  octagonal_shape_int32_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int32_t_add_congruences :
  octagonal_shape_int32_t -> congruence_system -> unit

```



```

val ppl_Octagonal_Shape_int32_t_refine_with_constraint :
  octagonal_shape_int32_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int32_t_refine_with_congruence :
  octagonal_shape_int32_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int32_t_refine_with_constraints :
  octagonal_shape_int32_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int32_t_refine_with_congruences :
  octagonal_shape_int32_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int32_t_intersection_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_upper_bound_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_difference_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_concatenate_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_time_elapse_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_upper_bound_assign_if_exact :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_simplify_using_context_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_Octagonal_Shape_int32_t_constrains :
  octagonal_shape_int32_t -> int -> bool
val ppl_Octagonal_Shape_int32_t_unconstrain_space_dimension :
  octagonal_shape_int32_t -> int -> unit
val ppl_Octagonal_Shape_int32_t_unconstrain_space_dimensions :
  octagonal_shape_int32_t -> int list -> unit
val ppl_Octagonal_Shape_int32_t_affine_image :
  octagonal_shape_int32_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int32_t_affine_preimage :
  octagonal_shape_int32_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int32_t_bounded_affine_image :
  octagonal_shape_int32_t ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int32_t_bounded_affine_preimage :
  octagonal_shape_int32_t ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int32_t_generalized_affine_image :

```

```

    octagonal_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int32_t_generalized_affine_preimage :
    octagonal_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int32_t_generalized_affine_image_lhs_rhs :
    octagonal_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int32_t_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int32_t_add_space_dimensions_and_embed :
    octagonal_shape_int32_t -> int -> unit
val ppl_Octagonal_Shape_int32_t_add_space_dimensions_and_project :
    octagonal_shape_int32_t -> int -> unit
val ppl_Octagonal_Shape_int32_t_remove_space_dimensions :
    octagonal_shape_int32_t -> int list -> unit
val ppl_Octagonal_Shape_int32_t_remove_higher_space_dimensions :
    octagonal_shape_int32_t -> int -> unit
val ppl_Octagonal_Shape_int32_t_expand_space_dimension :
    octagonal_shape_int32_t -> int -> int -> unit
val ppl_Octagonal_Shape_int32_t_fold_space_dimensions :
    octagonal_shape_int32_t -> int list -> int -> unit
val ppl_Octagonal_Shape_int32_t_map_space_dimensions :
    octagonal_shape_int32_t -> (int * int) list -> unit
val ppl_Octagonal_Shape_int32_t_drop_some_non_integer_points :
    octagonal_shape_int32_t -> complexity_class -> unit
val ppl_Octagonal_Shape_int32_t_drop_some_non_integer_points_2 :
    octagonal_shape_int32_t ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_int32_t_ascii_dump :
    octagonal_shape_int32_t -> string
val ppl_Octagonal_Shape_int32_t_external_memory_in_bytes :
    octagonal_shape_int32_t -> int
val ppl_Octagonal_Shape_int32_t_total_memory_in_bytes :
    octagonal_shape_int32_t -> int
val ppl_Octagonal_Shape_int32_t_BHMZ05_widening_assign_with_tokens :
    octagonal_shape_int32_t ->
    octagonal_shape_int32_t -> int -> int
val ppl_Octagonal_Shape_int32_t_BHMZ05_widening_assign :
    octagonal_shape_int32_t ->
    octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_widening_assign_with_tokens :
    octagonal_shape_int32_t ->
    octagonal_shape_int32_t -> int -> int

```

```

val ppl_Octagonal_Shape_int32_t_widening_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_limited_BHMZ05_extrapolation_assign_with_tokens :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_int32_t_limited_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_int32_t_limited_BHMZ05_extrapolation_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int32_t_limited_CC76_extrapolation_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int32_t_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> int -> int
val ppl_Octagonal_Shape_int32_t_CC76_extrapolation_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_CC76_narrowing_assign :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> unit
val ppl_Octagonal_Shape_int32_t_linear_partition :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t *
  pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_int32_t_wrap_assign :
  octagonal_shape_int32_t ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> polyhedron

```

```

val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int32_t_2 :
  octagonal_shape_int32_t ->
  octagonal_shape_int32_t ->
  polyhedron * polyhedron
val ppl_new_Octagonal_Shape_int64_t_from_space_dimension :
  int -> degenerate_element -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int8_Box :
  int8_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int16_Box :
  int16_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int32_Box :
  int32_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int64_Box :
  int64_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint8_Box :
  uint8_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint16_Box :
  uint16_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint32_Box :
  uint32_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint64_Box :
  uint64_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Z_Box :
  z_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Rational_Box :
  rational_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_int64_t

```

```

val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_C_Polyhedron :
  polyhedron -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_NNC_Polyhedron :
  polyhedron -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Grid :
  grid -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Float_Box :
  float_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_float :
  bd_shape_float -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Double_Box :
  double_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_double :
  bd_shape_double -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_double :
  octagonal_shape_double -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Long_Double_Box :
  long_double_box -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_long_double :
  bd_shape_long_double -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int8_Box_with_complexity :
  int8_box ->

```

```

    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int16_t_with_complexity :

```

```

    octagonal_shape_int16_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Grid_with_complexity :
    grid ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> octagonal_shape_int64_t

```

```

val ppl_new_Octagonal_Shape_int64_t_from_constraints :
  constraint_system -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_congruences :
  congruence_system -> octagonal_shape_int64_t
val ppl_new_Octagonal_Shape_int64_t_from_generators :
  generator_system -> octagonal_shape_int64_t
val ppl_Octagonal_Shape_int64_t_swap :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_space_dimension :
  octagonal_shape_int64_t -> int
val ppl_Octagonal_Shape_int64_t_affine_dimension :
  octagonal_shape_int64_t -> int
val ppl_Octagonal_Shape_int64_t_relation_with_constraint :
  octagonal_shape_int64_t ->
  linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_int64_t_relation_with_generator :
  octagonal_shape_int64_t ->
  linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_int64_t_relation_with_congruence :
  octagonal_shape_int64_t ->
  linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_int64_t_get_constraints :
  octagonal_shape_int64_t -> constraint_system
val ppl_Octagonal_Shape_int64_t_get_congruences :
  octagonal_shape_int64_t -> congruence_system
val ppl_Octagonal_Shape_int64_t_get_minimized_constraints :
  octagonal_shape_int64_t -> constraint_system
val ppl_Octagonal_Shape_int64_t_get_minimized_congruences :
  octagonal_shape_int64_t -> congruence_system
val ppl_Octagonal_Shape_int64_t_is_empty : octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_is_universe : octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_is_bounded : octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_contains_integer_point :
  octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_is_topologically_closed :
  octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_is_discrete : octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_topological_closure_assign :
  octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_bounds_from_above :
  octagonal_shape_int64_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int64_t_bounds_from_below :
  octagonal_shape_int64_t -> linear_expression -> bool
val ppl_Octagonal_Shape_int64_t_maximize :
  octagonal_shape_int64_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int64_t_minimize :

```



```

    octagonal_shape_int64_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_int64_t_maximize_with_point :
    octagonal_shape_int64_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int64_t_minimize_with_point :
    octagonal_shape_int64_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_int64_t_frequency :
    octagonal_shape_int64_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_int64_t_contains_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_strictly_contains_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_is_disjoint_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_equals_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_OK : octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_add_constraint :
    octagonal_shape_int64_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int64_t_add_congruence :
    octagonal_shape_int64_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int64_t_add_constraints :
    octagonal_shape_int64_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int64_t_add_congruences :
    octagonal_shape_int64_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int64_t_refine_with_constraint :
    octagonal_shape_int64_t -> linear_constraint -> unit
val ppl_Octagonal_Shape_int64_t_refine_with_congruence :
    octagonal_shape_int64_t -> linear_congruence -> unit
val ppl_Octagonal_Shape_int64_t_refine_with_constraints :
    octagonal_shape_int64_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int64_t_refine_with_congruences :
    octagonal_shape_int64_t -> congruence_system -> unit
val ppl_Octagonal_Shape_int64_t_intersection_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_upper_bound_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_difference_assign :

```

```

    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_concatenate_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_time_elapse_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_upper_bound_assign_if_exact :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_simplify_using_context_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_Octagonal_Shape_int64_t_constrains :
    octagonal_shape_int64_t -> int -> bool
val ppl_Octagonal_Shape_int64_t_unconstrain_space_dimension :
    octagonal_shape_int64_t -> int -> unit
val ppl_Octagonal_Shape_int64_t_unconstrain_space_dimensions :
    octagonal_shape_int64_t -> int list -> unit
val ppl_Octagonal_Shape_int64_t_affine_image :
    octagonal_shape_int64_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int64_t_affine_preimage :
    octagonal_shape_int64_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int64_t_bounded_affine_image :
    octagonal_shape_int64_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int64_t_bounded_affine_preimage :
    octagonal_shape_int64_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int64_t_generalized_affine_image :
    octagonal_shape_int64_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int64_t_generalized_affine_preimage :
    octagonal_shape_int64_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_int64_t_generalized_affine_image_lhs_rhs :
    octagonal_shape_int64_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_int64_t_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_int64_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit

```

```

val ppl_Octagonal_Shape_int64_t_add_space_dimensions_and_embed :
  octagonal_shape_int64_t -> int -> unit
val ppl_Octagonal_Shape_int64_t_add_space_dimensions_and_project :
  octagonal_shape_int64_t -> int -> unit
val ppl_Octagonal_Shape_int64_t_remove_space_dimensions :
  octagonal_shape_int64_t -> int list -> unit
val ppl_Octagonal_Shape_int64_t_remove_higher_space_dimensions :
  octagonal_shape_int64_t -> int -> unit
val ppl_Octagonal_Shape_int64_t_expand_space_dimension :
  octagonal_shape_int64_t -> int -> int -> unit
val ppl_Octagonal_Shape_int64_t_fold_space_dimensions :
  octagonal_shape_int64_t -> int list -> int -> unit
val ppl_Octagonal_Shape_int64_t_map_space_dimensions :
  octagonal_shape_int64_t -> (int * int) list -> unit
val ppl_Octagonal_Shape_int64_t_drop_some_non_integer_points :
  octagonal_shape_int64_t -> complexity_class -> unit
val ppl_Octagonal_Shape_int64_t_drop_some_non_integer_points_2 :
  octagonal_shape_int64_t ->
  int list -> complexity_class -> unit
val ppl_Octagonal_Shape_int64_t_ascii_dump :
  octagonal_shape_int64_t -> string
val ppl_Octagonal_Shape_int64_t_external_memory_in_bytes :
  octagonal_shape_int64_t -> int
val ppl_Octagonal_Shape_int64_t_total_memory_in_bytes :
  octagonal_shape_int64_t -> int
val ppl_Octagonal_Shape_int64_t_BHMZ05_widening_assign_with_tokens :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> int -> int
val ppl_Octagonal_Shape_int64_t_BHMZ05_widening_assign :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_widening_assign_with_tokens :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> int -> int
val ppl_Octagonal_Shape_int64_t_widening_assign :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_limited_BHMZ05_extrapolation_assign_with_tokens :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_int64_t_limited_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_int64_t_limited_BHMZ05_extrapolation_assign :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int64_t_limited_CC76_extrapolation_assign :

```

```

    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> constraint_system -> unit
val ppl_Octagonal_Shape_int64_t_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> int -> int
val ppl_Octagonal_Shape_int64_t_CC76_extrapolation_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_CC76_narrowing_assign :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Octagonal_Shape_int64_t_linear_partition :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t *
    pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_int64_t_wrap_assign :
    octagonal_shape_int64_t ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_int64_t_2 :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_termination_test_PR_Octagonal_Shape_int64_t_2 :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_int64_t_2 :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_int64_t_2 :
    octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> bool * linear_generator

```

```

val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_int64_t_2 :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_int64_t_2 :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_int64_t_2 :
  octagonal_shape_int64_t ->
  octagonal_shape_int64_t ->
  polyhedron * polyhedron
val ppl_new_Octagonal_Shape_mpz_class_from_space_dimension :
  int -> degenerate_element -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int8_Box :
  int8_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int16_Box :
  int16_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int32_Box :
  int32_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int64_Box :
  int64_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint8_Box :
  uint8_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint16_Box :
  uint16_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint32_Box :
  uint32_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint64_Box :
  uint64_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Z_Box :
  z_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Rational_Box :
  rational_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int32_t :

```

```

    octagonal_shape_int32_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_C_Polyhedron :
    polyhedron -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_NNC_Polyhedron :
    polyhedron -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Grid :
    grid -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Float_Box :
    float_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_float :
    bd_shape_float -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_float :
    octagonal_shape_float -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Double_Box :
    double_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_double :
    bd_shape_double -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_double :
    octagonal_shape_double -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Long_Double_Box :
    long_double_box -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_long_double :
    bd_shape_long_double -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> octagonal_shape_mpz_class

```

```

val ppl_new_Octagonal_Shape_mpz_class_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Z_Box_with_complexity :
  z_box ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_C_Polyhedron_with_complexity :
  polyhedron ->

```

```

    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Grid_with_complexity :
    grid ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_constraints :
    constraint_system -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_congruences :
    congruence_system -> octagonal_shape_mpz_class
val ppl_new_Octagonal_Shape_mpz_class_from_generators :
    generator_system -> octagonal_shape_mpz_class
val ppl_Octagonal_Shape_mpz_class_swap :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_space_dimension :
    octagonal_shape_mpz_class -> int
val ppl_Octagonal_Shape_mpz_class_affine_dimension :
    octagonal_shape_mpz_class -> int
val ppl_Octagonal_Shape_mpz_class_relation_with_constraint :
    octagonal_shape_mpz_class ->
    linear_constraint -> poly_con_relation list

```



```

val ppl_Octagonal_Shape_mpz_class_relation_with_generator :
  octagonal_shape_mpz_class ->
  linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_mpz_class_relation_with_congruence :
  octagonal_shape_mpz_class ->
  linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_mpz_class_get_constraints :
  octagonal_shape_mpz_class -> constraint_system
val ppl_Octagonal_Shape_mpz_class_get_congruences :
  octagonal_shape_mpz_class -> congruence_system
val ppl_Octagonal_Shape_mpz_class_get_minimized_constraints :
  octagonal_shape_mpz_class -> constraint_system
val ppl_Octagonal_Shape_mpz_class_get_minimized_congruences :
  octagonal_shape_mpz_class -> congruence_system
val ppl_Octagonal_Shape_mpz_class_is_empty :
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_is_universe :
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_is_bounded :
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_contains_integer_point :
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_is_topologically_closed :
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_is_discrete :
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_topological_closure_assign :
  octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_bounds_from_above :
  octagonal_shape_mpz_class -> linear_expression -> bool
val ppl_Octagonal_Shape_mpz_class_bounds_from_below :
  octagonal_shape_mpz_class -> linear_expression -> bool
val ppl_Octagonal_Shape_mpz_class_maximize :
  octagonal_shape_mpz_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_mpz_class_minimize :
  octagonal_shape_mpz_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_mpz_class_maximize_with_point :
  octagonal_shape_mpz_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_mpz_class_minimize_with_point :
  octagonal_shape_mpz_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_mpz_class_frequency :
  octagonal_shape_mpz_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t

```

```

val ppl_Octagonal_Shape_mpz_class_contains_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_strictly_contains_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_is_disjoint_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_equals_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_OK : octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_add_constraint :
  octagonal_shape_mpz_class -> linear_constraint -> unit
val ppl_Octagonal_Shape_mpz_class_add_congruence :
  octagonal_shape_mpz_class -> linear_congruence -> unit
val ppl_Octagonal_Shape_mpz_class_add_constraints :
  octagonal_shape_mpz_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpz_class_add_congruences :
  octagonal_shape_mpz_class -> congruence_system -> unit
val ppl_Octagonal_Shape_mpz_class_refine_with_constraint :
  octagonal_shape_mpz_class -> linear_constraint -> unit
val ppl_Octagonal_Shape_mpz_class_refine_with_congruence :
  octagonal_shape_mpz_class -> linear_congruence -> unit
val ppl_Octagonal_Shape_mpz_class_refine_with_constraints :
  octagonal_shape_mpz_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpz_class_refine_with_congruences :
  octagonal_shape_mpz_class -> congruence_system -> unit
val ppl_Octagonal_Shape_mpz_class_intersection_assign :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_upper_bound_assign :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_difference_assign :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_concatenate_assign :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_time_elapse_assign :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_upper_bound_assign_if_exact :
  octagonal_shape_mpz_class ->
  octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_simplify_using_context_assign :
  octagonal_shape_mpz_class ->

```

```

    octagonal_shape_mpz_class -> bool
val ppl_Octagonal_Shape_mpz_class_constrains :
    octagonal_shape_mpz_class -> int -> bool
val ppl_Octagonal_Shape_mpz_class_unconstrain_space_dimension :
    octagonal_shape_mpz_class -> int -> unit
val ppl_Octagonal_Shape_mpz_class_unconstrain_space_dimensions :
    octagonal_shape_mpz_class -> int list -> unit
val ppl_Octagonal_Shape_mpz_class_affine_image :
    octagonal_shape_mpz_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpz_class_affine_preimage :
    octagonal_shape_mpz_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpz_class_bounded_affine_image :
    octagonal_shape_mpz_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpz_class_bounded_affine_preimage :
    octagonal_shape_mpz_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpz_class_generalized_affine_image :
    octagonal_shape_mpz_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpz_class_generalized_affine_preimage :
    octagonal_shape_mpz_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpz_class_generalized_affine_image_lhs_rhs :
    octagonal_shape_mpz_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_mpz_class_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_mpz_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_mpz_class_add_space_dimensions_and_embed :
    octagonal_shape_mpz_class -> int -> unit
val ppl_Octagonal_Shape_mpz_class_add_space_dimensions_and_project :
    octagonal_shape_mpz_class -> int -> unit
val ppl_Octagonal_Shape_mpz_class_remove_space_dimensions :
    octagonal_shape_mpz_class -> int list -> unit
val ppl_Octagonal_Shape_mpz_class_remove_higher_space_dimensions :
    octagonal_shape_mpz_class -> int -> unit
val ppl_Octagonal_Shape_mpz_class_expand_space_dimension :
    octagonal_shape_mpz_class -> int -> int -> unit
val ppl_Octagonal_Shape_mpz_class_fold_space_dimensions :
    octagonal_shape_mpz_class -> int list -> int -> unit
val ppl_Octagonal_Shape_mpz_class_map_space_dimensions :

```

```

    octagonal_shape_mpz_class -> (int * int) list -> unit
val ppl_Octagonal_Shape_mpz_class_drop_some_non_integer_points :
    octagonal_shape_mpz_class -> complexity_class -> unit
val ppl_Octagonal_Shape_mpz_class_drop_some_non_integer_points_2 :
    octagonal_shape_mpz_class ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_mpz_class_ascii_dump :
    octagonal_shape_mpz_class -> string
val ppl_Octagonal_Shape_mpz_class_external_memory_in_bytes :
    octagonal_shape_mpz_class -> int
val ppl_Octagonal_Shape_mpz_class_total_memory_in_bytes :
    octagonal_shape_mpz_class -> int
val ppl_Octagonal_Shape_mpz_class_BHMZ05_widening_assign_with_tokens :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> int -> int
val ppl_Octagonal_Shape_mpz_class_BHMZ05_widening_assign :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_widening_assign_with_tokens :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> int -> int
val ppl_Octagonal_Shape_mpz_class_widening_assign :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_limited_BHMZ05_extrapolation_assign_with_tokens :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class ->
    constraint_system -> int -> int
val ppl_Octagonal_Shape_mpz_class_limited_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class ->
    constraint_system -> int -> int
val ppl_Octagonal_Shape_mpz_class_limited_BHMZ05_extrapolation_assign :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpz_class_limited_CC76_extrapolation_assign :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpz_class_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> int -> int
val ppl_Octagonal_Shape_mpz_class_CC76_extrapolation_assign :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_CC76_narrowing_assign :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> unit
val ppl_Octagonal_Shape_mpz_class_linear_partition :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class ->

```

```

    octagonal_shape_mpz_class *
    pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_mpz_class_wrap_assign :
    octagonal_shape_mpz_class ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bool
val ppl_termination_test_PR_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class ->
    polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> bool
val ppl_termination_test_PR_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpz_class_2 :
    octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class ->
    polyhedron * polyhedron
val ppl_new_Octagonal_Shape_mpq_class_from_space_dimension :
    int -> degenerate_element -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int8_Box :
    int8_box -> octagonal_shape_mpq_class

```

```

val ppl_new_Octagonal_Shape_mpq_class_from_Int16_Box :
  int16_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int32_Box :
  int32_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int64_Box :
  int64_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint8_Box :
  uint8_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint16_Box :
  uint16_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint32_Box :
  uint32_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint64_Box :
  uint64_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Z_Box :
  z_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Rational_Box :
  rational_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_C_Polyhedron :
  polyhedron -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_NNC_Polyhedron :
  polyhedron -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Grid :
  grid -> octagonal_shape_mpq_class

```

```

val ppl_new_Octagonal_Shape_mpq_class_from_Float_Box :
  float_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_float :
  bd_shape_float -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Double_Box :
  double_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_double :
  bd_shape_double -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_double :
  octagonal_shape_double -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Long_Double_Box :
  long_double_box -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_long_double :
  bd_shape_long_double -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Z_Box_with_complexity :
  z_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int8_t_with_complexity :

```

```

    bd_shape_int8_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Grid_with_complexity :
    grid ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> octagonal_shape_mpq_class

```



```

val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_constraints :
  constraint_system -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_congruences :
  congruence_system -> octagonal_shape_mpq_class
val ppl_new_Octagonal_Shape_mpq_class_from_generators :
  generator_system -> octagonal_shape_mpq_class
val ppl_Octagonal_Shape_mpq_class_swap :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_space_dimension :
  octagonal_shape_mpq_class -> int
val ppl_Octagonal_Shape_mpq_class_affine_dimension :
  octagonal_shape_mpq_class -> int
val ppl_Octagonal_Shape_mpq_class_relation_with_constraint :
  octagonal_shape_mpq_class ->
  linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_mpq_class_relation_with_generator :
  octagonal_shape_mpq_class ->
  linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_mpq_class_relation_with_congruence :
  octagonal_shape_mpq_class ->
  linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_mpq_class_get_constraints :
  octagonal_shape_mpq_class -> constraint_system
val ppl_Octagonal_Shape_mpq_class_get_congruences :
  octagonal_shape_mpq_class -> congruence_system
val ppl_Octagonal_Shape_mpq_class_get_minimized_constraints :
  octagonal_shape_mpq_class -> constraint_system

```

```

val ppl_Octagonal_Shape_mpq_class_get_minimized_congruences :
  octagonal_shape_mpq_class -> congruence_system
val ppl_Octagonal_Shape_mpq_class_is_empty :
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_is_universe :
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_is_bounded :
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_contains_integer_point :
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_is_topologically_closed :
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_is_discrete :
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_topological_closure_assign :
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_bounds_from_above :
  octagonal_shape_mpq_class -> linear_expression -> bool
val ppl_Octagonal_Shape_mpq_class_bounds_from_below :
  octagonal_shape_mpq_class -> linear_expression -> bool
val ppl_Octagonal_Shape_mpq_class_maximize :
  octagonal_shape_mpq_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_mpq_class_minimize :
  octagonal_shape_mpq_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_mpq_class_maximize_with_point :
  octagonal_shape_mpq_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_mpq_class_minimize_with_point :
  octagonal_shape_mpq_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_mpq_class_frequency :
  octagonal_shape_mpq_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_mpq_class_contains_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_strictly_contains_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_is_disjoint_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_equals_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool

```

```

val ppl_Octagonal_Shape_mpq_class_OK : octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_add_constraint :
  octagonal_shape_mpq_class -> linear_constraint -> unit
val ppl_Octagonal_Shape_mpq_class_add_congruence :
  octagonal_shape_mpq_class -> linear_congruence -> unit
val ppl_Octagonal_Shape_mpq_class_add_constraints :
  octagonal_shape_mpq_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpq_class_add_congruences :
  octagonal_shape_mpq_class -> congruence_system -> unit
val ppl_Octagonal_Shape_mpq_class_refine_with_constraint :
  octagonal_shape_mpq_class -> linear_constraint -> unit
val ppl_Octagonal_Shape_mpq_class_refine_with_congruence :
  octagonal_shape_mpq_class -> linear_congruence -> unit
val ppl_Octagonal_Shape_mpq_class_refine_with_constraints :
  octagonal_shape_mpq_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpq_class_refine_with_congruences :
  octagonal_shape_mpq_class -> congruence_system -> unit
val ppl_Octagonal_Shape_mpq_class_intersection_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_upper_bound_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_difference_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_concatenate_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_time_elapse_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_upper_bound_assign_if_exact :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_simplify_using_context_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_Octagonal_Shape_mpq_class_constrains :
  octagonal_shape_mpq_class -> int -> bool
val ppl_Octagonal_Shape_mpq_class_unconstrain_space_dimension :
  octagonal_shape_mpq_class -> int -> unit
val ppl_Octagonal_Shape_mpq_class_unconstrain_space_dimensions :
  octagonal_shape_mpq_class -> int list -> unit
val ppl_Octagonal_Shape_mpq_class_affine_image :
  octagonal_shape_mpq_class ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpq_class_affine_preimage :
  octagonal_shape_mpq_class ->

```

```

    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpq_class_bounded_affine_image :
    octagonal_shape_mpq_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpq_class_bounded_affine_preimage :
    octagonal_shape_mpq_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpq_class_generalized_affine_image :
    octagonal_shape_mpq_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpq_class_generalized_affine_preimage :
    octagonal_shape_mpq_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_mpq_class_generalized_affine_image_lhs_rhs :
    octagonal_shape_mpq_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_mpq_class_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_mpq_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_mpq_class_add_space_dimensions_and_embed :
    octagonal_shape_mpq_class -> int -> unit
val ppl_Octagonal_Shape_mpq_class_add_space_dimensions_and_project :
    octagonal_shape_mpq_class -> int -> unit
val ppl_Octagonal_Shape_mpq_class_remove_space_dimensions :
    octagonal_shape_mpq_class -> int list -> unit
val ppl_Octagonal_Shape_mpq_class_remove_higher_space_dimensions :
    octagonal_shape_mpq_class -> int -> unit
val ppl_Octagonal_Shape_mpq_class_expand_space_dimension :
    octagonal_shape_mpq_class -> int -> int -> unit
val ppl_Octagonal_Shape_mpq_class_fold_space_dimensions :
    octagonal_shape_mpq_class -> int list -> int -> unit
val ppl_Octagonal_Shape_mpq_class_map_space_dimensions :
    octagonal_shape_mpq_class -> (int * int) list -> unit
val ppl_Octagonal_Shape_mpq_class_drop_some_non_integer_points :
    octagonal_shape_mpq_class -> complexity_class -> unit
val ppl_Octagonal_Shape_mpq_class_drop_some_non_integer_points_2 :
    octagonal_shape_mpq_class ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_mpq_class_ascii_dump :
    octagonal_shape_mpq_class -> string
val ppl_Octagonal_Shape_mpq_class_external_memory_in_bytes :
    octagonal_shape_mpq_class -> int
val ppl_Octagonal_Shape_mpq_class_total_memory_in_bytes :
    octagonal_shape_mpq_class -> int

```

```

val ppl_Octagonal_Shape_mpq_class_BHMZ05_widening_assign_with_tokens :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> int -> int
val ppl_Octagonal_Shape_mpq_class_BHMZ05_widening_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_widening_assign_with_tokens :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> int -> int
val ppl_Octagonal_Shape_mpq_class_widening_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_limited_BHMZ05_extrapolation_assign_with_tokens :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_mpq_class_limited_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_mpq_class_limited_BHMZ05_extrapolation_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpq_class_limited_CC76_extrapolation_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> constraint_system -> unit
val ppl_Octagonal_Shape_mpq_class_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> int -> int
val ppl_Octagonal_Shape_mpq_class_CC76_extrapolation_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_CC76_narrowing_assign :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> unit
val ppl_Octagonal_Shape_mpq_class_linear_partition :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class *
  pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_mpq_class_wrap_assign :
  octagonal_shape_mpq_class ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bool
val ppl_termination_test_PR_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bool

```

```

val ppl_one_affine_ranking_function_MS_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class ->
  polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_termination_test_PR_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_mpq_class_2 :
  octagonal_shape_mpq_class ->
  octagonal_shape_mpq_class ->
  polyhedron * polyhedron
val ppl_new_C_Polyhedron_from_space_dimension :
  int -> degenerate_element -> polyhedron
val ppl_new_NNC_Polyhedron_from_space_dimension :
  int -> degenerate_element -> polyhedron
val ppl_new_C_Polyhedron_from_Int8_Box : int8_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int8_Box : int8_box -> polyhedron
val ppl_new_C_Polyhedron_from_Int16_Box : int16_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int16_Box : int16_box -> polyhedron
val ppl_new_C_Polyhedron_from_Int32_Box : int32_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int32_Box : int32_box -> polyhedron
val ppl_new_C_Polyhedron_from_Int64_Box : int64_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int64_Box : int64_box -> polyhedron
val ppl_new_C_Polyhedron_from_Uint8_Box : uint8_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint8_Box : uint8_box -> polyhedron
val ppl_new_C_Polyhedron_from_Uint16_Box : uint16_box -> polyhedron

```

```

val ppl_new_NNC_Polyhedron_from_Uint16_Box : uint16_box -> polyhedron
val ppl_new_C_Polyhedron_from_Uint32_Box : uint32_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint32_Box : uint32_box -> polyhedron
val ppl_new_C_Polyhedron_from_Uint64_Box : uint64_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint64_Box : uint64_box -> polyhedron
val ppl_new_C_Polyhedron_from_Z_Box : z_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Z_Box : z_box -> polyhedron
val ppl_new_C_Polyhedron_from_Rational_Box : rational_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Rational_Box : rational_box -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int8_t : bd_shape_int8_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int8_t :
  bd_shape_int8_t -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int16_t :
  bd_shape_int16_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int16_t :
  bd_shape_int16_t -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int32_t :
  bd_shape_int32_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int32_t :
  bd_shape_int32_t -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int64_t :
  bd_shape_int64_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int64_t :
  bd_shape_int64_t -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int64_t :

```

```

    octagonal_shape_int64_t -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> polyhedron
val ppl_new_C_Polyhedron_from_C_Polyhedron : polyhedron -> polyhedron
val ppl_new_NNC_Polyhedron_from_C_Polyhedron : polyhedron -> polyhedron
val ppl_new_C_Polyhedron_from_NNC_Polyhedron : polyhedron -> polyhedron
val ppl_new_NNC_Polyhedron_from_NNC_Polyhedron : polyhedron -> polyhedron
val ppl_new_C_Polyhedron_from_Grid : grid -> polyhedron
val ppl_new_NNC_Polyhedron_from_Grid : grid -> polyhedron
val ppl_new_C_Polyhedron_from_Float_Box : float_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Float_Box : float_box -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_float : bd_shape_float -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_float : bd_shape_float -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_float :
    octagonal_shape_float -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_float :
    octagonal_shape_float -> polyhedron
val ppl_new_C_Polyhedron_from_Double_Box : double_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Double_Box : double_box -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_double : bd_shape_double -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_double :
    bd_shape_double -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_double :
    octagonal_shape_double -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_double :
    octagonal_shape_double -> polyhedron
val ppl_new_C_Polyhedron_from_Long_Double_Box : long_double_box -> polyhedron
val ppl_new_NNC_Polyhedron_from_Long_Double_Box :
    long_double_box -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_long_double :
    bd_shape_long_double -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_long_double :
    bd_shape_long_double -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> polyhedron
val ppl_new_C_Polyhedron_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> polyhedron

```



```

val ppl_new_C_Polyhedron_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Z_Box_with_complexity :
  z_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Z_Box_with_complexity :
  z_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int32_t_with_complexity :

```

```

    bd_shape_int32_t ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> polyhedron

```

```

val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Grid_with_complexity :
  grid -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Grid_with_complexity :
  grid -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Float_Box_with_complexity :
  float_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Float_Box_with_complexity :
  float_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Double_Box_with_complexity :
  double_box -> complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Double_Box_with_complexity :
  double_box -> complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->

```

```

    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> polyhedron
val ppl_new_NNC_Polyhedron_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> polyhedron
val ppl_new_C_Polyhedron_from_constraints : constraint_system -> polyhedron
val ppl_new_NNC_Polyhedron_from_constraints : constraint_system -> polyhedron
val ppl_new_C_Polyhedron_from_congruences : congruence_system -> polyhedron
val ppl_new_NNC_Polyhedron_from_congruences : congruence_system -> polyhedron
val ppl_new_C_Polyhedron_from_generators : generator_system -> polyhedron
val ppl_new_NNC_Polyhedron_from_generators : generator_system -> polyhedron
val ppl_Polyhedron_swap : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_space_dimension : polyhedron -> int
val ppl_Polyhedron_affine_dimension : polyhedron -> int
val ppl_Polyhedron_relation_with_constraint :
    polyhedron ->
    linear_constraint -> poly_con_relation list
val ppl_Polyhedron_relation_with_generator :
    polyhedron ->
    linear_generator -> poly_gen_relation list
val ppl_Polyhedron_relation_with_congruence :
    polyhedron ->
    linear_congruence -> poly_con_relation list
val ppl_Polyhedron_get_constraints : polyhedron -> constraint_system
val ppl_Polyhedron_get_congruences : polyhedron -> congruence_system
val ppl_Polyhedron_get_generators : polyhedron -> generator_system
val ppl_Polyhedron_get_minimized_constraints :
    polyhedron -> constraint_system
val ppl_Polyhedron_get_minimized_congruences :
    polyhedron -> congruence_system
val ppl_Polyhedron_get_minimized_generators : polyhedron -> generator_system

```

```

val ppl_Polyhedron_is_empty : polyhedron -> bool
val ppl_Polyhedron_is_universe : polyhedron -> bool
val ppl_Polyhedron_is_bounded : polyhedron -> bool
val ppl_Polyhedron_contains_integer_point : polyhedron -> bool
val ppl_Polyhedron_is_topologically_closed : polyhedron -> bool
val ppl_Polyhedron_is_discrete : polyhedron -> bool
val ppl_Polyhedron_topological_closure_assign : polyhedron -> unit
val ppl_Polyhedron_bounds_from_above :
  polyhedron -> linear_expression -> bool
val ppl_Polyhedron_bounds_from_below :
  polyhedron -> linear_expression -> bool
val ppl_Polyhedron_maximize :
  polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Polyhedron_minimize :
  polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Polyhedron_maximize_with_point :
  polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Polyhedron_minimize_with_point :
  polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Polyhedron_frequency :
  polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Polyhedron_contains_Polyhedron : polyhedron -> polyhedron -> bool
val ppl_Polyhedron_strictly_contains_Polyhedron :
  polyhedron -> polyhedron -> bool
val ppl_Polyhedron_is_disjoint_from_Polyhedron :
  polyhedron -> polyhedron -> bool
val ppl_Polyhedron_equals_Polyhedron : polyhedron -> polyhedron -> bool
val ppl_Polyhedron_OK : polyhedron -> bool
val ppl_Polyhedron_add_constraint : polyhedron -> linear_constraint -> unit
val ppl_Polyhedron_add_congruence : polyhedron -> linear_congruence -> unit
val ppl_Polyhedron_add_generator : polyhedron -> linear_generator -> unit
val ppl_Polyhedron_add_constraints : polyhedron -> constraint_system -> unit
val ppl_Polyhedron_add_congruences : polyhedron -> congruence_system -> unit
val ppl_Polyhedron_add_generators : polyhedron -> generator_system -> unit
val ppl_Polyhedron_refine_with_constraint :
  polyhedron -> linear_constraint -> unit
val ppl_Polyhedron_refine_with_congruence :
  polyhedron -> linear_congruence -> unit
val ppl_Polyhedron_refine_with_constraints :
  polyhedron -> constraint_system -> unit

```

```

val ppl_Polyhedron_refine_with_congruences :
  polyhedron -> congruence_system -> unit
val ppl_Polyhedron_intersection_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_upper_bound_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_difference_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_concatenate_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_time_elapse_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_poly_hull_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_poly_difference_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_upper_bound_assign_if_exact :
  polyhedron -> polyhedron -> bool
val ppl_Polyhedron_poly_hull_assign_if_exact :
  polyhedron -> polyhedron -> bool
val ppl_Polyhedron_simplify_using_context_assign :
  polyhedron -> polyhedron -> bool
val ppl_Polyhedron_constrains : polyhedron -> int -> bool
val ppl_Polyhedron_unconstrain_space_dimension : polyhedron -> int -> unit
val ppl_Polyhedron_unconstrain_space_dimensions :
  polyhedron -> int list -> unit
val ppl_Polyhedron_affine_image :
  polyhedron -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Polyhedron_affine_preimage :
  polyhedron -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Polyhedron_bounded_affine_image :
  polyhedron ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Polyhedron_bounded_affine_preimage :
  polyhedron ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Polyhedron_generalized_affine_image :
  polyhedron ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Polyhedron_generalized_affine_preimage :
  polyhedron ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Polyhedron_generalized_affine_image_lhs_rhs :
  polyhedron ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Polyhedron_generalized_affine_preimage_lhs_rhs :
  polyhedron ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Polyhedron_add_space_dimensions_and_embed : polyhedron -> int -> unit

```

```

val ppl_Polyhedron_add_space_dimensions_and_project :
  polyhedron -> int -> unit
val ppl_Polyhedron_remove_space_dimensions : polyhedron -> int list -> unit
val ppl_Polyhedron_remove_higher_space_dimensions : polyhedron -> int -> unit
val ppl_Polyhedron_expand_space_dimension : polyhedron -> int -> int -> unit
val ppl_Polyhedron_fold_space_dimensions :
  polyhedron -> int list -> int -> unit
val ppl_Polyhedron_map_space_dimensions :
  polyhedron -> (int * int) list -> unit
val ppl_Polyhedron_drop_some_non_integer_points :
  polyhedron -> complexity_class -> unit
val ppl_Polyhedron_drop_some_non_integer_points_2 :
  polyhedron -> int list -> complexity_class -> unit
val ppl_Polyhedron_ascii_dump : polyhedron -> string
val ppl_Polyhedron_external_memory_in_bytes : polyhedron -> int
val ppl_Polyhedron_total_memory_in_bytes : polyhedron -> int
val ppl_Polyhedron_BHRZ03_widening_assign_with_tokens :
  polyhedron -> polyhedron -> int -> int
val ppl_Polyhedron_H79_widening_assign_with_tokens :
  polyhedron -> polyhedron -> int -> int
val ppl_Polyhedron_BHRZ03_widening_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_H79_widening_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_widening_assign_with_tokens :
  polyhedron -> polyhedron -> int -> int
val ppl_Polyhedron_widening_assign : polyhedron -> polyhedron -> unit
val ppl_Polyhedron_limited_BHRZ03_extrapolation_assign_with_tokens :
  polyhedron ->
  polyhedron -> constraint_system -> int -> int
val ppl_Polyhedron_bounded_BHRZ03_extrapolation_assign_with_tokens :
  polyhedron ->
  polyhedron -> constraint_system -> int -> int
val ppl_Polyhedron_limited_H79_extrapolation_assign_with_tokens :
  polyhedron ->
  polyhedron -> constraint_system -> int -> int
val ppl_Polyhedron_bounded_H79_extrapolation_assign_with_tokens :
  polyhedron ->
  polyhedron -> constraint_system -> int -> int
val ppl_Polyhedron_limited_BHRZ03_extrapolation_assign :
  polyhedron ->
  polyhedron -> constraint_system -> unit
val ppl_Polyhedron_bounded_BHRZ03_extrapolation_assign :
  polyhedron ->
  polyhedron -> constraint_system -> unit
val ppl_Polyhedron_limited_H79_extrapolation_assign :
  polyhedron ->
  polyhedron -> constraint_system -> unit
val ppl_Polyhedron_bounded_H79_extrapolation_assign :
  polyhedron ->

```

```

    polyhedron -> constraint_system -> unit
val ppl_Polyhedron_linear_partition :
    polyhedron ->
    polyhedron ->
    polyhedron * pointset_powerset_nnc_polyhedron
val ppl_Polyhedron_wrap_assign :
    polyhedron ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_C_Polyhedron : polyhedron -> bool
val ppl_termination_test_PR_C_Polyhedron : polyhedron -> bool
val ppl_termination_test_MS_NNC_Polyhedron : polyhedron -> bool
val ppl_termination_test_PR_NNC_Polyhedron : polyhedron -> bool
val ppl_one_affine_ranking_function_MS_C_Polyhedron :
    polyhedron -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_C_Polyhedron :
    polyhedron -> bool * linear_generator
val ppl_one_affine_ranking_function_MS_NNC_Polyhedron :
    polyhedron -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_NNC_Polyhedron :
    polyhedron -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_C_Polyhedron :
    polyhedron -> polyhedron
val ppl_all_affine_ranking_functions_PR_C_Polyhedron :
    polyhedron -> polyhedron
val ppl_all_affine_ranking_functions_MS_NNC_Polyhedron :
    polyhedron -> polyhedron
val ppl_all_affine_ranking_functions_PR_NNC_Polyhedron :
    polyhedron -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_C_Polyhedron :
    polyhedron -> polyhedron * polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_NNC_Polyhedron :
    polyhedron -> polyhedron * polyhedron
val ppl_termination_test_MS_C_Polyhedron_2 : polyhedron -> polyhedron -> bool
val ppl_termination_test_PR_C_Polyhedron_2 : polyhedron -> polyhedron -> bool
val ppl_termination_test_MS_NNC_Polyhedron_2 :
    polyhedron -> polyhedron -> bool
val ppl_termination_test_PR_NNC_Polyhedron_2 :
    polyhedron -> polyhedron -> bool
val ppl_one_affine_ranking_function_MS_C_Polyhedron_2 :
    polyhedron ->
    polyhedron -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_C_Polyhedron_2 :
    polyhedron ->
    polyhedron -> bool * linear_generator

```



```

val ppl_one_affine_ranking_function_MS_NNC_Polyhedron_2 :
  polyhedron ->
  polyhedron -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_NNC_Polyhedron_2 :
  polyhedron ->
  polyhedron -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_C_Polyhedron_2 :
  polyhedron -> polyhedron -> polyhedron
val ppl_all_affine_ranking_functions_PR_C_Polyhedron_2 :
  polyhedron -> polyhedron -> polyhedron
val ppl_all_affine_ranking_functions_MS_NNC_Polyhedron_2 :
  polyhedron -> polyhedron -> polyhedron
val ppl_all_affine_ranking_functions_PR_NNC_Polyhedron_2 :
  polyhedron -> polyhedron -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_C_Polyhedron_2 :
  polyhedron ->
  polyhedron -> polyhedron * polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_NNC_Polyhedron_2 :
  polyhedron ->
  polyhedron -> polyhedron * polyhedron
val ppl_new_Grid_from_space_dimension : int -> degenerate_element -> grid
val ppl_new_Grid_from_Int8_Box : int8_box -> grid
val ppl_new_Grid_from_Int16_Box : int16_box -> grid
val ppl_new_Grid_from_Int32_Box : int32_box -> grid
val ppl_new_Grid_from_Int64_Box : int64_box -> grid
val ppl_new_Grid_from_Uint8_Box : uint8_box -> grid
val ppl_new_Grid_from_Uint16_Box : uint16_box -> grid
val ppl_new_Grid_from_Uint32_Box : uint32_box -> grid
val ppl_new_Grid_from_Uint64_Box : uint64_box -> grid
val ppl_new_Grid_from_Z_Box : z_box -> grid
val ppl_new_Grid_from_Rational_Box : rational_box -> grid
val ppl_new_Grid_from_BD_Shape_int8_t : bd_shape_int8_t -> grid
val ppl_new_Grid_from_BD_Shape_int16_t : bd_shape_int16_t -> grid
val ppl_new_Grid_from_BD_Shape_int32_t : bd_shape_int32_t -> grid
val ppl_new_Grid_from_BD_Shape_int64_t : bd_shape_int64_t -> grid
val ppl_new_Grid_from_BD_Shape_mpz_class : bd_shape_mpz_class -> grid
val ppl_new_Grid_from_BD_Shape_mpq_class : bd_shape_mpq_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_int8_t : octagonal_shape_int8_t -> grid
val ppl_new_Grid_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> grid
val ppl_new_Grid_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> grid
val ppl_new_Grid_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> grid
val ppl_new_Grid_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_mpq_class :

```

```

    octagonal_shape_mpq_class -> grid
val ppl_new_Grid_from_C_Polyhedron : polyhedron -> grid
val ppl_new_Grid_from_NNC_Polyhedron : polyhedron -> grid
val ppl_new_Grid_from_Grid : grid -> grid
val ppl_new_Grid_from_Float_Box : float_box -> grid
val ppl_new_Grid_from_BD_Shape_float : bd_shape_float -> grid
val ppl_new_Grid_from_Octagonal_Shape_float : octagonal_shape_float -> grid
val ppl_new_Grid_from_Double_Box : double_box -> grid
val ppl_new_Grid_from_BD_Shape_double : bd_shape_double -> grid
val ppl_new_Grid_from_Octagonal_Shape_double : octagonal_shape_double -> grid
val ppl_new_Grid_from_Long_Double_Box : long_double_box -> grid
val ppl_new_Grid_from_BD_Shape_long_double : bd_shape_long_double -> grid
val ppl_new_Grid_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> grid
val ppl_new_Grid_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> grid
val ppl_new_Grid_from_Int16_Box_with_complexity :
    int16_box -> complexity_class -> grid
val ppl_new_Grid_from_Int32_Box_with_complexity :
    int32_box -> complexity_class -> grid
val ppl_new_Grid_from_Int64_Box_with_complexity :
    int64_box -> complexity_class -> grid
val ppl_new_Grid_from_Uint8_Box_with_complexity :
    uint8_box -> complexity_class -> grid
val ppl_new_Grid_from_Uint16_Box_with_complexity :
    uint16_box -> complexity_class -> grid
val ppl_new_Grid_from_Uint32_Box_with_complexity :
    uint32_box -> complexity_class -> grid
val ppl_new_Grid_from_Uint64_Box_with_complexity :
    uint64_box -> complexity_class -> grid
val ppl_new_Grid_from_Z_Box_with_complexity :
    z_box -> complexity_class -> grid
val ppl_new_Grid_from_Rational_Box_with_complexity :
    rational_box -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class -> complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_int8_t_with_complexity :

```

```

    octagonal_shape_int8_t ->
    complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> grid
val ppl_new_Grid_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> grid
val ppl_new_Grid_from_NNC_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> grid
val ppl_new_Grid_from_Grid_with_complexity : grid -> complexity_class -> grid
val ppl_new_Grid_from_Float_Box_with_complexity :
    float_box -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_float_with_complexity :
    bd_shape_float -> complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> grid
val ppl_new_Grid_from_Double_Box_with_complexity :
    double_box -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_double_with_complexity :
    bd_shape_double -> complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> grid
val ppl_new_Grid_from_Long_Double_Box_with_complexity :
    long_double_box -> complexity_class -> grid
val ppl_new_Grid_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> grid
val ppl_new_Grid_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> grid
val ppl_new_Grid_from_constraints : constraint_system -> grid
val ppl_new_Grid_from_congruences : congruence_system -> grid
val ppl_new_Grid_from_grid_generators : grid_generator_system -> grid
val ppl_Grid_swap : grid -> grid -> unit
val ppl_Grid_space_dimension : grid -> int

```

```

val ppl_Grid_affine_dimension : grid -> int
val ppl_Grid_relation_with_constraint :
  grid ->
    linear_constraint -> poly_con_relation list
val ppl_Grid_relation_with_generator :
  grid ->
    linear_generator -> poly_gen_relation list
val ppl_Grid_relation_with_congruence :
  grid ->
    linear_congruence -> poly_con_relation list
val ppl_Grid_relation_with_grid_generator :
  grid ->
    linear_grid_generator -> poly_gen_relation list
val ppl_Grid_get_constraints : grid -> constraint_system
val ppl_Grid_get_congruences : grid -> congruence_system
val ppl_Grid_get_grid_generators : grid -> grid_generator_system
val ppl_Grid_get_minimized_constraints : grid -> constraint_system
val ppl_Grid_get_minimized_congruences : grid -> congruence_system
val ppl_Grid_get_minimized_grid_generators : grid -> grid_generator_system
val ppl_Grid_is_empty : grid -> bool
val ppl_Grid_is_universe : grid -> bool
val ppl_Grid_is_bounded : grid -> bool
val ppl_Grid_contains_integer_point : grid -> bool
val ppl_Grid_is_topologically_closed : grid -> bool
val ppl_Grid_is_discrete : grid -> bool
val ppl_Grid_topological_closure_assign : grid -> unit
val ppl_Grid_bounds_from_above : grid -> linear_expression -> bool
val ppl_Grid_bounds_from_below : grid -> linear_expression -> bool
val ppl_Grid_maximize :
  grid ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Grid_minimize :
  grid ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Grid_maximize_with_point :
  grid ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Grid_minimize_with_point :
  grid ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Grid_frequency :
  grid ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Grid_contains_Grid : grid -> grid -> bool
val ppl_Grid_strictly_contains_Grid : grid -> grid -> bool

```

```

val ppl_Grid_is_disjoint_from_Grid : grid -> grid -> bool
val ppl_Grid_equals_Grid : grid -> grid -> bool
val ppl_Grid_OK : grid -> bool
val ppl_Grid_add_constraint : grid -> linear_constraint -> unit
val ppl_Grid_add_congruence : grid -> linear_congruence -> unit
val ppl_Grid_add_grid_generator : grid -> linear_grid_generator -> unit
val ppl_Grid_add_constraints : grid -> constraint_system -> unit
val ppl_Grid_add_congruences : grid -> congruence_system -> unit
val ppl_Grid_add_grid_generators : grid -> grid_generator_system -> unit
val ppl_Grid_refine_with_constraint : grid -> linear_constraint -> unit
val ppl_Grid_refine_with_congruence : grid -> linear_congruence -> unit
val ppl_Grid_refine_with_constraints : grid -> constraint_system -> unit
val ppl_Grid_refine_with_congruences : grid -> congruence_system -> unit
val ppl_Grid_intersection_assign : grid -> grid -> unit
val ppl_Grid_upper_bound_assign : grid -> grid -> unit
val ppl_Grid_difference_assign : grid -> grid -> unit
val ppl_Grid_concatenate_assign : grid -> grid -> unit
val ppl_Grid_time_elapse_assign : grid -> grid -> unit
val ppl_Grid_upper_bound_assign_if_exact : grid -> grid -> bool
val ppl_Grid_simplify_using_context_assign : grid -> grid -> bool
val ppl_Grid_constrains : grid -> int -> bool
val ppl_Grid_unconstrain_space_dimension : grid -> int -> unit
val ppl_Grid_unconstrain_space_dimensions : grid -> int list -> unit
val ppl_Grid_affine_image :
  grid -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_affine_preimage :
  grid -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_bounded_affine_image :
  grid ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_bounded_affine_preimage :
  grid ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_generalized_affine_image :
  grid ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_generalized_affine_preimage :
  grid ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_generalized_affine_image_lhs_rhs :
  grid ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit

```

```

val ppl_Grid_generalized_affine_preimage_lhs_rhs :
  grid ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Grid_generalized_affine_image_with_congruence :
  grid ->
  int ->
  relation_symbol ->
  linear_expression -> Gmp.Z.t -> Gmp.Z.t -> unit
val ppl_Grid_generalized_affine_preimage_with_congruence :
  grid ->
  int ->
  relation_symbol ->
  linear_expression -> Gmp.Z.t -> Gmp.Z.t -> unit
val ppl_Grid_generalized_affine_image_lhs_rhs_with_congruence :
  grid ->
  linear_expression ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_generalized_affine_preimage_lhs_rhs_with_congruence :
  grid ->
  linear_expression ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Grid_add_space_dimensions_and_embed : grid -> int -> unit
val ppl_Grid_add_space_dimensions_and_project : grid -> int -> unit
val ppl_Grid_remove_space_dimensions : grid -> int list -> unit
val ppl_Grid_remove_higher_space_dimensions : grid -> int -> unit
val ppl_Grid_expand_space_dimension : grid -> int -> int -> unit
val ppl_Grid_fold_space_dimensions : grid -> int list -> int -> unit
val ppl_Grid_map_space_dimensions : grid -> (int * int) list -> unit
val ppl_Grid_drop_some_non_integer_points : grid -> complexity_class -> unit
val ppl_Grid_drop_some_non_integer_points_2 :
  grid -> int list -> complexity_class -> unit
val ppl_Grid_ascii_dump : grid -> string
val ppl_Grid_external_memory_in_bytes : grid -> int
val ppl_Grid_total_memory_in_bytes : grid -> int
val ppl_Grid_congruence_widening_assign_with_tokens :
  grid -> grid -> int -> int
val ppl_Grid_generator_widening_assign_with_tokens :
  grid -> grid -> int -> int
val ppl_Grid_congruence_widening_assign : grid -> grid -> unit
val ppl_Grid_generator_widening_assign : grid -> grid -> unit
val ppl_Grid_widening_assign_with_tokens : grid -> grid -> int -> int
val ppl_Grid_widening_assign : grid -> grid -> unit
val ppl_Grid_limited_congruence_extrapolation_assign_with_tokens :
  grid -> grid -> congruence_system -> int -> int
val ppl_Grid_limited_generator_extrapolation_assign_with_tokens :
  grid -> grid -> congruence_system -> int -> int
val ppl_Grid_limited_congruence_extrapolation_assign :

```

```

    grid -> grid -> congruence_system -> unit
val ppl_Grid_limited_generator_extrapolation_assign :
    grid -> grid -> congruence_system -> unit
val ppl_Grid_approximate_partition :
    grid ->
    grid -> grid * pointset_powerset_grid * bool
val ppl_Grid_wrap_assign :
    grid ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Grid : grid -> bool
val ppl_termination_test_PR_Grid : grid -> bool
val ppl_one_affine_ranking_function_MS_Grid : grid -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Grid : grid -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Grid : grid -> polyhedron
val ppl_all_affine_ranking_functions_PR_Grid : grid -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Grid :
    grid -> polyhedron * polyhedron
val ppl_termination_test_MS_Grid_2 : grid -> grid -> bool
val ppl_termination_test_PR_Grid_2 : grid -> grid -> bool
val ppl_one_affine_ranking_function_MS_Grid_2 :
    grid -> grid -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Grid_2 :
    grid -> grid -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Grid_2 : grid -> grid -> polyhedron
val ppl_all_affine_ranking_functions_PR_Grid_2 : grid -> grid -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Grid_2 :
    grid ->
    grid -> polyhedron * polyhedron
val ppl_new_Pointset_Powerset_Int8_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_int8_box
val ppl_new_Pointset_Powerset_Int8_Box_from_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box -> pointset_powerset_int8_box
val ppl_new_Pointset_Powerset_Int8_Box_from_Int8_Box :
    int8_box -> pointset_powerset_int8_box
val ppl_new_Pointset_Powerset_Int8_Box_from_Pointset_Powerset_Int8_Box_with_complexity :
    pointset_powerset_int8_box ->
    complexity_class -> pointset_powerset_int8_box
val ppl_new_Pointset_Powerset_Int8_Box_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> pointset_powerset_int8_box
val ppl_new_Pointset_Powerset_Int8_Box_from_constraints :
    constraint_system -> pointset_powerset_int8_box
val ppl_new_Pointset_Powerset_Int8_Box_from_congruences :
    congruence_system -> pointset_powerset_int8_box

```

```

val ppl_Pointset_Powerset_Int8_Box_swap :
  pointset_powerset_int8_box ->
  pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_space_dimension :
  pointset_powerset_int8_box -> int
val ppl_Pointset_Powerset_Int8_Box_affine_dimension :
  pointset_powerset_int8_box -> int
val ppl_Pointset_Powerset_Int8_Box_relation_with_constraint :
  pointset_powerset_int8_box ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Int8_Box_relation_with_generator :
  pointset_powerset_int8_box ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Int8_Box_relation_with_congruence :
  pointset_powerset_int8_box ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Int8_Box_is_empty :
  pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_is_universe :
  pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_is_bounded :
  pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_contains_integer_point :
  pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_is_topologically_closed :
  pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_is_discrete :
  pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_topological_closure_assign :
  pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_pairwise_reduce :
  pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_omega_reduce :
  pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_bounds_from_above :
  pointset_powerset_int8_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int8_Box_bounds_from_below :
  pointset_powerset_int8_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int8_Box_maximize :
  pointset_powerset_int8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int8_Box_minimize :
  pointset_powerset_int8_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int8_Box_maximize_with_point :
  pointset_powerset_int8_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int8_Box_minimize_with_point :

```



```

    pointset_powerset_int8_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int8_Box_contains_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_strictly_contains_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_is_disjoint_from_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_geometrically_covers_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_geometrically_equals_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_equals_Pointset_Powerset_Int8_Box :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_OK : pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_add_constraint :
    pointset_powerset_int8_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int8_Box_add_congruence :
    pointset_powerset_int8_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int8_Box_add_constraints :
    pointset_powerset_int8_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int8_Box_add_congruences :
    pointset_powerset_int8_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int8_Box_refine_with_constraint :
    pointset_powerset_int8_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int8_Box_refine_with_congruence :
    pointset_powerset_int8_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int8_Box_refine_with_constraints :
    pointset_powerset_int8_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int8_Box_refine_with_congruences :
    pointset_powerset_int8_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int8_Box_intersection_assign :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_upper_bound_assign :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_difference_assign :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_concatenate_assign :
    pointset_powerset_int8_box ->

```

```

    pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_time_elapse_assign :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_upper_bound_assign_if_exact :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_simplify_using_context_assign :
    pointset_powerset_int8_box ->
    pointset_powerset_int8_box -> bool
val ppl_Pointset_Powerset_Int8_Box_constrains :
    pointset_powerset_int8_box -> int -> bool
val ppl_Pointset_Powerset_Int8_Box_unconstrain_space_dimension :
    pointset_powerset_int8_box -> int -> unit
val ppl_Pointset_Powerset_Int8_Box_unconstrain_space_dimensions :
    pointset_powerset_int8_box -> int list -> unit
val ppl_Pointset_Powerset_Int8_Box_affine_image :
    pointset_powerset_int8_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int8_Box_affine_preimage :
    pointset_powerset_int8_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int8_Box_bounded_affine_image :
    pointset_powerset_int8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int8_Box_bounded_affine_preimage :
    pointset_powerset_int8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int8_Box_generalized_affine_image :
    pointset_powerset_int8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int8_Box_generalized_affine_preimage :
    pointset_powerset_int8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int8_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_int8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int8_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_int8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int8_Box_add_space_dimensions_and_embed :
    pointset_powerset_int8_box -> int -> unit
val ppl_Pointset_Powerset_Int8_Box_add_space_dimensions_and_project :
    pointset_powerset_int8_box -> int -> unit

```

```

val ppl_Pointset_Powerset_Int8_Box_remove_space_dimensions :
  pointset_powerset_int8_box -> int list -> unit
val ppl_Pointset_Powerset_Int8_Box_remove_higher_space_dimensions :
  pointset_powerset_int8_box -> int -> unit
val ppl_Pointset_Powerset_Int8_Box_expand_space_dimension :
  pointset_powerset_int8_box -> int -> int -> unit
val ppl_Pointset_Powerset_Int8_Box_fold_space_dimensions :
  pointset_powerset_int8_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Int8_Box_map_space_dimensions :
  pointset_powerset_int8_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Int8_Box_drop_some_non_integer_points :
  pointset_powerset_int8_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Int8_Box_drop_some_non_integer_points_2 :
  pointset_powerset_int8_box ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Int8_Box_ascii_dump :
  pointset_powerset_int8_box -> string
val ppl_Pointset_Powerset_Int8_Box_external_memory_in_bytes :
  pointset_powerset_int8_box -> int
val ppl_Pointset_Powerset_Int8_Box_total_memory_in_bytes :
  pointset_powerset_int8_box -> int
val ppl_Pointset_Powerset_Int8_Box_size : pointset_powerset_int8_box -> int
type pointset_powerset_int8_box_iterator
val ppl_new_Pointset_Powerset_Int8_Box_iterator_from_iterator :
  pointset_powerset_int8_box_iterator ->
  pointset_powerset_int8_box_iterator
val ppl_Pointset_Powerset_Int8_Box_begin_iterator :
  pointset_powerset_int8_box ->
  pointset_powerset_int8_box_iterator
val ppl_Pointset_Powerset_Int8_Box_end_iterator :
  pointset_powerset_int8_box ->
  pointset_powerset_int8_box_iterator
val ppl_Pointset_Powerset_Int8_Box_iterator_equals_iterator :
  pointset_powerset_int8_box_iterator ->
  pointset_powerset_int8_box_iterator -> bool
val ppl_Pointset_Powerset_Int8_Box_increment_iterator :
  pointset_powerset_int8_box_iterator -> unit
val ppl_Pointset_Powerset_Int8_Box_decrement_iterator :
  pointset_powerset_int8_box_iterator -> unit
val ppl_Pointset_Powerset_Int8_Box_get_disjunct :
  pointset_powerset_int8_box_iterator -> int8_box
val ppl_Pointset_Powerset_Int8_Box_add_disjunct :
  pointset_powerset_int8_box -> int8_box -> unit
val ppl_Pointset_Powerset_Int8_Box_drop_disjunct :
  pointset_powerset_int8_box ->
  pointset_powerset_int8_box_iterator -> unit
val ppl_Pointset_Powerset_Int8_Box_drop_disjuncts :
  pointset_powerset_int8_box ->
  pointset_powerset_int8_box_iterator ->

```

```

    pointset_powerset_int8_box_iterator -> unit
val ppl_new_Pointset_Powerset_Int16_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_int16_box
val ppl_new_Pointset_Powerset_Int16_Box_from_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box
val ppl_new_Pointset_Powerset_Int16_Box_from_Int16_Box :
    int16_box -> pointset_powerset_int16_box
val ppl_new_Pointset_Powerset_Int16_Box_from_Pointset_Powerset_Int16_Box_with_complexity :
    pointset_powerset_int16_box ->
    complexity_class -> pointset_powerset_int16_box
val ppl_new_Pointset_Powerset_Int16_Box_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> pointset_powerset_int16_box
val ppl_new_Pointset_Powerset_Int16_Box_from_constraints :
    constraint_system -> pointset_powerset_int16_box
val ppl_new_Pointset_Powerset_Int16_Box_from_congruences :
    congruence_system -> pointset_powerset_int16_box
val ppl_Pointset_Powerset_Int16_Box_swap :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_space_dimension :
    pointset_powerset_int16_box -> int
val ppl_Pointset_Powerset_Int16_Box_affine_dimension :
    pointset_powerset_int16_box -> int
val ppl_Pointset_Powerset_Int16_Box_relation_with_constraint :
    pointset_powerset_int16_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Int16_Box_relation_with_generator :
    pointset_powerset_int16_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Int16_Box_relation_with_congruence :
    pointset_powerset_int16_box ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Int16_Box_is_empty :
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_is_universe :
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_is_bounded :
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_contains_integer_point :
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_is_topologically_closed :
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_is_discrete :
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_topological_closure_assign :
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_pairwise_reduce :

```

```

    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_omega_reduce :
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_bounds_from_above :
    pointset_powerset_int16_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int16_Box_bounds_from_below :
    pointset_powerset_int16_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int16_Box_maximize :
    pointset_powerset_int16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int16_Box_minimize :
    pointset_powerset_int16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int16_Box_maximize_with_point :
    pointset_powerset_int16_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int16_Box_minimize_with_point :
    pointset_powerset_int16_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int16_Box_contains_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_strictly_contains_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_is_disjoint_from_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_geometrically_covers_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_geometrically_equals_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_equals_Pointset_Powerset_Int16_Box :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_OK : pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_add_constraint :
    pointset_powerset_int16_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int16_Box_add_congruence :
    pointset_powerset_int16_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int16_Box_add_constraints :
    pointset_powerset_int16_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int16_Box_add_congruences :
    pointset_powerset_int16_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int16_Box_refine_with_constraint :

```

```

    pointset_powerset_int16_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int16_Box_refine_with_congruence :
    pointset_powerset_int16_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int16_Box_refine_with_constraints :
    pointset_powerset_int16_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int16_Box_refine_with_congruences :
    pointset_powerset_int16_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int16_Box_intersection_assign :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_upper_bound_assign :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_difference_assign :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_concatenate_assign :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_time_elapse_assign :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_upper_bound_assign_if_exact :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_simplify_using_context_assign :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box -> bool
val ppl_Pointset_Powerset_Int16_Box_constrains :
    pointset_powerset_int16_box -> int -> bool
val ppl_Pointset_Powerset_Int16_Box_unconstrain_space_dimension :
    pointset_powerset_int16_box -> int -> unit
val ppl_Pointset_Powerset_Int16_Box_unconstrain_space_dimensions :
    pointset_powerset_int16_box -> int list -> unit
val ppl_Pointset_Powerset_Int16_Box_affine_image :
    pointset_powerset_int16_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int16_Box_affine_preimage :
    pointset_powerset_int16_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int16_Box_bounded_affine_image :
    pointset_powerset_int16_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int16_Box_bounded_affine_preimage :
    pointset_powerset_int16_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int16_Box_generalized_affine_image :
    pointset_powerset_int16_box ->

```

```

    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int16_Box_generalized_affine_preimage :
    pointset_powerset_int16_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int16_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_int16_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int16_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_int16_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int16_Box_add_space_dimensions_and_embed :
    pointset_powerset_int16_box -> int -> unit
val ppl_Pointset_Powerset_Int16_Box_add_space_dimensions_and_project :
    pointset_powerset_int16_box -> int -> unit
val ppl_Pointset_Powerset_Int16_Box_remove_space_dimensions :
    pointset_powerset_int16_box -> int list -> unit
val ppl_Pointset_Powerset_Int16_Box_remove_higher_space_dimensions :
    pointset_powerset_int16_box -> int -> unit
val ppl_Pointset_Powerset_Int16_Box_expand_space_dimension :
    pointset_powerset_int16_box -> int -> int -> unit
val ppl_Pointset_Powerset_Int16_Box_fold_space_dimensions :
    pointset_powerset_int16_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Int16_Box_map_space_dimensions :
    pointset_powerset_int16_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Int16_Box_drop_some_non_integer_points :
    pointset_powerset_int16_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Int16_Box_drop_some_non_integer_points_2 :
    pointset_powerset_int16_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Int16_Box_ascii_dump :
    pointset_powerset_int16_box -> string
val ppl_Pointset_Powerset_Int16_Box_external_memory_in_bytes :
    pointset_powerset_int16_box -> int
val ppl_Pointset_Powerset_Int16_Box_total_memory_in_bytes :
    pointset_powerset_int16_box -> int
val ppl_Pointset_Powerset_Int16_Box_size : pointset_powerset_int16_box -> int
type pointset_powerset_int16_box_iterator
val ppl_new_Pointset_Powerset_Int16_Box_iterator_from_iterator :
    pointset_powerset_int16_box_iterator ->
    pointset_powerset_int16_box_iterator
val ppl_Pointset_Powerset_Int16_Box_begin_iterator :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box_iterator
val ppl_Pointset_Powerset_Int16_Box_end_iterator :
    pointset_powerset_int16_box ->

```

```

    pointset_powerset_int16_box_iterator
val ppl_Pointset_Powerset_Int16_Box_iterator_equals_iterator :
    pointset_powerset_int16_box_iterator ->
    pointset_powerset_int16_box_iterator -> bool
val ppl_Pointset_Powerset_Int16_Box_increment_iterator :
    pointset_powerset_int16_box_iterator -> unit
val ppl_Pointset_Powerset_Int16_Box_decrement_iterator :
    pointset_powerset_int16_box_iterator -> unit
val ppl_Pointset_Powerset_Int16_Box_get_disjunct :
    pointset_powerset_int16_box_iterator -> int16_box
val ppl_Pointset_Powerset_Int16_Box_add_disjunct :
    pointset_powerset_int16_box -> int16_box -> unit
val ppl_Pointset_Powerset_Int16_Box_drop_disjunct :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box_iterator -> unit
val ppl_Pointset_Powerset_Int16_Box_drop_disjuncts :
    pointset_powerset_int16_box ->
    pointset_powerset_int16_box_iterator ->
    pointset_powerset_int16_box_iterator -> unit
val ppl_new_Pointset_Powerset_Int32_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_int32_box
val ppl_new_Pointset_Powerset_Int32_Box_from_Pointset_Powerset_Int32_Box :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box
val ppl_new_Pointset_Powerset_Int32_Box_from_Int32_Box :
    int32_box -> pointset_powerset_int32_box
val ppl_new_Pointset_Powerset_Int32_Box_from_Pointset_Powerset_Int32_Box_with_complexity :
    pointset_powerset_int32_box ->
    complexity_class -> pointset_powerset_int32_box
val ppl_new_Pointset_Powerset_Int32_Box_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> pointset_powerset_int32_box
val ppl_new_Pointset_Powerset_Int32_Box_from_constraints :
    constraint_system -> pointset_powerset_int32_box
val ppl_new_Pointset_Powerset_Int32_Box_from_congruences :
    congruence_system -> pointset_powerset_int32_box
val ppl_Pointset_Powerset_Int32_Box_swap :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_space_dimension :
    pointset_powerset_int32_box -> int
val ppl_Pointset_Powerset_Int32_Box_affine_dimension :
    pointset_powerset_int32_box -> int
val ppl_Pointset_Powerset_Int32_Box_relation_with_constraint :
    pointset_powerset_int32_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Int32_Box_relation_with_generator :
    pointset_powerset_int32_box ->
    linear_generator -> poly_gen_relation list

```



```

val ppl_Pointset_Powerset_Int32_Box_relation_with_congruence :
  pointset_powerset_int32_box ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Int32_Box_is_empty :
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_is_universe :
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_is_bounded :
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_contains_integer_point :
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_is_topologically_closed :
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_is_discrete :
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_topological_closure_assign :
  pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_pairwise_reduce :
  pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_omega_reduce :
  pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_bounds_from_above :
  pointset_powerset_int32_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int32_Box_bounds_from_below :
  pointset_powerset_int32_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int32_Box_maximize :
  pointset_powerset_int32_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int32_Box_minimize :
  pointset_powerset_int32_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int32_Box_maximize_with_point :
  pointset_powerset_int32_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int32_Box_minimize_with_point :
  pointset_powerset_int32_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int32_Box_contains_Pointset_Powerset_Int32_Box :
  pointset_powerset_int32_box ->
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_strictly_contains_Pointset_Powerset_Int32_Box :
  pointset_powerset_int32_box ->
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_is_disjoint_from_Pointset_Powerset_Int32_Box :
  pointset_powerset_int32_box ->
  pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_geometrically_covers_Pointset_Powerset_Int32_Box

```

```

    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_geometrically_equals_Pointset_Powerset_Int32_Box :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_equals_Pointset_Powerset_Int32_Box :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_OK : pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_add_constraint :
    pointset_powerset_int32_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int32_Box_add_congruence :
    pointset_powerset_int32_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int32_Box_add_constraints :
    pointset_powerset_int32_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int32_Box_add_congruences :
    pointset_powerset_int32_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int32_Box_refine_with_constraint :
    pointset_powerset_int32_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int32_Box_refine_with_congruence :
    pointset_powerset_int32_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int32_Box_refine_with_constraints :
    pointset_powerset_int32_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int32_Box_refine_with_congruences :
    pointset_powerset_int32_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int32_Box_intersection_assign :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_upper_bound_assign :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_difference_assign :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_concatenate_assign :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_time_elapse_assign :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_upper_bound_assign_if_exact :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_simplify_using_context_assign :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box -> bool
val ppl_Pointset_Powerset_Int32_Box_constrains :
    pointset_powerset_int32_box -> int -> bool
val ppl_Pointset_Powerset_Int32_Box_unconstrain_space_dimension :

```

```

    pointset_powerset_int32_box -> int -> unit
val ppl_Pointset_Powerset_Int32_Box_unconstrain_space_dimensions :
    pointset_powerset_int32_box -> int list -> unit
val ppl_Pointset_Powerset_Int32_Box_affine_image :
    pointset_powerset_int32_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int32_Box_affine_preimage :
    pointset_powerset_int32_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int32_Box_bounded_affine_image :
    pointset_powerset_int32_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int32_Box_bounded_affine_preimage :
    pointset_powerset_int32_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int32_Box_generalized_affine_image :
    pointset_powerset_int32_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int32_Box_generalized_affine_preimage :
    pointset_powerset_int32_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int32_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_int32_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int32_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_int32_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int32_Box_add_space_dimensions_and_embed :
    pointset_powerset_int32_box -> int -> unit
val ppl_Pointset_Powerset_Int32_Box_add_space_dimensions_and_project :
    pointset_powerset_int32_box -> int -> unit
val ppl_Pointset_Powerset_Int32_Box_remove_space_dimensions :
    pointset_powerset_int32_box -> int list -> unit
val ppl_Pointset_Powerset_Int32_Box_remove_higher_space_dimensions :
    pointset_powerset_int32_box -> int -> unit
val ppl_Pointset_Powerset_Int32_Box_expand_space_dimension :
    pointset_powerset_int32_box -> int -> int -> unit
val ppl_Pointset_Powerset_Int32_Box_fold_space_dimensions :
    pointset_powerset_int32_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Int32_Box_map_space_dimensions :
    pointset_powerset_int32_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Int32_Box_drop_some_non_integer_points :
    pointset_powerset_int32_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Int32_Box_drop_some_non_integer_points_2 :

```

```

    pointset_powerset_int32_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Int32_Box_ascii_dump :
    pointset_powerset_int32_box -> string
val ppl_Pointset_Powerset_Int32_Box_external_memory_in_bytes :
    pointset_powerset_int32_box -> int
val ppl_Pointset_Powerset_Int32_Box_total_memory_in_bytes :
    pointset_powerset_int32_box -> int
val ppl_Pointset_Powerset_Int32_Box_size : pointset_powerset_int32_box -> int
type pointset_powerset_int32_box_iterator
val ppl_new_Pointset_Powerset_Int32_Box_iterator_from_iterator :
    pointset_powerset_int32_box_iterator ->
    pointset_powerset_int32_box_iterator
val ppl_Pointset_Powerset_Int32_Box_begin_iterator :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box_iterator
val ppl_Pointset_Powerset_Int32_Box_end_iterator :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box_iterator
val ppl_Pointset_Powerset_Int32_Box_iterator_equals_iterator :
    pointset_powerset_int32_box_iterator ->
    pointset_powerset_int32_box_iterator -> bool
val ppl_Pointset_Powerset_Int32_Box_increment_iterator :
    pointset_powerset_int32_box_iterator -> unit
val ppl_Pointset_Powerset_Int32_Box_decrement_iterator :
    pointset_powerset_int32_box_iterator -> unit
val ppl_Pointset_Powerset_Int32_Box_get_disjunct :
    pointset_powerset_int32_box_iterator -> int32_box
val ppl_Pointset_Powerset_Int32_Box_add_disjunct :
    pointset_powerset_int32_box -> int32_box -> unit
val ppl_Pointset_Powerset_Int32_Box_drop_disjunct :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box_iterator -> unit
val ppl_Pointset_Powerset_Int32_Box_drop_disjuncts :
    pointset_powerset_int32_box ->
    pointset_powerset_int32_box_iterator ->
    pointset_powerset_int32_box_iterator -> unit
val ppl_new_Pointset_Powerset_Int64_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_int64_box
val ppl_new_Pointset_Powerset_Int64_Box_from_Pointset_Powerset_Int64_Box :
    pointset_powerset_int64_box ->
    pointset_powerset_int64_box
val ppl_new_Pointset_Powerset_Int64_Box_from_Int64_Box :
    int64_box -> pointset_powerset_int64_box
val ppl_new_Pointset_Powerset_Int64_Box_from_Pointset_Powerset_Int64_Box_with_complexity :
    pointset_powerset_int64_box ->
    complexity_class -> pointset_powerset_int64_box
val ppl_new_Pointset_Powerset_Int64_Box_from_Int64_Box_with_complexity :
    int64_box ->

```

```

    complexity_class -> pointset_powerset_int64_box
val ppl_new_Pointset_Powerset_Int64_Box_from_constraints :
    constraint_system -> pointset_powerset_int64_box
val ppl_new_Pointset_Powerset_Int64_Box_from_congruences :
    congruence_system -> pointset_powerset_int64_box
val ppl_Pointset_Powerset_Int64_Box_swap :
    pointset_powerset_int64_box ->
    pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_space_dimension :
    pointset_powerset_int64_box -> int
val ppl_Pointset_Powerset_Int64_Box_affine_dimension :
    pointset_powerset_int64_box -> int
val ppl_Pointset_Powerset_Int64_Box_relation_with_constraint :
    pointset_powerset_int64_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Int64_Box_relation_with_generator :
    pointset_powerset_int64_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Int64_Box_relation_with_congruence :
    pointset_powerset_int64_box ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Int64_Box_is_empty :
    pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_is_universe :
    pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_is_bounded :
    pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_contains_integer_point :
    pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_is_topologically_closed :
    pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_is_discrete :
    pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_topological_closure_assign :
    pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_pairwise_reduce :
    pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_omega_reduce :
    pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_bounds_from_above :
    pointset_powerset_int64_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int64_Box_bounds_from_below :
    pointset_powerset_int64_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Int64_Box_maximize :
    pointset_powerset_int64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Int64_Box_minimize :
    pointset_powerset_int64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool

```

```

val ppl_Pointset_Powerset_Int64_Box_maximize_with_point :
  pointset_powerset_int64_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int64_Box_minimize_with_point :
  pointset_powerset_int64_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Int64_Box_contains_Pointset_Powerset_Int64_Box :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_strictly_contains_Pointset_Powerset_Int64_Box :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_is_disjoint_from_Pointset_Powerset_Int64_Box :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_geometrically_covers_Pointset_Powerset_Int64_Box :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_geometrically_equals_Pointset_Powerset_Int64_Box :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_equals_Pointset_Powerset_Int64_Box :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_OK : pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_add_constraint :
  pointset_powerset_int64_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int64_Box_add_congruence :
  pointset_powerset_int64_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int64_Box_add_constraints :
  pointset_powerset_int64_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int64_Box_add_congruences :
  pointset_powerset_int64_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int64_Box_refine_with_constraint :
  pointset_powerset_int64_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Int64_Box_refine_with_congruence :
  pointset_powerset_int64_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Int64_Box_refine_with_constraints :
  pointset_powerset_int64_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Int64_Box_refine_with_congruences :
  pointset_powerset_int64_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Int64_Box_intersection_assign :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_upper_bound_assign :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> unit

```

```

val ppl_Pointset_Powerset_Int64_Box_difference_assign :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_concatenate_assign :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_time_elapse_assign :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> unit
val ppl_Pointset_Powerset_Int64_Box_upper_bound_assign_if_exact :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_simplify_using_context_assign :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box -> bool
val ppl_Pointset_Powerset_Int64_Box_constrains :
  pointset_powerset_int64_box -> int -> bool
val ppl_Pointset_Powerset_Int64_Box_unconstrain_space_dimension :
  pointset_powerset_int64_box -> int -> unit
val ppl_Pointset_Powerset_Int64_Box_unconstrain_space_dimensions :
  pointset_powerset_int64_box -> int list -> unit
val ppl_Pointset_Powerset_Int64_Box_affine_image :
  pointset_powerset_int64_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int64_Box_affine_preimage :
  pointset_powerset_int64_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int64_Box_bounded_affine_image :
  pointset_powerset_int64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int64_Box_bounded_affine_preimage :
  pointset_powerset_int64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int64_Box_generalized_affine_image :
  pointset_powerset_int64_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int64_Box_generalized_affine_preimage :
  pointset_powerset_int64_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Int64_Box_generalized_affine_image_lhs_rhs :
  pointset_powerset_int64_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int64_Box_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_int64_box ->
  linear_expression ->

```

```

    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Int64_Box_add_space_dimensions_and_embed :
    pointset_powerset_int64_box -> int -> unit
val ppl_Pointset_Powerset_Int64_Box_add_space_dimensions_and_project :
    pointset_powerset_int64_box -> int -> unit
val ppl_Pointset_Powerset_Int64_Box_remove_space_dimensions :
    pointset_powerset_int64_box -> int list -> unit
val ppl_Pointset_Powerset_Int64_Box_remove_higher_space_dimensions :
    pointset_powerset_int64_box -> int -> unit
val ppl_Pointset_Powerset_Int64_Box_expand_space_dimension :
    pointset_powerset_int64_box -> int -> int -> unit
val ppl_Pointset_Powerset_Int64_Box_fold_space_dimensions :
    pointset_powerset_int64_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Int64_Box_map_space_dimensions :
    pointset_powerset_int64_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Int64_Box_drop_some_non_integer_points :
    pointset_powerset_int64_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Int64_Box_drop_some_non_integer_points_2 :
    pointset_powerset_int64_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Int64_Box_ascii_dump :
    pointset_powerset_int64_box -> string
val ppl_Pointset_Powerset_Int64_Box_external_memory_in_bytes :
    pointset_powerset_int64_box -> int
val ppl_Pointset_Powerset_Int64_Box_total_memory_in_bytes :
    pointset_powerset_int64_box -> int
val ppl_Pointset_Powerset_Int64_Box_size : pointset_powerset_int64_box -> int
type pointset_powerset_int64_box_iterator
val ppl_new_Pointset_Powerset_Int64_Box_iterator_from_iterator :
    pointset_powerset_int64_box_iterator ->
    pointset_powerset_int64_box_iterator
val ppl_Pointset_Powerset_Int64_Box_begin_iterator :
    pointset_powerset_int64_box ->
    pointset_powerset_int64_box_iterator
val ppl_Pointset_Powerset_Int64_Box_end_iterator :
    pointset_powerset_int64_box ->
    pointset_powerset_int64_box_iterator
val ppl_Pointset_Powerset_Int64_Box_iterator_equals_iterator :
    pointset_powerset_int64_box_iterator ->
    pointset_powerset_int64_box_iterator -> bool
val ppl_Pointset_Powerset_Int64_Box_increment_iterator :
    pointset_powerset_int64_box_iterator -> unit
val ppl_Pointset_Powerset_Int64_Box_decrement_iterator :
    pointset_powerset_int64_box_iterator -> unit
val ppl_Pointset_Powerset_Int64_Box_get_disjunct :
    pointset_powerset_int64_box_iterator -> int64_box
val ppl_Pointset_Powerset_Int64_Box_add_disjunct :
    pointset_powerset_int64_box -> int64_box -> unit

```



```

val ppl_Pointset_Powerset_Int64_Box_drop_disjunct :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box_iterator -> unit
val ppl_Pointset_Powerset_Int64_Box_drop_disjuncts :
  pointset_powerset_int64_box ->
  pointset_powerset_int64_box_iterator ->
  pointset_powerset_int64_box_iterator -> unit
val ppl_new_Pointset_Powerset_Uint8_Box_from_space_dimension :
  int -> degenerate_element -> pointset_powerset_uint8_box
val ppl_new_Pointset_Powerset_Uint8_Box_from_Pointset_Powerset_Uint8_Box :
  pointset_powerset_uint8_box ->
  pointset_powerset_uint8_box
val ppl_new_Pointset_Powerset_Uint8_Box_from_Uint8_Box :
  uint8_box -> pointset_powerset_uint8_box
val ppl_new_Pointset_Powerset_Uint8_Box_from_Pointset_Powerset_Uint8_Box_with_complexity :
  pointset_powerset_uint8_box ->
  complexity_class -> pointset_powerset_uint8_box
val ppl_new_Pointset_Powerset_Uint8_Box_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> pointset_powerset_uint8_box
val ppl_new_Pointset_Powerset_Uint8_Box_from_constraints :
  constraint_system -> pointset_powerset_uint8_box
val ppl_new_Pointset_Powerset_Uint8_Box_from_congruences :
  congruence_system -> pointset_powerset_uint8_box
val ppl_Pointset_Powerset_Uint8_Box_swap :
  pointset_powerset_uint8_box ->
  pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_space_dimension :
  pointset_powerset_uint8_box -> int
val ppl_Pointset_Powerset_Uint8_Box_affine_dimension :
  pointset_powerset_uint8_box -> int
val ppl_Pointset_Powerset_Uint8_Box_relation_with_constraint :
  pointset_powerset_uint8_box ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Uint8_Box_relation_with_generator :
  pointset_powerset_uint8_box ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Uint8_Box_relation_with_congruence :
  pointset_powerset_uint8_box ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Uint8_Box_is_empty :
  pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_is_universe :
  pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_is_bounded :
  pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_contains_integer_point :
  pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_is_topologically_closed :

```

```

    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_is_discrete :
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_topological_closure_assign :
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_pairwise_reduce :
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_omega_reduce :
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_bounds_from_above :
    pointset_powerset_uint8_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint8_Box_bounds_from_below :
    pointset_powerset_uint8_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint8_Box_maximize :
    pointset_powerset_uint8_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint8_Box_minimize :
    pointset_powerset_uint8_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint8_Box_maximize_with_point :
    pointset_powerset_uint8_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint8_Box_minimize_with_point :
    pointset_powerset_uint8_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint8_Box_contains_Pointset_Powerset_Uint8_Box :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_strictly_contains_Pointset_Powerset_Uint8_Box :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_is_disjoint_from_Pointset_Powerset_Uint8_Box :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_geometrically_covers_Pointset_Powerset_Uint8_Box :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_geometrically_equals_Pointset_Powerset_Uint8_Box :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_equals_Pointset_Powerset_Uint8_Box :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_OK : pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_add_constraint :
    pointset_powerset_uint8_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint8_Box_add_congruence :

```

```

    pointset_powerset_uint8_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint8_Box_add_constraints :
    pointset_powerset_uint8_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint8_Box_add_congruences :
    pointset_powerset_uint8_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint8_Box_refine_with_constraint :
    pointset_powerset_uint8_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint8_Box_refine_with_congruence :
    pointset_powerset_uint8_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint8_Box_refine_with_constraints :
    pointset_powerset_uint8_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint8_Box_refine_with_congruences :
    pointset_powerset_uint8_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint8_Box_intersection_assign :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_upper_bound_assign :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_difference_assign :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_concatenate_assign :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_time_elapse_assign :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_upper_bound_assign_if_exact :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_simplify_using_context_assign :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box -> bool
val ppl_Pointset_Powerset_Uint8_Box_constrains :
    pointset_powerset_uint8_box -> int -> bool
val ppl_Pointset_Powerset_Uint8_Box_unconstrain_space_dimension :
    pointset_powerset_uint8_box -> int -> unit
val ppl_Pointset_Powerset_Uint8_Box_unconstrain_space_dimensions :
    pointset_powerset_uint8_box -> int list -> unit
val ppl_Pointset_Powerset_Uint8_Box_affine_image :
    pointset_powerset_uint8_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint8_Box_affine_preimage :
    pointset_powerset_uint8_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint8_Box_bounded_affine_image :
    pointset_powerset_uint8_box ->
    int ->

```

```

    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint8_Box_bounded_affine_preimage :
    pointset_powerset_uint8_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint8_Box_generalized_affine_image :
    pointset_powerset_uint8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint8_Box_generalized_affine_preimage :
    pointset_powerset_uint8_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint8_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_uint8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint8_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_uint8_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint8_Box_add_space_dimensions_and_embed :
    pointset_powerset_uint8_box -> int -> unit
val ppl_Pointset_Powerset_Uint8_Box_add_space_dimensions_and_project :
    pointset_powerset_uint8_box -> int -> unit
val ppl_Pointset_Powerset_Uint8_Box_remove_space_dimensions :
    pointset_powerset_uint8_box -> int list -> unit
val ppl_Pointset_Powerset_Uint8_Box_remove_higher_space_dimensions :
    pointset_powerset_uint8_box -> int -> unit
val ppl_Pointset_Powerset_Uint8_Box_expand_space_dimension :
    pointset_powerset_uint8_box -> int -> int -> unit
val ppl_Pointset_Powerset_Uint8_Box_fold_space_dimensions :
    pointset_powerset_uint8_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Uint8_Box_map_space_dimensions :
    pointset_powerset_uint8_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Uint8_Box_drop_some_non_integer_points :
    pointset_powerset_uint8_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint8_Box_drop_some_non_integer_points_2 :
    pointset_powerset_uint8_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint8_Box_ascii_dump :
    pointset_powerset_uint8_box -> string
val ppl_Pointset_Powerset_Uint8_Box_external_memory_in_bytes :
    pointset_powerset_uint8_box -> int
val ppl_Pointset_Powerset_Uint8_Box_total_memory_in_bytes :
    pointset_powerset_uint8_box -> int
val ppl_Pointset_Powerset_Uint8_Box_size : pointset_powerset_uint8_box -> int
type pointset_powerset_uint8_box_iterator
val ppl_new_Pointset_Powerset_Uint8_Box_iterator_from_iterator :

```

```

    pointset_powerset_uint8_box_iterator ->
    pointset_powerset_uint8_box_iterator
val ppl_Pointset_Powerset_Uint8_Box_begin_iterator :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box_iterator
val ppl_Pointset_Powerset_Uint8_Box_end_iterator :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box_iterator
val ppl_Pointset_Powerset_Uint8_Box_iterator_equals_iterator :
    pointset_powerset_uint8_box_iterator ->
    pointset_powerset_uint8_box_iterator -> bool
val ppl_Pointset_Powerset_Uint8_Box_increment_iterator :
    pointset_powerset_uint8_box_iterator -> unit
val ppl_Pointset_Powerset_Uint8_Box_decrement_iterator :
    pointset_powerset_uint8_box_iterator -> unit
val ppl_Pointset_Powerset_Uint8_Box_get_disjunct :
    pointset_powerset_uint8_box_iterator -> uint8_box
val ppl_Pointset_Powerset_Uint8_Box_add_disjunct :
    pointset_powerset_uint8_box -> uint8_box -> unit
val ppl_Pointset_Powerset_Uint8_Box_drop_disjunct :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box_iterator -> unit
val ppl_Pointset_Powerset_Uint8_Box_drop_disjuncts :
    pointset_powerset_uint8_box ->
    pointset_powerset_uint8_box_iterator ->
    pointset_powerset_uint8_box_iterator -> unit
val ppl_new_Pointset_Powerset_Uint16_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_uint16_box
val ppl_new_Pointset_Powerset_Uint16_Box_from_Pointset_Powerset_Uint16_Box :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box
val ppl_new_Pointset_Powerset_Uint16_Box_from_Uint16_Box :
    uint16_box -> pointset_powerset_uint16_box
val ppl_new_Pointset_Powerset_Uint16_Box_from_Pointset_Powerset_Uint16_Box_with_complexity :
    pointset_powerset_uint16_box ->
    complexity_class -> pointset_powerset_uint16_box
val ppl_new_Pointset_Powerset_Uint16_Box_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> pointset_powerset_uint16_box
val ppl_new_Pointset_Powerset_Uint16_Box_from_constraints :
    constraint_system -> pointset_powerset_uint16_box
val ppl_new_Pointset_Powerset_Uint16_Box_from_congruences :
    congruence_system -> pointset_powerset_uint16_box
val ppl_Pointset_Powerset_Uint16_Box_swap :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_space_dimension :
    pointset_powerset_uint16_box -> int
val ppl_Pointset_Powerset_Uint16_Box_affine_dimension :

```

```

    pointset_powerset_uint16_box -> int
val ppl_Pointset_Powerset_Uint16_Box_relation_with_constraint :
    pointset_powerset_uint16_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Uint16_Box_relation_with_generator :
    pointset_powerset_uint16_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Uint16_Box_relation_with_congruence :
    pointset_powerset_uint16_box ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Uint16_Box_is_empty :
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_is_universe :
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_is_bounded :
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_contains_integer_point :
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_is_topologically_closed :
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_is_discrete :
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_topological_closure_assign :
    pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_pairwise_reduce :
    pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_omega_reduce :
    pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_bounds_from_above :
    pointset_powerset_uint16_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint16_Box_bounds_from_below :
    pointset_powerset_uint16_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint16_Box_maximize :
    pointset_powerset_uint16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint16_Box_minimize :
    pointset_powerset_uint16_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint16_Box_maximize_with_point :
    pointset_powerset_uint16_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint16_Box_minimize_with_point :
    pointset_powerset_uint16_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint16_Box_contains_Pointset_Powerset_Uint16_Box :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box -> bool

```

```

val ppl_Pointset_Powerset_Uint16_Box_strictly_contains_Pointset_Powerset_Uint16_Box :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_is_disjoint_from_Pointset_Powerset_Uint16_Box :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_geometrically_covers_Pointset_Powerset_Uint16_Box :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_geometrically_equals_Pointset_Powerset_Uint16_Box :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_equals_Pointset_Powerset_Uint16_Box :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_OK :
  pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_add_constraint :
  pointset_powerset_uint16_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint16_Box_add_congruence :
  pointset_powerset_uint16_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint16_Box_add_constraints :
  pointset_powerset_uint16_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint16_Box_add_congruences :
  pointset_powerset_uint16_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint16_Box_refine_with_constraint :
  pointset_powerset_uint16_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint16_Box_refine_with_congruence :
  pointset_powerset_uint16_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint16_Box_refine_with_constraints :
  pointset_powerset_uint16_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint16_Box_refine_with_congruences :
  pointset_powerset_uint16_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint16_Box_intersection_assign :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_upper_bound_assign :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_difference_assign :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_concatenate_assign :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_time_elapse_assign :
  pointset_powerset_uint16_box ->
  pointset_powerset_uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_upper_bound_assign_if_exact :

```

```

    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_simplify_using_context_assign :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box -> bool
val ppl_Pointset_Powerset_Uint16_Box_constrains :
    pointset_powerset_uint16_box -> int -> bool
val ppl_Pointset_Powerset_Uint16_Box_unconstrain_space_dimension :
    pointset_powerset_uint16_box -> int -> unit
val ppl_Pointset_Powerset_Uint16_Box_unconstrain_space_dimensions :
    pointset_powerset_uint16_box -> int list -> unit
val ppl_Pointset_Powerset_Uint16_Box_affine_image :
    pointset_powerset_uint16_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint16_Box_affine_preimage :
    pointset_powerset_uint16_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint16_Box_bounded_affine_image :
    pointset_powerset_uint16_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint16_Box_bounded_affine_preimage :
    pointset_powerset_uint16_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint16_Box_generalized_affine_image :
    pointset_powerset_uint16_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint16_Box_generalized_affine_preimage :
    pointset_powerset_uint16_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint16_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_uint16_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint16_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_uint16_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint16_Box_add_space_dimensions_and_embed :
    pointset_powerset_uint16_box -> int -> unit
val ppl_Pointset_Powerset_Uint16_Box_add_space_dimensions_and_project :
    pointset_powerset_uint16_box -> int -> unit
val ppl_Pointset_Powerset_Uint16_Box_remove_space_dimensions :
    pointset_powerset_uint16_box -> int list -> unit
val ppl_Pointset_Powerset_Uint16_Box_remove_higher_space_dimensions :
    pointset_powerset_uint16_box -> int -> unit
val ppl_Pointset_Powerset_Uint16_Box_expand_space_dimension :

```



```

    pointset_powerset_uint16_box -> int -> int -> unit
val ppl_Pointset_Powerset_Uint16_Box_fold_space_dimensions :
    pointset_powerset_uint16_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Uint16_Box_map_space_dimensions :
    pointset_powerset_uint16_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Uint16_Box_drop_some_non_integer_points :
    pointset_powerset_uint16_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint16_Box_drop_some_non_integer_points_2 :
    pointset_powerset_uint16_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint16_Box_ascii_dump :
    pointset_powerset_uint16_box -> string
val ppl_Pointset_Powerset_Uint16_Box_external_memory_in_bytes :
    pointset_powerset_uint16_box -> int
val ppl_Pointset_Powerset_Uint16_Box_total_memory_in_bytes :
    pointset_powerset_uint16_box -> int
val ppl_Pointset_Powerset_Uint16_Box_size :
    pointset_powerset_uint16_box -> int
type pointset_powerset_uint16_box_iterator
val ppl_new_Pointset_Powerset_Uint16_Box_iterator_from_iterator :
    pointset_powerset_uint16_box_iterator ->
    pointset_powerset_uint16_box_iterator
val ppl_Pointset_Powerset_Uint16_Box_begin_iterator :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box_iterator
val ppl_Pointset_Powerset_Uint16_Box_end_iterator :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box_iterator
val ppl_Pointset_Powerset_Uint16_Box_iterator_equals_iterator :
    pointset_powerset_uint16_box_iterator ->
    pointset_powerset_uint16_box_iterator -> bool
val ppl_Pointset_Powerset_Uint16_Box_increment_iterator :
    pointset_powerset_uint16_box_iterator -> unit
val ppl_Pointset_Powerset_Uint16_Box_decrement_iterator :
    pointset_powerset_uint16_box_iterator -> unit
val ppl_Pointset_Powerset_Uint16_Box_get_disjunct :
    pointset_powerset_uint16_box_iterator -> uint16_box
val ppl_Pointset_Powerset_Uint16_Box_add_disjunct :
    pointset_powerset_uint16_box -> uint16_box -> unit
val ppl_Pointset_Powerset_Uint16_Box_drop_disjunct :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box_iterator -> unit
val ppl_Pointset_Powerset_Uint16_Box_drop_disjuncts :
    pointset_powerset_uint16_box ->
    pointset_powerset_uint16_box_iterator ->
    pointset_powerset_uint16_box_iterator -> unit
val ppl_new_Pointset_Powerset_Uint32_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_uint32_box
val ppl_new_Pointset_Powerset_Uint32_Box_from_Pointset_Powerset_Uint32_Box :

```

```

    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box
val ppl_new_Pointset_Powerset_Uint32_Box_from_Uint32_Box :
    uint32_box -> pointset_powerset_uint32_box
val ppl_new_Pointset_Powerset_Uint32_Box_from_Pointset_Powerset_Uint32_Box_with_complexity :
    pointset_powerset_uint32_box ->
    complexity_class -> pointset_powerset_uint32_box
val ppl_new_Pointset_Powerset_Uint32_Box_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> pointset_powerset_uint32_box
val ppl_new_Pointset_Powerset_Uint32_Box_from_constraints :
    constraint_system -> pointset_powerset_uint32_box
val ppl_new_Pointset_Powerset_Uint32_Box_from_congruences :
    congruence_system -> pointset_powerset_uint32_box
val ppl_Pointset_Powerset_Uint32_Box_swap :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_space_dimension :
    pointset_powerset_uint32_box -> int
val ppl_Pointset_Powerset_Uint32_Box_affine_dimension :
    pointset_powerset_uint32_box -> int
val ppl_Pointset_Powerset_Uint32_Box_relation_with_constraint :
    pointset_powerset_uint32_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Uint32_Box_relation_with_generator :
    pointset_powerset_uint32_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Uint32_Box_relation_with_congruence :
    pointset_powerset_uint32_box ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Uint32_Box_is_empty :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_is_universe :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_is_bounded :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_contains_integer_point :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_is_topologically_closed :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_is_discrete :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_topological_closure_assign :
    pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_pairwise_reduce :
    pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_omega_reduce :
    pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_bounds_from_above :

```

```

    pointset_powerset_uint32_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint32_Box_bounds_from_below :
    pointset_powerset_uint32_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint32_Box_maximize :
    pointset_powerset_uint32_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint32_Box_minimize :
    pointset_powerset_uint32_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint32_Box_maximize_with_point :
    pointset_powerset_uint32_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint32_Box_minimize_with_point :
    pointset_powerset_uint32_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint32_Box_contains_Pointset_Powerset_Uint32_Box :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_strictly_contains_Pointset_Powerset_Uint32_Box :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_is_disjoint_from_Pointset_Powerset_Uint32_Box :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_geometrically_covers_Pointset_Powerset_Uint32_Box :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_geometrically_equals_Pointset_Powerset_Uint32_Box :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_equals_Pointset_Powerset_Uint32_Box :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_OK :
    pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_add_constraint :
    pointset_powerset_uint32_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint32_Box_add_congruence :
    pointset_powerset_uint32_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint32_Box_add_constraints :
    pointset_powerset_uint32_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint32_Box_add_congruences :
    pointset_powerset_uint32_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint32_Box_refine_with_constraint :
    pointset_powerset_uint32_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint32_Box_refine_with_congruence :
    pointset_powerset_uint32_box -> linear_congruence -> unit

```

```

val ppl_Pointset_Powerset_Uint32_Box_refine_with_constraints :
  pointset_powerset_uint32_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint32_Box_refine_with_congruences :
  pointset_powerset_uint32_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint32_Box_intersection_assign :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_upper_bound_assign :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_difference_assign :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_concatenate_assign :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_time_elapse_assign :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_upper_bound_assign_if_exact :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_simplify_using_context_assign :
  pointset_powerset_uint32_box ->
  pointset_powerset_uint32_box -> bool
val ppl_Pointset_Powerset_Uint32_Box_constrains :
  pointset_powerset_uint32_box -> int -> bool
val ppl_Pointset_Powerset_Uint32_Box_unconstrain_space_dimension :
  pointset_powerset_uint32_box -> int -> unit
val ppl_Pointset_Powerset_Uint32_Box_unconstrain_space_dimensions :
  pointset_powerset_uint32_box -> int list -> unit
val ppl_Pointset_Powerset_Uint32_Box_affine_image :
  pointset_powerset_uint32_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint32_Box_affine_preimage :
  pointset_powerset_uint32_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint32_Box_bounded_affine_image :
  pointset_powerset_uint32_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint32_Box_bounded_affine_preimage :
  pointset_powerset_uint32_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint32_Box_generalized_affine_image :
  pointset_powerset_uint32_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint32_Box_generalized_affine_preimage :

```

```

pointset_powerset_uint32_box ->
int ->
relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint32_Box_generalized_affine_image_lhs_rhs :
pointset_powerset_uint32_box ->
linear_expression ->
relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint32_Box_generalized_affine_preimage_lhs_rhs :
pointset_powerset_uint32_box ->
linear_expression ->
relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint32_Box_add_space_dimensions_and_embed :
pointset_powerset_uint32_box -> int -> unit
val ppl_Pointset_Powerset_Uint32_Box_add_space_dimensions_and_project :
pointset_powerset_uint32_box -> int -> unit
val ppl_Pointset_Powerset_Uint32_Box_remove_space_dimensions :
pointset_powerset_uint32_box -> int list -> unit
val ppl_Pointset_Powerset_Uint32_Box_remove_higher_space_dimensions :
pointset_powerset_uint32_box -> int -> unit
val ppl_Pointset_Powerset_Uint32_Box_expand_space_dimension :
pointset_powerset_uint32_box -> int -> int -> unit
val ppl_Pointset_Powerset_Uint32_Box_fold_space_dimensions :
pointset_powerset_uint32_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Uint32_Box_map_space_dimensions :
pointset_powerset_uint32_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Uint32_Box_drop_some_non_integer_points :
pointset_powerset_uint32_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint32_Box_drop_some_non_integer_points_2 :
pointset_powerset_uint32_box ->
int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint32_Box_ascii_dump :
pointset_powerset_uint32_box -> string
val ppl_Pointset_Powerset_Uint32_Box_external_memory_in_bytes :
pointset_powerset_uint32_box -> int
val ppl_Pointset_Powerset_Uint32_Box_total_memory_in_bytes :
pointset_powerset_uint32_box -> int
val ppl_Pointset_Powerset_Uint32_Box_size :
pointset_powerset_uint32_box -> int
type pointset_powerset_uint32_box_iterator
val ppl_new_Pointset_Powerset_Uint32_Box_iterator_from_iterator :
pointset_powerset_uint32_box_iterator ->
pointset_powerset_uint32_box_iterator
val ppl_Pointset_Powerset_Uint32_Box_begin_iterator :
pointset_powerset_uint32_box ->
pointset_powerset_uint32_box_iterator
val ppl_Pointset_Powerset_Uint32_Box_end_iterator :
pointset_powerset_uint32_box ->
pointset_powerset_uint32_box_iterator
val ppl_Pointset_Powerset_Uint32_Box_iterator_equals_iterator :

```

```

    pointset_powerset_uint32_box_iterator ->
    pointset_powerset_uint32_box_iterator -> bool
val ppl_Pointset_Powerset_Uint32_Box_increment_iterator :
    pointset_powerset_uint32_box_iterator -> unit
val ppl_Pointset_Powerset_Uint32_Box_decrement_iterator :
    pointset_powerset_uint32_box_iterator -> unit
val ppl_Pointset_Powerset_Uint32_Box_get_disjunct :
    pointset_powerset_uint32_box_iterator -> uint32_box
val ppl_Pointset_Powerset_Uint32_Box_add_disjunct :
    pointset_powerset_uint32_box -> uint32_box -> unit
val ppl_Pointset_Powerset_Uint32_Box_drop_disjunct :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box_iterator -> unit
val ppl_Pointset_Powerset_Uint32_Box_drop_disjuncts :
    pointset_powerset_uint32_box ->
    pointset_powerset_uint32_box_iterator ->
    pointset_powerset_uint32_box_iterator -> unit
val ppl_new_Pointset_Powerset_Uint64_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_uint64_box
val ppl_new_Pointset_Powerset_Uint64_Box_from_Pointset_Powerset_Uint64_Box :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box
val ppl_new_Pointset_Powerset_Uint64_Box_from_Uint64_Box :
    uint64_box -> pointset_powerset_uint64_box
val ppl_new_Pointset_Powerset_Uint64_Box_from_Pointset_Powerset_Uint64_Box_with_complexity :
    pointset_powerset_uint64_box ->
    complexity_class -> pointset_powerset_uint64_box
val ppl_new_Pointset_Powerset_Uint64_Box_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> pointset_powerset_uint64_box
val ppl_new_Pointset_Powerset_Uint64_Box_from_constraints :
    constraint_system -> pointset_powerset_uint64_box
val ppl_new_Pointset_Powerset_Uint64_Box_from_congruences :
    congruence_system -> pointset_powerset_uint64_box
val ppl_Pointset_Powerset_Uint64_Box_swap :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_space_dimension :
    pointset_powerset_uint64_box -> int
val ppl_Pointset_Powerset_Uint64_Box_affine_dimension :
    pointset_powerset_uint64_box -> int
val ppl_Pointset_Powerset_Uint64_Box_relation_with_constraint :
    pointset_powerset_uint64_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Uint64_Box_relation_with_generator :
    pointset_powerset_uint64_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Uint64_Box_relation_with_congruence :
    pointset_powerset_uint64_box ->

```

```

    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Uint64_Box_is_empty :
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_is_universe :
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_is_bounded :
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_contains_integer_point :
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_is_topologically_closed :
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_is_discrete :
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_topological_closure_assign :
    pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_pairwise_reduce :
    pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_omega_reduce :
    pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_bounds_from_above :
    pointset_powerset_uint64_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint64_Box_bounds_from_below :
    pointset_powerset_uint64_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Uint64_Box_maximize :
    pointset_powerset_uint64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint64_Box_minimize :
    pointset_powerset_uint64_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Uint64_Box_maximize_with_point :
    pointset_powerset_uint64_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint64_Box_minimize_with_point :
    pointset_powerset_uint64_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Uint64_Box_contains_Pointset_Powerset_Uint64_Box :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_strictly_contains_Pointset_Powerset_Uint64_Box :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_is_disjoint_from_Pointset_Powerset_Uint64_Box :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_geometrically_covers_Pointset_Powerset_Uint64_Box :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box -> bool

```

```

val ppl_Pointset_Powerset_Uint64_Box_geometrically_equals_Pointset_Powerset_Uint64_Box :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_equals_Pointset_Powerset_Uint64_Box :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_OK :
  pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_add_constraint :
  pointset_powerset_uint64_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint64_Box_add_congruence :
  pointset_powerset_uint64_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint64_Box_add_constraints :
  pointset_powerset_uint64_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint64_Box_add_congruences :
  pointset_powerset_uint64_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint64_Box_refine_with_constraint :
  pointset_powerset_uint64_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Uint64_Box_refine_with_congruence :
  pointset_powerset_uint64_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Uint64_Box_refine_with_constraints :
  pointset_powerset_uint64_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Uint64_Box_refine_with_congruences :
  pointset_powerset_uint64_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Uint64_Box_intersection_assign :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_upper_bound_assign :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_difference_assign :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_concatenate_assign :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_time_elapse_assign :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_upper_bound_assign_if_exact :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_simplify_using_context_assign :
  pointset_powerset_uint64_box ->
  pointset_powerset_uint64_box -> bool
val ppl_Pointset_Powerset_Uint64_Box_constrains :
  pointset_powerset_uint64_box -> int -> bool
val ppl_Pointset_Powerset_Uint64_Box_unconstrain_space_dimension :
  pointset_powerset_uint64_box -> int -> unit

```



```

val ppl_Pointset_Powerset_Uint64_Box_unconstrain_space_dimensions :
  pointset_powerset_uint64_box -> int list -> unit
val ppl_Pointset_Powerset_Uint64_Box_affine_image :
  pointset_powerset_uint64_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint64_Box_affine_preimage :
  pointset_powerset_uint64_box ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint64_Box_bounded_affine_image :
  pointset_powerset_uint64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint64_Box_bounded_affine_preimage :
  pointset_powerset_uint64_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint64_Box_generalized_affine_image :
  pointset_powerset_uint64_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint64_Box_generalized_affine_preimage :
  pointset_powerset_uint64_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Uint64_Box_generalized_affine_image_lhs_rhs :
  pointset_powerset_uint64_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint64_Box_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_uint64_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Uint64_Box_add_space_dimensions_and_embed :
  pointset_powerset_uint64_box -> int -> unit
val ppl_Pointset_Powerset_Uint64_Box_add_space_dimensions_and_project :
  pointset_powerset_uint64_box -> int -> unit
val ppl_Pointset_Powerset_Uint64_Box_remove_space_dimensions :
  pointset_powerset_uint64_box -> int list -> unit
val ppl_Pointset_Powerset_Uint64_Box_remove_higher_space_dimensions :
  pointset_powerset_uint64_box -> int -> unit
val ppl_Pointset_Powerset_Uint64_Box_expand_space_dimension :
  pointset_powerset_uint64_box -> int -> int -> unit
val ppl_Pointset_Powerset_Uint64_Box_fold_space_dimensions :
  pointset_powerset_uint64_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Uint64_Box_map_space_dimensions :
  pointset_powerset_uint64_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Uint64_Box_drop_some_non_integer_points :
  pointset_powerset_uint64_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint64_Box_drop_some_non_integer_points_2 :
  pointset_powerset_uint64_box ->

```

```

    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Uint64_Box_ascii_dump :
    pointset_powerset_uint64_box -> string
val ppl_Pointset_Powerset_Uint64_Box_external_memory_in_bytes :
    pointset_powerset_uint64_box -> int
val ppl_Pointset_Powerset_Uint64_Box_total_memory_in_bytes :
    pointset_powerset_uint64_box -> int
val ppl_Pointset_Powerset_Uint64_Box_size :
    pointset_powerset_uint64_box -> int
type pointset_powerset_uint64_box_iterator
val ppl_new_Pointset_Powerset_Uint64_Box_iterator_from_iterator :
    pointset_powerset_uint64_box_iterator ->
    pointset_powerset_uint64_box_iterator
val ppl_Pointset_Powerset_Uint64_Box_begin_iterator :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box_iterator
val ppl_Pointset_Powerset_Uint64_Box_end_iterator :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box_iterator
val ppl_Pointset_Powerset_Uint64_Box_iterator_equals_iterator :
    pointset_powerset_uint64_box_iterator ->
    pointset_powerset_uint64_box_iterator -> bool
val ppl_Pointset_Powerset_Uint64_Box_increment_iterator :
    pointset_powerset_uint64_box_iterator -> unit
val ppl_Pointset_Powerset_Uint64_Box_decrement_iterator :
    pointset_powerset_uint64_box_iterator -> unit
val ppl_Pointset_Powerset_Uint64_Box_get_disjunct :
    pointset_powerset_uint64_box_iterator -> uint64_box
val ppl_Pointset_Powerset_Uint64_Box_add_disjunct :
    pointset_powerset_uint64_box -> uint64_box -> unit
val ppl_Pointset_Powerset_Uint64_Box_drop_disjunct :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box_iterator -> unit
val ppl_Pointset_Powerset_Uint64_Box_drop_disjuncts :
    pointset_powerset_uint64_box ->
    pointset_powerset_uint64_box_iterator ->
    pointset_powerset_uint64_box_iterator -> unit
val ppl_new_Pointset_Powerset_Rational_Box_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_rational_box
val ppl_new_Pointset_Powerset_Rational_Box_from_Pointset_Powerset_Rational_Box :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box
val ppl_new_Pointset_Powerset_Rational_Box_from_Rational_Box :
    rational_box -> pointset_powerset_rational_box
val ppl_new_Pointset_Powerset_Rational_Box_from_Pointset_Powerset_Rational_Box_with_c
    pointset_powerset_rational_box ->
    complexity_class -> pointset_powerset_rational_box
val ppl_new_Pointset_Powerset_Rational_Box_from_Rational_Box_with_complexity :

```

```

    rational_box ->
    complexity_class -> pointset_powerset_rational_box
val ppl_new_Pointset_Powerset_Rational_Box_from_constraints :
    constraint_system -> pointset_powerset_rational_box
val ppl_new_Pointset_Powerset_Rational_Box_from_congruences :
    congruence_system -> pointset_powerset_rational_box
val ppl_Pointset_Powerset_Rational_Box_swap :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_space_dimension :
    pointset_powerset_rational_box -> int
val ppl_Pointset_Powerset_Rational_Box_affine_dimension :
    pointset_powerset_rational_box -> int
val ppl_Pointset_Powerset_Rational_Box_relation_with_constraint :
    pointset_powerset_rational_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Rational_Box_relation_with_generator :
    pointset_powerset_rational_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Rational_Box_relation_with_congruence :
    pointset_powerset_rational_box ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Rational_Box_is_empty :
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_is_universe :
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_is_bounded :
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_contains_integer_point :
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_is_topologically_closed :
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_is_discrete :
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_topological_closure_assign :
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_pairwise_reduce :
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_omega_reduce :
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_bounds_from_above :
    pointset_powerset_rational_box ->
    linear_expression -> bool
val ppl_Pointset_Powerset_Rational_Box_bounds_from_below :
    pointset_powerset_rational_box ->
    linear_expression -> bool
val ppl_Pointset_Powerset_Rational_Box_maximize :
    pointset_powerset_rational_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool

```

```

val ppl_Pointset_Powerset_Rational_Box_minimize :
  pointset_powerset_rational_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Rational_Box_maximize_with_point :
  pointset_powerset_rational_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Rational_Box_minimize_with_point :
  pointset_powerset_rational_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Rational_Box_contains_Pointset_Powerset_Rational_Box :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_strictly_contains_Pointset_Powerset_Rational_Box :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_is_disjoint_from_Pointset_Powerset_Rational_Box :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_geometrically_covers_Pointset_Powerset_Rational_Box :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_geometrically_equals_Pointset_Powerset_Rational_Box :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_equals_Pointset_Powerset_Rational_Box :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_OK :
  pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_add_constraint :
  pointset_powerset_rational_box ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Rational_Box_add_congruence :
  pointset_powerset_rational_box ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_Rational_Box_add_constraints :
  pointset_powerset_rational_box ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Rational_Box_add_congruences :
  pointset_powerset_rational_box ->
  congruence_system -> unit
val ppl_Pointset_Powerset_Rational_Box_refine_with_constraint :
  pointset_powerset_rational_box ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Rational_Box_refine_with_congruence :
  pointset_powerset_rational_box ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_Rational_Box_refine_with_constraints :

```

```

    pointset_powerset_rational_box ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Rational_Box_refine_with_congruences :
    pointset_powerset_rational_box ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Rational_Box_intersection_assign :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_upper_bound_assign :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_difference_assign :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_concatenate_assign :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_time_elapse_assign :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_upper_bound_assign_if_exact :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_simplify_using_context_assign :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box -> bool
val ppl_Pointset_Powerset_Rational_Box_constrains :
    pointset_powerset_rational_box -> int -> bool
val ppl_Pointset_Powerset_Rational_Box_unconstrain_space_dimension :
    pointset_powerset_rational_box -> int -> unit
val ppl_Pointset_Powerset_Rational_Box_unconstrain_space_dimensions :
    pointset_powerset_rational_box -> int list -> unit
val ppl_Pointset_Powerset_Rational_Box_affine_image :
    pointset_powerset_rational_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Rational_Box_affine_preimage :
    pointset_powerset_rational_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Rational_Box_bounded_affine_image :
    pointset_powerset_rational_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Rational_Box_bounded_affine_preimage :
    pointset_powerset_rational_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Rational_Box_generalized_affine_image :
    pointset_powerset_rational_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit

```

```

val ppl_Pointset_Powerset_Rational_Box_generalized_affine_preimage :
  pointset_powerset_rational_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Rational_Box_generalized_affine_image_lhs_rhs :
  pointset_powerset_rational_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Rational_Box_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_rational_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Rational_Box_add_space_dimensions_and_embed :
  pointset_powerset_rational_box -> int -> unit
val ppl_Pointset_Powerset_Rational_Box_add_space_dimensions_and_project :
  pointset_powerset_rational_box -> int -> unit
val ppl_Pointset_Powerset_Rational_Box_remove_space_dimensions :
  pointset_powerset_rational_box -> int list -> unit
val ppl_Pointset_Powerset_Rational_Box_remove_higher_space_dimensions :
  pointset_powerset_rational_box -> int -> unit
val ppl_Pointset_Powerset_Rational_Box_expand_space_dimension :
  pointset_powerset_rational_box -> int -> int -> unit
val ppl_Pointset_Powerset_Rational_Box_fold_space_dimensions :
  pointset_powerset_rational_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Rational_Box_map_space_dimensions :
  pointset_powerset_rational_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Rational_Box_drop_some_non_integer_points :
  pointset_powerset_rational_box ->
  complexity_class -> unit
val ppl_Pointset_Powerset_Rational_Box_drop_some_non_integer_points_2 :
  pointset_powerset_rational_box ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Rational_Box_ascii_dump :
  pointset_powerset_rational_box -> string
val ppl_Pointset_Powerset_Rational_Box_external_memory_in_bytes :
  pointset_powerset_rational_box -> int
val ppl_Pointset_Powerset_Rational_Box_total_memory_in_bytes :
  pointset_powerset_rational_box -> int
val ppl_Pointset_Powerset_Rational_Box_size :
  pointset_powerset_rational_box -> int
type pointset_powerset_rational_box_iterator
val ppl_new_Pointset_Powerset_Rational_Box_iterator_from_iterator :
  pointset_powerset_rational_box_iterator ->
  pointset_powerset_rational_box_iterator
val ppl_Pointset_Powerset_Rational_Box_begin_iterator :
  pointset_powerset_rational_box ->
  pointset_powerset_rational_box_iterator
val ppl_Pointset_Powerset_Rational_Box_end_iterator :
  pointset_powerset_rational_box ->

```

```

    pointset_powerset_rational_box_iterator
val ppl_Pointset_Powerset_Rational_Box_iterator_equals_iterator :
    pointset_powerset_rational_box_iterator ->
    pointset_powerset_rational_box_iterator -> bool
val ppl_Pointset_Powerset_Rational_Box_increment_iterator :
    pointset_powerset_rational_box_iterator -> unit
val ppl_Pointset_Powerset_Rational_Box_decrement_iterator :
    pointset_powerset_rational_box_iterator -> unit
val ppl_Pointset_Powerset_Rational_Box_get_disjunct :
    pointset_powerset_rational_box_iterator -> rational_box
val ppl_Pointset_Powerset_Rational_Box_add_disjunct :
    pointset_powerset_rational_box -> rational_box -> unit
val ppl_Pointset_Powerset_Rational_Box_drop_disjunct :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box_iterator -> unit
val ppl_Pointset_Powerset_Rational_Box_drop_disjuncts :
    pointset_powerset_rational_box ->
    pointset_powerset_rational_box_iterator ->
    pointset_powerset_rational_box_iterator -> unit
val ppl_new_Pointset_Powerset_Z_Box_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_z_box
val ppl_new_Pointset_Powerset_Z_Box_from_Pointset_Powerset_Z_Box :
    pointset_powerset_z_box -> pointset_powerset_z_box
val ppl_new_Pointset_Powerset_Z_Box_from_Z_Box :
    z_box -> pointset_powerset_z_box
val ppl_new_Pointset_Powerset_Z_Box_from_Pointset_Powerset_Z_Box_with_complexity :
    pointset_powerset_z_box ->
    complexity_class -> pointset_powerset_z_box
val ppl_new_Pointset_Powerset_Z_Box_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> pointset_powerset_z_box
val ppl_new_Pointset_Powerset_Z_Box_from_constraints :
    constraint_system -> pointset_powerset_z_box
val ppl_new_Pointset_Powerset_Z_Box_from_congruences :
    congruence_system -> pointset_powerset_z_box
val ppl_Pointset_Powerset_Z_Box_swap :
    pointset_powerset_z_box ->
    pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_space_dimension :
    pointset_powerset_z_box -> int
val ppl_Pointset_Powerset_Z_Box_affine_dimension :
    pointset_powerset_z_box -> int
val ppl_Pointset_Powerset_Z_Box_relation_with_constraint :
    pointset_powerset_z_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Z_Box_relation_with_generator :
    pointset_powerset_z_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Z_Box_relation_with_congruence :

```

```

    pointset_powerset_z_box ->
      linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Z_Box_is_empty : pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_is_universe : pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_is_bounded : pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_contains_integer_point :
  pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_is_topologically_closed :
  pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_is_discrete : pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_topological_closure_assign :
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_pairwise_reduce :
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_omega_reduce :
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_bounds_from_above :
  pointset_powerset_z_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Z_Box_bounds_from_below :
  pointset_powerset_z_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Z_Box_maximize :
  pointset_powerset_z_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Z_Box_minimize :
  pointset_powerset_z_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Z_Box_maximize_with_point :
  pointset_powerset_z_box ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Z_Box_minimize_with_point :
  pointset_powerset_z_box ->
    linear_expression ->
      bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Z_Box_contains_Pointset_Powerset_Z_Box :
  pointset_powerset_z_box ->
    pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_strictly_contains_Pointset_Powerset_Z_Box :
  pointset_powerset_z_box ->
    pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_is_disjoint_from_Pointset_Powerset_Z_Box :
  pointset_powerset_z_box ->
    pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_geometrically_covers_Pointset_Powerset_Z_Box :
  pointset_powerset_z_box ->
    pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_geometrically_equals_Pointset_Powerset_Z_Box :
  pointset_powerset_z_box ->
    pointset_powerset_z_box -> bool

```



```

val ppl_Pointset_Powerset_Z_Box_equals_Pointset_Powerset_Z_Box :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_OK : pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_add_constraint :
  pointset_powerset_z_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Z_Box_add_congruence :
  pointset_powerset_z_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Z_Box_add_constraints :
  pointset_powerset_z_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Z_Box_add_congruences :
  pointset_powerset_z_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Z_Box_refine_with_constraint :
  pointset_powerset_z_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Z_Box_refine_with_congruence :
  pointset_powerset_z_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Z_Box_refine_with_constraints :
  pointset_powerset_z_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Z_Box_refine_with_congruences :
  pointset_powerset_z_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Z_Box_intersection_assign :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_upper_bound_assign :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_difference_assign :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_concatenate_assign :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_time_elapse_assign :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> unit
val ppl_Pointset_Powerset_Z_Box_upper_bound_assign_if_exact :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_simplify_using_context_assign :
  pointset_powerset_z_box ->
  pointset_powerset_z_box -> bool
val ppl_Pointset_Powerset_Z_Box_constrains :
  pointset_powerset_z_box -> int -> bool
val ppl_Pointset_Powerset_Z_Box_unconstrain_space_dimension :
  pointset_powerset_z_box -> int -> unit
val ppl_Pointset_Powerset_Z_Box_unconstrain_space_dimensions :
  pointset_powerset_z_box -> int list -> unit
val ppl_Pointset_Powerset_Z_Box_affine_image :
  pointset_powerset_z_box ->

```

```

    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Z_Box_affine_preimage :
    pointset_powerset_z_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Z_Box_bounded_affine_image :
    pointset_powerset_z_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Z_Box_bounded_affine_preimage :
    pointset_powerset_z_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Z_Box_generalized_affine_image :
    pointset_powerset_z_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Z_Box_generalized_affine_preimage :
    pointset_powerset_z_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Z_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_z_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Z_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_z_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Z_Box_add_space_dimensions_and_embed :
    pointset_powerset_z_box -> int -> unit
val ppl_Pointset_Powerset_Z_Box_add_space_dimensions_and_project :
    pointset_powerset_z_box -> int -> unit
val ppl_Pointset_Powerset_Z_Box_remove_space_dimensions :
    pointset_powerset_z_box -> int list -> unit
val ppl_Pointset_Powerset_Z_Box_remove_higher_space_dimensions :
    pointset_powerset_z_box -> int -> unit
val ppl_Pointset_Powerset_Z_Box_expand_space_dimension :
    pointset_powerset_z_box -> int -> int -> unit
val ppl_Pointset_Powerset_Z_Box_fold_space_dimensions :
    pointset_powerset_z_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Z_Box_map_space_dimensions :
    pointset_powerset_z_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Z_Box_drop_some_non_integer_points :
    pointset_powerset_z_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Z_Box_drop_some_non_integer_points_2 :
    pointset_powerset_z_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Z_Box_ascii_dump :
    pointset_powerset_z_box -> string
val ppl_Pointset_Powerset_Z_Box_external_memory_in_bytes :

```

```

    pointset_powerset_z_box -> int
val ppl_Pointset_Powerset_Z_Box_total_memory_in_bytes :
    pointset_powerset_z_box -> int
val ppl_Pointset_Powerset_Z_Box_size : pointset_powerset_z_box -> int
type pointset_powerset_z_box_iterator
val ppl_new_Pointset_Powerset_Z_Box_iterator_from_iterator :
    pointset_powerset_z_box_iterator ->
    pointset_powerset_z_box_iterator
val ppl_Pointset_Powerset_Z_Box_begin_iterator :
    pointset_powerset_z_box ->
    pointset_powerset_z_box_iterator
val ppl_Pointset_Powerset_Z_Box_end_iterator :
    pointset_powerset_z_box ->
    pointset_powerset_z_box_iterator
val ppl_Pointset_Powerset_Z_Box_iterator_equals_iterator :
    pointset_powerset_z_box_iterator ->
    pointset_powerset_z_box_iterator -> bool
val ppl_Pointset_Powerset_Z_Box_increment_iterator :
    pointset_powerset_z_box_iterator -> unit
val ppl_Pointset_Powerset_Z_Box_decrement_iterator :
    pointset_powerset_z_box_iterator -> unit
val ppl_Pointset_Powerset_Z_Box_get_disjunct :
    pointset_powerset_z_box_iterator -> z_box
val ppl_Pointset_Powerset_Z_Box_add_disjunct :
    pointset_powerset_z_box -> z_box -> unit
val ppl_Pointset_Powerset_Z_Box_drop_disjunct :
    pointset_powerset_z_box ->
    pointset_powerset_z_box_iterator -> unit
val ppl_Pointset_Powerset_Z_Box_drop_disjuncts :
    pointset_powerset_z_box ->
    pointset_powerset_z_box_iterator ->
    pointset_powerset_z_box_iterator -> unit
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_bd_shape_int8_t
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_Pointset_Powerset_BD_Shape_int8_t
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_BD_Shape_int8_t :
    bd_shape_int8_t -> pointset_powerset_bd_shape_int8_t
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_Pointset_Powerset_BD_Shape_int8_t
    pointset_powerset_bd_shape_int8_t ->
    complexity_class -> pointset_powerset_bd_shape_int8_t
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> pointset_powerset_bd_shape_int8_t
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_int8_t
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_from_congruences :

```

```

    congruence_system -> pointset_powerset_bd_shape_int8_t
val ppl_Pointset_Powerset_BD_Shape_int8_t_swap :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_space_dimension :
    pointset_powerset_bd_shape_int8_t -> int
val ppl_Pointset_Powerset_BD_Shape_int8_t_affine_dimension :
    pointset_powerset_bd_shape_int8_t -> int
val ppl_Pointset_Powerset_BD_Shape_int8_t_relation_with_constraint :
    pointset_powerset_bd_shape_int8_t ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int8_t_relation_with_generator :
    pointset_powerset_bd_shape_int8_t ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_int8_t_relation_with_congruence :
    pointset_powerset_bd_shape_int8_t ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int8_t_is_empty :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_is_universe :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_is_bounded :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_contains_integer_point :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_is_topologically_closed :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_is_discrete :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_topological_closure_assign :
    pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_pairwise_reduce :
    pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_omega_reduce :
    pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_bounds_from_above :
    pointset_powerset_bd_shape_int8_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_bounds_from_below :
    pointset_powerset_bd_shape_int8_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_maximize :
    pointset_powerset_bd_shape_int8_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_minimize :
    pointset_powerset_bd_shape_int8_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_maximize_with_point :
    pointset_powerset_bd_shape_int8_t ->

```

```

    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int8_t_minimize_with_point :
    pointset_powerset_bd_shape_int8_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int8_t_contains_Pointset_Powerset_BD_Shape_int8_t :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_strictly_contains_Pointset_Powerset_BD_Shape_int8_t :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_is_disjoint_from_Pointset_Powerset_BD_Shape_int8_t :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_geometrically_covers_Pointset_Powerset_BD_Shape_int8_t :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_geometrically_equals_Pointset_Powerset_BD_Shape_int8_t :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_equals_Pointset_Powerset_BD_Shape_int8_t :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_OK :
    pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_constraint :
    pointset_powerset_bd_shape_int8_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_congruence :
    pointset_powerset_bd_shape_int8_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_constraints :
    pointset_powerset_bd_shape_int8_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_congruences :
    pointset_powerset_bd_shape_int8_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_refine_with_constraint :
    pointset_powerset_bd_shape_int8_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_refine_with_congruence :
    pointset_powerset_bd_shape_int8_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_refine_with_constraints :
    pointset_powerset_bd_shape_int8_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_refine_with_congruences :
    pointset_powerset_bd_shape_int8_t ->
    congruence_system -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_int8_t_intersection_assign :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_upper_bound_assign :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_difference_assign :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_concatenate_assign :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_time_elapse_assign :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_upper_bound_assign_if_exact :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_simplify_using_context_assign :
  pointset_powerset_bd_shape_int8_t ->
  pointset_powerset_bd_shape_int8_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_constrains :
  pointset_powerset_bd_shape_int8_t -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_unconstrain_space_dimension :
  pointset_powerset_bd_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_unconstrain_space_dimensions :
  pointset_powerset_bd_shape_int8_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_affine_image :
  pointset_powerset_bd_shape_int8_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_affine_preimage :
  pointset_powerset_bd_shape_int8_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_bounded_affine_image :
  pointset_powerset_bd_shape_int8_t ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_bounded_affine_preimage :
  pointset_powerset_bd_shape_int8_t ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_generalized_affine_image :
  pointset_powerset_bd_shape_int8_t ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_generalized_affine_preimage :
  pointset_powerset_bd_shape_int8_t ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_generalized_affine_image_lhs_rhs :

```

```

    pointset_powerset_bd_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_bd_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_space_dimensions_and_embed :
    pointset_powerset_bd_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_space_dimensions_and_project :
    pointset_powerset_bd_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_remove_space_dimensions :
    pointset_powerset_bd_shape_int8_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_remove_higher_space_dimensions :
    pointset_powerset_bd_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_expand_space_dimension :
    pointset_powerset_bd_shape_int8_t -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_fold_space_dimensions :
    pointset_powerset_bd_shape_int8_t -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_map_space_dimensions :
    pointset_powerset_bd_shape_int8_t -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_drop_some_non_integer_points :
    pointset_powerset_bd_shape_int8_t ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_int8_t ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_ascii_dump :
    pointset_powerset_bd_shape_int8_t -> string
val ppl_Pointset_Powerset_BD_Shape_int8_t_external_memory_in_bytes :
    pointset_powerset_bd_shape_int8_t -> int
val ppl_Pointset_Powerset_BD_Shape_int8_t_total_memory_in_bytes :
    pointset_powerset_bd_shape_int8_t -> int
val ppl_Pointset_Powerset_BD_Shape_int8_t_size :
    pointset_powerset_bd_shape_int8_t -> int
type pointset_powerset_bd_shape_int8_t_iterator
val ppl_new_Pointset_Powerset_BD_Shape_int8_t_iterator_from_iterator :
    pointset_powerset_bd_shape_int8_t_iterator ->
    pointset_powerset_bd_shape_int8_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int8_t_begin_iterator :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int8_t_end_iterator :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int8_t_iterator_equals_iterator :
    pointset_powerset_bd_shape_int8_t_iterator ->
    pointset_powerset_bd_shape_int8_t_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_int8_t_increment_iterator :

```

```

    pointset_powerset_bd_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_decrement_iterator :
    pointset_powerset_bd_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_get_disjunct :
    pointset_powerset_bd_shape_int8_t_iterator ->
    bd_shape_int8_t
val ppl_Pointset_Powerset_BD_Shape_int8_t_add_disjunct :
    pointset_powerset_bd_shape_int8_t ->
    bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_drop_disjunct :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_drop_disjuncts :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t_iterator ->
    pointset_powerset_bd_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int8_t_BGP99_H79_extrapolation_assign :
    pointset_powerset_bd_shape_int8_t ->
    pointset_powerset_bd_shape_int8_t -> int -> unit
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_bd_shape_int16_t
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_BD_Shape_int16_t :
    bd_shape_int16_t -> pointset_powerset_bd_shape_int16_t
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    complexity_class -> pointset_powerset_bd_shape_int16_t
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> pointset_powerset_bd_shape_int16_t
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_int16_t
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_from_congruences :
    congruence_system -> pointset_powerset_bd_shape_int16_t
val ppl_Pointset_Powerset_BD_Shape_int16_t_swap :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_space_dimension :

```



```

    pointset_powerset_bd_shape_int16_t -> int
val ppl_Pointset_Powerset_BD_Shape_int16_t_affine_dimension :
    pointset_powerset_bd_shape_int16_t -> int
val ppl_Pointset_Powerset_BD_Shape_int16_t_relation_with_constraint :
    pointset_powerset_bd_shape_int16_t ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int16_t_relation_with_generator :
    pointset_powerset_bd_shape_int16_t ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_int16_t_relation_with_congruence :
    pointset_powerset_bd_shape_int16_t ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int16_t_is_empty :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_is_universe :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_is_bounded :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_contains_integer_point :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_is_topologically_closed :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_is_discrete :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_topological_closure_assign :
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_pairwise_reduce :
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_omega_reduce :
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_bounds_from_above :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_bounds_from_below :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_maximize :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_minimize :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_maximize_with_point :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int16_t_minimize_with_point :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression ->

```

```

    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int16_t_contains_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_strictly_contains_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_is_disjoint_from_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_geometrically_covers_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_geometrically_equals_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_equals_Pointset_Powerset_BD_Shape_int16_t :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_OK :
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_constraint :
    pointset_powerset_bd_shape_int16_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_congruence :
    pointset_powerset_bd_shape_int16_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_constraints :
    pointset_powerset_bd_shape_int16_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_congruences :
    pointset_powerset_bd_shape_int16_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_refine_with_constraint :
    pointset_powerset_bd_shape_int16_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_refine_with_congruence :
    pointset_powerset_bd_shape_int16_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_refine_with_constraints :
    pointset_powerset_bd_shape_int16_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_refine_with_congruences :
    pointset_powerset_bd_shape_int16_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_intersection_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_upper_bound_assign :
    pointset_powerset_bd_shape_int16_t ->

```

```

    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_difference_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_concatenate_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_time_elapse_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_upper_bound_assign_if_exact :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_simplify_using_context_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_constrains :
    pointset_powerset_bd_shape_int16_t -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_unconstrain_space_dimension :
    pointset_powerset_bd_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_unconstrain_space_dimensions :
    pointset_powerset_bd_shape_int16_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_affine_image :
    pointset_powerset_bd_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_affine_preimage :
    pointset_powerset_bd_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_bounded_affine_image :
    pointset_powerset_bd_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_bounded_affine_preimage :
    pointset_powerset_bd_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_generalized_affine_image :
    pointset_powerset_bd_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_generalized_affine_preimage :
    pointset_powerset_bd_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_generalized_affine_image_lhs_rhs :
    pointset_powerset_bd_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_bd_shape_int16_t ->

```

```

    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_space_dimensions_and_embed :
    pointset_powerset_bd_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_space_dimensions_and_project :
    pointset_powerset_bd_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_remove_space_dimensions :
    pointset_powerset_bd_shape_int16_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_remove_higher_space_dimensions :
    pointset_powerset_bd_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_expand_space_dimension :
    pointset_powerset_bd_shape_int16_t -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_fold_space_dimensions :
    pointset_powerset_bd_shape_int16_t -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_map_space_dimensions :
    pointset_powerset_bd_shape_int16_t -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_drop_some_non_integer_points :
    pointset_powerset_bd_shape_int16_t ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_int16_t ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_ascii_dump :
    pointset_powerset_bd_shape_int16_t -> string
val ppl_Pointset_Powerset_BD_Shape_int16_t_external_memory_in_bytes :
    pointset_powerset_bd_shape_int16_t -> int
val ppl_Pointset_Powerset_BD_Shape_int16_t_total_memory_in_bytes :
    pointset_powerset_bd_shape_int16_t -> int
val ppl_Pointset_Powerset_BD_Shape_int16_t_size :
    pointset_powerset_bd_shape_int16_t -> int
type pointset_powerset_bd_shape_int16_t_iterator
val ppl_new_Pointset_Powerset_BD_Shape_int16_t_iterator_from_iterator :
    pointset_powerset_bd_shape_int16_t_iterator ->
    pointset_powerset_bd_shape_int16_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int16_t_begin_iterator :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int16_t_end_iterator :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int16_t_iterator_equals_iterator :
    pointset_powerset_bd_shape_int16_t_iterator ->
    pointset_powerset_bd_shape_int16_t_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_int16_t_increment_iterator :
    pointset_powerset_bd_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_decrement_iterator :
    pointset_powerset_bd_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_get_disjunct :
    pointset_powerset_bd_shape_int16_t_iterator ->

```

```

    bd_shape_int16_t
val ppl_Pointset_Powerset_BD_Shape_int16_t_add_disjunct :
    pointset_powerset_bd_shape_int16_t ->
    bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_drop_disjunct :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_drop_disjuncts :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t_iterator ->
    pointset_powerset_bd_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int16_t_BGP99_H79_extrapolation_assign :
    pointset_powerset_bd_shape_int16_t ->
    pointset_powerset_bd_shape_int16_t -> int -> unit
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_bd_shape_int32_t
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_Pointset_Powerset_BD_Shape_int32_t :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_BD_Shape_int32_t :
    bd_shape_int32_t -> pointset_powerset_bd_shape_int32_t
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_Pointset_Powerset_BD_Shape_int32_t :
    pointset_powerset_bd_shape_int32_t ->
    complexity_class -> pointset_powerset_bd_shape_int32_t
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> pointset_powerset_bd_shape_int32_t
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_int32_t
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_from_congruences :
    congruence_system -> pointset_powerset_bd_shape_int32_t
val ppl_Pointset_Powerset_BD_Shape_int32_t_swap :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_space_dimension :
    pointset_powerset_bd_shape_int32_t -> int
val ppl_Pointset_Powerset_BD_Shape_int32_t_affine_dimension :
    pointset_powerset_bd_shape_int32_t -> int
val ppl_Pointset_Powerset_BD_Shape_int32_t_relation_with_constraint :
    pointset_powerset_bd_shape_int32_t ->

```

```

    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int32_t_relation_with_generator :
    pointset_powerset_bd_shape_int32_t ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_int32_t_relation_with_congruence :
    pointset_powerset_bd_shape_int32_t ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int32_t_is_empty :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_is_universe :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_is_bounded :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_contains_integer_point :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_is_topologically_closed :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_is_discrete :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_topological_closure_assign :
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_pairwise_reduce :
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_omega_reduce :
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_bounds_from_above :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_bounds_from_below :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_maximize :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_minimize :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_maximize_with_point :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int32_t_minimize_with_point :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int32_t_contains_Pointset_Powerset_BD_Shape_int32_t :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_strictly_contains_Pointset_Powerset_BD_Shape_int32_t :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool

```

```

    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_is_disjoint_from_Pointset_Powerset_BD_Shap
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_geometrically_covers_Pointset_Powerset_BD_
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_geometrically_equals_Pointset_Powerset_BD_
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_equals_Pointset_Powerset_BD_Shape_int32_t
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_OK :
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_constraint :
    pointset_powerset_bd_shape_int32_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_congruence :
    pointset_powerset_bd_shape_int32_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_constraints :
    pointset_powerset_bd_shape_int32_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_congruences :
    pointset_powerset_bd_shape_int32_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_refine_with_constraint :
    pointset_powerset_bd_shape_int32_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_refine_with_congruence :
    pointset_powerset_bd_shape_int32_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_refine_with_constraints :
    pointset_powerset_bd_shape_int32_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_refine_with_congruences :
    pointset_powerset_bd_shape_int32_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_intersection_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_upper_bound_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_difference_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_concatenate_assign :

```

```

    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_time_elapse_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_upper_bound_assign_if_exact :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_simplify_using_context_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_constrains :
    pointset_powerset_bd_shape_int32_t -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_unconstrain_space_dimension :
    pointset_powerset_bd_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_unconstrain_space_dimensions :
    pointset_powerset_bd_shape_int32_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_affine_image :
    pointset_powerset_bd_shape_int32_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_affine_preimage :
    pointset_powerset_bd_shape_int32_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_bounded_affine_image :
    pointset_powerset_bd_shape_int32_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_bounded_affine_preimage :
    pointset_powerset_bd_shape_int32_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_generalized_affine_image :
    pointset_powerset_bd_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_generalized_affine_preimage :
    pointset_powerset_bd_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_generalized_affine_image_lhs_rhs :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_bd_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_space_dimensions_and_embed :
    pointset_powerset_bd_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_space_dimensions_and_project :

```



```

    pointset_powerset_bd_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_remove_space_dimensions :
    pointset_powerset_bd_shape_int32_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_remove_higher_space_dimensions :
    pointset_powerset_bd_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_expand_space_dimension :
    pointset_powerset_bd_shape_int32_t -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_fold_space_dimensions :
    pointset_powerset_bd_shape_int32_t -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_map_space_dimensions :
    pointset_powerset_bd_shape_int32_t -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_drop_some_non_integer_points :
    pointset_powerset_bd_shape_int32_t ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_int32_t ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_ascii_dump :
    pointset_powerset_bd_shape_int32_t -> string
val ppl_Pointset_Powerset_BD_Shape_int32_t_external_memory_in_bytes :
    pointset_powerset_bd_shape_int32_t -> int
val ppl_Pointset_Powerset_BD_Shape_int32_t_total_memory_in_bytes :
    pointset_powerset_bd_shape_int32_t -> int
val ppl_Pointset_Powerset_BD_Shape_int32_t_size :
    pointset_powerset_bd_shape_int32_t -> int
type pointset_powerset_bd_shape_int32_t_iterator
val ppl_new_Pointset_Powerset_BD_Shape_int32_t_iterator_from_iterator :
    pointset_powerset_bd_shape_int32_t_iterator ->
    pointset_powerset_bd_shape_int32_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int32_t_begin_iterator :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int32_t_end_iterator :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int32_t_iterator_equals_iterator :
    pointset_powerset_bd_shape_int32_t_iterator ->
    pointset_powerset_bd_shape_int32_t_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_int32_t_increment_iterator :
    pointset_powerset_bd_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_decrement_iterator :
    pointset_powerset_bd_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_get_disjunct :
    pointset_powerset_bd_shape_int32_t_iterator ->
    bd_shape_int32_t
val ppl_Pointset_Powerset_BD_Shape_int32_t_add_disjunct :
    pointset_powerset_bd_shape_int32_t ->
    bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_drop_disjunct :

```

```

    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_drop_disjuncts :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t_iterator ->
    pointset_powerset_bd_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int32_t_BGP99_H79_extrapolation_assign :
    pointset_powerset_bd_shape_int32_t ->
    pointset_powerset_bd_shape_int32_t -> int -> unit
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_bd_shape_int64_t
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_Pointset_Powerset_BD_Shape_int64_t :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_BD_Shape_int64_t :
    bd_shape_int64_t -> pointset_powerset_bd_shape_int64_t
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_Pointset_Powerset_BD_Shape_int64_t :
    pointset_powerset_bd_shape_int64_t ->
    complexity_class -> pointset_powerset_bd_shape_int64_t
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> pointset_powerset_bd_shape_int64_t
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_int64_t
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_from_congruences :
    congruence_system -> pointset_powerset_bd_shape_int64_t
val ppl_Pointset_Powerset_BD_Shape_int64_t_swap :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_space_dimension :
    pointset_powerset_bd_shape_int64_t -> int
val ppl_Pointset_Powerset_BD_Shape_int64_t_affine_dimension :
    pointset_powerset_bd_shape_int64_t -> int
val ppl_Pointset_Powerset_BD_Shape_int64_t_relation_with_constraint :
    pointset_powerset_bd_shape_int64_t ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int64_t_relation_with_generator :
    pointset_powerset_bd_shape_int64_t ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_int64_t_relation_with_congruence :

```

```

    pointset_powerset_bd_shape_int64_t ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_int64_t_is_empty :
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_is_universe :
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_is_bounded :
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_contains_integer_point :
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_is_topologically_closed :
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_is_discrete :
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_topological_closure_assign :
    pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_pairwise_reduce :
    pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_omega_reduce :
    pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_bounds_from_above :
    pointset_powerset_bd_shape_int64_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_bounds_from_below :
    pointset_powerset_bd_shape_int64_t ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_maximize :
    pointset_powerset_bd_shape_int64_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_minimize :
    pointset_powerset_bd_shape_int64_t ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_maximize_with_point :
    pointset_powerset_bd_shape_int64_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int64_t_minimize_with_point :
    pointset_powerset_bd_shape_int64_t ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_int64_t_contains_Pointset_Powerset_BD_Shape_int64_t :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_strictly_contains_Pointset_Powerset_BD_Shape_int64_t :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_is_disjoint_from_Pointset_Powerset_BD_Shape_int64_t :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> bool

```

```

val ppl_Pointset_Powerset_BD_Shape_int64_t_geometrically_covers_Pointset_Powerset_BD_
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_geometrically_equals_Pointset_Powerset_BD_
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_equals_Pointset_Powerset_BD_Shape_int64_t
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_OK :
  pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_constraint :
  pointset_powerset_bd_shape_int64_t ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_congruence :
  pointset_powerset_bd_shape_int64_t ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_constraints :
  pointset_powerset_bd_shape_int64_t ->
  constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_congruences :
  pointset_powerset_bd_shape_int64_t ->
  congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_refine_with_constraint :
  pointset_powerset_bd_shape_int64_t ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_refine_with_congruence :
  pointset_powerset_bd_shape_int64_t ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_refine_with_constraints :
  pointset_powerset_bd_shape_int64_t ->
  constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_refine_with_congruences :
  pointset_powerset_bd_shape_int64_t ->
  congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_intersection_assign :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_upper_bound_assign :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_difference_assign :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_concatenate_assign :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_time_elapse_assign :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_int64_t_upper_bound_assign_if_exact :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_simplify_using_context_assign :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_constrains :
  pointset_powerset_bd_shape_int64_t -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_unconstrain_space_dimension :
  pointset_powerset_bd_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_unconstrain_space_dimensions :
  pointset_powerset_bd_shape_int64_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_affine_image :
  pointset_powerset_bd_shape_int64_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_affine_preimage :
  pointset_powerset_bd_shape_int64_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_bounded_affine_image :
  pointset_powerset_bd_shape_int64_t ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_bounded_affine_preimage :
  pointset_powerset_bd_shape_int64_t ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_generalized_affine_image :
  pointset_powerset_bd_shape_int64_t ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_generalized_affine_preimage :
  pointset_powerset_bd_shape_int64_t ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_generalized_affine_image_lhs_rhs :
  pointset_powerset_bd_shape_int64_t ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_bd_shape_int64_t ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_space_dimensions_and_embed :
  pointset_powerset_bd_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_space_dimensions_and_project :
  pointset_powerset_bd_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_remove_space_dimensions :
  pointset_powerset_bd_shape_int64_t -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_remove_higher_space_dimensions :
  pointset_powerset_bd_shape_int64_t -> int -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_int64_t_expand_space_dimension :
  pointset_powerset_bd_shape_int64_t -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_fold_space_dimensions :
  pointset_powerset_bd_shape_int64_t -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_map_space_dimensions :
  pointset_powerset_bd_shape_int64_t -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_drop_some_non_integer_points :
  pointset_powerset_bd_shape_int64_t ->
  complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_drop_some_non_integer_points_2 :
  pointset_powerset_bd_shape_int64_t ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_ascii_dump :
  pointset_powerset_bd_shape_int64_t -> string
val ppl_Pointset_Powerset_BD_Shape_int64_t_external_memory_in_bytes :
  pointset_powerset_bd_shape_int64_t -> int
val ppl_Pointset_Powerset_BD_Shape_int64_t_total_memory_in_bytes :
  pointset_powerset_bd_shape_int64_t -> int
val ppl_Pointset_Powerset_BD_Shape_int64_t_size :
  pointset_powerset_bd_shape_int64_t -> int
type pointset_powerset_bd_shape_int64_t_iterator
val ppl_new_Pointset_Powerset_BD_Shape_int64_t_iterator_from_iterator :
  pointset_powerset_bd_shape_int64_t_iterator ->
  pointset_powerset_bd_shape_int64_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int64_t_begin_iterator :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int64_t_end_iterator :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t_iterator
val ppl_Pointset_Powerset_BD_Shape_int64_t_iterator_equals_iterator :
  pointset_powerset_bd_shape_int64_t_iterator ->
  pointset_powerset_bd_shape_int64_t_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_int64_t_increment_iterator :
  pointset_powerset_bd_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_decrement_iterator :
  pointset_powerset_bd_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_get_disjunct :
  pointset_powerset_bd_shape_int64_t_iterator ->
  bd_shape_int64_t
val ppl_Pointset_Powerset_BD_Shape_int64_t_add_disjunct :
  pointset_powerset_bd_shape_int64_t ->
  bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_drop_disjunct :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_drop_disjuncts :
  pointset_powerset_bd_shape_int64_t ->
  pointset_powerset_bd_shape_int64_t_iterator ->

```

```

    pointset_powerset_bd_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_int64_t_BGP99_H79_extrapolation_assign :
    pointset_powerset_bd_shape_int64_t ->
    pointset_powerset_bd_shape_int64_t -> int -> unit
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_bd_shape_mpq_class
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_Pointset_Powerset_BD_Shape_mpq_class :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_BD_Shape_mpq_class :
    bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_Pointset_Powerset_BD_Shape_mpq_class :
    pointset_powerset_bd_shape_mpq_class ->
    complexity_class -> pointset_powerset_bd_shape_mpq_class
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> pointset_powerset_bd_shape_mpq_class
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_mpq_class
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_from_congruences :
    congruence_system -> pointset_powerset_bd_shape_mpq_class
val ppl_Pointset_Powerset_BD_Shape_mpq_class_swap :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_space_dimension :
    pointset_powerset_bd_shape_mpq_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpq_class_affine_dimension :
    pointset_powerset_bd_shape_mpq_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpq_class_relation_with_constraint :
    pointset_powerset_bd_shape_mpq_class ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_mpq_class_relation_with_generator :
    pointset_powerset_bd_shape_mpq_class ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_mpq_class_relation_with_congruence :
    pointset_powerset_bd_shape_mpq_class ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_mpq_class_is_empty :

```

```

    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_is_universe :
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_is_bounded :
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_contains_integer_point :
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_is_topologically_closed :
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_is_discrete :
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_topological_closure_assign :
    pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_pairwise_reduce :
    pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_omega_reduce :
    pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_bounds_from_above :
    pointset_powerset_bd_shape_mpq_class ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_bounds_from_below :
    pointset_powerset_bd_shape_mpq_class ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_maximize :
    pointset_powerset_bd_shape_mpq_class ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_minimize :
    pointset_powerset_bd_shape_mpq_class ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_maximize_with_point :
    pointset_powerset_bd_shape_mpq_class ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_mpq_class_minimize_with_point :
    pointset_powerset_bd_shape_mpq_class ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_mpq_class_contains_Pointset_Powerset_BD_Shape_mpq
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_strictly_contains_Pointset_Powerset_BD_S
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_is_disjoint_from_Pointset_Powerset_BD_S
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_geometrically_covers_Pointset_Powerset_B
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> bool

```



```

val ppl_Pointset_Powerset_BD_Shape_mpq_class_geometrically_equals_Pointset_Powerset_P
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_equals_Pointset_Powerset_BD_Shape_mpq_c
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_OK :
  pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_constraint :
  pointset_powerset_bd_shape_mpq_class ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_congruence :
  pointset_powerset_bd_shape_mpq_class ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_constraints :
  pointset_powerset_bd_shape_mpq_class ->
  constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_congruences :
  pointset_powerset_bd_shape_mpq_class ->
  congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_refine_with_constraint :
  pointset_powerset_bd_shape_mpq_class ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_refine_with_congruence :
  pointset_powerset_bd_shape_mpq_class ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_refine_with_constraints :
  pointset_powerset_bd_shape_mpq_class ->
  constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_refine_with_congruences :
  pointset_powerset_bd_shape_mpq_class ->
  congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_intersection_assign :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_upper_bound_assign :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_difference_assign :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_concatenate_assign :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_time_elapse_assign :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_upper_bound_assign_if_exact :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> bool

```

```

val ppl_Pointset_Powerset_BD_Shape_mpq_class_simplify_using_context_assign :
  pointset_powerset_bd_shape_mpq_class ->
  pointset_powerset_bd_shape_mpq_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_constrains :
  pointset_powerset_bd_shape_mpq_class -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_unconstrain_space_dimension :
  pointset_powerset_bd_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_unconstrain_space_dimensions :
  pointset_powerset_bd_shape_mpq_class -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_affine_image :
  pointset_powerset_bd_shape_mpq_class ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_affine_preimage :
  pointset_powerset_bd_shape_mpq_class ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_bounded_affine_image :
  pointset_powerset_bd_shape_mpq_class ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_bounded_affine_preimage :
  pointset_powerset_bd_shape_mpq_class ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_generalized_affine_image :
  pointset_powerset_bd_shape_mpq_class ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_generalized_affine_preimage :
  pointset_powerset_bd_shape_mpq_class ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_generalized_affine_image_lhs_rhs :
  pointset_powerset_bd_shape_mpq_class ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_bd_shape_mpq_class ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_space_dimensions_and_embed :
  pointset_powerset_bd_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_space_dimensions_and_project :
  pointset_powerset_bd_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_remove_space_dimensions :
  pointset_powerset_bd_shape_mpq_class -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_remove_higher_space_dimensions :
  pointset_powerset_bd_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_expand_space_dimension :
  pointset_powerset_bd_shape_mpq_class -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_fold_space_dimensions :

```

```

    pointset_powerset_bd_shape_mpq_class -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_map_space_dimensions :
    pointset_powerset_bd_shape_mpq_class -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_drop_some_non_integer_points :
    pointset_powerset_bd_shape_mpq_class ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_mpq_class ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_ascii_dump :
    pointset_powerset_bd_shape_mpq_class -> string
val ppl_Pointset_Powerset_BD_Shape_mpq_class_external_memory_in_bytes :
    pointset_powerset_bd_shape_mpq_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpq_class_total_memory_in_bytes :
    pointset_powerset_bd_shape_mpq_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpq_class_size :
    pointset_powerset_bd_shape_mpq_class -> int
type pointset_powerset_bd_shape_mpq_class_iterator
val ppl_new_Pointset_Powerset_BD_Shape_mpq_class_iterator_from_iterator :
    pointset_powerset_bd_shape_mpq_class_iterator ->
    pointset_powerset_bd_shape_mpq_class_iterator
val ppl_Pointset_Powerset_BD_Shape_mpq_class_begin_iterator :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class_iterator
val ppl_Pointset_Powerset_BD_Shape_mpq_class_end_iterator :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class_iterator
val ppl_Pointset_Powerset_BD_Shape_mpq_class_iterator_equals_iterator :
    pointset_powerset_bd_shape_mpq_class_iterator ->
    pointset_powerset_bd_shape_mpq_class_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_mpq_class_increment_iterator :
    pointset_powerset_bd_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_decrement_iterator :
    pointset_powerset_bd_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_get_disjunct :
    pointset_powerset_bd_shape_mpq_class_iterator ->
    bd_shape_mpq_class
val ppl_Pointset_Powerset_BD_Shape_mpq_class_add_disjunct :
    pointset_powerset_bd_shape_mpq_class ->
    bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_drop_disjunct :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_drop_disjuncts :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class_iterator ->
    pointset_powerset_bd_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_mpq_class ->

```

```

    pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpq_class_BGP99_H79_extrapolation_assign :
    pointset_powerset_bd_shape_mpq_class ->
    pointset_powerset_bd_shape_mpq_class -> int -> unit
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_bd_shape_mpz_class
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_Pointset_Powerset_BD_Shape_mpz_
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_BD_Shape_mpz_class :
    bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_Pointset_Powerset_BD_Shape_mpz_
    pointset_powerset_bd_shape_mpz_class ->
    complexity_class -> pointset_powerset_bd_shape_mpz_class
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_BD_Shape_mpz_class_with_complex
    bd_shape_mpz_class ->
    complexity_class -> pointset_powerset_bd_shape_mpz_class
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_mpz_class
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_from_congruences :
    congruence_system -> pointset_powerset_bd_shape_mpz_class
val ppl_Pointset_Powerset_BD_Shape_mpz_class_swap :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_space_dimension :
    pointset_powerset_bd_shape_mpz_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpz_class_affine_dimension :
    pointset_powerset_bd_shape_mpz_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpz_class_relation_with_constraint :
    pointset_powerset_bd_shape_mpz_class ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_mpz_class_relation_with_generator :
    pointset_powerset_bd_shape_mpz_class ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_mpz_class_relation_with_congruence :
    pointset_powerset_bd_shape_mpz_class ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_mpz_class_is_empty :
    pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_is_universe :
    pointset_powerset_bd_shape_mpz_class -> bool

```

```

val ppl_Pointset_Powerset_BD_Shape_mpz_class_is_bounded :
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_contains_integer_point :
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_is_topologically_closed :
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_is_discrete :
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_topological_closure_assign :
  pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_pairwise_reduce :
  pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_omega_reduce :
  pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_bounds_from_above :
  pointset_powerset_bd_shape_mpz_class ->
  linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_bounds_from_below :
  pointset_powerset_bd_shape_mpz_class ->
  linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_maximize :
  pointset_powerset_bd_shape_mpz_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_minimize :
  pointset_powerset_bd_shape_mpz_class ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_maximize_with_point :
  pointset_powerset_bd_shape_mpz_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_mpz_class_minimize_with_point :
  pointset_powerset_bd_shape_mpz_class ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_mpz_class_contains_Pointset_Powerset_BD_Shape_mpz_class :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_strictly_contains_Pointset_Powerset_BD_Shape_mpz_class :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_is_disjoint_from_Pointset_Powerset_BD_Shape_mpz_class :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_geometrically_covers_Pointset_Powerset_BD_Shape_mpz_class :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_geometrically_equals_Pointset_Powerset_BD_Shape_mpz_class :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_equals_Pointset_Powerset_BD_Shape_mpz_class :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> bool

```

```

    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_OK :
    pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_constraint :
    pointset_powerset_bd_shape_mpz_class ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_congruence :
    pointset_powerset_bd_shape_mpz_class ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_constraints :
    pointset_powerset_bd_shape_mpz_class ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_congruences :
    pointset_powerset_bd_shape_mpz_class ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_refine_with_constraint :
    pointset_powerset_bd_shape_mpz_class ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_refine_with_congruence :
    pointset_powerset_bd_shape_mpz_class ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_refine_with_constraints :
    pointset_powerset_bd_shape_mpz_class ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_refine_with_congruences :
    pointset_powerset_bd_shape_mpz_class ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_intersection_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_upper_bound_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_difference_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_concatenate_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_time_elapse_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_upper_bound_assign_if_exact :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_simplify_using_context_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_constrains :

```

```

    pointset_powerset_bd_shape_mpz_class -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_unconstrain_space_dimension :
    pointset_powerset_bd_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_unconstrain_space_dimensions :
    pointset_powerset_bd_shape_mpz_class -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_affine_image :
    pointset_powerset_bd_shape_mpz_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_affine_preimage :
    pointset_powerset_bd_shape_mpz_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_bounded_affine_image :
    pointset_powerset_bd_shape_mpz_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_bounded_affine_preimage :
    pointset_powerset_bd_shape_mpz_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_generalized_affine_image :
    pointset_powerset_bd_shape_mpz_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_generalized_affine_preimage :
    pointset_powerset_bd_shape_mpz_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_generalized_affine_image_lhs_rhs :
    pointset_powerset_bd_shape_mpz_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_bd_shape_mpz_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_space_dimensions_and_embed :
    pointset_powerset_bd_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_space_dimensions_and_project :
    pointset_powerset_bd_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_remove_space_dimensions :
    pointset_powerset_bd_shape_mpz_class -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_remove_higher_space_dimensions :
    pointset_powerset_bd_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_expand_space_dimension :
    pointset_powerset_bd_shape_mpz_class -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_fold_space_dimensions :
    pointset_powerset_bd_shape_mpz_class -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_map_space_dimensions :
    pointset_powerset_bd_shape_mpz_class -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_drop_some_non_integer_points :

```

```

    pointset_powerset_bd_shape_mpz_class ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_mpz_class ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_ascii_dump :
    pointset_powerset_bd_shape_mpz_class -> string
val ppl_Pointset_Powerset_BD_Shape_mpz_class_external_memory_in_bytes :
    pointset_powerset_bd_shape_mpz_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpz_class_total_memory_in_bytes :
    pointset_powerset_bd_shape_mpz_class -> int
val ppl_Pointset_Powerset_BD_Shape_mpz_class_size :
    pointset_powerset_bd_shape_mpz_class -> int
type pointset_powerset_bd_shape_mpz_class_iterator
val ppl_new_Pointset_Powerset_BD_Shape_mpz_class_iterator_from_iterator :
    pointset_powerset_bd_shape_mpz_class_iterator ->
    pointset_powerset_bd_shape_mpz_class_iterator
val ppl_Pointset_Powerset_BD_Shape_mpz_class_begin_iterator :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class_iterator
val ppl_Pointset_Powerset_BD_Shape_mpz_class_end_iterator :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class_iterator
val ppl_Pointset_Powerset_BD_Shape_mpz_class_iterator_equals_iterator :
    pointset_powerset_bd_shape_mpz_class_iterator ->
    pointset_powerset_bd_shape_mpz_class_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_mpz_class_increment_iterator :
    pointset_powerset_bd_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_decrement_iterator :
    pointset_powerset_bd_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_get_disjunct :
    pointset_powerset_bd_shape_mpz_class_iterator ->
    bd_shape_mpz_class
val ppl_Pointset_Powerset_BD_Shape_mpz_class_add_disjunct :
    pointset_powerset_bd_shape_mpz_class ->
    bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_drop_disjunct :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_drop_disjuncts :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class_iterator ->
    pointset_powerset_bd_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_mpz_class ->
    pointset_powerset_bd_shape_mpz_class -> unit

```



```

val ppl_Pointset_Powerset_BD_Shape_mpz_class_BGP99_BHMZ05_extrapolation_assign :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_mpz_class_BGP99_H79_extrapolation_assign :
  pointset_powerset_bd_shape_mpz_class ->
  pointset_powerset_bd_shape_mpz_class -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_space_dimension :
  int ->
  degenerate_element ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_Pointset_Powerset_Octagonal
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_Pointset_Powerset_Octagonal
  pointset_powerset_octagonal_shape_int8_t ->
  complexity_class ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_Octagonal_Shape_int8_t_with
  octagonal_shape_int8_t ->
  complexity_class ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_constraints :
  constraint_system ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_from_congruences :
  congruence_system ->
  pointset_powerset_octagonal_shape_int8_t
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_swap :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_space_dimension :
  pointset_powerset_octagonal_shape_int8_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_affine_dimension :
  pointset_powerset_octagonal_shape_int8_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_relation_with_constraint :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_relation_with_generator :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_relation_with_congruence :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_is_empty :
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_is_universe :
  pointset_powerset_octagonal_shape_int8_t -> bool

```

```

val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_is_bounded :
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_contains_integer_point :
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_is_topologically_closed :
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_is_discrete :
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_topological_closure_assign :
  pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_pairwise_reduce :
  pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_omega_reduce :
  pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_bounds_from_above :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_bounds_from_below :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_maximize :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_minimize :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_maximize_with_point :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_minimize_with_point :
  pointset_powerset_octagonal_shape_int8_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_contains_Pointset_Powerset_Octagonal_Shape_int8_t :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_strictly_contains_Pointset_Powerset_Octagonal_Shape_int8_t :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_int8_t :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_geometrically_covers_Pointset_Powerset_Octagonal_Shape_int8_t :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_geometrically_equals_Pointset_Powerset_Octagonal_Shape_int8_t :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_equals_Pointset_Powerset_Octagonal_Shape_int8_t :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> bool

```

```

    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_OK :
    pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_constraint :
    pointset_powerset_octagonal_shape_int8_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_congruence :
    pointset_powerset_octagonal_shape_int8_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_constraints :
    pointset_powerset_octagonal_shape_int8_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_congruences :
    pointset_powerset_octagonal_shape_int8_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_refine_with_constraint :
    pointset_powerset_octagonal_shape_int8_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_refine_with_congruence :
    pointset_powerset_octagonal_shape_int8_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_refine_with_constraints :
    pointset_powerset_octagonal_shape_int8_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_refine_with_congruences :
    pointset_powerset_octagonal_shape_int8_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_intersection_assign :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_upper_bound_assign :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_difference_assign :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_concatenate_assign :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_time_elapse_assign :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_int8_t ->
    pointset_powerset_octagonal_shape_int8_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_constrains :

```

```

    pointset_powerset_octagonal_shape_int8_t -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_int8_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_affine_image :
    pointset_powerset_octagonal_shape_int8_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_affine_preimage :
    pointset_powerset_octagonal_shape_int8_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_bounded_affine_image :
    pointset_powerset_octagonal_shape_int8_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_int8_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_generalized_affine_image :
    pointset_powerset_octagonal_shape_int8_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_int8_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_int8_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_remove_space_dimensions :
    pointset_powerset_octagonal_shape_int8_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_int8_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_expand_space_dimension :
    pointset_powerset_octagonal_shape_int8_t -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_fold_space_dimensions :
    pointset_powerset_octagonal_shape_int8_t -> int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_map_space_dimensions :
    pointset_powerset_octagonal_shape_int8_t ->
    (int * int) list -> unit

```

```

val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_drop_some_non_integer_points :
  pointset_powerset_octagonal_shape_int8_t ->
  complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_drop_some_non_integer_points_2 :
  pointset_powerset_octagonal_shape_int8_t ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_ascii_dump :
  pointset_powerset_octagonal_shape_int8_t -> string
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_external_memory_in_bytes :
  pointset_powerset_octagonal_shape_int8_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_total_memory_in_bytes :
  pointset_powerset_octagonal_shape_int8_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_size :
  pointset_powerset_octagonal_shape_int8_t -> int
type pointset_powerset_octagonal_shape_int8_t_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_int8_t_iterator_from_iterator :
  pointset_powerset_octagonal_shape_int8_t_iterator ->
  pointset_powerset_octagonal_shape_int8_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_begin_iterator :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_end_iterator :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_iterator_equals_iterator :
  pointset_powerset_octagonal_shape_int8_t_iterator ->
  pointset_powerset_octagonal_shape_int8_t_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_increment_iterator :
  pointset_powerset_octagonal_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_decrement_iterator :
  pointset_powerset_octagonal_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_get_disjunct :
  pointset_powerset_octagonal_shape_int8_t_iterator ->
  octagonal_shape_int8_t
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_add_disjunct :
  pointset_powerset_octagonal_shape_int8_t ->
  octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_drop_disjunct :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_drop_disjuncts :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t_iterator ->
  pointset_powerset_octagonal_shape_int8_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_BHZ03_H79_BHMZ05_widening_assign :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int8_t_BGP99_BHMZ05_extrapolation_assign :
  pointset_powerset_octagonal_shape_int8_t ->
  pointset_powerset_octagonal_shape_int8_t -> int -> unit

```

```

val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_space_dimension :
  int ->
  degenerate_element ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  complexity_class ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_Octagonal_Shape_int16_t_with_complexity_class :
  octagonal_shape_int16_t ->
  complexity_class ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_constraints :
  constraint_system ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_from_congruences :
  congruence_system ->
  pointset_powerset_octagonal_shape_int16_t
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_swap :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_space_dimension :
  pointset_powerset_octagonal_shape_int16_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_affine_dimension :
  pointset_powerset_octagonal_shape_int16_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_relation_with_constraint :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_relation_with_generator :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_relation_with_congruence :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_is_empty :
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_is_universe :
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_is_bounded :
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_contains_integer_point :
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_is_topologically_closed :
  pointset_powerset_octagonal_shape_int16_t -> bool

```

```

val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_is_discrete :
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_topological_closure_assign :
  pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_pairwise_reduce :
  pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_omega_reduce :
  pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_bounds_from_above :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_bounds_from_below :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_maximize :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_minimize :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_maximize_with_point :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_minimize_with_point :
  pointset_powerset_octagonal_shape_int16_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_contains_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_strictly_contains_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_geometrically_covers_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_geometrically_equals_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_equals_Pointset_Powerset_Octagonal_Shape_int16_t :
  pointset_powerset_octagonal_shape_int16_t ->
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_OK :
  pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_constraint :
  pointset_powerset_octagonal_shape_int16_t ->

```



```

    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_congruence :
    pointset_powerset_octagonal_shape_int16_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_constraints :
    pointset_powerset_octagonal_shape_int16_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_congruences :
    pointset_powerset_octagonal_shape_int16_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_refine_with_constraint :
    pointset_powerset_octagonal_shape_int16_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_refine_with_congruence :
    pointset_powerset_octagonal_shape_int16_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_refine_with_constraints :
    pointset_powerset_octagonal_shape_int16_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_refine_with_congruences :
    pointset_powerset_octagonal_shape_int16_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_intersection_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_upper_bound_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_difference_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_concatenate_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_time_elapse_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_constrains :
    pointset_powerset_octagonal_shape_int16_t -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_int16_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_affine_image :

```



```

    pointset_powerset_octagonal_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_affine_preimage :
    pointset_powerset_octagonal_shape_int16_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_bounded_affine_image :
    pointset_powerset_octagonal_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_int16_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_generalized_affine_image :
    pointset_powerset_octagonal_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_int16_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_int16_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_remove_space_dimensions :
    pointset_powerset_octagonal_shape_int16_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_int16_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_expand_space_dimension :
    pointset_powerset_octagonal_shape_int16_t -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_fold_space_dimensions :
    pointset_powerset_octagonal_shape_int16_t ->
    int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_map_space_dimensions :
    pointset_powerset_octagonal_shape_int16_t ->
    (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_drop_some_non_integer_points :
    pointset_powerset_octagonal_shape_int16_t ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_int16_t ->

```

```

    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_ascii_dump :
    pointset_powerset_octagonal_shape_int16_t -> string
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_external_memory_in_bytes :
    pointset_powerset_octagonal_shape_int16_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_int16_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_size :
    pointset_powerset_octagonal_shape_int16_t -> int
type pointset_powerset_octagonal_shape_int16_t_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_int16_t_iterator_from_iterator :
    pointset_powerset_octagonal_shape_int16_t_iterator ->
    pointset_powerset_octagonal_shape_int16_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_begin_iterator :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_end_iterator :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_int16_t_iterator ->
    pointset_powerset_octagonal_shape_int16_t_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_increment_iterator :
    pointset_powerset_octagonal_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_decrement_iterator :
    pointset_powerset_octagonal_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_get_disjunct :
    pointset_powerset_octagonal_shape_int16_t_iterator ->
    octagonal_shape_int16_t
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_add_disjunct :
    pointset_powerset_octagonal_shape_int16_t ->
    octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_drop_disjunct :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_drop_disjuncts :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t_iterator ->
    pointset_powerset_octagonal_shape_int16_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int16_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_octagonal_shape_int16_t ->
    pointset_powerset_octagonal_shape_int16_t -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_octagonal_shape_int32_t

```

```

val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  complexity_class ->
  pointset_powerset_octagonal_shape_int32_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  complexity_class ->
  pointset_powerset_octagonal_shape_int32_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_constraints :
  constraint_system ->
  pointset_powerset_octagonal_shape_int32_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_from_congruences :
  congruence_system ->
  pointset_powerset_octagonal_shape_int32_t
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_swap :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_space_dimension :
  pointset_powerset_octagonal_shape_int32_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_affine_dimension :
  pointset_powerset_octagonal_shape_int32_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_relation_with_constraint :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_relation_with_generator :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_relation_with_congruence :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_is_empty :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_is_universe :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_is_bounded :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_contains_integer_point :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_is_topologically_closed :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_is_discrete :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_topological_closure_assign :
  pointset_powerset_octagonal_shape_int32_t -> unit

```

```

val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_pairwise_reduce :
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_omega_reduce :
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_bounds_from_above :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_bounds_from_below :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_maximize :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_minimize :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_maximize_with_point :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_minimize_with_point :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_contains_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_strictly_contains_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_geometrically_covers_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_geometrically_equals_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_equals_Pointset_Powerset_Octagonal_Shape_int32_t :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_OK :
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_constraint :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_congruence :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_congruence -> unit

```

```

val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_constraints :
  pointset_powerset_octagonal_shape_int32_t ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_congruences :
  pointset_powerset_octagonal_shape_int32_t ->
  congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_refine_with_constraint :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_refine_with_congruence :
  pointset_powerset_octagonal_shape_int32_t ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_refine_with_constraints :
  pointset_powerset_octagonal_shape_int32_t ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_refine_with_congruences :
  pointset_powerset_octagonal_shape_int32_t ->
  congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_intersection_assign :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_upper_bound_assign :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_difference_assign :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_concatenate_assign :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_time_elapse_assign :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_upper_bound_assign_if_exact :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_simplify_using_context_assign :
  pointset_powerset_octagonal_shape_int32_t ->
  pointset_powerset_octagonal_shape_int32_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_constrains :
  pointset_powerset_octagonal_shape_int32_t -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_unconstrain_space_dimension :
  pointset_powerset_octagonal_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_unconstrain_space_dimensions :
  pointset_powerset_octagonal_shape_int32_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_affine_image :
  pointset_powerset_octagonal_shape_int32_t ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_affine_preimage :
  pointset_powerset_octagonal_shape_int32_t ->

```

```

    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_bounded_affine_image :
    pointset_powerset_octagonal_shape_int32_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_int32_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_generalized_affine_image :
    pointset_powerset_octagonal_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_int32_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_int32_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_remove_space_dimensions :
    pointset_powerset_octagonal_shape_int32_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_int32_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_expand_space_dimension :
    pointset_powerset_octagonal_shape_int32_t -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_fold_space_dimensions :
    pointset_powerset_octagonal_shape_int32_t ->
    int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_map_space_dimensions :
    pointset_powerset_octagonal_shape_int32_t ->
    (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_drop_some_non_integer_points :
    pointset_powerset_octagonal_shape_int32_t ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_int32_t ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_ascii_dump :
    pointset_powerset_octagonal_shape_int32_t -> string
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_external_memory_in_bytes :

```

```

    pointset_powerset_octagonal_shape_int32_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_int32_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_size :
    pointset_powerset_octagonal_shape_int32_t -> int
type pointset_powerset_octagonal_shape_int32_t_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_int32_t_iterator_from_iterator :
    pointset_powerset_octagonal_shape_int32_t_iterator ->
    pointset_powerset_octagonal_shape_int32_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_begin_iterator :
    pointset_powerset_octagonal_shape_int32_t ->
    pointset_powerset_octagonal_shape_int32_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_end_iterator :
    pointset_powerset_octagonal_shape_int32_t ->
    pointset_powerset_octagonal_shape_int32_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_int32_t_iterator ->
    pointset_powerset_octagonal_shape_int32_t_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_increment_iterator :
    pointset_powerset_octagonal_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_decrement_iterator :
    pointset_powerset_octagonal_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_get_disjunct :
    pointset_powerset_octagonal_shape_int32_t_iterator ->
    octagonal_shape_int32_t
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_add_disjunct :
    pointset_powerset_octagonal_shape_int32_t ->
    octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_drop_disjunct :
    pointset_powerset_octagonal_shape_int32_t ->
    pointset_powerset_octagonal_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_drop_disjuncts :
    pointset_powerset_octagonal_shape_int32_t ->
    pointset_powerset_octagonal_shape_int32_t_iterator ->
    pointset_powerset_octagonal_shape_int32_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_octagonal_shape_int32_t ->
    pointset_powerset_octagonal_shape_int32_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int32_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_octagonal_shape_int32_t ->
    pointset_powerset_octagonal_shape_int32_t -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_octagonal_shape_int64_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_Pointset_Powerset_Octagonal_Shape_int64_t :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->

```



```

    pointset_powerset_octagonal_shape_int64_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_Pointset_Powerset_Octagonal_Shape_int64_t :
    pointset_powerset_octagonal_shape_int64_t ->
    complexity_class ->
    pointset_powerset_octagonal_shape_int64_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    complexity_class ->
    pointset_powerset_octagonal_shape_int64_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_constraints :
    constraint_system ->
    pointset_powerset_octagonal_shape_int64_t
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_from_congruences :
    congruence_system ->
    pointset_powerset_octagonal_shape_int64_t
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_swap :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_space_dimension :
    pointset_powerset_octagonal_shape_int64_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_affine_dimension :
    pointset_powerset_octagonal_shape_int64_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_relation_with_constraint :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_relation_with_generator :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_relation_with_congruence :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_is_empty :
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_is_universe :
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_is_bounded :
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_contains_integer_point :
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_is_topologically_closed :
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_is_discrete :
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_topological_closure_assign :
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_pairwise_reduce :
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_omega_reduce :
    pointset_powerset_octagonal_shape_int64_t -> unit

```



```

val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_bounds_from_above :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_bounds_from_below :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_maximize :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_minimize :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_maximize_with_point :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_minimize_with_point :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_contains_Pointset_Powerset_Octagonal_Shape_int64_t :
  pointset_powerset_octagonal_shape_int64_t ->
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_strictly_contains_Pointset_Powerset_Octagonal_Shape_int64_t :
  pointset_powerset_octagonal_shape_int64_t ->
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_int64_t :
  pointset_powerset_octagonal_shape_int64_t ->
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_geometrically_covers_Pointset_Powerset_Octagonal_Shape_int64_t :
  pointset_powerset_octagonal_shape_int64_t ->
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_geometrically_equals_Pointset_Powerset_Octagonal_Shape_int64_t :
  pointset_powerset_octagonal_shape_int64_t ->
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_equals_Pointset_Powerset_Octagonal_Shape_int64_t :
  pointset_powerset_octagonal_shape_int64_t ->
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_OK :
  pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_constraint :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_congruence :
  pointset_powerset_octagonal_shape_int64_t ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_constraints :
  pointset_powerset_octagonal_shape_int64_t ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_congruences :

```

```

    pointset_powerset_octagonal_shape_int64_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_refine_with_constraint :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_refine_with_congruence :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_refine_with_constraints :
    pointset_powerset_octagonal_shape_int64_t ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_refine_with_congruences :
    pointset_powerset_octagonal_shape_int64_t ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_intersection_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_upper_bound_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_difference_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_concatenate_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_time_elapse_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_constrains :
    pointset_powerset_octagonal_shape_int64_t -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_int64_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_affine_image :
    pointset_powerset_octagonal_shape_int64_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_affine_preimage :
    pointset_powerset_octagonal_shape_int64_t ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_bounded_affine_image :
    pointset_powerset_octagonal_shape_int64_t ->
    int ->

```

```

    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_int64_t ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_generalized_affine_image :
    pointset_powerset_octagonal_shape_int64_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_int64_t ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_int64_t ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_remove_space_dimensions :
    pointset_powerset_octagonal_shape_int64_t -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_int64_t -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_expand_space_dimension :
    pointset_powerset_octagonal_shape_int64_t -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_fold_space_dimensions :
    pointset_powerset_octagonal_shape_int64_t ->
    int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_map_space_dimensions :
    pointset_powerset_octagonal_shape_int64_t ->
    (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_drop_some_non_integer_points :
    pointset_powerset_octagonal_shape_int64_t ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_int64_t ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_ascii_dump :
    pointset_powerset_octagonal_shape_int64_t -> string
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_external_memory_in_bytes :
    pointset_powerset_octagonal_shape_int64_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_int64_t -> int
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_size :

```

```

    pointset_powerset_octagonal_shape_int64_t -> int
type pointset_powerset_octagonal_shape_int64_t_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_int64_t_iterator_from_iterator :
    pointset_powerset_octagonal_shape_int64_t_iterator ->
    pointset_powerset_octagonal_shape_int64_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_begin_iterator :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_end_iterator :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_int64_t_iterator ->
    pointset_powerset_octagonal_shape_int64_t_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_increment_iterator :
    pointset_powerset_octagonal_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_decrement_iterator :
    pointset_powerset_octagonal_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_get_disjunct :
    pointset_powerset_octagonal_shape_int64_t_iterator ->
    octagonal_shape_int64_t
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_add_disjunct :
    pointset_powerset_octagonal_shape_int64_t ->
    octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_drop_disjunct :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_drop_disjuncts :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t_iterator ->
    pointset_powerset_octagonal_shape_int64_t_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_int64_t_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_octagonal_shape_int64_t ->
    pointset_powerset_octagonal_shape_int64_t -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_octagonal_shape_mpq_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    complexity_class ->

```

```

    pointset_powerset_octagonal_shape_mpq_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class ->
    complexity_class ->
    pointset_powerset_octagonal_shape_mpq_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_constraints :
    constraint_system ->
    pointset_powerset_octagonal_shape_mpq_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_from_congruences :
    congruence_system ->
    pointset_powerset_octagonal_shape_mpq_class
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_swap :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_space_dimension :
    pointset_powerset_octagonal_shape_mpq_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_affine_dimension :
    pointset_powerset_octagonal_shape_mpq_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_relation_with_constraint :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_relation_with_generator :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_relation_with_congruence :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_is_empty :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_is_universe :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_is_bounded :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_contains_integer_point :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_is_topologically_closed :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_is_discrete :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_topological_closure_assign :
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_pairwise_reduce :
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_omega_reduce :
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_bounds_from_above :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_bounds_from_below :

```

```

    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_maximize :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_minimize :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_maximize_with_point :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_minimize_with_point :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_contains_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_strictly_contains_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_geometrically_covers_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_geometrically_equals_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_equals_Pointset_Powerset_Octagonal_Shape_mpq_class :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_OK :
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_constraint :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_congruence :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_constraints :
    pointset_powerset_octagonal_shape_mpq_class ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_congruences :
    pointset_powerset_octagonal_shape_mpq_class ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_refine_with_constraint :
    pointset_powerset_octagonal_shape_mpq_class ->

```

```

    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_refine_with_congruence :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_refine_with_constraints :
    pointset_powerset_octagonal_shape_mpq_class ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_refine_with_congruences :
    pointset_powerset_octagonal_shape_mpq_class ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_intersection_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_upper_bound_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_difference_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_concatenate_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_time_elapse_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_constrains :
    pointset_powerset_octagonal_shape_mpq_class -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_mpq_class -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_affine_image :
    pointset_powerset_octagonal_shape_mpq_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_affine_preimage :
    pointset_powerset_octagonal_shape_mpq_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_bounded_affine_image :
    pointset_powerset_octagonal_shape_mpq_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_mpq_class ->
    int ->

```



```

    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_generalized_affine_image :
    pointset_powerset_octagonal_shape_mpq_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_mpq_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_mpq_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_remove_space_dimensions :
    pointset_powerset_octagonal_shape_mpq_class -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_mpq_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_expand_space_dimension :
    pointset_powerset_octagonal_shape_mpq_class -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_fold_space_dimensions :
    pointset_powerset_octagonal_shape_mpq_class ->
    int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_map_space_dimensions :
    pointset_powerset_octagonal_shape_mpq_class ->
    (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_drop_some_non_integer_points :
    pointset_powerset_octagonal_shape_mpq_class ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_mpq_class ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_ascii_dump :
    pointset_powerset_octagonal_shape_mpq_class -> string
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_external_memory_in_bytes :
    pointset_powerset_octagonal_shape_mpq_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_mpq_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_size :
    pointset_powerset_octagonal_shape_mpq_class -> int
type pointset_powerset_octagonal_shape_mpq_class_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpq_class_iterator_from_iterator :

```



```

    pointset_powerset_octagonal_shape_mpq_class_iterator ->
    pointset_powerset_octagonal_shape_mpq_class_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_begin_iterator :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_end_iterator :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_mpq_class_iterator ->
    pointset_powerset_octagonal_shape_mpq_class_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_increment_iterator :
    pointset_powerset_octagonal_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_decrement_iterator :
    pointset_powerset_octagonal_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_get_disjunct :
    pointset_powerset_octagonal_shape_mpq_class_iterator ->
    octagonal_shape_mpq_class
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_add_disjunct :
    pointset_powerset_octagonal_shape_mpq_class ->
    octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_drop_disjunct :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_drop_disjuncts :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class_iterator ->
    pointset_powerset_octagonal_shape_mpq_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpq_class_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_octagonal_shape_mpq_class ->
    pointset_powerset_octagonal_shape_mpq_class -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
    complexity_class ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class ->

```

```

    complexity_class ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_constraints :
    constraint_system ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_from_congruences :
    congruence_system ->
    pointset_powerset_octagonal_shape_mpz_class
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_swap :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_space_dimension :
    pointset_powerset_octagonal_shape_mpz_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_affine_dimension :
    pointset_powerset_octagonal_shape_mpz_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_relation_with_constraint :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_relation_with_generator :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_relation_with_congruence :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_is_empty :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_is_universe :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_is_bounded :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_contains_integer_point :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_is_topologically_closed :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_is_discrete :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_topological_closure_assign :
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_pairwise_reduce :
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_omega_reduce :
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_bounds_from_above :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_bounds_from_below :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_maximize :

```

```

    pointset_powerset_octagonal_shape_mpz_class ->
      linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_minimize :
    pointset_powerset_octagonal_shape_mpz_class ->
      linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_maximize_with_point :
    pointset_powerset_octagonal_shape_mpz_class ->
      linear_expression ->
        bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_minimize_with_point :
    pointset_powerset_octagonal_shape_mpz_class ->
      linear_expression ->
        bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_contains_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
      pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_strictly_contains_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
      pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
      pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_geometrically_covers_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
      pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_geometrically_equals_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
      pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_equals_Pointset_Powerset_Octagonal_Shape_mpz_class :
    pointset_powerset_octagonal_shape_mpz_class ->
      pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_OK :
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_constraint :
    pointset_powerset_octagonal_shape_mpz_class ->
      linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_congruence :
    pointset_powerset_octagonal_shape_mpz_class ->
      linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_constraints :
    pointset_powerset_octagonal_shape_mpz_class ->
      constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_congruences :
    pointset_powerset_octagonal_shape_mpz_class ->
      congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_refine_with_constraint :
    pointset_powerset_octagonal_shape_mpz_class ->
      linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_refine_with_congruence :
    pointset_powerset_octagonal_shape_mpz_class ->

```

```

    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_refine_with_constraints :
    pointset_powerset_octagonal_shape_mpz_class ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_refine_with_congruences :
    pointset_powerset_octagonal_shape_mpz_class ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_intersection_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_upper_bound_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_difference_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_concatenate_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_time_elapse_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_constrains :
    pointset_powerset_octagonal_shape_mpz_class -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_mpz_class -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_affine_image :
    pointset_powerset_octagonal_shape_mpz_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_affine_preimage :
    pointset_powerset_octagonal_shape_mpz_class ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_bounded_affine_image :
    pointset_powerset_octagonal_shape_mpz_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_mpz_class ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_generalized_affine_image :
    pointset_powerset_octagonal_shape_mpz_class ->

```

```

    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_mpz_class ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_generalized_affine_preimage_lhs_r :
    pointset_powerset_octagonal_shape_mpz_class ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_remove_space_dimensions :
    pointset_powerset_octagonal_shape_mpz_class -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_mpz_class -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_expand_space_dimension :
    pointset_powerset_octagonal_shape_mpz_class -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_fold_space_dimensions :
    pointset_powerset_octagonal_shape_mpz_class ->
    int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_map_space_dimensions :
    pointset_powerset_octagonal_shape_mpz_class ->
    (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_drop_some_non_integer_points :
    pointset_powerset_octagonal_shape_mpz_class ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_mpz_class ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_ascii_dump :
    pointset_powerset_octagonal_shape_mpz_class -> string
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_external_memory_in_bytes :
    pointset_powerset_octagonal_shape_mpz_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_mpz_class -> int
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_size :
    pointset_powerset_octagonal_shape_mpz_class -> int
type pointset_powerset_octagonal_shape_mpz_class_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_mpz_class_iterator_from_iterator :
    pointset_powerset_octagonal_shape_mpz_class_iterator ->
    pointset_powerset_octagonal_shape_mpz_class_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_begin_iterator :

```

```

    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_end_iterator :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_mpz_class_iterator ->
    pointset_powerset_octagonal_shape_mpz_class_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_increment_iterator :
    pointset_powerset_octagonal_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_decrement_iterator :
    pointset_powerset_octagonal_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_get_disjunct :
    pointset_powerset_octagonal_shape_mpz_class_iterator ->
    octagonal_shape_mpz_class
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_add_disjunct :
    pointset_powerset_octagonal_shape_mpz_class ->
    octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_drop_disjunct :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_drop_disjuncts :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class_iterator ->
    pointset_powerset_octagonal_shape_mpz_class_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_mpz_class_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_octagonal_shape_mpz_class ->
    pointset_powerset_octagonal_shape_mpz_class -> int -> unit
val ppl_new_Pointset_Powerset_C_Polyhedron_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_c_polyhedron
val ppl_new_Pointset_Powerset_C_Polyhedron_from_Pointset_Powerset_C_Polyhedron :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron
val ppl_new_Pointset_Powerset_C_Polyhedron_from_C_Polyhedron :
    polyhedron -> pointset_powerset_c_polyhedron
val ppl_new_Pointset_Powerset_C_Polyhedron_from_Pointset_Powerset_C_Polyhedron_with_c :
    pointset_powerset_c_polyhedron ->
    complexity_class -> pointset_powerset_c_polyhedron
val ppl_new_Pointset_Powerset_C_Polyhedron_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> pointset_powerset_c_polyhedron
val ppl_new_Pointset_Powerset_C_Polyhedron_from_constraints :
    constraint_system -> pointset_powerset_c_polyhedron
val ppl_new_Pointset_Powerset_C_Polyhedron_from_congruences :
    congruence_system -> pointset_powerset_c_polyhedron
val ppl_Pointset_Powerset_C_Polyhedron_swap :

```

```

    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_space_dimension :
    pointset_powerset_c_polyhedron -> int
val ppl_Pointset_Powerset_C_Polyhedron_affine_dimension :
    pointset_powerset_c_polyhedron -> int
val ppl_Pointset_Powerset_C_Polyhedron_relation_with_constraint :
    pointset_powerset_c_polyhedron ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_C_Polyhedron_relation_with_generator :
    pointset_powerset_c_polyhedron ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_C_Polyhedron_relation_with_congruence :
    pointset_powerset_c_polyhedron ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_C_Polyhedron_is_empty :
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_is_universe :
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_is_bounded :
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_contains_integer_point :
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_is_topologically_closed :
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_is_discrete :
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_topological_closure_assign :
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_pairwise_reduce :
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_omega_reduce :
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_bounds_from_above :
    pointset_powerset_c_polyhedron ->
    linear_expression -> bool
val ppl_Pointset_Powerset_C_Polyhedron_bounds_from_below :
    pointset_powerset_c_polyhedron ->
    linear_expression -> bool
val ppl_Pointset_Powerset_C_Polyhedron_maximize :
    pointset_powerset_c_polyhedron ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_C_Polyhedron_minimize :
    pointset_powerset_c_polyhedron ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_C_Polyhedron_maximize_with_point :
    pointset_powerset_c_polyhedron ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator

```

```

val ppl_Pointset_Powerset_C_Polyhedron_minimize_with_point :
  pointset_powerset_c_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_C_Polyhedron_contains_Pointset_Powerset_C_Polyhedron :
  pointset_powerset_c_polyhedron ->
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_strictly_contains_Pointset_Powerset_C_Polyhedron :
  pointset_powerset_c_polyhedron ->
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_is_disjoint_from_Pointset_Powerset_C_Polyhedron :
  pointset_powerset_c_polyhedron ->
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_geometrically_covers_Pointset_Powerset_C_Polyhedron :
  pointset_powerset_c_polyhedron ->
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_geometrically_equals_Pointset_Powerset_C_Polyhedron :
  pointset_powerset_c_polyhedron ->
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_equals_Pointset_Powerset_C_Polyhedron :
  pointset_powerset_c_polyhedron ->
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_OK :
  pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_add_constraint :
  pointset_powerset_c_polyhedron ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_C_Polyhedron_add_congruence :
  pointset_powerset_c_polyhedron ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_C_Polyhedron_add_constraints :
  pointset_powerset_c_polyhedron ->
  constraint_system -> unit
val ppl_Pointset_Powerset_C_Polyhedron_add_congruences :
  pointset_powerset_c_polyhedron ->
  congruence_system -> unit
val ppl_Pointset_Powerset_C_Polyhedron_refine_with_constraint :
  pointset_powerset_c_polyhedron ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_C_Polyhedron_refine_with_congruence :
  pointset_powerset_c_polyhedron ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_C_Polyhedron_refine_with_constraints :
  pointset_powerset_c_polyhedron ->
  constraint_system -> unit
val ppl_Pointset_Powerset_C_Polyhedron_refine_with_congruences :
  pointset_powerset_c_polyhedron ->
  congruence_system -> unit
val ppl_Pointset_Powerset_C_Polyhedron_intersection_assign :
  pointset_powerset_c_polyhedron ->

```



```

    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_upper_bound_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_difference_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_concatenate_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_time_elapse_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_upper_bound_assign_if_exact :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_simplify_using_context_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> bool
val ppl_Pointset_Powerset_C_Polyhedron_constrains :
    pointset_powerset_c_polyhedron -> int -> bool
val ppl_Pointset_Powerset_C_Polyhedron_unconstrain_space_dimension :
    pointset_powerset_c_polyhedron -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_unconstrain_space_dimensions :
    pointset_powerset_c_polyhedron -> int list -> unit
val ppl_Pointset_Powerset_C_Polyhedron_affine_image :
    pointset_powerset_c_polyhedron ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_C_Polyhedron_affine_preimage :
    pointset_powerset_c_polyhedron ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_C_Polyhedron_bounded_affine_image :
    pointset_powerset_c_polyhedron ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_C_Polyhedron_bounded_affine_preimage :
    pointset_powerset_c_polyhedron ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_C_Polyhedron_generalized_affine_image :
    pointset_powerset_c_polyhedron ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_C_Polyhedron_generalized_affine_preimage :
    pointset_powerset_c_polyhedron ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_C_Polyhedron_generalized_affine_image_lhs_rhs :
    pointset_powerset_c_polyhedron ->
    linear_expression ->

```

```

    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_C_Polyhedron_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_c_polyhedron ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_C_Polyhedron_add_space_dimensions_and_embed :
    pointset_powerset_c_polyhedron -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_add_space_dimensions_and_project :
    pointset_powerset_c_polyhedron -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_remove_space_dimensions :
    pointset_powerset_c_polyhedron -> int list -> unit
val ppl_Pointset_Powerset_C_Polyhedron_remove_higher_space_dimensions :
    pointset_powerset_c_polyhedron -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_expand_space_dimension :
    pointset_powerset_c_polyhedron -> int -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_fold_space_dimensions :
    pointset_powerset_c_polyhedron -> int list -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_map_space_dimensions :
    pointset_powerset_c_polyhedron -> (int * int) list -> unit
val ppl_Pointset_Powerset_C_Polyhedron_drop_some_non_integer_points :
    pointset_powerset_c_polyhedron ->
    complexity_class -> unit
val ppl_Pointset_Powerset_C_Polyhedron_drop_some_non_integer_points_2 :
    pointset_powerset_c_polyhedron ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_C_Polyhedron_ascii_dump :
    pointset_powerset_c_polyhedron -> string
val ppl_Pointset_Powerset_C_Polyhedron_external_memory_in_bytes :
    pointset_powerset_c_polyhedron -> int
val ppl_Pointset_Powerset_C_Polyhedron_total_memory_in_bytes :
    pointset_powerset_c_polyhedron -> int
val ppl_Pointset_Powerset_C_Polyhedron_size :
    pointset_powerset_c_polyhedron -> int
type pointset_powerset_c_polyhedron_iterator
val ppl_new_Pointset_Powerset_C_Polyhedron_iterator_from_iterator :
    pointset_powerset_c_polyhedron_iterator ->
    pointset_powerset_c_polyhedron_iterator
val ppl_Pointset_Powerset_C_Polyhedron_begin_iterator :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron_iterator
val ppl_Pointset_Powerset_C_Polyhedron_end_iterator :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron_iterator
val ppl_Pointset_Powerset_C_Polyhedron_iterator_equals_iterator :
    pointset_powerset_c_polyhedron_iterator ->
    pointset_powerset_c_polyhedron_iterator -> bool
val ppl_Pointset_Powerset_C_Polyhedron_increment_iterator :
    pointset_powerset_c_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_C_Polyhedron_decrement_iterator :

```

```

    pointset_powerset_c_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_C_Polyhedron_get_disjunct :
    pointset_powerset_c_polyhedron_iterator -> polyhedron
val ppl_Pointset_Powerset_C_Polyhedron_add_disjunct :
    pointset_powerset_c_polyhedron -> polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_drop_disjunct :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_C_Polyhedron_drop_disjuncts :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron_iterator ->
    pointset_powerset_c_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_C_Polyhedron_BHZ03_BHRZ03_BHRZ03_widening_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_BHZ03_H79_H79_widening_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> unit
val ppl_Pointset_Powerset_C_Polyhedron_BGP99_BHRZ03_extrapolation_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> int -> unit
val ppl_Pointset_Powerset_C_Polyhedron_BGP99_H79_extrapolation_assign :
    pointset_powerset_c_polyhedron ->
    pointset_powerset_c_polyhedron -> int -> unit
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_nnc_polyhedron
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_Pointset_Powerset_NNC_Polyhedron :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_NNC_Polyhedron :
    polyhedron -> pointset_powerset_nnc_polyhedron
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_Pointset_Powerset_NNC_Polyhedron_wi
    pointset_powerset_nnc_polyhedron ->
    complexity_class -> pointset_powerset_nnc_polyhedron
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> pointset_powerset_nnc_polyhedron
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_constraints :
    constraint_system -> pointset_powerset_nnc_polyhedron
val ppl_new_Pointset_Powerset_NNC_Polyhedron_from_congruences :
    congruence_system -> pointset_powerset_nnc_polyhedron
val ppl_Pointset_Powerset_NNC_Polyhedron_swap :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_space_dimension :
    pointset_powerset_nnc_polyhedron -> int
val ppl_Pointset_Powerset_NNC_Polyhedron_affine_dimension :
    pointset_powerset_nnc_polyhedron -> int

```

```

val ppl_Pointset_Powerset_NNC_Polyhedron_relation_with_constraint :
  pointset_powerset_nnc_polyhedron ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_NNC_Polyhedron_relation_with_generator :
  pointset_powerset_nnc_polyhedron ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_NNC_Polyhedron_relation_with_congruence :
  pointset_powerset_nnc_polyhedron ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_NNC_Polyhedron_is_empty :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_is_universe :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_is_bounded :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_contains_integer_point :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_is_topologically_closed :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_is_discrete :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_topological_closure_assign :
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_pairwise_reduce :
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_omega_reduce :
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_bounds_from_above :
  pointset_powerset_nnc_polyhedron ->
  linear_expression -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_bounds_from_below :
  pointset_powerset_nnc_polyhedron ->
  linear_expression -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_maximize :
  pointset_powerset_nnc_polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_NNC_Polyhedron_minimize :
  pointset_powerset_nnc_polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_NNC_Polyhedron_maximize_with_point :
  pointset_powerset_nnc_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_NNC_Polyhedron_minimize_with_point :
  pointset_powerset_nnc_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_NNC_Polyhedron_contains_Pointset_Powerset_NNC_Polyhedron :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool

```

```

val ppl_Pointset_Powerset_NNC_Polyhedron_strictly_contains_Pointset_Powerset_NNC_Poly
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_is_disjoint_from_Pointset_Powerset_NNC_Poly
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_geometrically_covers_Pointset_Powerset_NNC_P
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_geometrically_equals_Pointset_Powerset_NNC_P
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_equals_Pointset_Powerset_NNC_Polyhedron :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_OK :
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_add_constraint :
  pointset_powerset_nnc_polyhedron ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_add_congruence :
  pointset_powerset_nnc_polyhedron ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_add_constraints :
  pointset_powerset_nnc_polyhedron ->
  constraint_system -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_add_congruences :
  pointset_powerset_nnc_polyhedron ->
  congruence_system -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_refine_with_constraint :
  pointset_powerset_nnc_polyhedron ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_refine_with_congruence :
  pointset_powerset_nnc_polyhedron ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_refine_with_constraints :
  pointset_powerset_nnc_polyhedron ->
  constraint_system -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_refine_with_congruences :
  pointset_powerset_nnc_polyhedron ->
  congruence_system -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_intersection_assign :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_upper_bound_assign :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_difference_assign :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> unit

```

```

val ppl_Pointset_Powerset_NNC_Polyhedron_concatenate_assign :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_time_elapse_assign :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_upper_bound_assign_if_exact :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_simplify_using_context_assign :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_constrains :
  pointset_powerset_nnc_polyhedron -> int -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_unconstrain_space_dimension :
  pointset_powerset_nnc_polyhedron -> int -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_unconstrain_space_dimensions :
  pointset_powerset_nnc_polyhedron -> int list -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_affine_image :
  pointset_powerset_nnc_polyhedron ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_affine_preimage :
  pointset_powerset_nnc_polyhedron ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_bounded_affine_image :
  pointset_powerset_nnc_polyhedron ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_bounded_affine_preimage :
  pointset_powerset_nnc_polyhedron ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_generalized_affine_image :
  pointset_powerset_nnc_polyhedron ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_generalized_affine_preimage :
  pointset_powerset_nnc_polyhedron ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_generalized_affine_image_lhs_rhs :
  pointset_powerset_nnc_polyhedron ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_nnc_polyhedron ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_add_space_dimensions_and_embed :
  pointset_powerset_nnc_polyhedron -> int -> unit

```

```

val ppl_Pointset_Powerset_NNC_Polyhedron_add_space_dimensions_and_project :
  pointset_powerset_nnc_polyhedron -> int -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_remove_space_dimensions :
  pointset_powerset_nnc_polyhedron -> int list -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_remove_higher_space_dimensions :
  pointset_powerset_nnc_polyhedron -> int -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_expand_space_dimension :
  pointset_powerset_nnc_polyhedron -> int -> int -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_fold_space_dimensions :
  pointset_powerset_nnc_polyhedron -> int list -> int -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_map_space_dimensions :
  pointset_powerset_nnc_polyhedron -> (int * int) list -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_drop_some_non_integer_points :
  pointset_powerset_nnc_polyhedron ->
  complexity_class -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_drop_some_non_integer_points_2 :
  pointset_powerset_nnc_polyhedron ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_ascii_dump :
  pointset_powerset_nnc_polyhedron -> string
val ppl_Pointset_Powerset_NNC_Polyhedron_external_memory_in_bytes :
  pointset_powerset_nnc_polyhedron -> int
val ppl_Pointset_Powerset_NNC_Polyhedron_total_memory_in_bytes :
  pointset_powerset_nnc_polyhedron -> int
val ppl_Pointset_Powerset_NNC_Polyhedron_size :
  pointset_powerset_nnc_polyhedron -> int
type pointset_powerset_nnc_polyhedron_iterator
val ppl_new_Pointset_Powerset_NNC_Polyhedron_iterator_from_iterator :
  pointset_powerset_nnc_polyhedron_iterator ->
  pointset_powerset_nnc_polyhedron_iterator
val ppl_Pointset_Powerset_NNC_Polyhedron_begin_iterator :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron_iterator
val ppl_Pointset_Powerset_NNC_Polyhedron_end_iterator :
  pointset_powerset_nnc_polyhedron ->
  pointset_powerset_nnc_polyhedron_iterator
val ppl_Pointset_Powerset_NNC_Polyhedron_iterator_equals_iterator :
  pointset_powerset_nnc_polyhedron_iterator ->
  pointset_powerset_nnc_polyhedron_iterator -> bool
val ppl_Pointset_Powerset_NNC_Polyhedron_increment_iterator :
  pointset_powerset_nnc_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_decrement_iterator :
  pointset_powerset_nnc_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_get_disjunct :
  pointset_powerset_nnc_polyhedron_iterator -> polyhedron
val ppl_Pointset_Powerset_NNC_Polyhedron_add_disjunct :
  pointset_powerset_nnc_polyhedron -> polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_drop_disjunct :
  pointset_powerset_nnc_polyhedron ->

```

```

    pointset_powerset_nnc_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_drop_disjuncts :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron_iterator ->
    pointset_powerset_nnc_polyhedron_iterator -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_BHZ03_BHRZ03_BHRZ03_widening_assign :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_BHZ03_H79_H79_widening_assign :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_BGP99_BHRZ03_extrapolation_assign :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron -> int -> unit
val ppl_Pointset_Powerset_NNC_Polyhedron_BGP99_H79_extrapolation_assign :
    pointset_powerset_nnc_polyhedron ->
    pointset_powerset_nnc_polyhedron -> int -> unit
val ppl_new_Pointset_Powerset_Grid_from_space_dimension :
    int -> degenerate_element -> pointset_powerset_grid
val ppl_new_Pointset_Powerset_Grid_from_Pointset_Powerset_Grid :
    pointset_powerset_grid -> pointset_powerset_grid
val ppl_new_Pointset_Powerset_Grid_from_Grid : grid -> pointset_powerset_grid
val ppl_new_Pointset_Powerset_Grid_from_Pointset_Powerset_Grid_with_complexity :
    pointset_powerset_grid ->
    complexity_class -> pointset_powerset_grid
val ppl_new_Pointset_Powerset_Grid_from_Grid_with_complexity :
    grid ->
    complexity_class -> pointset_powerset_grid
val ppl_new_Pointset_Powerset_Grid_from_constraints :
    constraint_system -> pointset_powerset_grid
val ppl_new_Pointset_Powerset_Grid_from_congruences :
    congruence_system -> pointset_powerset_grid
val ppl_Pointset_Powerset_Grid_swap :
    pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_space_dimension :
    pointset_powerset_grid -> int
val ppl_Pointset_Powerset_Grid_affine_dimension :
    pointset_powerset_grid -> int
val ppl_Pointset_Powerset_Grid_relation_with_constraint :
    pointset_powerset_grid ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Grid_relation_with_generator :
    pointset_powerset_grid ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Grid_relation_with_congruence :
    pointset_powerset_grid ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Grid_is_empty : pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_is_universe : pointset_powerset_grid -> bool

```



```

val ppl_Pointset_Powerset_Grid_is_bounded : pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_contains_integer_point :
  pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_is_topologically_closed :
  pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_is_discrete : pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_topological_closure_assign :
  pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_pairwise_reduce :
  pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_omega_reduce : pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_bounds_from_above :
  pointset_powerset_grid -> linear_expression -> bool
val ppl_Pointset_Powerset_Grid_bounds_from_below :
  pointset_powerset_grid -> linear_expression -> bool
val ppl_Pointset_Powerset_Grid_maximize :
  pointset_powerset_grid ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Grid_minimize :
  pointset_powerset_grid ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Grid_maximize_with_point :
  pointset_powerset_grid ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Grid_minimize_with_point :
  pointset_powerset_grid ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Grid_contains_Pointset_Powerset_Grid :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_strictly_contains_Pointset_Powerset_Grid :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_is_disjoint_from_Pointset_Powerset_Grid :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_geometrically_covers_Pointset_Powerset_Grid :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_geometrically_equals_Pointset_Powerset_Grid :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_equals_Pointset_Powerset_Grid :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_OK : pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_add_constraint :
  pointset_powerset_grid -> linear_constraint -> unit
val ppl_Pointset_Powerset_Grid_add_congruence :
  pointset_powerset_grid -> linear_congruence -> unit
val ppl_Pointset_Powerset_Grid_add_constraints :
  pointset_powerset_grid -> constraint_system -> unit

```

```

val ppl_Pointset_Powerset_Grid_add_congruences :
  pointset_powerset_grid -> congruence_system -> unit
val ppl_Pointset_Powerset_Grid_refine_with_constraint :
  pointset_powerset_grid -> linear_constraint -> unit
val ppl_Pointset_Powerset_Grid_refine_with_congruence :
  pointset_powerset_grid -> linear_congruence -> unit
val ppl_Pointset_Powerset_Grid_refine_with_constraints :
  pointset_powerset_grid -> constraint_system -> unit
val ppl_Pointset_Powerset_Grid_refine_with_congruences :
  pointset_powerset_grid -> congruence_system -> unit
val ppl_Pointset_Powerset_Grid_intersection_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_upper_bound_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_difference_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_concatenate_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_time_elapse_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_upper_bound_assign_if_exact :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_simplify_using_context_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> bool
val ppl_Pointset_Powerset_Grid_constrains :
  pointset_powerset_grid -> int -> bool
val ppl_Pointset_Powerset_Grid_unconstrain_space_dimension :
  pointset_powerset_grid -> int -> unit
val ppl_Pointset_Powerset_Grid_unconstrain_space_dimensions :
  pointset_powerset_grid -> int list -> unit
val ppl_Pointset_Powerset_Grid_affine_image :
  pointset_powerset_grid ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Grid_affine_preimage :
  pointset_powerset_grid ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Grid_bounded_affine_image :
  pointset_powerset_grid ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Grid_bounded_affine_preimage :
  pointset_powerset_grid ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Grid_generalized_affine_image :
  pointset_powerset_grid ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Grid_generalized_affine_preimage :

```

```

    pointset_powerset_grid ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Grid_generalized_affine_image_lhs_rhs :
    pointset_powerset_grid ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Grid_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_grid ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Grid_add_space_dimensions_and_embed :
    pointset_powerset_grid -> int -> unit
val ppl_Pointset_Powerset_Grid_add_space_dimensions_and_project :
    pointset_powerset_grid -> int -> unit
val ppl_Pointset_Powerset_Grid_remove_space_dimensions :
    pointset_powerset_grid -> int list -> unit
val ppl_Pointset_Powerset_Grid_remove_higher_space_dimensions :
    pointset_powerset_grid -> int -> unit
val ppl_Pointset_Powerset_Grid_expand_space_dimension :
    pointset_powerset_grid -> int -> int -> unit
val ppl_Pointset_Powerset_Grid_fold_space_dimensions :
    pointset_powerset_grid -> int list -> int -> unit
val ppl_Pointset_Powerset_Grid_map_space_dimensions :
    pointset_powerset_grid -> (int * int) list -> unit
val ppl_Pointset_Powerset_Grid_drop_some_non_integer_points :
    pointset_powerset_grid -> complexity_class -> unit
val ppl_Pointset_Powerset_Grid_drop_some_non_integer_points_2 :
    pointset_powerset_grid ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Grid_ascii_dump : pointset_powerset_grid -> string
val ppl_Pointset_Powerset_Grid_external_memory_in_bytes :
    pointset_powerset_grid -> int
val ppl_Pointset_Powerset_Grid_total_memory_in_bytes :
    pointset_powerset_grid -> int
val ppl_Pointset_Powerset_Grid_size : pointset_powerset_grid -> int
type pointset_powerset_grid_iterator
val ppl_new_Pointset_Powerset_Grid_iterator_from_iterator :
    pointset_powerset_grid_iterator ->
    pointset_powerset_grid_iterator
val ppl_Pointset_Powerset_Grid_begin_iterator :
    pointset_powerset_grid -> pointset_powerset_grid_iterator
val ppl_Pointset_Powerset_Grid_end_iterator :
    pointset_powerset_grid -> pointset_powerset_grid_iterator
val ppl_Pointset_Powerset_Grid_iterator_equals_iterator :
    pointset_powerset_grid_iterator ->
    pointset_powerset_grid_iterator -> bool
val ppl_Pointset_Powerset_Grid_increment_iterator :
    pointset_powerset_grid_iterator -> unit

```

```

val ppl_Pointset_Powerset_Grid_decrement_iterator :
  pointset_powerset_grid_iterator -> unit
val ppl_Pointset_Powerset_Grid_get_disjunct :
  pointset_powerset_grid_iterator -> grid
val ppl_Pointset_Powerset_Grid_add_disjunct :
  pointset_powerset_grid -> grid -> unit
val ppl_Pointset_Powerset_Grid_drop_disjunct :
  pointset_powerset_grid ->
  pointset_powerset_grid_iterator -> unit
val ppl_Pointset_Powerset_Grid_drop_disjuncts :
  pointset_powerset_grid ->
  pointset_powerset_grid_iterator ->
  pointset_powerset_grid_iterator -> unit
val ppl_Pointset_Powerset_Grid_BHZ03_Grid_congruence_widening_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_BHZ03_Grid_generator_widening_assign :
  pointset_powerset_grid -> pointset_powerset_grid -> unit
val ppl_Pointset_Powerset_Grid_BGP99_congruence_extrapolation_assign :
  pointset_powerset_grid ->
  pointset_powerset_grid -> int -> unit
val ppl_Pointset_Powerset_Grid_BGP99_generator_extrapolation_assign :
  pointset_powerset_grid ->
  pointset_powerset_grid -> int -> unit
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_space_dimension :
  int ->
  degenerate_element ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int8_Box :
  int8_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int16_Box :
  int16_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int32_Box :
  int32_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int64_Box :
  int64_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint8_Box :
  uint8_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint16_Box :
  uint16_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint32_Box :
  uint32_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint64_Box :
  uint64_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Z_Box :
  z_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Rational_Box :
  rational_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int8_t :
  bd_shape_int8_t -> constraints_product_c_polyhedron_grid

```

```

val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int16_t :
  bd_shape_int16_t -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int32_t :
  bd_shape_int32_t -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int64_t :
  bd_shape_int64_t -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_mpz_class :
  bd_shape_mpz_class ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_mpq_class :
  bd_shape_mpq_class ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_C_Polyhedron :
  polyhedron -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_NNC_Polyhedron :
  polyhedron -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Grid :
  grid -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Float_Box :
  float_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_float :
  bd_shape_float -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_float :
  octagonal_shape_float ->
  constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Double_Box :
  double_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_double :
  bd_shape_double -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_double :
  octagonal_shape_double ->

```

```

    constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Long_Double_Box :
    long_double_box -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_long_double :
    bd_shape_long_double ->
    constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double ->
    constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Constraints_Product_C_Polyhedron_Grid :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->

```

```

    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Grid_with_complexity :
    grid ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> constraints_product_c_polyhedron_grid

```

```

    bd_shape_double ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_double_with_co
    octagonal_shape_double ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Long_Double_Box_with_complexit
    long_double_box ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_BD_Shape_long_double_with_comp
    bd_shape_long_double ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Octagonal_Shape_long_double_wi
    octagonal_shape_long_double ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_Constraints_Product_C_Polyhedr
    constraints_product_c_polyhedron_grid ->
    complexity_class -> constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_constraints :
    constraint_system ->
    constraints_product_c_polyhedron_grid
val ppl_new_Constraints_Product_C_Polyhedron_Grid_from_congruences :
    congruence_system ->
    constraints_product_c_polyhedron_grid
val ppl_Constraints_Product_C_Polyhedron_Grid_swap :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_space_dimension :
    constraints_product_c_polyhedron_grid -> int
val ppl_Constraints_Product_C_Polyhedron_Grid_affine_dimension :
    constraints_product_c_polyhedron_grid -> int
val ppl_Constraints_Product_C_Polyhedron_Grid_relation_with_constraint :
    constraints_product_c_polyhedron_grid ->
    linear_constraint -> poly_con_relation list
val ppl_Constraints_Product_C_Polyhedron_Grid_relation_with_generator :
    constraints_product_c_polyhedron_grid ->
    linear_generator -> poly_gen_relation list
val ppl_Constraints_Product_C_Polyhedron_Grid_relation_with_congruence :
    constraints_product_c_polyhedron_grid ->
    linear_congruence -> poly_con_relation list
val ppl_Constraints_Product_C_Polyhedron_Grid_is_empty :
    constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_is_universe :
    constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_is_bounded :
    constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_is_topologically_closed :
    constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_is_discrete :
    constraints_product_c_polyhedron_grid -> bool

```



```

val ppl_Constraints_Product_C_Polyhedron_Grid_topological_closure_assign :
  constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_bounds_from_above :
  constraints_product_c_polyhedron_grid ->
  linear_expression -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_bounds_from_below :
  constraints_product_c_polyhedron_grid ->
  linear_expression -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_maximize :
  constraints_product_c_polyhedron_grid ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_C_Polyhedron_Grid_minimize :
  constraints_product_c_polyhedron_grid ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_C_Polyhedron_Grid_maximize_with_point :
  constraints_product_c_polyhedron_grid ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_C_Polyhedron_Grid_minimize_with_point :
  constraints_product_c_polyhedron_grid ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_C_Polyhedron_Grid_contains_Constraints_Product_C_Polyhedron_Grid :
  constraints_product_c_polyhedron_grid ->
  constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_strictly_contains_Constraints_Product_C_Polyhedron_Grid :
  constraints_product_c_polyhedron_grid ->
  constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_is_disjoint_from_Constraints_Product_C_Polyhedron_Grid :
  constraints_product_c_polyhedron_grid ->
  constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_equals_Constraints_Product_C_Polyhedron_Grid :
  constraints_product_c_polyhedron_grid ->
  constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_OK :
  constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_add_constraint :
  constraints_product_c_polyhedron_grid ->
  linear_constraint -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_add_congruence :
  constraints_product_c_polyhedron_grid ->
  linear_congruence -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_add_constraints :
  constraints_product_c_polyhedron_grid ->
  constraint_system -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_add_congruences :
  constraints_product_c_polyhedron_grid ->
  congruence_system -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_refine_with_constraint :
  constraints_product_c_polyhedron_grid ->

```

```

    linear_constraint -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_refine_with_congruence :
    constraints_product_c_polyhedron_grid ->
    linear_congruence -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_refine_with_constraints :
    constraints_product_c_polyhedron_grid ->
    constraint_system -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_refine_with_congruences :
    constraints_product_c_polyhedron_grid ->
    congruence_system -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_intersection_assign :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_upper_bound_assign :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_difference_assign :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_concatenate_assign :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_time_elapse_assign :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_upper_bound_assign_if_exact :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_constrains :
    constraints_product_c_polyhedron_grid -> int -> bool
val ppl_Constraints_Product_C_Polyhedron_Grid_unconstrain_space_dimension :
    constraints_product_c_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_unconstrain_space_dimensions :
    constraints_product_c_polyhedron_grid -> int list -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_affine_image :
    constraints_product_c_polyhedron_grid ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_affine_preimage :
    constraints_product_c_polyhedron_grid ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_bounded_affine_image :
    constraints_product_c_polyhedron_grid ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_bounded_affine_preimage :
    constraints_product_c_polyhedron_grid ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_generalized_affine_image :
    constraints_product_c_polyhedron_grid ->

```

```

    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_generalized_affine_preimage :
    constraints_product_c_polyhedron_grid ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_generalized_affine_image_lhs_rhs :
    constraints_product_c_polyhedron_grid ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_generalized_affine_preimage_lhs_rhs :
    constraints_product_c_polyhedron_grid ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_add_space_dimensions_and_embed :
    constraints_product_c_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_add_space_dimensions_and_project :
    constraints_product_c_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_remove_space_dimensions :
    constraints_product_c_polyhedron_grid -> int list -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_remove_higher_space_dimensions :
    constraints_product_c_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_expand_space_dimension :
    constraints_product_c_polyhedron_grid -> int -> int -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_fold_space_dimensions :
    constraints_product_c_polyhedron_grid -> int list -> int -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_map_space_dimensions :
    constraints_product_c_polyhedron_grid -> (int * int) list -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_drop_some_non_integer_points :
    constraints_product_c_polyhedron_grid ->
    complexity_class -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_drop_some_non_integer_points_2 :
    constraints_product_c_polyhedron_grid ->
    int list -> complexity_class -> unit
val ppl_Constraints_Product_C_Polyhedron_Grid_ascii_dump :
    constraints_product_c_polyhedron_grid -> string
val ppl_Constraints_Product_C_Polyhedron_Grid_external_memory_in_bytes :
    constraints_product_c_polyhedron_grid -> int
val ppl_Constraints_Product_C_Polyhedron_Grid_total_memory_in_bytes :
    constraints_product_c_polyhedron_grid -> int
val ppl_Constraints_Product_C_Polyhedron_Grid_widening_assign_with_tokens :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> int -> int
val ppl_Constraints_Product_C_Polyhedron_Grid_widening_assign :
    constraints_product_c_polyhedron_grid ->
    constraints_product_c_polyhedron_grid -> unit
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_space_dimension :
    int ->
    degenerate_element ->
    constraints_product_nnc_polyhedron_grid

```

```

val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int8_Box :
  int8_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int16_Box :
  int16_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int32_Box :
  int32_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int64_Box :
  int64_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint8_Box :
  uint8_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint16_Box :
  uint16_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint32_Box :
  uint32_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint64_Box :
  uint64_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Z_Box :
  z_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Rational_Box :
  rational_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int8_t :
  bd_shape_int8_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int16_t :
  bd_shape_int16_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int32_t :
  bd_shape_int32_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int64_t :
  bd_shape_int64_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_mpz_class :
  bd_shape_mpz_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_mpq_class :
  bd_shape_mpq_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t ->

```

```

    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_C_Polyhedron :
    polyhedron -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_NNC_Polyhedron :
    polyhedron -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Grid :
    grid -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Float_Box :
    float_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_float :
    bd_shape_float -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_float :
    octagonal_shape_float ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Double_Box :
    double_box -> constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_double :
    bd_shape_double ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_double :
    octagonal_shape_double ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Long_Double_Box :
    long_double_box ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_long_double :
    bd_shape_long_double ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Constraints_Product_NNC_Poly
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int32_Box_with_complexity :
    int32_box ->

```

```

    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Z_Box_with_complexity :
    z_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid

```

```

    bd_shape_mpq_class ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int8_t_with_
    octagonal_shape_int8_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int16_t_with_
    octagonal_shape_int16_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int32_t_with_
    octagonal_shape_int32_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_int64_t_with_
    octagonal_shape_int64_t ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_mpz_class_wi_
    octagonal_shape_mpz_class ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_mpq_class_wi_
    octagonal_shape_mpq_class ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_C_Polyhedron_with_complexity_
    polyhedron ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_NNC_Polyhedron_with_complexi_
    polyhedron ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Grid_with_complexity :
    grid ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Float_Box_with_complexity :
    float_box ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_float_with_complexi_
    bd_shape_float ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_float_with_c_
    octagonal_shape_float ->
    complexity_class ->
    constraints_product_nnc_polyhedron_grid

```

```

val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Double_Box_with_complexity :
  double_box ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_Constraints_Product_NNC_Polyhedron_Grid :
  constraints_product_nnc_polyhedron_grid ->
  complexity_class ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_constraints :
  constraint_system ->
  constraints_product_nnc_polyhedron_grid
val ppl_new_Constraints_Product_NNC_Polyhedron_Grid_from_congruences :
  congruence_system ->
  constraints_product_nnc_polyhedron_grid
val ppl_Constraints_Product_NNC_Polyhedron_Grid_swap :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_space_dimension :
  constraints_product_nnc_polyhedron_grid -> int
val ppl_Constraints_Product_NNC_Polyhedron_Grid_affine_dimension :
  constraints_product_nnc_polyhedron_grid -> int
val ppl_Constraints_Product_NNC_Polyhedron_Grid_relation_with_constraint :
  constraints_product_nnc_polyhedron_grid ->
  linear_constraint -> poly_con_relation list
val ppl_Constraints_Product_NNC_Polyhedron_Grid_relation_with_generator :
  constraints_product_nnc_polyhedron_grid ->
  linear_generator -> poly_gen_relation list
val ppl_Constraints_Product_NNC_Polyhedron_Grid_relation_with_congruence :
  constraints_product_nnc_polyhedron_grid ->
  linear_congruence -> poly_con_relation list

```



```

val ppl_Constraints_Product_NNC_Polyhedron_Grid_is_empty :
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_is_universe :
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_is_bounded :
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_is_topologically_closed :
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_is_discrete :
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_topological_closure_assign :
  constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_bounds_from_above :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_bounds_from_below :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_maximize :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_minimize :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_maximize_with_point :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_NNC_Polyhedron_Grid_minimize_with_point :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_NNC_Polyhedron_Grid_contains_Constraints_Product_NNC_Polyhedron_Grid :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_strictly_contains_Constraints_Product_NNC_Polyhedron_Grid :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_is_disjoint_from_Constraints_Product_NNC_Polyhedron_Grid :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_equals_Constraints_Product_NNC_Polyhedron_Grid :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_OK :
  constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_add_constraint :
  constraints_product_nnc_polyhedron_grid ->
  linear_constraint -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_add_congruence :

```

```

    constraints_product_nnc_polyhedron_grid ->
    linear_congruence -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_add_constraints :
    constraints_product_nnc_polyhedron_grid ->
    constraint_system -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_add_congruences :
    constraints_product_nnc_polyhedron_grid ->
    congruence_system -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_refine_with_constraint :
    constraints_product_nnc_polyhedron_grid ->
    linear_constraint -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_refine_with_congruence :
    constraints_product_nnc_polyhedron_grid ->
    linear_congruence -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_refine_with_constraints :
    constraints_product_nnc_polyhedron_grid ->
    constraint_system -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_refine_with_congruences :
    constraints_product_nnc_polyhedron_grid ->
    congruence_system -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_intersection_assign :
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_upper_bound_assign :
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_difference_assign :
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_concatenate_assign :
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_time_elapse_assign :
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_upper_bound_assign_if_exact :
    constraints_product_nnc_polyhedron_grid ->
    constraints_product_nnc_polyhedron_grid -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_constrains :
    constraints_product_nnc_polyhedron_grid -> int -> bool
val ppl_Constraints_Product_NNC_Polyhedron_Grid_unconstrain_space_dimension :
    constraints_product_nnc_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_unconstrain_space_dimensions :
    constraints_product_nnc_polyhedron_grid -> int list -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_affine_image :
    constraints_product_nnc_polyhedron_grid ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_affine_preimage :
    constraints_product_nnc_polyhedron_grid ->
    int -> linear_expression -> Gmp.Z.t -> unit

```

```

val ppl_Constraints_Product_NNC_Polyhedron_Grid_bounded_affine_image :
  constraints_product_nnc_polyhedron_grid ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_bounded_affine_preimage :
  constraints_product_nnc_polyhedron_grid ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_generalized_affine_image :
  constraints_product_nnc_polyhedron_grid ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_generalized_affine_preimage :
  constraints_product_nnc_polyhedron_grid ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_generalized_affine_image_lhs_rhs :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_generalized_affine_preimage_lhs_rhs :
  constraints_product_nnc_polyhedron_grid ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_add_space_dimensions_and_embed :
  constraints_product_nnc_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_add_space_dimensions_and_project :
  constraints_product_nnc_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_remove_space_dimensions :
  constraints_product_nnc_polyhedron_grid -> int list -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_remove_higher_space_dimensions :
  constraints_product_nnc_polyhedron_grid -> int -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_expand_space_dimension :
  constraints_product_nnc_polyhedron_grid -> int -> int -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_fold_space_dimensions :
  constraints_product_nnc_polyhedron_grid -> int list -> int -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_map_space_dimensions :
  constraints_product_nnc_polyhedron_grid -> (int * int) list -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_drop_some_non_integer_points :
  constraints_product_nnc_polyhedron_grid ->
  complexity_class -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_drop_some_non_integer_points_2 :
  constraints_product_nnc_polyhedron_grid ->
  int list -> complexity_class -> unit
val ppl_Constraints_Product_NNC_Polyhedron_Grid_ascii_dump :
  constraints_product_nnc_polyhedron_grid -> string
val ppl_Constraints_Product_NNC_Polyhedron_Grid_external_memory_in_bytes :
  constraints_product_nnc_polyhedron_grid -> int
val ppl_Constraints_Product_NNC_Polyhedron_Grid_total_memory_in_bytes :
  constraints_product_nnc_polyhedron_grid -> int

```

```

val ppl_Constraints_Product_NNC_Polyhedron_Grid_widening_assign_with_tokens :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> int -> int
val ppl_Constraints_Product_NNC_Polyhedron_Grid_widening_assign :
  constraints_product_nnc_polyhedron_grid ->
  constraints_product_nnc_polyhedron_grid -> unit
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_space_dimension :
  int ->
  degenerate_element ->
  constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int8_Box :
  int8_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int16_Box :
  int16_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int32_Box :
  int32_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int64_Box :
  int64_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint8_Box :
  uint8_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint16_Box :
  uint16_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint32_Box :
  uint32_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint64_Box :
  uint64_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Z_Box :
  z_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Rational_Box :
  rational_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int8_t :
  bd_shape_int8_t -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int16_t :
  bd_shape_int16_t -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int32_t :
  bd_shape_int32_t -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int64_t :
  bd_shape_int64_t -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_mpz_class :
  bd_shape_mpz_class ->
  constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_mpq_class :
  bd_shape_mpq_class ->
  constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t ->
  constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t ->

```

```

    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_C_Polyhedron :
    polyhedron -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_NNC_Polyhedron :
    polyhedron -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Grid :
    grid -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Float_Box :
    float_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_float :
    bd_shape_float -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_float :
    octagonal_shape_float ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Double_Box :
    double_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_double :
    bd_shape_double -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_double :
    octagonal_shape_double ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Long_Double_Box :
    long_double_box -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_long_double :
    bd_shape_long_double ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Constraints_Product_Grid_C_Polyhedron :
    constraints_product_grid_c_polyhedron ->
    constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int16_Box_with_complexity :
    int16_box ->

```

```

    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> constraints_product_grid_c_polyhedron

```

```

    octagonal_shape_int32_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_int64_t_with_c
    octagonal_shape_int64_t ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_mpz_class_with
    octagonal_shape_mpz_class ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_mpq_class_with
    octagonal_shape_mpq_class ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_NNC_Polyhedron_with_complexity
    polyhedron ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Grid_with_complexity :
    grid ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_float_with_complexity
    bd_shape_float ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_float_with_co
    octagonal_shape_float ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_double_with_complexit
    bd_shape_double ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_double_with_co
    octagonal_shape_double ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Long_Double_Box_with_complexit
    long_double_box ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_BD_Shape_long_double_with_comp
    bd_shape_long_double ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Octagonal_Shape_long_double_wi
    octagonal_shape_long_double ->
    complexity_class -> constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_Constraints_Product_Grid_C_Po
    constraints_product_grid_c_polyhedron ->
    complexity_class -> constraints_product_grid_c_polyhedron

```



```

val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_constraints :
  constraint_system ->
  constraints_product_grid_c_polyhedron
val ppl_new_Constraints_Product_Grid_C_Polyhedron_from_congruences :
  congruence_system ->
  constraints_product_grid_c_polyhedron
val ppl_Constraints_Product_Grid_C_Polyhedron_swap :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_space_dimension :
  constraints_product_grid_c_polyhedron -> int
val ppl_Constraints_Product_Grid_C_Polyhedron_affine_dimension :
  constraints_product_grid_c_polyhedron -> int
val ppl_Constraints_Product_Grid_C_Polyhedron_relation_with_constraint :
  constraints_product_grid_c_polyhedron ->
  linear_constraint -> poly_con_relation list
val ppl_Constraints_Product_Grid_C_Polyhedron_relation_with_generator :
  constraints_product_grid_c_polyhedron ->
  linear_generator -> poly_gen_relation list
val ppl_Constraints_Product_Grid_C_Polyhedron_relation_with_congruence :
  constraints_product_grid_c_polyhedron ->
  linear_congruence -> poly_con_relation list
val ppl_Constraints_Product_Grid_C_Polyhedron_is_empty :
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_is_universe :
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_is_bounded :
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_is_topologically_closed :
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_is_discrete :
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_topological_closure_assign :
  constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_bounds_from_above :
  constraints_product_grid_c_polyhedron ->
  linear_expression -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_bounds_from_below :
  constraints_product_grid_c_polyhedron ->
  linear_expression -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_maximize :
  constraints_product_grid_c_polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_Grid_C_Polyhedron_minimize :
  constraints_product_grid_c_polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_Grid_C_Polyhedron_maximize_with_point :
  constraints_product_grid_c_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator

```



```

val ppl_Constraints_Product_Grid_C_Polyhedron_minimize_with_point :
  constraints_product_grid_c_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_Grid_C_Polyhedron_contains_Constraints_Product_Grid_C_Polyhedron :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_strictly_contains_Constraints_Product_Grid_C_Polyhedron :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_is_disjoint_from_Constraints_Product_Grid_C_Polyhedron :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_equals_Constraints_Product_Grid_C_Polyhedron :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_OK :
  constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_add_constraint :
  constraints_product_grid_c_polyhedron ->
  linear_constraint -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_add_congruence :
  constraints_product_grid_c_polyhedron ->
  linear_congruence -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_add_constraints :
  constraints_product_grid_c_polyhedron ->
  constraint_system -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_add_congruences :
  constraints_product_grid_c_polyhedron ->
  congruence_system -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_refine_with_constraint :
  constraints_product_grid_c_polyhedron ->
  linear_constraint -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_refine_with_congruence :
  constraints_product_grid_c_polyhedron ->
  linear_congruence -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_refine_with_constraints :
  constraints_product_grid_c_polyhedron ->
  constraint_system -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_refine_with_congruences :
  constraints_product_grid_c_polyhedron ->
  congruence_system -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_intersection_assign :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_upper_bound_assign :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_difference_assign :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron ->

```

```

    constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_concatenate_assign :
    constraints_product_grid_c_polyhedron ->
    constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_time_elapse_assign :
    constraints_product_grid_c_polyhedron ->
    constraints_product_grid_c_polyhedron -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_upper_bound_assign_if_exact :
    constraints_product_grid_c_polyhedron ->
    constraints_product_grid_c_polyhedron -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_constrains :
    constraints_product_grid_c_polyhedron -> int -> bool
val ppl_Constraints_Product_Grid_C_Polyhedron_unconstrain_space_dimension :
    constraints_product_grid_c_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_unconstrain_space_dimensions :
    constraints_product_grid_c_polyhedron -> int list -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_affine_image :
    constraints_product_grid_c_polyhedron ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_affine_preimage :
    constraints_product_grid_c_polyhedron ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_bounded_affine_image :
    constraints_product_grid_c_polyhedron ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_bounded_affine_preimage :
    constraints_product_grid_c_polyhedron ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_generalized_affine_image :
    constraints_product_grid_c_polyhedron ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_generalized_affine_preimage :
    constraints_product_grid_c_polyhedron ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_generalized_affine_image_lhs_rhs :
    constraints_product_grid_c_polyhedron ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_generalized_affine_preimage_lhs_rhs :
    constraints_product_grid_c_polyhedron ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_add_space_dimensions_and_embed :
    constraints_product_grid_c_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_add_space_dimensions_and_project :
    constraints_product_grid_c_polyhedron -> int -> unit

```

```

val ppl_Constraints_Product_Grid_C_Polyhedron_remove_space_dimensions :
  constraints_product_grid_c_polyhedron -> int list -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_remove_higher_space_dimensions :
  constraints_product_grid_c_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_expand_space_dimension :
  constraints_product_grid_c_polyhedron -> int -> int -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_fold_space_dimensions :
  constraints_product_grid_c_polyhedron -> int list -> int -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_map_space_dimensions :
  constraints_product_grid_c_polyhedron -> (int * int) list -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_drop_some_non_integer_points :
  constraints_product_grid_c_polyhedron ->
  complexity_class -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_drop_some_non_integer_points_2 :
  constraints_product_grid_c_polyhedron ->
  int list -> complexity_class -> unit
val ppl_Constraints_Product_Grid_C_Polyhedron_ascii_dump :
  constraints_product_grid_c_polyhedron -> string
val ppl_Constraints_Product_Grid_C_Polyhedron_external_memory_in_bytes :
  constraints_product_grid_c_polyhedron -> int
val ppl_Constraints_Product_Grid_C_Polyhedron_total_memory_in_bytes :
  constraints_product_grid_c_polyhedron -> int
val ppl_Constraints_Product_Grid_C_Polyhedron_widening_assign_with_tokens :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> int -> int
val ppl_Constraints_Product_Grid_C_Polyhedron_widening_assign :
  constraints_product_grid_c_polyhedron ->
  constraints_product_grid_c_polyhedron -> unit
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_space_dimension :
  int ->
  degenerate_element ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int8_Box :
  int8_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int16_Box :
  int16_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int32_Box :
  int32_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int64_Box :
  int64_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint8_Box :
  uint8_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint16_Box :
  uint16_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint32_Box :
  uint32_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint64_Box :
  uint64_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Z_Box :

```

```

    z_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Rational_Box :
    rational_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int8_t :
    bd_shape_int8_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int16_t :
    bd_shape_int16_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int32_t :
    bd_shape_int32_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int64_t :
    bd_shape_int64_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_mpz_class :
    bd_shape_mpz_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_mpq_class :
    bd_shape_mpq_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_C_Polyhedron :
    polyhedron -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_NNC_Polyhedron :
    polyhedron -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Grid :
    grid -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Float_Box :
    float_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_float :
    bd_shape_float -> constraints_product_grid_nnc_polyhedron

```

```

val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_float :
  octagonal_shape_float ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Double_Box :
  double_box -> constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_double :
  bd_shape_double ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_double :
  octagonal_shape_double ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Long_Double_Box :
  long_double_box ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_long_double :
  bd_shape_long_double ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Constraints_Product_Grid_NNC :
  constraints_product_grid_nnc_polyhedron ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron

```

```

val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Z_Box_with_complexity :
  z_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class ->
  constraints_product_grid_nnc_polyhedron

```

```

    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_mpz_class_wi
    octagonal_shape_mpz_class ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_mpq_class_wi
    octagonal_shape_mpq_class ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_C_Polyhedron_with_complexity
    polyhedron ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_NNC_Polyhedron_with_complexi
    polyhedron ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Grid_with_complexity :
    grid ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Float_Box_with_complexity :
    float_box ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_float_with_complexi
    bd_shape_float ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_float_with_c
    octagonal_shape_float ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Double_Box_with_complexity :
    double_box ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_double_with_complex
    bd_shape_double ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_double_with
    octagonal_shape_double ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Long_Double_Box_with_complex
    long_double_box ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_BD_Shape_long_double_with_co
    bd_shape_long_double ->

```

```

    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_Constraints_Product_Grid_NNC :
    constraints_product_grid_nnc_polyhedron ->
    complexity_class ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_constraints :
    constraint_system ->
    constraints_product_grid_nnc_polyhedron
val ppl_new_Constraints_Product_Grid_NNC_Polyhedron_from_congruences :
    congruence_system ->
    constraints_product_grid_nnc_polyhedron
val ppl_Constraints_Product_Grid_NNC_Polyhedron_swap :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_space_dimension :
    constraints_product_grid_nnc_polyhedron -> int
val ppl_Constraints_Product_Grid_NNC_Polyhedron_affine_dimension :
    constraints_product_grid_nnc_polyhedron -> int
val ppl_Constraints_Product_Grid_NNC_Polyhedron_relation_with_constraint :
    constraints_product_grid_nnc_polyhedron ->
    linear_constraint -> poly_con_relation list
val ppl_Constraints_Product_Grid_NNC_Polyhedron_relation_with_generator :
    constraints_product_grid_nnc_polyhedron ->
    linear_generator -> poly_gen_relation list
val ppl_Constraints_Product_Grid_NNC_Polyhedron_relation_with_congruence :
    constraints_product_grid_nnc_polyhedron ->
    linear_congruence -> poly_con_relation list
val ppl_Constraints_Product_Grid_NNC_Polyhedron_is_empty :
    constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_is_universe :
    constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_is_bounded :
    constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_is_topologically_closed :
    constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_is_discrete :
    constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_topological_closure_assign :
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_bounds_from_above :
    constraints_product_grid_nnc_polyhedron ->
    linear_expression -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_bounds_from_below :
    constraints_product_grid_nnc_polyhedron ->
    linear_expression -> bool

```



```

val ppl_Constraints_Product_Grid_NNC_Polyhedron_maximize :
  constraints_product_grid_nnc_polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_minimize :
  constraints_product_grid_nnc_polyhedron ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_maximize_with_point :
  constraints_product_grid_nnc_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_Grid_NNC_Polyhedron_minimize_with_point :
  constraints_product_grid_nnc_polyhedron ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Constraints_Product_Grid_NNC_Polyhedron_contains_Constraints_Product_Grid_NNC_Polyhedron :
  constraints_product_grid_nnc_polyhedron ->
  constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_strictly_contains_Constraints_Product_Grid_NNC_Polyhedron :
  constraints_product_grid_nnc_polyhedron ->
  constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_is_disjoint_from_Constraints_Product_Grid_NNC_Polyhedron :
  constraints_product_grid_nnc_polyhedron ->
  constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_equals_Constraints_Product_Grid_NNC_Polyhedron :
  constraints_product_grid_nnc_polyhedron ->
  constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_OK :
  constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_add_constraint :
  constraints_product_grid_nnc_polyhedron ->
  linear_constraint -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_add_congruence :
  constraints_product_grid_nnc_polyhedron ->
  linear_congruence -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_add_constraints :
  constraints_product_grid_nnc_polyhedron ->
  constraint_system -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_add_congruences :
  constraints_product_grid_nnc_polyhedron ->
  congruence_system -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_refine_with_constraint :
  constraints_product_grid_nnc_polyhedron ->
  linear_constraint -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_refine_with_congruence :
  constraints_product_grid_nnc_polyhedron ->
  linear_congruence -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_refine_with_constraints :
  constraints_product_grid_nnc_polyhedron ->
  constraint_system -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_refine_with_congruences :

```

```

    constraints_product_grid_nnc_polyhedron ->
    congruence_system -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_intersection_assign :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_upper_bound_assign :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_difference_assign :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_concatenate_assign :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_time_elapse_assign :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_upper_bound_assign_if_exact :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_constrains :
    constraints_product_grid_nnc_polyhedron -> int -> bool
val ppl_Constraints_Product_Grid_NNC_Polyhedron_unconstrain_space_dimension :
    constraints_product_grid_nnc_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_unconstrain_space_dimensions :
    constraints_product_grid_nnc_polyhedron -> int list -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_affine_image :
    constraints_product_grid_nnc_polyhedron ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_affine_preimage :
    constraints_product_grid_nnc_polyhedron ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_bounded_affine_image :
    constraints_product_grid_nnc_polyhedron ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_bounded_affine_preimage :
    constraints_product_grid_nnc_polyhedron ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_generalized_affine_image :
    constraints_product_grid_nnc_polyhedron ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_generalized_affine_preimage :
    constraints_product_grid_nnc_polyhedron ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_generalized_affine_image_lhs_rhs :
    constraints_product_grid_nnc_polyhedron ->

```

```

    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_generalized_affine_preimage_lhs_rhs :
    constraints_product_grid_nnc_polyhedron ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_add_space_dimensions_and_embed :
    constraints_product_grid_nnc_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_add_space_dimensions_and_project :
    constraints_product_grid_nnc_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_remove_space_dimensions :
    constraints_product_grid_nnc_polyhedron -> int list -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_remove_higher_space_dimensions :
    constraints_product_grid_nnc_polyhedron -> int -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_expand_space_dimension :
    constraints_product_grid_nnc_polyhedron -> int -> int -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_fold_space_dimensions :
    constraints_product_grid_nnc_polyhedron -> int list -> int -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_map_space_dimensions :
    constraints_product_grid_nnc_polyhedron -> (int * int) list -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_drop_some_non_integer_points :
    constraints_product_grid_nnc_polyhedron ->
    complexity_class -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_drop_some_non_integer_points_2 :
    constraints_product_grid_nnc_polyhedron ->
    int list -> complexity_class -> unit
val ppl_Constraints_Product_Grid_NNC_Polyhedron_ascii_dump :
    constraints_product_grid_nnc_polyhedron -> string
val ppl_Constraints_Product_Grid_NNC_Polyhedron_external_memory_in_bytes :
    constraints_product_grid_nnc_polyhedron -> int
val ppl_Constraints_Product_Grid_NNC_Polyhedron_total_memory_in_bytes :
    constraints_product_grid_nnc_polyhedron -> int
val ppl_Constraints_Product_Grid_NNC_Polyhedron_widening_assign_with_tokens :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> int -> int
val ppl_Constraints_Product_Grid_NNC_Polyhedron_widening_assign :
    constraints_product_grid_nnc_polyhedron ->
    constraints_product_grid_nnc_polyhedron -> unit
val ppl_new_Float_Box_from_space_dimension :
    int -> degenerate_element -> float_box
val ppl_new_Float_Box_from_Int8_Box : int8_box -> float_box
val ppl_new_Float_Box_from_Int16_Box : int16_box -> float_box
val ppl_new_Float_Box_from_Int32_Box : int32_box -> float_box
val ppl_new_Float_Box_from_Int64_Box : int64_box -> float_box
val ppl_new_Float_Box_from_Uint8_Box : uint8_box -> float_box
val ppl_new_Float_Box_from_Uint16_Box : uint16_box -> float_box
val ppl_new_Float_Box_from_Uint32_Box : uint32_box -> float_box
val ppl_new_Float_Box_from_Uint64_Box : uint64_box -> float_box

```

```

val ppl_new_Float_Box_from_Z_Box : z_box -> float_box
val ppl_new_Float_Box_from_Rational_Box : rational_box -> float_box
val ppl_new_Float_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> float_box
val ppl_new_Float_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> float_box
val ppl_new_Float_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> float_box
val ppl_new_Float_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> float_box
val ppl_new_Float_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> float_box
val ppl_new_Float_Box_from_C_Polyhedron : polyhedron -> float_box
val ppl_new_Float_Box_from_NNC_Polyhedron : polyhedron -> float_box
val ppl_new_Float_Box_from_Grid : grid -> float_box
val ppl_new_Float_Box_from_Float_Box : float_box -> float_box
val ppl_new_Float_Box_from_BD_Shape_float : bd_shape_float -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> float_box
val ppl_new_Float_Box_from_Double_Box : double_box -> float_box
val ppl_new_Float_Box_from_BD_Shape_double : bd_shape_double -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> float_box
val ppl_new_Float_Box_from_Long_Double_Box : long_double_box -> float_box
val ppl_new_Float_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> float_box
val ppl_new_Float_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Uint8_Box_with_complexity :

```

```

    uint8_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Uint16_Box_with_complexity :
    uint16_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Uint32_Box_with_complexity :
    uint32_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Uint64_Box_with_complexity :
    uint64_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Z_Box_with_complexity :
    z_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_Rational_Box_with_complexity :
    rational_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> float_box
val ppl_new_Float_Box_from_C_Polyhedron_with_complexity :
    polyhedron -> complexity_class -> float_box

```

```

val ppl_new_Float_Box_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> float_box
val ppl_new_Float_Box_from_Grid_with_complexity :
  grid -> complexity_class -> float_box
val ppl_new_Float_Box_from_Float_Box_with_complexity :
  float_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float -> complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> float_box
val ppl_new_Float_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> float_box
val ppl_new_Float_Box_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> float_box
val ppl_new_Float_Box_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> float_box
val ppl_new_Float_Box_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> float_box
val ppl_new_Float_Box_from_constraints : constraint_system -> float_box
val ppl_new_Float_Box_from_congruences : congruence_system -> float_box
val ppl_new_Float_Box_from_generators : generator_system -> float_box
val ppl_Float_Box_swap : float_box -> float_box -> unit
val ppl_Float_Box_space_dimension : float_box -> int
val ppl_Float_Box_affine_dimension : float_box -> int
val ppl_Float_Box_relation_with_constraint :
  float_box ->
  linear_constraint -> poly_con_relation list
val ppl_Float_Box_relation_with_generator :
  float_box ->
  linear_generator -> poly_gen_relation list
val ppl_Float_Box_relation_with_congruence :
  float_box ->
  linear_congruence -> poly_con_relation list
val ppl_Float_Box_get_constraints : float_box -> constraint_system
val ppl_Float_Box_get_congruences : float_box -> congruence_system
val ppl_Float_Box_get_minimized_constraints : float_box -> constraint_system
val ppl_Float_Box_get_minimized_congruences : float_box -> congruence_system
val ppl_Float_Box_is_empty : float_box -> bool

```

```

val ppl_Float_Box_is_universe : float_box -> bool
val ppl_Float_Box_is_bounded : float_box -> bool
val ppl_Float_Box_contains_integer_point : float_box -> bool
val ppl_Float_Box_is_topologically_closed : float_box -> bool
val ppl_Float_Box_is_discrete : float_box -> bool
val ppl_Float_Box_topological_closure_assign : float_box -> unit
val ppl_Float_Box_bounds_from_above : float_box -> linear_expression -> bool
val ppl_Float_Box_bounds_from_below : float_box -> linear_expression -> bool
val ppl_Float_Box_maximize :
  float_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Float_Box_minimize :
  float_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Float_Box_maximize_with_point :
  float_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Float_Box_minimize_with_point :
  float_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Float_Box_frequency :
  float_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Float_Box_contains_Float_Box : float_box -> float_box -> bool
val ppl_Float_Box_strictly_contains_Float_Box :
  float_box -> float_box -> bool
val ppl_Float_Box_is_disjoint_from_Float_Box : float_box -> float_box -> bool
val ppl_Float_Box_equals_Float_Box : float_box -> float_box -> bool
val ppl_Float_Box_OK : float_box -> bool
val ppl_Float_Box_add_constraint : float_box -> linear_constraint -> unit
val ppl_Float_Box_add_congruence : float_box -> linear_congruence -> unit
val ppl_Float_Box_add_constraints : float_box -> constraint_system -> unit
val ppl_Float_Box_add_congruences : float_box -> congruence_system -> unit
val ppl_Float_Box_refine_with_constraint :
  float_box -> linear_constraint -> unit
val ppl_Float_Box_refine_with_congruence :
  float_box -> linear_congruence -> unit
val ppl_Float_Box_refine_with_constraints :
  float_box -> constraint_system -> unit
val ppl_Float_Box_refine_with_congruences :
  float_box -> congruence_system -> unit
val ppl_Float_Box_intersection_assign : float_box -> float_box -> unit
val ppl_Float_Box_upper_bound_assign : float_box -> float_box -> unit
val ppl_Float_Box_difference_assign : float_box -> float_box -> unit
val ppl_Float_Box_concatenate_assign : float_box -> float_box -> unit

```

```

val ppl_Float_Box_time_elapse_assign : float_box -> float_box -> unit
val ppl_Float_Box_upper_bound_assign_if_exact :
  float_box -> float_box -> bool
val ppl_Float_Box_simplify_using_context_assign :
  float_box -> float_box -> bool
val ppl_Float_Box_constrains : float_box -> int -> bool
val ppl_Float_Box_unconstrain_space_dimension : float_box -> int -> unit
val ppl_Float_Box_unconstrain_space_dimensions :
  float_box -> int list -> unit
val ppl_Float_Box_affine_image :
  float_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Float_Box_affine_preimage :
  float_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Float_Box_bounded_affine_image :
  float_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Float_Box_bounded_affine_preimage :
  float_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Float_Box_generalized_affine_image :
  float_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Float_Box_generalized_affine_preimage :
  float_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Float_Box_generalized_affine_image_lhs_rhs :
  float_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Float_Box_generalized_affine_preimage_lhs_rhs :
  float_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Float_Box_add_space_dimensions_and_embed : float_box -> int -> unit
val ppl_Float_Box_add_space_dimensions_and_project : float_box -> int -> unit
val ppl_Float_Box_remove_space_dimensions : float_box -> int list -> unit
val ppl_Float_Box_remove_higher_space_dimensions : float_box -> int -> unit
val ppl_Float_Box_expand_space_dimension : float_box -> int -> int -> unit
val ppl_Float_Box_fold_space_dimensions :
  float_box -> int list -> int -> unit
val ppl_Float_Box_map_space_dimensions :
  float_box -> (int * int) list -> unit
val ppl_Float_Box_drop_some_non_integer_points :
  float_box -> complexity_class -> unit
val ppl_Float_Box_drop_some_non_integer_points_2 :

```



```

float_box -> int list -> complexity_class -> unit
val ppl_Float_Box_ascii_dump : float_box -> string
val ppl_Float_Box_external_memory_in_bytes : float_box -> int
val ppl_Float_Box_total_memory_in_bytes : float_box -> int
val ppl_Float_Box_CC76_widening_assign_with_tokens :
  float_box -> float_box -> int -> int
val ppl_Float_Box_CC76_widening_assign : float_box -> float_box -> unit
val ppl_Float_Box_widening_assign_with_tokens :
  float_box -> float_box -> int -> int
val ppl_Float_Box_widening_assign : float_box -> float_box -> unit
val ppl_Float_Box_limited_CC76_extrapolation_assign_with_tokens :
  float_box ->
  float_box -> constraint_system -> int -> int
val ppl_Float_Box_limited_CC76_extrapolation_assign :
  float_box ->
  float_box -> constraint_system -> unit
val ppl_Float_Box_linear_partition :
  float_box ->
  float_box ->
  float_box * pointset_powerset_nnc_polyhedron
val ppl_Float_Box_wrap_assign :
  float_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Float_Box : float_box -> bool
val ppl_termination_test_PR_Float_Box : float_box -> bool
val ppl_one_affine_ranking_function_MS_Float_Box :
  float_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Float_Box :
  float_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Float_Box : float_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Float_Box : float_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Float_Box :
  float_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Float_Box_2 : float_box -> float_box -> bool
val ppl_termination_test_PR_Float_Box_2 : float_box -> float_box -> bool
val ppl_one_affine_ranking_function_MS_Float_Box_2 :
  float_box ->
  float_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Float_Box_2 :
  float_box ->
  float_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Float_Box_2 :
  float_box -> float_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Float_Box_2 :

```

```

float_box -> float_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Float_Box_2 :
  float_box ->
    float_box -> polyhedron * polyhedron
val ppl_new_BD_Shape_float_from_space_dimension :
  int -> degenerate_element -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int8_Box : int8_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int16_Box : int16_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int32_Box : int32_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int64_Box : int64_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint8_Box : uint8_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint16_Box : uint16_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint32_Box : uint32_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint64_Box : uint64_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Z_Box : z_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_Rational_Box : rational_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int64_t :
  bd_shape_int64_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_C_Polyhedron : polyhedron -> bd_shape_float
val ppl_new_BD_Shape_float_from_NNC_Polyhedron : polyhedron -> bd_shape_float
val ppl_new_BD_Shape_float_from_Grid : grid -> bd_shape_float
val ppl_new_BD_Shape_float_from_Float_Box : float_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_float :
  bd_shape_float -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_float :

```

```

    octagonal_shape_float -> bd_shape_float
val ppl_new_BD_Shape_float_from_Double_Box : double_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_double :
    bd_shape_double -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_double :
    octagonal_shape_double -> bd_shape_float
val ppl_new_BD_Shape_float_from_Long_Double_Box :
    long_double_box -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_long_double :
    bd_shape_long_double -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int16_Box_with_complexity :
    int16_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int32_Box_with_complexity :
    int32_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Int64_Box_with_complexity :
    int64_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint8_Box_with_complexity :
    uint8_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Z_Box_with_complexity :
    z_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_mpz_class_with_complexity :

```

```

    bd_shape_mpq_class ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Grid_with_complexity :
    grid -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Float_Box_with_complexity :
    float_box -> complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Long_Double_Box_with_complexity :
    long_double_box ->

```

```

    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> bd_shape_float
val ppl_new_BD_Shape_float_from_constraints :
    constraint_system -> bd_shape_float
val ppl_new_BD_Shape_float_from_congruences :
    congruence_system -> bd_shape_float
val ppl_new_BD_Shape_float_from_generators :
    generator_system -> bd_shape_float
val ppl_BD_Shape_float_swap : bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_space_dimension : bd_shape_float -> int
val ppl_BD_Shape_float_affine_dimension : bd_shape_float -> int
val ppl_BD_Shape_float_relation_with_constraint :
    bd_shape_float ->
    linear_constraint -> poly_con_relation list
val ppl_BD_Shape_float_relation_with_generator :
    bd_shape_float ->
    linear_generator -> poly_gen_relation list
val ppl_BD_Shape_float_relation_with_congruence :
    bd_shape_float ->
    linear_congruence -> poly_con_relation list
val ppl_BD_Shape_float_get_constraints : bd_shape_float -> constraint_system
val ppl_BD_Shape_float_get_congruences : bd_shape_float -> congruence_system
val ppl_BD_Shape_float_get_minimized_constraints :
    bd_shape_float -> constraint_system
val ppl_BD_Shape_float_get_minimized_congruences :
    bd_shape_float -> congruence_system
val ppl_BD_Shape_float_is_empty : bd_shape_float -> bool
val ppl_BD_Shape_float_is_universe : bd_shape_float -> bool
val ppl_BD_Shape_float_is_bounded : bd_shape_float -> bool
val ppl_BD_Shape_float_contains_integer_point : bd_shape_float -> bool
val ppl_BD_Shape_float_is_topologically_closed : bd_shape_float -> bool
val ppl_BD_Shape_float_is_discrete : bd_shape_float -> bool
val ppl_BD_Shape_float_topological_closure_assign : bd_shape_float -> unit
val ppl_BD_Shape_float_bounds_from_above :
    bd_shape_float -> linear_expression -> bool
val ppl_BD_Shape_float_bounds_from_below :
    bd_shape_float -> linear_expression -> bool
val ppl_BD_Shape_float_maximize :
    bd_shape_float ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_float_minimize :
    bd_shape_float ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool

```

```

val ppl_BD_Shape_float_maximize_with_point :
  bd_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_float_minimize_with_point :
  bd_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_float_frequency :
  bd_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_float_contains_BD_Shape_float :
  bd_shape_float -> bd_shape_float -> bool
val ppl_BD_Shape_float_strictly_contains_BD_Shape_float :
  bd_shape_float -> bd_shape_float -> bool
val ppl_BD_Shape_float_is_disjoint_from_BD_Shape_float :
  bd_shape_float -> bd_shape_float -> bool
val ppl_BD_Shape_float_equals_BD_Shape_float :
  bd_shape_float -> bd_shape_float -> bool
val ppl_BD_Shape_float_OK : bd_shape_float -> bool
val ppl_BD_Shape_float_add_constraint :
  bd_shape_float -> linear_constraint -> unit
val ppl_BD_Shape_float_add_congruence :
  bd_shape_float -> linear_congruence -> unit
val ppl_BD_Shape_float_add_constraints :
  bd_shape_float -> constraint_system -> unit
val ppl_BD_Shape_float_add_congruences :
  bd_shape_float -> congruence_system -> unit
val ppl_BD_Shape_float_refine_with_constraint :
  bd_shape_float -> linear_constraint -> unit
val ppl_BD_Shape_float_refine_with_congruence :
  bd_shape_float -> linear_congruence -> unit
val ppl_BD_Shape_float_refine_with_constraints :
  bd_shape_float -> constraint_system -> unit
val ppl_BD_Shape_float_refine_with_congruences :
  bd_shape_float -> congruence_system -> unit
val ppl_BD_Shape_float_intersection_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_upper_bound_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_difference_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_concatenate_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_time_elapse_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_upper_bound_assign_if_exact :
  bd_shape_float -> bd_shape_float -> bool
val ppl_BD_Shape_float_simplify_using_context_assign :

```

```

    bd_shape_float -> bd_shape_float -> bool
val ppl_BD_Shape_float_constrains : bd_shape_float -> int -> bool
val ppl_BD_Shape_float_unconstrain_space_dimension :
    bd_shape_float -> int -> unit
val ppl_BD_Shape_float_unconstrain_space_dimensions :
    bd_shape_float -> int list -> unit
val ppl_BD_Shape_float_affine_image :
    bd_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_float_affine_preimage :
    bd_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_float_bounded_affine_image :
    bd_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_float_bounded_affine_preimage :
    bd_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_float_generalized_affine_image :
    bd_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_float_generalized_affine_preimage :
    bd_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_float_generalized_affine_image_lhs_rhs :
    bd_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_float_generalized_affine_preimage_lhs_rhs :
    bd_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_float_add_space_dimensions_and_embed :
    bd_shape_float -> int -> unit
val ppl_BD_Shape_float_add_space_dimensions_and_project :
    bd_shape_float -> int -> unit
val ppl_BD_Shape_float_remove_space_dimensions :
    bd_shape_float -> int list -> unit
val ppl_BD_Shape_float_remove_higher_space_dimensions :
    bd_shape_float -> int -> unit
val ppl_BD_Shape_float_expand_space_dimension :
    bd_shape_float -> int -> int -> unit
val ppl_BD_Shape_float_fold_space_dimensions :
    bd_shape_float -> int list -> int -> unit
val ppl_BD_Shape_float_map_space_dimensions :
    bd_shape_float -> (int * int) list -> unit

```

```

val ppl_BD_Shape_float_drop_some_non_integer_points :
  bd_shape_float -> complexity_class -> unit
val ppl_BD_Shape_float_drop_some_non_integer_points_2 :
  bd_shape_float -> int list -> complexity_class -> unit
val ppl_BD_Shape_float_ascii_dump : bd_shape_float -> string
val ppl_BD_Shape_float_external_memory_in_bytes : bd_shape_float -> int
val ppl_BD_Shape_float_total_memory_in_bytes : bd_shape_float -> int
val ppl_BD_Shape_float_BHMZ05_widening_assign_with_tokens :
  bd_shape_float -> bd_shape_float -> int -> int
val ppl_BD_Shape_float_H79_widening_assign_with_tokens :
  bd_shape_float -> bd_shape_float -> int -> int
val ppl_BD_Shape_float_BHMZ05_widening_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_H79_widening_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_widening_assign_with_tokens :
  bd_shape_float -> bd_shape_float -> int -> int
val ppl_BD_Shape_float_widening_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_limited_BHMZ05_extrapolation_assign_with_tokens :
  bd_shape_float ->
  bd_shape_float -> constraint_system -> int -> int
val ppl_BD_Shape_float_limited_H79_extrapolation_assign_with_tokens :
  bd_shape_float ->
  bd_shape_float -> constraint_system -> int -> int
val ppl_BD_Shape_float_limited_CC76_extrapolation_assign_with_tokens :
  bd_shape_float ->
  bd_shape_float -> constraint_system -> int -> int
val ppl_BD_Shape_float_limited_BHMZ05_extrapolation_assign :
  bd_shape_float ->
  bd_shape_float -> constraint_system -> unit
val ppl_BD_Shape_float_limited_H79_extrapolation_assign :
  bd_shape_float ->
  bd_shape_float -> constraint_system -> unit
val ppl_BD_Shape_float_limited_CC76_extrapolation_assign :
  bd_shape_float ->
  bd_shape_float -> constraint_system -> unit
val ppl_BD_Shape_float_CC76_extrapolation_assign_with_tokens :
  bd_shape_float -> bd_shape_float -> int -> int
val ppl_BD_Shape_float_CC76_extrapolation_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_CC76_narrowing_assign :
  bd_shape_float -> bd_shape_float -> unit
val ppl_BD_Shape_float_linear_partition :
  bd_shape_float ->
  bd_shape_float ->
  bd_shape_float * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_float_wrap_assign :
  bd_shape_float ->

```



```

    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_float : bd_shape_float -> bool
val ppl_termination_test_PR_BD_Shape_float : bd_shape_float -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_float :
    bd_shape_float -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_float :
    bd_shape_float -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_float :
    bd_shape_float -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_float :
    bd_shape_float -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_float :
    bd_shape_float -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_float_2 :
    bd_shape_float -> bd_shape_float -> bool
val ppl_termination_test_PR_BD_Shape_float_2 :
    bd_shape_float -> bd_shape_float -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_float_2 :
    bd_shape_float ->
    bd_shape_float -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_float_2 :
    bd_shape_float ->
    bd_shape_float -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_float_2 :
    bd_shape_float -> bd_shape_float -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_float_2 :
    bd_shape_float -> bd_shape_float -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_float_2 :
    bd_shape_float ->
    bd_shape_float -> polyhedron * polyhedron
val ppl_new_Octagonal_Shape_float_from_space_dimension :
    int -> degenerate_element -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int8_Box :
    int8_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int16_Box :
    int16_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int32_Box :
    int32_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int64_Box :
    int64_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint8_Box :
    uint8_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint16_Box :
    uint16_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint32_Box :

```

```

    uint32_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint64_Box :
    uint64_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Z_Box : z_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Rational_Box :
    rational_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int8_t :
    bd_shape_int8_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int16_t :
    bd_shape_int16_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int32_t :
    bd_shape_int32_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int64_t :
    bd_shape_int64_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_C_Polyhedron :
    polyhedron -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_NNC_Polyhedron :
    polyhedron -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Grid : grid -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Float_Box :
    float_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_float :
    bd_shape_float -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_float :
    octagonal_shape_float -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Double_Box :
    double_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_double :
    bd_shape_double -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_double :
    octagonal_shape_double -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Long_Double_Box :

```

```

    long_double_box -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_long_double :
    bd_shape_long_double -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int8_Box_with_complexity :
    int8_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> octagonal_shape_float

```

```

val ppl_new_Octagonal_Shape_float_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_C_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_NNC_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Grid_with_complexity :
  grid ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Long_Double_Box_with_complexity :
  long_double_box ->

```

```

    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_constraints :
    constraint_system -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_congruences :
    congruence_system -> octagonal_shape_float
val ppl_new_Octagonal_Shape_float_from_generators :
    generator_system -> octagonal_shape_float
val ppl_Octagonal_Shape_float_swap :
    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_space_dimension : octagonal_shape_float -> int
val ppl_Octagonal_Shape_float_affine_dimension : octagonal_shape_float -> int
val ppl_Octagonal_Shape_float_relation_with_constraint :
    octagonal_shape_float ->
    linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_float_relation_with_generator :
    octagonal_shape_float ->
    linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_float_relation_with_congruence :
    octagonal_shape_float ->
    linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_float_get_constraints :
    octagonal_shape_float -> constraint_system
val ppl_Octagonal_Shape_float_get_congruences :
    octagonal_shape_float -> congruence_system
val ppl_Octagonal_Shape_float_get_minimized_constraints :
    octagonal_shape_float -> constraint_system
val ppl_Octagonal_Shape_float_get_minimized_congruences :
    octagonal_shape_float -> congruence_system
val ppl_Octagonal_Shape_float_is_empty : octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_is_universe : octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_is_bounded : octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_contains_integer_point :
    octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_is_topologically_closed :
    octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_is_discrete : octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_topological_closure_assign :
    octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_bounds_from_above :
    octagonal_shape_float -> linear_expression -> bool
val ppl_Octagonal_Shape_float_bounds_from_below :
    octagonal_shape_float -> linear_expression -> bool

```

```

val ppl_Octagonal_Shape_float_maximize :
  octagonal_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_float_minimize :
  octagonal_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_float_maximize_with_point :
  octagonal_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_float_minimize_with_point :
  octagonal_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_float_frequency :
  octagonal_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_float_contains_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_strictly_contains_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_is_disjoint_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_equals_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_OK : octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_add_constraint :
  octagonal_shape_float -> linear_constraint -> unit
val ppl_Octagonal_Shape_float_add_congruence :
  octagonal_shape_float -> linear_congruence -> unit
val ppl_Octagonal_Shape_float_add_constraints :
  octagonal_shape_float -> constraint_system -> unit
val ppl_Octagonal_Shape_float_add_congruences :
  octagonal_shape_float -> congruence_system -> unit
val ppl_Octagonal_Shape_float_refine_with_constraint :
  octagonal_shape_float -> linear_constraint -> unit
val ppl_Octagonal_Shape_float_refine_with_congruence :
  octagonal_shape_float -> linear_congruence -> unit
val ppl_Octagonal_Shape_float_refine_with_constraints :
  octagonal_shape_float -> constraint_system -> unit
val ppl_Octagonal_Shape_float_refine_with_congruences :
  octagonal_shape_float -> congruence_system -> unit
val ppl_Octagonal_Shape_float_intersection_assign :
  octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_upper_bound_assign :
  octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_difference_assign :
  octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_concatenate_assign :

```

```

    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_time_elapse_assign :
    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_upper_bound_assign_if_exact :
    octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_simplify_using_context_assign :
    octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_Octagonal_Shape_float_constrains :
    octagonal_shape_float -> int -> bool
val ppl_Octagonal_Shape_float_unconstrain_space_dimension :
    octagonal_shape_float -> int -> unit
val ppl_Octagonal_Shape_float_unconstrain_space_dimensions :
    octagonal_shape_float -> int list -> unit
val ppl_Octagonal_Shape_float_affine_image :
    octagonal_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_float_affine_preimage :
    octagonal_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_float_bounded_affine_image :
    octagonal_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_float_bounded_affine_preimage :
    octagonal_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_float_generalized_affine_image :
    octagonal_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_float_generalized_affine_preimage :
    octagonal_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_float_generalized_affine_image_lhs_rhs :
    octagonal_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_float_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_float_add_space_dimensions_and_embed :
    octagonal_shape_float -> int -> unit
val ppl_Octagonal_Shape_float_add_space_dimensions_and_project :
    octagonal_shape_float -> int -> unit
val ppl_Octagonal_Shape_float_remove_space_dimensions :
    octagonal_shape_float -> int list -> unit
val ppl_Octagonal_Shape_float_remove_higher_space_dimensions :

```

```

    octagonal_shape_float -> int -> unit
val ppl_Octagonal_Shape_float_expand_space_dimension :
    octagonal_shape_float -> int -> int -> unit
val ppl_Octagonal_Shape_float_fold_space_dimensions :
    octagonal_shape_float -> int list -> int -> unit
val ppl_Octagonal_Shape_float_map_space_dimensions :
    octagonal_shape_float -> (int * int) list -> unit
val ppl_Octagonal_Shape_float_drop_some_non_integer_points :
    octagonal_shape_float -> complexity_class -> unit
val ppl_Octagonal_Shape_float_drop_some_non_integer_points_2 :
    octagonal_shape_float ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_float_ascii_dump : octagonal_shape_float -> string
val ppl_Octagonal_Shape_float_external_memory_in_bytes :
    octagonal_shape_float -> int
val ppl_Octagonal_Shape_float_total_memory_in_bytes :
    octagonal_shape_float -> int
val ppl_Octagonal_Shape_float_BHMZ05_widening_assign_with_tokens :
    octagonal_shape_float ->
    octagonal_shape_float -> int -> int
val ppl_Octagonal_Shape_float_BHMZ05_widening_assign :
    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_widening_assign_with_tokens :
    octagonal_shape_float ->
    octagonal_shape_float -> int -> int
val ppl_Octagonal_Shape_float_widening_assign :
    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_limited_BHMZ05_extrapolation_assign_with_tokens :
    octagonal_shape_float ->
    octagonal_shape_float -> constraint_system -> int -> int
val ppl_Octagonal_Shape_float_limited_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_float ->
    octagonal_shape_float -> constraint_system -> int -> int
val ppl_Octagonal_Shape_float_limited_BHMZ05_extrapolation_assign :
    octagonal_shape_float ->
    octagonal_shape_float -> constraint_system -> unit
val ppl_Octagonal_Shape_float_limited_CC76_extrapolation_assign :
    octagonal_shape_float ->
    octagonal_shape_float -> constraint_system -> unit
val ppl_Octagonal_Shape_float_CC76_extrapolation_assign_with_tokens :
    octagonal_shape_float ->
    octagonal_shape_float -> int -> int
val ppl_Octagonal_Shape_float_CC76_extrapolation_assign :
    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_CC76_narrowing_assign :
    octagonal_shape_float -> octagonal_shape_float -> unit
val ppl_Octagonal_Shape_float_linear_partition :
    octagonal_shape_float ->
    octagonal_shape_float ->

```



```

    octagonal_shape_float * pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_float_wrap_assign :
  octagonal_shape_float ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_float :
  octagonal_shape_float -> bool
val ppl_termination_test_PR_Octagonal_Shape_float :
  octagonal_shape_float -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_float :
  octagonal_shape_float -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_float :
  octagonal_shape_float -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_float :
  octagonal_shape_float -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_float :
  octagonal_shape_float -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_float :
  octagonal_shape_float ->
  polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_float_2 :
  octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_termination_test_PR_Octagonal_Shape_float_2 :
  octagonal_shape_float -> octagonal_shape_float -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_float_2 :
  octagonal_shape_float ->
  octagonal_shape_float -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_float_2 :
  octagonal_shape_float ->
  octagonal_shape_float -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_float_2 :
  octagonal_shape_float ->
  octagonal_shape_float -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_float_2 :
  octagonal_shape_float ->
  octagonal_shape_float -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_float_2 :
  octagonal_shape_float ->
  octagonal_shape_float ->
  polyhedron * polyhedron
val ppl_new_Pointset_Powerset_Float_Box_from_space_dimension :
  int -> degenerate_element -> pointset_powerset_float_box
val ppl_new_Pointset_Powerset_Float_Box_from_Pointset_Powerset_Float_Box :
  pointset_powerset_float_box ->
  pointset_powerset_float_box
val ppl_new_Pointset_Powerset_Float_Box_from_Float_Box :
  float_box -> pointset_powerset_float_box

```

```

val ppl_new_Pointset_Powerset_Float_Box_from_Pointset_Powerset_Float_Box_with_complexity :
  pointset_powerset_float_box ->
  complexity_class -> pointset_powerset_float_box
val ppl_new_Pointset_Powerset_Float_Box_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> pointset_powerset_float_box
val ppl_new_Pointset_Powerset_Float_Box_from_constraints :
  constraint_system -> pointset_powerset_float_box
val ppl_new_Pointset_Powerset_Float_Box_from_congruences :
  congruence_system -> pointset_powerset_float_box
val ppl_Pointset_Powerset_Float_Box_swap :
  pointset_powerset_float_box ->
  pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_space_dimension :
  pointset_powerset_float_box -> int
val ppl_Pointset_Powerset_Float_Box_affine_dimension :
  pointset_powerset_float_box -> int
val ppl_Pointset_Powerset_Float_Box_relation_with_constraint :
  pointset_powerset_float_box ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Float_Box_relation_with_generator :
  pointset_powerset_float_box ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Float_Box_relation_with_congruence :
  pointset_powerset_float_box ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Float_Box_is_empty :
  pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_is_universe :
  pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_is_bounded :
  pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_contains_integer_point :
  pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_is_topologically_closed :
  pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_is_discrete :
  pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_topological_closure_assign :
  pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_pairwise_reduce :
  pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_omega_reduce :
  pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_bounds_from_above :
  pointset_powerset_float_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Float_Box_bounds_from_below :
  pointset_powerset_float_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Float_Box_maximize :

```

```

    pointset_powerset_float_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Float_Box_minimize :
    pointset_powerset_float_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Float_Box_maximize_with_point :
    pointset_powerset_float_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Float_Box_minimize_with_point :
    pointset_powerset_float_box ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Float_Box_contains_Pointset_Powerset_Float_Box :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_strictly_contains_Pointset_Powerset_Float_Box :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_is_disjoint_from_Pointset_Powerset_Float_Box :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_geometrically_covers_Pointset_Powerset_Float_Box :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_geometrically_equals_Pointset_Powerset_Float_Box :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_equals_Pointset_Powerset_Float_Box :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_OK : pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_add_constraint :
    pointset_powerset_float_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Float_Box_add_congruence :
    pointset_powerset_float_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Float_Box_add_constraints :
    pointset_powerset_float_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Float_Box_add_congruences :
    pointset_powerset_float_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Float_Box_refine_with_constraint :
    pointset_powerset_float_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Float_Box_refine_with_congruence :
    pointset_powerset_float_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Float_Box_refine_with_constraints :
    pointset_powerset_float_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Float_Box_refine_with_congruences :
    pointset_powerset_float_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Float_Box_intersection_assign :

```

```

    pointset_powerset_float_box ->
    pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_upper_bound_assign :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_difference_assign :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_concatenate_assign :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_time_elapse_assign :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> unit
val ppl_Pointset_Powerset_Float_Box_upper_bound_assign_if_exact :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_simplify_using_context_assign :
    pointset_powerset_float_box ->
    pointset_powerset_float_box -> bool
val ppl_Pointset_Powerset_Float_Box_constrains :
    pointset_powerset_float_box -> int -> bool
val ppl_Pointset_Powerset_Float_Box_unconstrain_space_dimension :
    pointset_powerset_float_box -> int -> unit
val ppl_Pointset_Powerset_Float_Box_unconstrain_space_dimensions :
    pointset_powerset_float_box -> int list -> unit
val ppl_Pointset_Powerset_Float_Box_affine_image :
    pointset_powerset_float_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Float_Box_affine_preimage :
    pointset_powerset_float_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Float_Box_bounded_affine_image :
    pointset_powerset_float_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Float_Box_bounded_affine_preimage :
    pointset_powerset_float_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Float_Box_generalized_affine_image :
    pointset_powerset_float_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Float_Box_generalized_affine_preimage :
    pointset_powerset_float_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Float_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_float_box ->

```

```

    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Float_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_float_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Float_Box_add_space_dimensions_and_embed :
    pointset_powerset_float_box -> int -> unit
val ppl_Pointset_Powerset_Float_Box_add_space_dimensions_and_project :
    pointset_powerset_float_box -> int -> unit
val ppl_Pointset_Powerset_Float_Box_remove_space_dimensions :
    pointset_powerset_float_box -> int list -> unit
val ppl_Pointset_Powerset_Float_Box_remove_higher_space_dimensions :
    pointset_powerset_float_box -> int -> unit
val ppl_Pointset_Powerset_Float_Box_expand_space_dimension :
    pointset_powerset_float_box -> int -> int -> unit
val ppl_Pointset_Powerset_Float_Box_fold_space_dimensions :
    pointset_powerset_float_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Float_Box_map_space_dimensions :
    pointset_powerset_float_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Float_Box_drop_some_non_integer_points :
    pointset_powerset_float_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Float_Box_drop_some_non_integer_points_2 :
    pointset_powerset_float_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Float_Box_ascii_dump :
    pointset_powerset_float_box -> string
val ppl_Pointset_Powerset_Float_Box_external_memory_in_bytes :
    pointset_powerset_float_box -> int
val ppl_Pointset_Powerset_Float_Box_total_memory_in_bytes :
    pointset_powerset_float_box -> int
val ppl_Pointset_Powerset_Float_Box_size : pointset_powerset_float_box -> int
type pointset_powerset_float_box_iterator
val ppl_new_Pointset_Powerset_Float_Box_iterator_from_iterator :
    pointset_powerset_float_box_iterator ->
    pointset_powerset_float_box_iterator
val ppl_Pointset_Powerset_Float_Box_begin_iterator :
    pointset_powerset_float_box ->
    pointset_powerset_float_box_iterator
val ppl_Pointset_Powerset_Float_Box_end_iterator :
    pointset_powerset_float_box ->
    pointset_powerset_float_box_iterator
val ppl_Pointset_Powerset_Float_Box_iterator_equals_iterator :
    pointset_powerset_float_box_iterator ->
    pointset_powerset_float_box_iterator -> bool
val ppl_Pointset_Powerset_Float_Box_increment_iterator :
    pointset_powerset_float_box_iterator -> unit
val ppl_Pointset_Powerset_Float_Box_decrement_iterator :
    pointset_powerset_float_box_iterator -> unit

```

```

val ppl_Pointset_Powerset_Float_Box_get_disjunct :
  pointset_powerset_float_box_iterator -> float_box
val ppl_Pointset_Powerset_Float_Box_add_disjunct :
  pointset_powerset_float_box -> float_box -> unit
val ppl_Pointset_Powerset_Float_Box_drop_disjunct :
  pointset_powerset_float_box ->
  pointset_powerset_float_box_iterator -> unit
val ppl_Pointset_Powerset_Float_Box_drop_disjuncts :
  pointset_powerset_float_box ->
  pointset_powerset_float_box_iterator ->
  pointset_powerset_float_box_iterator -> unit
val ppl_new_Pointset_Powerset_BD_Shape_float_from_space_dimension :
  int ->
  degenerate_element -> pointset_powerset_bd_shape_float
val ppl_new_Pointset_Powerset_BD_Shape_float_from_Pointset_Powerset_BD_Shape_float :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float
val ppl_new_Pointset_Powerset_BD_Shape_float_from_BD_Shape_float :
  bd_shape_float -> pointset_powerset_bd_shape_float
val ppl_new_Pointset_Powerset_BD_Shape_float_from_Pointset_Powerset_BD_Shape_float_with_complexity :
  pointset_powerset_bd_shape_float ->
  complexity_class -> pointset_powerset_bd_shape_float
val ppl_new_Pointset_Powerset_BD_Shape_float_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> pointset_powerset_bd_shape_float
val ppl_new_Pointset_Powerset_BD_Shape_float_from_constraints :
  constraint_system -> pointset_powerset_bd_shape_float
val ppl_new_Pointset_Powerset_BD_Shape_float_from_congruences :
  congruence_system -> pointset_powerset_bd_shape_float
val ppl_Pointset_Powerset_BD_Shape_float_swap :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_space_dimension :
  pointset_powerset_bd_shape_float -> int
val ppl_Pointset_Powerset_BD_Shape_float_affine_dimension :
  pointset_powerset_bd_shape_float -> int
val ppl_Pointset_Powerset_BD_Shape_float_relation_with_constraint :
  pointset_powerset_bd_shape_float ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_float_relation_with_generator :
  pointset_powerset_bd_shape_float ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_float_relation_with_congruence :
  pointset_powerset_bd_shape_float ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_float_is_empty :
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_is_universe :
  pointset_powerset_bd_shape_float -> bool

```

```

val ppl_Pointset_Powerset_BD_Shape_float_is_bounded :
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_contains_integer_point :
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_is_topologically_closed :
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_is_discrete :
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_topological_closure_assign :
  pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_pairwise_reduce :
  pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_omega_reduce :
  pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_bounds_from_above :
  pointset_powerset_bd_shape_float ->
  linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_float_bounds_from_below :
  pointset_powerset_bd_shape_float ->
  linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_float_maximize :
  pointset_powerset_bd_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_float_minimize :
  pointset_powerset_bd_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_float_maximize_with_point :
  pointset_powerset_bd_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_float_minimize_with_point :
  pointset_powerset_bd_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_float_contains_Pointset_Powerset_BD_Shape_float :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_strictly_contains_Pointset_Powerset_BD_Shape_float :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_is_disjoint_from_Pointset_Powerset_BD_Shape_float :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_geometrically_covers_Pointset_Powerset_BD_Shape_float :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_geometrically_equals_Pointset_Powerset_BD_Shape_float :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_equals_Pointset_Powerset_BD_Shape_float :

```

```

    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_OK :
    pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_add_constraint :
    pointset_powerset_bd_shape_float ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_float_add_congruence :
    pointset_powerset_bd_shape_float ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_float_add_constraints :
    pointset_powerset_bd_shape_float ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_float_add_congruences :
    pointset_powerset_bd_shape_float ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_float_refine_with_constraint :
    pointset_powerset_bd_shape_float ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_float_refine_with_congruence :
    pointset_powerset_bd_shape_float ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_float_refine_with_constraints :
    pointset_powerset_bd_shape_float ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_float_refine_with_congruences :
    pointset_powerset_bd_shape_float ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_float_intersection_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_upper_bound_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_difference_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_concatenate_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_time_elapse_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_upper_bound_assign_if_exact :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_simplify_using_context_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> bool
val ppl_Pointset_Powerset_BD_Shape_float_constrains :

```



```

    pointset_powerset_bd_shape_float -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_float_unconstrain_space_dimension :
    pointset_powerset_bd_shape_float -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_unconstrain_space_dimensions :
    pointset_powerset_bd_shape_float -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_float_affine_image :
    pointset_powerset_bd_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_float_affine_preimage :
    pointset_powerset_bd_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_float_bounded_affine_image :
    pointset_powerset_bd_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_float_bounded_affine_preimage :
    pointset_powerset_bd_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_float_generalized_affine_image :
    pointset_powerset_bd_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_float_generalized_affine_preimage :
    pointset_powerset_bd_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_float_generalized_affine_image_lhs_rhs :
    pointset_powerset_bd_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_float_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_bd_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_float_add_space_dimensions_and_embed :
    pointset_powerset_bd_shape_float -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_add_space_dimensions_and_project :
    pointset_powerset_bd_shape_float -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_remove_space_dimensions :
    pointset_powerset_bd_shape_float -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_float_remove_higher_space_dimensions :
    pointset_powerset_bd_shape_float -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_expand_space_dimension :
    pointset_powerset_bd_shape_float -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_fold_space_dimensions :
    pointset_powerset_bd_shape_float -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_map_space_dimensions :
    pointset_powerset_bd_shape_float -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_float_drop_some_non_integer_points :

```

```

    pointset_powerset_bd_shape_float ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_float_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_float ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_float_ascii_dump :
    pointset_powerset_bd_shape_float -> string
val ppl_Pointset_Powerset_BD_Shape_float_external_memory_in_bytes :
    pointset_powerset_bd_shape_float -> int
val ppl_Pointset_Powerset_BD_Shape_float_total_memory_in_bytes :
    pointset_powerset_bd_shape_float -> int
val ppl_Pointset_Powerset_BD_Shape_float_size :
    pointset_powerset_bd_shape_float -> int
type pointset_powerset_bd_shape_float_iterator
val ppl_new_Pointset_Powerset_BD_Shape_float_iterator_from_iterator :
    pointset_powerset_bd_shape_float_iterator ->
    pointset_powerset_bd_shape_float_iterator
val ppl_Pointset_Powerset_BD_Shape_float_begin_iterator :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float_iterator
val ppl_Pointset_Powerset_BD_Shape_float_end_iterator :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float_iterator
val ppl_Pointset_Powerset_BD_Shape_float_iterator_equals_iterator :
    pointset_powerset_bd_shape_float_iterator ->
    pointset_powerset_bd_shape_float_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_float_increment_iterator :
    pointset_powerset_bd_shape_float_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_float_decrement_iterator :
    pointset_powerset_bd_shape_float_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_float_get_disjunct :
    pointset_powerset_bd_shape_float_iterator ->
    bd_shape_float
val ppl_Pointset_Powerset_BD_Shape_float_add_disjunct :
    pointset_powerset_bd_shape_float ->
    bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_drop_disjunct :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_float_drop_disjuncts :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float_iterator ->
    pointset_powerset_bd_shape_float_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_float_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit
val ppl_Pointset_Powerset_BD_Shape_float_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_float ->
    pointset_powerset_bd_shape_float -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_float_BGP99_BHMZ05_extrapolation_assign :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_float_BGP99_H79_extrapolation_assign :
  pointset_powerset_bd_shape_float ->
  pointset_powerset_bd_shape_float -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_space_dimension :
  int ->
  degenerate_element ->
  pointset_powerset_octagonal_shape_float
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_Pointset_Powerset_Octagonal_
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_Octagonal_Shape_float :
  octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_Pointset_Powerset_Octagonal_
  pointset_powerset_octagonal_shape_float ->
  complexity_class ->
  pointset_powerset_octagonal_shape_float
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_Octagonal_Shape_float_with_c
  octagonal_shape_float ->
  complexity_class ->
  pointset_powerset_octagonal_shape_float
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_constraints :
  constraint_system ->
  pointset_powerset_octagonal_shape_float
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_from_congruences :
  congruence_system ->
  pointset_powerset_octagonal_shape_float
val ppl_Pointset_Powerset_Octagonal_Shape_float_swap :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_space_dimension :
  pointset_powerset_octagonal_shape_float -> int
val ppl_Pointset_Powerset_Octagonal_Shape_float_affine_dimension :
  pointset_powerset_octagonal_shape_float -> int
val ppl_Pointset_Powerset_Octagonal_Shape_float_relation_with_constraint :
  pointset_powerset_octagonal_shape_float ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_float_relation_with_generator :
  pointset_powerset_octagonal_shape_float ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_float_relation_with_congruence :
  pointset_powerset_octagonal_shape_float ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_float_is_empty :
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_is_universe :
  pointset_powerset_octagonal_shape_float -> bool

```

```

val ppl_Pointset_Powerset_Octagonal_Shape_float_is_bounded :
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_contains_integer_point :
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_is_topologically_closed :
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_is_discrete :
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_topological_closure_assign :
  pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_pairwise_reduce :
  pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_omega_reduce :
  pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_bounds_from_above :
  pointset_powerset_octagonal_shape_float ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_bounds_from_below :
  pointset_powerset_octagonal_shape_float ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_maximize :
  pointset_powerset_octagonal_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_minimize :
  pointset_powerset_octagonal_shape_float ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_maximize_with_point :
  pointset_powerset_octagonal_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_float_minimize_with_point :
  pointset_powerset_octagonal_shape_float ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_float_contains_Pointset_Powerset_Octagonal_Shape_float :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_strictly_contains_Pointset_Powerset_Octagonal_Shape_float :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_float :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_geometrically_covers_Pointset_Powerset_Octagonal_Shape_float :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_geometrically_equals_Pointset_Powerset_Octagonal_Shape_float :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_equals_Pointset_Powerset_Octagonal_Shape_float :
  pointset_powerset_octagonal_shape_float ->
  pointset_powerset_octagonal_shape_float -> bool

```

```

    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_OK :
    pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_constraint :
    pointset_powerset_octagonal_shape_float ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_congruence :
    pointset_powerset_octagonal_shape_float ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_constraints :
    pointset_powerset_octagonal_shape_float ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_congruences :
    pointset_powerset_octagonal_shape_float ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_refine_with_constraint :
    pointset_powerset_octagonal_shape_float ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_refine_with_congruence :
    pointset_powerset_octagonal_shape_float ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_refine_with_constraints :
    pointset_powerset_octagonal_shape_float ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_refine_with_congruences :
    pointset_powerset_octagonal_shape_float ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_intersection_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_upper_bound_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_difference_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_concatenate_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_time_elapse_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_constrains :

```

```

    pointset_powerset_octagonal_shape_float -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_float -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_float -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_affine_image :
    pointset_powerset_octagonal_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_affine_preimage :
    pointset_powerset_octagonal_shape_float ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_bounded_affine_image :
    pointset_powerset_octagonal_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_float ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_generalized_affine_image :
    pointset_powerset_octagonal_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_float ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_float ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_float -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_float -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_remove_space_dimensions :
    pointset_powerset_octagonal_shape_float -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_float -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_expand_space_dimension :
    pointset_powerset_octagonal_shape_float -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_fold_space_dimensions :
    pointset_powerset_octagonal_shape_float -> int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_map_space_dimensions :
    pointset_powerset_octagonal_shape_float -> (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_drop_some_non_integer_points :

```

```

    pointset_powerset_octagonal_shape_float ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_float ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_ascii_dump :
    pointset_powerset_octagonal_shape_float -> string
val ppl_Pointset_Powerset_Octagonal_Shape_float_external_memory_in_bytes :
    pointset_powerset_octagonal_shape_float -> int
val ppl_Pointset_Powerset_Octagonal_Shape_float_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_float -> int
val ppl_Pointset_Powerset_Octagonal_Shape_float_size :
    pointset_powerset_octagonal_shape_float -> int
type pointset_powerset_octagonal_shape_float_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_float_iterator_from_iterator :
    pointset_powerset_octagonal_shape_float_iterator ->
    pointset_powerset_octagonal_shape_float_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_float_begin_iterator :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_float_end_iterator :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_float_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_float_iterator ->
    pointset_powerset_octagonal_shape_float_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_float_increment_iterator :
    pointset_powerset_octagonal_shape_float_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_decrement_iterator :
    pointset_powerset_octagonal_shape_float_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_get_disjunct :
    pointset_powerset_octagonal_shape_float_iterator ->
    octagonal_shape_float
val ppl_Pointset_Powerset_Octagonal_Shape_float_add_disjunct :
    pointset_powerset_octagonal_shape_float ->
    octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_drop_disjunct :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_drop_disjuncts :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float_iterator ->
    pointset_powerset_octagonal_shape_float_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_float_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_octagonal_shape_float ->
    pointset_powerset_octagonal_shape_float -> int -> unit

```

```

val ppl_new_Double_Box_from_space_dimension :
  int -> degenerate_element -> double_box
val ppl_new_Double_Box_from_Int8_Box : int8_box -> double_box
val ppl_new_Double_Box_from_Int16_Box : int16_box -> double_box
val ppl_new_Double_Box_from_Int32_Box : int32_box -> double_box
val ppl_new_Double_Box_from_Int64_Box : int64_box -> double_box
val ppl_new_Double_Box_from_Uint8_Box : uint8_box -> double_box
val ppl_new_Double_Box_from_Uint16_Box : uint16_box -> double_box
val ppl_new_Double_Box_from_Uint32_Box : uint32_box -> double_box
val ppl_new_Double_Box_from_Uint64_Box : uint64_box -> double_box
val ppl_new_Double_Box_from_Z_Box : z_box -> double_box
val ppl_new_Double_Box_from_Rational_Box : rational_box -> double_box
val ppl_new_Double_Box_from_BD_Shape_int8_t : bd_shape_int8_t -> double_box
val ppl_new_Double_Box_from_BD_Shape_int16_t : bd_shape_int16_t -> double_box
val ppl_new_Double_Box_from_BD_Shape_int32_t : bd_shape_int32_t -> double_box
val ppl_new_Double_Box_from_BD_Shape_int64_t : bd_shape_int64_t -> double_box
val ppl_new_Double_Box_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> double_box
val ppl_new_Double_Box_from_C_Polyhedron : polyhedron -> double_box
val ppl_new_Double_Box_from_NNC_Polyhedron : polyhedron -> double_box
val ppl_new_Double_Box_from_Grid : grid -> double_box
val ppl_new_Double_Box_from_Float_Box : float_box -> double_box
val ppl_new_Double_Box_from_BD_Shape_float : bd_shape_float -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_float :
  octagonal_shape_float -> double_box
val ppl_new_Double_Box_from_Double_Box : double_box -> double_box
val ppl_new_Double_Box_from_BD_Shape_double : bd_shape_double -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_double :
  octagonal_shape_double -> double_box
val ppl_new_Double_Box_from_Long_Double_Box : long_double_box -> double_box
val ppl_new_Double_Box_from_BD_Shape_long_double :
  bd_shape_long_double -> double_box

```



```
val ppl_new_Double_Box_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> double_box
val ppl_new_Double_Box_from_Int8_Box_with_complexity :
  int8_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Int16_Box_with_complexity :
  int16_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Int32_Box_with_complexity :
  int32_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Int64_Box_with_complexity :
  int64_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Uint8_Box_with_complexity :
  uint8_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Uint16_Box_with_complexity :
  uint16_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Uint32_Box_with_complexity :
  uint32_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Uint64_Box_with_complexity :
  uint64_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Z_Box_with_complexity :
  z_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_Rational_Box_with_complexity :
  rational_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> double_box
```

```

val ppl_new_Double_Box_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_C_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> double_box
val ppl_new_Double_Box_from_NNC_Polyhedron_with_complexity :
  polyhedron -> complexity_class -> double_box
val ppl_new_Double_Box_from_Grid_with_complexity :
  grid -> complexity_class -> double_box
val ppl_new_Double_Box_from_Float_Box_with_complexity :
  float_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Double_Box_with_complexity :
  double_box -> complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> double_box
val ppl_new_Double_Box_from_constraints : constraint_system -> double_box
val ppl_new_Double_Box_from_congruences : congruence_system -> double_box
val ppl_new_Double_Box_from_generators : generator_system -> double_box
val ppl_Double_Box_swap : double_box -> double_box -> unit
val ppl_Double_Box_space_dimension : double_box -> int
val ppl_Double_Box_affine_dimension : double_box -> int
val ppl_Double_Box_relation_with_constraint :
  double_box ->
  linear_constraint -> poly_con_relation list

```

```

val ppl_Double_Box_relation_with_generator :
  double_box ->
  linear_generator -> poly_gen_relation list
val ppl_Double_Box_relation_with_congruence :
  double_box ->
  linear_congruence -> poly_con_relation list
val ppl_Double_Box_get_constraints : double_box -> constraint_system
val ppl_Double_Box_get_congruences : double_box -> congruence_system
val ppl_Double_Box_get_minimized_constraints :
  double_box -> constraint_system
val ppl_Double_Box_get_minimized_congruences :
  double_box -> congruence_system
val ppl_Double_Box_is_empty : double_box -> bool
val ppl_Double_Box_is_universe : double_box -> bool
val ppl_Double_Box_is_bounded : double_box -> bool
val ppl_Double_Box_contains_integer_point : double_box -> bool
val ppl_Double_Box_is_topologically_closed : double_box -> bool
val ppl_Double_Box_is_discrete : double_box -> bool
val ppl_Double_Box_topological_closure_assign : double_box -> unit
val ppl_Double_Box_bounds_from_above :
  double_box -> linear_expression -> bool
val ppl_Double_Box_bounds_from_below :
  double_box -> linear_expression -> bool
val ppl_Double_Box_maximize :
  double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Double_Box_minimize :
  double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Double_Box_maximize_with_point :
  double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Double_Box_minimize_with_point :
  double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Double_Box_frequency :
  double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Double_Box_contains_Double_Box : double_box -> double_box -> bool
val ppl_Double_Box_strictly_contains_Double_Box :
  double_box -> double_box -> bool
val ppl_Double_Box_is_disjoint_from_Double_Box :
  double_box -> double_box -> bool
val ppl_Double_Box_equals_Double_Box : double_box -> double_box -> bool
val ppl_Double_Box_OK : double_box -> bool
val ppl_Double_Box_add_constraint : double_box -> linear_constraint -> unit

```

```

val ppl_Double_Box_add_congruence : double_box -> linear_congruence -> unit
val ppl_Double_Box_add_constraints : double_box -> constraint_system -> unit
val ppl_Double_Box_add_congruences : double_box -> congruence_system -> unit
val ppl_Double_Box_refine_with_constraint :
  double_box -> linear_constraint -> unit
val ppl_Double_Box_refine_with_congruence :
  double_box -> linear_congruence -> unit
val ppl_Double_Box_refine_with_constraints :
  double_box -> constraint_system -> unit
val ppl_Double_Box_refine_with_congruences :
  double_box -> congruence_system -> unit
val ppl_Double_Box_intersection_assign : double_box -> double_box -> unit
val ppl_Double_Box_upper_bound_assign : double_box -> double_box -> unit
val ppl_Double_Box_difference_assign : double_box -> double_box -> unit
val ppl_Double_Box_concatenate_assign : double_box -> double_box -> unit
val ppl_Double_Box_time_elapse_assign : double_box -> double_box -> unit
val ppl_Double_Box_upper_bound_assign_if_exact :
  double_box -> double_box -> bool
val ppl_Double_Box_simplify_using_context_assign :
  double_box -> double_box -> bool
val ppl_Double_Box_constrains : double_box -> int -> bool
val ppl_Double_Box_unconstrain_space_dimension : double_box -> int -> unit
val ppl_Double_Box_unconstrain_space_dimensions :
  double_box -> int list -> unit
val ppl_Double_Box_affine_image :
  double_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Double_Box_affine_preimage :
  double_box -> int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Double_Box_bounded_affine_image :
  double_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Double_Box_bounded_affine_preimage :
  double_box ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Double_Box_generalized_affine_image :
  double_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Double_Box_generalized_affine_preimage :
  double_box ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Double_Box_generalized_affine_image_lhs_rhs :
  double_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit

```

```

val ppl_Double_Box_generalized_affine_preimage_lhs_rhs :
  double_box ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Double_Box_add_space_dimensions_and_embed : double_box -> int -> unit
val ppl_Double_Box_add_space_dimensions_and_project :
  double_box -> int -> unit
val ppl_Double_Box_remove_space_dimensions : double_box -> int list -> unit
val ppl_Double_Box_remove_higher_space_dimensions : double_box -> int -> unit
val ppl_Double_Box_expand_space_dimension : double_box -> int -> int -> unit
val ppl_Double_Box_fold_space_dimensions :
  double_box -> int list -> int -> unit
val ppl_Double_Box_map_space_dimensions :
  double_box -> (int * int) list -> unit
val ppl_Double_Box_drop_some_non_integer_points :
  double_box -> complexity_class -> unit
val ppl_Double_Box_drop_some_non_integer_points_2 :
  double_box -> int list -> complexity_class -> unit
val ppl_Double_Box_ascii_dump : double_box -> string
val ppl_Double_Box_external_memory_in_bytes : double_box -> int
val ppl_Double_Box_total_memory_in_bytes : double_box -> int
val ppl_Double_Box_CC76_widening_assign_with_tokens :
  double_box -> double_box -> int -> int
val ppl_Double_Box_CC76_widening_assign : double_box -> double_box -> unit
val ppl_Double_Box_widening_assign_with_tokens :
  double_box -> double_box -> int -> int
val ppl_Double_Box_widening_assign : double_box -> double_box -> unit
val ppl_Double_Box_limited_CC76_extrapolation_assign_with_tokens :
  double_box ->
  double_box -> constraint_system -> int -> int
val ppl_Double_Box_limited_CC76_extrapolation_assign :
  double_box ->
  double_box -> constraint_system -> unit
val ppl_Double_Box_linear_partition :
  double_box ->
  double_box ->
  double_box * pointset_powerset_nnc_polyhedron
val ppl_Double_Box_wrap_assign :
  double_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Double_Box : double_box -> bool
val ppl_termination_test_PR_Double_Box : double_box -> bool
val ppl_one_affine_ranking_function_MS_Double_Box :
  double_box -> bool * linear_generator

```

```

val ppl_one_affine_ranking_function_PR_Double_Box :
  double_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Double_Box : double_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Double_Box : double_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Double_Box :
  double_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Double_Box_2 : double_box -> double_box -> bool
val ppl_termination_test_PR_Double_Box_2 : double_box -> double_box -> bool
val ppl_one_affine_ranking_function_MS_Double_Box_2 :
  double_box ->
  double_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Double_Box_2 :
  double_box ->
  double_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Double_Box_2 :
  double_box -> double_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Double_Box_2 :
  double_box -> double_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Double_Box_2 :
  double_box ->
  double_box -> polyhedron * polyhedron
val ppl_new_BD_Shape_double_from_space_dimension :
  int -> degenerate_element -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int8_Box : int8_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int16_Box : int16_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int32_Box : int32_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int64_Box : int64_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint8_Box : uint8_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint16_Box : uint16_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint32_Box : uint32_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint64_Box : uint64_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Z_Box : z_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_Rational_Box :
  rational_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int8_t :
  bd_shape_int8_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int16_t :
  bd_shape_int16_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int32_t :
  bd_shape_int32_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int64_t :
  bd_shape_int64_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> bd_shape_double
val ppl_new_BD_Shape_double_from-Octagonal_Shape_int8_t :

```

```

    octagonal_shape_int8_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_C_Polyhedron : polyhedron -> bd_shape_double
val ppl_new_BD_Shape_double_from_NNC_Polyhedron :
    polyhedron -> bd_shape_double
val ppl_new_BD_Shape_double_from_Grid : grid -> bd_shape_double
val ppl_new_BD_Shape_double_from_Float_Box : float_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_float :
    bd_shape_float -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_float :
    octagonal_shape_float -> bd_shape_double
val ppl_new_BD_Shape_double_from_Double_Box : double_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_double :
    bd_shape_double -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_double :
    octagonal_shape_double -> bd_shape_double
val ppl_new_BD_Shape_double_from_Long_Double_Box :
    long_double_box -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_long_double :
    bd_shape_long_double -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> bd_shape_double

```

```

val ppl_new_BD_Shape_double_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Uint64_Box_with_complexity :
  uint64_box ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Z_Box_with_complexity :
  z_box -> complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_C_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> bd_shape_double

```



```

val ppl_new_BD_Shape_double_from_NNC_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Grid_with_complexity :
  grid -> complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> bd_shape_double
val ppl_new_BD_Shape_double_from_constraints :
  constraint_system -> bd_shape_double
val ppl_new_BD_Shape_double_from_congruences :
  congruence_system -> bd_shape_double
val ppl_new_BD_Shape_double_from_generators :
  generator_system -> bd_shape_double
val ppl_BD_Shape_double_swap : bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_space_dimension : bd_shape_double -> int
val ppl_BD_Shape_double_affine_dimension : bd_shape_double -> int
val ppl_BD_Shape_double_relation_with_constraint :
  bd_shape_double ->
  linear_constraint -> poly_con_relation list
val ppl_BD_Shape_double_relation_with_generator :
  bd_shape_double ->
  linear_generator -> poly_gen_relation list
val ppl_BD_Shape_double_relation_with_congruence :
  bd_shape_double ->

```

```

    linear_congruence -> poly_con_relation list
val ppl_BD_Shape_double_get_constraints :
    bd_shape_double -> constraint_system
val ppl_BD_Shape_double_get_congruences :
    bd_shape_double -> congruence_system
val ppl_BD_Shape_double_get_minimized_constraints :
    bd_shape_double -> constraint_system
val ppl_BD_Shape_double_get_minimized_congruences :
    bd_shape_double -> congruence_system
val ppl_BD_Shape_double_is_empty : bd_shape_double -> bool
val ppl_BD_Shape_double_is_universe : bd_shape_double -> bool
val ppl_BD_Shape_double_is_bounded : bd_shape_double -> bool
val ppl_BD_Shape_double_contains_integer_point : bd_shape_double -> bool
val ppl_BD_Shape_double_is_topologically_closed : bd_shape_double -> bool
val ppl_BD_Shape_double_is_discrete : bd_shape_double -> bool
val ppl_BD_Shape_double_topological_closure_assign : bd_shape_double -> unit
val ppl_BD_Shape_double_bounds_from_above :
    bd_shape_double -> linear_expression -> bool
val ppl_BD_Shape_double_bounds_from_below :
    bd_shape_double -> linear_expression -> bool
val ppl_BD_Shape_double_maximize :
    bd_shape_double ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_double_minimize :
    bd_shape_double ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_double_maximize_with_point :
    bd_shape_double ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_double_minimize_with_point :
    bd_shape_double ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_double_frequency :
    bd_shape_double ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_double_contains_BD_Shape_double :
    bd_shape_double -> bd_shape_double -> bool
val ppl_BD_Shape_double_strictly_contains_BD_Shape_double :
    bd_shape_double -> bd_shape_double -> bool
val ppl_BD_Shape_double_is_disjoint_from_BD_Shape_double :
    bd_shape_double -> bd_shape_double -> bool
val ppl_BD_Shape_double_equals_BD_Shape_double :
    bd_shape_double -> bd_shape_double -> bool
val ppl_BD_Shape_double_OK : bd_shape_double -> bool
val ppl_BD_Shape_double_add_constraint :
    bd_shape_double -> linear_constraint -> unit

```

```

val ppl_BD_Shape_double_add_congruence :
  bd_shape_double -> linear_congruence -> unit
val ppl_BD_Shape_double_add_constraints :
  bd_shape_double -> constraint_system -> unit
val ppl_BD_Shape_double_add_congruences :
  bd_shape_double -> congruence_system -> unit
val ppl_BD_Shape_double_refine_with_constraint :
  bd_shape_double -> linear_constraint -> unit
val ppl_BD_Shape_double_refine_with_congruence :
  bd_shape_double -> linear_congruence -> unit
val ppl_BD_Shape_double_refine_with_constraints :
  bd_shape_double -> constraint_system -> unit
val ppl_BD_Shape_double_refine_with_congruences :
  bd_shape_double -> congruence_system -> unit
val ppl_BD_Shape_double_intersection_assign :
  bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_upper_bound_assign :
  bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_difference_assign :
  bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_concatenate_assign :
  bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_time_elapse_assign :
  bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_upper_bound_assign_if_exact :
  bd_shape_double -> bd_shape_double -> bool
val ppl_BD_Shape_double_simplify_using_context_assign :
  bd_shape_double -> bd_shape_double -> bool
val ppl_BD_Shape_double_constrains : bd_shape_double -> int -> bool
val ppl_BD_Shape_double_unconstrain_space_dimension :
  bd_shape_double -> int -> unit
val ppl_BD_Shape_double_unconstrain_space_dimensions :
  bd_shape_double -> int list -> unit
val ppl_BD_Shape_double_affine_image :
  bd_shape_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_double_affine_preimage :
  bd_shape_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_double_bounded_affine_image :
  bd_shape_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_double_bounded_affine_preimage :
  bd_shape_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_double_generalized_affine_image :
  bd_shape_double ->

```

```

    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_double_generalized_affine_preimage :
    bd_shape_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_double_generalized_affine_image_lhs_rhs :
    bd_shape_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_double_generalized_affine_preimage_lhs_rhs :
    bd_shape_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_double_add_space_dimensions_and_embed :
    bd_shape_double -> int -> unit
val ppl_BD_Shape_double_add_space_dimensions_and_project :
    bd_shape_double -> int -> unit
val ppl_BD_Shape_double_remove_space_dimensions :
    bd_shape_double -> int list -> unit
val ppl_BD_Shape_double_remove_higher_space_dimensions :
    bd_shape_double -> int -> unit
val ppl_BD_Shape_double_expand_space_dimension :
    bd_shape_double -> int -> int -> unit
val ppl_BD_Shape_double_fold_space_dimensions :
    bd_shape_double -> int list -> int -> unit
val ppl_BD_Shape_double_map_space_dimensions :
    bd_shape_double -> (int * int) list -> unit
val ppl_BD_Shape_double_drop_some_non_integer_points :
    bd_shape_double -> complexity_class -> unit
val ppl_BD_Shape_double_drop_some_non_integer_points_2 :
    bd_shape_double -> int list -> complexity_class -> unit
val ppl_BD_Shape_double_ascii_dump : bd_shape_double -> string
val ppl_BD_Shape_double_external_memory_in_bytes : bd_shape_double -> int
val ppl_BD_Shape_double_total_memory_in_bytes : bd_shape_double -> int
val ppl_BD_Shape_double_BHMZ05_widening_assign_with_tokens :
    bd_shape_double -> bd_shape_double -> int -> int
val ppl_BD_Shape_double_H79_widening_assign_with_tokens :
    bd_shape_double -> bd_shape_double -> int -> int
val ppl_BD_Shape_double_BHMZ05_widening_assign :
    bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_H79_widening_assign :
    bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_widening_assign_with_tokens :
    bd_shape_double -> bd_shape_double -> int -> int
val ppl_BD_Shape_double_widening_assign :
    bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_limited_BHMZ05_extrapolation_assign_with_tokens :
    bd_shape_double ->

```

```

    bd_shape_double -> constraint_system -> int -> int
val ppl_BD_Shape_double_limited_H79_extrapolation_assign_with_tokens :
    bd_shape_double ->
    bd_shape_double -> constraint_system -> int -> int
val ppl_BD_Shape_double_limited_CC76_extrapolation_assign_with_tokens :
    bd_shape_double ->
    bd_shape_double -> constraint_system -> int -> int
val ppl_BD_Shape_double_limited_BHMZ05_extrapolation_assign :
    bd_shape_double ->
    bd_shape_double -> constraint_system -> unit
val ppl_BD_Shape_double_limited_H79_extrapolation_assign :
    bd_shape_double ->
    bd_shape_double -> constraint_system -> unit
val ppl_BD_Shape_double_limited_CC76_extrapolation_assign :
    bd_shape_double ->
    bd_shape_double -> constraint_system -> unit
val ppl_BD_Shape_double_CC76_extrapolation_assign_with_tokens :
    bd_shape_double -> bd_shape_double -> int -> int
val ppl_BD_Shape_double_CC76_extrapolation_assign :
    bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_CC76_narrowing_assign :
    bd_shape_double -> bd_shape_double -> unit
val ppl_BD_Shape_double_linear_partition :
    bd_shape_double ->
    bd_shape_double ->
    bd_shape_double * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_double_wrap_assign :
    bd_shape_double ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_double : bd_shape_double -> bool
val ppl_termination_test_PR_BD_Shape_double : bd_shape_double -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_double :
    bd_shape_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_double :
    bd_shape_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_double :
    bd_shape_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_double :
    bd_shape_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_double :
    bd_shape_double -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_double_2 :
    bd_shape_double -> bd_shape_double -> bool
val ppl_termination_test_PR_BD_Shape_double_2 :
    bd_shape_double -> bd_shape_double -> bool

```

```

val ppl_one_affine_ranking_function_MS_BD_Shape_double_2 :
  bd_shape_double ->
  bd_shape_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_double_2 :
  bd_shape_double ->
  bd_shape_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_double_2 :
  bd_shape_double ->
  bd_shape_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_double_2 :
  bd_shape_double ->
  bd_shape_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_double_2 :
  bd_shape_double ->
  bd_shape_double -> polyhedron * polyhedron
val ppl_new_Octagonal_Shape_double_from_space_dimension :
  int -> degenerate_element -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int8_Box :
  int8_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int16_Box :
  int16_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int32_Box :
  int32_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int64_Box :
  int64_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint8_Box :
  uint8_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint16_Box :
  uint16_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint32_Box :
  uint32_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint64_Box :
  uint64_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Z_Box :
  z_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Rational_Box :
  rational_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_double

```

```

val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_C_Polyhedron :
  polyhedron -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_NNC_Polyhedron :
  polyhedron -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Grid : grid -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Float_Box :
  float_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_float :
  bd_shape_float -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Double_Box :
  double_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_double :
  bd_shape_double -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double :
  octagonal_shape_double -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Long_Double_Box :
  long_double_box -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_long_double :
  bd_shape_long_double -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint8_Box_with_complexity :
  uint8_box ->

```

```

    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int32_t_with_complexity :
    octagonal_shape_int32_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_mpq_class_with_complexity :

```



```

    octagonal_shape_mpq_class ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Grid_with_complexity :
    grid ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_constraints :
    constraint_system -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_congruences :
    congruence_system -> octagonal_shape_double
val ppl_new_Octagonal_Shape_double_from_generators :
    generator_system -> octagonal_shape_double
val ppl_Octagonal_Shape_double_swap :
    octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_space_dimension :
    octagonal_shape_double -> int
val ppl_Octagonal_Shape_double_affine_dimension :
    octagonal_shape_double -> int

```

```

val ppl_Octagonal_Shape_double_relation_with_constraint :
  octagonal_shape_double ->
  linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_double_relation_with_generator :
  octagonal_shape_double ->
  linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_double_relation_with_congruence :
  octagonal_shape_double ->
  linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_double_get_constraints :
  octagonal_shape_double -> constraint_system
val ppl_Octagonal_Shape_double_get_congruences :
  octagonal_shape_double -> congruence_system
val ppl_Octagonal_Shape_double_get_minimized_constraints :
  octagonal_shape_double -> constraint_system
val ppl_Octagonal_Shape_double_get_minimized_congruences :
  octagonal_shape_double -> congruence_system
val ppl_Octagonal_Shape_double_is_empty : octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_is_universe : octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_is_bounded : octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_contains_integer_point :
  octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_is_topologically_closed :
  octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_is_discrete : octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_topological_closure_assign :
  octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_bounds_from_above :
  octagonal_shape_double -> linear_expression -> bool
val ppl_Octagonal_Shape_double_bounds_from_below :
  octagonal_shape_double -> linear_expression -> bool
val ppl_Octagonal_Shape_double_maximize :
  octagonal_shape_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_double_minimize :
  octagonal_shape_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_double_maximize_with_point :
  octagonal_shape_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_double_minimize_with_point :
  octagonal_shape_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_double_frequency :
  octagonal_shape_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_double_contains_Octagonal_Shape_double :

```

```

    octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_strictly_contains_Octagonal_Shape_double :
    octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_is_disjoint_from_Octagonal_Shape_double :
    octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_equals_Octagonal_Shape_double :
    octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_OK : octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_add_constraint :
    octagonal_shape_double -> linear_constraint -> unit
val ppl_Octagonal_Shape_double_add_congruence :
    octagonal_shape_double -> linear_congruence -> unit
val ppl_Octagonal_Shape_double_add_constraints :
    octagonal_shape_double -> constraint_system -> unit
val ppl_Octagonal_Shape_double_add_congruences :
    octagonal_shape_double -> congruence_system -> unit
val ppl_Octagonal_Shape_double_refine_with_constraint :
    octagonal_shape_double -> linear_constraint -> unit
val ppl_Octagonal_Shape_double_refine_with_congruence :
    octagonal_shape_double -> linear_congruence -> unit
val ppl_Octagonal_Shape_double_refine_with_constraints :
    octagonal_shape_double -> constraint_system -> unit
val ppl_Octagonal_Shape_double_refine_with_congruences :
    octagonal_shape_double -> congruence_system -> unit
val ppl_Octagonal_Shape_double_intersection_assign :
    octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_upper_bound_assign :
    octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_difference_assign :
    octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_concatenate_assign :
    octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_time_elapse_assign :
    octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_upper_bound_assign_if_exact :
    octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_simplify_using_context_assign :
    octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_Octagonal_Shape_double_constrains :
    octagonal_shape_double -> int -> bool
val ppl_Octagonal_Shape_double_unconstrain_space_dimension :
    octagonal_shape_double -> int -> unit
val ppl_Octagonal_Shape_double_unconstrain_space_dimensions :
    octagonal_shape_double -> int list -> unit
val ppl_Octagonal_Shape_double_affine_image :
    octagonal_shape_double ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_double_affine_preimage :

```

```

    octagonal_shape_double ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_double_bounded_affine_image :
    octagonal_shape_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_double_bounded_affine_preimage :
    octagonal_shape_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_double_generalized_affine_image :
    octagonal_shape_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_double_generalized_affine_preimage :
    octagonal_shape_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_double_generalized_affine_image_lhs_rhs :
    octagonal_shape_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_double_generalized_affine_preimage_lhs_rhs :
    octagonal_shape_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_double_add_space_dimensions_and_embed :
    octagonal_shape_double -> int -> unit
val ppl_Octagonal_Shape_double_add_space_dimensions_and_project :
    octagonal_shape_double -> int -> unit
val ppl_Octagonal_Shape_double_remove_space_dimensions :
    octagonal_shape_double -> int list -> unit
val ppl_Octagonal_Shape_double_remove_higher_space_dimensions :
    octagonal_shape_double -> int -> unit
val ppl_Octagonal_Shape_double_expand_space_dimension :
    octagonal_shape_double -> int -> int -> unit
val ppl_Octagonal_Shape_double_fold_space_dimensions :
    octagonal_shape_double -> int list -> int -> unit
val ppl_Octagonal_Shape_double_map_space_dimensions :
    octagonal_shape_double -> (int * int) list -> unit
val ppl_Octagonal_Shape_double_drop_some_non_integer_points :
    octagonal_shape_double -> complexity_class -> unit
val ppl_Octagonal_Shape_double_drop_some_non_integer_points_2 :
    octagonal_shape_double ->
    int list -> complexity_class -> unit
val ppl_Octagonal_Shape_double_ascii_dump : octagonal_shape_double -> string
val ppl_Octagonal_Shape_double_external_memory_in_bytes :
    octagonal_shape_double -> int
val ppl_Octagonal_Shape_double_total_memory_in_bytes :
    octagonal_shape_double -> int

```

```

val ppl_Octagonal_Shape_double_BHMZ05_widening_assign_with_tokens :
  octagonal_shape_double ->
  octagonal_shape_double -> int -> int
val ppl_Octagonal_Shape_double_BHMZ05_widening_assign :
  octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_widening_assign_with_tokens :
  octagonal_shape_double ->
  octagonal_shape_double -> int -> int
val ppl_Octagonal_Shape_double_widening_assign :
  octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_limited_BHMZ05_extrapolation_assign_with_tokens :
  octagonal_shape_double ->
  octagonal_shape_double -> constraint_system -> int -> int
val ppl_Octagonal_Shape_double_limited_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_double ->
  octagonal_shape_double -> constraint_system -> int -> int
val ppl_Octagonal_Shape_double_limited_BHMZ05_extrapolation_assign :
  octagonal_shape_double ->
  octagonal_shape_double -> constraint_system -> unit
val ppl_Octagonal_Shape_double_limited_CC76_extrapolation_assign :
  octagonal_shape_double ->
  octagonal_shape_double -> constraint_system -> unit
val ppl_Octagonal_Shape_double_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_double ->
  octagonal_shape_double -> int -> int
val ppl_Octagonal_Shape_double_CC76_extrapolation_assign :
  octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_CC76_narrowing_assign :
  octagonal_shape_double -> octagonal_shape_double -> unit
val ppl_Octagonal_Shape_double_linear_partition :
  octagonal_shape_double ->
  octagonal_shape_double ->
  octagonal_shape_double * pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_double_wrap_assign :
  octagonal_shape_double ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_double :
  octagonal_shape_double -> bool
val ppl_termination_test_PR_Octagonal_Shape_double :
  octagonal_shape_double -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_double :
  octagonal_shape_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_double :
  octagonal_shape_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_double :
  octagonal_shape_double -> polyhedron

```

```

val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_double :
  octagonal_shape_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_double :
  octagonal_shape_double ->
  polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_double_2 :
  octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_termination_test_PR_Octagonal_Shape_double_2 :
  octagonal_shape_double -> octagonal_shape_double -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_double_2 :
  octagonal_shape_double ->
  octagonal_shape_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_double_2 :
  octagonal_shape_double ->
  octagonal_shape_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_double_2 :
  octagonal_shape_double ->
  octagonal_shape_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_double_2 :
  octagonal_shape_double ->
  octagonal_shape_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_double_2 :
  octagonal_shape_double ->
  octagonal_shape_double ->
  polyhedron * polyhedron
val ppl_new_Pointset_Powerset_Double_Box_from_space_dimension :
  int -> degenerate_element -> pointset_powerset_double_box
val ppl_new_Pointset_Powerset_Double_Box_from_Pointset_Powerset_Double_Box :
  pointset_powerset_double_box ->
  pointset_powerset_double_box
val ppl_new_Pointset_Powerset_Double_Box_from_Double_Box :
  double_box -> pointset_powerset_double_box
val ppl_new_Pointset_Powerset_Double_Box_from_Pointset_Powerset_Double_Box_with_complexity :
  pointset_powerset_double_box ->
  complexity_class -> pointset_powerset_double_box
val ppl_new_Pointset_Powerset_Double_Box_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> pointset_powerset_double_box
val ppl_new_Pointset_Powerset_Double_Box_from_constraints :
  constraint_system -> pointset_powerset_double_box
val ppl_new_Pointset_Powerset_Double_Box_from_congruences :
  congruence_system -> pointset_powerset_double_box
val ppl_Pointset_Powerset_Double_Box_swap :
  pointset_powerset_double_box ->
  pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_space_dimension :
  pointset_powerset_double_box -> int
val ppl_Pointset_Powerset_Double_Box_affine_dimension :
  pointset_powerset_double_box -> int

```

```

val ppl_Pointset_Powerset_Double_Box_relation_with_constraint :
  pointset_powerset_double_box ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Double_Box_relation_with_generator :
  pointset_powerset_double_box ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Double_Box_relation_with_congruence :
  pointset_powerset_double_box ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Double_Box_is_empty :
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_is_universe :
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_is_bounded :
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_contains_integer_point :
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_is_topologically_closed :
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_is_discrete :
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_topological_closure_assign :
  pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_pairwise_reduce :
  pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_omega_reduce :
  pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_bounds_from_above :
  pointset_powerset_double_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Double_Box_bounds_from_below :
  pointset_powerset_double_box -> linear_expression -> bool
val ppl_Pointset_Powerset_Double_Box_maximize :
  pointset_powerset_double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Double_Box_minimize :
  pointset_powerset_double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Double_Box_maximize_with_point :
  pointset_powerset_double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Double_Box_minimize_with_point :
  pointset_powerset_double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Double_Box_contains_Pointset_Powerset_Double_Box :
  pointset_powerset_double_box ->
  pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_strictly_contains_Pointset_Powerset_Double_Box :

```

```

    pointset_powerset_double_box ->
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_is_disjoint_from_Pointset_Powerset_Double_Box :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_geometrically_covers_Pointset_Powerset_Double_Box :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_geometrically_equals_Pointset_Powerset_Double_Box :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_equals_Pointset_Powerset_Double_Box :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_OK :
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_add_constraint :
    pointset_powerset_double_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Double_Box_add_congruence :
    pointset_powerset_double_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Double_Box_add_constraints :
    pointset_powerset_double_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Double_Box_add_congruences :
    pointset_powerset_double_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Double_Box_refine_with_constraint :
    pointset_powerset_double_box -> linear_constraint -> unit
val ppl_Pointset_Powerset_Double_Box_refine_with_congruence :
    pointset_powerset_double_box -> linear_congruence -> unit
val ppl_Pointset_Powerset_Double_Box_refine_with_constraints :
    pointset_powerset_double_box -> constraint_system -> unit
val ppl_Pointset_Powerset_Double_Box_refine_with_congruences :
    pointset_powerset_double_box -> congruence_system -> unit
val ppl_Pointset_Powerset_Double_Box_intersection_assign :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_upper_bound_assign :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_difference_assign :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_concatenate_assign :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_time_elapse_assign :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> unit
val ppl_Pointset_Powerset_Double_Box_upper_bound_assign_if_exact :
    pointset_powerset_double_box ->

```



```

    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_simplify_using_context_assign :
    pointset_powerset_double_box ->
    pointset_powerset_double_box -> bool
val ppl_Pointset_Powerset_Double_Box_constrains :
    pointset_powerset_double_box -> int -> bool
val ppl_Pointset_Powerset_Double_Box_unconstrain_space_dimension :
    pointset_powerset_double_box -> int -> unit
val ppl_Pointset_Powerset_Double_Box_unconstrain_space_dimensions :
    pointset_powerset_double_box -> int list -> unit
val ppl_Pointset_Powerset_Double_Box_affine_image :
    pointset_powerset_double_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Double_Box_affine_preimage :
    pointset_powerset_double_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Double_Box_bounded_affine_image :
    pointset_powerset_double_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Double_Box_bounded_affine_preimage :
    pointset_powerset_double_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Double_Box_generalized_affine_image :
    pointset_powerset_double_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Double_Box_generalized_affine_preimage :
    pointset_powerset_double_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Double_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_double_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Double_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_double_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Double_Box_add_space_dimensions_and_embed :
    pointset_powerset_double_box -> int -> unit
val ppl_Pointset_Powerset_Double_Box_add_space_dimensions_and_project :
    pointset_powerset_double_box -> int -> unit
val ppl_Pointset_Powerset_Double_Box_remove_space_dimensions :
    pointset_powerset_double_box -> int list -> unit
val ppl_Pointset_Powerset_Double_Box_remove_higher_space_dimensions :
    pointset_powerset_double_box -> int -> unit
val ppl_Pointset_Powerset_Double_Box_expand_space_dimension :
    pointset_powerset_double_box -> int -> int -> unit

```

```

val ppl_Pointset_Powerset_Double_Box_fold_space_dimensions :
  pointset_powerset_double_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Double_Box_map_space_dimensions :
  pointset_powerset_double_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Double_Box_drop_some_non_integer_points :
  pointset_powerset_double_box -> complexity_class -> unit
val ppl_Pointset_Powerset_Double_Box_drop_some_non_integer_points_2 :
  pointset_powerset_double_box ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Double_Box_ascii_dump :
  pointset_powerset_double_box -> string
val ppl_Pointset_Powerset_Double_Box_external_memory_in_bytes :
  pointset_powerset_double_box -> int
val ppl_Pointset_Powerset_Double_Box_total_memory_in_bytes :
  pointset_powerset_double_box -> int
val ppl_Pointset_Powerset_Double_Box_size :
  pointset_powerset_double_box -> int
type pointset_powerset_double_box_iterator
val ppl_new_Pointset_Powerset_Double_Box_iterator_from_iterator :
  pointset_powerset_double_box_iterator ->
  pointset_powerset_double_box_iterator
val ppl_Pointset_Powerset_Double_Box_begin_iterator :
  pointset_powerset_double_box ->
  pointset_powerset_double_box_iterator
val ppl_Pointset_Powerset_Double_Box_end_iterator :
  pointset_powerset_double_box ->
  pointset_powerset_double_box_iterator
val ppl_Pointset_Powerset_Double_Box_iterator_equals_iterator :
  pointset_powerset_double_box_iterator ->
  pointset_powerset_double_box_iterator -> bool
val ppl_Pointset_Powerset_Double_Box_increment_iterator :
  pointset_powerset_double_box_iterator -> unit
val ppl_Pointset_Powerset_Double_Box_decrement_iterator :
  pointset_powerset_double_box_iterator -> unit
val ppl_Pointset_Powerset_Double_Box_get_disjunct :
  pointset_powerset_double_box_iterator -> double_box
val ppl_Pointset_Powerset_Double_Box_add_disjunct :
  pointset_powerset_double_box -> double_box -> unit
val ppl_Pointset_Powerset_Double_Box_drop_disjunct :
  pointset_powerset_double_box ->
  pointset_powerset_double_box_iterator -> unit
val ppl_Pointset_Powerset_Double_Box_drop_disjuncts :
  pointset_powerset_double_box ->
  pointset_powerset_double_box_iterator ->
  pointset_powerset_double_box_iterator -> unit
val ppl_new_Pointset_Powerset_BD_Shape_double_from_space_dimension :
  int ->
  degenerate_element -> pointset_powerset_bd_shape_double
val ppl_new_Pointset_Powerset_BD_Shape_double_from_Pointset_Powerset_BD_Shape_double

```

```

    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double
val ppl_new_Pointset_Powerset_BD_Shape_double_from_BD_Shape_double :
    bd_shape_double -> pointset_powerset_bd_shape_double
val ppl_new_Pointset_Powerset_BD_Shape_double_from_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    complexity_class -> pointset_powerset_bd_shape_double
val ppl_new_Pointset_Powerset_BD_Shape_double_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> pointset_powerset_bd_shape_double
val ppl_new_Pointset_Powerset_BD_Shape_double_from_constraints :
    constraint_system -> pointset_powerset_bd_shape_double
val ppl_new_Pointset_Powerset_BD_Shape_double_from_congruences :
    congruence_system -> pointset_powerset_bd_shape_double
val ppl_Pointset_Powerset_BD_Shape_double_swap :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_space_dimension :
    pointset_powerset_bd_shape_double -> int
val ppl_Pointset_Powerset_BD_Shape_double_affine_dimension :
    pointset_powerset_bd_shape_double -> int
val ppl_Pointset_Powerset_BD_Shape_double_relation_with_constraint :
    pointset_powerset_bd_shape_double ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_double_relation_with_generator :
    pointset_powerset_bd_shape_double ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_double_relation_with_congruence :
    pointset_powerset_bd_shape_double ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_double_is_empty :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_is_universe :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_is_bounded :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_contains_integer_point :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_is_topologically_closed :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_is_discrete :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_topological_closure_assign :
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_pairwise_reduce :
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_omega_reduce :
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_bounds_from_above :

```

```

    pointset_powerset_bd_shape_double ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_double_bounds_from_below :
    pointset_powerset_bd_shape_double ->
    linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_double_maximize :
    pointset_powerset_bd_shape_double ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_double_minimize :
    pointset_powerset_bd_shape_double ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_double_maximize_with_point :
    pointset_powerset_bd_shape_double ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_double_minimize_with_point :
    pointset_powerset_bd_shape_double ->
    linear_expression ->
    bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_double_contains_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_strictly_contains_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_is_disjoint_from_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_geometrically_covers_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_geometrically_equals_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_equals_Pointset_Powerset_BD_Shape_double :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_OK :
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_add_constraint :
    pointset_powerset_bd_shape_double ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_double_add_congruence :
    pointset_powerset_bd_shape_double ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_double_add_constraints :
    pointset_powerset_bd_shape_double ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_double_add_congruences :
    pointset_powerset_bd_shape_double ->

```

```

    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_double_refine_with_constraint :
    pointset_powerset_bd_shape_double ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_double_refine_with_congruence :
    pointset_powerset_bd_shape_double ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_double_refine_with_constraints :
    pointset_powerset_bd_shape_double ->
    constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_double_refine_with_congruences :
    pointset_powerset_bd_shape_double ->
    congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_double_intersection_assign :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_upper_bound_assign :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_difference_assign :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_concatenate_assign :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_time_elapse_assign :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_upper_bound_assign_if_exact :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_simplify_using_context_assign :
    pointset_powerset_bd_shape_double ->
    pointset_powerset_bd_shape_double -> bool
val ppl_Pointset_Powerset_BD_Shape_double_constrains :
    pointset_powerset_bd_shape_double -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_double_unconstrain_space_dimension :
    pointset_powerset_bd_shape_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_unconstrain_space_dimensions :
    pointset_powerset_bd_shape_double -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_double_affine_image :
    pointset_powerset_bd_shape_double ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_double_affine_preimage :
    pointset_powerset_bd_shape_double ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_double_bounded_affine_image :
    pointset_powerset_bd_shape_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_double_bounded_affine_preimage :
  pointset_powerset_bd_shape_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_double_generalized_affine_image :
  pointset_powerset_bd_shape_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_double_generalized_affine_preimage :
  pointset_powerset_bd_shape_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_double_generalized_affine_image_lhs_rhs :
  pointset_powerset_bd_shape_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_double_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_bd_shape_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_double_add_space_dimensions_and_embed :
  pointset_powerset_bd_shape_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_add_space_dimensions_and_project :
  pointset_powerset_bd_shape_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_remove_space_dimensions :
  pointset_powerset_bd_shape_double -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_double_remove_higher_space_dimensions :
  pointset_powerset_bd_shape_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_expand_space_dimension :
  pointset_powerset_bd_shape_double -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_fold_space_dimensions :
  pointset_powerset_bd_shape_double -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_map_space_dimensions :
  pointset_powerset_bd_shape_double -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_double_drop_some_non_integer_points :
  pointset_powerset_bd_shape_double ->
  complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_double_drop_some_non_integer_points_2 :
  pointset_powerset_bd_shape_double ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_double_ascii_dump :
  pointset_powerset_bd_shape_double -> string
val ppl_Pointset_Powerset_BD_Shape_double_external_memory_in_bytes :
  pointset_powerset_bd_shape_double -> int
val ppl_Pointset_Powerset_BD_Shape_double_total_memory_in_bytes :
  pointset_powerset_bd_shape_double -> int
val ppl_Pointset_Powerset_BD_Shape_double_size :
  pointset_powerset_bd_shape_double -> int
type pointset_powerset_bd_shape_double_iterator

```

```

val ppl_new_Pointset_Powerset_BD_Shape_double_iterator_from_iterator :
  pointset_powerset_bd_shape_double_iterator ->
  pointset_powerset_bd_shape_double_iterator
val ppl_Pointset_Powerset_BD_Shape_double_begin_iterator :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double_iterator
val ppl_Pointset_Powerset_BD_Shape_double_end_iterator :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double_iterator
val ppl_Pointset_Powerset_BD_Shape_double_iterator_equals_iterator :
  pointset_powerset_bd_shape_double_iterator ->
  pointset_powerset_bd_shape_double_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_double_increment_iterator :
  pointset_powerset_bd_shape_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_double_decrement_iterator :
  pointset_powerset_bd_shape_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_double_get_disjunct :
  pointset_powerset_bd_shape_double_iterator ->
  bd_shape_double
val ppl_Pointset_Powerset_BD_Shape_double_add_disjunct :
  pointset_powerset_bd_shape_double ->
  bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_drop_disjunct :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_double_drop_disjuncts :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double_iterator ->
  pointset_powerset_bd_shape_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_double_BHZ03_H79_BHMZ05_widening_assign :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_BHZ03_H79_H79_widening_assign :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double -> unit
val ppl_Pointset_Powerset_BD_Shape_double_BGP99_BHMZ05_extrapolation_assign :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_double_BGP99_H79_extrapolation_assign :
  pointset_powerset_bd_shape_double ->
  pointset_powerset_bd_shape_double -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_space_dimension :
  int ->
  degenerate_element ->
  pointset_powerset_octagonal_shape_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_Pointset_Powerset_Octagonal
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_Octagonal_Shape_double :
  octagonal_shape_double ->

```

```

    pointset_powerset_octagonal_shape_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_Pointset_Powerset_Octagonal
    pointset_powerset_octagonal_shape_double ->
    complexity_class ->
    pointset_powerset_octagonal_shape_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_Octagonal_Shape_double_with
    octagonal_shape_double ->
    complexity_class ->
    pointset_powerset_octagonal_shape_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_constraints :
    constraint_system ->
    pointset_powerset_octagonal_shape_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_from_congruences :
    congruence_system ->
    pointset_powerset_octagonal_shape_double
val ppl_Pointset_Powerset_Octagonal_Shape_double_swap :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_space_dimension :
    pointset_powerset_octagonal_shape_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_double_affine_dimension :
    pointset_powerset_octagonal_shape_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_double_relation_with_constraint :
    pointset_powerset_octagonal_shape_double ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_double_relation_with_generator :
    pointset_powerset_octagonal_shape_double ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_double_relation_with_congruence :
    pointset_powerset_octagonal_shape_double ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_double_is_empty :
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_is_universe :
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_is_bounded :
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_contains_integer_point :
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_is_topologically_closed :
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_is_discrete :
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_topological_closure_assign :
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_pairwise_reduce :
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_omega_reduce :
    pointset_powerset_octagonal_shape_double -> unit

```



```

val ppl_Pointset_Powerset_Octagonal_Shape_double_bounds_from_above :
  pointset_powerset_octagonal_shape_double ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_bounds_from_below :
  pointset_powerset_octagonal_shape_double ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_maximize :
  pointset_powerset_octagonal_shape_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_minimize :
  pointset_powerset_octagonal_shape_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_maximize_with_point :
  pointset_powerset_octagonal_shape_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_double_minimize_with_point :
  pointset_powerset_octagonal_shape_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_double_contains_Pointset_Powerset_Octagonal_Shape_double :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_strictly_contains_Pointset_Powerset_Octagonal_Shape_double :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_double :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_geometrically_covers_Pointset_Powerset_Octagonal_Shape_double :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_geometrically_equals_Pointset_Powerset_Octagonal_Shape_double :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_equals_Pointset_Powerset_Octagonal_Shape_double :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_OK :
  pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_constraint :
  pointset_powerset_octagonal_shape_double ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_congruence :
  pointset_powerset_octagonal_shape_double ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_constraints :
  pointset_powerset_octagonal_shape_double ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_congruences :

```

```

    pointset_powerset_octagonal_shape_double ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_refine_with_constraint :
    pointset_powerset_octagonal_shape_double ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_refine_with_congruence :
    pointset_powerset_octagonal_shape_double ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_refine_with_constraints :
    pointset_powerset_octagonal_shape_double ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_refine_with_congruences :
    pointset_powerset_octagonal_shape_double ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_intersection_assign :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_upper_bound_assign :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_difference_assign :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_concatenate_assign :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_time_elapse_assign :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_upper_bound_assign_if_exact :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_simplify_using_context_assign :
    pointset_powerset_octagonal_shape_double ->
    pointset_powerset_octagonal_shape_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_constrains :
    pointset_powerset_octagonal_shape_double -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_unconstrain_space_dimension :
    pointset_powerset_octagonal_shape_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_unconstrain_space_dimensions :
    pointset_powerset_octagonal_shape_double -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_affine_image :
    pointset_powerset_octagonal_shape_double ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_affine_preimage :
    pointset_powerset_octagonal_shape_double ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_bounded_affine_image :
    pointset_powerset_octagonal_shape_double ->
    int ->

```

```

    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_bounded_affine_preimage :
  pointset_powerset_octagonal_shape_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_generalized_affine_image :
  pointset_powerset_octagonal_shape_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_generalized_affine_preimage :
  pointset_powerset_octagonal_shape_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_generalized_affine_image_lhs_rhs :
  pointset_powerset_octagonal_shape_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_generalized_affine_preimage_lhs_rhs :
  pointset_powerset_octagonal_shape_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_space_dimensions_and_embed :
  pointset_powerset_octagonal_shape_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_space_dimensions_and_project :
  pointset_powerset_octagonal_shape_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_remove_space_dimensions :
  pointset_powerset_octagonal_shape_double -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_remove_higher_space_dimensions :
  pointset_powerset_octagonal_shape_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_expand_space_dimension :
  pointset_powerset_octagonal_shape_double -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_fold_space_dimensions :
  pointset_powerset_octagonal_shape_double -> int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_map_space_dimensions :
  pointset_powerset_octagonal_shape_double ->
  (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_drop_some_non_integer_points :
  pointset_powerset_octagonal_shape_double ->
  complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_drop_some_non_integer_points_2 :
  pointset_powerset_octagonal_shape_double ->
  int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_ascii_dump :
  pointset_powerset_octagonal_shape_double -> string
val ppl_Pointset_Powerset_Octagonal_Shape_double_external_memory_in_bytes :
  pointset_powerset_octagonal_shape_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_double_total_memory_in_bytes :
  pointset_powerset_octagonal_shape_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_double_size :
  pointset_powerset_octagonal_shape_double -> int

```

```

type pointset_powerset_octagonal_shape_double_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_double_iterator_from_iterator :
  pointset_powerset_octagonal_shape_double_iterator ->
  pointset_powerset_octagonal_shape_double_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_double_begin_iterator :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_double_end_iterator :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_double_iterator_equals_iterator :
  pointset_powerset_octagonal_shape_double_iterator ->
  pointset_powerset_octagonal_shape_double_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_double_increment_iterator :
  pointset_powerset_octagonal_shape_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_decrement_iterator :
  pointset_powerset_octagonal_shape_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_get_disjunct :
  pointset_powerset_octagonal_shape_double_iterator ->
  octagonal_shape_double
val ppl_Pointset_Powerset_Octagonal_Shape_double_add_disjunct :
  pointset_powerset_octagonal_shape_double ->
  octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_drop_disjunct :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_drop_disjuncts :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double_iterator ->
  pointset_powerset_octagonal_shape_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_BHZ03_H79_BHMZ05_widening_assign :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_double_BGP99_BHMZ05_extrapolation_assign :
  pointset_powerset_octagonal_shape_double ->
  pointset_powerset_octagonal_shape_double -> int -> unit
val ppl_new_Long_Double_Box_from_space_dimension :
  int -> degenerate_element -> long_double_box
val ppl_new_Long_Double_Box_from_Int8_Box : int8_box -> long_double_box
val ppl_new_Long_Double_Box_from_Int16_Box : int16_box -> long_double_box
val ppl_new_Long_Double_Box_from_Int32_Box : int32_box -> long_double_box
val ppl_new_Long_Double_Box_from_Int64_Box : int64_box -> long_double_box
val ppl_new_Long_Double_Box_from_Uint8_Box : uint8_box -> long_double_box
val ppl_new_Long_Double_Box_from_Uint16_Box : uint16_box -> long_double_box
val ppl_new_Long_Double_Box_from_Uint32_Box : uint32_box -> long_double_box
val ppl_new_Long_Double_Box_from_Uint64_Box : uint64_box -> long_double_box
val ppl_new_Long_Double_Box_from_Z_Box : z_box -> long_double_box
val ppl_new_Long_Double_Box_from_Rational_Box :

```

```

    rational_box -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int8_t :
    bd_shape_int8_t -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int16_t :
    bd_shape_int16_t -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int32_t :
    bd_shape_int32_t -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int64_t :
    bd_shape_int64_t -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_mpz_class :
    octagonal_shape_mpz_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_mpq_class :
    octagonal_shape_mpq_class -> long_double_box
val ppl_new_Long_Double_Box_from_C_Polyhedron : polyhedron -> long_double_box
val ppl_new_Long_Double_Box_from_NNC_Polyhedron :
    polyhedron -> long_double_box
val ppl_new_Long_Double_Box_from_Grid : grid -> long_double_box
val ppl_new_Long_Double_Box_from_Float_Box : float_box -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_float :
    bd_shape_float -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_float :
    octagonal_shape_float -> long_double_box
val ppl_new_Long_Double_Box_from_Double_Box : double_box -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_double :
    bd_shape_double -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_double :
    octagonal_shape_double -> long_double_box
val ppl_new_Long_Double_Box_from_Long_Double_Box :
    long_double_box -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_long_double :
    bd_shape_long_double -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double -> long_double_box
val ppl_new_Long_Double_Box_from_Int8_Box_with_complexity :
    int8_box -> complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Int16_Box_with_complexity :

```

```

    int16_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Z_Box_with_complexity :
    z_box -> complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int16_t_with_complexity :
    octagonal_shape_int16_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int32_t_with_complexity :

```

```

    octagonal_shape_int32_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_int64_t_with_complexity :
    octagonal_shape_int64_t ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_mpz_class_with_complexity :
    octagonal_shape_mpz_class ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_mpq_class_with_complexity :
    octagonal_shape_mpq_class ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_C_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_NNC_Polyhedron_with_complexity :
    polyhedron ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Grid_with_complexity :
    grid -> complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Float_Box_with_complexity :
    float_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_float_with_complexity :
    bd_shape_float ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_float_with_complexity :
    octagonal_shape_float ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Double_Box_with_complexity :
    double_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_double_with_complexity :
    bd_shape_double ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_double_with_complexity :
    octagonal_shape_double ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_BD_Shape_long_double_with_complexity :
    bd_shape_long_double ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_Octagonal_Shape_long_double_with_complexity :
    octagonal_shape_long_double ->
    complexity_class -> long_double_box
val ppl_new_Long_Double_Box_from_constraints :
    constraint_system -> long_double_box
val ppl_new_Long_Double_Box_from_congruences :
    congruence_system -> long_double_box

```

```

val ppl_new_Long_Double_Box_from_generators :
  generator_system -> long_double_box
val ppl_Long_Double_Box_swap : long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_space_dimension : long_double_box -> int
val ppl_Long_Double_Box_affine_dimension : long_double_box -> int
val ppl_Long_Double_Box_relation_with_constraint :
  long_double_box ->
  linear_constraint -> poly_con_relation list
val ppl_Long_Double_Box_relation_with_generator :
  long_double_box ->
  linear_generator -> poly_gen_relation list
val ppl_Long_Double_Box_relation_with_congruence :
  long_double_box ->
  linear_congruence -> poly_con_relation list
val ppl_Long_Double_Box_get_constraints :
  long_double_box -> constraint_system
val ppl_Long_Double_Box_get_congruences :
  long_double_box -> congruence_system
val ppl_Long_Double_Box_get_minimized_constraints :
  long_double_box -> constraint_system
val ppl_Long_Double_Box_get_minimized_congruences :
  long_double_box -> congruence_system
val ppl_Long_Double_Box_is_empty : long_double_box -> bool
val ppl_Long_Double_Box_is_universe : long_double_box -> bool
val ppl_Long_Double_Box_is_bounded : long_double_box -> bool
val ppl_Long_Double_Box_contains_integer_point : long_double_box -> bool
val ppl_Long_Double_Box_is_topologically_closed : long_double_box -> bool
val ppl_Long_Double_Box_is_discrete : long_double_box -> bool
val ppl_Long_Double_Box_topological_closure_assign : long_double_box -> unit
val ppl_Long_Double_Box_bounds_from_above :
  long_double_box -> linear_expression -> bool
val ppl_Long_Double_Box_bounds_from_below :
  long_double_box -> linear_expression -> bool
val ppl_Long_Double_Box_maximize :
  long_double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Long_Double_Box_minimize :
  long_double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Long_Double_Box_maximize_with_point :
  long_double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Long_Double_Box_minimize_with_point :
  long_double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Long_Double_Box_frequency :

```



```

    long_double_box ->
    linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Long_Double_Box_contains_Long_Double_Box :
    long_double_box -> long_double_box -> bool
val ppl_Long_Double_Box_strictly_contains_Long_Double_Box :
    long_double_box -> long_double_box -> bool
val ppl_Long_Double_Box_is_disjoint_from_Long_Double_Box :
    long_double_box -> long_double_box -> bool
val ppl_Long_Double_Box_equals_Long_Double_Box :
    long_double_box -> long_double_box -> bool
val ppl_Long_Double_Box_OK : long_double_box -> bool
val ppl_Long_Double_Box_add_constraint :
    long_double_box -> linear_constraint -> unit
val ppl_Long_Double_Box_add_congruence :
    long_double_box -> linear_congruence -> unit
val ppl_Long_Double_Box_add_constraints :
    long_double_box -> constraint_system -> unit
val ppl_Long_Double_Box_add_congruences :
    long_double_box -> congruence_system -> unit
val ppl_Long_Double_Box_refine_with_constraint :
    long_double_box -> linear_constraint -> unit
val ppl_Long_Double_Box_refine_with_congruence :
    long_double_box -> linear_congruence -> unit
val ppl_Long_Double_Box_refine_with_constraints :
    long_double_box -> constraint_system -> unit
val ppl_Long_Double_Box_refine_with_congruences :
    long_double_box -> congruence_system -> unit
val ppl_Long_Double_Box_intersection_assign :
    long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_upper_bound_assign :
    long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_difference_assign :
    long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_concatenate_assign :
    long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_time_elapse_assign :
    long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_upper_bound_assign_if_exact :
    long_double_box -> long_double_box -> bool
val ppl_Long_Double_Box_simplify_using_context_assign :
    long_double_box -> long_double_box -> bool
val ppl_Long_Double_Box_constrains : long_double_box -> int -> bool
val ppl_Long_Double_Box_unconstrain_space_dimension :
    long_double_box -> int -> unit
val ppl_Long_Double_Box_unconstrain_space_dimensions :
    long_double_box -> int list -> unit
val ppl_Long_Double_Box_affine_image :
    long_double_box ->

```

```

    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Long_Double_Box_affine_preimage :
    long_double_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Long_Double_Box_bounded_affine_image :
    long_double_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Long_Double_Box_bounded_affine_preimage :
    long_double_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Long_Double_Box_generalized_affine_image :
    long_double_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Long_Double_Box_generalized_affine_preimage :
    long_double_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Long_Double_Box_generalized_affine_image_lhs_rhs :
    long_double_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Long_Double_Box_generalized_affine_preimage_lhs_rhs :
    long_double_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Long_Double_Box_add_space_dimensions_and_embed :
    long_double_box -> int -> unit
val ppl_Long_Double_Box_add_space_dimensions_and_project :
    long_double_box -> int -> unit
val ppl_Long_Double_Box_remove_space_dimensions :
    long_double_box -> int list -> unit
val ppl_Long_Double_Box_remove_higher_space_dimensions :
    long_double_box -> int -> unit
val ppl_Long_Double_Box_expand_space_dimension :
    long_double_box -> int -> int -> unit
val ppl_Long_Double_Box_fold_space_dimensions :
    long_double_box -> int list -> int -> unit
val ppl_Long_Double_Box_map_space_dimensions :
    long_double_box -> (int * int) list -> unit
val ppl_Long_Double_Box_drop_some_non_integer_points :
    long_double_box -> complexity_class -> unit
val ppl_Long_Double_Box_drop_some_non_integer_points_2 :
    long_double_box -> int list -> complexity_class -> unit
val ppl_Long_Double_Box_ascii_dump : long_double_box -> string
val ppl_Long_Double_Box_external_memory_in_bytes : long_double_box -> int
val ppl_Long_Double_Box_total_memory_in_bytes : long_double_box -> int

```

```

val ppl_Long_Double_Box_CC76_widening_assign_with_tokens :
  long_double_box -> long_double_box -> int -> int
val ppl_Long_Double_Box_CC76_widening_assign :
  long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_widening_assign_with_tokens :
  long_double_box -> long_double_box -> int -> int
val ppl_Long_Double_Box_widening_assign :
  long_double_box -> long_double_box -> unit
val ppl_Long_Double_Box_limited_CC76_extrapolation_assign_with_tokens :
  long_double_box ->
  long_double_box -> constraint_system -> int -> int
val ppl_Long_Double_Box_limited_CC76_extrapolation_assign :
  long_double_box ->
  long_double_box -> constraint_system -> unit
val ppl_Long_Double_Box_linear_partition :
  long_double_box ->
  long_double_box ->
  long_double_box * pointset_powerset_nnc_polyhedron
val ppl_Long_Double_Box_wrap_assign :
  long_double_box ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Long_Double_Box : long_double_box -> bool
val ppl_termination_test_PR_Long_Double_Box : long_double_box -> bool
val ppl_one_affine_ranking_function_MS_Long_Double_Box :
  long_double_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Long_Double_Box :
  long_double_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Long_Double_Box :
  long_double_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Long_Double_Box :
  long_double_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Long_Double_Box :
  long_double_box -> polyhedron * polyhedron
val ppl_termination_test_MS_Long_Double_Box_2 :
  long_double_box -> long_double_box -> bool
val ppl_termination_test_PR_Long_Double_Box_2 :
  long_double_box -> long_double_box -> bool
val ppl_one_affine_ranking_function_MS_Long_Double_Box_2 :
  long_double_box ->
  long_double_box -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Long_Double_Box_2 :
  long_double_box ->
  long_double_box -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Long_Double_Box_2 :
  long_double_box ->

```

```

    long_double_box -> polyhedron
val ppl_all_affine_ranking_functions_PR_Long_Double_Box_2 :
    long_double_box ->
    long_double_box -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Long_Double_Box_2 :
    long_double_box ->
    long_double_box -> polyhedron * polyhedron
val ppl_new_BD_Shape_long_double_from_space_dimension :
    int -> degenerate_element -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int8_Box :
    int8_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int16_Box :
    int16_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int32_Box :
    int32_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int64_Box :
    int64_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint8_Box :
    uint8_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint16_Box :
    uint16_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint32_Box :
    uint32_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint64_Box :
    uint64_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Z_Box : z_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Rational_Box :
    rational_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int8_t :
    bd_shape_int8_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int16_t :
    bd_shape_int16_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int32_t :
    bd_shape_int32_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int64_t :
    bd_shape_int64_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_mpz_class :
    bd_shape_mpz_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_mpq_class :
    bd_shape_mpq_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int8_t :
    octagonal_shape_int8_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int16_t :
    octagonal_shape_int16_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int32_t :
    octagonal_shape_int32_t -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int64_t :
    octagonal_shape_int64_t -> bd_shape_long_double

```

```

val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_C_Polyhedron :
  polyhedron -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_NNC_Polyhedron :
  polyhedron -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Grid : grid -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Float_Box :
  float_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_float :
  bd_shape_float -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_float :
  octagonal_shape_float -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Double_Box :
  double_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_double :
  bd_shape_double -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_double :
  octagonal_shape_double -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Long_Double_Box :
  long_double_box -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int8_Box_with_complexity :
  int8_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int16_Box_with_complexity :
  int16_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int32_Box_with_complexity :
  int32_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Int64_Box_with_complexity :
  int64_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint8_Box_with_complexity :
  uint8_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint16_Box_with_complexity :
  uint16_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint32_Box_with_complexity :
  uint32_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Uint64_Box_with_complexity :

```

```

uint64_box ->
complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Z_Box_with_complexity :
  z_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Rational_Box_with_complexity :
  rational_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int8_t_with_complexity :
  bd_shape_int8_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int16_t_with_complexity :
  bd_shape_int16_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int32_t_with_complexity :
  bd_shape_int32_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_int64_t_with_complexity :
  bd_shape_int64_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_mpz_class_with_complexity :
  bd_shape_mpz_class ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_mpq_class_with_complexity :
  bd_shape_mpq_class ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int8_t_with_complexity :
  octagonal_shape_int8_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_C_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_NNC_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> bd_shape_long_double

```

```

val ppl_new_BD_Shape_long_double_from_Grid_with_complexity :
  grid ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  complexity_class -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_constraints :
  constraint_system -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_congruences :
  congruence_system -> bd_shape_long_double
val ppl_new_BD_Shape_long_double_from_generators :
  generator_system -> bd_shape_long_double
val ppl_BD_Shape_long_double_swap :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_space_dimension : bd_shape_long_double -> int
val ppl_BD_Shape_long_double_affine_dimension : bd_shape_long_double -> int
val ppl_BD_Shape_long_double_relation_with_constraint :
  bd_shape_long_double ->
  linear_constraint -> poly_con_relation list
val ppl_BD_Shape_long_double_relation_with_generator :
  bd_shape_long_double ->
  linear_generator -> poly_gen_relation list
val ppl_BD_Shape_long_double_relation_with_congruence :
  bd_shape_long_double ->
  linear_congruence -> poly_con_relation list

```

```

val ppl_BD_Shape_long_double_get_constraints :
  bd_shape_long_double -> constraint_system
val ppl_BD_Shape_long_double_get_congruences :
  bd_shape_long_double -> congruence_system
val ppl_BD_Shape_long_double_get_minimized_constraints :
  bd_shape_long_double -> constraint_system
val ppl_BD_Shape_long_double_get_minimized_congruences :
  bd_shape_long_double -> congruence_system
val ppl_BD_Shape_long_double_is_empty : bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_is_universe : bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_is_bounded : bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_contains_integer_point :
  bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_is_topologically_closed :
  bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_is_discrete : bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_topological_closure_assign :
  bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_bounds_from_above :
  bd_shape_long_double -> linear_expression -> bool
val ppl_BD_Shape_long_double_bounds_from_below :
  bd_shape_long_double -> linear_expression -> bool
val ppl_BD_Shape_long_double_maximize :
  bd_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_long_double_minimize :
  bd_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_BD_Shape_long_double_maximize_with_point :
  bd_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_long_double_minimize_with_point :
  bd_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_BD_Shape_long_double_frequency :
  bd_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_BD_Shape_long_double_contains_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_strictly_contains_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_is_disjoint_from_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_equals_BD_Shape_long_double :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_OK : bd_shape_long_double -> bool

```



```

val ppl_BD_Shape_long_double_add_constraint :
  bd_shape_long_double -> linear_constraint -> unit
val ppl_BD_Shape_long_double_add_congruence :
  bd_shape_long_double -> linear_congruence -> unit
val ppl_BD_Shape_long_double_add_constraints :
  bd_shape_long_double -> constraint_system -> unit
val ppl_BD_Shape_long_double_add_congruences :
  bd_shape_long_double -> congruence_system -> unit
val ppl_BD_Shape_long_double_refine_with_constraint :
  bd_shape_long_double -> linear_constraint -> unit
val ppl_BD_Shape_long_double_refine_with_congruence :
  bd_shape_long_double -> linear_congruence -> unit
val ppl_BD_Shape_long_double_refine_with_constraints :
  bd_shape_long_double -> constraint_system -> unit
val ppl_BD_Shape_long_double_refine_with_congruences :
  bd_shape_long_double -> congruence_system -> unit
val ppl_BD_Shape_long_double_intersection_assign :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_upper_bound_assign :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_difference_assign :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_concatenate_assign :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_time_elapse_assign :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_upper_bound_assign_if_exact :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_simplify_using_context_assign :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_BD_Shape_long_double_constrains : bd_shape_long_double -> int -> bool
val ppl_BD_Shape_long_double_unconstrain_space_dimension :
  bd_shape_long_double -> int -> unit
val ppl_BD_Shape_long_double_unconstrain_space_dimensions :
  bd_shape_long_double -> int list -> unit
val ppl_BD_Shape_long_double_affine_image :
  bd_shape_long_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_long_double_affine_preimage :
  bd_shape_long_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_long_double_bounded_affine_image :
  bd_shape_long_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_long_double_bounded_affine_preimage :
  bd_shape_long_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit

```

```

val ppl_BD_Shape_long_double_generalized_affine_image :
  bd_shape_long_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_long_double_generalized_affine_preimage :
  bd_shape_long_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_BD_Shape_long_double_generalized_affine_image_lhs_rhs :
  bd_shape_long_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_long_double_generalized_affine_preimage_lhs_rhs :
  bd_shape_long_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_BD_Shape_long_double_add_space_dimensions_and_embed :
  bd_shape_long_double -> int -> unit
val ppl_BD_Shape_long_double_add_space_dimensions_and_project :
  bd_shape_long_double -> int -> unit
val ppl_BD_Shape_long_double_remove_space_dimensions :
  bd_shape_long_double -> int list -> unit
val ppl_BD_Shape_long_double_remove_higher_space_dimensions :
  bd_shape_long_double -> int -> unit
val ppl_BD_Shape_long_double_expand_space_dimension :
  bd_shape_long_double -> int -> int -> unit
val ppl_BD_Shape_long_double_fold_space_dimensions :
  bd_shape_long_double -> int list -> int -> unit
val ppl_BD_Shape_long_double_map_space_dimensions :
  bd_shape_long_double -> (int * int) list -> unit
val ppl_BD_Shape_long_double_drop_some_non_integer_points :
  bd_shape_long_double -> complexity_class -> unit
val ppl_BD_Shape_long_double_drop_some_non_integer_points_2 :
  bd_shape_long_double ->
  int list -> complexity_class -> unit
val ppl_BD_Shape_long_double_ascii_dump : bd_shape_long_double -> string
val ppl_BD_Shape_long_double_external_memory_in_bytes :
  bd_shape_long_double -> int
val ppl_BD_Shape_long_double_total_memory_in_bytes :
  bd_shape_long_double -> int
val ppl_BD_Shape_long_double_BHMZ05_widening_assign_with_tokens :
  bd_shape_long_double ->
  bd_shape_long_double -> int -> int
val ppl_BD_Shape_long_double_H79_widening_assign_with_tokens :
  bd_shape_long_double ->
  bd_shape_long_double -> int -> int
val ppl_BD_Shape_long_double_BHMZ05_widening_assign :
  bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_H79_widening_assign :

```

```

    bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_widening_assign_with_tokens :
    bd_shape_long_double ->
    bd_shape_long_double -> int -> int
val ppl_BD_Shape_long_double_widening_assign :
    bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_limited_BHMZ05_extrapolation_assign_with_tokens :
    bd_shape_long_double ->
    bd_shape_long_double -> constraint_system -> int -> int
val ppl_BD_Shape_long_double_limited_H79_extrapolation_assign_with_tokens :
    bd_shape_long_double ->
    bd_shape_long_double -> constraint_system -> int -> int
val ppl_BD_Shape_long_double_limited_CC76_extrapolation_assign_with_tokens :
    bd_shape_long_double ->
    bd_shape_long_double -> constraint_system -> int -> int
val ppl_BD_Shape_long_double_limited_BHMZ05_extrapolation_assign :
    bd_shape_long_double ->
    bd_shape_long_double -> constraint_system -> unit
val ppl_BD_Shape_long_double_limited_H79_extrapolation_assign :
    bd_shape_long_double ->
    bd_shape_long_double -> constraint_system -> unit
val ppl_BD_Shape_long_double_limited_CC76_extrapolation_assign :
    bd_shape_long_double ->
    bd_shape_long_double -> constraint_system -> unit
val ppl_BD_Shape_long_double_CC76_extrapolation_assign_with_tokens :
    bd_shape_long_double ->
    bd_shape_long_double -> int -> int
val ppl_BD_Shape_long_double_CC76_extrapolation_assign :
    bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_CC76_narrowing_assign :
    bd_shape_long_double -> bd_shape_long_double -> unit
val ppl_BD_Shape_long_double_linear_partition :
    bd_shape_long_double ->
    bd_shape_long_double ->
    bd_shape_long_double * pointset_powerset_nnc_polyhedron
val ppl_BD_Shape_long_double_wrap_assign :
    bd_shape_long_double ->
    int list ->
    bounded_integer_type_width ->
    bounded_integer_type_representation ->
    bounded_integer_type_overflow ->
    constraint_system -> int -> int -> unit
val ppl_termination_test_MS_BD_Shape_long_double :
    bd_shape_long_double -> bool
val ppl_termination_test_PR_BD_Shape_long_double :
    bd_shape_long_double -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_long_double :
    bd_shape_long_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_long_double :
    bd_shape_long_double -> bool * linear_generator

```

```

val ppl_all_affine_ranking_functions_MS_BD_Shape_long_double :
  bd_shape_long_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_long_double :
  bd_shape_long_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_long_double :
  bd_shape_long_double -> polyhedron * polyhedron
val ppl_termination_test_MS_BD_Shape_long_double_2 :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_termination_test_PR_BD_Shape_long_double_2 :
  bd_shape_long_double -> bd_shape_long_double -> bool
val ppl_one_affine_ranking_function_MS_BD_Shape_long_double_2 :
  bd_shape_long_double ->
  bd_shape_long_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_BD_Shape_long_double_2 :
  bd_shape_long_double ->
  bd_shape_long_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_BD_Shape_long_double_2 :
  bd_shape_long_double ->
  bd_shape_long_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_BD_Shape_long_double_2 :
  bd_shape_long_double ->
  bd_shape_long_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_BD_Shape_long_double_2 :
  bd_shape_long_double ->
  bd_shape_long_double -> polyhedron * polyhedron
val ppl_new_Octagonal_Shape_long_double_from_space_dimension :
  int -> degenerate_element -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int8_Box :
  int8_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int16_Box :
  int16_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int32_Box :
  int32_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int64_Box :
  int64_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint8_Box :
  uint8_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint16_Box :
  uint16_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint32_Box :
  uint32_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint64_Box :
  uint64_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Z_Box :
  z_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Rational_Box :
  rational_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int8_t :
  bd_shape_int8_t -> octagonal_shape_long_double

```

```

val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int16_t :
  bd_shape_int16_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int32_t :
  bd_shape_int32_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int64_t :
  bd_shape_int64_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_mpz_class :
  bd_shape_mpz_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_mpq_class :
  bd_shape_mpq_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int8_t :
  octagonal_shape_int8_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int16_t :
  octagonal_shape_int16_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int32_t :
  octagonal_shape_int32_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int64_t :
  octagonal_shape_int64_t -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_mpz_class :
  octagonal_shape_mpz_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_mpq_class :
  octagonal_shape_mpq_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_C_Polyhedron :
  polyhedron -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_NNC_Polyhedron :
  polyhedron -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Grid :
  grid -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Float_Box :
  float_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_float :
  bd_shape_float -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_float :
  octagonal_shape_float -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Double_Box :
  double_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_double :
  bd_shape_double -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_double :
  octagonal_shape_double -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Long_Double_Box :
  long_double_box -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_long_double :
  bd_shape_long_double -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int8_Box_with_complexity :

```

```

    int8_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int16_Box_with_complexity :
    int16_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int32_Box_with_complexity :
    int32_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Int64_Box_with_complexity :
    int64_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint8_Box_with_complexity :
    uint8_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint16_Box_with_complexity :
    uint16_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint32_Box_with_complexity :
    uint32_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Uint64_Box_with_complexity :
    uint64_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Z_Box_with_complexity :
    z_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Rational_Box_with_complexity :
    rational_box ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int8_t_with_complexity :
    bd_shape_int8_t ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int16_t_with_complexity :
    bd_shape_int16_t ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int32_t_with_complexity :
    bd_shape_int32_t ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_int64_t_with_complexity :
    bd_shape_int64_t ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_mpz_class_with_complexity :
    bd_shape_mpz_class ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_mpq_class_with_complexity :
    bd_shape_mpq_class ->
    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int8_t_with_complexity :
    octagonal_shape_int8_t ->
    complexity_class -> octagonal_shape_long_double

```

```

val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int16_t_with_complexity :
  octagonal_shape_int16_t ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int32_t_with_complexity :
  octagonal_shape_int32_t ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_int64_t_with_complexity :
  octagonal_shape_int64_t ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_mpz_class_with_complexity :
  octagonal_shape_mpz_class ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_mpq_class_with_complexity :
  octagonal_shape_mpq_class ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_C_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_NNC_Polyhedron_with_complexity :
  polyhedron ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Grid_with_complexity :
  grid ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Float_Box_with_complexity :
  float_box ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_float_with_complexity :
  bd_shape_float ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_float_with_complexity :
  octagonal_shape_float ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Double_Box_with_complexity :
  double_box ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_double_with_complexity :
  bd_shape_double ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_double_with_complexity :
  octagonal_shape_double ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Long_Double_Box_with_complexity :
  long_double_box ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_BD_Shape_long_double_with_complexity :
  bd_shape_long_double ->
  complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_Octagonal_Shape_long_double_with_complexity :
  octagonal_shape_long_double ->
  octagonal_shape_long_double ->

```

```

    complexity_class -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_constraints :
    constraint_system -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_congruences :
    congruence_system -> octagonal_shape_long_double
val ppl_new_Octagonal_Shape_long_double_from_generators :
    generator_system -> octagonal_shape_long_double
val ppl_Octagonal_Shape_long_double_swap :
    octagonal_shape_long_double ->
    octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_space_dimension :
    octagonal_shape_long_double -> int
val ppl_Octagonal_Shape_long_double_affine_dimension :
    octagonal_shape_long_double -> int
val ppl_Octagonal_Shape_long_double_relation_with_constraint :
    octagonal_shape_long_double ->
    linear_constraint -> poly_con_relation list
val ppl_Octagonal_Shape_long_double_relation_with_generator :
    octagonal_shape_long_double ->
    linear_generator -> poly_gen_relation list
val ppl_Octagonal_Shape_long_double_relation_with_congruence :
    octagonal_shape_long_double ->
    linear_congruence -> poly_con_relation list
val ppl_Octagonal_Shape_long_double_get_constraints :
    octagonal_shape_long_double -> constraint_system
val ppl_Octagonal_Shape_long_double_get_congruences :
    octagonal_shape_long_double -> congruence_system
val ppl_Octagonal_Shape_long_double_get_minimized_constraints :
    octagonal_shape_long_double -> constraint_system
val ppl_Octagonal_Shape_long_double_get_minimized_congruences :
    octagonal_shape_long_double -> congruence_system
val ppl_Octagonal_Shape_long_double_is_empty :
    octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_is_universe :
    octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_is_bounded :
    octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_contains_integer_point :
    octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_is_topologically_closed :
    octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_is_discrete :
    octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_topological_closure_assign :
    octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_bounds_from_above :
    octagonal_shape_long_double -> linear_expression -> bool
val ppl_Octagonal_Shape_long_double_bounds_from_below :
    octagonal_shape_long_double -> linear_expression -> bool

```



```

val ppl_Octagonal_Shape_long_double_maximize :
  octagonal_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_long_double_minimize :
  octagonal_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Octagonal_Shape_long_double_maximize_with_point :
  octagonal_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_long_double_minimize_with_point :
  octagonal_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Octagonal_Shape_long_double_frequency :
  octagonal_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t * Gmp.Z.t
val ppl_Octagonal_Shape_long_double_contains_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_strictly_contains_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_is_disjoint_from_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_equals_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_OK : octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_add_constraint :
  octagonal_shape_long_double -> linear_constraint -> unit
val ppl_Octagonal_Shape_long_double_add_congruence :
  octagonal_shape_long_double -> linear_congruence -> unit
val ppl_Octagonal_Shape_long_double_add_constraints :
  octagonal_shape_long_double -> constraint_system -> unit
val ppl_Octagonal_Shape_long_double_add_congruences :
  octagonal_shape_long_double -> congruence_system -> unit
val ppl_Octagonal_Shape_long_double_refine_with_constraint :
  octagonal_shape_long_double -> linear_constraint -> unit
val ppl_Octagonal_Shape_long_double_refine_with_congruence :
  octagonal_shape_long_double -> linear_congruence -> unit
val ppl_Octagonal_Shape_long_double_refine_with_constraints :
  octagonal_shape_long_double -> constraint_system -> unit
val ppl_Octagonal_Shape_long_double_refine_with_congruences :
  octagonal_shape_long_double -> congruence_system -> unit
val ppl_Octagonal_Shape_long_double_intersection_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit

```

```

val ppl_Octagonal_Shape_long_double_upper_bound_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_difference_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_concatenate_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_time_elapse_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_upper_bound_assign_if_exact :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_simplify_using_context_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_Octagonal_Shape_long_double_constrains :
  octagonal_shape_long_double -> int -> bool
val ppl_Octagonal_Shape_long_double_unconstrain_space_dimension :
  octagonal_shape_long_double -> int -> unit
val ppl_Octagonal_Shape_long_double_unconstrain_space_dimensions :
  octagonal_shape_long_double -> int list -> unit
val ppl_Octagonal_Shape_long_double_affine_image :
  octagonal_shape_long_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_long_double_affine_preimage :
  octagonal_shape_long_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_long_double_bounded_affine_image :
  octagonal_shape_long_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_long_double_bounded_affine_preimage :
  octagonal_shape_long_double ->
  int ->
  linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_long_double_generalized_affine_image :
  octagonal_shape_long_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_long_double_generalized_affine_preimage :
  octagonal_shape_long_double ->
  int ->
  relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Octagonal_Shape_long_double_generalized_affine_image_lhs_rhs :
  octagonal_shape_long_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit

```

```

val ppl_Octagonal_Shape_long_double_generalized_affine_preimage_lhs_rhs :
  octagonal_shape_long_double ->
  linear_expression ->
  relation_symbol -> linear_expression -> unit
val ppl_Octagonal_Shape_long_double_add_space_dimensions_and_embed :
  octagonal_shape_long_double -> int -> unit
val ppl_Octagonal_Shape_long_double_add_space_dimensions_and_project :
  octagonal_shape_long_double -> int -> unit
val ppl_Octagonal_Shape_long_double_remove_space_dimensions :
  octagonal_shape_long_double -> int list -> unit
val ppl_Octagonal_Shape_long_double_remove_higher_space_dimensions :
  octagonal_shape_long_double -> int -> unit
val ppl_Octagonal_Shape_long_double_expand_space_dimension :
  octagonal_shape_long_double -> int -> int -> unit
val ppl_Octagonal_Shape_long_double_fold_space_dimensions :
  octagonal_shape_long_double -> int list -> int -> unit
val ppl_Octagonal_Shape_long_double_map_space_dimensions :
  octagonal_shape_long_double -> (int * int) list -> unit
val ppl_Octagonal_Shape_long_double_drop_some_non_integer_points :
  octagonal_shape_long_double -> complexity_class -> unit
val ppl_Octagonal_Shape_long_double_drop_some_non_integer_points_2 :
  octagonal_shape_long_double ->
  int list -> complexity_class -> unit
val ppl_Octagonal_Shape_long_double_ascii_dump :
  octagonal_shape_long_double -> string
val ppl_Octagonal_Shape_long_double_external_memory_in_bytes :
  octagonal_shape_long_double -> int
val ppl_Octagonal_Shape_long_double_total_memory_in_bytes :
  octagonal_shape_long_double -> int
val ppl_Octagonal_Shape_long_double_BHMZ05_widening_assign_with_tokens :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> int -> int
val ppl_Octagonal_Shape_long_double_BHMZ05_widening_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_widening_assign_with_tokens :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> int -> int
val ppl_Octagonal_Shape_long_double_widening_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_limited_BHMZ05_extrapolation_assign_with_tokens :
  octagonal_shape_long_double ->
  octagonal_shape_long_double ->
  constraint_system -> int -> int
val ppl_Octagonal_Shape_long_double_limited_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_long_double ->
  octagonal_shape_long_double ->
  constraint_system -> int -> int

```

```

val ppl_Octagonal_Shape_long_double_limited_BHMZ05_extrapolation_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> constraint_system -> unit
val ppl_Octagonal_Shape_long_double_limited_CC76_extrapolation_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> constraint_system -> unit
val ppl_Octagonal_Shape_long_double_CC76_extrapolation_assign_with_tokens :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> int -> int
val ppl_Octagonal_Shape_long_double_CC76_extrapolation_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_CC76_narrowing_assign :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> unit
val ppl_Octagonal_Shape_long_double_linear_partition :
  octagonal_shape_long_double ->
  octagonal_shape_long_double ->
  octagonal_shape_long_double *
  pointset_powerset_nnc_polyhedron
val ppl_Octagonal_Shape_long_double_wrap_assign :
  octagonal_shape_long_double ->
  int list ->
  bounded_integer_type_width ->
  bounded_integer_type_representation ->
  bounded_integer_type_overflow ->
  constraint_system -> int -> int -> unit
val ppl_termination_test_MS_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bool
val ppl_termination_test_PR_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_long_double :
  octagonal_shape_long_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_long_double :
  octagonal_shape_long_double ->
  polyhedron * polyhedron
val ppl_termination_test_MS_Octagonal_Shape_long_double_2 :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_termination_test_PR_Octagonal_Shape_long_double_2 :
  octagonal_shape_long_double ->
  octagonal_shape_long_double -> bool
val ppl_one_affine_ranking_function_MS_Octagonal_Shape_long_double_2 :
  octagonal_shape_long_double ->

```

```

    octagonal_shape_long_double -> bool * linear_generator
val ppl_one_affine_ranking_function_PR_Octagonal_Shape_long_double_2 :
    octagonal_shape_long_double ->
    octagonal_shape_long_double -> bool * linear_generator
val ppl_all_affine_ranking_functions_MS_Octagonal_Shape_long_double_2 :
    octagonal_shape_long_double ->
    octagonal_shape_long_double -> polyhedron
val ppl_all_affine_ranking_functions_PR_Octagonal_Shape_long_double_2 :
    octagonal_shape_long_double ->
    octagonal_shape_long_double -> polyhedron
val ppl_all_affine_quasi_ranking_functions_MS_Octagonal_Shape_long_double_2 :
    octagonal_shape_long_double ->
    octagonal_shape_long_double ->
    polyhedron * polyhedron
val ppl_new_Pointset_Powerset_Long_Double_Box_from_space_dimension :
    int ->
    degenerate_element -> pointset_powerset_long_double_box
val ppl_new_Pointset_Powerset_Long_Double_Box_from_Pointset_Powerset_Long_Double_Box :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box
val ppl_new_Pointset_Powerset_Long_Double_Box_from_Long_Double_Box :
    long_double_box -> pointset_powerset_long_double_box
val ppl_new_Pointset_Powerset_Long_Double_Box_from_Pointset_Powerset_Long_Double_Box :
    pointset_powerset_long_double_box ->
    complexity_class -> pointset_powerset_long_double_box
val ppl_new_Pointset_Powerset_Long_Double_Box_from_Long_Double_Box_with_complexity :
    long_double_box ->
    complexity_class -> pointset_powerset_long_double_box
val ppl_new_Pointset_Powerset_Long_Double_Box_from_constraints :
    constraint_system -> pointset_powerset_long_double_box
val ppl_new_Pointset_Powerset_Long_Double_Box_from_congruences :
    congruence_system -> pointset_powerset_long_double_box
val ppl_Pointset_Powerset_Long_Double_Box_swap :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_space_dimension :
    pointset_powerset_long_double_box -> int
val ppl_Pointset_Powerset_Long_Double_Box_affine_dimension :
    pointset_powerset_long_double_box -> int
val ppl_Pointset_Powerset_Long_Double_Box_relation_with_constraint :
    pointset_powerset_long_double_box ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Long_Double_Box_relation_with_generator :
    pointset_powerset_long_double_box ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Long_Double_Box_relation_with_congruence :
    pointset_powerset_long_double_box ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Long_Double_Box_is_empty :
    pointset_powerset_long_double_box -> bool

```

```

val ppl_Pointset_Powerset_Long_Double_Box_is_universe :
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_is_bounded :
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_contains_integer_point :
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_is_topologically_closed :
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_is_discrete :
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_topological_closure_assign :
  pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_pairwise_reduce :
  pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_omega_reduce :
  pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_bounds_from_above :
  pointset_powerset_long_double_box ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Long_Double_Box_bounds_from_below :
  pointset_powerset_long_double_box ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Long_Double_Box_maximize :
  pointset_powerset_long_double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Long_Double_Box_minimize :
  pointset_powerset_long_double_box ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Long_Double_Box_maximize_with_point :
  pointset_powerset_long_double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Long_Double_Box_minimize_with_point :
  pointset_powerset_long_double_box ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Long_Double_Box_contains_Pointset_Powerset_Long_Double_Box :
  pointset_powerset_long_double_box ->
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_strictly_contains_Pointset_Powerset_Long_Double_Box :
  pointset_powerset_long_double_box ->
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_is_disjoint_from_Pointset_Powerset_Long_Double_Box :
  pointset_powerset_long_double_box ->
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_geometrically_covers_Pointset_Powerset_Long_Double_Box :
  pointset_powerset_long_double_box ->
  pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_geometrically_equals_Pointset_Powerset_Long_Double_Box :
  pointset_powerset_long_double_box ->
  pointset_powerset_long_double_box ->

```

```

    pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_equals_Pointset_Powerset_Long_Double_Box :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_OK :
    pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_add_constraint :
    pointset_powerset_long_double_box ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Long_Double_Box_add_congruence :
    pointset_powerset_long_double_box ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Long_Double_Box_add_constraints :
    pointset_powerset_long_double_box ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Long_Double_Box_add_congruences :
    pointset_powerset_long_double_box ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Long_Double_Box_refine_with_constraint :
    pointset_powerset_long_double_box ->
    linear_constraint -> unit
val ppl_Pointset_Powerset_Long_Double_Box_refine_with_congruence :
    pointset_powerset_long_double_box ->
    linear_congruence -> unit
val ppl_Pointset_Powerset_Long_Double_Box_refine_with_constraints :
    pointset_powerset_long_double_box ->
    constraint_system -> unit
val ppl_Pointset_Powerset_Long_Double_Box_refine_with_congruences :
    pointset_powerset_long_double_box ->
    congruence_system -> unit
val ppl_Pointset_Powerset_Long_Double_Box_intersection_assign :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_upper_bound_assign :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_difference_assign :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_concatenate_assign :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_time_elapse_assign :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_upper_bound_assign_if_exact :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_simplify_using_context_assign :
    pointset_powerset_long_double_box ->

```

```

    pointset_powerset_long_double_box -> bool
val ppl_Pointset_Powerset_Long_Double_Box_constrains :
    pointset_powerset_long_double_box -> int -> bool
val ppl_Pointset_Powerset_Long_Double_Box_unconstrain_space_dimension :
    pointset_powerset_long_double_box -> int -> unit
val ppl_Pointset_Powerset_Long_Double_Box_unconstrain_space_dimensions :
    pointset_powerset_long_double_box -> int list -> unit
val ppl_Pointset_Powerset_Long_Double_Box_affine_image :
    pointset_powerset_long_double_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Long_Double_Box_affine_preimage :
    pointset_powerset_long_double_box ->
    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Long_Double_Box_bounded_affine_image :
    pointset_powerset_long_double_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Long_Double_Box_bounded_affine_preimage :
    pointset_powerset_long_double_box ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Long_Double_Box_generalized_affine_image :
    pointset_powerset_long_double_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Long_Double_Box_generalized_affine_preimage :
    pointset_powerset_long_double_box ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Long_Double_Box_generalized_affine_image_lhs_rhs :
    pointset_powerset_long_double_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Long_Double_Box_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_long_double_box ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Long_Double_Box_add_space_dimensions_and_embed :
    pointset_powerset_long_double_box -> int -> unit
val ppl_Pointset_Powerset_Long_Double_Box_add_space_dimensions_and_project :
    pointset_powerset_long_double_box -> int -> unit
val ppl_Pointset_Powerset_Long_Double_Box_remove_space_dimensions :
    pointset_powerset_long_double_box -> int list -> unit
val ppl_Pointset_Powerset_Long_Double_Box_remove_higher_space_dimensions :
    pointset_powerset_long_double_box -> int -> unit
val ppl_Pointset_Powerset_Long_Double_Box_expand_space_dimension :
    pointset_powerset_long_double_box -> int -> int -> unit
val ppl_Pointset_Powerset_Long_Double_Box_fold_space_dimensions :
    pointset_powerset_long_double_box -> int list -> int -> unit
val ppl_Pointset_Powerset_Long_Double_Box_map_space_dimensions :

```



```

    pointset_powerset_long_double_box -> (int * int) list -> unit
val ppl_Pointset_Powerset_Long_Double_Box_drop_some_non_integer_points :
    pointset_powerset_long_double_box ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Long_Double_Box_drop_some_non_integer_points_2 :
    pointset_powerset_long_double_box ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Long_Double_Box_ascii_dump :
    pointset_powerset_long_double_box -> string
val ppl_Pointset_Powerset_Long_Double_Box_external_memory_in_bytes :
    pointset_powerset_long_double_box -> int
val ppl_Pointset_Powerset_Long_Double_Box_total_memory_in_bytes :
    pointset_powerset_long_double_box -> int
val ppl_Pointset_Powerset_Long_Double_Box_size :
    pointset_powerset_long_double_box -> int
type pointset_powerset_long_double_box_iterator
val ppl_new_Pointset_Powerset_Long_Double_Box_iterator_from_iterator :
    pointset_powerset_long_double_box_iterator ->
    pointset_powerset_long_double_box_iterator
val ppl_Pointset_Powerset_Long_Double_Box_begin_iterator :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box_iterator
val ppl_Pointset_Powerset_Long_Double_Box_end_iterator :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box_iterator
val ppl_Pointset_Powerset_Long_Double_Box_iterator_equals_iterator :
    pointset_powerset_long_double_box_iterator ->
    pointset_powerset_long_double_box_iterator -> bool
val ppl_Pointset_Powerset_Long_Double_Box_increment_iterator :
    pointset_powerset_long_double_box_iterator -> unit
val ppl_Pointset_Powerset_Long_Double_Box_decrement_iterator :
    pointset_powerset_long_double_box_iterator -> unit
val ppl_Pointset_Powerset_Long_Double_Box_get_disjunct :
    pointset_powerset_long_double_box_iterator ->
    long_double_box
val ppl_Pointset_Powerset_Long_Double_Box_add_disjunct :
    pointset_powerset_long_double_box ->
    long_double_box -> unit
val ppl_Pointset_Powerset_Long_Double_Box_drop_disjunct :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box_iterator -> unit
val ppl_Pointset_Powerset_Long_Double_Box_drop_disjuncts :
    pointset_powerset_long_double_box ->
    pointset_powerset_long_double_box_iterator ->
    pointset_powerset_long_double_box_iterator -> unit
val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_bd_shape_long_double

```

```

val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_Pointset_Powerset_BD_Shape_lo
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double
val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_BD_Shape_long_double :
  bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double
val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_Pointset_Powerset_BD_Shape_lo
  pointset_powerset_bd_shape_long_double ->
  complexity_class ->
  pointset_powerset_bd_shape_long_double
val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_BD_Shape_long_double_with_con
  bd_shape_long_double ->
  complexity_class ->
  pointset_powerset_bd_shape_long_double
val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_constraints :
  constraint_system ->
  pointset_powerset_bd_shape_long_double
val ppl_new_Pointset_Powerset_BD_Shape_long_double_from_congruences :
  congruence_system ->
  pointset_powerset_bd_shape_long_double
val ppl_Pointset_Powerset_BD_Shape_long_double_swap :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_space_dimension :
  pointset_powerset_bd_shape_long_double -> int
val ppl_Pointset_Powerset_BD_Shape_long_double_affine_dimension :
  pointset_powerset_bd_shape_long_double -> int
val ppl_Pointset_Powerset_BD_Shape_long_double_relation_with_constraint :
  pointset_powerset_bd_shape_long_double ->
  linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_long_double_relation_with_generator :
  pointset_powerset_bd_shape_long_double ->
  linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_BD_Shape_long_double_relation_with_congruence :
  pointset_powerset_bd_shape_long_double ->
  linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_BD_Shape_long_double_is_empty :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_is_universe :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_is_bounded :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_contains_integer_point :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_is_topologically_closed :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_is_discrete :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_topological_closure_assign :
  pointset_powerset_bd_shape_long_double -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_long_double_pairwise_reduce :
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_omega_reduce :
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_bounds_from_above :
  pointset_powerset_bd_shape_long_double ->
  linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_bounds_from_below :
  pointset_powerset_bd_shape_long_double ->
  linear_expression -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_maximize :
  pointset_powerset_bd_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_long_double_minimize :
  pointset_powerset_bd_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_BD_Shape_long_double_maximize_with_point :
  pointset_powerset_bd_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_long_double_minimize_with_point :
  pointset_powerset_bd_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_BD_Shape_long_double_contains_Pointset_Powerset_BD_Shape_long_double :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_strictly_contains_Pointset_Powerset_BD_Shape_long_double :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_is_disjoint_from_Pointset_Powerset_BD_Shape_long_double :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_geometrically_covers_Pointset_Powerset_BD_Shape_long_double :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_geometrically_equals_Pointset_Powerset_BD_Shape_long_double :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_equals_Pointset_Powerset_BD_Shape_long_double :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_OK :
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_add_constraint :
  pointset_powerset_bd_shape_long_double ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_add_congruence :
  pointset_powerset_bd_shape_long_double ->
  linear_congruence -> unit

```

```

val ppl_Pointset_Powerset_BD_Shape_long_double_add_constraints :
  pointset_powerset_bd_shape_long_double ->
  constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_add_congruences :
  pointset_powerset_bd_shape_long_double ->
  congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_refine_with_constraint :
  pointset_powerset_bd_shape_long_double ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_refine_with_congruence :
  pointset_powerset_bd_shape_long_double ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_refine_with_constraints :
  pointset_powerset_bd_shape_long_double ->
  constraint_system -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_refine_with_congruences :
  pointset_powerset_bd_shape_long_double ->
  congruence_system -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_intersection_assign :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_upper_bound_assign :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_difference_assign :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_concatenate_assign :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_time_elapse_assign :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_upper_bound_assign_if_exact :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_simplify_using_context_assign :
  pointset_powerset_bd_shape_long_double ->
  pointset_powerset_bd_shape_long_double -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_constrains :
  pointset_powerset_bd_shape_long_double -> int -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_unconstrain_space_dimension :
  pointset_powerset_bd_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_unconstrain_space_dimensions :
  pointset_powerset_bd_shape_long_double -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_affine_image :
  pointset_powerset_bd_shape_long_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_affine_preimage :
  pointset_powerset_bd_shape_long_double ->

```

```

    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_bounded_affine_image :
    pointset_powerset_bd_shape_long_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_bounded_affine_preimage :
    pointset_powerset_bd_shape_long_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_generalized_affine_image :
    pointset_powerset_bd_shape_long_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_generalized_affine_preimage :
    pointset_powerset_bd_shape_long_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_generalized_affine_image_lhs_rhs :
    pointset_powerset_bd_shape_long_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_bd_shape_long_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_add_space_dimensions_and_embed :
    pointset_powerset_bd_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_add_space_dimensions_and_project :
    pointset_powerset_bd_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_remove_space_dimensions :
    pointset_powerset_bd_shape_long_double -> int list -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_remove_higher_space_dimensions :
    pointset_powerset_bd_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_expand_space_dimension :
    pointset_powerset_bd_shape_long_double -> int -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_fold_space_dimensions :
    pointset_powerset_bd_shape_long_double -> int list -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_map_space_dimensions :
    pointset_powerset_bd_shape_long_double -> (int * int) list -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_drop_some_non_integer_points :
    pointset_powerset_bd_shape_long_double ->
    complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_drop_some_non_integer_points_2 :
    pointset_powerset_bd_shape_long_double ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_ascii_dump :
    pointset_powerset_bd_shape_long_double -> string
val ppl_Pointset_Powerset_BD_Shape_long_double_external_memory_in_bytes :
    pointset_powerset_bd_shape_long_double -> int
val ppl_Pointset_Powerset_BD_Shape_long_double_total_memory_in_bytes :

```

```

    pointset_powerset_bd_shape_long_double -> int
val ppl_Pointset_Powerset_BD_Shape_long_double_size :
    pointset_powerset_bd_shape_long_double -> int
type pointset_powerset_bd_shape_long_double_iterator
val ppl_new_Pointset_Powerset_BD_Shape_long_double_iterator_from_iterator :
    pointset_powerset_bd_shape_long_double_iterator ->
    pointset_powerset_bd_shape_long_double_iterator
val ppl_Pointset_Powerset_BD_Shape_long_double_begin_iterator :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double_iterator
val ppl_Pointset_Powerset_BD_Shape_long_double_end_iterator :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double_iterator
val ppl_Pointset_Powerset_BD_Shape_long_double_iterator_equals_iterator :
    pointset_powerset_bd_shape_long_double_iterator ->
    pointset_powerset_bd_shape_long_double_iterator -> bool
val ppl_Pointset_Powerset_BD_Shape_long_double_increment_iterator :
    pointset_powerset_bd_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_decrement_iterator :
    pointset_powerset_bd_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_get_disjunct :
    pointset_powerset_bd_shape_long_double_iterator ->
    bd_shape_long_double
val ppl_Pointset_Powerset_BD_Shape_long_double_add_disjunct :
    pointset_powerset_bd_shape_long_double ->
    bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_drop_disjunct :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_drop_disjuncts :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double_iterator ->
    pointset_powerset_bd_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_BHZ03_H79_BHMZ05_widening_assign :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_BHZ03_H79_H79_widening_assign :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_BGP99_BHMZ05_extrapolation_assign :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_BD_Shape_long_double_BGP99_H79_extrapolation_assign :
    pointset_powerset_bd_shape_long_double ->
    pointset_powerset_bd_shape_long_double -> int -> unit
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_space_dimension :
    int ->
    degenerate_element ->
    pointset_powerset_octagonal_shape_long_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_Pointset_Powerset_Octa

```

```

    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_Pointset_Powerset_Octagonal_Shape_long_double :
    pointset_powerset_octagonal_shape_long_double ->
    complexity_class ->
    pointset_powerset_octagonal_shape_long_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_Octagonal_Shape_long_double :
    octagonal_shape_long_double ->
    complexity_class ->
    pointset_powerset_octagonal_shape_long_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_constraints :
    constraint_system ->
    pointset_powerset_octagonal_shape_long_double
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_from_congruences :
    congruence_system ->
    pointset_powerset_octagonal_shape_long_double
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_swap :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_space_dimension :
    pointset_powerset_octagonal_shape_long_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_affine_dimension :
    pointset_powerset_octagonal_shape_long_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_relation_with_constraint :
    pointset_powerset_octagonal_shape_long_double ->
    linear_constraint -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_relation_with_generator :
    pointset_powerset_octagonal_shape_long_double ->
    linear_generator -> poly_gen_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_relation_with_congruence :
    pointset_powerset_octagonal_shape_long_double ->
    linear_congruence -> poly_con_relation list
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_is_empty :
    pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_is_universe :
    pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_is_bounded :
    pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_contains_integer_point :
    pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_is_topologically_closed :
    pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_is_discrete :
    pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_topological_closure_assign :
    pointset_powerset_octagonal_shape_long_double -> unit

```



```

val ppl_Pointset_Powerset_Octagonal_Shape_long_double_pairwise_reduce :
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_omega_reduce :
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_bounds_from_above :
  pointset_powerset_octagonal_shape_long_double ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_bounds_from_below :
  pointset_powerset_octagonal_shape_long_double ->
  linear_expression -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_maximize :
  pointset_powerset_octagonal_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_minimize :
  pointset_powerset_octagonal_shape_long_double ->
  linear_expression -> bool * Gmp.Z.t * Gmp.Z.t * bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_maximize_with_point :
  pointset_powerset_octagonal_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_minimize_with_point :
  pointset_powerset_octagonal_shape_long_double ->
  linear_expression ->
  bool * Gmp.Z.t * Gmp.Z.t * bool * linear_generator
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_contains_Pointset_Powerset_Octagonal_Shape_long_double :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_strictly_contains_Pointset_Powerset_Octagonal_Shape_long_double :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_is_disjoint_from_Pointset_Powerset_Octagonal_Shape_long_double :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_geometrically_covers_Pointset_Powerset_Octagonal_Shape_long_double :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_geometrically_equals_Pointset_Powerset_Octagonal_Shape_long_double :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_equals_Pointset_Powerset_Octagonal_Shape_long_double :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_OK :
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_constraint :
  pointset_powerset_octagonal_shape_long_double ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_congruence :
  pointset_powerset_octagonal_shape_long_double ->
  linear_congruence -> unit

```



```

val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_constraints :
  pointset_powerset_octagonal_shape_long_double ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_congruences :
  pointset_powerset_octagonal_shape_long_double ->
  congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_refine_with_constraint :
  pointset_powerset_octagonal_shape_long_double ->
  linear_constraint -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_refine_with_congruence :
  pointset_powerset_octagonal_shape_long_double ->
  linear_congruence -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_refine_with_constraints :
  pointset_powerset_octagonal_shape_long_double ->
  constraint_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_refine_with_congruences :
  pointset_powerset_octagonal_shape_long_double ->
  congruence_system -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_intersection_assign :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_upper_bound_assign :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_difference_assign :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_concatenate_assign :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_time_elapse_assign :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_upper_bound_assign_if_exact :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_simplify_using_context_assign :
  pointset_powerset_octagonal_shape_long_double ->
  pointset_powerset_octagonal_shape_long_double -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_constrains :
  pointset_powerset_octagonal_shape_long_double -> int -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_unconstrain_space_dimension :
  pointset_powerset_octagonal_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_unconstrain_space_dimensions :
  pointset_powerset_octagonal_shape_long_double -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_affine_image :
  pointset_powerset_octagonal_shape_long_double ->
  int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_affine_preimage :
  pointset_powerset_octagonal_shape_long_double ->

```

```

    int -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_bounded_affine_image :
    pointset_powerset_octagonal_shape_long_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_bounded_affine_preimage :
    pointset_powerset_octagonal_shape_long_double ->
    int ->
    linear_expression -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_generalized_affine_image :
    pointset_powerset_octagonal_shape_long_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_generalized_affine_preimage :
    pointset_powerset_octagonal_shape_long_double ->
    int ->
    relation_symbol -> linear_expression -> Gmp.Z.t -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_generalized_affine_image_lhs_rhs :
    pointset_powerset_octagonal_shape_long_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_generalized_affine_preimage_lhs_rhs :
    pointset_powerset_octagonal_shape_long_double ->
    linear_expression ->
    relation_symbol -> linear_expression -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_space_dimensions_and_embed :
    pointset_powerset_octagonal_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_space_dimensions_and_project :
    pointset_powerset_octagonal_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_remove_space_dimensions :
    pointset_powerset_octagonal_shape_long_double -> int list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_remove_higher_space_dimensions :
    pointset_powerset_octagonal_shape_long_double -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_expand_space_dimension :
    pointset_powerset_octagonal_shape_long_double -> int -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_fold_space_dimensions :
    pointset_powerset_octagonal_shape_long_double ->
    int list -> int -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_map_space_dimensions :
    pointset_powerset_octagonal_shape_long_double ->
    (int * int) list -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_drop_some_non_integer_points :
    pointset_powerset_octagonal_shape_long_double ->
    complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_drop_some_non_integer_points_2 :
    pointset_powerset_octagonal_shape_long_double ->
    int list -> complexity_class -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_ascii_dump :
    pointset_powerset_octagonal_shape_long_double -> string
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_external_memory_in_bytes :

```

```

    pointset_powerset_octagonal_shape_long_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_total_memory_in_bytes :
    pointset_powerset_octagonal_shape_long_double -> int
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_size :
    pointset_powerset_octagonal_shape_long_double -> int
type pointset_powerset_octagonal_shape_long_double_iterator
val ppl_new_Pointset_Powerset_Octagonal_Shape_long_double_iterator_from_iterator :
    pointset_powerset_octagonal_shape_long_double_iterator ->
    pointset_powerset_octagonal_shape_long_double_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_begin_iterator :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_end_iterator :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double_iterator
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_iterator_equals_iterator :
    pointset_powerset_octagonal_shape_long_double_iterator ->
    pointset_powerset_octagonal_shape_long_double_iterator -> bool
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_increment_iterator :
    pointset_powerset_octagonal_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_decrement_iterator :
    pointset_powerset_octagonal_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_get_disjunct :
    pointset_powerset_octagonal_shape_long_double_iterator ->
    octagonal_shape_long_double
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_add_disjunct :
    pointset_powerset_octagonal_shape_long_double ->
    octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_drop_disjunct :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_drop_disjuncts :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double_iterator ->
    pointset_powerset_octagonal_shape_long_double_iterator -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_BHZ03_H79_BHMZ05_widening_assignment :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double -> unit
val ppl_Pointset_Powerset_Octagonal_Shape_long_double_BGP99_BHMZ05_extrapolation_assignment :
    pointset_powerset_octagonal_shape_long_double ->
    pointset_powerset_octagonal_shape_long_double -> int -> unit

```

Compilation and Installation

When the Parma Polyhedra Library is configured, it tests for the existence of the OCaml system. If OCaml is correctly installed in a standard location, things are arranged so that the OCaml interface is built and installed.

3 GNU General Public License

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

“This License” refers to version 3 of the GNU General Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work’s System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other

parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to “keep intact all notices”.
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation’s users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material

or in the Appropriate Legal Notices displayed by works containing it; or

- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party’s predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor’s “contributor version”.

A contributor’s “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor’s essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient’s use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the

exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy’s public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS

AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the “copyright” line and a pointer to where the full notice is found.

```
one line to give the program's name and a brief idea of what it does.
Copyright (C)  year   name of author
```

```
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with this program.  If not, see http://www.gnu.org/licenses/.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```

program Copyright (C) year name of author
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ‘show w’ and ‘show c’ should show the appropriate parts of the General Public License. Of course, your program’s commands might be different; for a GUI interface, you would use an “about box”.

You should also get your employer (if you work as a programmer) or school, if any, to sign a “copyright disclaimer” for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

4 GNU Free Documentation License

Version 1.2, November 2002

```

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
```

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is

addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- **A.** Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- **B.** List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- **C.** State on the Title page the name of the publisher of the Modified Version, as the publisher.
- **D.** Preserve all the copyright notices of the Document.
- **E.** Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- **F.** Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

- **G.** Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- **H.** Include an unaltered copy of this License.
- **I.** Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- **J.** Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- **K.** For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- **L.** Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- **M.** Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- **N.** Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- **O.** Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but

different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (c)  YEAR  YOUR NAME.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts.  A copy of the license is included in the section entitled
"GNU Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

5 Module Index

5.1 Modules

Here is a list of all modules:

OCaml Language Interface 481

6 Namespace Index

6.1 Namespace List

Here is a list of all namespaces with brief descriptions:

Parma_Polyhedra_Library 481

Parma_Polyhedra_Library::Interfaces 481

[Parma_Polyhedra_Library::Interfaces::OCaml](#) 482

7 Class Index

7.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

[Parma_Polyhedra_Library::Interfaces::OCaml::deterministic_timeout_exception](#) 491

[Parma_Polyhedra_Library::Interfaces::OCaml::timeout_exception](#) 492

8 File Index

8.1 File List

Here is a list of all files with brief descriptions:

[ppl_ocaml_common.cc](#) 493

[ppl_ocaml_common.defs.hh](#) 511

[ppl_ocaml_common.inlines.hh](#) 514

9 Module Documentation

9.1 OCaml Language Interface

The Parma Polyhedra Library comes equipped with an interface for the OCaml language.

10 Namespace Documentation

10.1 Parma_Polyhedra_Library Namespace Reference

Namespaces

- namespace [Interfaces](#)

10.2 Parma_Polyhedra_Library::Interfaces Namespace Reference

Namespaces

- namespace [OCaml](#)

10.3 Parma_Polyhedra_Library::Interfaces::OCaml Namespace Reference

Classes

- class [timeout_exception](#)
- class [deterministic_timeout_exception](#)

Functions

- void [reset_timeout](#) ()
- void [reset_deterministic_timeout](#) ()
- value [build_ocaml_coefficient](#) (const Coefficient &ppl_coeff)
- Coefficient [build_ppl_Coefficient](#) (value coeff)
- Linear_Expression [build_ppl_Linear_Expression](#) (value e)
- Relation_Symbol [build_ppl_relsym](#) (value caml_relsym)
- Bounded_Integer_Type_Width [build_ppl_bounded_integer_type_width](#) (value caml_width)
- Bounded_Integer_Type_Representation [build_ppl_bounded_integer_type_representation](#) (value caml_rep)
- Bounded_Integer_Type_Overflow [build_ppl_bounded_integer_type_overflow](#) (value caml_oflow)
- Optimization_Mode [build_ppl_opt_mode](#) (value caml_opt_mode)
- Degenerate_Element [build_ppl_Degenerate_Element](#) (value de)
- Complexity_Class [build_ppl_Complexity_Class](#) (value cc)
- MIP_Problem::Control_Parameter_Name [build_ppl_control_parameter_name](#) (value caml_cp_name)
- MIP_Problem::Control_Parameter_Value [build_ppl_control_parameter_value](#) (value caml_cp_value)
- PIP_Problem::Control_Parameter_Name [build_ppl_pip_problem_control_parameter_name](#) (value caml_cp_name)
- PIP_Problem::Control_Parameter_Value [build_ppl_pip_problem_control_parameter_value](#) (value caml_cp_value)
- Variables_Set [build_ppl_Variables_Set](#) (value caml_vset)
- Constraint [build_ppl_Constraint](#) (value c)
- template<typename R >
CAMLprim value [get_inhomogeneous_term](#) (const R &r)
- template<typename R >
CAMLprim value [get_linear_expression](#) (const R &r)
- value [build_ocaml_generator](#) (const Generator &ppl_generator)
- value [build_ocaml_grid_generator](#) (const Grid_Generator &ppl_grid_generator)
- value [build_ocaml_constraint](#) (const Constraint &ppl_constraint)
- value [build_ocaml_congruence](#) (const Congruence &ppl_congruence)
- value [build_ocaml_congruence_system](#) (const Congruence_System &ppl_cgs)
- value [build_ocaml_constraint_system](#) (const Constraint_System &ppl_cs)
- value [build_ocaml_generator_system](#) (const Generator_System &ppl_gs)
- value [build_ocaml_grid_generator_system](#) (const Grid_Generator_System &ppl_ggs)
- value [build_ocaml_poly_con_relation](#) (Poly_Con_Relation &r)
- value [build_ocaml_poly_gen_relation](#) (Poly_Gen_Relation &r)
- Congruence [build_ppl_Congruence](#) (value c)
- Generator [build_ppl_Generator](#) (value g)
- Grid_Generator [build_ppl_Grid_Generator](#) (value gg)
- Constraint_System [build_ppl_Constraint_System](#) (value cl)
- Generator_System [build_ppl_Generator_System](#) (value gl)

- Congruence_System [build_ppl_Congruence_System](#) (value cgl)
- Grid_Generator_System [build_ppl_Grid_Generator_System](#) (value caml_ggs)
- MIP_Problem *& [p_MIP_Problem_val](#) (value v)
Give access to the embedded MIP_Problem in v.*
- void [custom_MIP_Problem_finalize](#) (value v)
- value [unregistered_value_p_MIP_Problem](#) (const MIP_Problem &ph)
- PIP_Problem *& [p_PIP_Problem_val](#) (value v)
Give access to the embedded PIP_Problem in v.*
- void [custom_PIP_Problem_finalize](#) (value v)
- value [unregistered_value_p_PIP_Problem](#) (const PIP_Problem &ph)
- const PIP_Tree_Node *& [p_PIP_Tree_Node_val](#) (value v)
Give access to the embedded const PIP_Tree_Node in v.*
- value [unregistered_value_p_PIP_Tree_Node](#) (const PIP_Tree_Node *pip_tree)
- const PIP_Tree_Node * [ppl_PIP_Tree_Node_get_child](#) (const PIP_Tree_Node *parent, bool branch)
- template<typename U_Int >
U_Int [value_to_unsigned](#) (value v)
- value [ppl_dimension_to_value](#) (dimension_type dim)
- dimension_type [value_to_ppl_dimension](#) (value dim)
- Variable [build_ppl_Variable](#) (value var)

Variables

- static struct custom_operations [MIP_Problem_custom_operations](#)
- static struct custom_operations [PIP_Problem_custom_operations](#)
- static struct custom_operations [PIP_Tree_Node_custom_operations](#)

10.3.1 Function Documentation

10.3.1.1 [

[build_ocaml_coefficient](#)]value Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient (const Coefficient & *ppl_coeff*)

Referenced by [build_ocaml_artificial_parameter\(\)](#), [get_linear_expression\(\)](#), [ppl_Coefficient_max\(\)](#), [ppl_Coefficient_min\(\)](#), [ppl_MIP_Problem_evaluate_objective_function\(\)](#), [ppl_MIP_Problem_objective_function\(\)](#), and [ppl_MIP_Problem_optimal_value\(\)](#).

10.3.1.2 [

[build_ocaml_congruence](#)]value Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_congruence (const Congruence & *ppl_congruence*)

10.3.1.3 [

[build_ocaml_congruence_system](#)]value Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_congruence_system (const Congruence_System & *ppl_cgs*)

10.3.1.4 [

`build_ocaml_constraint`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint`
(const Constraint & *ppl_constraint*)

10.3.1.5 [

`build_ocaml_constraint_system`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint_system` (const Constraint_System & *ppl_cs*)

Referenced by `ppl_MIP_Problem_constraints()`, `ppl_PIP_Problem_constraints()`, and `ppl_PIP_Tree_Node_constraints()`.

10.3.1.6 [

`build_ocaml_generator`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator`
(const Generator & *ppl_generator*)

Referenced by `ppl_MIP_Problem_feasible_point()`, and `ppl_MIP_Problem_optimizing_point()`.

10.3.1.7 [

`build_ocaml_generator_system`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator_system` (const Generator_System & *ppl_gs*)

10.3.1.8 [

`build_ocaml_grid_generator`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_grid_generator` (const Grid_Generator & *ppl_grid_generator*)

10.3.1.9 [

`build_ocaml_grid_generator_system`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_grid_generator_system` (const Grid_Generator_System & *ppl_ggs*)

10.3.1.10 [

`build_ocaml_poly_con_relation`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_poly_con_relation` (Poly_Con_Relation & *r*)

10.3.1.11 [

`build_ocaml_poly_gen_relation`]value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_poly_gen_relation` (Poly_Gen_Relation & *r*)

10.3.1.12 [

`build_ppl_bounded_integer_type_overflow`]Bounded_Integer_Type_Overflow `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_overflow` (value *caml_oflow*)

10.3.1.13 [

build_ppl_bounded_integer_type_representation]Bounded_Integer_Type_Representation Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_representation (value *caml_rep*)

10.3.1.14 [

build_ppl_bounded_integer_type_width]Bounded_Integer_Type_Width Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_width (value *caml_width*)

10.3.1.15 [

build_ppl_Coefficient]Coefficient Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Coefficient (value *coeff*)

10.3.1.16 [

build_ppl_Complexity_Class]Complexity_Class Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Complexity_Class (value *cc*)

10.3.1.17 [

build_ppl_Congruence]Congruence Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Congruence (value *c*)

10.3.1.18 [

build_ppl_Congruence_System]Congruence_System Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Congruence_System (value *cgl*)

10.3.1.19 [

build_ppl_Constraint]Constraint Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint (value *c*)

Referenced by ppl_MIP_Problem_add_constraint(), and ppl_PIP_Problem_add_constraint().

10.3.1.20 [

build_ppl_Constraint_System]Constraint_System Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System (value *cl*)

Referenced by ppl_MIP_Problem_add_constraints(), ppl_new_MIP_Problem(), ppl_new_PIP_Problem(), and ppl_PIP_Problem_add_constraints().

10.3.1.21 [

build_ppl_control_parameter_name]MIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_control_parameter_name (value *caml_cp_name*)

Definition at line 258 of file ppl_ocaml_common.cc.

Referenced by ppl_MIP_Problem_get_control_parameter().

10.3.1.22 [

build_ppl_control_parameter_value]MIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_control_parameter_value (value *caml_cp_value*)

Definition at line 271 of file ppl_ocaml_common.cc.

Referenced by ppl_MIP_Problem_set_control_parameter().

10.3.1.23 [

build_ppl_Degenerate_Element]Degenerate_Element Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Degenerate_Element (value *de*)

10.3.1.24 [

build_ppl_Generator]Generator Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator (value *g*)

Referenced by ppl_MIP_Problem_evaluate_objective_function().

10.3.1.25 [

build_ppl_Generator_System]Generator_System Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator_System (value *gl*)

10.3.1.26 [

build_ppl_Grid_Generator]Grid_Generator Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Grid_Generator (value *gg*)

10.3.1.27 [

build_ppl_Grid_Generator_System]Grid_Generator_System Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Grid_Generator_System (value *caml_ggs*)

10.3.1.28 [

build_ppl_Linear_Expression]Linear_Expression Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression (value *e*)

Referenced by ppl_Linear_Expression_all_homogeneous_terms_are_zero(), ppl_Linear_Expression_is_zero(), ppl_MIP_Problem_set_objective_function(), and ppl_new_MIP_Problem().

10.3.1.29 [

build_ppl_opt_mode]Optimization_Mode Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_opt_mode (value *caml_opt_mode*)

Definition at line 211 of file ppl_ocaml_common.cc.

Referenced by ppl_MIP_Problem_set_optimization_mode(), and ppl_new_MIP_Problem().

10.3.1.30 [

build_ppl_pip_problem_control_parameter_name]PIP_Problem::Control_Parameter_Name Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_pip_problem_control_parameter_name (value *caml_cp_name*)

Definition at line 288 of file ppl_ocaml_common.cc.

Referenced by ppl_PIP_Problem_get_control_parameter().

10.3.1.31 [

build_ppl_pip_problem_control_parameter_value]PIP_Problem::Control_Parameter_Value Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_pip_problem_control_parameter_value (value *caml_cp_value*)

Definition at line 304 of file ppl_ocaml_common.cc.

Referenced by ppl_PIP_Problem_set_control_parameter().

10.3.1.32 [

build_ppl_relsym]Relation_Symbol Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_relsym (value *caml_relsym*)

10.3.1.33 [

build_ppl_Variable]Variable Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variable (value *var*) [inline]

Definition at line 72 of file ppl_ocaml_common.inlines.hh.

References value_to_ppl_dimension().

10.3.1.34 [

build_ppl_Variables_Set]Variables_Set Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variables_Set (value *caml_vset*)

Referenced by ppl_MIP_Problem_add_to_integer_space_dimensions(), and ppl_PIP_Problem_add_to_parameter_space_dimensions().

10.3.1.35 [

`custom_MIP_Problem_finalize`]void Parma_Polyhedra_Library::Interfaces::OCaml::custom_MIP_Problem_finalize (value *v*)

Definition at line 763 of file `ppl_ocaml_common.cc`.

10.3.1.36 [

`custom_PIP_Problem_finalize`]void Parma_Polyhedra_Library::Interfaces::OCaml::custom_PIP_Problem_finalize (value *v*)

Definition at line 791 of file `ppl_ocaml_common.cc`.

10.3.1.37 [

`get_inhomogeneous_term`]template<typename R > CAMLprim value Parma_Polyhedra_Library::Interfaces::OCaml::get_inhomogeneous_term (const R & *r*) [inline]

Definition at line 364 of file `ppl_ocaml_common.cc`.

10.3.1.38 [

`get_linear_expression`]template<typename R > CAMLprim value Parma_Polyhedra_Library::Interfaces::OCaml::get_linear_expression (const R & *r*) [inline]

Definition at line 378 of file `ppl_ocaml_common.cc`.

References `build_ocaml_coefficient()`, and `ppl_dimension_to_value()`.

Referenced by `build_ocaml_artificial_parameter()`, `ppl_MIP_Problem_objective_function()`, and `ppl_PIP_Tree_Node_parametric_values()`.

10.3.1.39 [

`p_MIP_Problem_val`]MIP_Problem*& Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val (value *v*) [inline]

Give access to the embedded `MIP_Problem*` in *v*.

Definition at line 758 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_MIP_Problem_add_constraint()`, `ppl_MIP_Problem_add_constraints()`, `ppl_MIP_Problem_add_space_dimensions_and_embed()`, `ppl_MIP_Problem_add_to_integer_space_dimensions()`, `ppl_MIP_Problem_ascii_dump()`, `ppl_MIP_Problem_clear()`, `ppl_MIP_Problem_constraints()`, `ppl_MIP_Problem_evaluate_objective_function()`, `ppl_MIP_Problem_feasible_point()`, `ppl_MIP_Problem_get_control_parameter()`, `ppl_MIP_Problem_integer_space_dimensions()`, `ppl_MIP_Problem_is_satisfiable()`, `ppl_MIP_Problem_objective_function()`, `ppl_MIP_Problem_OK()`, `ppl_MIP_Problem_optimal_value()`, `ppl_MIP_Problem_optimization_mode()`, `ppl_MIP_Problem_optimizing_point()`, `ppl_MIP_Problem_set_control_parameter()`, `ppl_MIP_Problem_set_objective_function()`, `ppl_MIP_Problem_set_optimization_mode()`, `ppl_MIP_Problem_solve()`, `ppl_MIP_Problem_space_dimension()`, and `ppl_MIP_Problem_swap()`.

10.3.1.40 [

`p_PIP_Problem_val`]PIP_Problem*& Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val (value *v*) [inline]

Give access to the embedded PIP_Problem* in *v*.

Definition at line 786 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_PIP_Problem_add_constraint()`, `ppl_PIP_Problem_add_constraints()`, `ppl_PIP_Problem_add_space_dimensions_and_embed()`, `ppl_PIP_Problem_add_to_parameter_space_dimensions()`, `ppl_PIP_Problem_ascii_dump()`, `ppl_PIP_Problem_clear()`, `ppl_PIP_Problem_constraints()`, `ppl_PIP_Problem_get_big_parameter_dimension()`, `ppl_PIP_Problem_get_control_parameter()`, `ppl_PIP_Problem_has_big_parameter_dimension()`, `ppl_PIP_Problem_is_satisfiable()`, `ppl_PIP_Problem_OK()`, `ppl_PIP_Problem_optimizing_solution()`, `ppl_PIP_Problem_parameter_space_dimensions()`, `ppl_PIP_Problem_set_big_parameter_dimension()`, `ppl_PIP_Problem_set_control_parameter()`, `ppl_PIP_Problem_solution()`, `ppl_PIP_Problem_solve()`, `ppl_PIP_Problem_space_dimension()`, and `ppl_PIP_Problem_swap()`.

10.3.1.41 [

`p_PIP_Tree_Node_val`]const PIP_Tree_Node*& Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val (value *v*) [inline]

Give access to the embedded const PIP_Tree_Node* in *v*.

Definition at line 828 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_PIP_Tree_Node_artificials()`, `ppl_PIP_Tree_Node_ascii_dump()`, `ppl_PIP_Tree_Node_constraints()`, `ppl_PIP_Tree_Node_false_child()`, `ppl_PIP_Tree_Node_is_bottom()`, `ppl_PIP_Tree_Node_is_decision()`, `ppl_PIP_Tree_Node_is_solution()`, `ppl_PIP_Tree_Node_OK()`, `ppl_PIP_Tree_Node_parametric_values()`, and `ppl_PIP_Tree_Node_true_child()`.

10.3.1.42 [

`ppl_dimension_to_value`]value Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value (dimension_type *dim*) [inline]

Definition at line 65 of file `ppl_ocaml_common.inlines.hh`.

Referenced by `get_linear_expression()`, `ppl_max_space_dimension()`, `ppl_MIP_Problem_integer_space_dimensions()`, `ppl_MIP_Problem_space_dimension()`, `ppl_PIP_Problem_get_big_parameter_dimension()`, `ppl_PIP_Problem_parameter_space_dimensions()`, and `ppl_PIP_Problem_space_dimension()`.

10.3.1.43 [

`ppl_PIP_Tree_Node_get_child`]const PIP_Tree_Node* Parma_Polyhedra_Library::Interfaces::OCaml::ppl_PIP_Tree_Node_get_child (const PIP_Tree_Node * *parent*, bool *branch*) [inline]

Definition at line 841 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_PIP_Tree_Node_false_child()`, and `ppl_PIP_Tree_Node_true_child()`.

10.3.1.44 [

`reset_deterministic_timeout`]void Parma_Polyhedra_Library::Interfaces::OCaml::reset_deterministic_timeout ()

Referenced by `ppl_reset_deterministic_timeout()`, and `ppl_set_deterministic_timeout()`.

10.3.1.45 [

`reset_timeout`]void Parma_Polyhedra_Library::Interfaces::OCaml::reset_timeout ()

Referenced by `ppl_reset_timeout()`, and `ppl_set_timeout()`.

10.3.1.46 [

`unregistered_value_p_MIP_Problem`]value Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_MIP_Problem (const MIP_Problem & *ph*) [inline]

Definition at line 777 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_new_MIP_Problem()`, and `ppl_new_MIP_Problem_from_space_dimension()`.

10.3.1.47 [

`unregistered_value_p_PIP_Problem`]value Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Problem (const PIP_Problem & *ph*) [inline]

Definition at line 805 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_new_PIP_Problem()`, and `ppl_new_PIP_Problem_from_space_dimension()`.

10.3.1.48 [

`unregistered_value_p_PIP_Tree_Node`]value Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Tree_Node (const PIP_Tree_Node * *pip_tree*) [inline]

Definition at line 833 of file `ppl_ocaml_common.cc`.

Referenced by `ppl_PIP_Problem_optimizing_solution()`, `ppl_PIP_Problem_solution()`, `ppl_PIP_Tree_Node_false_child()`, and `ppl_PIP_Tree_Node_true_child()`.

10.3.1.49 [

`value_to_ppl_dimension`]dimension_type Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension (value *dim*) [inline]

Definition at line 60 of file `ppl_ocaml_common.inlines.hh`.

Referenced by `build_ppl_Variable()`, `ppl_MIP_Problem_add_space_dimensions_and_embed()`, `ppl_new_MIP_Problem()`, `ppl_new_MIP_Problem_from_space_dimension()`, `ppl_new_PIP_Problem()`, `ppl_new_PIP_Problem_from_space_dimension()`, `ppl_PIP_Problem_add_space_dimensions_and_embed()`, and `ppl_PIP_Problem_set_big_parameter_dimension()`.

10.3.1.50 [

value_to_unsigned]template<typename U_Int > U_Int Parma_Polyhedra_Library::Interfaces::OCaml::value_to_unsigned (value v) [inline]

Definition at line 35 of file ppl_ocaml_common.inlines.hh.

10.3.2 Variable Documentation**10.3.2.1 [**

MIP_Problem_custom_operations]struct custom_operations Parma_Polyhedra_Library::Interfaces::OCaml::MIP_Problem_custom_operations [static]

Definition at line 767 of file ppl_ocaml_common.cc.

10.3.2.2 [

PIP_Problem_custom_operations]struct custom_operations Parma_Polyhedra_Library::Interfaces::OCaml::PIP_Problem_custom_operations [static]

Definition at line 795 of file ppl_ocaml_common.cc.

10.3.2.3 [

PIP_Tree_Node_custom_operations]struct custom_operations Parma_Polyhedra_Library::Interfaces::OCaml::PIP_Tree_Node_custom_operations [static]

Definition at line 817 of file ppl_ocaml_common.cc.

11 Class Documentation**11.1 Parma_Polyhedra_Library::Interfaces::OCaml::deterministic_timeout_exception Class Reference**

```
#include <ppl_ocaml_common.defs.hh>
```

Public Member Functions

- void [throw_me](#) () const
- int [priority](#) () const

11.1.1 Detailed Description

Definition at line 164 of file ppl_ocaml_common.defs.hh.

11.1.2 Member Function Documentation

11.1.2.1 [

priority]int Parma_Polyhedra_Library::Interfaces::OCaml::deterministic_timeout_exception::priority () const [inline]

Definition at line 170 of file ppl_ocaml_common.defs.hh.

11.1.2.2 [

throw_me]void Parma_Polyhedra_Library::Interfaces::OCaml::deterministic_timeout_exception::throw_me () const [inline]

Definition at line 167 of file ppl_ocaml_common.defs.hh.

The documentation for this class was generated from the following file:

- [ppl_ocaml_common.defs.hh](#)

11.2 Parma_Polyhedra_Library::Interfaces::OCaml::timeout_exception Class Reference

```
#include <ppl_ocaml_common.defs.hh>
```

Public Member Functions

- void [throw_me](#) () const
- int [priority](#) () const

11.2.1 Detailed Description

Definition at line 153 of file ppl_ocaml_common.defs.hh.

11.2.2 Member Function Documentation

11.2.2.1 [

priority]int Parma_Polyhedra_Library::Interfaces::OCaml::timeout_exception::priority () const [inline]

Definition at line 159 of file ppl_ocaml_common.defs.hh.

11.2.2.2 [

throw_me]void Parma_Polyhedra_Library::Interfaces::OCaml::timeout_exception::throw_me () const [inline]

Definition at line 156 of file ppl_ocaml_common.defs.hh.

The documentation for this class was generated from the following file:

- [ppl_ocaml_common.defs.hh](#)

12 File Documentation

12.1 fdl.dox File Reference


12.2 gpl.dox File Reference

12.3 OCaml_interface.dox File Reference


12.4 ppl_ocaml_common.cc File Reference

```
#include "ppl_ocaml_common.defs.hh"
#include "ppl.hh"
#include "interfaced_boxes.hh"
#include "marked_pointers.hh"
#include "caml/mlvalues.h"
#include "caml/memory.h"
#include "caml/custom.h"
#include "caml/fail.h"
#include "caml/callback.h"
#include "caml/alloc.h"
```

Include dependency graph for ppl_ocaml_common.cc:



This graph shows which files directly or indirectly include this file:



Namespaces

- namespace [Parma_Polyhedra_Library](#)
- namespace [Parma_Polyhedra_Library::Interfaces](#)
- namespace [Parma_Polyhedra_Library::Interfaces::OCaml](#)

Functions

- void [Parma_Polyhedra_Library::Interfaces::OCaml::reset_timeout](#) ()
- void [Parma_Polyhedra_Library::Interfaces::OCaml::reset_deterministic_timeout](#) ()
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient](#) (const Coefficient &ppl_coeff)
- Coefficient [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Coefficient](#) (value coeff)

- `Linear_Expression` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression](#) (value `e`)
- `Relation_Symbol` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_relsym](#) (value `caml_relsym`)
- `Bounded_Integer_Type_Width` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_width](#) (value `caml_width`)
- `Bounded_Integer_Type_Representation` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_representation](#) (value `caml_rep`)
- `Bounded_Integer_Type_Overflow` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_overflow](#) (value `caml_oflow`)
- `Optimization_Mode` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_opt_mode](#) (value `caml_opt_mode`)
- `Degenerate_Element` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Degenerate_Element](#) (value `de`)
- `Complexity_Class` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Complexity_Class](#) (value `cc`)
- `MIP_Problem::Control_Parameter_Name` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_control_parameter_name](#) (value `caml_cp_name`)
- `MIP_Problem::Control_Parameter_Value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_control_parameter_value](#) (value `caml_cp_value`)
- `PIP_Problem::Control_Parameter_Name` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_pip_problem_control_parameter_name](#) (value `caml_cp_name`)
- `PIP_Problem::Control_Parameter_Value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_pip_problem_control_parameter_value](#) (value `caml_cp_value`)
- `Variables_Set` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variables_Set](#) (value `caml_vset`)
- `Constraint` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint](#) (value `c`)
- `template<typename R>`
`CAMLprim value` [Parma_Polyhedra_Library::Interfaces::OCaml::get_inhomogeneous_term](#) (const `R &r`)
- `template<typename R>`
`CAMLprim value` [Parma_Polyhedra_Library::Interfaces::OCaml::get_linear_expression](#) (const `R &r`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator](#) (const `Generator &ppl_generator`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_grid_generator](#) (const `Grid_Generator &ppl_grid_generator`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint](#) (const `Constraint &ppl_constraint`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_congruence](#) (const `Congruence &ppl_congruence`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_congruence_system](#) (const `Congruence_System &ppl_cgs`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint_system](#) (const `Constraint_System &ppl_cs`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator_system](#) (const `Generator_System &ppl_gs`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_grid_generator_system](#) (const `Grid_Generator_System &ppl_ggs`)
- `value` [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_poly_con_relation](#) (`Poly_Con_Relation &r`)

- value `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_poly_gen_relation` (`Poly_Gen_Relation &r`)
- Congruence `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Congruence` (value `c`)
- Generator `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator` (value `g`)
- Grid_Generator `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Grid_Generator` (value `gg`)
- Constraint_System `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System` (value `cl`)
- Generator_System `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator_System` (value `gl`)
- Congruence_System `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Congruence_System` (value `cgl`)
- Grid_Generator_System `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Grid_Generator_System` (value `caml_ggs`)
- MIP_Problem `*& Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val` (value `v`)
Give access to the embedded MIP_Problem in v.*
- void `Parma_Polyhedra_Library::Interfaces::OCaml::custom_MIP_Problem_finalize` (value `v`)
- value `Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_MIP_Problem` (const `MIP_Problem &ph`)
- PIP_Problem `*& Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val` (value `v`)
Give access to the embedded PIP_Problem in v.*
- void `Parma_Polyhedra_Library::Interfaces::OCaml::custom_PIP_Problem_finalize` (value `v`)
- value `Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Problem` (const `PIP_Problem &ph`)
- const `PIP_Tree_Node *& Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val` (value `v`)
Give access to the embedded const PIP_Tree_Node in v.*
- value `Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Tree_Node` (const `PIP_Tree_Node *pip_tree`)
- const `PIP_Tree_Node * Parma_Polyhedra_Library::Interfaces::OCaml::ppl_PIP_Tree_Node_get_child` (const `PIP_Tree_Node *parent`, bool `branch`)
- CAMLprim value `ppl_new_MIP_Problem_from_space_dimension` (value `d`)
- `catch` (std::invalid_argument &e)
- `catch` (std::overflow_error &e)
- `catch` (std::domain_error &e)
- `catch` (std::length_error &e)
- `catch` (std::logic_error &e)
- `catch` (std::runtime_error &e)
- `catch` (std::exception &e)
- `catch` (timeout_exception &)
- `catch` (deterministic_timeout_exception &)
- `catch` (...)
- CAMLprim value `ppl_new_MIP_Problem` (value `d`, value `caml_cs`, value `caml_cost`, value `caml_opt_mode`)
- CAMLprim value `ppl_MIP_Problem_space_dimension` (value `ph`)
- CAMLprim value `ppl_MIP_Problem_integer_space_dimensions` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_constraints` (value `caml_mip`)

- CAMLprim value `ppl_MIP_Problem_add_space_dimensions_and_embed` (value `caml_mip`, value `dim`)
- CAMLprim value `ppl_MIP_Problem_add_to_integer_space_dimensions` (value `caml_mip`, value `caml_ivars`)
- CAMLprim value `ppl_MIP_Problem_add_constraint` (value `caml_mip`, value `caml_constraint`)
- CAMLprim value `ppl_MIP_Problem_add_constraints` (value `caml_mip`, value `caml_constraints`)
- CAMLprim value `ppl_MIP_Problem_set_objective_function` (value `caml_mip`, value `caml_cost`)
- CAMLprim value `ppl_MIP_Problem_is_satisfiable` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_solve` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_optimization_mode` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_set_control_parameter` (value `caml_mip`, value `caml_cp_value`)
- CAMLprim value `ppl_MIP_Problem_get_control_parameter` (value `caml_mip`, value `caml_cp_name`)
- CAMLprim value `ppl_MIP_Problem_feasible_point` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_optimizing_point` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_optimal_value` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_evaluate_objective_function` (value `caml_mip`, value `caml_generator`)
- CAMLprim value `ppl_MIP_Problem_OK` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_objective_function` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_clear` (value `caml_mip`)
- CAMLprim value `ppl_MIP_Problem_set_optimization_mode` (value `caml_mip`, value `caml_opt_mode`) try
- `catch` (`std::bad_alloc &`)
- CAMLprim value `ppl_MIP_Problem_swap` (value `caml_mip1`, value `caml_mip2`) try
- CAMLprim value `ppl_MIP_Problem_ascii_dump` (value `caml_mip`)
- CAMLprim value `ppl_new_PIP_Problem_from_space_dimension` (value `d`)
- CAMLprim value `ppl_new_PIP_Problem` (value `d`, value `caml_cs`, value `caml_vset`)
- CAMLprim value `ppl_PIP_Problem_space_dimension` (value `pip`)
- CAMLprim value `ppl_PIP_Problem_parameter_space_dimensions` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_constraints` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_add_space_dimensions_and_embed` (value `caml_pip`, value `vdim`, value `pdim`)
- CAMLprim value `ppl_PIP_Problem_add_to_parameter_space_dimensions` (value `caml_pip`, value `caml_ivars`)
- CAMLprim value `ppl_PIP_Problem_add_constraint` (value `caml_pip`, value `caml_constraint`)
- CAMLprim value `ppl_PIP_Problem_add_constraints` (value `caml_pip`, value `caml_constraints`)
- CAMLprim value `ppl_PIP_Problem_set_big_parameter_dimension` (value `caml_pip`, value `caml_dim`)
- CAMLprim value `ppl_PIP_Problem_get_big_parameter_dimension` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_has_big_parameter_dimension` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_is_satisfiable` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_solve` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_set_control_parameter` (value `caml_pip`, value `caml_cp_value`)
- CAMLprim value `ppl_PIP_Problem_get_control_parameter` (value `caml_pip`, value `caml_cp_name`)
- CAMLprim value `ppl_PIP_Problem_solution` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_optimizing_solution` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_OK` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_clear` (value `caml_pip`)
- CAMLprim value `ppl_PIP_Problem_swap` (value `caml_pip1`, value `caml_pip2`) try

- CAMLprim value [ppl_PIP_Problem_ascii_dump](#) (value caml_pip)
- value [build_ocaml_artificial_parameter](#) (const PIP_Tree_Node::Artificial_Parameter &ppl_artificial_parameter)
- CAMLprim value [ppl_PIP_Tree_Node_constraints](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_is_bottom](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_is_solution](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_is_decision](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_artificials](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_OK](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_ascii_dump](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_parametric_values](#) (value caml_node, value caml_dim)
- CAMLprim value [ppl_PIP_Tree_Node_true_child](#) (value caml_node)
- CAMLprim value [ppl_PIP_Tree_Node_false_child](#) (value caml_node)
- CAMLprim value [ppl_version_major](#) (value unit)
- CAMLprim value [ppl_version_minor](#) (value unit)
- CAMLprim value [ppl_version_revision](#) (value unit)
- CAMLprim value [ppl_version_beta](#) (value unit)
- CAMLprim value [ppl_version](#) (value unit)
- CAMLprim value [ppl_banner](#) (value unit)
- CAMLprim value [ppl_io_wrap_string](#) (value src, value indent_depth, value preferred_first_line_length, value preferred_line_length)
- CAMLprim value [ppl_Coefficient_bits](#) (value unit)
- CAMLprim value [ppl_Coefficient_is_bounded](#) (value unit)
- CAMLprim value [ppl_Coefficient_min](#) (value unit)
- CAMLprim value [ppl_Coefficient_max](#) (value unit)
- CAMLprim value [ppl_max_space_dimension](#) (value unit)
- CAMLprim value [ppl_Linear_Expression_is_zero](#) (value ocaml_le)
- CAMLprim value [ppl_Linear_Expression_all_homogeneous_terms_are_zero](#) (value ocaml_le)
- CAMLprim value [ppl_set_rounding_for_PPL](#) (value unit)
- CAMLprim value [ppl_restore_pre_PPL_rounding](#) (value unit)
- CAMLprim value [ppl_irrational_precision](#) (value unit)
- CAMLprim value [ppl_set_irrational_precision](#) (value p)
- CAMLprim value [ppl_set_timeout](#) (value time)
- CAMLprim value [ppl_reset_timeout](#) (value unit)
- CAMLprim value [ppl_set_deterministic_timeout](#) (value weight)
- CAMLprim value [ppl_reset_deterministic_timeout](#) (value unit)

Variables

- static struct custom_operations [Parma_Polyhedra_Library::Interfaces::OCaml::MIP_Problem_custom_operations](#)
- static struct custom_operations [Parma_Polyhedra_Library::Interfaces::OCaml::PIP_Problem_custom_operations](#)
- static struct custom_operations [Parma_Polyhedra_Library::Interfaces::OCaml::PIP_Tree_Node_custom_operations](#)

12.4.1 Function Documentation

12.4.1.1 [

`build_ocaml_artificial_parameter]value build_ocaml_artificial_parameter (const PIP_Tree_Node::Artificial_Parameter & ppl_artificial_parameter)`

Definition at line 1489 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::get_linear_expression()`.

Referenced by `ppl_PIP_Tree_Node_artificials()`.

12.4.1.2 [

`catch]catch (std::bad_alloc &)`

Definition at line 1475 of file `ppl_ocaml_common.cc`.

12.4.1.3 [

`catch]catch ( ...)`

Definition at line 1876 of file `ppl_ocaml_common.cc`.

12.4.1.4 [

`catch]catch (deterministic_timeout_exception &)`

Definition at line 1876 of file `ppl_ocaml_common.cc`.

12.4.1.5 [

`catch]catch (timeout_exception &)`

Definition at line 1876 of file `ppl_ocaml_common.cc`.

12.4.1.6 [

`catch]catch (std::exception & e)`

Definition at line 1876 of file `ppl_ocaml_common.cc`.

12.4.1.7 [

`catch]catch (std::runtime_error & e)`

Definition at line 1876 of file `ppl_ocaml_common.cc`.

12.4.1.8 [

`catch]catch (std::logic_error & e)`

Definition at line 1876 of file ppl_ocaml_common.cc.

12.4.1.9 [

catch]catch (std::length_error & *e*)

Definition at line 1876 of file ppl_ocaml_common.cc.

12.4.1.10 [

catch]catch (std::domain_error & *e*)

Definition at line 1876 of file ppl_ocaml_common.cc.

12.4.1.11 [

catch]catch (std::overflow_error & *e*)

Definition at line 1876 of file ppl_ocaml_common.cc.

12.4.1.12 [

catch]catch (std::invalid_argument & *e*)

Definition at line 1876 of file ppl_ocaml_common.cc.

12.4.1.13 [

ppl_banner]CAMLprim value ppl_banner (value *unit*)

Definition at line 1674 of file ppl_ocaml_common.cc.

12.4.1.14 [

ppl_Coefficient_bits]CAMLprim value ppl_Coefficient_bits (value *unit*)

Definition at line 1705 of file ppl_ocaml_common.cc.

12.4.1.15 [

ppl_Coefficient_is_bounded]CAMLprim value ppl_Coefficient_is_bounded (value *unit*)

Definition at line 1713 of file ppl_ocaml_common.cc.

12.4.1.16 [

ppl_Coefficient_max]CAMLprim value ppl_Coefficient_max (value *unit*)

Definition at line 1735 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient().

12.4.1.17 [

ppl_Coefficient_min]CAMLprim value ppl_Coefficient_min (value *unit*)

Definition at line 1722 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient().

12.4.1.18 [

ppl_io_wrap_string]CAMLprim value ppl_io_wrap_string (value *src*, value *indent_depth*, value *preferred_first_line_length*, value *preferred_line_length*)

Definition at line 1682 of file ppl_ocaml_common.cc.

12.4.1.19 [

ppl_irrational_precision]CAMLprim value ppl_irrational_precision (value *unit*)

Definition at line 1794 of file ppl_ocaml_common.cc.

12.4.1.20 [

ppl_Linear_Expression_all_homogeneous_terms_are_zero]CAMLprim value ppl_Linear_Expression_all_homogeneous_terms_are_zero (value *ocaml_le*)

Definition at line 1766 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression().

12.4.1.21 [

ppl_Linear_Expression_is_zero]CAMLprim value ppl_Linear_Expression_is_zero (value *ocaml_le*)

Definition at line 1757 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression().

12.4.1.22 [

ppl_max_space_dimension]CAMLprim value ppl_max_space_dimension (value *unit*)

Definition at line 1748 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value().

12.4.1.23 [

ppl_MIP_Problem_add_constraint]CAMLprim value ppl_MIP_Problem_add_constraint (value *caml_mip*, value *caml_constraint*)

Definition at line 958 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.24 [

ppl_MIP_Problem_add_constraints]CAMLprim value ppl_MIP_Problem_add_constraints (value *caml_mip*, value *caml_constraints*)

Definition at line 969 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.25 [

ppl_MIP_Problem_add_space_dimensions_and_embed]CAMLprim value ppl_MIP_Problem_add_space_dimensions_and_embed (value *caml_mip*, value *dim*)

Definition at line 936 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val(), and Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension().

12.4.1.26 [

ppl_MIP_Problem_add_to_integer_space_dimensions]CAMLprim value ppl_MIP_Problem_add_to_integer_space_dimensions (value *caml_mip*, value *caml_ivals*)

Definition at line 947 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variables_Set(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.27 [

ppl_MIP_Problem_ascii_dump]CAMLprim value ppl_MIP_Problem_ascii_dump (value *caml_mip*)

Definition at line 1190 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.28 [

ppl_MIP_Problem_clear]CAMLprim value ppl_MIP_Problem_clear (value *caml_mip*)

Definition at line 1158 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.29 [

ppl_MIP_Problem_constraints]CAMLprim value ppl_MIP_Problem_constraints (value *caml_mip*)

Definition at line 922 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint_system(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.30 [

ppl_MIP_Problem_evaluate_objective_function]CAMLprim value ppl_MIP_Problem_evaluate_objective_function (value *caml_mip*, value *caml_generator*)

Definition at line 1112 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient(), Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.31 [

ppl_MIP_Problem_feasible_point]CAMLprim value ppl_MIP_Problem_feasible_point (value *caml_mip*)

Definition at line 1078 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.32 [

ppl_MIP_Problem_get_control_parameter]CAMLprim value ppl_MIP_Problem_get_control_parameter (value *caml_mip*, value *caml_cp_name*)

Definition at line 1053 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_control_parameter_name(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.33 [

ppl_MIP_Problem_integer_space_dimensions]CAMLprim value ppl_MIP_Problem_integer_space_dimensions (value *caml_mip*)

Definition at line 903 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val(), and Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value().

12.4.1.34 [

ppl_MIP_Problem_is_satisfiable]CAMLprim value ppl_MIP_Problem_is_satisfiable (value *caml_mip*)

Definition at line 991 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.35 [

ppl_MIP_Problem_objective_function]CAMLprim value ppl_MIP_Problem_objective_function (value *caml_mip*)

Definition at line 1139 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient(), Parma_Polyhedra_Library::Interfaces::OCaml::get_linear_expression(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.36 [

ppl_MIP_Problem_OK]CAMLprim value ppl_MIP_Problem_OK (value *caml_mip*)

Definition at line 1130 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.37 [

ppl_MIP_Problem_optimal_value]CAMLprim value ppl_MIP_Problem_optimal_value (value *caml_mip*)

Definition at line 1096 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.38 [

ppl_MIP_Problem_optimization_mode]CAMLprim value ppl_MIP_Problem_optimization_mode (value *caml_mip*)

Definition at line 1021 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.39 [

ppl_MIP_Problem_optimizing_point]CAMLprim value ppl_MIP_Problem_optimizing_point (value *caml_mip*)

Definition at line 1087 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.40 [

ppl_MIP_Problem_set_control_parameter]CAMLprim value ppl_MIP_Problem_set_control_parameter (value *caml_mip*, value *caml_cp_value*)

Definition at line 1040 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_control_parameter_value(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val().

12.4.1.41 [

ppl_MIP_Problem_set_objective_function]CAMLprim value ppl_MIP_Problem_set_objective_function (value *caml_mip*, value *caml_cost*)

Definition at line 980 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val()`.

12.4.1.42 [

`ppl_MIP_Problem_set_optimization_mode`]CAMLprim value `ppl_MIP_Problem_set_optimization_mode` (value *caml_mip*, value *caml_opt_mode*)

Definition at line 1168 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_opt_mode()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val()`.

12.4.1.43 [

`ppl_MIP_Problem_solve`]CAMLprim value `ppl_MIP_Problem_solve` (value *caml_mip*)

Definition at line 1000 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val()`.

12.4.1.44 [

`ppl_MIP_Problem_space_dimension`]CAMLprim value `ppl_MIP_Problem_space_dimension` (value *ph*)

Definition at line 893 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value()`.

12.4.1.45 [

`ppl_MIP_Problem_swap`]CAMLprim value `ppl_MIP_Problem_swap` (value *caml_mip1*, value *caml_mip2*)

Definition at line 1179 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_MIP_Problem_val()`.

12.4.1.46 [

`ppl_new_MIP_Problem`]CAMLprim value `ppl_new_MIP_Problem` (value *d*, value *caml_cs*, value *caml_cost*, value *caml_opt_mode*)

Definition at line 878 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System()`, `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression()`, `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_opt_mode()`, `Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_MIP_Problem()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension()`.

12.4.1.47 [

ppl_new_MIP_Problem_from_space_dimension]CAMLprim value ppl_new_MIP_Problem_from_space_dimension (value *d*)

Definition at line 868 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_MIP_Problem(), and Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension().

12.4.1.48 [

ppl_new_PIP_Problem]CAMLprim value ppl_new_PIP_Problem (value *d*, value *caml_cs*, value *caml_vset*)

Definition at line 1211 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System(), Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Problem(), and Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension().

12.4.1.49 [

ppl_new_PIP_Problem_from_space_dimension]CAMLprim value ppl_new_PIP_Problem_from_space_dimension (value *d*)

Definition at line 1201 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Problem(), and Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension().

12.4.1.50 [

ppl_PIP_Problem_add_constraint]CAMLprim value ppl_PIP_Problem_add_constraint (value *caml_pip*, value *caml_constraint*)

Definition at line 1301 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val().

12.4.1.51 [

ppl_PIP_Problem_add_constraints]CAMLprim value ppl_PIP_Problem_add_constraints (value *caml_pip*, value *caml_constraints*)

Definition at line 1312 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val().

12.4.1.52 [

ppl_PIP_Problem_add_space_dimensions_and_embed]CAMLprim value ppl_PIP_Problem_add_space_dimensions_and_embed (value *caml_pip*, value *vdim*, value *pdim*)

Definition at line 1276 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension()`.

12.4.1.53 [

`ppl_PIP_Problem_add_to_parameter_space_dimensions`]CAMLprim value `ppl_PIP_Problem_add_to_parameter_space_dimensions` (value *caml_pip*, value *caml_ivars*)

Definition at line 1289 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variables_Set()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.54 [

`ppl_PIP_Problem_ascii_dump`]CAMLprim value `ppl_PIP_Problem_ascii_dump` (value *caml_pip*)

Definition at line 1479 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.55 [

`ppl_PIP_Problem_clear`]CAMLprim value `ppl_PIP_Problem_clear` (value *caml_pip*)

Definition at line 1458 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.56 [

`ppl_PIP_Problem_constraints`]CAMLprim value `ppl_PIP_Problem_constraints` (value *caml_pip*)

Definition at line 1262 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint_system()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.57 [

`ppl_PIP_Problem_get_big_parameter_dimension`]CAMLprim value `ppl_PIP_Problem_get_big_parameter_dimension` (value *caml_pip*)

Definition at line 1335 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value()`.

12.4.1.58 [

`ppl_PIP_Problem_get_control_parameter`]CAMLprim value `ppl_PIP_Problem_get_control_parameter` (value *caml_pip*, value *caml_cp_name*)

Definition at line 1400 of file `ppl_ocaml_common.cc`.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_pip_problem_control_parameter_name(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val().

12.4.1.59 [

ppl_PIP_Problem_has_big_parameter_dimension]CAMLprim value ppl_PIP_Problem_has_big_parameter_dimension (value *caml_pip*)

Definition at line 1349 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val().

12.4.1.60 [

ppl_PIP_Problem_is_satisfiable]CAMLprim value ppl_PIP_Problem_is_satisfiable (value *caml_pip*)

Definition at line 1359 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val().

12.4.1.61 [

ppl_PIP_Problem_OK]CAMLprim value ppl_PIP_Problem_OK (value *caml_pip*)

Definition at line 1449 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val().

12.4.1.62 [

ppl_PIP_Problem_optimizing_solution]CAMLprim value ppl_PIP_Problem_optimizing_solution (value *caml_pip*)

Definition at line 1439 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val(), and Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Tree_Node().

12.4.1.63 [

ppl_PIP_Problem_parameter_space_dimensions]CAMLprim value ppl_PIP_Problem_parameter_space_dimensions (value *caml_pip*)

Definition at line 1243 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val(), and Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value().

12.4.1.64 [

ppl_PIP_Problem_set_big_parameter_dimension]CAMLprim value ppl_PIP_Problem_set_big_parameter_dimension (value *caml_pip*, value *caml_dim*)

Definition at line 1323 of file ppl_ocaml_common.cc.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension()`.

12.4.1.65 [

`ppl_PIP_Problem_set_control_parameter`]CAMLprim value `ppl_PIP_Problem_set_control_parameter` (value *caml_pip*, value *caml_cp_value*)

Definition at line 1387 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_pip_problem_control_parameter_value()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.66 [

`ppl_PIP_Problem_solution`]CAMLprim value `ppl_PIP_Problem_solution` (value *caml_pip*)

Definition at line 1429 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Tree_Node()`.

12.4.1.67 [

`ppl_PIP_Problem_solve`]CAMLprim value `ppl_PIP_Problem_solve` (value *caml_pip*)

Definition at line 1368 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.68 [

`ppl_PIP_Problem_space_dimension`]CAMLprim value `ppl_PIP_Problem_space_dimension` (value *pip*)

Definition at line 1233 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value()`.

12.4.1.69 [

`ppl_PIP_Problem_swap`]CAMLprim value `ppl_PIP_Problem_swap` (value *caml_pip1*, value *caml_pip2*)

Definition at line 1468 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Problem_val()`.

12.4.1.70 [

`ppl_PIP_Tree_Node_artificials`]CAMLprim value `ppl_PIP_Tree_Node_artificials` (value *caml_node*)

Definition at line 1546 of file `ppl_ocaml_common.cc`.

References `build_ocaml_artificial_parameter()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val()`.

12.4.1.71 [

ppl_PIP_Tree_Node_ascii_dump]CAMLprim value ppl_PIP_Tree_Node_ascii_dump (value *caml_node*)

Definition at line 1579 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val().

12.4.1.72 [

ppl_PIP_Tree_Node_constraints]CAMLprim value ppl_PIP_Tree_Node_constraints (value *caml_node*)

Definition at line 1504 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint_system(), and Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val().

12.4.1.73 [

ppl_PIP_Tree_Node_false_child]CAMLprim value ppl_PIP_Tree_Node_false_child (value *caml_node*)

Definition at line 1624 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val(), Parma_Polyhedra_Library::Interfaces::OCaml::ppl_PIP_Tree_Node_get_child(), and Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Tree_Node().

12.4.1.74 [

ppl_PIP_Tree_Node_is_bottom]CAMLprim value ppl_PIP_Tree_Node_is_bottom (value *caml_node*)

Definition at line 1517 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val().

12.4.1.75 [

ppl_PIP_Tree_Node_is_decision]CAMLprim value ppl_PIP_Tree_Node_is_decision (value *caml_node*)

Definition at line 1536 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val().

12.4.1.76 [

ppl_PIP_Tree_Node_is_solution]CAMLprim value ppl_PIP_Tree_Node_is_solution (value *caml_node*)

Definition at line 1526 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val().

12.4.1.77 [

ppl_PIP_Tree_Node_OK]CAMLprim value ppl_PIP_Tree_Node_OK (value *caml_node*)

Definition at line 1567 of file ppl_ocaml_common.cc.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val()`.

12.4.1.78 [

`ppl_PIP_Tree_Node_parametric_values`]CAMLprim value `ppl_PIP_Tree_Node_parametric_values` (value *caml_node*, value *caml_dim*)

Definition at line 1593 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::get_linear_expression()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val()`.

12.4.1.79 [

`ppl_PIP_Tree_Node_true_child`]CAMLprim value `ppl_PIP_Tree_Node_true_child` (value *caml_node*)

Definition at line 1614 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::p_PIP_Tree_Node_val()`, `Parma_Polyhedra_Library::Interfaces::OCaml::ppl_PIP_Tree_Node_get_child()`, and `Parma_Polyhedra_Library::Interfaces::OCaml::unregistered_value_p_PIP_Tree_Node()`.

12.4.1.80 [

`ppl_reset_deterministic_timeout`]CAMLprim value `ppl_reset_deterministic_timeout` (value *unit*)

Definition at line 1866 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::reset_deterministic_timeout()`.

12.4.1.81 [

`ppl_reset_timeout`]CAMLprim value `ppl_reset_timeout` (value *unit*)

Definition at line 1832 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::reset_timeout()`.

12.4.1.82 [

`ppl_restore_pre_PPL_rounding`]CAMLprim value `ppl_restore_pre_PPL_rounding` (value *unit*)

Definition at line 1785 of file `ppl_ocaml_common.cc`.

12.4.1.83 [

`ppl_set_deterministic_timeout`]CAMLprim value `ppl_set_deterministic_timeout` (value *weight*)

Definition at line 1846 of file `ppl_ocaml_common.cc`.

References `Parma_Polyhedra_Library::Interfaces::OCaml::reset_deterministic_timeout()`.

12.4.1.84 [

`ppl_set_irrational_precision`]CAMLprim value `ppl_set_irrational_precision` (value *p*)

Definition at line 1802 of file ppl_ocaml_common.cc.

12.4.1.85 [

ppl_set_rounding_for_PPL]CAMLprim value ppl_set_rounding_for_PPL (value *unit*)

Definition at line 1776 of file ppl_ocaml_common.cc.

12.4.1.86 [

ppl_set_timeout]CAMLprim value ppl_set_timeout (value *time*)

Definition at line 1812 of file ppl_ocaml_common.cc.

References Parma_Polyhedra_Library::Interfaces::OCaml::reset_timeout().

12.4.1.87 [

ppl_version]CAMLprim value ppl_version (value *unit*)

Definition at line 1666 of file ppl_ocaml_common.cc.

12.4.1.88 [

ppl_version_beta]CAMLprim value ppl_version_beta (value *unit*)

Definition at line 1658 of file ppl_ocaml_common.cc.

12.4.1.89 [

ppl_version_major]CAMLprim value ppl_version_major (value *unit*)

Definition at line 1634 of file ppl_ocaml_common.cc.

12.4.1.90 [

ppl_version_minor]CAMLprim value ppl_version_minor (value *unit*)

Definition at line 1642 of file ppl_ocaml_common.cc.

12.4.1.91 [

ppl_version_revision]CAMLprim value ppl_version_revision (value *unit*)


Definition at line 1650 of file ppl_ocaml_common.cc.

12.5 ppl_ocaml_common.defs.hh File Reference

```
#include "ppl.hh"
#include "interfaced_boxes.hh"
#include "marked_pointers.hh"
```

```
#include "caml/mlvalues.h"
#include "caml/memory.h"
#include "caml/custom.h"
#include "caml/fail.h"
#include "caml/callback.h"
#include "caml/alloc.h"
#include "ppl_ocaml_common.inlines.hh"
```

Include dependency graph for ppl_ocaml_common.defs.hh:



Classes

- class [Parma_Polyhedra_Library::Interfaces::OCaml::timeout_exception](#)
- class [Parma_Polyhedra_Library::Interfaces::OCaml::deterministic_timeout_exception](#)

Namespaces

- namespace [Parma_Polyhedra_Library](#)
- namespace [Parma_Polyhedra_Library::Interfaces](#)
- namespace [Parma_Polyhedra_Library::Interfaces::OCaml](#)

Defines

- #define [CAML_NAME_SPACE](#)
- #define [CATCH_ALL](#)

Functions

- template<typename U_Int >
U_Int [Parma_Polyhedra_Library::Interfaces::OCaml::value_to_unsigned](#) (value v)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value](#) (dimension_type dim)
- dimension_type [Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension](#) (value dim)
- Variable [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variable](#) (value var)
- Degenerate_Element [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Degenerate_Element](#) (value de)
- Complexity_Class [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Complexity_Class](#) (value cc)
- Relation_Symbol [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_relsym](#) (value caml_relsym)
- Bounded_Integer_Type_Overflow [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_overflow](#) (value caml_oflow)

- Bounded_Integer_Type_Representation [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_representation](#) (value caml_rep)
- Bounded_Integer_Type_Width [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_bounded_integer_type_width](#) (value caml_width)
- Coefficient [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Coefficient](#) (value coeff)
- Variables_Set [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variables_Set](#) (value caml_vset)
- Linear_Expression [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Linear_Expression](#) (value e)
- Constraint [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint](#) (value c)
- Congruence [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Congruence](#) (value c)
- Generator [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator](#) (value g)
- Grid_Generator [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Grid_Generator](#) (value gg)
- Constraint_System [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Constraint_System](#) (value cl)
- Congruence_System [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Congruence_System](#) (value cgl)
- Generator_System [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Generator_System](#) (value gl)
- Grid_Generator_System [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Grid_Generator_System](#) (value caml_ggs)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_poly_con_relation](#) (Poly_Con_Relation &r)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_poly_gen_relation](#) (Poly_Gen_Relation &r)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_coefficient](#) (const Coefficient &ppl_coeff)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint](#) (const Constraint &ppl_constraint)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_congruence](#) (const Congruence &ppl_congruence)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator](#) (const Generator &ppl_generator)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_constraint_system](#) (const Constraint_System &ppl_cs)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_congruence_system](#) (const Congruence_System &ppl_cgs)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_grid_generator](#) (const Grid_Generator &ppl_grid_generator)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_generator_system](#) (const Generator_System &ppl_gs)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::build_ocaml_grid_generator_system](#) (const Grid_Generator_System &ppl_ggs)
- void [Parma_Polyhedra_Library::Interfaces::OCaml::reset_timeout](#) ()
- void [Parma_Polyhedra_Library::Interfaces::OCaml::reset_deterministic_timeout](#) ()

12.5.1 Define Documentation

12.5.1.1 [

CAML_NAME_SPACE]#define CAML_NAME_SPACE

Definition at line 37 of file ppl_ocaml_common.defs.hh.


12.5.1.2 [

CATCH_ALL]#define CATCH_ALL

Definition at line 185 of file ppl_ocaml_common.defs.hh.

12.6 ppl_ocaml_common.inlines.hh File Reference

This graph shows which files directly or indirectly include this file:



Namespaces

- namespace [Parma_Polyhedra_Library](#)
- namespace [Parma_Polyhedra_Library::Interfaces](#)
- namespace [Parma_Polyhedra_Library::Interfaces::OCaml](#)

Functions

- template<typename U_Int >
U_Int [Parma_Polyhedra_Library::Interfaces::OCaml::value_to_unsigned](#) (value v)
- dimension_type [Parma_Polyhedra_Library::Interfaces::OCaml::value_to_ppl_dimension](#) (value dim)
- value [Parma_Polyhedra_Library::Interfaces::OCaml::ppl_dimension_to_value](#) (dimension_type dim)
- Variable [Parma_Polyhedra_Library::Interfaces::OCaml::build_ppl_Variable](#) (value var)

Index

artificial_parameter, [23](#)

bd_shape_double, [25](#)

bd_shape_float, [25](#)

bd_shape_int16_t, [24](#)

bd_shape_int32_t, [24](#)

bd_shape_int64_t, [24](#)

bd_shape_int8_t, [24](#)

bd_shape_long_double, [25](#)

bd_shape_mpq_class, [24](#)

bd_shape_mpz_class, [24](#)

bounded_integer_type_overflow, [20](#)

bounded_integer_type_representation, [21](#)

bounded_integer_type_width, [21](#)

build_ocaml_artificial_parameter
ppl_ocaml_common.cc, [498](#)

build_ocaml_coefficient
Parma_Polyhedra_-
Library::Interfaces::OCaml, [483](#)

build_ocaml_congruence
Parma_Polyhedra_-
Library::Interfaces::OCaml, [483](#)

build_ocaml_congruence_system
Parma_Polyhedra_-
Library::Interfaces::OCaml, [483](#)

build_ocaml_constraint
Parma_Polyhedra_-
Library::Interfaces::OCaml, [483](#)

build_ocaml_constraint_system
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ocaml_generator
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ocaml_generator_system
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ocaml_grid_generator
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ocaml_grid_generator_system
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ocaml_poly_con_relation
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ocaml_poly_gen_relation
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ppl_bounded_integer_type_overflow
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ppl_bounded_integer_type_representation
Parma_Polyhedra_-
Library::Interfaces::OCaml, [484](#)

build_ppl_bounded_integer_type_width
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_Coefficient
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_Complexity_Class
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_Congruence
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_Congruence_System
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_Constraint
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_Constraint_System
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_control_parameter_name
Parma_Polyhedra_-
Library::Interfaces::OCaml, [485](#)

build_ppl_control_parameter_value
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

build_ppl_Degenerate_Element
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

build_ppl_Generator
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

build_ppl_Generator_System
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

build_ppl_Grid_Generator
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

build_ppl_Grid_Generator_System
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

build_ppl_Linear_Expression
Parma_Polyhedra_-
Library::Interfaces::OCaml, [486](#)

- build_ppl_opt_mode
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 486
- build_ppl_pip_problem_control_parameter_name
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 487
- build_ppl_pip_problem_control_parameter_value
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 487
- build_ppl_relsym
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 487
- build_ppl_Variable
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 487
- build_ppl_Variables_Set
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 487
- CAML_NAME_SPACE
 - ppl_ocaml_common.defs.hh, 514
- catch
 - ppl_ocaml_common.cc, 498, 499
- CATCH_ALL
 - ppl_ocaml_common.defs.hh, 514
- complexity_class, 21
- congruence_system, 20
- constraint_system, 20
- constraints_product_c_polyhedron_grid, 25
- constraints_product_grid_c_polyhedron, 25
- constraints_product_grid_nnc_polyhedron, 25
- constraints_product_nnc_polyhedron_grid, 25
- control_parameter_name, 21
- control_parameter_value, 21
- custom_MIP_Problem_finalize
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 487
- custom_PIP_Problem_finalize
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 488
- degenerate_element, 20
- double_box, 25
- fdl.dox, 493
- float_box, 25
- generator_system, 20
- get_inhomogeneous_term
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 488
- get_linear_expression
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 488
- gpl.dox, 493
- grid, 24
- grid_generator_system, 20
- int16_box, 24
- int32_box, 24
- int64_box, 24
- int8_box, 24
- linear_congruence, 20
- linear_constraint, 20
- linear_expression, 20
- linear_generator, 20
- linear_grid_generator, 20
- long_double_box, 25
- mip_problem, 22
- mip_problem_status, 21
- MIP_Problem_custom_operations
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 491
- OCaml Language Interface, 481
- OCaml_interface.dox, 493
- octagonal_shape_double, 25
- octagonal_shape_float, 25
- octagonal_shape_int16_t, 24
- octagonal_shape_int32_t, 24
- octagonal_shape_int64_t, 24
- octagonal_shape_int8_t, 24
- octagonal_shape_long_double, 25
- octagonal_shape_mpq_class, 24
- octagonal_shape_mpz_class, 24
- optimization_mode, 21
- p_MIP_Problem_val
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 488
- p_PIP_Problem_val
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 488
- p_PIP_Tree_Node_val
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 489
- Parma_Polyhedra_Library, 481
- Parma_Polyhedra_Library::Interfaces, 481
- Parma_Polyhedra_Library::Interfaces::OCaml, 482
 - build_ocaml_coefficient, 483
 - build_ocaml_congruence, 483
 - build_ocaml_congruence_system, 483
 - build_ocaml_constraint, 483
 - build_ocaml_constraint_system, 484

- build_ocaml_generator, 484
- build_ocaml_generator_system, 484
- build_ocaml_grid_generator, 484
- build_ocaml_grid_generator_system, 484
- build_ocaml_poly_con_relation, 484
- build_ocaml_poly_gen_relation, 484
- build_ppl_bounded_integer_type_overflow, 484
- build_ppl_bounded_integer_type_-representation, 484
- build_ppl_bounded_integer_type_width, 485
- build_ppl_Coefficient, 485
- build_ppl_Complexity_Class, 485
- build_ppl_Congruence, 485
- build_ppl_Congruence_System, 485
- build_ppl_Constraint, 485
- build_ppl_Constraint_System, 485
- build_ppl_control_parameter_name, 485
- build_ppl_control_parameter_value, 486
- build_ppl_Degenerate_Element, 486
- build_ppl_Generator, 486
- build_ppl_Generator_System, 486
- build_ppl_Grid_Generator, 486
- build_ppl_Grid_Generator_System, 486
- build_ppl_Linear_Expression, 486
- build_ppl_opt_mode, 486
- build_ppl_pip_problem_control_parameter_name, 487
- build_ppl_pip_problem_control_parameter_value, 487
- build_ppl_relsym, 487
- build_ppl_Variable, 487
- build_ppl_Variables_Set, 487
- custom_MIP_Problem_finalize, 487
- custom_PIP_Problem_finalize, 488
- get_inhomogeneous_term, 488
- get_linear_expression, 488
- MIP_Problem_custom_operations, 491
- p_MIP_Problem_val, 488
- p_PIP_Problem_val, 488
- p_PIP_Tree_Node_val, 489
- PIP_Problem_custom_operations, 491
- PIP_Tree_Node_custom_operations, 491
- ppl_dimension_to_value, 489
- ppl_PIP_Tree_Node_get_child, 489
- reset_deterministic_timeout, 489
- reset_timeout, 490
- unregistered_value_p_MIP_Problem, 490
- unregistered_value_p_PIP_Problem, 490
- unregistered_value_p_PIP_Tree_Node, 490
- value_to_ppl_dimension, 490
- value_to_unsigned, 490
- Parma_Polyhedra_-Library::Interfaces::OCaml::deterministic_-timeout_exception, 491
- priority, 492
- throw_me, 492
- Parma_Polyhedra_-Library::Interfaces::OCaml::timeout_exception, 492
- priority, 492
- throw_me, 492
- pip_problem, 23
- pip_problem_control_parameter_name, 21
- pip_problem_control_parameter_value, 21
- pip_problem_status, 21
- pip_tree_node, 23
- PIP_Problem_custom_operationsParma_Polyhedra_-Library::Interfaces::OCaml, 491
- PIP_Tree_Node_custom_operationsParma_Polyhedra_-Library::Interfaces::OCaml, 491
- pointset_powerset_bd_shape_double, 25
- pointset_powerset_bd_shape_double_iterator, 420
- pointset_powerset_bd_shape_float, 25
- pointset_powerset_bd_shape_float_iterator, 384
- pointset_powerset_bd_shape_int16_t, 24
- pointset_powerset_bd_shape_int16_t_iterator, 258
- pointset_powerset_bd_shape_int32_t, 24
- pointset_powerset_bd_shape_int32_t_iterator, 263
- pointset_powerset_bd_shape_int64_t, 24
- pointset_powerset_bd_shape_int64_t_iterator, 268
- pointset_powerset_bd_shape_int8_t, 24
- pointset_powerset_bd_shape_int8_t_iterator, 253
- pointset_powerset_bd_shape_long_double, 25
- pointset_powerset_bd_shape_long_double_iterator, 460
- pointset_powerset_bd_shape_mpq_class, 24
- pointset_powerset_bd_shape_mpq_class_iterator, 273
- pointset_powerset_bd_shape_mpz_class, 25

pointset_powerset_bd_shape_mpz_class_iterator, 278
 pointset_powerset_c_polyhedron, 25
 pointset_powerset_c_polyhedron_iterator, 312
 pointset_powerset_double_box, 25
 pointset_powerset_double_box_iterator, 416
 pointset_powerset_float_box, 25
 pointset_powerset_float_box_iterator, 379
 pointset_powerset_grid, 25
 pointset_powerset_grid_iterator, 321
 pointset_powerset_int16_box, 24
 pointset_powerset_int16_box_iterator, 213
 pointset_powerset_int32_box, 24
 pointset_powerset_int32_box_iterator, 218
 pointset_powerset_int64_box, 24
 pointset_powerset_int64_box_iterator, 222
 pointset_powerset_int8_box, 24
 pointset_powerset_int8_box_iterator, 209
 pointset_powerset_long_double_box, 25
 pointset_powerset_long_double_box_iterator, 455
 pointset_powerset_nnc_polyhedron, 25
 pointset_powerset_nnc_polyhedron_iterator, 317
 pointset_powerset_octagonal_shape_double, 25
 pointset_powerset_octagonal_shape_double_iterator, 426
 pointset_powerset_octagonal_shape_float, 25
 pointset_powerset_octagonal_shape_float_iterator, 389
 pointset_powerset_octagonal_shape_int16_t, 25
 pointset_powerset_octagonal_shape_int16_t_iterator, 288
 pointset_powerset_octagonal_shape_int32_t, 25
 pointset_powerset_octagonal_shape_int32_t_iterator, 293
 pointset_powerset_octagonal_shape_int64_t, 25
 pointset_powerset_octagonal_shape_int64_t_iterator, 298
 pointset_powerset_octagonal_shape_int8_t, 25
 pointset_powerset_octagonal_shape_int8_t_iterator, 283
 pointset_powerset_octagonal_shape_long_double, 25
 pointset_powerset_octagonal_shape_long_double_iterator, 465
 pointset_powerset_octagonal_shape_mpq_class, 25
 pointset_powerset_octagonal_shape_mpq_class_iterator, 302
 pointset_powerset_octagonal_shape_mpz_class, 25
 pointset_powerset_octagonal_shape_mpz_class_iterator, 307
 pointset_powerset_rational_box, 24
 pointset_powerset_rational_box_iterator, 244
 pointset_powerset_uint16_box, 24
 pointset_powerset_uint16_box_iterator, 231
 pointset_powerset_uint32_box, 24
 pointset_powerset_uint32_box_iterator, 235
 pointset_powerset_uint64_box, 24
 pointset_powerset_uint64_box_iterator, 240
 pointset_powerset_uint8_box, 24
 pointset_powerset_uint8_box_iterator, 226
 pointset_powerset_z_box, 24
 pointset_powerset_z_box_iterator, 249
 poly_con_relation, 20
 poly_gen_relation, 20
 polyhedron, 24
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap, 403
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_iterator, 404
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_t, 367
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_iterator, 367
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_t, 104
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_iterator, 104
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_t, 112
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_iterator, 112
 ppl_all_affine_quasi_ranking_functions_MS_BD_Shap_t, 120

ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_NNC_Po	120	198
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_NNC_Po	96	199
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	96	412
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	442	412
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	442	375
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	136	375
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	136	153
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	128	153
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	128	162
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	198	162
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	199	170
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	396	171
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	396	144
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	359	145
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	360	450
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	205	451
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	205	188
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	37	188
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	38	179
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	44	179
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	44	88
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	50	89
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	50	63
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	31	63
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	31	69
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	433	69
ppl_all_affine_quasi_ranking_functions_MS1BDAffine_int64_ranking_functions_MS_Octagon	434	76

ppl_all_affine_quasi_ranking_functions_MS_Float_Box,	359
76	
ppl_all_affine_quasi_ranking_functions_MS_Float_Box_2,	359
56	
ppl_all_affine_quasi_ranking_functions_MS_Grid,	205
57	
ppl_all_affine_quasi_ranking_functions_MS_Grid_2,	205
81	
ppl_all_affine_quasi_ranking_functions_MS_Int16_Box,	37
82	
ppl_all_affine_ranking_functions_MS_Int16_Box_2,	37
403	
ppl_all_affine_ranking_functions_MS_Int32_Box,	44
404	
ppl_all_affine_ranking_functions_MS_Int32_Box_2,	44
367	
ppl_all_affine_ranking_functions_MS_Int64_Box,	50
367	
ppl_all_affine_ranking_functions_MS_Int64_Box_2,	50
104	
ppl_all_affine_ranking_functions_MS_Int8_Box,	31
104	
ppl_all_affine_ranking_functions_MS_Int8_Box_2,	31
112	
ppl_all_affine_ranking_functions_MS_Long_Double_Box,	433
112	
ppl_all_affine_ranking_functions_MS_Long_Double_Box_2,	434
120	
ppl_all_affine_ranking_functions_MS_NNC_Polyhedron_Box,	198
120	
ppl_all_affine_ranking_functions_MS_NNC_Polyhedron_Box_2,	199
96	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box,	411
96	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	412
442	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	375
442	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	375
136	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	153
136	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	153
128	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	161
128	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	162
198	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	170
199	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	171
396	
ppl_all_affine_ranking_functions_MS_Octagonal_Shaped_Box_2,	144
396	

ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_int16_Box	145	120
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_int32_Box	450	120
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_int64_Box	451	96
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_int8_Box	188	96
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_long_Double_Box	188	442
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_long_Float_Box	179	442
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_mpq_Box	179	136
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_mpz_Box	88	136
ppl_all_affine_ranking_functions_MS_OptimalAffineRankingFunctions_PR_BD_Shape_mpx_Box	89	128
ppl_all_affine_ranking_functions_MS_Ubit16_Box	63	128
ppl_all_affine_ranking_functions_MS_Ubit16_Box2	63	198
ppl_all_affine_ranking_functions_MS_Ubit32_Box	69	199
ppl_all_affine_ranking_functions_MS_Ubit32_Box2	69	396
ppl_all_affine_ranking_functions_MS_Ubit64_Box	75	396
ppl_all_affine_ranking_functions_MS_Ubit64_Box2	76	359
ppl_all_affine_ranking_functions_MS_Ubit8_Box	56	360
ppl_all_affine_ranking_functions_MS_Ubit8_Box2	56	205
ppl_all_affine_ranking_functions_MS_ZBox	81	205
ppl_all_affine_ranking_functions_MS_ZBox12	82	37
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int16_Box_2	403	38
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int32_Box	404	44
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int32_Box_2	367	44
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int64_Box	367	50
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int64_Box_2	104	50
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int8_Box	104	31
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Int8_Box_2	112	31
ppl_all_affine_ranking_functions_PR_Pp1ShapeAffineRankingFunctions_PR_Long_Double_Box	112	433

ppl_all_affine_ranking_functions_PR_PolygonalAffineRanking_functions_PR_Uint64_Box,
 434 75
 ppl_all_affine_ranking_functions_PR_MMC_PolygonalAffineRanking_functions_PR_Uint64_Box_2,
 198 76
 ppl_all_affine_ranking_functions_PR_MMC_PolygonalAffineRanking_functions_PR_Uint8_Box,
 199 56
 ppl_all_affine_ranking_functions_PR_OctagonalAffineRanking_functions_PR_Uint8_Box_2,
 412 56
 ppl_all_affine_ranking_functions_PR_OctagonalAffineRanking_functions_PR_Z_Box,
 412 81
 ppl_all_affine_ranking_functions_PR_OctagonalAffineRanking_functions_PR_Z_Box_2,
 375 82
 ppl_all_affine_ranking_functions_PR_PolygonalAffineRanking_functions_PR_Uint64_Box, 19
 375 ppl_banner, 21
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint16_t_congruence,
 153 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint16_t_congruences,
 153 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint32_t_constraint,
 161 400
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint32_t_constraints,
 162 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint64_t_space_dimensions_and_emb
 170 402
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint64_t_space_dimensions_and_pro
 171 402
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint8_t_affine_dimension,
 144 399
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint8_t_affine_image,
 145 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint8_t_affine_preimage,
 450 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_uint8_t_affine_preimage, 402
 451 ppl_BD_Shape_double_BHMZ05_widening_assign,
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_BHMZ05_widening_assign,
 188 402
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_BHMZ05_widening_assign_with_t
 188 402
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_double_BHMZ05_widening_assign_with_t
 188 402
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_double_BHMZ05_widening_assign_with_t
 179 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_double_BHMZ05_widening_assign_with_t
 179 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_double_BHMZ05_widening_assign_with_t
 179 401
 ppl_all_affine_ranking_functions_PR_OctagonalShape_double_double_BHMZ05_widening_assign_with_t
 179 401
 ppl_all_affine_ranking_functions_PR_RationalBox,
 88 400
 ppl_all_affine_ranking_functions_PR_RationalBox_2,
 89 400
 ppl_all_affine_ranking_functions_PR_Uint16_Box,
 63 403
 ppl_all_affine_ranking_functions_PR_Uint16_Box_2,
 63 403
 ppl_all_affine_ranking_functions_PR_Uint32_Box,
 69 403
 ppl_all_affine_ranking_functions_PR_Uint32_Box_2,
 69 403
 ppl_BD_Shape_double_constrains, 401

ppl_BD_Shape_double_contains_BD_Shape_double 400
 ppl_BD_Shape_double_contains_integer_points 400
 ppl_BD_Shape_double_difference_assign 401
 ppl_BD_Shape_double_drop_some_non_integer_points 402
 ppl_BD_Shape_double_drop_some_non_integer_points_2 402
 ppl_BD_Shape_double_equals_BD_Shape_double 400
 ppl_BD_Shape_double_expand_space_dimension 402
 ppl_BD_Shape_double_external_memory_in_bytes 402
 ppl_BD_Shape_double_fold_space_dimensions 402
 ppl_BD_Shape_double_frequency 400
 ppl_BD_Shape_double_generalized_affine_image 402
 ppl_BD_Shape_double_generalized_affine_image_rhs_rhs 402
 ppl_BD_Shape_double_generalized_affine_preimage 402
 ppl_BD_Shape_double_generalized_affine_preimage_rhs_rhs 402
 ppl_BD_Shape_double_get_congruences 400
 ppl_BD_Shape_double_get_constraints 400
 ppl_BD_Shape_double_get_minimized_congruences 400
 ppl_BD_Shape_double_get_minimized_constraints 400
 ppl_BD_Shape_double_H79_widening_assign 402
 ppl_BD_Shape_double_H79_widening_assign_with_tokens 402
 ppl_BD_Shape_double_intersection_assign 401
 ppl_BD_Shape_double_is_bounded 400
 ppl_BD_Shape_double_is_discrete 400
 ppl_BD_Shape_double_is_disjoint_from_BD_Shape_double 400
 ppl_BD_Shape_double_is_empty 400
 ppl_BD_Shape_double_is_topologically_closed 400
 ppl_BD_Shape_double_is_universe 400
 ppl_BD_Shape_double_limited_BHMZ05_extrapolation_assign 403
 ppl_BD_Shape_double_limited_BHMZ05_extrapolation_assign_with_constraints 403
 ppl_BD_Shape_double_limited_CC76_extrapolation_assign 403
 ppl_BD_Shape_double_limited_CC76_extrapolation_assign_2 403
 ppl_BD_Shape_double_limited_H79_extrapolation_assign 403
 ppl_BD_Shape_double_limited_H79_extrapolation_assign_2 403
 ppl_BD_Shape_double_linear_partition 403
 ppl_BD_Shape_double_map_space_dimensions 402
 ppl_BD_Shape_double_maximize 400
 ppl_BD_Shape_double_maximize_with_point 400
 ppl_BD_Shape_double_minimize 400
 ppl_BD_Shape_double_minimize_with_point 400
 ppl_BD_Shape_double_OK 400
 ppl_BD_Shape_double_refine_with_congruence 401
 ppl_BD_Shape_double_refine_with_congruences 401
 ppl_BD_Shape_double_refine_with_constraint 401
 ppl_BD_Shape_double_refine_with_constraints 401
 ppl_BD_Shape_double_relation_with_congruence 400
 ppl_BD_Shape_double_relation_with_constraint 399
 ppl_BD_Shape_double_relation_with_generator 399
 ppl_BD_Shape_double_remove_higher_space_dimension 402
 ppl_BD_Shape_double_remove_space_dimensions 402
 ppl_BD_Shape_double_simplify_using_context_assign 401
 ppl_BD_Shape_double_space_dimension 399
 ppl_BD_Shape_double_strictly_contains_BD_Shape_double 400
 ppl_BD_Shape_double_swap 399
 ppl_BD_Shape_double_time_elapse_assign 401
 ppl_BD_Shape_double_topological_closure_assign 400
 ppl_BD_Shape_double_total_memory_in_bytes 402
 ppl_BD_Shape_double_unconstrain_space_dimension 401
 ppl_BD_Shape_double_unconstrain_space_dimensions 401

ppl_BD_Shape_double_upper_bound_assign, 401
 ppl_BD_Shape_double_upper_bound_assign, 401
 ppl_BD_Shape_double_widening_assign, 402
 ppl_BD_Shape_double_widening_assign, 402
 ppl_BD_Shape_double_wrap_assign, 403
 ppl_BD_Shape_float_add_congruence, 364
 ppl_BD_Shape_float_add_congruences, 364
 ppl_BD_Shape_float_add_constraint, 364
 ppl_BD_Shape_float_add_constraints, 364
 ppl_BD_Shape_float_add_space_dimensions_and_embed, 365
 ppl_BD_Shape_float_add_space_dimensions_and_project, 365
 ppl_BD_Shape_float_affine_dimension, 363
 ppl_BD_Shape_float_affine_image, 365
 ppl_BD_Shape_float_affine_preimage, 365
 ppl_BD_Shape_float_ascii_dump, 366
 ppl_BD_Shape_float_BHMZ05_widening_assign, 366
 ppl_BD_Shape_float_BHMZ05_widening_assign_with_tokens, 366
 ppl_BD_Shape_float_bounded_affine_image, 365
 ppl_BD_Shape_float_bounded_affine_preimage, 365
 ppl_BD_Shape_float_bounds_from_above, 363
 ppl_BD_Shape_float_bounds_from_below, 363
 ppl_BD_Shape_float_CC76_extrapolation_assign, 366
 ppl_BD_Shape_float_CC76_extrapolation_assign_with_tokens, 366
 ppl_BD_Shape_float_CC76_narrowing_assign, 366
 ppl_BD_Shape_float_concatenate_assign, 364
 ppl_BD_Shape_float_constrains, 365
 ppl_BD_Shape_float_contains_BD_Shape_float, 364
 ppl_BD_Shape_float_contains_integer_point, 363
 ppl_BD_Shape_float_difference_assign, 364
 ppl_BD_Shape_float_drop_some_non_integer_points, 366
 ppl_BD_Shape_float_drop_some_non_integer_points, 366
 ppl_BD_Shape_float_equals_BD_Shape_float, 364
 ppl_BD_Shape_float_expand_space_dimension, 365
 ppl_BD_Shape_float_external_memory_in_bytes, 366
 ppl_BD_Shape_float_fold_space_dimensions, 365
 ppl_BD_Shape_float_frequency, 364
 ppl_BD_Shape_float_generalized_affine_image, 365
 ppl_BD_Shape_float_generalized_affine_image_lhs, 365
 ppl_BD_Shape_float_generalized_affine_preimage, 365
 ppl_BD_Shape_float_generalized_affine_preimage_lhs, 365
 ppl_BD_Shape_float_get_congruences, 363
 ppl_BD_Shape_float_get_constraints, 363
 ppl_BD_Shape_float_get_minimized_congruences, 363
 ppl_BD_Shape_float_get_minimized_constraints, 363
 ppl_BD_Shape_float_H79_widening_assign, 366
 ppl_BD_Shape_float_H79_widening_assign_with_tokens, 366
 ppl_BD_Shape_float_is_bounded, 363
 ppl_BD_Shape_float_is_discrete, 363
 ppl_BD_Shape_float_is_disjoint_from_BD_Shape_float, 364
 ppl_BD_Shape_float_is_empty, 363
 ppl_BD_Shape_float_is_topologically_closed, 363
 ppl_BD_Shape_float_is_universe, 363
 ppl_BD_Shape_float_limited_BHMZ05_extrapolation_assign, 366
 ppl_BD_Shape_float_limited_BHMZ05_extrapolation_assign, 366
 ppl_BD_Shape_float_limited_CC76_extrapolation_assign, 366
 ppl_BD_Shape_float_limited_CC76_extrapolation_assign, 366
 ppl_BD_Shape_float_limited_H79_extrapolation_assign, 366

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_BD_Shape_int16_t_equals_BD_Shape_int16_t, 101
 ppl_BD_Shape_int16_t_expand_space_dimensions, 103
 ppl_BD_Shape_int16_t_external_memory, 103
 ppl_BD_Shape_int16_t_fold_space_dimensions, 103
 ppl_BD_Shape_int16_t_frequency, 101
 ppl_BD_Shape_int16_t_generalized_affine_image, 102
 ppl_BD_Shape_int16_t_generalized_affine_image_ins_ins, 102
 ppl_BD_Shape_int16_t_generalized_affine_preimage, 102
 ppl_BD_Shape_int16_t_generalized_affine_preimage_ins_ins, 102
 ppl_BD_Shape_int16_t_get_congruences, 100
 ppl_BD_Shape_int16_t_get_constraints, 100
 ppl_BD_Shape_int16_t_get_minimized_congruences, 100
 ppl_BD_Shape_int16_t_get_minimized_constraints, 100
 ppl_BD_Shape_int16_t_H79_widening_assign, 103
 ppl_BD_Shape_int16_t_H79_widening_assign_with_tokens, 103
 ppl_BD_Shape_int16_t_intersection_assign, 101
 ppl_BD_Shape_int16_t_is_bounded, 100
 ppl_BD_Shape_int16_t_is_discrete, 100
 ppl_BD_Shape_int16_t_is_disjoint_from_BD_Shape_int16_t, 101
 ppl_BD_Shape_int16_t_is_empty, 100
 ppl_BD_Shape_int16_t_is_topologically_closed, 100
 ppl_BD_Shape_int16_t_is_universe, 100
 ppl_BD_Shape_int16_t_limited_BHMZ05_extrapolation_assign, 103
 ppl_BD_Shape_int16_t_limited_BHMZ05_extrapolation_assign_with_tokens, 103
 ppl_BD_Shape_int16_t_limited_CC76_extrapolation_assign, 103
 ppl_BD_Shape_int16_t_limited_CC76_extrapolation_assign_with_tokens, 103
 ppl_BD_Shape_int16_t_limited_H79_extrapolation_assign, 103
 ppl_BD_Shape_int16_t_limited_H79_extrapolation_assign_with_tokens, 103
 ppl_BD_Shape_int16_t_linear_partition, 104
 ppl_BD_Shape_int16_t_map_space_dimensions, 103
 ppl_BD_Shape_int16_t_maximize, 101
 ppl_BD_Shape_int16_t_maximize_with_point, 101
 ppl_BD_Shape_int16_t_minimize, 101
 ppl_BD_Shape_int16_t_minimize_with_point, 101
 ppl_BD_Shape_int16_t_OK, 101
 ppl_BD_Shape_int16_t_refine_with_congruence, 101
 ppl_BD_Shape_int16_t_refine_with_congruences, 101
 ppl_BD_Shape_int16_t_refine_with_constraint, 101
 ppl_BD_Shape_int16_t_refine_with_constraints, 101
 ppl_BD_Shape_int16_t_relation_with_congruence, 100
 ppl_BD_Shape_int16_t_relation_with_constraint, 100
 ppl_BD_Shape_int16_t_relation_with_generator, 100
 ppl_BD_Shape_int16_t_remove_higher_space_dimensions, 102
 ppl_BD_Shape_int16_t_remove_space_dimensions, 102
 ppl_BD_Shape_int16_t_simplify_using_context_assign, 102
 ppl_BD_Shape_int16_t_space_dimension, 100
 ppl_BD_Shape_int16_t_strictly_contains_BD_Shape_int16_t, 101
 ppl_BD_Shape_int16_t_swap, 100
 ppl_BD_Shape_int16_t_time_elapse_assign, 102
 ppl_BD_Shape_int16_t_topological_closure_assign, 100
 ppl_BD_Shape_int16_t_total_memory_in_bytes, 103
 ppl_BD_Shape_int16_t_unconstrain_space_dimension, 102
 ppl_BD_Shape_int16_t_unconstrain_space_dimension_with_tokens, 102
 ppl_BD_Shape_int16_t_upper_bound_assign, 101
 ppl_BD_Shape_int16_t_upper_bound_assign_if_exact, 102
 ppl_BD_Shape_int16_t_widening_assign, 103
 ppl_BD_Shape_int16_t_widening_assign_with_tokens, 103

- `ppl_BD_Shape_int16_t_wrap_assign`, 104
`ppl_BD_Shape_int32_t_add_congruence`, 109
`ppl_BD_Shape_int32_t_add_congruences`, 109
`ppl_BD_Shape_int32_t_add_constraint`, 109
`ppl_BD_Shape_int32_t_add_constraints`, 109
`ppl_BD_Shape_int32_t_add_space_dimensions_and_embed`, 110
`ppl_BD_Shape_int32_t_add_space_dimensions_and_project`, 110
`ppl_BD_Shape_int32_t_affine_dimension`, 108
`ppl_BD_Shape_int32_t_affine_image`, 110
`ppl_BD_Shape_int32_t_affine_preimage`, 110
`ppl_BD_Shape_int32_t_ascii_dump`, 111
`ppl_BD_Shape_int32_t_BHMZ05_widening_assign`, 111
`ppl_BD_Shape_int32_t_BHMZ05_widening_assign_with_tokens`, 111
`ppl_BD_Shape_int32_t_bounded_affine_image`, 110
`ppl_BD_Shape_int32_t_bounded_affine_preimage`, 110
`ppl_BD_Shape_int32_t_bounds_from_above`, 108
`ppl_BD_Shape_int32_t_bounds_from_below`, 108
`ppl_BD_Shape_int32_t_CC76_extrapolation_assign`, 111
`ppl_BD_Shape_int32_t_CC76_extrapolation_assign_with_tokens`, 111
`ppl_BD_Shape_int32_t_CC76_narrowing_assign`, 111
`ppl_BD_Shape_int32_t_concatenate_assign`, 109
`ppl_BD_Shape_int32_t_constrains`, 110
`ppl_BD_Shape_int32_t_contains_BD_Shape_int32_t`, 109
`ppl_BD_Shape_int32_t_contains_integer_point`, 108
`ppl_BD_Shape_int32_t_difference_assign`, 109
`ppl_BD_Shape_int32_t_drop_some_non_integer_points`, 111
`ppl_BD_Shape_int32_t_drop_some_non_integer_points_2`, 111
`ppl_BD_Shape_int32_t_equals_BD_Shape_int32_t`, 109
`ppl_BD_Shape_int32_t_expand_space_dimension`, 110
`ppl_BD_Shape_int32_t_external_memory_in_bytes`, 111
`ppl_BD_Shape_int32_t_fold_space_dimensions`, 110
`ppl_BD_Shape_int32_t_frequency`, 109
`ppl_BD_Shape_int32_t_generalized_affine_image`, 110
`ppl_BD_Shape_int32_t_generalized_affine_image_linear`, 110
`ppl_BD_Shape_int32_t_generalized_affine_preimage`, 110
`ppl_BD_Shape_int32_t_generalized_affine_preimage_linear`, 110
`ppl_BD_Shape_int32_t_get_congruences`, 108
`ppl_BD_Shape_int32_t_get_constraints`, 108
`ppl_BD_Shape_int32_t_get_minimized_congruences`, 108
`ppl_BD_Shape_int32_t_get_minimized_constraints`, 108
`ppl_BD_Shape_int32_t_H79_widening_assign`, 111
`ppl_BD_Shape_int32_t_H79_widening_assign_with_tokens`, 111
`ppl_BD_Shape_int32_t_intersection_assign`, 109
`ppl_BD_Shape_int32_t_is_bounded`, 108
`ppl_BD_Shape_int32_t_is_discrete`, 108
`ppl_BD_Shape_int32_t_is_disjoint_from_BD_Shape_int32_t`, 109
`ppl_BD_Shape_int32_t_is_empty`, 108
`ppl_BD_Shape_int32_t_is_topologically_closed`, 108
`ppl_BD_Shape_int32_t_is_universe`, 108
`ppl_BD_Shape_int32_t_limited_BHMZ05_extrapolation_assign`, 111
`ppl_BD_Shape_int32_t_limited_BHMZ05_extrapolation_assign_with_tokens`, 111
`ppl_BD_Shape_int32_t_limited_CC76_extrapolation_assign`, 111
`ppl_BD_Shape_int32_t_limited_CC76_extrapolation_assign_with_tokens`, 111
`ppl_BD_Shape_int32_t_limited_H79_extrapolation_assign`, 111
`ppl_BD_Shape_int32_t_limited_H79_extrapolation_assign_with_tokens`, 111
`ppl_BD_Shape_int32_t_linear_partition`, 111

ppl_BD_Shape_int32_t_map_space_dimensions, 110
 ppl_BD_Shape_int32_t_maximize, 108
 ppl_BD_Shape_int32_t_maximize_with_point, 109
 ppl_BD_Shape_int32_t_minimize, 108
 ppl_BD_Shape_int32_t_minimize_with_point, 109
 ppl_BD_Shape_int32_t_OK, 109
 ppl_BD_Shape_int32_t_refine_with_congruence, 109
 ppl_BD_Shape_int32_t_refine_with_congruence, 109
 ppl_BD_Shape_int32_t_refine_with_constraint, 109
 ppl_BD_Shape_int32_t_refine_with_constraint, 109
 ppl_BD_Shape_int32_t_relation_with_congruence, 108
 ppl_BD_Shape_int32_t_relation_with_constraint, 108
 ppl_BD_Shape_int32_t_remove_higher_space_dimensions, 110
 ppl_BD_Shape_int32_t_remove_space_dimensions, 110
 ppl_BD_Shape_int32_t_simplify_using_constraint, 110
 ppl_BD_Shape_int32_t_space_dimension, 108
 ppl_BD_Shape_int32_t_strictly_contains, 109
 ppl_BD_Shape_int32_t_swap, 108
 ppl_BD_Shape_int32_t_time_elapse_assign, 109
 ppl_BD_Shape_int32_t_topological_closure_assign, 108
 ppl_BD_Shape_int32_t_total_memory_in_bytes, 111
 ppl_BD_Shape_int32_t_unconstrain_space_dimensions, 110
 ppl_BD_Shape_int32_t_unconstrain_space_dimensions, 110
 ppl_BD_Shape_int32_t_upper_bound_assign, 109
 ppl_BD_Shape_int32_t_upper_bound_assign, 109
 ppl_BD_Shape_int32_t_widening_assign, 111
 ppl_BD_Shape_int32_t_widening_assign, 111
 ppl_BD_Shape_int32_t_wrap_assign, 112
 ppl_BD_Shape_int64_t_add_congruence, 117
 ppl_BD_Shape_int64_t_add_congruences, 117
 ppl_BD_Shape_int64_t_add_constraint, 117
 ppl_BD_Shape_int64_t_add_constraints, 117
 ppl_BD_Shape_int64_t_add_space_dimensions_and_emb, 118
 ppl_BD_Shape_int64_t_add_space_dimensions_and_pr, 118
 ppl_BD_Shape_int64_t_affine_dimension, 118
 ppl_BD_Shape_int64_t_affine_image, 118
 ppl_BD_Shape_int64_t_affine_preimage, 118
 ppl_BD_Shape_int64_t_ascii_dump, 118
 ppl_BD_Shape_int64_t_BHMZ05_widening_assign, 119
 ppl_BD_Shape_int64_t_BHMZ05_widening_assign_with, 119
 ppl_BD_Shape_int64_t_bounded_affine_image, 118
 ppl_BD_Shape_int64_t_bounded_affine_preimage, 118
 ppl_BD_Shape_int64_t_bounds_from_above, 116
 ppl_BD_Shape_int64_t_bounds_from_below, 116
 ppl_BD_Shape_int64_t_CC76_extrapolation_assign, 119
 ppl_BD_Shape_int64_t_CC76_extrapolation_assign_w, 119
 ppl_BD_Shape_int64_t_CC76_narrowing_assign, 119
 ppl_BD_Shape_int64_t_concatenate_assign, 117
 ppl_BD_Shape_int64_t_contains_BD_Shape_int64_t, 117
 ppl_BD_Shape_int64_t_contains_integer_point, 116
 ppl_BD_Shape_int64_t_difference_assign, 117
 ppl_BD_Shape_int64_t_drop_some_non_integer_point, 118
 ppl_BD_Shape_int64_t_drop_some_non_integer_point, 118
 ppl_BD_Shape_int64_t_equals_BD_Shape_int64_t, 117
 ppl_BD_Shape_int64_t_expand_space_dimension, 118

ppl_BD_Shape_int64_t_external_memory, 119
 ppl_BD_Shape_int64_t_fold_space_dimensions, 118
 ppl_BD_Shape_int64_t_frequency, 117
 ppl_BD_Shape_int64_t_generalized_affine_image, 118
 ppl_BD_Shape_int64_t_generalized_affine_image_lhs_rhs, 118
 ppl_BD_Shape_int64_t_generalized_affine_preimage, 118
 ppl_BD_Shape_int64_t_generalized_affine_preimage_lhs_rhs, 118
 ppl_BD_Shape_int64_t_get_congruences, 116
 ppl_BD_Shape_int64_t_get_constraints, 116
 ppl_BD_Shape_int64_t_get_minimized_congruences, 116
 ppl_BD_Shape_int64_t_get_minimized_constraints, 116
 ppl_BD_Shape_int64_t_H79_widening_assign, 119
 ppl_BD_Shape_int64_t_H79_widening_assign_with_tokens, 119
 ppl_BD_Shape_int64_t_intersection_assign, 117
 ppl_BD_Shape_int64_t_is_bounded, 116
 ppl_BD_Shape_int64_t_is_discrete, 116
 ppl_BD_Shape_int64_t_is_disjoint_from_BD_Shape_int64_t, 117
 ppl_BD_Shape_int64_t_is_empty, 116
 ppl_BD_Shape_int64_t_is_topologically_closed, 116
 ppl_BD_Shape_int64_t_is_universe, 116
 ppl_BD_Shape_int64_t_limited_BHMZ05_extrapolation_assign, 119
 ppl_BD_Shape_int64_t_limited_BHMZ05_extrapolation_assign_with_tokens, 119
 ppl_BD_Shape_int64_t_limited_CC76_extrapolation_assign, 119
 ppl_BD_Shape_int64_t_limited_CC76_extrapolation_assign_with_tokens, 119
 ppl_BD_Shape_int64_t_limited_H79_extrapolation_assign, 119
 ppl_BD_Shape_int64_t_limited_H79_extrapolation_assign_with_tokens, 119
 ppl_BD_Shape_int64_t_linear_partition, 119
 ppl_BD_Shape_int64_t_map_space_dimensions, 118
 ppl_BD_Shape_int64_t_maximize, 116
 ppl_BD_Shape_int64_t_maximize_with_point, 116
 ppl_BD_Shape_int64_t_minimize, 116
 ppl_BD_Shape_int64_t_minimize_with_point, 117
 ppl_BD_Shape_int64_t_OK, 117
 ppl_BD_Shape_int64_t_refine_with_congruence, 117
 ppl_BD_Shape_int64_t_refine_with_congruences, 117
 ppl_BD_Shape_int64_t_refine_with_constraint, 117
 ppl_BD_Shape_int64_t_refine_with_constraint_lhs_rhs, 117
 ppl_BD_Shape_int64_t_refine_with_constraints, 117
 ppl_BD_Shape_int64_t_relation_with_congruence, 116
 ppl_BD_Shape_int64_t_relation_with_constraint, 116
 ppl_BD_Shape_int64_t_relation_with_generator, 116
 ppl_BD_Shape_int64_t_remove_higher_space_dimensions, 118
 ppl_BD_Shape_int64_t_remove_space_dimensions, 118
 ppl_BD_Shape_int64_t_simplify_using_context_assign, 117
 ppl_BD_Shape_int64_t_space_dimension, 116
 ppl_BD_Shape_int64_t_strictly_contains_BD_Shape_int64_t, 117
 ppl_BD_Shape_int64_t_swap, 116
 ppl_BD_Shape_int64_t_time_elapse_assign, 117
 ppl_BD_Shape_int64_t_topological_closure_assign, 116
 ppl_BD_Shape_int64_t_total_memory_in_bytes, 119
 ppl_BD_Shape_int64_t_unconstrain_space_dimension, 117
 ppl_BD_Shape_int64_t_unconstrain_space_dimension_with_tokens, 118
 ppl_BD_Shape_int64_t_upper_bound_assign, 117
 ppl_BD_Shape_int64_t_upper_bound_assign_if_exact, 117
 ppl_BD_Shape_int64_t_widening_assign, 119
 ppl_BD_Shape_int64_t_widening_assign_with_tokens, 119
 ppl_BD_Shape_int64_t_wrap_assign, 119
 ppl_BD_Shape_int8_t_add_congruence, 93

ppl_BD_Shape_int8_t_add_congruences, ppl_BD_Shape_int8_t_fold_space_dimensions,
 93 95
 ppl_BD_Shape_int8_t_add_constraint, ppl_BD_Shape_int8_t_frequency, 93
 93 ppl_BD_Shape_int8_t_generalized_affine_image,
 ppl_BD_Shape_int8_t_add_constraints, 94
 93 ppl_BD_Shape_int8_t_generalized_affine_image_lhs,
 ppl_BD_Shape_int8_t_add_space_dimensions_and_embed, 94
 94 ppl_BD_Shape_int8_t_generalized_affine_preimage,
 ppl_BD_Shape_int8_t_add_space_dimensions_and_project, 94
 95 ppl_BD_Shape_int8_t_generalized_affine_preimage_
 ppl_BD_Shape_int8_t_affine_dimension, 94
 92 ppl_BD_Shape_int8_t_get_congruences,
 ppl_BD_Shape_int8_t_affine_image, 94 92
 ppl_BD_Shape_int8_t_affine_preimage, ppl_BD_Shape_int8_t_get_constraints,
 94 92
 ppl_BD_Shape_int8_t_ascii_dump, 95 ppl_BD_Shape_int8_t_get_minimized_congruences,
 ppl_BD_Shape_int8_t_BHMZ05_widening_assign, 92
 95 ppl_BD_Shape_int8_t_get_minimized_constraints,
 ppl_BD_Shape_int8_t_BHMZ05_widening_assign_with_tokens, 92
 95 ppl_BD_Shape_int8_t_H79_widening_assign,
 ppl_BD_Shape_int8_t_bounded_affine_image, 95
 94 ppl_BD_Shape_int8_t_H79_widening_assign_with_tok
 ppl_BD_Shape_int8_t_bounded_affine_preimage, 95
 94 ppl_BD_Shape_int8_t_intersection_assign,
 ppl_BD_Shape_int8_t_bounds_from_above, 94
 93 ppl_BD_Shape_int8_t_is_bounded, 92
 ppl_BD_Shape_int8_t_bounds_from_below, ppl_BD_Shape_int8_t_is_discrete, 93
 93 ppl_BD_Shape_int8_t_is_disjoint_from_BD_Shape_int
 ppl_BD_Shape_int8_t_CC76_extrapolation_assign, 93
 96 ppl_BD_Shape_int8_t_is_empty, 92
 ppl_BD_Shape_int8_t_CC76_extrapolation_on_labelled_tokens, is_topologically_closed,
 96 92
 ppl_BD_Shape_int8_t_CC76_narrowing_assign, ppl_BD_Shape_int8_t_is_universe, 92
 96 ppl_BD_Shape_int8_t_limited_BHMZ05_extrapolation,
 ppl_BD_Shape_int8_t_concatenate_assign, 95
 94 ppl_BD_Shape_int8_t_limited_BHMZ05_extrapolation,
 ppl_BD_Shape_int8_t_constrains, 94 95
 ppl_BD_Shape_int8_t_contains_BD_Shape_int8_t, ppl_BD_Shape_int8_t_limited_CC76_extrapolation_a
 93 95
 ppl_BD_Shape_int8_t_contains_integer, ppl_BD_Shape_int8_t_limited_CC76_extrapolation_a
 92 95
 ppl_BD_Shape_int8_t_difference_assign, ppl_BD_Shape_int8_t_limited_H79_extrapolation_as
 94 95
 ppl_BD_Shape_int8_t_drop_some_non_integer_BD_Shape_int8_t_limited_H79_extrapolation_as
 95 95
 ppl_BD_Shape_int8_t_drop_some_non_integer_BD_Shape_int8_t_linear_partition, 96
 95
 ppl_BD_Shape_int8_t_equals_BD_Shape_int8_t, ppl_BD_Shape_int8_t_map_space_dimensions,
 93 95
 ppl_BD_Shape_int8_t_expand_space_dimension, ppl_BD_Shape_int8_t_maximize, 93
 95 ppl_BD_Shape_int8_t_maximize_with_point,
 ppl_BD_Shape_int8_t_external_memory_in_bytes, 93
 95 ppl_BD_Shape_int8_t_minimize, 93

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/pp1/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_BD_Shape_mpq_class_add_congruences, 133
 ppl_BD_Shape_mpq_class_add_constraint, 133
 ppl_BD_Shape_mpq_class_add_constraints, 133
 ppl_BD_Shape_mpq_class_add_space_dimensions, 134
 ppl_BD_Shape_mpq_class_add_space_dimensions_and_project, 134
 ppl_BD_Shape_mpq_class_affine_dimension, 132
 ppl_BD_Shape_mpq_class_affine_image, 134
 ppl_BD_Shape_mpq_class_affine_preimage, 134
 ppl_BD_Shape_mpq_class_ascii_dump, 135
 ppl_BD_Shape_mpq_class_BHMZ05_widening_assign, 135
 ppl_BD_Shape_mpq_class_BHMZ05_widening_assign_with_tokens, 135
 ppl_BD_Shape_mpq_class_bounded_affine_image, 134
 ppl_BD_Shape_mpq_class_bounded_affine_preimage, 134
 ppl_BD_Shape_mpq_class_bounds_from_above, 132
 ppl_BD_Shape_mpq_class_bounds_from_below, 133
 ppl_BD_Shape_mpq_class_CC76_extrapolation_assign, 136
 ppl_BD_Shape_mpq_class_CC76_extrapolation_assign_with_tokens, 135
 ppl_BD_Shape_mpq_class_CC76_narrowing_assign, 136
 ppl_BD_Shape_mpq_class_concatenate_assign, 134
 ppl_BD_Shape_mpq_class_constrains, 134
 ppl_BD_Shape_mpq_class_contains_BD_Shape_mpq_class, 133
 ppl_BD_Shape_mpq_class_contains_integer_point, 132
 ppl_BD_Shape_mpq_class_difference_assign, 134
 ppl_BD_Shape_mpq_class_drop_some_non_integer_points, 135
 ppl_BD_Shape_mpq_class_drop_some_non_integer_points2, 135
 ppl_BD_Shape_mpq_class_equals_BD_Shape_mpq_class, 133
 ppl_BD_Shape_mpq_class_expand_space_dimensions, 135
 ppl_BD_Shape_mpq_class_external_memory_in_bytes, 135
 ppl_BD_Shape_mpq_class_fold_space_dimensions, 135
 ppl_BD_Shape_mpq_class_frequency, 133
 ppl_BD_Shape_mpq_class_generalized_affine_image, 134
 ppl_BD_Shape_mpq_class_generalized_affine_image_1, 134
 ppl_BD_Shape_mpq_class_generalized_affine_preimage, 134
 ppl_BD_Shape_mpq_class_get_congruences, 132
 ppl_BD_Shape_mpq_class_get_constraints, 132
 ppl_BD_Shape_mpq_class_get_minimized_congruences, 132
 ppl_BD_Shape_mpq_class_get_minimized_constraints, 132
 ppl_BD_Shape_mpq_class_H79_widening_assign, 135
 ppl_BD_Shape_mpq_class_H79_widening_assign_with_tokens, 135
 ppl_BD_Shape_mpq_class_intersection_assign, 133
 ppl_BD_Shape_mpq_class_is_bounded, 132
 ppl_BD_Shape_mpq_class_is_discrete, 132
 ppl_BD_Shape_mpq_class_is_disjoint_from_BD_Shape_mpq_class, 133
 ppl_BD_Shape_mpq_class_is_empty, 132
 ppl_BD_Shape_mpq_class_is_topologically_closed, 132
 ppl_BD_Shape_mpq_class_is_universe, 132
 ppl_BD_Shape_mpq_class_limited_BHMZ05_extrapolation_assign, 135
 ppl_BD_Shape_mpq_class_limited_BHMZ05_extrapolation_assign_with_tokens, 135
 ppl_BD_Shape_mpq_class_limited_CC76_extrapolation_assign, 135
 ppl_BD_Shape_mpq_class_limited_CC76_extrapolation_assign_with_tokens, 135
 ppl_BD_Shape_mpq_class_limited_H79_extrapolation_assign, 135
 ppl_BD_Shape_mpq_class_limited_H79_extrapolation_assign_with_tokens, 135
 ppl_BD_Shape_mpq_class_linear_partition, 136

ppl_BD_Shape_mpq_class_map_space_dimensions, 135
 ppl_BD_Shape_mpq_class_maximize, 133
 ppl_BD_Shape_mpq_class_maximize_with_point, 133
 ppl_BD_Shape_mpq_class_minimize, 133
 ppl_BD_Shape_mpq_class_minimize_with_point, 133
 ppl_BD_Shape_mpq_class_OK, 133
 ppl_BD_Shape_mpq_class_refine_with_congruence, 133
 ppl_BD_Shape_mpq_class_refine_with_congruence2, 133
 ppl_BD_Shape_mpq_class_refine_with_constraint, 133
 ppl_BD_Shape_mpq_class_refine_with_constraint2, 133
 ppl_BD_Shape_mpq_class_relation_with_congruence, 132
 ppl_BD_Shape_mpq_class_relation_with_constraint, 132
 ppl_BD_Shape_mpq_class_relation_with_generator, 132
 ppl_BD_Shape_mpq_class_remove_higher_space_dimensions, 135
 ppl_BD_Shape_mpq_class_remove_space_dimensions, 134
 ppl_BD_Shape_mpq_class_simplify_using_context, 134
 ppl_BD_Shape_mpq_class_space_dimension, 132
 ppl_BD_Shape_mpq_class_strictly_contains_BD_Shape_mpq_class, 133
 ppl_BD_Shape_mpq_class_swap, 132
 ppl_BD_Shape_mpq_class_time_elapse_assign, 134
 ppl_BD_Shape_mpq_class_topological_closure, 132
 ppl_BD_Shape_mpq_class_total_memory_usage, 135
 ppl_BD_Shape_mpq_class_unconstrain_space_dimensions, 134
 ppl_BD_Shape_mpq_class_unconstrain_space_dimensions2, 134
 ppl_BD_Shape_mpq_class_upper_bound_assign, 133
 ppl_BD_Shape_mpq_class_upper_bound_expect, 134
 ppl_BD_Shape_mpq_class_widening_assign, 135
 ppl_BD_Shape_mpq_class_widening_assign2, 135
 ppl_BD_Shape_mpq_class_wrap_assign, 136
 ppl_BD_Shape_mpz_class_add_congruence, 125
 ppl_BD_Shape_mpz_class_add_congruences, 125
 ppl_BD_Shape_mpz_class_add_constraint, 125
 ppl_BD_Shape_mpz_class_add_constraints, 125
 ppl_BD_Shape_mpz_class_add_space_dimensions_and_constraints, 126
 ppl_BD_Shape_mpz_class_add_space_dimensions_and_constraints2, 126
 ppl_BD_Shape_mpz_class_affine_dimension, 124
 ppl_BD_Shape_mpz_class_affine_image, 126
 ppl_BD_Shape_mpz_class_affine_preimage, 126
 ppl_BD_Shape_mpz_class_ascii_dump, 127
 ppl_BD_Shape_mpz_class_BHMZ05_widening_assign, 127
 ppl_BD_Shape_mpz_class_BHMZ05_widening_assign_with_image, 127
 ppl_BD_Shape_mpz_class_bounded_affine_image, 126
 ppl_BD_Shape_mpz_class_bounded_affine_preimage, 126
 ppl_BD_Shape_mpz_class_bounds_from_above, 124
 ppl_BD_Shape_mpz_class_bounds_from_below, 124
 ppl_BD_Shape_mpz_class_CC76_extrapolation_assign, 127
 ppl_BD_Shape_mpz_class_CC76_extrapolation_assign2, 127
 ppl_BD_Shape_mpz_class_CC76_narrowing_assign, 127
 ppl_BD_Shape_mpz_class_concatenate_assign, 125
 ppl_BD_Shape_mpz_class_constrains, 126
 ppl_BD_Shape_mpz_class_contains_BD_Shape_mpz_class, 125
 ppl_BD_Shape_mpz_class_contains_integer_point, 124
 ppl_BD_Shape_mpz_class_difference_assign, 125
 ppl_BD_Shape_mpz_class_drop_some_non_integer_points, 127
 ppl_BD_Shape_mpz_class_drop_some_non_integer_points2, 127
 ppl_BD_Shape_mpz_class_equals_BD_Shape_mpz_class, 125

`ppl_BD_Shape_mpz_class_expand_space_dimension`, 126
`ppl_BD_Shape_mpz_class_external_memory`, 127
`ppl_BD_Shape_mpz_class_fold_space_dimensions`, 126
`ppl_BD_Shape_mpz_class_frequency`, 125
`ppl_BD_Shape_mpz_class_generalized_affine_image`, 126
`ppl_BD_Shape_mpz_class_generalized_affine_image_mz_krs`, 126
`ppl_BD_Shape_mpz_class_generalized_affine_preimage`, 126
`ppl_BD_Shape_mpz_class_generalized_affine_preimage_lhs_rhs`, 126
`ppl_BD_Shape_mpz_class_get_congruences`, 124
`ppl_BD_Shape_mpz_class_get_constraints`, 124
`ppl_BD_Shape_mpz_class_get_minimized_congruences`, 124
`ppl_BD_Shape_mpz_class_get_minimized_constraints`, 124
`ppl_BD_Shape_mpz_class_H79_widening_assign`, 127
`ppl_BD_Shape_mpz_class_H79_widening_assign_with_tokens`, 127
`ppl_BD_Shape_mpz_class_intersection_assign`, 125
`ppl_BD_Shape_mpz_class_is_bounded`, 124
`ppl_BD_Shape_mpz_class_is_discrete`, 124
`ppl_BD_Shape_mpz_class_is_disjoint_from`, 125
`ppl_BD_Shape_mpz_class_is_empty`, 124
`ppl_BD_Shape_mpz_class_is_topologically_closed`, 124
`ppl_BD_Shape_mpz_class_is_universe`, 124
`ppl_BD_Shape_mpz_class_limited_BHMZ05_extrapolation_assign`, 127
`ppl_BD_Shape_mpz_class_limited_BHMZ05_extrapolation_assign_with_tokens`, 127
`ppl_BD_Shape_mpz_class_limited_CC76_extrapolation_assign`, 127
`ppl_BD_Shape_mpz_class_limited_CC76_extrapolation_assign_with_upper_bound`, 127
`ppl_BD_Shape_mpz_class_limited_H79_extrapolation_assign`, 127
`ppl_BD_Shape_mpz_class_limited_H79_extrapolation_assign_with_tokens`, 127
`ppl_BD_Shape_mpz_class_linear_partition`, 128
`ppl_BD_Shape_mpz_class_map_space_dimensions`, 127
`ppl_BD_Shape_mpz_class_maximize`, 124
`ppl_BD_Shape_mpz_class_maximize_with_point`, 125
`ppl_BD_Shape_mpz_class_minimize`, 125
`ppl_BD_Shape_mpz_class_minimize_with_point`, 125
`ppl_BD_Shape_mpz_class_OK`, 125
`ppl_BD_Shape_mpz_class_refine_with_congruence`, 125
`ppl_BD_Shape_mpz_class_refine_with_congruences`, 125
`ppl_BD_Shape_mpz_class_refine_with_constraint`, 125
`ppl_BD_Shape_mpz_class_refine_with_constraints`, 125
`ppl_BD_Shape_mpz_class_relation_with_congruence`, 124
`ppl_BD_Shape_mpz_class_relation_with_constraint`, 124
`ppl_BD_Shape_mpz_class_relation_with_generator`, 124
`ppl_BD_Shape_mpz_class_remove_higher_space_dimensions`, 126
`ppl_BD_Shape_mpz_class_remove_space_dimensions`, 126
`ppl_BD_Shape_mpz_class_simplify_using_context_assign`, 126
`ppl_BD_Shape_mpz_class_space_dimension`, 124
`ppl_BD_Shape_mpz_class_strictly_contains`, 125
`ppl_BD_Shape_mpz_class_swap`, 124
`ppl_BD_Shape_mpz_class_time_elapse_assign`, 125
`ppl_BD_Shape_mpz_class_topological_closure_assign`, 124
`ppl_BD_Shape_mpz_class_total_memory_in_bytes`, 127
`ppl_BD_Shape_mpz_class_unconstrain_space_dimensions`, 126
`ppl_BD_Shape_mpz_class_upper_bound_assign`, 125
`ppl_BD_Shape_mpz_class_upper_bound_assign_if_exact`, 125
`ppl_BD_Shape_mpz_class_widening_assign`, 127
`ppl_BD_Shape_mpz_class_widening_assign_with_tokens`, 127

ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron	327	343
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_difference	326	344
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_drop_s	328	345
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_drop_s	327	345
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_equals	329	343
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_expand	328	345
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_external	328	345
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_fold_s	328	345
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_genera	328	344
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_genera	329	344
ppl_Constraints_Product_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_genera	329	344
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_genera	343	344
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_interse	343	343
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_is_bou	343	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_is_dis	343	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_is_dis	344	343
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_is_empt	344	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_is_top	342	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_is_uni	344	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_map_sp	344	345
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_maximi	345	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_maximi	344	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_minimi	344	342
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_minimi	342	343
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_OK,	342	343
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_refine	344	343
ppl_Constraints_Product_Grid_C_Polyhedronpp1_Constraints_Product_Grid_C_Polyhedron_refine	344	343

ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_affine
 343 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_asci
 343 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_boun
 342 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_boun
 342 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_boun
 342 350
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_boun
 345 350
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_conc
 345 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_const
 342 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_cond
 343 351
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_diff
 342 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_drop
 344 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_drop
 342 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_equa
 345 351
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_expa
 344 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_exte
 344 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_fold
 343 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_gene
 344 352
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_gene
 345 353
 ppl_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_gene
 345 352
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_gene
 351 353
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_inte
 351 352
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_is_b
 351 350
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_is_d
 351 350
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_is_d
 353 351
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grids_NNC_Polyhedron_is_er
 353 350
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_is_to
 350 350
 ppl_Constraints_Product_Grid_NNC_Polyhedron_Constraints_Product_Grid_NNC_Polyhedron_is_un
 352 350

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/pp1/> for more information.

- ppl_Double_Box_equals_Double_Box, 393
 ppl_Double_Box_expand_space_dimensions, 395
 ppl_Double_Box_external_memory_in_bytes, 395
 ppl_Double_Box_fold_space_dimensions, 395
 ppl_Double_Box_frequency, 393
 ppl_Double_Box_generalized_affine_image, 394
 ppl_Double_Box_generalized_affine_image_lhs_rhs, 394
 ppl_Double_Box_generalized_affine_preimage, 394
 ppl_Double_Box_generalized_affine_preimage_lhs_rhs, 395
 ppl_Double_Box_get_congruences, 393
 ppl_Double_Box_get_constraints, 393
 ppl_Double_Box_get_minimized_congruences, 393
 ppl_Double_Box_get_minimized_constraints, 393
 ppl_Double_Box_intersection_assign, 394
 ppl_Double_Box_is_bounded, 393
 ppl_Double_Box_is_discrete, 393
 ppl_Double_Box_is_disjoint_from_Double_Box, 393
 ppl_Double_Box_is_empty, 393
 ppl_Double_Box_is_topologically_closed, 393
 ppl_Double_Box_is_universe, 393
 ppl_Double_Box_limited_CC76_extrapolation_assign, 395
 ppl_Double_Box_limited_CC76_extrapolation_assign_with_tokens, 395
 ppl_Double_Box_linear_partition, 395
 ppl_Double_Box_map_space_dimensions, 395
 ppl_Double_Box_maximize, 393
 ppl_Double_Box_maximize_with_point, 393
 ppl_Double_Box_minimize, 393
 ppl_Double_Box_minimize_with_point, 393
 ppl_Double_Box_OK, 393
 ppl_Double_Box_refine_with_congruences, 394
 ppl_Double_Box_refine_with_congruences, 394
 ppl_Double_Box_refine_with_constraint, 394
 ppl_Double_Box_refine_with_constraints, 394
 ppl_Double_Box_relation_with_congruence, 393
 ppl_Double_Box_relation_with_constraint, 392
 ppl_Double_Box_relation_with_generator, 393
 ppl_Double_Box_remove_higher_space_dimensions, 395
 ppl_Double_Box_remove_space_dimensions, 395
 ppl_Double_Box_simplify_using_context_assign, 394
 ppl_Double_Box_space_dimension, 392
 ppl_Double_Box_strictly_contains_Double_Box, 393
 ppl_Double_Box_swap, 392
 ppl_Double_Box_time_elapse_assign, 394
 ppl_Double_Box_topological_closure_assign, 393
 ppl_Double_Box_total_memory_in_bytes, 395
 ppl_Double_Box_unconstrain_space_dimension, 394
 ppl_Double_Box_unconstrain_space_dimensions, 394
 ppl_Double_Box_upper_bound_assign, 394
 ppl_Double_Box_upper_bound_assign_if_exact, 394
 ppl_Double_Box_widening_assign, 395
 ppl_Double_Box_widening_assign_with_tokens, 395
 ppl_Double_Box_wrap_assign, 395
 ppl_Float_Box_add_congruence, 357
 ppl_Float_Box_add_congruences, 357
 ppl_Float_Box_add_constraint, 357
 ppl_Float_Box_add_constraints, 357
 ppl_Float_Box_add_space_dimensions_and_embed, 358
 ppl_Float_Box_add_space_dimensions_and_project, 358
 ppl_Float_Box_affine_dimension, 356
 ppl_Float_Box_affine_image, 358
 ppl_Float_Box_affine_preimage, 358
 ppl_Float_Box_ascii_dump, 359
 ppl_Float_Box_bounded_affine_image, 358
 ppl_Float_Box_bounded_affine_preimage, 358
 ppl_Float_Box_bounds_from_above, 357
 ppl_Float_Box_bounds_from_below, 357

ppl_Float_Box_CC76_widening_assign, 359
 ppl_Float_Box_CC76_widening_assign_with_tokens, 359
 ppl_Float_Box_concatenate_assign, 357
 ppl_Float_Box_constrains, 358
 ppl_Float_Box_contains_Float_Box, 357
 ppl_Float_Box_contains_integer_point, 357
 ppl_Float_Box_difference_assign, 357
 ppl_Float_Box_drop_some_non_integer_points, 358
 ppl_Float_Box_drop_some_non_integer_points_2, 359
 ppl_Float_Box_equals_Float_Box, 357
 ppl_Float_Box_expand_space_dimension, 358
 ppl_Float_Box_external_memory_in_bytes, 359
 ppl_Float_Box_fold_space_dimensions, 358
 ppl_Float_Box_frequency, 357
 ppl_Float_Box_generalized_affine_image, 358
 ppl_Float_Box_generalized_affine_image_lhs_rhs, 358
 ppl_Float_Box_generalized_affine_preimage, 358
 ppl_Float_Box_generalized_affine_preimage_lhs_rhs, 358
 ppl_Float_Box_get_congruences, 356
 ppl_Float_Box_get_constraints, 356
 ppl_Float_Box_get_minimized_congruences, 356
 ppl_Float_Box_get_minimized_constraints, 356
 ppl_Float_Box_intersection_assign, 357
 ppl_Float_Box_is_bounded, 357
 ppl_Float_Box_is_discrete, 357
 ppl_Float_Box_is_disjoint_from_Float_Box, 357
 ppl_Float_Box_is_empty, 356
 ppl_Float_Box_is_topologically_closed, 357
 ppl_Float_Box_is_universe, 357
 ppl_Float_Box_limited_CC76_extrapolation_assign, 359
 ppl_Float_Box_limited_CC76_extrapolation_assign_with_tokens, 359
 ppl_Float_Box_linear_partition, 359
 ppl_Float_Box_map_space_dimensions, 358
 ppl_Float_Box_maximize, 357
 ppl_Float_Box_maximize_with_point, 357
 ppl_Float_Box_minimize, 357
 ppl_Float_Box_minimize_with_point, 357
 ppl_Float_Box_OK, 357
 ppl_Float_Box_refine_with_congruence, 357
 ppl_Float_Box_refine_with_congruences, 357
 ppl_Float_Box_refine_with_constraint, 357
 ppl_Float_Box_refine_with_constraints, 357
 ppl_Float_Box_relation_with_congruence, 356
 ppl_Float_Box_relation_with_constraint, 356
 ppl_Float_Box_relation_with_generator, 356
 ppl_Float_Box_remove_higher_space_dimensions, 358
 ppl_Float_Box_remove_space_dimensions, 358
 ppl_Float_Box_simplify_using_context_assign, 358
 ppl_Float_Box_space_dimension, 356
 ppl_Float_Box_strictly_contains_Float_Box, 357
 ppl_Float_Box_swap, 356
 ppl_Float_Box_time_elapse_assign, 358
 ppl_Float_Box_topological_closure_assign, 357
 ppl_Float_Box_total_memory_in_bytes, 359
 ppl_Float_Box_unconstrain_space_dimension, 358
 ppl_Float_Box_unconstrain_space_dimensions, 358
 ppl_Float_Box_upper_bound_assign, 357
 ppl_Float_Box_upper_bound_assign_if_exact, 358
 ppl_Float_Box_widening_assign, 359
 ppl_Float_Box_widening_assign_with_tokens, 359
 ppl_Float_Box_wrap_assign, 359
 ppl_Grid_add_congruences, 203
 ppl_Grid_add_constraint, 203

- ppl_Grid_add_constraints, 203
- ppl_Grid_add_grid_generator, 203
- ppl_Grid_add_grid_generators, 203
- ppl_Grid_add_space_dimensions_and_embedding, 204
- ppl_Grid_add_space_dimensions_and_project, 204
- ppl_Grid_affine_dimension, 202
- ppl_Grid_affine_image, 203
- ppl_Grid_affine_preimage, 203
- ppl_Grid_approximate_partition, 205
- ppl_Grid_ascii_dump, 204
- ppl_Grid_bounded_affine_image, 203
- ppl_Grid_bounded_affine_preimage, 203
- ppl_Grid_bounds_from_above, 202
- ppl_Grid_bounds_from_below, 202
- ppl_Grid_concatenate_assign, 203
- ppl_Grid_congruence_widening_assign, 204
- ppl_Grid_congruence_widening_assign_with_tokens, 204
- ppl_Grid_constrains, 203
- ppl_Grid_contains_Grid, 202
- ppl_Grid_contains_integer_point, 202
- ppl_Grid_difference_assign, 203
- ppl_Grid_drop_some_non_integer_points, 204
- ppl_Grid_drop_some_non_integer_points_2, 204
- ppl_Grid_equals_Grid, 203
- ppl_Grid_expand_space_dimension, 204
- ppl_Grid_external_memory_in_bytes, 204
- ppl_Grid_fold_space_dimensions, 204
- ppl_Grid_frequency, 202
- ppl_Grid_generalized_affine_image, 203
- ppl_Grid_generalized_affine_image_lhs_rhs, 203
- ppl_Grid_generalized_affine_image_lhs_rhs_with_congruence, 204
- ppl_Grid_generalized_affine_image_with_congruence, 204
- ppl_Grid_generalized_affine_preimage, 203
- ppl_Grid_generalized_affine_preimage_lhs_rhs, 204
- ppl_Grid_generalized_affine_preimage_lhs_rhs_with_congruence, 204
- ppl_Grid_generalized_affine_preimage_with_congruence, 204
- ppl_Grid_generator_widening_assign, 204
- ppl_Grid_generator_widening_assign_with_tokens, 204
- ppl_Grid_get_congruences, 202
- ppl_Grid_get_constraints, 202
- ppl_Grid_get_grid_generators, 202
- ppl_Grid_get_minimized_congruences, 202
- ppl_Grid_get_minimized_constraints, 202
- ppl_Grid_get_minimized_grid_generators, 202
- ppl_Grid_intersection_assign, 203
- ppl_Grid_is_bounded, 202
- ppl_Grid_is_discrete, 202
- ppl_Grid_is_disjoint_from_Grid, 203
- ppl_Grid_is_empty, 202
- ppl_Grid_is_topologically_closed, 202
- ppl_Grid_is_universe, 202
- ppl_Grid_limited_congruence_extrapolation_assign, 205
- ppl_Grid_limited_congruence_extrapolation_assign_2, 204
- ppl_Grid_limited_generator_extrapolation_assign, 205
- ppl_Grid_limited_generator_extrapolation_assign_2, 204
- ppl_Grid_map_space_dimensions, 204
- ppl_Grid_maximize, 202
- ppl_Grid_maximize_with_point, 202
- ppl_Grid_minimize, 202
- ppl_Grid_minimize_with_point, 202
- ppl_Grid_OK, 203
- ppl_Grid_refine_with_congruence, 203
- ppl_Grid_refine_with_congruences, 203
- ppl_Grid_refine_with_constraint, 203
- ppl_Grid_refine_with_constraints, 202
- ppl_Grid_relation_with_congruence, 202
- ppl_Grid_relation_with_constraint, 202
- ppl_Grid_relation_with_generator, 202
- ppl_Grid_relation_with_grid_generator, 202
- ppl_Grid_remove_higher_space_dimensions, 204
- ppl_Grid_remove_higher_space_dimensions_with_congruence, 204
- ppl_Grid_remove_space_dimensions, 204
- ppl_Grid_simplify_using_context_assign, 203
- ppl_Grid_space_dimension, 201

- `ppl_Grid_strictly_contains_Grid`, 202
`ppl_Grid_swap`, 201
`ppl_Grid_time_elapse_assign`, 203
`ppl_Grid_topological_closure_assign`, 202
`ppl_Grid_total_memory_in_bytes`, 204
`ppl_Grid_unconstrain_space_dimension`, 203
`ppl_Grid_unconstrain_space_dimensions`, 203
`ppl_Grid_upper_bound_assign`, 203
`ppl_Grid_upper_bound_assign_if_exact`, 203
`ppl_Grid_widening_assign`, 204
`ppl_Grid_widening_assign_with_tokens`, 204
`ppl_Grid_wrap_assign`, 205
`ppl_Int16_Box_add_congruence`, 35
`ppl_Int16_Box_add_congruences`, 35
`ppl_Int16_Box_add_constraint`, 35
`ppl_Int16_Box_add_constraints`, 35
`ppl_Int16_Box_add_space_dimensions_and_embed`, 36
`ppl_Int16_Box_add_space_dimensions_and_project`, 36
`ppl_Int16_Box_affine_dimension`, 34
`ppl_Int16_Box_affine_image`, 36
`ppl_Int16_Box_affine_preimage`, 36
`ppl_Int16_Box_ascii_dump`, 37
`ppl_Int16_Box_bounded_affine_image`, 36
`ppl_Int16_Box_bounded_affine_preimage`, 36
`ppl_Int16_Box_bounds_from_above`, 35
`ppl_Int16_Box_bounds_from_below`, 35
`ppl_Int16_Box_CC76_widening_assign`, 37
`ppl_Int16_Box_CC76_widening_assign_with_tokens`, 37
`ppl_Int16_Box_concatenate_assign`, 35
`ppl_Int16_Box_constrains`, 36
`ppl_Int16_Box_contains_Int16_Box`, 35
`ppl_Int16_Box_contains_integer_point`, 35
`ppl_Int16_Box_difference_assign`, 35
`ppl_Int16_Box_drop_some_non_integer_points`, 36
`ppl_Int16_Box_drop_some_non_integer_points_2`, 37
`ppl_Int16_Box_equals_Int16_Box`, 35
`ppl_Int16_Box_expand_space_dimension`, 36
`ppl_Int16_Box_external_memory_in_bytes`, 37
`ppl_Int16_Box_fold_space_dimensions`, 36
`ppl_Int16_Box_frequency`, 35
`ppl_Int16_Box_generalized_affine_image`, 36
`ppl_Int16_Box_generalized_affine_image_lhs_rhs`, 36
`ppl_Int16_Box_generalized_affine_preimage`, 36
`ppl_Int16_Box_generalized_affine_preimage_lhs_rhs`, 36
`ppl_Int16_Box_get_congruences`, 34
`ppl_Int16_Box_get_constraints`, 34
`ppl_Int16_Box_get_minimized_congruences`, 34
`ppl_Int16_Box_get_minimized_constraints`, 34
`ppl_Int16_Box_intersection_assign`, 35
`ppl_Int16_Box_is_bounded`, 35
`ppl_Int16_Box_is_discrete`, 35
`ppl_Int16_Box_is_disjoint_from_Int16_Box`, 35
`ppl_Int16_Box_is_empty`, 34
`ppl_Int16_Box_is_topologically_closed`, 35
`ppl_Int16_Box_is_universe`, 35
`ppl_Int16_Box_limited_CC76_extrapolation_assign`, 37
`ppl_Int16_Box_limited_CC76_extrapolation_assign_v`, 37
`ppl_Int16_Box_linear_partition`, 37
`ppl_Int16_Box_map_space_dimensions`, 36
`ppl_Int16_Box_maximize`, 35
`ppl_Int16_Box_maximize_with_point`, 35
`ppl_Int16_Box_minimize`, 35
`ppl_Int16_Box_minimize_with_point`, 35
`ppl_Int16_Box_OK`, 35
`ppl_Int16_Box_refine_with_congruence`, 35
`ppl_Int16_Box_refine_with_congruences`, 35
`ppl_Int16_Box_refine_with_constraint`, 35
`ppl_Int16_Box_refine_with_constraints`, 35
`ppl_Int16_Box_relation_with_congruence`, 34
`ppl_Int16_Box_relation_with_constraint`, 34

ppl_Int16_Box_relation_with_generator, 34
 ppl_Int16_Box_remove_higher_space_dimensions, 36
 ppl_Int16_Box_remove_space_dimensions, 36
 ppl_Int16_Box_simplify_using_context_assign, 36
 ppl_Int16_Box_space_dimension, 34
 ppl_Int16_Box_strictly_contains_Int16_Box, 35
 ppl_Int16_Box_swap, 34
 ppl_Int16_Box_time_elapse_assign, 36
 ppl_Int16_Box_topological_closure_assign, 35
 ppl_Int16_Box_total_memory_in_bytes, 37
 ppl_Int16_Box_unconstrain_space_dimensions, 36
 ppl_Int16_Box_unconstrain_space_dimensions, 36
 ppl_Int16_Box_upper_bound_assign, 35
 ppl_Int16_Box_upper_bound_assign_if_exact, 36
 ppl_Int16_Box_widening_assign, 37
 ppl_Int16_Box_widening_assign_with_tokens, 37
 ppl_Int16_Box_wrap_assign, 37
 ppl_Int32_Box_add_congruence, 41
 ppl_Int32_Box_add_congruences, 42
 ppl_Int32_Box_add_constraint, 41
 ppl_Int32_Box_add_constraints, 42
 ppl_Int32_Box_add_space_dimensions_and_project, 43
 ppl_Int32_Box_add_space_dimensions_and_project, 43
 ppl_Int32_Box_affine_dimension, 40
 ppl_Int32_Box_affine_image, 42
 ppl_Int32_Box_affine_preimage, 42
 ppl_Int32_Box_ascii_dump, 43
 ppl_Int32_Box_bounded_affine_image, 42
 ppl_Int32_Box_bounded_affine_preimage, 42
 ppl_Int32_Box_bounds_from_above, 41
 ppl_Int32_Box_bounds_from_below, 41
 ppl_Int32_Box_CC76_widening_assign, 43
 ppl_Int32_Box_CC76_widening_assign_with_tokens, 43
 ppl_Int32_Box_concatenate_assign, 42
 ppl_Int32_Box_constrains, 42
 ppl_Int32_Box_contains_Int32_Box, 41
 ppl_Int32_Box_contains_integer_point, 41
 ppl_Int32_Box_difference_assign, 42
 ppl_Int32_Box_drop_some_non_integer_points, 43
 ppl_Int32_Box_drop_some_non_integer_points_2, 43
 ppl_Int32_Box_equals_Int32_Box, 41
 ppl_Int32_Box_expand_space_dimension, 43
 ppl_Int32_Box_external_memory_in_bytes, 43
 ppl_Int32_Box_fold_space_dimensions, 43
 ppl_Int32_Box_frequency, 41
 ppl_Int32_Box_generalized_affine_image, 42
 ppl_Int32_Box_generalized_affine_image_lhs_rhs, 42
 ppl_Int32_Box_generalized_affine_preimage, 42
 ppl_Int32_Box_generalized_affine_preimage_lhs_rhs, 43
 ppl_Int32_Box_get_congruences, 41
 ppl_Int32_Box_get_constraints, 41
 ppl_Int32_Box_get_minimized_congruences, 41
 ppl_Int32_Box_get_minimized_constraints, 41
 ppl_Int32_Box_intersection_assign, 42
 ppl_Int32_Box_is_bounded, 41
 ppl_Int32_Box_is_discrete, 41
 ppl_Int32_Box_is_disjoint_from_Int32_Box, 41
 ppl_Int32_Box_is_empty, 41
 ppl_Int32_Box_is_topologically_closed, 41
 ppl_Int32_Box_is_universe, 41
 ppl_Int32_Box_limited_CC76_extrapolation_assign, 43
 ppl_Int32_Box_limited_CC76_extrapolation_assign_v, 43
 ppl_Int32_Box_linear_partition, 43
 ppl_Int32_Box_map_space_dimensions, 43
 ppl_Int32_Box_maximize, 41
 ppl_Int32_Box_maximize_with_point, 41
 ppl_Int32_Box_minimize, 41
 ppl_Int32_Box_minimize_with_point, 41
 ppl_Int32_Box_OK, 41

ppl_Int32_Box_refine_with_congruence, 42
 ppl_Int32_Box_refine_with_congruences, 42
 ppl_Int32_Box_refine_with_constraint, 42
 ppl_Int32_Box_refine_with_constraint, 42
 ppl_Int32_Box_relation_with_congruence, 41
 ppl_Int32_Box_relation_with_constraint, 41
 ppl_Int32_Box_relation_with_generator, 41
 ppl_Int32_Box_remove_higher_space_dimensions, 43
 ppl_Int32_Box_remove_space_dimensions, 43
 ppl_Int32_Box_simplify_using_context, 42
 ppl_Int32_Box_space_dimension, 40
 ppl_Int32_Box_strictly_contains_Int32_Box, 41
 ppl_Int32_Box_swap, 40
 ppl_Int32_Box_time_elapse_assign, 42
 ppl_Int32_Box_topological_closure_assign, 41
 ppl_Int32_Box_total_memory_in_bytes, 43
 ppl_Int32_Box_unconstrain_space_dimension, 42
 ppl_Int32_Box_unconstrain_space_dimensions, 42
 ppl_Int32_Box_upper_bound_assign, 42
 ppl_Int32_Box_upper_bound_assign_if_exact, 42
 ppl_Int32_Box_widening_assign, 43
 ppl_Int32_Box_widening_assign_with_tokens, 43
 ppl_Int32_Box_wrap_assign, 43
 ppl_Int64_Box_add_congruence, 48
 ppl_Int64_Box_add_congruences, 48
 ppl_Int64_Box_add_constraint, 48
 ppl_Int64_Box_add_constraints, 48
 ppl_Int64_Box_add_space_dimensions_and_limit, 49
 ppl_Int64_Box_add_space_dimensions_and_project, 49
 ppl_Int64_Box_affine_dimension, 47
 ppl_Int64_Box_affine_image, 48
 ppl_Int64_Box_affine_preimage, 48
 ppl_Int64_Box_ascii_dump, 49
 ppl_Int64_Box_bounded_affine_image, 48
 ppl_Int64_Box_bounded_affine_preimage, 49
 ppl_Int64_Box_bounds_from_above, 47
 ppl_Int64_Box_bounds_from_below, 47
 ppl_Int64_Box_CC76_widening_assign, 49
 ppl_Int64_Box_CC76_widening_assign_with_tokens, 49
 ppl_Int64_Box_concatenate_assign, 48
 ppl_Int64_Box_constrains, 48
 ppl_Int64_Box_contains_Int64_Box, 48
 ppl_Int64_Box_contains_integer_point, 47
 ppl_Int64_Box_difference_assign, 48
 ppl_Int64_Box_drop_some_non_integer_points, 49
 ppl_Int64_Box_drop_some_non_integer_points_2, 49
 ppl_Int64_Box_equals_Int64_Box, 48
 ppl_Int64_Box_expand_space_dimension, 49
 ppl_Int64_Box_external_memory_in_bytes, 49
 ppl_Int64_Box_fold_space_dimensions, 49
 ppl_Int64_Box_frequency, 48
 ppl_Int64_Box_generalized_affine_image, 49
 ppl_Int64_Box_generalized_affine_image_lhs_rhs, 49
 ppl_Int64_Box_generalized_affine_preimage, 49
 ppl_Int64_Box_generalized_affine_preimage_lhs_rhs, 49
 ppl_Int64_Box_get_congruences, 47
 ppl_Int64_Box_get_constraints, 47
 ppl_Int64_Box_get_minimized_congruences, 47
 ppl_Int64_Box_get_minimized_constraints, 47
 ppl_Int64_Box_intersection_assign, 48
 ppl_Int64_Box_is_bounded, 47
 ppl_Int64_Box_is_discrete, 47
 ppl_Int64_Box_is_disjoint_from_Int64_Box, 48
 ppl_Int64_Box_is_empty, 47
 ppl_Int64_Box_is_topologically_closed, 47
 ppl_Int64_Box_is_universe, 47
 ppl_Int64_Box_limited_CC76_extrapolation_assign, 49
 ppl_Int64_Box_limited_CC76_extrapolation_assign_v, 49

- ppl_Int64_Box_linear_partition, 50
- ppl_Int64_Box_map_space_dimensions, 49
- ppl_Int64_Box_maximize, 47
- ppl_Int64_Box_maximize_with_point, 47
- ppl_Int64_Box_minimize, 47
- ppl_Int64_Box_minimize_with_point, 48
- ppl_Int64_Box_OK, 48
- ppl_Int64_Box_refine_with_congruence, 48
- ppl_Int64_Box_refine_with_congruences, 48
- ppl_Int64_Box_refine_with_constraint, 48
- ppl_Int64_Box_refine_with_constraints, 48
- ppl_Int64_Box_relation_with_congruence, 47
- ppl_Int64_Box_relation_with_constraint, 47
- ppl_Int64_Box_relation_with_generator, 47
- ppl_Int64_Box_remove_higher_space_dimensions, 49
- ppl_Int64_Box_remove_space_dimensions, 49
- ppl_Int64_Box_simplify_using_context_assign, 48
- ppl_Int64_Box_space_dimension, 47
- ppl_Int64_Box_strictly_contains_Int64_Box, 48
- ppl_Int64_Box_swap, 47
- ppl_Int64_Box_time_elapse_assign, 48
- ppl_Int64_Box_topological_closure_assign, 47
- ppl_Int64_Box_total_memory_in_bytes, 49
- ppl_Int64_Box_unconstrain_space_dimensions, 48
- ppl_Int64_Box_unconstrain_space_dimensions_2, 48
- ppl_Int64_Box_upper_bound_assign, 48
- ppl_Int64_Box_upper_bound_assign_if_exact, 48
- ppl_Int64_Box_widening_assign, 49
- ppl_Int64_Box_widening_assign_with_tokens, 49
- ppl_Int64_Box_wrap_assign, 50
- ppl_Int8_Box_add_congruence, 29
- ppl_Int8_Box_add_congruences, 29
- ppl_Int8_Box_add_constraint, 29
- ppl_Int8_Box_add_constraints, 29
- ppl_Int8_Box_add_space_dimensions_and_embed, 30
- ppl_Int8_Box_add_space_dimensions_and_project, 30
- ppl_Int8_Box_affine_dimension, 28
- ppl_Int8_Box_affine_image, 30
- ppl_Int8_Box_affine_preimage, 30
- ppl_Int8_Box_ascii_dump, 30
- ppl_Int8_Box_bounded_affine_image, 30
- ppl_Int8_Box_bounded_affine_preimage, 30
- ppl_Int8_Box_bounds_from_above, 29
- ppl_Int8_Box_bounds_from_below, 29
- ppl_Int8_Box_CC76_widening_assign, 30
- ppl_Int8_Box_CC76_widening_assign_with_tokens, 30
- ppl_Int8_Box_concatenate_assign, 29
- ppl_Int8_Box_constrains, 29
- ppl_Int8_Box_contains_Int8_Box, 29
- ppl_Int8_Box_contains_integer_point, 28
- ppl_Int8_Box_difference_assign, 29
- ppl_Int8_Box_drop_some_non_integer_points, 30
- ppl_Int8_Box_drop_some_non_integer_points_2, 30
- ppl_Int8_Box_equals_Int8_Box, 29
- ppl_Int8_Box_expand_space_dimension, 30
- ppl_Int8_Box_external_memory_in_bytes, 30
- ppl_Int8_Box_fold_space_dimensions, 30
- ppl_Int8_Box_frequency, 29
- ppl_Int8_Box_generalized_affine_image, 30
- ppl_Int8_Box_generalized_affine_image_lhs_rhs, 30
- ppl_Int8_Box_generalized_affine_preimage, 30
- ppl_Int8_Box_generalized_affine_preimage_lhs_rhs, 30
- ppl_Int8_Box_get_congruences, 28
- ppl_Int8_Box_get_constraints, 28
- ppl_Int8_Box_get_minimized_congruences, 28
- ppl_Int8_Box_get_minimized_constraints, 28
- ppl_Int8_Box_intersection_assign, 29
- ppl_Int8_Box_is_bounded, 28
- ppl_Int8_Box_is_discrete, 28

ppl_Int8_Box_is_disjoint_from_Int8_Box, 29
 ppl_Int8_Box_is_empty, 28
 ppl_Int8_Box_is_topologically_closed, 28
 ppl_Int8_Box_is_universe, 28
 ppl_Int8_Box_limited_CC76_extrapolation_assign, 31
 ppl_Int8_Box_limited_CC76_extrapolation_assign_with_tokens, 31
 ppl_Int8_Box_linear_partition, 31
 ppl_Int8_Box_map_space_dimensions, 30
 ppl_Int8_Box_maximize, 29
 ppl_Int8_Box_maximize_with_point, 29
 ppl_Int8_Box_minimize, 29
 ppl_Int8_Box_minimize_with_point, 29
 ppl_Int8_Box_OK, 29
 ppl_Int8_Box_refine_with_congruence, 29
 ppl_Int8_Box_refine_with_congruences, 29
 ppl_Int8_Box_refine_with_constraint, 29
 ppl_Int8_Box_refine_with_constraints, 29
 ppl_Int8_Box_relation_with_congruence, 28
 ppl_Int8_Box_relation_with_constraint, 28
 ppl_Int8_Box_relation_with_generator, 28
 ppl_Int8_Box_remove_higher_space_dimensions, 30
 ppl_Int8_Box_remove_space_dimensions, 30
 ppl_Int8_Box_simplify_using_context_assign, 29
 ppl_Int8_Box_space_dimension, 28
 ppl_Int8_Box_strictly_contains_Int8_Box, 29
 ppl_Int8_Box_swap, 28
 ppl_Int8_Box_time_elapse_assign, 29
 ppl_Int8_Box_topological_closure_assign, 28
 ppl_Int8_Box_total_memory_in_bytes, 30
 ppl_Int8_Box_unconstrain_space_dimension, 29
 ppl_Int8_Box_unconstrain_space_dimensions, 29
 ppl_Int8_Box_upper_bound_assign, 29
 ppl_Int8_Box_upper_bound_assign_if_exact, 29
 ppl_Int8_Box_widening_assign, 30
 ppl_Int8_Box_widening_assign_with_tokens, 30
 ppl_Int8_Box_wrap_assign, 31
 PPL_internal_error, 19
 ppl_io_wrap_string, 21
 ppl_linear_rational_precision, 22
 ppl_Linear_Expression_all_homogeneous_terms_are_zero, 22
 ppl_Linear_Expression_is_zero, 22
 ppl_Long_Double_Box_add_congruence, 431
 ppl_Long_Double_Box_add_congruences, 431
 ppl_Long_Double_Box_add_constraint, 431
 ppl_Long_Double_Box_add_constraints, 431
 ppl_Long_Double_Box_add_space_dimensions_and_embeddings, 432
 ppl_Long_Double_Box_add_space_dimensions_and_projections, 432
 ppl_Long_Double_Box_affine_dimension, 430
 ppl_Long_Double_Box_affine_image, 432
 ppl_Long_Double_Box_affine_preimage, 432
 ppl_Long_Double_Box_ascii_dump, 432
 ppl_Long_Double_Box_bounded_affine_image, 432
 ppl_Long_Double_Box_bounded_affine_preimage, 432
 ppl_Long_Double_Box_bounds_from_above, 430
 ppl_Long_Double_Box_bounds_from_below, 430
 ppl_Long_Double_Box_CC76_widening_assign, 433
 ppl_Long_Double_Box_CC76_widening_assign_with_tokens, 433
 ppl_Long_Double_Box_concatenate_assign, 431
 ppl_Long_Double_Box_constrains, 431
 ppl_Long_Double_Box_contains_integer_point, 430
 ppl_Long_Double_Box_contains_Long_Double_Box, 431
 ppl_Long_Double_Box_difference_assign, 431
 ppl_Long_Double_Box_drop_some_non_integer_points, 432
 ppl_Long_Double_Box_drop_some_non_integer_points_exact, 432

- ppl_Long_Double_Box_equals_Long_Double_Box, 431
 ppl_Long_Double_Box_expand_space_dimensions, 432
 ppl_Long_Double_Box_external_memory_in_bytes, 432
 ppl_Long_Double_Box_fold_space_dimensions, 432
 ppl_Long_Double_Box_frequency, 431
 ppl_Long_Double_Box_generalized_affine_image, 432
 ppl_Long_Double_Box_generalized_affine_image_lhs_rhs, 432
 ppl_Long_Double_Box_generalized_affine_preimage, 432
 ppl_Long_Double_Box_generalized_affine_preimage_lhs_rhs, 432
 ppl_Long_Double_Box_get_congruences, 430
 ppl_Long_Double_Box_get_constraints, 430
 ppl_Long_Double_Box_get_minimized_congruences, 430
 ppl_Long_Double_Box_get_minimized_constraints, 430
 ppl_Long_Double_Box_intersection_assign, 431
 ppl_Long_Double_Box_is_bounded, 430
 ppl_Long_Double_Box_is_discrete, 430
 ppl_Long_Double_Box_is_disjoint_from_Long_Double_Box, 431
 ppl_Long_Double_Box_is_empty, 430
 ppl_Long_Double_Box_is_topologically_closed, 430
 ppl_Long_Double_Box_is_universe, 430
 ppl_Long_Double_Box_limited_CC76_extrapolation_assign, 433
 ppl_Long_Double_Box_limited_CC76_extrapolation_assign_with_tokens, 433
 ppl_Long_Double_Box_linear_partition, 433
 ppl_Long_Double_Box_map_space_dimensions, 432
 ppl_Long_Double_Box_maximize, 430
 ppl_Long_Double_Box_maximize_with_point, 430
 ppl_Long_Double_Box_minimize, 430
 ppl_Long_Double_Box_minimize_with_point, 430
 ppl_Long_Double_Box_OK, 431
 ppl_Long_Double_Box_refine_with_congruences, 431
 ppl_Long_Double_Box_refine_with_constraint, 431
 ppl_Long_Double_Box_refine_with_constraints, 431
 ppl_Long_Double_Box_relation_with_congruence, 430
 ppl_Long_Double_Box_relation_with_constraint, 430
 ppl_Long_Double_Box_relation_with_generator, 430
 ppl_Long_Double_Box_remove_higher_space_dimensions, 432
 ppl_Long_Double_Box_remove_space_dimensions, 432
 ppl_Long_Double_Box_simplify_using_context_assign, 431
 ppl_Long_Double_Box_space_dimension, 430
 ppl_Long_Double_Box_strictly_contains_Long_Double_Box, 431
 ppl_Long_Double_Box_swap, 430
 ppl_Long_Double_Box_time_elapse_assign, 431
 ppl_Long_Double_Box_topological_closure_assign, 430
 ppl_Long_Double_Box_total_memory_in_bytes, 432
 ppl_Long_Double_Box_unconstrain_space_dimension, 431
 ppl_Long_Double_Box_unconstrain_space_dimensions, 431
 ppl_Long_Double_Box_upper_bound_assign, 431
 ppl_Long_Double_Box_upper_bound_assign_if_exact, 431
 ppl_Long_Double_Box_widening_assign, 433
 ppl_Long_Double_Box_widening_assign_with_tokens, 433
 ppl_Long_Double_Box_wrap_assign, 433
 ppl_max_space_dimension, 21
 ppl_MIP_Problem_add_constraint, 22
 ppl_MIP_Problem_add_constraints, 22
 ppl_MIP_Problem_add_space_dimensions_and_embed, 22
 ppl_MIP_Problem_add_to_integer_space_dimensions, 22
 ppl_MIP_Problem_ascii_dump, 23
 ppl_MIP_Problem_clear, 22
 ppl_MIP_Problem_constraints, 22
 ppl_MIP_Problem_evaluate_objective_function, 22
 ppl_MIP_Problem_feasible_point, 22

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_double_from_Z_Box`,
397 396
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_double_from_Z_Box_with_complexity`,
399 398
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_double`,
397 361
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_double_with`,
398 362
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_float`,
397 360
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_float_with`,
398 362
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int16_t`,
397 360
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int16_t_with`,
398 361
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int32_t`,
397 360
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int32_t_with`,
398 361
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int64_t`,
397 360
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int64_t_with`,
399 361
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int8_t`,
397 360
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_int8_t_with`,
398 361
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_long_double`,
397 361
`ppl_new_BD_Shape_double_from_Octagon` `pplShape_BD_Shape_float_from_BD_Shape_long_double`,
398 363
`ppl_new_BD_Shape_double_from_Rational_Box` `pplShape_BD_Shape_float_from_BD_Shape_mpq_class`,
396 360
`ppl_new_BD_Shape_double_from_Rational_Box` `pplShape_BD_Shape_float_from_BD_Shape_mpq_class_w`,
398 362
`ppl_new_BD_Shape_double_from_space_dimension` `pplShape_BD_Shape_float_from_BD_Shape_mpz_class`,
396 360
`ppl_new_BD_Shape_double_from_UInt16_Box` `pplShape_BD_Shape_float_from_BD_Shape_mpz_class_w`,
396 362
`ppl_new_BD_Shape_double_from_UInt16_Box` `pplShape_BD_Shape_float_from_C_Polyhedron`,
397 360
`ppl_new_BD_Shape_double_from_UInt32_Box` `pplShape_BD_Shape_float_from_C_Polyhedron_with_con`,
396 362
`ppl_new_BD_Shape_double_from_UInt32_Box` `pplShape_BD_Shape_float_from_congruences`,
398 363
`ppl_new_BD_Shape_double_from_UInt64_Box` `pplShape_BD_Shape_float_from_constraints`,
396 363
`ppl_new_BD_Shape_double_from_UInt64_Box` `pplShape_BD_Shape_float_from_Double_Box`,
398 361
`ppl_new_BD_Shape_double_from_UInt8_Box` `pplShape_BD_Shape_float_from_Double_Box_with_comp`,
396 362
`ppl_new_BD_Shape_double_from_UInt8_Box` `pplShape_BD_Shape_float_from_Float_Box`,
397 360

`ppl_new_BD_Shape_float_from_Float_Box`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_int8`,
362 362
`ppl_new_BD_Shape_float_from_generator`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_long`,
363 361
`ppl_new_BD_Shape_float_from_Grid`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_long`,
360 363
`ppl_new_BD_Shape_float_from_Grid_with_complexity`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_mpq`,
362 360
`ppl_new_BD_Shape_float_from_Int16_Box`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_mpq`,
360 362
`ppl_new_BD_Shape_float_from_Int16_Box_with_complexity`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_mpz`,
361 360
`ppl_new_BD_Shape_float_from_Int32_Box`, `ppl_new_BD_Shape_float_from_Octagonal_Shape_mpz`,
360 362
`ppl_new_BD_Shape_float_from_Int32_Box_with_complexity`, `ppl_new_BD_Shape_float_from_Rational_Box`,
361 360
`ppl_new_BD_Shape_float_from_Int64_Box`, `ppl_new_BD_Shape_float_from_Rational_Box_with_complexity`,
360 361
`ppl_new_BD_Shape_float_from_Int64_Box_with_complexity`, `ppl_new_BD_Shape_float_from_space_dimension`,
361 360
`ppl_new_BD_Shape_float_from_Int8_Box`, `ppl_new_BD_Shape_float_from_Uint16_Box`,
360 360
`ppl_new_BD_Shape_float_from_Int8_Box_with_complexity`, `ppl_new_BD_Shape_float_from_Uint16_Box_with_complexity`,
361 361
`ppl_new_BD_Shape_float_from_Long_Double_Box`, `ppl_new_BD_Shape_float_from_Uint32_Box`,
361 360
`ppl_new_BD_Shape_float_from_Long_Double_Box_with_complexity`, `ppl_new_BD_Shape_float_from_Uint32_Box_with_complexity`,
363 361
`ppl_new_BD_Shape_float_from_NNC_Polyhedron`, `ppl_new_BD_Shape_float_from_Uint64_Box`,
360 360
`ppl_new_BD_Shape_float_from_NNC_Polyhedron_with_complexity`, `ppl_new_BD_Shape_float_from_Uint64_Box_with_complexity`,
362 361
`ppl_new_BD_Shape_float_from_Octagonal_Box`, `ppl_new_BD_Shape_float_from_Uint8_Box`,
361 360
`ppl_new_BD_Shape_float_from_Octagonal_Box_with_complexity`, `ppl_new_BD_Shape_float_from_Uint8_Box_with_complexity`,
362 361
`ppl_new_BD_Shape_float_from_Octagonal_Box_with_complexity_Z`, `ppl_new_BD_Shape_float_from_Z_Box`,
361 360
`ppl_new_BD_Shape_float_from_Octagonal_Box_with_complexity_Z`, `ppl_new_BD_Shape_float_from_Z_Box_with_complexity`,
362 361
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_double`,
360 98
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t_with_complexity`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_double_with_complexity`,
362 99
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_float`,
360 97
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t_with_complexity`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_float_with_complexity`,
362 99
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_int16_t`,
360 97
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t_with_complexity`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_int16_t_with_complexity`,
362 98
`ppl_new_BD_Shape_float_from_Octagonal_Box_int16_t`, `ppl_new_BD_Shape_int16_t_from_BD_Shape_int32_t`,
360 97

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

`ppl_new_BD_Shape_int16_t_from_space_dimensions`, `ppl_new_BD_Shape_int32_t_from_BD_Shape_mpz_class`,
 97 105
`ppl_new_BD_Shape_int16_t_from_Uint16_Box`, `ppl_new_BD_Shape_int32_t_from_BD_Shape_mpz_class`,
 97 106
`ppl_new_BD_Shape_int16_t_from_Uint16_Box`, `ppl_new_BD_Shape_int32_t_from_C_Polyhedron`,
 98 105
`ppl_new_BD_Shape_int16_t_from_Uint32_Box`, `ppl_new_BD_Shape_int32_t_from_C_Polyhedron_with_constraints`,
 97 107
`ppl_new_BD_Shape_int16_t_from_Uint32_Box`, `ppl_new_BD_Shape_int32_t_from_congruences`,
 98 108
`ppl_new_BD_Shape_int16_t_from_Uint64_Box`, `ppl_new_BD_Shape_int32_t_from_constraints`,
 97 108
`ppl_new_BD_Shape_int16_t_from_Uint64_Box`, `ppl_new_BD_Shape_int32_t_from_Double_Box`,
 98 105
`ppl_new_BD_Shape_int16_t_from_Uint8_Box`, `ppl_new_BD_Shape_int32_t_from_Double_Box_with_constraints`,
 97 107
`ppl_new_BD_Shape_int16_t_from_Uint8_Box`, `ppl_new_BD_Shape_int32_t_from_Float_Box`,
 98 105
`ppl_new_BD_Shape_int16_t_from_Z_Box`, `ppl_new_BD_Shape_int32_t_from_Float_Box_with_constraints`,
 97 107
`ppl_new_BD_Shape_int16_t_from_Z_Box`, `ppl_new_BD_Shape_int32_t_from_generators`,
 98 108
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Grid`,
 105 105
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Grid_with_complexity`,
 107 107
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int16_Box`,
 105 104
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int16_Box_with_complexity`,
 107 106
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int32_Box`,
 105 104
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int32_Box_with_complexity`,
 106 106
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int64_Box`,
 105 104
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int64_Box_with_complexity`,
 106 106
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int8_Box`,
 105 104
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Int8_Box_with_complexity`,
 106 106
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Long_Double_Box`,
 105 105
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Long_Double_Box_with_complexity`,
 106 107
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_NNC_Polyhedron`,
 106 105
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_NNC_Polyhedron_with_complexity`,
 108 107
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_dimensions`,
 105 105
`ppl_new_BD_Shape_int32_t_from_BD_Shape_int16_t`, `ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_dimensions`,
 107 107

<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Box</code>	105	<code>ppl_ShapeDfShape_int32_t_from_Z_Box</code>	105
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Box_with_complexity</code>	107	<code>ppl_ShapeDfShape_int32_t_from_Z_Box_with_complexity</code>	106
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_BD_Shape_double</code>	105	<code>ppl_ShapeDfShape_int64_t_from_BD_Shape_double</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_complex_BD_Shape_double_with_complexity</code>	107	<code>ppl_ShapeDfShape_int64_t_from_complex_BD_Shape_double_with_complexity</code>	115
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_BD_Shape_float</code>	105	<code>ppl_ShapeDfShape_int64_t_from_BD_Shape_float</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_complex_BD_Shape_float_with_complexity</code>	107	<code>ppl_ShapeDfShape_int64_t_from_complex_BD_Shape_float_with_complexity</code>	115
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_BD_Shape_int16_t</code>	105	<code>ppl_ShapeDfShape_int64_t_from_BD_Shape_int16_t</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_complex_BD_Shape_int16_t_with_complexity</code>	107	<code>ppl_ShapeDfShape_int64_t_from_complex_BD_Shape_int16_t_with_complexity</code>	114
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_BD_Shape_int32_t</code>	105	<code>ppl_ShapeDfShape_int64_t_from_BD_Shape_int32_t</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_int64_t_from_complex_BD_Shape_int32_t_with_complexity</code>	107	<code>ppl_ShapeDfShape_int64_t_from_complex_BD_Shape_int32_t_with_complexity</code>	114
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_double64_t_from_BD_Shape_int64_t</code>	106	<code>ppl_ShapeDfShape_double64_t_from_BD_Shape_int64_t</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_Shape_double64_t_from_complex_BD_Shape_int64_t_with_complexity</code>	108	<code>ppl_ShapeDfShape_double64_t_from_complex_BD_Shape_int64_t_with_complexity</code>	114
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_ShapeDmShape_int64_t_from_BD_Shape_int8_t</code>	105	<code>ppl_ShapeDmShape_int64_t_from_BD_Shape_int8_t</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_ShapeDmShape_int64_t_from_complex_BD_Shape_int8_t_with_complexity</code>	107	<code>ppl_ShapeDmShape_int64_t_from_complex_BD_Shape_int8_t_with_complexity</code>	114
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_ShapeDmShape_int64_t_from_BD_Shape_long_double</code>	105	<code>ppl_ShapeDmShape_int64_t_from_BD_Shape_long_double</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Octagonal_ShapeDmShape_int64_t_from_complex_BD_Shape_long_double_with_complexity</code>	107	<code>ppl_ShapeDmShape_int64_t_from_complex_BD_Shape_long_double_with_complexity</code>	115
<code>ppl_new_BD_Shape_int32_t_from_Rational_Box</code>	105	<code>ppl_Box_new_BD_Shape_int64_t_from_BD_Shape_mpq_class</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Rational_Box_new_BD_Shape_int64_t_from_BD_Shape_mpq_class</code>	106	<code>ppl_Box_new_BD_Shape_int64_t_from_BD_Shape_mpq_class</code>	114
<code>ppl_new_BD_Shape_int32_t_from_space_dimensions</code>	104	<code>ppl_Box_new_BD_Shape_int64_t_from_BD_Shape_mpz_class</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Uint16_Box</code>	105	<code>ppl_Box_new_BD_Shape_int64_t_from_BD_Shape_mpz_class</code>	114
<code>ppl_new_BD_Shape_int32_t_from_Uint16_Box_new_BD_Shape_int64_t_from_C_Polyhedron</code>	106	<code>ppl_Box_new_BD_Shape_int64_t_from_C_Polyhedron</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Uint32_Box</code>	105	<code>ppl_Box_new_BD_Shape_int64_t_from_C_Polyhedron_with_constraints</code>	115
<code>ppl_new_BD_Shape_int32_t_from_Uint32_Box_new_BD_Shape_int64_t_from_congruences</code>	106	<code>ppl_Box_new_BD_Shape_int64_t_from_congruences</code>	116
<code>ppl_new_BD_Shape_int32_t_from_Uint64_Box</code>	105	<code>ppl_Box_new_BD_Shape_int64_t_from_constraints</code>	115
<code>ppl_new_BD_Shape_int32_t_from_Uint64_Box_new_BD_Shape_int64_t_from_Double_Box</code>	106	<code>ppl_Box_new_BD_Shape_int64_t_from_Double_Box</code>	113
<code>ppl_new_BD_Shape_int32_t_from_Uint8_Box</code>	104	<code>ppl_Box_new_BD_Shape_int64_t_from_Double_Box_with_constraints</code>	115
<code>ppl_new_BD_Shape_int32_t_from_Uint8_Box_with_Double_Box</code>	106	<code>ppl_Box_new_BD_Shape_int64_t_from_Float_Box</code>	113

ppl_new_BD_Shape_int64_t_from_Float_Box_with_BD_Shape_int64_t_from_Octagonal_Shape_int64_t
 115 114
 ppl_new_BD_Shape_int64_t_from_generators, ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t
 116 113
 ppl_new_BD_Shape_int64_t_from_Grid, ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t
 113 115
 ppl_new_BD_Shape_int64_t_from_Grid_with_new_Box_Shape_int64_t_from_Octagonal_Shape_int64_t
 115 113
 ppl_new_BD_Shape_int64_t_from_Int16_Box, ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t
 112 115
 ppl_new_BD_Shape_int64_t_from_Int16_Box_with_BD_Shape_int64_t_from_Octagonal_Shape_int64_t
 114 113
 ppl_new_BD_Shape_int64_t_from_Int32_Box, ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t
 112 115
 ppl_new_BD_Shape_int64_t_from_Int32_Box_with_BD_Shape_int64_t_from_Rational_Box,
 114 113
 ppl_new_BD_Shape_int64_t_from_Int64_Box, ppl_new_BD_Shape_int64_t_from_Rational_Box_with_BD_Shape_int64_t
 112 114
 ppl_new_BD_Shape_int64_t_from_Int64_Box_with_BD_Shape_int64_t_from_space_dimension,
 114 112
 ppl_new_BD_Shape_int64_t_from_Int8_Box, ppl_new_BD_Shape_int64_t_from_Uint16_Box,
 112 112
 ppl_new_BD_Shape_int64_t_from_Int8_Box_with_BD_Shape_int64_t_from_Uint16_Box_with_complexity,
 114 114
 ppl_new_BD_Shape_int64_t_from_Long_Double_Box, ppl_new_BD_Shape_int64_t_from_Uint32_Box,
 113 112
 ppl_new_BD_Shape_int64_t_from_Long_Double_Box_with_BD_Shape_int64_t_from_Uint32_Box_with_complexity,
 115 114
 ppl_new_BD_Shape_int64_t_from_NNC_Polyhedron, ppl_new_BD_Shape_int64_t_from_Uint64_Box,
 113 112
 ppl_new_BD_Shape_int64_t_from_NNC_Polyhedron_with_BD_Shape_int64_t_from_Uint64_Box_with_complexity,
 115 114
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t_from_Uint8_Box,
 113 112
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t_from_Uint8_Box_with_complexity,
 115 114
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t_from_Z_Box,
 113 112
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int64_t_from_Z_Box_with_complexity,
 115 114
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_double,
 113 90
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_double_with_complexity,
 115 92
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_float,
 113 90
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_float_with_complexity,
 115 91
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_int16_t,
 113 89
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_int16_t_with_complexity,
 115 91
 ppl_new_BD_Shape_int64_t_from_Octagonal_Shape_int8_t_from_BD_Shape_int32_t,
 113 89

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/pp1/> for more information.

`ppl_new_BD_Shape_int8_t_from_space_dimension`, `ppl_new_BD_Shape_long_double_from_BD_Shape_mpz_c`,
89 434
`ppl_new_BD_Shape_int8_t_from_Uint16_Box`, `ppl_new_BD_Shape_long_double_from_BD_Shape_mpz_c`,
89 436
`ppl_new_BD_Shape_int8_t_from_Uint16_Box_with_BD_Shape`, `ppl_new_BD_Shape_long_double_from_C_Polyhedron`,
90 435
`ppl_new_BD_Shape_int8_t_from_Uint32_Box`, `ppl_new_BD_Shape_long_double_from_C_Polyhedron_w`,
89 436
`ppl_new_BD_Shape_int8_t_from_Uint32_Box_with_BD_Shape`, `ppl_new_BD_Shape_long_double_from_congruences`,
90 437
`ppl_new_BD_Shape_int8_t_from_Uint64_Box`, `ppl_new_BD_Shape_long_double_from_constraints`,
89 437
`ppl_new_BD_Shape_int8_t_from_Uint64_Box_with_BD_Shape`, `ppl_new_BD_Shape_long_double_from_Double_Box`,
90 435
`ppl_new_BD_Shape_int8_t_from_Uint8_Box`, `ppl_new_BD_Shape_long_double_from_Double_Box_wit`,
89 437
`ppl_new_BD_Shape_int8_t_from_Uint8_Box_with_BD_Shape`, `ppl_new_BD_Shape_long_double_from_Float_Box`,
90 435
`ppl_new_BD_Shape_int8_t_from_Z_Box`, `ppl_new_BD_Shape_long_double_from_Float_Box_with`,
89 437
`ppl_new_BD_Shape_int8_t_from_Z_Box_with_new_Box_Shape`, `ppl_new_BD_Shape_long_double_from_generators`,
90 437
`ppl_new_BD_Shape_long_double_from_BD_Shape_wd_BD_Shape`, `ppl_new_BD_Shape_long_double_from_Grid`,
435 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wd_BD_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_Grid_with_comp`,
437 437
`ppl_new_BD_Shape_long_double_from_BD_Shape_wf_BD_Shape`, `ppl_new_BD_Shape_long_double_from_Int16_Box`,
435 434
`ppl_new_BD_Shape_long_double_from_BD_Shape_wf_BD_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_Int16_Box_with`,
437 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD_Shape`, `ppl_new_BD_Shape_long_double_from_Int32_Box`,
434 434
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_Int32_Box_with`,
436 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD32_Shape`, `ppl_new_BD_Shape_long_double_from_Int64_Box`,
434 434
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD32_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_Int64_Box_with`,
436 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD64_Shape`, `ppl_new_BD_Shape_long_double_from_Int8_Box`,
434 434
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD64_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_Int8_Box_with`,
436 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD8_Shape`, `ppl_new_BD_Shape_long_double_from_Long_Double_Box`,
434 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wi_BD8_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_Long_Double_Box`,
436 437
`ppl_new_BD_Shape_long_double_from_BD_Shape_wl_BD_Shape`, `ppl_new_BD_Shape_long_double_from_NNC_Polyhedron`,
435 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wl_BD_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from_NNC_Polyhedron`,
437 436
`ppl_new_BD_Shape_long_double_from_BD_Shape_wm_BD_Shape`, `ppl_new_BD_Shape_long_double_from-Octagonal_Shape`,
434 435
`ppl_new_BD_Shape_long_double_from_BD_Shape_wm_BD_Shape_with_complexity`, `ppl_new_BD_Shape_long_double_from-Octagonal_Shape`,
436 437

<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_float_long_double_from_Z_Box,</code>	
435	434
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_float_long_double_from_Z_Box_with_complexity,</code>	
437	436
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int16t_class_from_BD_Shape_double,</code>	
434	130
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int16t_class_from_BD_Shape_double_w,</code>	
436	131
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int32t_class_from_BD_Shape_float,</code>	
434	129
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int32t_class_from_BD_Shape_float_w,</code>	
436	131
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int64t_class_from_BD_Shape_int16_t,</code>	
434	129
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int64t_class_from_BD_Shape_int16_t,</code>	
436	130
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int8t_class_from_BD_Shape_int32_t,</code>	
434	129
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int8t_with_scaled_complexity,</code>	
436	130
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int64double_s_from_BD_Shape_int64_t,</code>	
435	129
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_int64double_sw_from_Cmp_Shape_int64_t,</code>	
437	130
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_mpq_class_from_BD_Shape_int8_t,</code>	
435	129
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_mpq_class_with_from_BD_Shape_int8_t_w,</code>	
436	130
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_mpz_class_from_BD_Shape_long_double,</code>	
435	130
<code>ppl_new_BD_Shape_long_double_from-Octagonal_BD_Shape_mpz_class_with_from_BD_Shape_long_double,</code>	
436	132
<code>ppl_new_BD_Shape_long_double_from-Rational_BD_Shape_mpq_class_from_BD_Shape_mpq_class,</code>	
434	129
<code>ppl_new_BD_Shape_long_double_from-Rational_BD_Shape_complexity_s_from_BD_Shape_mpq_class,</code>	
436	131
<code>ppl_new_BD_Shape_long_double_from-space_dimension_BD_Shape_mpq_class_from_BD_Shape_mpz_class,</code>	
434	129
<code>ppl_new_BD_Shape_long_double_from-Uip16_Box_BD_Shape_mpq_class_from_BD_Shape_mpz_class,</code>	
434	131
<code>ppl_new_BD_Shape_long_double_from-Uip16_Box_BD_Shape_complexity_class_from_C_Polyhedron,</code>	
435	129
<code>ppl_new_BD_Shape_long_double_from-Uip32_Box_BD_Shape_mpq_class_from_C_Polyhedron_with,</code>	
434	131
<code>ppl_new_BD_Shape_long_double_from-Uip32_Box_BD_Shape_complexity_class_from_congruences,</code>	
435	132
<code>ppl_new_BD_Shape_long_double_from-Uip64_Box_BD_Shape_mpq_class_from_constraints,</code>	
434	132
<code>ppl_new_BD_Shape_long_double_from-Uip64_Box_BD_Shape_complexity_class_from_Double_Box,</code>	
436	129
<code>ppl_new_BD_Shape_long_double_from-Uip8_Box_BD_Shape_mpq_class_from_Double_Box_with_c,</code>	
434	131
<code>ppl_new_BD_Shape_long_double_from-Uip8_Box_BD_Shape_complexity_class_from_Float_Box,</code>	
435	129

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

`ppl_new_BD_Shape_mpz_class_from_space_dimensions`, `ppl_new_C_Polyhedron_from_BD_Shape_mpz_class`,
120 189
`ppl_new_BD_Shape_mpz_class_from_Uint16_Box`, `ppl_new_C_Polyhedron_from_BD_Shape_mpz_class_with_complexity`,
120 192
`ppl_new_BD_Shape_mpz_class_from_Uint16_Box_with_complexity`, `ppl_new_C_Polyhedron`,
122 190
`ppl_new_BD_Shape_mpz_class_from_Uint32_Box`, `ppl_new_C_Polyhedron_from_C_Polyhedron_with_complexity`,
120 193
`ppl_new_BD_Shape_mpz_class_from_Uint32_Box_with_complexity`, `ppl_new_C_Polyhedron_from_congruences`,
122 194
`ppl_new_BD_Shape_mpz_class_from_Uint64_Box`, `ppl_new_C_Polyhedron_from_constraints`,
120 194
`ppl_new_BD_Shape_mpz_class_from_Uint64_Box_with_complexity`, `ppl_new_C_Polyhedron_from_Double_Box`,
122 190
`ppl_new_BD_Shape_mpz_class_from_Uint8_Box`, `ppl_new_C_Polyhedron_from_Double_Box_with_complexity`,
120 193
`ppl_new_BD_Shape_mpz_class_from_Uint8_Box_with_complexity`, `ppl_new_C_Polyhedron_from_Float_Box`,
122 190
`ppl_new_BD_Shape_mpz_class_from_Z_Box`, `ppl_new_C_Polyhedron_from_Float_Box_with_complexity`,
121 193
`ppl_new_BD_Shape_mpz_class_from_Z_Box_with_complexity`, `ppl_new_C_Polyhedron_from_generators`,
122 194
`ppl_new_C_Polyhedron_from_BD_Shape_double`, `ppl_new_C_Polyhedron_from_Grid`, 190
`ppl_new_C_Polyhedron_from_BD_Shape_double_with_complexity`, `ppl_new_C_Polyhedron_from_Grid_with_complexity`,
193 193
`ppl_new_C_Polyhedron_from_BD_Shape_float`, `ppl_new_C_Polyhedron_from_Int16_Box`,
190 188
`ppl_new_C_Polyhedron_from_BD_Shape_float_with_complexity`, `ppl_new_C_Polyhedron_from_Int16_Box_with_complexity`,
193 191
`ppl_new_C_Polyhedron_from_BD_Shape_int16_t`, `ppl_new_C_Polyhedron_from_Int32_Box`,
189 188
`ppl_new_C_Polyhedron_from_BD_Shape_int16_t_with_complexity`, `ppl_new_C_Polyhedron_from_Int32_Box_with_complexity`,
191 191
`ppl_new_C_Polyhedron_from_BD_Shape_int32_t`, `ppl_new_C_Polyhedron_from_Int64_Box`,
189 188
`ppl_new_C_Polyhedron_from_BD_Shape_int32_t_with_complexity`, `ppl_new_C_Polyhedron_from_Int64_Box_with_complexity`,
192 191
`ppl_new_C_Polyhedron_from_BD_Shape_int64_t`, `ppl_new_C_Polyhedron_from_Int8_Box`,
189 188
`ppl_new_C_Polyhedron_from_BD_Shape_int64_t_with_complexity`, `ppl_new_C_Polyhedron_from_Int8_Box_with_complexity`,
192 190
`ppl_new_C_Polyhedron_from_BD_Shape_int9_t`, `ppl_new_C_Polyhedron_from_Long_Double_Box`,
189 190
`ppl_new_C_Polyhedron_from_BD_Shape_int9_t_with_complexity`, `ppl_new_C_Polyhedron_from_Long_Double_Box_with_complexity`,
191 194
`ppl_new_C_Polyhedron_from_BD_Shape_long_double`, `ppl_new_C_Polyhedron_from_NNC_Polyhedron`,
190 190
`ppl_new_C_Polyhedron_from_BD_Shape_long_double_with_complexity`, `ppl_new_C_Polyhedron_from_NNC_Polyhedron_with_complexity`,
194 193
`ppl_new_C_Polyhedron_from_BD_Shape_mpcache`, `ppl_new_C_Polyhedron_from_Octagonal_Shape_double`,
189 190
`ppl_new_C_Polyhedron_from_BD_Shape_mpcache_with_complexity`, `ppl_new_C_Polyhedron_from_Octagonal_Shape_double_with_complexity`,
192 194

ppl_new_C_Polyhedron_from_Octagonal_Shape_from_Cat_Polyhedron_from_Z_Box, 189
 190
 ppl_new_C_Polyhedron_from_Octagonal_Shape_from_Z_Box_with_complexity, 191
 193
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int6_t, 323
 189
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int6_t_with_complexity, 326
 192
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int32_t, 323
 189
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int32_t_with_complexity, 325
 192
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int64_t, 323
 189
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int64_t_with_complexity, 324
 192
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int8_t, 323
 189
 ppl_new_C_Polyhedron_from_Octagonal_Shape_int8_t_with_complexity, 325
 192
 ppl_new_C_Polyhedron_from_Octagonal_Shape_long_double, 323
 190
 ppl_new_C_Polyhedron_from_Octagonal_Shape_long_double_with_complexity, 325
 194
 ppl_new_C_Polyhedron_from_Octagonal_Shape_mpc_class, 322
 190
 ppl_new_C_Polyhedron_from_Octagonal_Shape_mpc_class_with_complexity, 324
 193
 ppl_new_C_Polyhedron_from_Octagonal_Shape_mpz_class, 324
 190
 ppl_new_C_Polyhedron_from_Octagonal_Shape_mpz_class_with_complexity, 326
 192
 ppl_new_C_Polyhedron_from_Rational_Box, 323
 189
 ppl_new_C_Polyhedron_from_Rational_Box_with_complexity, 325
 191
 ppl_new_C_Polyhedron_from_space_dimension, 323
 188
 ppl_new_C_Polyhedron_from_Uint16_Box, 325
 188
 ppl_new_C_Polyhedron_from_Uint16_Box_with_complexity, 323
 191
 ppl_new_C_Polyhedron_from_Uint32_Box, 325
 189
 ppl_new_C_Polyhedron_from_Uint32_Box_with_complexity, 326
 191
 ppl_new_C_Polyhedron_from_Uint64_Box, 326
 189
 ppl_new_C_Polyhedron_from_Uint64_Box_with_complexity, 324
 191
 ppl_new_C_Polyhedron_from_Uint8_Box, 326
 188
 ppl_new_C_Polyhedron_from_Uint8_Box_with_complexity, 323
 191

ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	340
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	340	338
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	340
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	340	338
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	340	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	339	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	341	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	340	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	340	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	339	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	341	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	342	340
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	342	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	339	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	341	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	339	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	341	338
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	339	340
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	341	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	339	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	341	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	341
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	340	339
ppl_new_Constraints_Product_Grid_C_Polyhedron_Constraints_Product_Grid_C_Polyhedron_fro	338	341

ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	346
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	340	348
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	346
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	348
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	340	346
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	349
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	340	350
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	350
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	340	347
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	350
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	340	347
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	338	349
ppl_new_Constraints_Product_Grid_C_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	340	346
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	347	349
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	349	346
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	346	349
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	349	345
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	346	347
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	348	345
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	346	347
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	348	345
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	346	347
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	348	345
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	347	349
ppl_new_Constraints_Product_Grid_NNC_PolyhedronConstraintsRatioProduct_Grid_NNC_Polyhedron	350	346

ppl_new_Constraints_Product_Grid_NNCpolyhedron	349	ppl_new_Constraints_Product_Grid_NNCpolyhedron	348
ppl_new_Constraints_Product_Grid_NNCpolyhedron	347	ppl_new_Constraints_Product_Grid_NNCpolyhedron	345
ppl_new_Constraints_Product_Grid_NNCpolyhedron	349	ppl_new_Constraints_Product_Grid_NNCpolyhedron	347
ppl_new_Constraints_Product_Grid_NNCpolyhedron	347	ppl_new_Constraints_Product_Grid_NNCpolyhedron	346
ppl_new_Constraints_Product_Grid_NNCpolyhedron	349	ppl_new_Constraints_Product_Grid_NNCpolyhedron	348
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	331
ppl_new_Constraints_Product_Grid_NNCpolyhedron	348	ppl_new_Constraints_Product_Grid_NNCpolyhedron	334
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	331
ppl_new_Constraints_Product_Grid_NNCpolyhedron	348	ppl_new_Constraints_Product_Grid_NNCpolyhedron	333
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	330
ppl_new_Constraints_Product_Grid_NNCpolyhedron	349	ppl_new_Constraints_Product_Grid_NNCpolyhedron	332
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	330
ppl_new_Constraints_Product_Grid_NNCpolyhedron	348	ppl_new_Constraints_Product_Grid_NNCpolyhedron	332
ppl_new_Constraints_Product_Grid_NNCpolyhedron	347	ppl_new_Constraints_Product_Grid_NNCpolyhedron	330
ppl_new_Constraints_Product_Grid_NNCpolyhedron	350	ppl_new_Constraints_Product_Grid_NNCpolyhedron	332
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	330
ppl_new_Constraints_Product_Grid_NNCpolyhedron	349	ppl_new_Constraints_Product_Grid_NNCpolyhedron	332
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	331
ppl_new_Constraints_Product_Grid_NNCpolyhedron	349	ppl_new_Constraints_Product_Grid_NNCpolyhedron	334
ppl_new_Constraints_Product_Grid_NNCpolyhedron	346	ppl_new_Constraints_Product_Grid_NNCpolyhedron	330
ppl_new_Constraints_Product_Grid_NNCpolyhedron	348	ppl_new_Constraints_Product_Grid_NNCpolyhedron	333
ppl_new_Constraints_Product_Grid_NNCpolyhedron	345	ppl_new_Constraints_Product_Grid_NNCpolyhedron	330
ppl_new_Constraints_Product_Grid_NNCpolyhedron	345	ppl_new_Constraints_Product_Grid_NNCpolyhedron	332
ppl_new_Constraints_Product_Grid_NNCpolyhedron	347	ppl_new_Constraints_Product_Grid_NNCpolyhedron	331
ppl_new_Constraints_Product_Grid_NNCpolyhedron	345	ppl_new_Constraints_Product_Grid_NNCpolyhedron	333
ppl_new_Constraints_Product_Grid_NNCpolyhedron	347	ppl_new_Constraints_Product_Grid_NNCpolyhedron	334
ppl_new_Constraints_Product_Grid_NNCpolyhedron	345	ppl_new_Constraints_Product_Grid_NNCpolyhedron	334

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_new_Double_Box_from_Octagonal_Shape_double, 390
 ppl_new_Double_Box_from_Octagonal_Shape_double_with_complexity, 392
 ppl_new_Double_Box_from_Rational_Box, 390
 ppl_new_Double_Box_from_Rational_Box_with_complexity, 391
 ppl_new_Double_Box_from_space_dimensions, 390
 ppl_new_Double_Box_from_Uint16_Box, 390
 ppl_new_Double_Box_from_Uint16_Box_with_complexity, 391
 ppl_new_Double_Box_from_Uint32_Box, 390
 ppl_new_Double_Box_from_Uint32_Box_with_complexity, 391
 ppl_new_Double_Box_from_Uint64_Box, 390
 ppl_new_Double_Box_from_Uint64_Box_with_complexity, 391
 ppl_new_Double_Box_from_Uint8_Box, 390
 ppl_new_Double_Box_from_Uint8_Box_with_complexity, 391
 ppl_new_Double_Box_from_Z_Box, 390
 ppl_new_Double_Box_from_Z_Box_with_complexity, 391
 ppl_new_Float_Box_from_BD_Shape_double, 354
 ppl_new_Float_Box_from_BD_Shape_double_with_complexity, 356
 ppl_new_Float_Box_from_BD_Shape_float, 354
 ppl_new_Float_Box_from_BD_Shape_float_with_complexity, 356
 ppl_new_Float_Box_from_BD_Shape_int16_t, 354
 ppl_new_Float_Box_from_BD_Shape_int16_t_with_complexity, 355
 ppl_new_Float_Box_from_BD_Shape_int32_t, 354
 ppl_new_Float_Box_from_BD_Shape_int32_t_with_complexity, 355
 ppl_new_Float_Box_from_BD_Shape_int64_t, 355
 ppl_new_Float_Box_from_BD_Shape_int64_t_with_complexity, 355
 ppl_new_Float_Box_from_BD_Shape_int8_t, 354
 ppl_new_Float_Box_from_BD_Shape_int8_t_with_complexity, 355
 ppl_new_Float_Box_from_BD_Shape_long_double, 354
 ppl_new_Float_Box_from_BD_Shape_long_double_with_complexity, 356
 ppl_new_Float_Box_from_BD_Shape_mpq_class, 354
 ppl_new_Float_Box_from_BD_Shape_mpq_class_with_complexity, 355
 ppl_new_Float_Box_from_BD_Shape_mpz_class, 354
 ppl_new_Float_Box_from_BD_Shape_mpz_class_with_complexity, 355
 ppl_new_Float_Box_from_C_Polyhedron, 354
 ppl_new_Float_Box_from_C_Polyhedron_with_complexity, 355
 ppl_new_Float_Box_from_congruences, 356
 ppl_new_Float_Box_from_constraints, 356
 ppl_new_Float_Box_from_Double_Box, 354
 ppl_new_Float_Box_from_Double_Box_with_complexity, 356
 ppl_new_Float_Box_from_Float_Box, 354
 ppl_new_Float_Box_from_Float_Box_with_complexity, 356
 ppl_new_Float_Box_from_generators, 356
 ppl_new_Float_Box_from_Grid, 354
 ppl_new_Float_Box_from_Grid_with_complexity, 356
 ppl_new_Float_Box_from_Int16_Box, 353
 ppl_new_Float_Box_from_Int16_Box_with_complexity, 354
 ppl_new_Float_Box_from_Int32_Box, 353
 ppl_new_Float_Box_from_Int32_Box_with_complexity, 354
 ppl_new_Float_Box_from_Int64_Box, 353
 ppl_new_Float_Box_from_Int64_Box_with_complexity, 354
 ppl_new_Float_Box_from_Int8_Box, 353
 ppl_new_Float_Box_from_Int8_Box_with_complexity, 354
 ppl_new_Float_Box_from_Long_Double_Box, 354
 ppl_new_Float_Box_from_Long_Double_Box_with_complexity, 356
 ppl_new_Float_Box_from_NNC_Polyhedron, 354

ppl_new_Float_Box_from_NNC_Polyhedron, [356](#)
 ppl_new_Float_Box_from_Octagonal_Shape_double, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_double_with_complexity, [356](#)
 ppl_new_Float_Box_from_Octagonal_Shape_float, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_float_with_complexity, [356](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int16_t, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int16_t_with_complexity, [355](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int32_t, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int32_t_with_complexity, [355](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int64_t, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int64_t_with_complexity, [355](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int8_t, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_int8_t_with_complexity, [355](#)
 ppl_new_Float_Box_from_Octagonal_Shape_long_double, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_long_double_with_complexity, [356](#)
 ppl_new_Float_Box_from_Octagonal_Shape_mpq_class, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_mpq_class_with_complexity, [355](#)
 ppl_new_Float_Box_from_Octagonal_Shape_mpz_class, [354](#)
 ppl_new_Float_Box_from_Octagonal_Shape_mpz_class_with_complexity, [355](#)
 ppl_new_Float_Box_from_Rational_Box, [354](#)
 ppl_new_Float_Box_from_Rational_Box_with_complexity, [355](#)
 ppl_new_Float_Box_from_space_dimension, [353](#)
 ppl_new_Float_Box_from_Uint16_Box, [353](#)
 ppl_new_Float_Box_from_Uint16_Box_with_complexity, [355](#)
 ppl_new_Float_Box_from_Uint32_Box, [353](#)
 ppl_new_Float_Box_from_Uint32_Box_with_complexity, [355](#)
 ppl_new_Float_Box_from_Uint64_Box, [353](#)
 ppl_new_Float_Box_from_Uint64_Box_with_complexity, [355](#)
 ppl_new_Grid_from_BD_Shape_double, [200](#)
 ppl_new_Grid_from_BD_Shape_double_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_float, [200](#)
 ppl_new_Grid_from_BD_Shape_float_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_int16_t, [200](#)
 ppl_new_Grid_from_BD_Shape_int16_t_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_int32_t, [200](#)
 ppl_new_Grid_from_BD_Shape_int32_t_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_int64_t, [200](#)
 ppl_new_Grid_from_BD_Shape_int64_t_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_int8_t, [200](#)
 ppl_new_Grid_from_BD_Shape_int8_t_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_long_double, [200](#)
 ppl_new_Grid_from_BD_Shape_long_double_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_mpq_class, [200](#)
 ppl_new_Grid_from_BD_Shape_mpq_class_with_complexity, [201](#)
 ppl_new_Grid_from_BD_Shape_mpz_class, [200](#)
 ppl_new_Grid_from_BD_Shape_mpz_class_with_complexity, [201](#)
 ppl_new_Grid_from_C_Polyhedron, [200](#)
 ppl_new_Grid_from_C_Polyhedron_with_complexity, [201](#)
 ppl_new_Grid_from_congruences, [201](#)
 ppl_new_Grid_from_constraints, [201](#)
 ppl_new_Grid_from_Double_Box, [200](#)
 ppl_new_Grid_from_Double_Box_with_complexity, [201](#)
 ppl_new_Grid_from_Float_Box, [200](#)

ppl_new_Grid_from_Float_Box_with_complexity, 201
 ppl_new_Grid_from_Grid, 200
 ppl_new_Grid_from_grid_generators, 201
 ppl_new_Grid_from_Grid_with_complexity, 201
 ppl_new_Grid_from_Int16_Box, 199
 ppl_new_Grid_from_Int16_Box_with_complexity, 200
 ppl_new_Grid_from_Int32_Box, 199
 ppl_new_Grid_from_Int32_Box_with_complexity, 200
 ppl_new_Grid_from_Int64_Box, 199
 ppl_new_Grid_from_Int64_Box_with_complexity, 200
 ppl_new_Grid_from_Int8_Box, 199
 ppl_new_Grid_from_Int8_Box_with_complexity, 200
 ppl_new_Grid_from_Long_Double_Box, 200
 ppl_new_Grid_from_Long_Double_Box_with_complexity, 201
 ppl_new_Grid_from_NNC_Polyhedron, 200
 ppl_new_Grid_from_NNC_Polyhedron_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_double, 200
 ppl_new_Grid_from_Octagonal_Shape_double_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_float, 200
 ppl_new_Grid_from_Octagonal_Shape_float_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_int16_t, 199
 ppl_new_Grid_from_Octagonal_Shape_int16_t_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_int32_t, 199
 ppl_new_Grid_from_Octagonal_Shape_int32_t_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_int64_t, 199
 ppl_new_Grid_from_Octagonal_Shape_int64_t_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_int8_t, 199
 ppl_new_Grid_from_Octagonal_Shape_int8_t_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_long_double, 200
 ppl_new_Grid_from_Octagonal_Shape_long_double_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_mpq_class, 200
 ppl_new_Grid_from_Octagonal_Shape_mpq_class_with_complexity, 201
 ppl_new_Grid_from_Octagonal_Shape_mpz_class, 199
 ppl_new_Grid_from_Octagonal_Shape_mpz_class_with_complexity, 201
 ppl_new_Grid_from_Rational_Box, 199
 ppl_new_Grid_from_Rational_Box_with_complexity, 200
 ppl_new_Grid_from_space_dimension, 199
 ppl_new_Grid_from_UInt16_Box, 199
 ppl_new_Grid_from_UInt16_Box_with_complexity, 200
 ppl_new_Grid_from_UInt32_Box, 199
 ppl_new_Grid_from_UInt32_Box_with_complexity, 200
 ppl_new_Grid_from_UInt64_Box, 199
 ppl_new_Grid_from_UInt64_Box_with_complexity, 200
 ppl_new_Grid_from_UInt8_Box, 199
 ppl_new_Grid_from_UInt8_Box_with_complexity, 200
 ppl_new_Grid_from_Z_Box, 199
 ppl_new_Grid_from_Z_Box_with_complexity, 200
 ppl_new_Int16_Box_from_BD_Shape_double, 32
 ppl_new_Int16_Box_from_BD_Shape_double_with_complexity, 34
 ppl_new_Int16_Box_from_BD_Shape_float, 32
 ppl_new_Int16_Box_from_BD_Shape_float_with_complexity, 34
 ppl_new_Int16_Box_from_BD_Shape_int16_t, 32
 ppl_new_Int16_Box_from_BD_Shape_int16_t_with_complexity, 33
 ppl_new_Int16_Box_from_BD_Shape_int32_t, 32
 ppl_new_Int16_Box_from_BD_Shape_int32_t_with_complexity, 33
 ppl_new_Int16_Box_from_BD_Shape_int64_t, 32
 ppl_new_Int16_Box_from_BD_Shape_int64_t_with_complexity, 33
 ppl_new_Int16_Box_from_BD_Shape_int8_t, 32
 ppl_new_Int16_Box_from_BD_Shape_int8_t_with_complexity, 33

ppl_new_Int16_Box_from_BD_Shape_long_double, ppl_new_Int16_Box_from_Octagonal_Shape_double_with_complexity, 32 34
 ppl_new_Int16_Box_from_BD_Shape_long_double_with_complexity, Octagonal_Shape_float, 34 32
 ppl_new_Int16_Box_from_BD_Shape_mpq_class, ppl_new_Int16_Box_from_Octagonal_Shape_float_with_complexity, 32 34
 ppl_new_Int16_Box_from_BD_Shape_mpq_class_with_complexity, Octagonal_Shape_int16_t, 33 32
 ppl_new_Int16_Box_from_BD_Shape_mpz_class, ppl_new_Int16_Box_from_Octagonal_Shape_int16_t_with_complexity, 32 33
 ppl_new_Int16_Box_from_BD_Shape_mpz_class_with_complexity, Octagonal_Shape_int32_t, 33 32
 ppl_new_Int16_Box_from_C_Polyhedron, ppl_new_Int16_Box_from_Octagonal_Shape_int32_t_with_complexity, 32 33
 ppl_new_Int16_Box_from_C_Polyhedron_with_complexity, Octagonal_Shape_int64_t, 33 32
 ppl_new_Int16_Box_from_congruences, ppl_new_Int16_Box_from_Octagonal_Shape_int64_t_with_complexity, 34 33
 ppl_new_Int16_Box_from_constraints, ppl_new_Int16_Box_from_Octagonal_Shape_int8_t, 34 32
 ppl_new_Int16_Box_from_Double_Box, ppl_new_Int16_Box_from_Octagonal_Shape_int8_t_with_complexity, 32 33
 ppl_new_Int16_Box_from_Double_Box_with_complexity, ppl_new_Int16_Box_from_Octagonal_Shape_long_double, 34 32
 ppl_new_Int16_Box_from_Float_Box, 32 ppl_new_Int16_Box_from_Octagonal_Shape_long_double_with_complexity, 34 34
 ppl_new_Int16_Box_from_Float_Box_with_complexity, 34 34
 ppl_new_Int16_Box_from_generators, ppl_new_Int16_Box_from_Octagonal_Shape_mpq_class, 34 32
 ppl_new_Int16_Box_from_Grid, 32 ppl_new_Int16_Box_from_Octagonal_Shape_mpq_class_with_complexity, 34 33
 ppl_new_Int16_Box_from_Grid_with_complexity, ppl_new_Int16_Box_from_Octagonal_Shape_mpz_class, 34 32
 ppl_new_Int16_Box_from_Int16_Box, 31 ppl_new_Int16_Box_from_Octagonal_Shape_mpz_class_with_complexity, 32 33
 ppl_new_Int16_Box_from_Int16_Box_with_complexity, 32 33
 ppl_new_Int16_Box_from_Int32_Box, 31 ppl_new_Int16_Box_from_Rational_Box, 32 32
 ppl_new_Int16_Box_from_Int32_Box_with_complexity, ppl_new_Int16_Box_from_Rational_Box_with_complexity, 32 33
 ppl_new_Int16_Box_from_Int64_Box, 31 ppl_new_Int16_Box_from_space_dimension, 32 31
 ppl_new_Int16_Box_from_Int64_Box_with_complexity, 32 31
 ppl_new_Int16_Box_from_Int8_Box, 31 ppl_new_Int16_Box_from_Uint16_Box, 32 31
 ppl_new_Int16_Box_from_Int8_Box_with_complexity, ppl_new_Int16_Box_from_Uint16_Box_with_complexity, 32 33
 ppl_new_Int16_Box_from_Long_Double_Box, 32 ppl_new_Int16_Box_from_Uint32_Box, 32 31
 ppl_new_Int16_Box_from_Long_Double_Box_with_complexity, 34 ppl_new_Int16_Box_from_Uint32_Box_with_complexity, 34 33
 ppl_new_Int16_Box_from_NNC_Polyhedron, 32 ppl_new_Int16_Box_from_Uint64_Box, 32 32
 ppl_new_Int16_Box_from_NNC_Polyhedron_with_complexity, 34 ppl_new_Int16_Box_from_Uint64_Box_with_complexity, 34 33
 ppl_new_Int16_Box_from_Octagonal_Shape_double, 32 ppl_new_Int16_Box_from_Uint8_Box, 31 31

ppl_new_Int16_Box_from_Uint8_Box_with_complexity, 33
 ppl_new_Int16_Box_from_Z_Box, 32
 ppl_new_Int16_Box_from_Z_Box_with_complexity, 33
 ppl_new_Int32_Box_from_BD_Shape_double_t, 38
 ppl_new_Int32_Box_from_BD_Shape_double_t_with_complexity, 40
 ppl_new_Int32_Box_from_BD_Shape_float, 38
 ppl_new_Int32_Box_from_BD_Shape_float_with_complexity, 40
 ppl_new_Int32_Box_from_BD_Shape_int16_t, 38
 ppl_new_Int32_Box_from_BD_Shape_int16_t_with_complexity, 39
 ppl_new_Int32_Box_from_BD_Shape_int32_t, 38
 ppl_new_Int32_Box_from_BD_Shape_int32_t_with_complexity, 39
 ppl_new_Int32_Box_from_BD_Shape_int64_t, 38
 ppl_new_Int32_Box_from_BD_Shape_int64_t_with_complexity, 39
 ppl_new_Int32_Box_from_BD_Shape_int8_t, 38
 ppl_new_Int32_Box_from_BD_Shape_int8_t_with_complexity, 39
 ppl_new_Int32_Box_from_BD_Shape_long_double, 39
 ppl_new_Int32_Box_from_BD_Shape_long_double_with_complexity, 40
 ppl_new_Int32_Box_from_BD_Shape_mpq_class, 38
 ppl_new_Int32_Box_from_BD_Shape_mpq_class_with_complexity, 39
 ppl_new_Int32_Box_from_BD_Shape_mpz_class, 38
 ppl_new_Int32_Box_from_BD_Shape_mpz_class_with_complexity, 39
 ppl_new_Int32_Box_from_C_Polyhedron, 38
 ppl_new_Int32_Box_from_C_Polyhedron_with_complexity, 40
 ppl_new_Int32_Box_from_congruences, 40
 ppl_new_Int32_Box_from_constraints, 40
 ppl_new_Int32_Box_from_Double_Box, 38
 ppl_new_Int32_Box_from_Double_Box_with_complexity, 40
 ppl_new_Int32_Box_from_Float_Box, 38
 ppl_new_Int32_Box_from_Float_Box_with_complexity, 40
 ppl_new_Int32_Box_from_generators, 40
 ppl_new_Int32_Box_from_Grid, 38
 ppl_new_Int32_Box_from_Grid_with_complexity, 40
 ppl_new_Int32_Box_from_Int16_Box, 38
 ppl_new_Int32_Box_from_Int16_Box_with_complexity, 39
 ppl_new_Int32_Box_from_Int32_Box, 38
 ppl_new_Int32_Box_from_Int32_Box_with_complexity, 39
 ppl_new_Int32_Box_from_Int64_Box, 38
 ppl_new_Int32_Box_from_Int64_Box_with_complexity, 39
 ppl_new_Int32_Box_from_Int8_Box, 38
 ppl_new_Int32_Box_from_Int8_Box_with_complexity, 39
 ppl_new_Int32_Box_from_Long_Double_Box, 39
 ppl_new_Int32_Box_from_Long_Double_Box_with_complexity, 40
 ppl_new_Int32_Box_from_NNC_Polyhedron, 38
 ppl_new_Int32_Box_from_NNC_Polyhedron_with_complexity, 40
 ppl_new_Int32_Box_from_Octagonal_Shape_double, 39
 ppl_new_Int32_Box_from_Octagonal_Shape_double_with_complexity, 40
 ppl_new_Int32_Box_from_Octagonal_Shape_float, 38
 ppl_new_Int32_Box_from_Octagonal_Shape_float_with_complexity, 40
 ppl_new_Int32_Box_from_Octagonal_Shape_int16_t, 38
 ppl_new_Int32_Box_from_Octagonal_Shape_int16_t_with_complexity, 40
 ppl_new_Int32_Box_from_Octagonal_Shape_int32_t, 38
 ppl_new_Int32_Box_from_Octagonal_Shape_int32_t_with_complexity, 40
 ppl_new_Int32_Box_from_Octagonal_Shape_int64_t, 38
 ppl_new_Int32_Box_from_Octagonal_Shape_int64_t_with_complexity, 40
 ppl_new_Int32_Box_from_Octagonal_Shape_int8_t, 38
 ppl_new_Int32_Box_from_Octagonal_Shape_int8_t_with_complexity, 39
 ppl_new_Int32_Box_from_Octagonal_Shape_long_double, 39

`ppl_new_Int32_Box_from_Octagonal_Shape`, `ppl_new_Int64_Box_from_BD_Shape_int8_t`,
40 44
`ppl_new_Int32_Box_from_Octagonal_Shape`, `ppl_new_Int64_Box_from_BD_Shape_int8_t_with_complexity`,
38 45
`ppl_new_Int32_Box_from_Octagonal_Shape`, `ppl_new_Int64_Box_from_BD_Shape_long_double`,
40 45
`ppl_new_Int32_Box_from_Octagonal_Shape`, `ppl_new_Int64_Box_from_BD_Shape_long_double_with_complexity`,
38 47
`ppl_new_Int32_Box_from_Octagonal_Shape`, `ppl_new_Int64_Box_from_BD_Shape_mpq_class`,
40 44
`ppl_new_Int32_Box_from_Rational_Box`, `ppl_new_Int64_Box_from_BD_Shape_mpq_class_with_complexity`,
38 46
`ppl_new_Int32_Box_from_Rational_Box`, `ppl_new_Int64_Box_from_BD_Shape_mpz_class`,
39 44
`ppl_new_Int32_Box_from_space_dimension`, `ppl_new_Int64_Box_from_BD_Shape_mpz_class_with_complexity`,
38 46
`ppl_new_Int32_Box_from_Uint16_Box`, `ppl_new_Int64_Box_from_C_Polyhedron`,
38 45
`ppl_new_Int32_Box_from_Uint16_Box`, `ppl_new_Int64_Box_from_C_Polyhedron_with_complexity`,
39 46
`ppl_new_Int32_Box_from_Uint32_Box`, `ppl_new_Int64_Box_from_congruences`,
38 47
`ppl_new_Int32_Box_from_Uint32_Box`, `ppl_new_Int64_Box_from_constraints`,
39 47
`ppl_new_Int32_Box_from_Uint64_Box`, `ppl_new_Int64_Box_from_Double_Box`,
38 45
`ppl_new_Int32_Box_from_Uint64_Box`, `ppl_new_Int64_Box_from_Double_Box_with_complexity`,
39 46
`ppl_new_Int32_Box_from_Uint8_Box`, `ppl_new_Int64_Box_from_Float_Box`, 38 45
`ppl_new_Int32_Box_from_Uint8_Box`, `ppl_new_Int64_Box_from_Float_Box_with_complexity`,
39 46
`ppl_new_Int32_Box_from_Z_Box`, 38 `ppl_new_Int64_Box_from_generators`,
39 47
`ppl_new_Int32_Box_from_Z_Box`, `ppl_new_Int64_Box_from_Grid`, 45
`ppl_new_Int64_Box_from_BD_Shape_double`, `ppl_new_Int64_Box_from_Grid_with_complexity`,
45 46
`ppl_new_Int64_Box_from_BD_Shape_double`, `ppl_new_Int64_Box_from_Int16_Box`, 44
46 `ppl_new_Int64_Box_from_Int16_Box_with_complexity`,
`ppl_new_Int64_Box_from_BD_Shape_float`, 45
45 `ppl_new_Int64_Box_from_Int32_Box`, 44
`ppl_new_Int64_Box_from_BD_Shape_float`, `ppl_new_Int64_Box_from_Int32_Box_with_complexity`,
46 45
`ppl_new_Int64_Box_from_BD_Shape_int16_t`, `ppl_new_Int64_Box_from_Int64_Box`, 44
44 `ppl_new_Int64_Box_from_Int64_Box_with_complexity`,
`ppl_new_Int64_Box_from_BD_Shape_int16_t_with_complexity`, 45
45 `ppl_new_Int64_Box_from_Int8_Box`, 44
`ppl_new_Int64_Box_from_BD_Shape_int32_t`, `ppl_new_Int64_Box_from_Int8_Box_with_complexity`,
44 45
`ppl_new_Int64_Box_from_BD_Shape_int32_t`, `ppl_new_Int64_Box_from_Long_Double_Box`,
46 45
`ppl_new_Int64_Box_from_BD_Shape_int64_t`, `ppl_new_Int64_Box_from_Long_Double_Box_with_complexity`,
44 47
`ppl_new_Int64_Box_from_BD_Shape_int64_t`, `ppl_new_Int64_Box_from_NNC_Polyhedron`,
46 45

ppl_new_Int64_Box_from_NNC_Polyhedron, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_double, 45
 ppl_new_Int64_Box_from_Octagonal_Shape_double_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_float, 45
 ppl_new_Int64_Box_from_Octagonal_Shape_float_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_int16_t, 44
 ppl_new_Int64_Box_from_Octagonal_Shape_int16_t_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_int32_t, 44
 ppl_new_Int64_Box_from_Octagonal_Shape_int32_t_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_int64_t, 44
 ppl_new_Int64_Box_from_Octagonal_Shape_int64_t_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_int8_t, 44
 ppl_new_Int64_Box_from_Octagonal_Shape_int8_t_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_long_double, 45
 ppl_new_Int64_Box_from_Octagonal_Shape_long_double_with_complexity, 47
 ppl_new_Int64_Box_from_Octagonal_Shape_mpq_Class, 45
 ppl_new_Int64_Box_from_Octagonal_Shape_mpq_Class_with_complexity, 46
 ppl_new_Int64_Box_from_Octagonal_Shape_mpz_Class, 45
 ppl_new_Int64_Box_from_Octagonal_Shape_mpz_Class_with_complexity, 46
 ppl_new_Int64_Box_from_Rational_Box, 44
 ppl_new_Int64_Box_from_Rational_Box_with_complexity, 45
 ppl_new_Int64_Box_from_space_dimension, 44
 ppl_new_Int64_Box_from_UInt16_Box, 44
 ppl_new_Int64_Box_from_UInt16_Box_with_complexity, 45
 ppl_new_Int64_Box_from_UInt32_Box, 44
 ppl_new_Int64_Box_from_UInt32_Box_with_complexity, 45
 ppl_new_Int64_Box_from_UInt64_Box, 44
 ppl_new_Int64_Box_from_UInt64_Box_with_complexity, 45
 ppl_new_Int64_Box_from_UInt8_Box, 44
 ppl_new_Int64_Box_from_UInt8_Box_with_complexity, 45
 ppl_new_Int64_Box_from_Z_Box, 44
 ppl_new_Int64_Box_from_Z_Box_with_complexity, 45
 ppl_new_Int8_Box_from_BD_Shape_double, 26
 ppl_new_Int8_Box_from_BD_Shape_double_with_complexity, 28
 ppl_new_Int8_Box_from_BD_Shape_float, 26
 ppl_new_Int8_Box_from_BD_Shape_float_with_complexity, 28
 ppl_new_Int8_Box_from_BD_Shape_int16_t, 26
 ppl_new_Int8_Box_from_BD_Shape_int16_t_with_complexity, 27
 ppl_new_Int8_Box_from_BD_Shape_int32_t, 26
 ppl_new_Int8_Box_from_BD_Shape_int32_t_with_complexity, 27
 ppl_new_Int8_Box_from_BD_Shape_int64_t, 26
 ppl_new_Int8_Box_from_BD_Shape_int64_t_with_complexity, 27
 ppl_new_Int8_Box_from_BD_Shape_int8_t, 26
 ppl_new_Int8_Box_from_BD_Shape_int8_t_with_complexity, 27
 ppl_new_Int8_Box_from_BD_Shape_long_double, 26
 ppl_new_Int8_Box_from_BD_Shape_long_double_with_complexity, 27
 ppl_new_Int8_Box_from_BD_Shape_mpq_class, 26
 ppl_new_Int8_Box_from_BD_Shape_mpq_class_with_complexity, 27
 ppl_new_Int8_Box_from_BD_Shape_mpz_class, 26
 ppl_new_Int8_Box_from_BD_Shape_mpz_class_with_complexity, 27
 ppl_new_Int8_Box_from_C_Polyhedron, 27
 ppl_new_Int8_Box_from_C_Polyhedron_with_complexity, 28
 ppl_new_Int8_Box_from_congruences, 27
 ppl_new_Int8_Box_from_constraints, 28
 ppl_new_Int8_Box_from_Double_Box, 26

ppl_new_Int8_Box_from_Double_Box_with_complexity, 28
 ppl_new_Int8_Box_from_Float_Box, 26
 ppl_new_Int8_Box_from_Float_Box_with_complexity, 28
 ppl_new_Int8_Box_from_generators, 28
 ppl_new_Int8_Box_from_Grid, 26
 ppl_new_Int8_Box_from_Grid_with_complexity, 27
 ppl_new_Int8_Box_from_Int16_Box, 25
 ppl_new_Int8_Box_from_Int16_Box_with_complexity, 26
 ppl_new_Int8_Box_from_Int32_Box, 25
 ppl_new_Int8_Box_from_Int32_Box_with_complexity, 26
 ppl_new_Int8_Box_from_Int64_Box, 25
 ppl_new_Int8_Box_from_Int64_Box_with_complexity, 26
 ppl_new_Int8_Box_from_Int8_Box, 25
 ppl_new_Int8_Box_from_Int8_Box_with_complexity, 26
 ppl_new_Int8_Box_from_Long_Double_Box, 26
 ppl_new_Int8_Box_from_Long_Double_Box_with_complexity, 28
 ppl_new_Int8_Box_from_NNC_Polyhedron, 26
 ppl_new_Int8_Box_from_NNC_Polyhedron_with_complexity, 27
 ppl_new_Int8_Box_from_Octagonal_Shape_double, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_double_with_complexity, 28
 ppl_new_Int8_Box_from_Octagonal_Shape_float, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_float_with_complexity, 28
 ppl_new_Int8_Box_from_Octagonal_Shape_int16_t, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_int16_t_with_complexity, 27
 ppl_new_Int8_Box_from_Octagonal_Shape_int32_t, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_int32_t_with_complexity, 27
 ppl_new_Int8_Box_from_Octagonal_Shape_int64_t, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_int64_t_with_complexity, 27
 ppl_new_Int8_Box_from_Octagonal_Shape_long_double, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_long_double_with_complexity, 28
 ppl_new_Int8_Box_from_Octagonal_Shape_mpq_class, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_mpq_class_v, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_mpz_class, 26
 ppl_new_Int8_Box_from_Octagonal_Shape_mpz_class_v, 26
 ppl_new_Int8_Box_from_Rational_Box, 25
 ppl_new_Int8_Box_from_Rational_Box_with_complexity, 25
 ppl_new_Int8_Box_from_space_dimension, 25
 ppl_new_Int8_Box_from_Uint16_Box, 25
 ppl_new_Int8_Box_from_Uint16_Box_with_complexity, 26
 ppl_new_Int8_Box_from_Uint32_Box, 25
 ppl_new_Int8_Box_from_Uint32_Box_with_complexity, 27
 ppl_new_Int8_Box_from_Uint64_Box, 25
 ppl_new_Int8_Box_from_Uint64_Box_with_complexity, 27
 ppl_new_Int8_Box_from_Uint8_Box, 25
 ppl_new_Int8_Box_from_Uint8_Box_with_complexity, 26
 ppl_new_Int8_Box_from_Z_Box, 25
 ppl_new_Int8_Box_from_Z_Box_with_complexity, 27
 ppl_new_Long_Double_Box_from_BD_Shape_double, 427
 ppl_new_Long_Double_Box_from_BD_Shape_double_with_complexity, 429
 ppl_new_Long_Double_Box_from_BD_Shape_float, 427
 ppl_new_Long_Double_Box_from_BD_Shape_float_with_complexity, 429
 ppl_new_Long_Double_Box_from_BD_Shape_int16_t, 427
 ppl_new_Long_Double_Box_from_BD_Shape_int16_t_with_complexity, 428
 ppl_new_Long_Double_Box_from_BD_Shape_int32_t, 427
 ppl_new_Long_Double_Box_from_BD_Shape_int32_t_with_complexity, 428
 ppl_new_Long_Double_Box_from_BD_Shape_int64_t, 427
 ppl_new_Long_Double_Box_from_BD_Shape_int64_t_with_complexity, 428

ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_Long_Double_Box,
 427 427
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_Long_Double_Box_with
 428 429
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_NNC_Polyhedron,
 427 427
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_NNC_Polyhedron_with
 429 429
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_Octagonal_Shape_doubl
 427 427
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_Octagonal_Shape_doubl
 428 429
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_Octagonal_Shape_flo
 427 427
 ppl_new_Long_Double_Box_from_BD_Shape, ppl_new_Long_Double_Box_from_Octagonal_Shape_flo
 428 429
 ppl_new_Long_Double_Box_from_C_Polyhedron, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 427 427
 ppl_new_Long_Double_Box_from_C_Polyhedron, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 429 428
 ppl_new_Long_Double_Box_from_congruence, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 429 427
 ppl_new_Long_Double_Box_from_constraint, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 429 429
 ppl_new_Long_Double_Box_from_Double_Box, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 427 427
 ppl_new_Long_Double_Box_from_Double_Box_with_Complexity, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 429 429
 ppl_new_Long_Double_Box_from_Float_Box, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 427 427
 ppl_new_Long_Double_Box_from_Float_Box, ppl_new_Long_Double_Box_from_Octagonal_Shape_int
 429 428
 ppl_new_Long_Double_Box_from_generator, ppl_new_Long_Double_Box_from_Octagonal_Shape_long
 430 427
 ppl_new_Long_Double_Box_from_Grid, ppl_new_Long_Double_Box_from_Octagonal_Shape_long
 427 429
 ppl_new_Long_Double_Box_from_Grid_with_Complexity, ppl_new_Long_Double_Box_from_Octagonal_Shape_mpq
 429 427
 ppl_new_Long_Double_Box_from_Int16_Box, ppl_new_Long_Double_Box_from_Octagonal_Shape_mpq
 426 429
 ppl_new_Long_Double_Box_from_Int16_Box, ppl_new_Long_Double_Box_from_Octagonal_Shape_mpz
 428 427
 ppl_new_Long_Double_Box_from_Int32_Box, ppl_new_Long_Double_Box_from_Octagonal_Shape_mpz
 426 429
 ppl_new_Long_Double_Box_from_Int32_Box, ppl_new_Long_Double_Box_from_Rational_Box,
 428 427
 ppl_new_Long_Double_Box_from_Int64_Box, ppl_new_Long_Double_Box_from_Rational_Box_with_c
 426 428
 ppl_new_Long_Double_Box_from_Int64_Box, ppl_new_Long_Double_Box_from_space_dimension,
 428 426
 ppl_new_Long_Double_Box_from_Int8_Box, ppl_new_Long_Double_Box_from_Uint16_Box,
 426 426
 ppl_new_Long_Double_Box_from_Int8_Box, ppl_new_Long_Double_Box_from_Uint16_Box_with_com
 427 428

- [ppl_new_Long_Double_Box_from_Uint32_Box](#), [ppl_new_NNC_Polyhedron_from_BD_Shape_mpz_class_w](#)
[426](#) [192](#)
- [ppl_new_Long_Double_Box_from_Uint32_Box_with_NNC_Polyhedron](#), [ppl_new_NNC_Polyhedron_from_C_Polyhedron](#),
[428](#) [190](#)
- [ppl_new_Long_Double_Box_from_Uint64_Box](#), [ppl_new_NNC_Polyhedron_from_C_Polyhedron_with_complexity](#),
[426](#) [193](#)
- [ppl_new_Long_Double_Box_from_Uint64_Box_with_NNC_Polyhedron](#), [ppl_new_NNC_Polyhedron_from_congruences](#),
[428](#) [194](#)
- [ppl_new_Long_Double_Box_from_Uint8_Box](#), [ppl_new_NNC_Polyhedron_from_constraints](#),
[426](#) [194](#)
- [ppl_new_Long_Double_Box_from_Uint8_Box_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Double_Box](#),
[428](#) [190](#)
- [ppl_new_Long_Double_Box_from_Z_Box](#), [ppl_new_NNC_Polyhedron_from_Double_Box_with_complexity](#),
[426](#) [193](#)
- [ppl_new_Long_Double_Box_from_Z_Box_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Float_Box](#),
[428](#) [190](#)
- [ppl_new_MIP_Problem](#), [22](#) [ppl_new_NNC_Polyhedron_from_Float_Box_with_complexity](#),
[193](#)
- [ppl_new_MIP_Problem_from_space_dimension](#), [ppl_new_NNC_Polyhedron_from_generators](#),
[22](#) [194](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_double](#), [ppl_new_NNC_Polyhedron_from_Grid](#),
[190](#) [190](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_double_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Grid_with_complexity](#),
[193](#) [193](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_float](#), [ppl_new_NNC_Polyhedron_from_Int16_Box](#),
[190](#) [188](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_float_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Int16_Box_with_complexity](#),
[193](#) [191](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int16_t](#), [ppl_new_NNC_Polyhedron_from_Int32_Box](#),
[189](#) [188](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int16_t_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Int32_Box_with_complexity](#),
[191](#) [191](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int32_t](#), [ppl_new_NNC_Polyhedron_from_Int64_Box](#),
[189](#) [188](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int32_t_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Int64_Box_with_complexity](#),
[192](#) [191](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int64_t](#), [ppl_new_NNC_Polyhedron_from_Int8_Box](#),
[189](#) [188](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int64_t_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Int8_Box_with_complexity](#),
[192](#) [190](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int8_t](#), [ppl_new_NNC_Polyhedron_from_Long_Double_Box](#),
[189](#) [190](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_int8_t_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Long_Double_Box_with_complexity](#),
[191](#) [194](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_long_double](#), [ppl_new_NNC_Polyhedron_from_NNC_Polyhedron](#),
[190](#) [190](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_long_double_with_complexity](#), [ppl_new_NNC_Polyhedron_from_NNC_Polyhedron_with_complexity](#),
[194](#) [193](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_mpz_class](#), [ppl_new_NNC_Polyhedron_from_Octagonal_Shape_double](#),
[189](#) [190](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_mpz_class_with_complexity](#), [ppl_new_NNC_Polyhedron_from_Octagonal_Shape_double_with_complexity](#),
[192](#) [194](#)
- [ppl_new_NNC_Polyhedron_from_BD_Shape_mpz_class_w](#), [ppl_new_NNC_Polyhedron_from_Octagonal_Shape_float](#),
[189](#) [190](#)

ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_NNC_Polyhedron_from_Float_Box_with_complexity, 193
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 189
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 192
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 189
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 192
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 190
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 192
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 189
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 192
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 190
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 194
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 190
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 193
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 190
 ppl_new_NNC_Polyhedron_from_Octagonal_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 193
 ppl_new_NNC_Polyhedron_from_Rational_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 189
 ppl_new_NNC_Polyhedron_from_Rational_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 191
 ppl_new_NNC_Polyhedron_from_space_dimensions, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 188
 ppl_new_NNC_Polyhedron_from_Uint16_Box, ppl_new_Octagonal_Shape_double_from_BD_Shape_double, 189
 ppl_new_NNC_Polyhedron_from_Uint16_Box, ppl_new_Octagonal_Shape_double_from_C_Polyhedron, 191
 ppl_new_NNC_Polyhedron_from_Uint32_Box, ppl_new_Octagonal_Shape_double_from_C_Polyhedron, 189
 ppl_new_NNC_Polyhedron_from_Uint32_Box, ppl_new_Octagonal_Shape_double_from_congruences, 191
 ppl_new_NNC_Polyhedron_from_Uint64_Box, ppl_new_Octagonal_Shape_double_from_constraints, 189
 ppl_new_NNC_Polyhedron_from_Uint64_Box, ppl_new_Octagonal_Shape_double_from_Double_Box, 191
 ppl_new_NNC_Polyhedron_from_Uint8_Box, ppl_new_Octagonal_Shape_double_from_Double_Box, 188
 ppl_new_NNC_Polyhedron_from_Uint8_Box, ppl_new_Octagonal_Shape_double_from_Float_Box, 191
 ppl_new_NNC_Polyhedron_from_Z_Box, ppl_new_Octagonal_Shape_double_from_Float_Box, 189

`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
407 405
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 407
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
407 405
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
404 407
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 405
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
404 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 404
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
404 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 404
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
404 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 404
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
404 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
407 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 404
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
407 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 404
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
407 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 404
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
407 406
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 368
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
406 370
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 368
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
406 370
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 368
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
406 369
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
405 368
`ppl_new_Octagonal_Shape_double_from_ppl_new_Octagonal_Shape_double_from_Octagonal_Shape_double`
406 369

`ppl_new_Octagonal_Shape_float_from_Bbox` 368
`ppl_new_Octagonal_Shape_float_from_Int8_Box` 367
`ppl_new_Octagonal_Shape_float_from_Bbox` 369
`ppl_new_Octagonal_Shape_float_from_Int8_Box_with_complexity` 369
`ppl_new_Octagonal_Shape_float_from_Bbox` 368
`ppl_new_Octagonal_Shape_float_from_Long_Double_Box` 369
`ppl_new_Octagonal_Shape_float_from_Bbox` 369
`ppl_new_Octagonal_Shape_float_from_Long_Double_Box_with_complexity` 371
`ppl_new_Octagonal_Shape_float_from_Bbox` 369
`ppl_new_Octagonal_Shape_float_from_NNC_Polyhedron` 368
`ppl_new_Octagonal_Shape_float_from_Bbox` 371
`ppl_new_Octagonal_Shape_float_from_NNC_Polyhedron_with_complexity` 370
`ppl_new_Octagonal_Shape_float_from_Bbox` 368
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 368
`ppl_new_Octagonal_Shape_float_from_Bbox` 370
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 370
`ppl_new_Octagonal_Shape_float_from_Bbox` 368
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 368
`ppl_new_Octagonal_Shape_float_from_Bbox` 369
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 370
`ppl_new_Octagonal_Shape_float_from_Cpp` 368
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 368
`ppl_new_Octagonal_Shape_float_from_Cpp` 370
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 370
`ppl_new_Octagonal_Shape_float_from_cppnew` 371
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 368
`ppl_new_Octagonal_Shape_float_from_cppnew` 371
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 370
`ppl_new_Octagonal_Shape_float_from_Double_Box` 368
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 368
`ppl_new_Octagonal_Shape_float_from_Double_Box` 370
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 370
`ppl_new_Octagonal_Shape_float_from_Float_Box` 368
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 368
`ppl_new_Octagonal_Shape_float_from_Float_Box` 370
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 370
`ppl_new_Octagonal_Shape_float_from_generator` 371
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 369
`ppl_new_Octagonal_Shape_float_from_Gppl` 368
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 371
`ppl_new_Octagonal_Shape_float_from_Gppl` 370
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 368
`ppl_new_Octagonal_Shape_float_from_Ipt16_Box` 367
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 370
`ppl_new_Octagonal_Shape_float_from_Ipt16_Box` 369
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 368
`ppl_new_Octagonal_Shape_float_from_Ipt32_Box` 367
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 370
`ppl_new_Octagonal_Shape_float_from_Ipt32_Box` 369
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 368
`ppl_new_Octagonal_Shape_float_from_Ipt64_Box` 367
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape` 369
`ppl_new_Octagonal_Shape_float_from_Ipt64_Box` 369
`ppl_new_Octagonal_Shape_float_from_Octagonal_Shape_to_complex` 367
`ppl_new_Octagonal_Shape_float_from_space_dimension`

<code>ppl_new_Octagonal_Shape_float_from_Uint16_Box</code>	146	<code>ppl_new_Octagonal_Shape_int16_t_from_BD_Shape_mp</code>	147
<code>ppl_new_Octagonal_Shape_float_from_Uint16_Box</code>	146	<code>ppl_new_Octagonal_Shape_int16_t_from_C_Polyhedron</code>	146
<code>ppl_new_Octagonal_Shape_float_from_Uint32_Box</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_C_Polyhedron</code>	148
<code>ppl_new_Octagonal_Shape_float_from_Uint32_Box</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_congruences</code>	148
<code>ppl_new_Octagonal_Shape_float_from_Uint64_Box</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_constraints</code>	148
<code>ppl_new_Octagonal_Shape_float_from_Uint64_Box</code>	146	<code>ppl_new_Octagonal_Shape_int16_t_from_Double_Box</code>	146
<code>ppl_new_Octagonal_Shape_float_from_Uint8_Box</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_Double_Box_v</code>	148
<code>ppl_new_Octagonal_Shape_float_from_Uint8_Box</code>	146	<code>ppl_new_Octagonal_Shape_int16_t_from_Float_Box</code>	146
<code>ppl_new_Octagonal_Shape_float_from_ZpBox</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_Float_Box_w</code>	148
<code>ppl_new_Octagonal_Shape_float_from_ZpBox</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_generators</code>	148
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	146	<code>ppl_new_Octagonal_Shape_int16_t_from_Grid</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_Grid_with_c</code>	148
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Int16_Box</code>	145
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_Int16_Box_w</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Int32_Box</code>	145
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	147	<code>ppl_new_Octagonal_Shape_int16_t_from_Int32_Box_w</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Int64_Box</code>	145
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	147	<code>ppl_new_Octagonal_Shape_int16_t_from_Int64_Box_w</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Int8_Box</code>	145
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	147	<code>ppl_new_Octagonal_Shape_int16_t_from_Int8_Box_w</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Long_Double</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	147	<code>ppl_new_Octagonal_Shape_int16_t_from_Long_Double</code>	148
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	146	<code>ppl_new_Octagonal_Shape_int16_t_from_NNC_Polyhed</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	148	<code>ppl_new_Octagonal_Shape_int16_t_from_NNC_Polyhed</code>	148
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Octagonal_S</code>	146
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	147	<code>ppl_new_Octagonal_Shape_int16_t_from_Octagonal_S</code>	148
<code>ppl_new_Octagonal_Shape_int16_t_from_ppl_ShapeOctagonal</code>	145	<code>ppl_new_Octagonal_Shape_int16_t_from_Octagonal_S</code>	146

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppol/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Int8_Box,
 163 162
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Int8_Box_with
 164 164
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Long_Double
 162 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Long_Double
 164 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_NNC_Polyhed
 163 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_NNC_Polyhed
 165 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Octagonal_SI
 163 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Octagonal_SI
 164 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Octagonal_SI
 163 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_ShapeOctagonal_Shape_int64_t_from_Octagonal_SI
 164 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_PolyhedOctagonal_Shape_int64_t_from_Octagonal_SI
 163 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_PolyhedOctagonal_Shape_int64_t_from_Octagonal_SI
 165 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Octagonal_Shape_int64_t_from_Octagonal_SI
 166 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Octagonal_Shape_int64_t_from_Octagonal_SI
 166 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 163 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 165 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 163 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 165 164
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Octagonal_Shape_int64_t_from_Octagonal_SI
 166 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Octagonal_Shape_int64_t_from_Octagonal_SI
 163 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Octagonal_Shape_int64_t_from_Octagonal_SI
 165 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 162 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 164 163
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Octagonal_SI
 162 165
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Rational_Box
 164 162
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_Rational_Box
 162 164
 ppl_new_Octagonal_Shape_int64_t_from_ppl_new_Box_Octagonal_Shape_int64_t_from_space_dimen
 164 162

<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int16_Box</code>	<code>ppl_int16_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_BD_Shape_mpolyhedron</code>
162	139	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int16_Box_with_complexity</code>	<code>ppl_int16_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_C_Polyhedron</code>
164	137	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int32_Box</code>	<code>ppl_int32_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_C_Polyhedron</code>
162	139	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int32_Box_with_complexity</code>	<code>ppl_int32_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_congruences</code>
164	140	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int64_Box</code>	<code>ppl_int64_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_constraints</code>
162	140	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int64_Box_with_complexity</code>	<code>ppl_int64_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Double_Box</code>
164	138	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int8_Box</code>	<code>ppl_int8_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Double_Box_with_complexity</code>
162	140	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_int8_Box_with_complexity</code>	<code>ppl_int8_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Float_Box</code>
164	138	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_Box</code>	<code>ppl_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Float_Box_with_complexity</code>
162	139	
<code>ppl_new_Octagonal_Shape_int64_t_from_ppl_Box_with_complexity</code>	<code>ppl_Box</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_generators</code>
164	140	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Grid</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Grid</code>
138	137	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Grid_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Grid_with_complexity</code>
140	139	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int16_Box</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int16_Box</code>
138	137	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int16_Box_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int16_Box_with_complexity</code>
139	138	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int32_Box</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int32_Box</code>
137	137	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int32_Box_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int32_Box_with_complexity</code>
139	138	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int64_Box</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int64_Box</code>
137	137	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int64_Box_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int64_Box_with_complexity</code>
139	138	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int8_Box</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int8_Box</code>
137	137	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Int8_Box_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Int8_Box_with_complexity</code>
139	138	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Long_Double_Box</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Long_Double_Box</code>
137	138	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Long_Double_Box_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Long_Double_Box_with_complexity</code>
139	140	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_NNC_Polyhedron</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_NNC_Polyhedron</code>
138	137	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_NNC_Polyhedron_with_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_NNC_Polyhedron_with_complexity</code>
140	139	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Octagonal_Shape</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape</code>
137	138	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Octagonal_Shape_double_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_double_complexity</code>
139	140	
<code>ppl_new_Octagonal_Shape_int8_t_from_ppl_Shape_Octagonal_Shape_int8_t_from_Octagonal_Shape_double_complexity</code>	<code>ppl_Shape_Octagonal_Shape_int8_t</code>	<code>ppl_new_Octagonal_Shape_int8_t_from_Octagonal_Shape_double_complexity</code>
137	138	

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppol/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/pp1/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppol/> for more information.

<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint16_Box</code>	180	<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape</code>	173
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint16_Box_with_Shapelexity</code>	181	<code>ppl_new_Octagonal_Shape_mpz_class_from_C_Polyhed</code>	172
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint32_Box</code>	180	<code>ppl_new_Octagonal_Shape_mpz_class_from_C_Polyhed</code>	174
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint32_Box_with_Shapelexity</code>	181	<code>ppl_new_Octagonal_Shape_mpz_class_from_congruenc</code>	174
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint64_Box</code>	180	<code>ppl_new_Octagonal_Shape_mpz_class_from_constraint</code>	174
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint64_Box_with_Shapelexity</code>	181	<code>ppl_new_Octagonal_Shape_mpz_class_from_Double_Box</code>	172
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint8_Box</code>	180	<code>ppl_new_Octagonal_Shape_mpz_class_from_Double_Box</code>	174
<code>ppl_new_Octagonal_Shape_mpq_class_from_Uint8_Box_with_Shapelexity</code>	181	<code>ppl_new_Octagonal_Shape_mpz_class_from_Float_Box</code>	172
<code>ppl_new_Octagonal_Shape_mpq_class_from_Int_Box</code>	180	<code>ppl_new_Octagonal_Shape_mpz_class_from_Float_Box</code>	174
<code>ppl_new_Octagonal_Shape_mpq_class_from_Int_Box_Octagonal_Shape</code>	181	<code>ppl_new_Octagonal_Shape_mpz_class_from_generator</code>	174
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape</code>	172	<code>ppl_new_Octagonal_Shape_mpz_class_from_Grid</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_Octagonal_Shape_complexity</code>	174	<code>ppl_new_Octagonal_Shape_mpz_class_from_Grid_with</code>	174
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_float</code>	172	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int16_Box</code>	171
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_float_with_complexity</code>	174	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int16_Box</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int16</code>	171	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int32_Box</code>	171
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int16_Shape_complexity</code>	173	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int32_Box</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int32</code>	171	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int64_Box</code>	171
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int32_Shape_complexity</code>	173	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int64_Box</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int64</code>	171	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int8_Box</code>	171
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int64_Shape_complexity</code>	173	<code>ppl_new_Octagonal_Shape_mpz_class_from_Int8_Box_v</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int8</code>	171	<code>ppl_new_Octagonal_Shape_mpz_class_from_Long_Doub</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_int8_Shape_complexity</code>	173	<code>ppl_new_Octagonal_Shape_mpz_class_from_Long_Doub</code>	174
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_long</code>	172	<code>ppl_new_Octagonal_Shape_mpz_class_from_NNC_Polyh</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_long_Shape_complexity</code>	174	<code>ppl_new_Octagonal_Shape_mpz_class_from_NNC_Polyh</code>	174
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_quad</code>	171	<code>ppl_new_Octagonal_Shape_mpz_class_from_Octagonal</code>	172
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_quad_Shape_complexity</code>	173	<code>ppl_new_Octagonal_Shape_mpz_class_from_Octagonal</code>	174
<code>ppl_new_Octagonal_Shape_mpz_class_from_BD_Shape_quad_Shape_int_complexity</code>	171	<code>ppl_new_Octagonal_Shape_mpz_class_from_Octagonal</code>	172

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

`ppl_new_Pointset_Powerset_C_Polyhedron` from `Pointset_Powerset_Int16_Box` from `constraints`
 308 210
`ppl_new_Pointset_Powerset_C_Polyhedron` from `Pointset_Powerset_Int16_Box` from `Int16_Box`
 312 210
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int16_Box` from `Int16_Box`
 412 210
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int16_Box` from `Pointset`
 412 210
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int16_Box` from `Pointset`
 412 210
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int16_Box` from `space_d`
 412 210
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int16_Box` from `iterator` from
 412 213
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int16_Box` from `complexity`
 412 214
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int32_Box` from `constraints`
 412 214
`ppl_new_Pointset_Powerset_Double_Box` from `Pointset_Powerset_Int32_Box` from `Int32_Box`
 416 214
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int32_Box` from `Int32_Box`
 376 214
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int32_Box` from `Pointset`
 376 214
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int32_Box` from `Pointset`
 375 214
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int32_Box` from `space_d`
 376 214
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int32_Box` from `iterator` from
 375 218
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int32_Box` from `complexity`
 376 219
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int64_Box` from `constraints`
 375 219
`ppl_new_Pointset_Powerset_Float_Box` from `Pointset_Powerset_Int64_Box` from `Int64_Box`
 379 218
`ppl_new_Pointset_Powerset_Grid` from `Pointset_Powerset_Int64_Box` from `Int64_Box`
 318 219
`ppl_new_Pointset_Powerset_Grid` from `Pointset_Powerset_Int64_Box` from `Pointset`
 318 218
`ppl_new_Pointset_Powerset_Grid` from `Pointset_Powerset_Int64_Box` from `Pointset`
 318 218
`ppl_new_Pointset_Powerset_Grid` from `Pointset_Powerset_Int64_Box` from `space_d`
 318 218
`ppl_new_Pointset_Powerset_Grid` from `Pointset_Powerset_Int64_Box` from `iterator` from
 318 222
`ppl_new_Pointset_Powerset_Grid` from `Pointset_Powerset_Int64_Box` from `congruence`
 318 205
`ppl_new_Pointset_Powerset_Grid` from `space_dimension` from `Pointset_Powerset_Int8_Box` from `constraints`
 318 205
`ppl_new_Pointset_Powerset_Grid` from `iterator` from `Pointset_Powerset_Int8_Box` from `Int8_Box`
 321 205
`ppl_new_Pointset_Powerset_Int16_Box` from `Pointset_Powerset_Int8_Box` from `Int8_Box`
 210 205

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/pp1/> for more information.

<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpc.cl</code>	294	299
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpt.cl</code>	294	298
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpl.c3k</code>	293	303
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpl.c3k</code>	294	304
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpz.cl</code>	293	304
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpz.cl</code>	298	303
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpz.cl</code>	279	304
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpz.cl</code>	279	303
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpz.cl</code>	279	303
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpl.cdn</code>	279	303
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalShape_mpl.sha</code>	279	307
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_c3k</code>	279	241
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_consts</code>	279	241
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Point</code>	283	240
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Point</code>	461	240
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Ratio</code>	461	240
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Ratio</code>	461	241
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_space</code>	461	240
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_tetra</code>	461	244
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_tetra</code>	461	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_constr</code>	460	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Points</code>	465	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Points</code>	299	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_space</code>	299	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Uass,16</code>	298	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Uass,16</code>	299	227
<code>ppl_new_Pointset_Powerset_Octagonal_Shape_inP64ntsfroPowersetOctagonalBox_from_Uass,16</code>	298	231

`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewPointsets`, `Powerset_Z_Box` `from_Pointset_Po`
232 245
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewRationals`, `Powerset_Z_Box` `from_space_dimen`
232 245
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewPointsets`, `Powerset_Uint32_Box` `from_Z_Box`,
232 245
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewPointsets`, `Powerset_Uint32_Box` `from_Z_Box` `withComplexity`
232 245
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewPointsets`, `Powerset_Z_Box` `iterator` `from_it`
231 249
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_double`,
232 83
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_double` `with_c`
232 84
`ppl_new_Pointset_Powerset_Uint32_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_float`,
235 83
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRationals`, `Box` `from_BD_Shape_float` `with_con`
236 84
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRationals`, `Box` `from_BD_Shape_int16_t`,
236 82
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRationals`, `Box` `from_BD_Shape_int16_t` `with_c`
236 83
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRationals`, `Box` `from_BD_Shape_int16_t` `withComplexity`
236 82
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_int32_t` `with_c`
236 83
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_int64_t`,
236 82
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_int64_t` `with_c`
236 83
`ppl_new_Pointset_Powerset_Uint64_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_int8_t`,
240 82
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRationals`, `Box` `from_BD_Shape_int8_t` `with_c`
223 83
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRationals`, `Box` `from_BD_Shape_long_double`,
223 83
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_long_double` `w`
223 85
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_long_double` `w`
223 82
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_mpq_class` `with`
223 84
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_mpz_class`,
223 82
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRatBox`, `Box` `from_BD_Shape_mpz_class` `with`
223 84
`ppl_new_Pointset_Powerset_Uint8_Box` `ppfromnewRatBox`, `Box` `from_C_Polyhedron`,
227 82
`ppl_new_Pointset_Powerset_Z_Box` `ppfromnewRational_Box` `from_C_Polyhedron` `with_comp`
245 84
`ppl_new_Pointset_Powerset_Z_Box` `ppfromnewRational_Box` `from_congruences`,
245 85
`ppl_new_Pointset_Powerset_Z_Box` `ppfromnewRational_Box` `from_constraints`,
245 85

ppl_new_Rational_Box_from_Double_Box, ppl_new_Rational_Box_from_Octagonal_Shape_int64_t,
 83 82
 ppl_new_Rational_Box_from_Double_Box_with_complexity, ppl_new_Rational_Box_from_Octagonal_Shape_int64_t,
 84 84
 ppl_new_Rational_Box_from_Float_Box, ppl_new_Rational_Box_from_Octagonal_Shape_int8_t,
 83 82
 ppl_new_Rational_Box_from_Float_Box_with_complexity, ppl_new_Rational_Box_from_Octagonal_Shape_int8_t,
 84 84
 ppl_new_Rational_Box_from_generators, ppl_new_Rational_Box_from_Octagonal_Shape_long_double,
 85 83
 ppl_new_Rational_Box_from_Grid, 82 ppl_new_Rational_Box_from_Octagonal_Shape_long_double,
 ppl_new_Rational_Box_from_Grid_with_complexity, 85,
 84 ppl_new_Rational_Box_from_Octagonal_Shape_mpq_class,
 ppl_new_Rational_Box_from_Int16_Box, 82
 82 ppl_new_Rational_Box_from_Octagonal_Shape_mpq_class,
 ppl_new_Rational_Box_from_Int16_Box_with_complexity, 84
 83 ppl_new_Rational_Box_from_Octagonal_Shape_mpz_class,
 ppl_new_Rational_Box_from_Int32_Box, 82
 82 ppl_new_Rational_Box_from_Octagonal_Shape_mpz_class,
 ppl_new_Rational_Box_from_Int32_Box_with_complexity, 84
 83 ppl_new_Rational_Box_from_Rational_Box,
 ppl_new_Rational_Box_from_Int64_Box, 82
 82 ppl_new_Rational_Box_from_Rational_Box_with_complexity,
 ppl_new_Rational_Box_from_Int64_Box_with_complexity, 83
 83 ppl_new_Rational_Box_from_space_dimension,
 ppl_new_Rational_Box_from_Int8_Box, 82
 82 ppl_new_Rational_Box_from_Uint16_Box,
 ppl_new_Rational_Box_from_Int8_Box_with_complexity, 82
 83 ppl_new_Rational_Box_from_Uint16_Box_with_complexity,
 ppl_new_Rational_Box_from_Long_Double_Box, 83
 83 ppl_new_Rational_Box_from_Uint32_Box,
 ppl_new_Rational_Box_from_Long_Double_Box_with_complexity, 82
 84 ppl_new_Rational_Box_from_Uint32_Box_with_complexity,
 ppl_new_Rational_Box_from_NNC_Polyhedron, 83
 82 ppl_new_Rational_Box_from_Uint64_Box,
 ppl_new_Rational_Box_from_NNC_Polyhedron_with_complexity, 82
 84 ppl_new_Rational_Box_from_Uint64_Box_with_complexity,
 ppl_new_Rational_Box_from_Octagonal_Shape_double, 83
 83 ppl_new_Rational_Box_from_Uint8_Box,
 ppl_new_Rational_Box_from_Octagonal_Shape_double_with_complexity, 82
 84 ppl_new_Rational_Box_from_Uint8_Box_with_complexity,
 ppl_new_Rational_Box_from_Octagonal_Shape_float, 83
 83 ppl_new_Rational_Box_from_Z_Box, 82
 ppl_new_Rational_Box_from_Octagonal_Shape_float_with_complexity, 83
 84 ppl_new_Rational_Box_from_Z_Box_with_complexity,
 ppl_new_Rational_Box_from_Octagonal_Shape_int16_Box_from_BD_Shape_double, 82
 82 57
 ppl_new_Rational_Box_from_Octagonal_Shape_int16_Box_from_BD_Shape_double_with_complexity, 82
 84 59
 ppl_new_Rational_Box_from_Octagonal_Shape_int32_Box_from_BD_Shape_float, 82
 82 57
 ppl_new_Rational_Box_from_Octagonal_Shape_int32_Box_from_BD_Shape_float_with_complexity, 84
 84 59

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_new_Uint16_Box_from_Octagonal_Shape_double, 59
 ppl_new_Uint16_Box_from_Rational_Box, 57
 ppl_new_Uint16_Box_from_Rational_Box_with_complexity, 58
 ppl_new_Uint16_Box_from_space_dimensions, 57
 ppl_new_Uint16_Box_from_Uint16_Box, 57
 ppl_new_Uint16_Box_from_Uint16_Box_with_complexity, 58
 ppl_new_Uint16_Box_from_Uint32_Box, 57
 ppl_new_Uint16_Box_from_Uint32_Box_with_complexity, 58
 ppl_new_Uint16_Box_from_Uint64_Box, 57
 ppl_new_Uint16_Box_from_Uint64_Box_with_complexity, 58
 ppl_new_Uint16_Box_from_Uint8_Box, 57
 ppl_new_Uint16_Box_from_Uint8_Box_with_complexity, 58
 ppl_new_Uint16_Box_from_Z_Box, 57
 ppl_new_Uint16_Box_from_Z_Box_with_complexity, 58
 ppl_new_Uint32_Box_from_BD_Shape_double, 64
 ppl_new_Uint32_Box_from_BD_Shape_double_with_complexity, 66
 ppl_new_Uint32_Box_from_BD_Shape_float, 64
 ppl_new_Uint32_Box_from_BD_Shape_float_with_complexity, 65
 ppl_new_Uint32_Box_from_BD_Shape_int16_t, 63
 ppl_new_Uint32_Box_from_BD_Shape_int16_t_with_complexity, 65
 ppl_new_Uint32_Box_from_BD_Shape_int32_t, 63
 ppl_new_Uint32_Box_from_BD_Shape_int32_t_with_complexity, 65
 ppl_new_Uint32_Box_from_BD_Shape_int64_t, 63
 ppl_new_Uint32_Box_from_BD_Shape_int64_t_with_complexity, 64
 ppl_new_Uint32_Box_from_BD_Shape_int8_t, 63
 ppl_new_Uint32_Box_from_BD_Shape_int8_t_with_complexity, 64
 ppl_new_Uint32_Box_from_BD_Shape_long_double, 64
 ppl_new_Uint32_Box_from_BD_Shape_long_double_with_complexity, 65
 ppl_new_Uint32_Box_from_BD_Shape_mpq_class, 63
 ppl_new_Uint32_Box_from_BD_Shape_mpq_class_with_complexity, 65
 ppl_new_Uint32_Box_from_BD_Shape_mpz_class, 63
 ppl_new_Uint32_Box_from_BD_Shape_mpz_class_with_complexity, 65
 ppl_new_Uint32_Box_from_C_Polyhedron, 64
 ppl_new_Uint32_Box_from_C_Polyhedron_with_complexity, 65
 ppl_new_Uint32_Box_from_congruences, 66
 ppl_new_Uint32_Box_from_constraints, 66
 ppl_new_Uint32_Box_from_Double_Box, 64
 ppl_new_Uint32_Box_from_Double_Box_with_complexity, 65
 ppl_new_Uint32_Box_from_Float_Box, 64
 ppl_new_Uint32_Box_from_Float_Box_with_complexity, 65
 ppl_new_Uint32_Box_from_generators, 66
 ppl_new_Uint32_Box_from_Grid, 64
 ppl_new_Uint32_Box_from_Grid_with_complexity, 65
 ppl_new_Uint32_Box_from_Int16_Box, 63
 ppl_new_Uint32_Box_from_Int16_Box_with_complexity, 64
 ppl_new_Uint32_Box_from_Int32_Box, 63
 ppl_new_Uint32_Box_from_Int32_Box_with_complexity, 64
 ppl_new_Uint32_Box_from_Int64_Box, 63
 ppl_new_Uint32_Box_from_Int64_Box_with_complexity, 64
 ppl_new_Uint32_Box_from_Int8_Box, 63
 ppl_new_Uint32_Box_from_Int8_Box_with_complexity, 64
 ppl_new_Uint32_Box_from_Long_Double_Box, 64
 ppl_new_Uint32_Box_from_Long_Double_Box_with_complexity, 66
 ppl_new_Uint32_Box_from_NNC_Polyhedron, 64
 ppl_new_Uint32_Box_from_NNC_Polyhedron_with_complexity, 65

`ppl_new_Uint32_Box_from_Octagonal_Shape_double`, 63
`ppl_new_Uint32_Box_from_Octagonal_Shape_double_Uint8_Box`, 63
`ppl_new_Uint32_Box_from_Octagonal_Shape_double_Uint8_Box_with_complexity`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_double_Uint32_Box`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_double_Uint32_Box_with_complexity`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_float`, 63
`ppl_new_Uint32_Box_from_Octagonal_Shape_float_Uint32_Box`, 63
`ppl_new_Uint32_Box_from_Octagonal_Shape_float_Uint32_Box_with_complexity`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_int16_t`, 65
`ppl_new_Uint32_Box_from_Octagonal_Shape_int16_t_with_complexity`, 65
`ppl_new_Uint32_Box_from_Octagonal_Shape_int32_t`, 65
`ppl_new_Uint32_Box_from_Octagonal_Shape_int32_t_with_complexity`, 65
`ppl_new_Uint32_Box_from_Octagonal_Shape_int64_t`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_int64_t_with_complexity`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_int8_t`, 63
`ppl_new_Uint32_Box_from_Octagonal_Shape_int8_t_with_complexity`, 63
`ppl_new_Uint32_Box_from_Octagonal_Shape_long_double`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_long_double_with_complexity`, 66
`ppl_new_Uint32_Box_from_Octagonal_Shape_mpq_class`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_mpq_class_with_complexity`, 65
`ppl_new_Uint32_Box_from_Octagonal_Shape_mpz_class`, 64
`ppl_new_Uint32_Box_from_Octagonal_Shape_mpz_class_with_complexity`, 65
`ppl_new_Uint32_Box_from_Rational_Box`, 63
`ppl_new_Uint32_Box_from_Rational_Box_with_complexity`, 64
`ppl_new_Uint32_Box_from_space_dimension`, 63
`ppl_new_Uint32_Box_from_Uint16_Box`, 63
`ppl_new_Uint32_Box_from_Uint16_Box_with_complexity`, 64
`ppl_new_Uint32_Box_from_Uint32_Box`, 63
`ppl_new_Uint32_Box_from_Uint32_Box_with_complexity`, 64
`ppl_new_Uint32_Box_from_Uint64_Box`, 63
`ppl_new_Uint32_Box_from_Uint64_Box_with_complexity`, 64
`ppl_new_Uint64_Box_from_BD_Shape_double`, 70
`ppl_new_Uint64_Box_from_BD_Shape_double_with_complexity`, 70
`ppl_new_Uint64_Box_from_BD_Shape_float`, 70
`ppl_new_Uint64_Box_from_BD_Shape_float_with_complexity`, 70
`ppl_new_Uint64_Box_from_BD_Shape_int16_t`, 70
`ppl_new_Uint64_Box_from_BD_Shape_int16_t_with_complexity`, 71
`ppl_new_Uint64_Box_from_BD_Shape_int32_t`, 70
`ppl_new_Uint64_Box_from_BD_Shape_int32_t_with_complexity`, 71
`ppl_new_Uint64_Box_from_BD_Shape_int64_t`, 70
`ppl_new_Uint64_Box_from_BD_Shape_int64_t_with_complexity`, 71
`ppl_new_Uint64_Box_from_BD_Shape_int8_t`, 70
`ppl_new_Uint64_Box_from_BD_Shape_int8_t_with_complexity`, 71
`ppl_new_Uint64_Box_from_BD_Shape_long_double`, 70
`ppl_new_Uint64_Box_from_BD_Shape_long_double_with_complexity`, 72
`ppl_new_Uint64_Box_from_BD_Shape_mpq_class`, 70
`ppl_new_Uint64_Box_from_BD_Shape_mpq_class_with_complexity`, 71
`ppl_new_Uint64_Box_from_BD_Shape_mpz_class`, 70
`ppl_new_Uint64_Box_from_BD_Shape_mpz_class_with_complexity`, 71
`ppl_new_Uint64_Box_from_C_Polyhedron`, 70
`ppl_new_Uint64_Box_from_C_Polyhedron_with_complexity`, 72
`ppl_new_Uint64_Box_from_congruences`, 72
`ppl_new_Uint64_Box_from_constraints`, 72
`ppl_new_Uint64_Box_from_Double_Box`, 70

ppl_new_Uint64_Box_from_Double_Box_with_complexity, 72
 ppl_new_Uint64_Box_from_Float_Box, 70
 ppl_new_Uint64_Box_from_Float_Box_with_complexity, 72
 ppl_new_Uint64_Box_from_generators, 72
 ppl_new_Uint64_Box_from_Grid, 70
 ppl_new_Uint64_Box_from_Grid_with_complexity, 72
 ppl_new_Uint64_Box_from_Int16_Box, 69
 ppl_new_Uint64_Box_from_Int16_Box_with_complexity, 71
 ppl_new_Uint64_Box_from_Int32_Box, 70
 ppl_new_Uint64_Box_from_Int32_Box_with_complexity, 71
 ppl_new_Uint64_Box_from_Int64_Box, 70
 ppl_new_Uint64_Box_from_Int64_Box_with_complexity, 71
 ppl_new_Uint64_Box_from_Int8_Box, 69
 ppl_new_Uint64_Box_from_Int8_Box_with_complexity, 70
 ppl_new_Uint64_Box_from_Long_Double_Box, 70
 ppl_new_Uint64_Box_from_Long_Double_Box_with_complexity, 72
 ppl_new_Uint64_Box_from_NNC_Polyhedron, 70
 ppl_new_Uint64_Box_from_NNC_Polyhedron_with_complexity, 72
 ppl_new_Uint64_Box_from_Octagonal_Shape_double, 70
 ppl_new_Uint64_Box_from_Octagonal_Shape_double_with_complexity, 72
 ppl_new_Uint64_Box_from_Octagonal_Shape_float, 70
 ppl_new_Uint64_Box_from_Octagonal_Shape_float_with_complexity, 72
 ppl_new_Uint64_Box_from_Octagonal_Shape_int16_t, 70
 ppl_new_Uint64_Box_from_Octagonal_Shape_int16_t_with_complexity, 71
 ppl_new_Uint64_Box_from_Octagonal_Shape_int32_t, 70
 ppl_new_Uint64_Box_from_Octagonal_Shape_int32_t_with_complexity, 71
 ppl_new_Uint64_Box_from_Octagonal_Shape_int8_Box_from_BD_Shape_double, 51
 ppl_new_Uint64_Box_from_Octagonal_Shape_int8_Box_from_BD_Shape_double_with_complexity, 53
 ppl_new_Uint64_Box_from_Octagonal_Shape_int8_Box_from_BD_Shape_float, 51
 ppl_new_Uint64_Box_from_Octagonal_Shape_int8_Box_from_BD_Shape_float_with_complexity, 53
 ppl_new_Uint64_Box_from_Octagonal_Shape_int8_Box_from_BD_Shape_int16_t, 51
 ppl_new_Uint64_Box_from_Octagonal_Shape_int8_Box_from_BD_Shape_int16_t_with_complexity, 52

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_new_Uint8_Box_from_Uint16_Box_with_complexity, 52
 ppl_new_Uint8_Box_from_Uint32_Box, 50
 ppl_new_Uint8_Box_from_Uint32_Box_with_complexity, 52
 ppl_new_Uint8_Box_from_Uint64_Box, 50
 ppl_new_Uint8_Box_from_Uint64_Box_with_complexity, 52
 ppl_new_Uint8_Box_from_Uint8_Box, 50
 ppl_new_Uint8_Box_from_Uint8_Box_with_complexity, 51
 ppl_new_Uint8_Box_from_Z_Box, 50
 ppl_new_Uint8_Box_from_Z_Box_with_complexity, 52
 ppl_new_Z_Box_from_BD_Shape_double, 77
 ppl_new_Z_Box_from_BD_Shape_double_with_complexity, 78
 ppl_new_Z_Box_from_BD_Shape_float, 77
 ppl_new_Z_Box_from_BD_Shape_float_with_complexity, 78
 ppl_new_Z_Box_from_BD_Shape_int16_t, 76
 ppl_new_Z_Box_from_BD_Shape_int16_t_with_complexity, 77
 ppl_new_Z_Box_from_BD_Shape_int32_t, 76
 ppl_new_Z_Box_from_BD_Shape_int32_t_with_complexity, 77
 ppl_new_Z_Box_from_BD_Shape_int64_t, 76
 ppl_new_Z_Box_from_BD_Shape_int64_t_with_complexity, 77
 ppl_new_Z_Box_from_BD_Shape_int8_t, 76
 ppl_new_Z_Box_from_BD_Shape_int8_t_with_complexity, 77
 ppl_new_Z_Box_from_BD_Shape_long_double, 77
 ppl_new_Z_Box_from_BD_Shape_long_double_with_complexity, 78
 ppl_new_Z_Box_from_BD_Shape_mpq_class, 76
 ppl_new_Z_Box_from_BD_Shape_mpq_class_with_complexity, 77
 ppl_new_Z_Box_from_BD_Shape_mpz_class, 76
 ppl_new_Z_Box_from_BD_Shape_mpz_class_with_complexity, 77
 ppl_new_Z_Box_from_C_Polyhedron, 77
 ppl_new_Z_Box_from_C_Polyhedron_with_complexity, 78
 ppl_new_Z_Box_from_congruences, 78
 ppl_new_Z_Box_from_constraints, 78
 ppl_new_Z_Box_from_Double_Box, 77
 ppl_new_Z_Box_from_Double_Box_with_complexity, 78
 ppl_new_Z_Box_from_Float_Box, 77
 ppl_new_Z_Box_from_Float_Box_with_complexity, 78
 ppl_new_Z_Box_from_generators, 78
 ppl_new_Z_Box_from_Grid, 77
 ppl_new_Z_Box_from_Grid_with_complexity, 78
 ppl_new_Z_Box_from_Int16_Box, 76
 ppl_new_Z_Box_from_Int16_Box_with_complexity, 77
 ppl_new_Z_Box_from_Int32_Box, 76
 ppl_new_Z_Box_from_Int32_Box_with_complexity, 77
 ppl_new_Z_Box_from_Int64_Box, 76
 ppl_new_Z_Box_from_Int64_Box_with_complexity, 77
 ppl_new_Z_Box_from_Int8_Box, 76
 ppl_new_Z_Box_from_Int8_Box_with_complexity, 77
 ppl_new_Z_Box_from_Long_Double_Box, 77
 ppl_new_Z_Box_from_Long_Double_Box_with_complexity, 78
 ppl_new_Z_Box_from_NNC_Polyhedron, 77
 ppl_new_Z_Box_from_NNC_Polyhedron_with_complexity, 78
 ppl_new_Z_Box_from_Octagonal_Shape_double, 77
 ppl_new_Z_Box_from_Octagonal_Shape_double_with_complexity, 78
 ppl_new_Z_Box_from_Octagonal_Shape_float, 77
 ppl_new_Z_Box_from_Octagonal_Shape_float_with_complexity, 78
 ppl_new_Z_Box_from_Octagonal_Shape_int16_t, 76
 ppl_new_Z_Box_from_Octagonal_Shape_int16_t_with_complexity, 77
 ppl_new_Z_Box_from_Octagonal_Shape_int32_t, 76
 ppl_new_Z_Box_from_Octagonal_Shape_int32_t_with_complexity, 77
 ppl_new_Z_Box_from_Octagonal_Shape_int64_t, 76
 ppl_new_Z_Box_from_Octagonal_Shape_int64_t_with_complexity, 77

ppl_new_Z_Box_from_Octagonal_Shape_image, 410
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_affine_preimage, 76
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_ascii_dump, 410
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_complexity, 78
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_BHMZ05_widening_assign, 77
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_BHMZ05_widening_assign_complexity, 78
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_bounded_affine_image, 76
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_bounded_affine_preimage, 78
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_bounded_affine_preimage_complexity, 78
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_bounds_from_above, 76
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_bounds_from_below, 78
 ppl_new_Z_Box_from_Octagonal_Shape_image_double_bounds_from_below_complexity, 78
 ppl_new_Z_Box_from_Rational_Box, 76
 ppl_new_Z_Box_from_Rational_Box_with_complexity, 77
 ppl_new_Z_Box_from_space_dimension, 76
 ppl_new_Z_Box_from_Uint16_Box, 76
 ppl_new_Z_Box_from_Uint16_Box_with_complexity, 77
 ppl_new_Z_Box_from_Uint32_Box, 76
 ppl_new_Z_Box_from_Uint32_Box_with_complexity, 77
 ppl_new_Z_Box_from_Uint64_Box, 76
 ppl_new_Z_Box_from_Uint64_Box_with_complexity, 77
 ppl_new_Z_Box_from_Uint8_Box, 76
 ppl_new_Z_Box_from_Uint8_Box_with_complexity, 77
 ppl_new_Z_Box_from_Z_Box, 76
 ppl_new_Z_Box_from_Z_Box_with_complexity, 77
 Ppl_ocaml, 19
 ppl_Octagonal_Shape_double_add_congruence, 409
 ppl_Octagonal_Shape_double_add_congruences, 409
 ppl_Octagonal_Shape_double_add_constraints, 409
 ppl_Octagonal_Shape_double_add_constraints_points, 409
 ppl_Octagonal_Shape_double_add_constraints_points, 409
 ppl_Octagonal_Shape_double_add_space_dimensions_and_shape, 410
 ppl_Octagonal_Shape_double_add_space_dimensions_and_shape_id, 410
 ppl_Octagonal_Shape_double_affine_dimension, 407
 ppl_Octagonal_Shape_double_affine_image, 409

ppl_Octagonal_Shape_double_get_congruence, 408
 ppl_Octagonal_Shape_double_get_constraint, 408
 ppl_Octagonal_Shape_double_get_minimal_congruence, 408
 ppl_Octagonal_Shape_double_get_minimal_constraint, 408
 ppl_Octagonal_Shape_double_intersect, 409
 ppl_Octagonal_Shape_double_is_bounded, 408
 ppl_Octagonal_Shape_double_is_discrete, 408
 ppl_Octagonal_Shape_double_is_disjoint, 409
 ppl_Octagonal_Shape_double_is_empty, 408
 ppl_Octagonal_Shape_double_is_topologically_closed, 408
 ppl_Octagonal_Shape_double_is_universe, 408
 ppl_Octagonal_Shape_double_limited_BHMZ05_extrapolation_assign, 411
 ppl_Octagonal_Shape_double_limited_BHMZ05_extrapolation_assign_with_tokens, 411
 ppl_Octagonal_Shape_double_limited_CC76_extrapolation_assign, 411
 ppl_Octagonal_Shape_double_limited_CC76_extrapolation_assign_with_tokens, 411
 ppl_Octagonal_Shape_double_linear_partition, 411
 ppl_Octagonal_Shape_double_map_space_dimensions, 410
 ppl_Octagonal_Shape_double_maximize, 408
 ppl_Octagonal_Shape_double_maximize_with_points, 408
 ppl_Octagonal_Shape_double_minimize, 408
 ppl_Octagonal_Shape_double_minimize_with_points, 408
 ppl_Octagonal_Shape_double_OK, 409
 ppl_Octagonal_Shape_double_refine_with_congruences, 409
 ppl_Octagonal_Shape_double_refine_with_constraints, 409
 ppl_Octagonal_Shape_double_refine_with_preimages, 409
 ppl_Octagonal_Shape_double_refine_with_preimages_and_congruences, 409
 ppl_Octagonal_Shape_double_relation_with_constraints, 408
 ppl_Octagonal_Shape_double_relation_with_generators, 408
 ppl_Octagonal_Shape_double_remove_higher_space_dimensions, 410
 ppl_Octagonal_Shape_double_remove_space_dimensions, 410
 ppl_Octagonal_Shape_double_simplify_using_context, 409
 ppl_Octagonal_Shape_double_space_dimension, 407
 ppl_Octagonal_Shape_double_strictly_contains_Octagonal_Shape_double, 409
 ppl_Octagonal_Shape_double_swap, 407
 ppl_Octagonal_Shape_double_time_elapse_assign, 409
 ppl_Octagonal_Shape_double_topological_closure_assign, 408
 ppl_Octagonal_Shape_double_total_memory_in_bytes, 410
 ppl_Octagonal_Shape_double_unconstrain_space_dimensions, 409
 ppl_Octagonal_Shape_double_unconstrain_space_dimensions_with_tokens, 409
 ppl_Octagonal_Shape_double_upper_bound_assign, 409
 ppl_Octagonal_Shape_double_upper_bound_assign_if_possible, 409
 ppl_Octagonal_Shape_double_widening_assign, 411
 ppl_Octagonal_Shape_double_widening_assign_with_tokens, 411
 ppl_Octagonal_Shape_double_wrap_assign, 411
 ppl_Octagonal_Shape_float_add_congruence, 372
 ppl_Octagonal_Shape_float_add_congruences, 372
 ppl_Octagonal_Shape_float_add_constraint, 372
 ppl_Octagonal_Shape_float_add_constraints, 372
 ppl_Octagonal_Shape_float_add_space_dimensions_and_constraints, 373
 ppl_Octagonal_Shape_float_add_space_dimensions_and_preimages, 373
 ppl_Octagonal_Shape_float_affine_dimension, 371
 ppl_Octagonal_Shape_float_affine_image, 373
 ppl_Octagonal_Shape_float_affine_preimage, 373

`ppl_Octagonal_Shape_float_ascii_dump`, 374
`ppl_Octagonal_Shape_float_get_constraints`, 371
`ppl_Octagonal_Shape_float_BHMZ05_widen_image`, 374
`ppl_Octagonal_Shape_float_get_minimized_congruence`, 371
`ppl_Octagonal_Shape_float_BHMZ05_widen_image_with_tokens`, 374
`ppl_Octagonal_Shape_float_get_minimized_constraints`, 371
`ppl_Octagonal_Shape_float_bounded_affine_image`, 373
`ppl_Octagonal_Shape_float_intersection_assign`, 372
`ppl_Octagonal_Shape_float_bounded_affine_image`, 373
`ppl_Octagonal_Shape_float_is_bounded`, 371
`ppl_Octagonal_Shape_float_bounds_from_above`, 371
`ppl_Octagonal_Shape_float_is_discrete`, 371
`ppl_Octagonal_Shape_float_bounds_from_below`, 371
`ppl_Octagonal_Shape_float_is_disjoint_from_Octagonal_Shape_float`, 372
`ppl_Octagonal_Shape_float_CC76_extrapolation_assign`, 374
`ppl_Octagonal_Shape_float_is_empty`, 371
`ppl_Octagonal_Shape_float_CC76_extrapolation_assign_with_tokens`, 374
`ppl_Octagonal_Shape_float_is_topologically_closed`, 371
`ppl_Octagonal_Shape_float_CC76_narrowing_assign`, 374
`ppl_Octagonal_Shape_float_is_universe`, 371
`ppl_Octagonal_Shape_float_concatenate_assign`, 373
`ppl_Octagonal_Shape_float_limited_BHMZ05_extrapolation_assign`, 374
`ppl_Octagonal_Shape_float_constrains`, 373
`ppl_Octagonal_Shape_float_limited_BHMZ05_extrapolation_assign`, 374
`ppl_Octagonal_Shape_float_contains_integer_point`, 371
`ppl_Octagonal_Shape_float_limited_CC76_extrapolation_assign`, 374
`ppl_Octagonal_Shape_float_contains_Octagonal_Shape_float`, 372
`ppl_Octagonal_Shape_float_limited_CC76_extrapolation_assign`, 374
`ppl_Octagonal_Shape_float_difference_assign`, 372
`ppl_Octagonal_Shape_float_linear_partition`, 374
`ppl_Octagonal_Shape_float_drop_some_non_integer_points`, 375
`ppl_Octagonal_Shape_float_map_space_dimensions`, 374
`ppl_Octagonal_Shape_float_drop_some_non_integer_points_2`, 374
`ppl_Octagonal_Shape_float_maximize`, 372
`ppl_Octagonal_Shape_float_equals_Octagonal_Shape_float`, 372
`ppl_Octagonal_Shape_float_maximize_with_point`, 372
`ppl_Octagonal_Shape_float_expand_space_dimension`, 374
`ppl_Octagonal_Shape_float_minimize`, 372
`ppl_Octagonal_Shape_float_external_memory_in_bytes`, 374
`ppl_Octagonal_Shape_float_minimize_with_point`, 372
`ppl_Octagonal_Shape_float_fold_space_dimensions`, 374
`ppl_Octagonal_Shape_float_OK`, 372
`ppl_Octagonal_Shape_float_frequency`, 372
`ppl_Octagonal_Shape_float_refine_with_congruence`, 372
`ppl_Octagonal_Shape_float_generalized_affine_image`, 373
`ppl_Octagonal_Shape_float_refine_with_congruence`, 372
`ppl_Octagonal_Shape_float_generalized_affine_image_has_refs`, 373
`ppl_Octagonal_Shape_float_refine_with_constraint`, 372
`ppl_Octagonal_Shape_float_generalized_affine_image_preimage`, 373
`ppl_Octagonal_Shape_float_refine_with_constraint`, 372
`ppl_Octagonal_Shape_float_generalized_affine_image_preimage`, 373
`ppl_Octagonal_Shape_float_relation_with_congruence`, 371
`ppl_Octagonal_Shape_float_get_congruence`, 371
`ppl_Octagonal_Shape_float_relation_with_constraint`, 371

ppl_Octagonal_Shape_float_relation_with_Octagonal_Shape_int16_t_BHMZ05_widening_assign, 371
 ppl_Octagonal_Shape_float_remove_higher_dimensions, 374
 ppl_Octagonal_Shape_float_remove_space_dimensions, 373
 ppl_Octagonal_Shape_float_simplify_using_congruence, 373
 ppl_Octagonal_Shape_float_space_dimension, 371
 ppl_Octagonal_Shape_float_strictly_contains_Octagonal_Shape_float, 372
 ppl_Octagonal_Shape_float_swap, 371
 ppl_Octagonal_Shape_float_time_elapse_assign, 373
 ppl_Octagonal_Shape_float_topological_closure_assign, 371
 ppl_Octagonal_Shape_float_total_memory_in_bytes, 374
 ppl_Octagonal_Shape_float_unconstrain_space_dimension, 373
 ppl_Octagonal_Shape_float_unconstrain_space_dimensions, 373
 ppl_Octagonal_Shape_float_upper_bound_assign, 372
 ppl_Octagonal_Shape_float_upper_bound_assign_if_exact, 373
 ppl_Octagonal_Shape_float_widening_assign, 374
 ppl_Octagonal_Shape_float_widening_assign_with_tokens, 374
 ppl_Octagonal_Shape_float_wrap_assign, 375
 ppl_Octagonal_Shape_int16_t_add_congruence, 150
 ppl_Octagonal_Shape_int16_t_add_congruences, 150
 ppl_Octagonal_Shape_int16_t_add_constraint, 150
 ppl_Octagonal_Shape_int16_t_add_constraints, 150
 ppl_Octagonal_Shape_int16_t_add_space_dimensions_and_labels, 151
 ppl_Octagonal_Shape_int16_t_add_space_dimensions_and_projects, 151
 ppl_Octagonal_Shape_int16_t_affine_dimension, 148
 ppl_Octagonal_Shape_int16_t_affine_image, 151
 ppl_Octagonal_Shape_int16_t_affine_preimage, 151
 ppl_Octagonal_Shape_int16_t_ascii_dump, 152
 ppl_Octagonal_Shape_int16_t_BHMZ05_widening_assign, 152
 ppl_Octagonal_Shape_int16_t_BHMZ05_widening_assign, 152
 ppl_Octagonal_Shape_int16_t_bounded_affine_image, 151
 ppl_Octagonal_Shape_int16_t_bounded_affine_preimage, 151
 ppl_Octagonal_Shape_int16_t_bounds_from_above, 149
 ppl_Octagonal_Shape_int16_t_bounds_from_below, 149
 ppl_Octagonal_Shape_int16_t_CC76_extrapolation_assign, 152
 ppl_Octagonal_Shape_int16_t_CC76_extrapolation_assign, 152
 ppl_Octagonal_Shape_int16_t_CC76_narrowing_assign, 152
 ppl_Octagonal_Shape_int16_t_concatenate_assign, 150
 ppl_Octagonal_Shape_int16_t_constrains, 150
 ppl_Octagonal_Shape_int16_t_contains_integer_point, 149
 ppl_Octagonal_Shape_int16_t_contains_Octagonal_Shape_int16_t, 149
 ppl_Octagonal_Shape_int16_t_difference_assign, 150
 ppl_Octagonal_Shape_int16_t_drop_some_non_integer_dimensions, 151
 ppl_Octagonal_Shape_int16_t_drop_some_non_integer_dimensions, 152
 ppl_Octagonal_Shape_int16_t_equals_Octagonal_Shape_int16_t, 150
 ppl_Octagonal_Shape_int16_t_expand_space_dimensions, 151
 ppl_Octagonal_Shape_int16_t_external_memory_in_bytes, 152
 ppl_Octagonal_Shape_int16_t_fold_space_dimensions, 151
 ppl_Octagonal_Shape_int16_t_frequency, 149
 ppl_Octagonal_Shape_int16_t_generalized_affine_image, 151
 ppl_Octagonal_Shape_int16_t_generalized_affine_image, 151
 ppl_Octagonal_Shape_int16_t_generalized_affine_preimage, 151
 ppl_Octagonal_Shape_int16_t_get_congruences, 149
 ppl_Octagonal_Shape_int16_t_get_constraints, 149

ppl_Octagonal_Shape_int16_t_get_minimal_shape, 149
 ppl_Octagonal_Shape_int16_t_get_minimal_shape, 149
 ppl_Octagonal_Shape_int16_t_intersect, 150
 ppl_Octagonal_Shape_int16_t_is_bounded, 149
 ppl_Octagonal_Shape_int16_t_is_discrete, 149
 ppl_Octagonal_Shape_int16_t_is_disjoint, 150
 ppl_Octagonal_Shape_int16_t_is_empty, 149
 ppl_Octagonal_Shape_int16_t_is_topologically_closed, 149
 ppl_Octagonal_Shape_int16_t_is_universe, 149
 ppl_Octagonal_Shape_int16_t_limited_BHMZ05_extrapolation_assign, 152
 ppl_Octagonal_Shape_int16_t_limited_BHMZ05_extrapolation_assign_with_tokens, 152
 ppl_Octagonal_Shape_int16_t_limited_CC76_extrapolation_assign, 152
 ppl_Octagonal_Shape_int16_t_limited_CC76_extrapolation_assign_with_tokens, 152
 ppl_Octagonal_Shape_int16_t_linear_partition, 152
 ppl_Octagonal_Shape_int16_t_map_space_dimensions, 151
 ppl_Octagonal_Shape_int16_t_maximize, 149
 ppl_Octagonal_Shape_int16_t_maximize_with_point, 149
 ppl_Octagonal_Shape_int16_t_minimize, 149
 ppl_Octagonal_Shape_int16_t_minimize_with_point, 149
 ppl_Octagonal_Shape_int16_t_OK, 150
 ppl_Octagonal_Shape_int16_t_refine_with_congruence, 150
 ppl_Octagonal_Shape_int16_t_refine_with_congruences, 150
 ppl_Octagonal_Shape_int16_t_refine_with_constraint, 150
 ppl_Octagonal_Shape_int16_t_refine_with_constraints, 150
 ppl_Octagonal_Shape_int16_t_relation_with_congruence, 149
 ppl_Octagonal_Shape_int16_t_relation_with_constraints, 148
 ppl_Octagonal_Shape_int16_t_relation_with_constraints, 149
 ppl_Octagonal_Shape_int16_t_remove_higher_space_dimensions, 151
 ppl_Octagonal_Shape_int16_t_remove_space_dimensions, 151
 ppl_Octagonal_Shape_int16_t_simplify_using_context, 150
 ppl_Octagonal_Shape_int16_t_space_dimension, 148
 ppl_Octagonal_Shape_int16_t_strictly_contains_Octagonal_Shape_int16_t, 150
 ppl_Octagonal_Shape_int16_t_swap, 148
 ppl_Octagonal_Shape_int16_t_time_elapse_assign, 150
 ppl_Octagonal_Shape_int16_t_topological_closure, 149
 ppl_Octagonal_Shape_int16_t_total_memory_in_bytes, 152
 ppl_Octagonal_Shape_int16_t_unconstrain_space_dimensions, 151
 ppl_Octagonal_Shape_int16_t_unconstrain_space_dimensions_with_tokens, 151
 ppl_Octagonal_Shape_int16_t_upper_bound_assign, 150
 ppl_Octagonal_Shape_int16_t_upper_bound_assign_with_tokens, 150
 ppl_Octagonal_Shape_int16_t_widening_assign, 152
 ppl_Octagonal_Shape_int16_t_widening_assign_with_tokens, 152
 ppl_Octagonal_Shape_int16_t_wrap_assign, 153
 ppl_Octagonal_Shape_int32_t_add_congruence, 158
 ppl_Octagonal_Shape_int32_t_add_congruences, 158
 ppl_Octagonal_Shape_int32_t_add_constraint, 158
 ppl_Octagonal_Shape_int32_t_add_constraints, 158
 ppl_Octagonal_Shape_int32_t_add_space_dimensions, 160
 ppl_Octagonal_Shape_int32_t_add_space_dimensions, 160
 ppl_Octagonal_Shape_int32_t_affine_dimension, 157
 ppl_Octagonal_Shape_int32_t_affine_image, 159
 ppl_Octagonal_Shape_int32_t_affine_preimage, 159
 ppl_Octagonal_Shape_int32_t_ascii_dump, 160
 ppl_Octagonal_Shape_int32_t_BHMZ05_widening_assign, 160

`ppl_Octagonal_Shape_int32_t_BHMZ05_widen`, `ppl_Octagonal_Shape_int32_t_get_minimized_constraints`, 160
`ppl_Octagonal_Shape_int32_t_bounded_affine_image`, `ppl_Octagonal_Shape_int32_t_intersection_assign`, 159
`ppl_Octagonal_Shape_int32_t_bounded_affine_image`, `ppl_Octagonal_Shape_int32_t_is_bounded`, 159
`ppl_Octagonal_Shape_int32_t_bounds_from_above`, `ppl_Octagonal_Shape_int32_t_is_discrete`, 158
`ppl_Octagonal_Shape_int32_t_bounds_from_below`, `ppl_Octagonal_Shape_int32_t_is_disjoint_from_Octagonal_Shape_int32_t`, 158
`ppl_Octagonal_Shape_int32_t_CC76_extrapolation_assign`, `ppl_Octagonal_Shape_int32_t_is_empty`, 161
`ppl_Octagonal_Shape_int32_t_CC76_extrapolation_assign_with_tokens`, `ppl_Octagonal_Shape_int32_t_is_topologically_closed`, 161
`ppl_Octagonal_Shape_int32_t_CC76_narrowing_assign`, `ppl_Octagonal_Shape_int32_t_is_universe`, 161
`ppl_Octagonal_Shape_int32_t_concatenate_assign`, `ppl_Octagonal_Shape_int32_t_limited_BHMZ05_extrapolation_assign`, 159
`ppl_Octagonal_Shape_int32_t_constrains`, `ppl_Octagonal_Shape_int32_t_limited_BHMZ05_extrapolation_assign`, 159
`ppl_Octagonal_Shape_int32_t_contains_integer_point`, `ppl_Octagonal_Shape_int32_t_limited_CC76_extrapolation_assign`, 158
`ppl_Octagonal_Shape_int32_t_contains_Octagonal_Shape_int32_t`, `ppl_Octagonal_Shape_int32_t_limited_CC76_extrapolation_assign`, 158
`ppl_Octagonal_Shape_int32_t_difference_assign`, `ppl_Octagonal_Shape_int32_t_linear_partition`, 159
`ppl_Octagonal_Shape_int32_t_drop_some_non_integer_points`, `ppl_Octagonal_Shape_int32_t_map_space_dimensions`, 160
`ppl_Octagonal_Shape_int32_t_drop_some_non_integer_points_2`, `ppl_Octagonal_Shape_int32_t_maximize`, 160
`ppl_Octagonal_Shape_int32_t_equals_Octagonal_Shape_int32_t`, `ppl_Octagonal_Shape_int32_t_maximize_with_point`, 158
`ppl_Octagonal_Shape_int32_t_expand_space_dimension`, `ppl_Octagonal_Shape_int32_t_minimize`, 160
`ppl_Octagonal_Shape_int32_t_external_memory_in_bytes`, `ppl_Octagonal_Shape_int32_t_minimize_with_point`, 160
`ppl_Octagonal_Shape_int32_t_fold_space_dimensions`, `ppl_Octagonal_Shape_int32_t_OK`, 158
`ppl_Octagonal_Shape_int32_t_frequency`, `ppl_Octagonal_Shape_int32_t_refine_with_congruence`, 158
`ppl_Octagonal_Shape_int32_t_generalized_affine_image`, `ppl_Octagonal_Shape_int32_t_refine_with_congruence`, 160
`ppl_Octagonal_Shape_int32_t_generalized_affine_image_Pns_Pns`, `ppl_Octagonal_Shape_int32_t_refine_with_constraint`, 160
`ppl_Octagonal_Shape_int32_t_generalized_affine_preimage`, `ppl_Octagonal_Shape_int32_t_refine_with_constraint`, 160
`ppl_Octagonal_Shape_int32_t_generalized_affine_preimage_Pns_Pns`, `ppl_Octagonal_Shape_int32_t_relation_with_congruence`, 160
`ppl_Octagonal_Shape_int32_t_get_congruences`, `ppl_Octagonal_Shape_int32_t_relation_with_constraint`, 157
`ppl_Octagonal_Shape_int32_t_get_constraints`, `ppl_Octagonal_Shape_int32_t_relation_with_generators`, 157
`ppl_Octagonal_Shape_int32_t_get_minimized_constraints`, `ppl_Octagonal_Shape_int32_t_remove_higher_space_dimensions`, 157

ppl_Octagonal_Shape_int32_t_remove_space_dimensions, 160
 ppl_Octagonal_Shape_int32_t_simplify, 159
 ppl_Octagonal_Shape_int32_t_space_dimensions, 157
 ppl_Octagonal_Shape_int32_t_strictly_contains, 158
 ppl_Octagonal_Shape_int32_t_swap, 157
 ppl_Octagonal_Shape_int32_t_time_elapsed, 159
 ppl_Octagonal_Shape_int32_t_topological_order, 158
 ppl_Octagonal_Shape_int32_t_total_memory, 160
 ppl_Octagonal_Shape_int32_t_unconstrained, 159
 ppl_Octagonal_Shape_int32_t_unconstrained_shapes, 159
 ppl_Octagonal_Shape_int32_t_upper_bound, 159
 ppl_Octagonal_Shape_int32_t_upper_bound_affine, 159
 ppl_Octagonal_Shape_int32_t_widening, 161
 ppl_Octagonal_Shape_int32_t_widening_with, 160
 ppl_Octagonal_Shape_int32_t_wrap_assign, 161
 ppl_Octagonal_Shape_int64_t_add_congruences, 167
 ppl_Octagonal_Shape_int64_t_add_constraints, 167
 ppl_Octagonal_Shape_int64_t_add_constraints_frequency, 167
 ppl_Octagonal_Shape_int64_t_add_space_dimensions, 169
 ppl_Octagonal_Shape_int64_t_add_space_dimensions_project, 169
 ppl_Octagonal_Shape_int64_t_affine_dimensions, 166
 ppl_Octagonal_Shape_int64_t_affine_image, 168
 ppl_Octagonal_Shape_int64_t_affine_image_project, 168
 ppl_Octagonal_Shape_int64_t_affine_image_project, 168
 ppl_Octagonal_Shape_int64_t_ascii_dump, 169
 ppl_Octagonal_Shape_int64_t_BHMZ05_widen_assign, 169
 ppl_Octagonal_Shape_int64_t_BHMZ05_widen_assign_token, 169

`ppl_Octagonal_Shape_int64_t_intersection`, 167
`ppl_Octagonal_Shape_int64_t_is_bounded`, 166
`ppl_Octagonal_Shape_int64_t_is_discrete`, 166
`ppl_Octagonal_Shape_int64_t_is_disjoint`, 167
`ppl_Octagonal_Shape_int64_t_is_empty`, 166
`ppl_Octagonal_Shape_int64_t_is_topologically_closed`, 166
`ppl_Octagonal_Shape_int64_t_is_universe`, 166
`ppl_Octagonal_Shape_int64_t_limited_BHMZ05_extrapolation_assign`, 169
`ppl_Octagonal_Shape_int64_t_limited_BHMZ05_extrapolation_assign_with_tokens`, 169
`ppl_Octagonal_Shape_int64_t_limited_CC76_extrapolation_assign`, 170
`ppl_Octagonal_Shape_int64_t_limited_CC76_extrapolation_assign_with_tokens`, 169
`ppl_Octagonal_Shape_int64_t_linear_partition`, 170
`ppl_Octagonal_Shape_int64_t_map_space_dimensions`, 169
`ppl_Octagonal_Shape_int64_t_maximize`, 166
`ppl_Octagonal_Shape_int64_t_maximize_with_point`, 167
`ppl_Octagonal_Shape_int64_t_minimize`, 167
`ppl_Octagonal_Shape_int64_t_minimize_with_point`, 167
`ppl_Octagonal_Shape_int64_t_OK`, 167
`ppl_Octagonal_Shape_int64_t_refine_with_congruence`, 167
`ppl_Octagonal_Shape_int64_t_refine_with_congruences`, 167
`ppl_Octagonal_Shape_int64_t_refine_with_constraint`, 167
`ppl_Octagonal_Shape_int64_t_refine_with_constraints`, 167
`ppl_Octagonal_Shape_int64_t_relation_with_congruence`, 166
`ppl_Octagonal_Shape_int64_t_relation_with_constraints`, 166
`ppl_Octagonal_Shape_int64_t_relation_with_generators`, 166
`ppl_Octagonal_Shape_int64_t_remove_higher_space_dimensions`, 169
`ppl_Octagonal_Shape_int64_t_remove_space_dimensions`, 169
`ppl_Octagonal_Shape_int64_t_simplify_using_context`, 168
`ppl_Octagonal_Shape_int64_t_space_dimension`, 166
`ppl_Octagonal_Shape_int64_t_strictly_contains_Octagonal_Shape_int64_t`, 167
`ppl_Octagonal_Shape_int64_t_swap`, 166
`ppl_Octagonal_Shape_int64_t_time_elapse_assign`, 168
`ppl_Octagonal_Shape_int64_t_topological_closure`, 166
`ppl_Octagonal_Shape_int64_t_total_memory_in_bytes`, 169
`ppl_Octagonal_Shape_int64_t_unconstrain_space_dimensions`, 168
`ppl_Octagonal_Shape_int64_t_unconstrain_space_dimensions_with_tokens`, 168
`ppl_Octagonal_Shape_int64_t_upper_bound_assign`, 167
`ppl_Octagonal_Shape_int64_t_upper_bound_assign_with_tokens`, 168
`ppl_Octagonal_Shape_int64_t_widening_assign`, 169
`ppl_Octagonal_Shape_int64_t_widening_assign_with_tokens`, 169
`ppl_Octagonal_Shape_int64_t_wrap_assign`, 170
`ppl_Octagonal_Shape_int8_t_add_congruence`, 141
`ppl_Octagonal_Shape_int8_t_add_congruences`, 142
`ppl_Octagonal_Shape_int8_t_add_constraint`, 141
`ppl_Octagonal_Shape_int8_t_add_constraints`, 141
`ppl_Octagonal_Shape_int8_t_add_space_dimensions`, 143
`ppl_Octagonal_Shape_int8_t_add_space_dimensions_with_constraint`, 143
`ppl_Octagonal_Shape_int8_t_affine_dimension`, 140
`ppl_Octagonal_Shape_int8_t_affine_image`, 142
`ppl_Octagonal_Shape_int8_t_affine_preimage`, 142
`ppl_Octagonal_Shape_int8_t_ascii_dump`, 143
`ppl_Octagonal_Shape_int8_t_BHMZ05_widening_assign`, 143
`ppl_Octagonal_Shape_int8_t_BHMZ05_widening_assign_with_tokens`, 143
`ppl_Octagonal_Shape_int8_t_bounded_affine_image`, 142

`ppl_Octagonal_Shape_int8_t_bounded_affine_image`, `ppl_Octagonal_Shape_int8_t_is_bounded`,
 142 141
`ppl_Octagonal_Shape_int8_t_bounds_from`, `ppl_Octagonal_Shape_int8_t_is_discrete`,
 141 141
`ppl_Octagonal_Shape_int8_t_bounds_from`, `ppl_Octagonal_Shape_int8_t_is_disjoint_from`,
 141 141
`ppl_Octagonal_Shape_int8_t_CC76_extrapolation_assign`, `ppl_Octagonal_Shape_int8_t_is_empty`,
 144 141
`ppl_Octagonal_Shape_int8_t_CC76_extrapolation_assign_with_tokens`, `ppl_Octagonal_Shape_int8_t_topologically_close`,
 144 141
`ppl_Octagonal_Shape_int8_t_CC76_narrowing_assign`, `ppl_Octagonal_Shape_int8_t_is_universe`,
 144 141
`ppl_Octagonal_Shape_int8_t_concatenate_assign`, `ppl_Octagonal_Shape_int8_t_limited_BHMZ05_extrapo`,
 142 144
`ppl_Octagonal_Shape_int8_t_constrains`, `ppl_Octagonal_Shape_int8_t_limited_BHMZ05_extrapo`,
 142 143
`ppl_Octagonal_Shape_int8_t_contains_integer_point`, `ppl_Octagonal_Shape_int8_t_limited_CC76_extrapola`,
 141 144
`ppl_Octagonal_Shape_int8_t_contains_Octagonal_Shape_int8_t`, `ppl_Octagonal_Shape_int8_t_limited_CC76_extrapola`,
 141 144
`ppl_Octagonal_Shape_int8_t_difference_assign`, `ppl_Octagonal_Shape_int8_t_linear_partition`,
 142 144
`ppl_Octagonal_Shape_int8_t_drop_some_non_integer_points`, `ppl_Octagonal_Shape_int8_t_map_space_dimensions`,
 143 143
`ppl_Octagonal_Shape_int8_t_drop_some_non_integer_points_2`, `ppl_Octagonal_Shape_int8_t_maximize`,
 143 141
`ppl_Octagonal_Shape_int8_t_equals_Octagonal_Shape_int8_t`, `ppl_Octagonal_Shape_int8_t_maximize_with_point`,
 141 141
`ppl_Octagonal_Shape_int8_t_expand_space_dimension`, `ppl_Octagonal_Shape_int8_t_minimize`,
 143 141
`ppl_Octagonal_Shape_int8_t_external_memory_in_bytes`, `ppl_Octagonal_Shape_int8_t_minimize_with_point`,
 143 141
`ppl_Octagonal_Shape_int8_t_fold_space_dimensions`, `ppl_Octagonal_Shape_int8_t_OK`, 141
 143
`ppl_Octagonal_Shape_int8_t_frequency`, `ppl_Octagonal_Shape_int8_t_refine_with_congruence`,
 141 142
`ppl_Octagonal_Shape_int8_t_generalized_affine_image`, `ppl_Octagonal_Shape_int8_t_refine_with_congruence`,
 142 142
`ppl_Octagonal_Shape_int8_t_generalized_affine_image_rhs_rhs`, `ppl_Octagonal_Shape_int8_t_refine_with_constraint`,
 143 142
`ppl_Octagonal_Shape_int8_t_generalized_affine_preimage`, `ppl_Octagonal_Shape_int8_t_refine_with_constraint`,
 143 142
`ppl_Octagonal_Shape_int8_t_generalized_affine_preimage_rhs_rhs`, `ppl_Octagonal_Shape_int8_t_relation_with_congruence`,
 143 140
`ppl_Octagonal_Shape_int8_t_get_congruences`, `ppl_Octagonal_Shape_int8_t_relation_with_constraint`,
 140 140
`ppl_Octagonal_Shape_int8_t_get_constraints`, `ppl_Octagonal_Shape_int8_t_relation_with_generators`,
 140 140
`ppl_Octagonal_Shape_int8_t_get_minimal_congruences`, `ppl_Octagonal_Shape_int8_t_remove_higher_space_d`,
 141 143
`ppl_Octagonal_Shape_int8_t_get_minimal_constraints`, `ppl_Octagonal_Shape_int8_t_remove_space_dimension`,
 140 143
`ppl_Octagonal_Shape_int8_t_intersect_assign`, `ppl_Octagonal_Shape_int8_t_simplify_using_context`,
 142 142

ppl_Octagonal_Shape_int8_t_space_dimension, 140
 ppl_Octagonal_Shape_int8_t_strictly_contains_Octagonal_Shape_double, 141
 ppl_Octagonal_Shape_int8_t_swap, 140
 ppl_Octagonal_Shape_int8_t_time_elapse_assign, 142
 ppl_Octagonal_Shape_int8_t_topological_closure_assign, 141
 ppl_Octagonal_Shape_int8_t_total_memory_in_bytes, 143
 ppl_Octagonal_Shape_int8_t_unconstrain_space_dimension, 142
 ppl_Octagonal_Shape_int8_t_unconstrain_space_dimensions, 142
 ppl_Octagonal_Shape_int8_t_upper_bound_assign, 142
 ppl_Octagonal_Shape_int8_t_upper_bound_assign_if_exact, 142
 ppl_Octagonal_Shape_int8_t_widening_assign, 143
 ppl_Octagonal_Shape_int8_t_widening_assign_with_tokens, 143
 ppl_Octagonal_Shape_int8_t_wrap_assign, 144
 ppl_Octagonal_Shape_long_double_add_congruence, 447
 ppl_Octagonal_Shape_long_double_add_congruences, 447
 ppl_Octagonal_Shape_long_double_add_constraint, 447
 ppl_Octagonal_Shape_long_double_add_constraints, 447
 ppl_Octagonal_Shape_long_double_add_space_dimensions_and_embed, 449
 ppl_Octagonal_Shape_long_double_add_space_dimensions_and_project, 449
 ppl_Octagonal_Shape_long_double_affine_dimension, 446
 ppl_Octagonal_Shape_long_double_affine_image, 448
 ppl_Octagonal_Shape_long_double_affine_preimage, 448
 ppl_Octagonal_Shape_long_double_asci_dump, 449
 ppl_Octagonal_Shape_long_double_BHMZ05_widening_assign, 449
 ppl_Octagonal_Shape_long_double_BHMZ05_widening_assign_with_tokens, 449
 ppl_Octagonal_Shape_long_double_bounded_affine_image, 448
 ppl_Octagonal_Shape_long_double_bounded_affine_preimage, 448
 ppl_Octagonal_Shape_long_double_bounds_from_above, 446
 ppl_Octagonal_Shape_long_double_bounds_from_below, 446
 ppl_Octagonal_Shape_long_double_CC76_extrapolation, 450
 ppl_Octagonal_Shape_long_double_CC76_extrapolation_assign, 450
 ppl_Octagonal_Shape_long_double_CC76_narrowing_assign, 450
 ppl_Octagonal_Shape_long_double_concatenate_assign, 448
 ppl_Octagonal_Shape_long_double_constrains, 448
 ppl_Octagonal_Shape_long_double_contains_integer, 448
 ppl_Octagonal_Shape_long_double_contains_Octagonal_Shape_double, 446
 ppl_Octagonal_Shape_long_double_difference_assign, 447
 ppl_Octagonal_Shape_long_double_drop_some_non_integers, 449
 ppl_Octagonal_Shape_long_double_drop_some_non_integers_with_tokens, 449
 ppl_Octagonal_Shape_long_double_equals_Octagonal_Shape_double, 447
 ppl_Octagonal_Shape_long_double_expand_space_dimensions, 449
 ppl_Octagonal_Shape_long_double_external_memory, 449
 ppl_Octagonal_Shape_long_double_fold_space_dimensions, 449
 ppl_Octagonal_Shape_long_double_frequency, 447
 ppl_Octagonal_Shape_long_double_generalized_affine_image, 448
 ppl_Octagonal_Shape_long_double_generalized_affine_preimage, 448
 ppl_Octagonal_Shape_long_double_get_congruences, 446
 ppl_Octagonal_Shape_long_double_get_constraints, 446
 ppl_Octagonal_Shape_long_double_get_minimized_constraints, 446
 ppl_Octagonal_Shape_long_double_get_minimized_constraints_with_tokens, 446
 ppl_Octagonal_Shape_long_double_intersection_assign, 447
 ppl_Octagonal_Shape_long_double_is_bounded, 446

ppl_Octagonal_Shape_long_double_is_disjoint, ppl_Octagonal_Shape_long_double_strictly_contains,
 446 447
 ppl_Octagonal_Shape_long_double_is_disjoint_from, ppl_Octagonal_Shape_long_double_swap,
 447 446
 ppl_Octagonal_Shape_long_double_is_empty, ppl_Octagonal_Shape_long_double_time_elapse_assign,
 446 448
 ppl_Octagonal_Shape_long_double_is_topological, ppl_Octagonal_Shape_long_double_topological_closure,
 446 446
 ppl_Octagonal_Shape_long_double_is_universally, ppl_Octagonal_Shape_long_double_total_memory_in,
 446 449
 ppl_Octagonal_Shape_long_double_limited_BHMZ05next_shapeation_double, unconstrain_space,
 450 448
 ppl_Octagonal_Shape_long_double_limited_BHMZ05next_shapeation_double_with_tokens, space,
 449 448
 ppl_Octagonal_Shape_long_double_limited_CCT6next_shapeation_double_upper_bound_assign,
 450 448
 ppl_Octagonal_Shape_long_double_limited_CCT6next_shapeation_double_with_upper_bound_assign,
 449 448
 ppl_Octagonal_Shape_long_double_line, ppl_Octagonal_Shape_long_double_widening_assign,
 450 449
 ppl_Octagonal_Shape_long_double_map, ppl_Octagonal_Shape_long_double_widening_assign_v,
 449 449
 ppl_Octagonal_Shape_long_double_maximize, ppl_Octagonal_Shape_long_double_wrap_assign,
 447 450
 ppl_Octagonal_Shape_long_double_maximize, ppl_Octagonal_Shape_mpq_class_add_congruence,
 447 185
 ppl_Octagonal_Shape_long_double_minimize, ppl_Octagonal_Shape_mpq_class_add_congruences,
 447 185
 ppl_Octagonal_Shape_long_double_minimize, ppl_Octagonal_Shape_mpq_class_add_constraint,
 447 185
 ppl_Octagonal_Shape_long_double_OK, ppl_Octagonal_Shape_mpq_class_add_constraints,
 447 185
 ppl_Octagonal_Shape_long_double_refine, ppl_Octagonal_Shape_mpq_class_add_space_dimension,
 447 186
 ppl_Octagonal_Shape_long_double_refine, ppl_Octagonal_Shape_mpq_class_add_space_dimension_v,
 447 186
 ppl_Octagonal_Shape_long_double_refine, ppl_Octagonal_Shape_mpq_class_affine_dimension,
 447 183
 ppl_Octagonal_Shape_long_double_refine, ppl_Octagonal_Shape_mpq_class_affine_image,
 447 185
 ppl_Octagonal_Shape_long_double_relation, ppl_Octagonal_Shape_mpq_class_affine_preimage,
 446 186
 ppl_Octagonal_Shape_long_double_relation, ppl_Octagonal_Shape_mpq_class_ascii_dump,
 446 186
 ppl_Octagonal_Shape_long_double_relation, ppl_Octagonal_Shape_mpq_class_BHMZ05_widening_assign,
 446 187
 ppl_Octagonal_Shape_long_double_remove, ppl_Octagonal_Shape_mpq_class_BHMZ05_widening_assign_v,
 449 187
 ppl_Octagonal_Shape_long_double_remove, ppl_Octagonal_Shape_mpq_class_bounded_affine_image,
 449 186
 ppl_Octagonal_Shape_long_double_simplify, ppl_Octagonal_Shape_mpq_class_bounded_affine_preimage,
 448 186
 ppl_Octagonal_Shape_long_double_space, ppl_Octagonal_Shape_mpq_class_bounds_from_above,
 446 184

`ppl_Octagonal_Shape_mpq_class_bounds` `ppl_Octagonal_Shape_mpq_class_is_disjoint_from` `O`
184 184
`ppl_Octagonal_Shape_mpq_class_CC76_extra` `ppl_Octagonal_Shape_mpq_class_is_empty`,
187 184
`ppl_Octagonal_Shape_mpq_class_CC76_extra` `ppl_Octagonal_Shape_mpq_class_is_topologically_c`
187 184
`ppl_Octagonal_Shape_mpq_class_CC76_narrow` `ppl_Octagonal_Shape_mpq_class_is_universe`,
187 184
`ppl_Octagonal_Shape_mpq_class_concatenate` `ppl_Octagonal_Shape_mpq_class_limited_BHMZ05_ext`
185 187
`ppl_Octagonal_Shape_mpq_class_constraint` `ppl_Octagonal_Shape_mpq_class_limited_BHMZ05_ext`
185 187
`ppl_Octagonal_Shape_mpq_class_contains` `ppl_Octagonal_Shape_mpq_class_limited_CC76_extra`
184 187
`ppl_Octagonal_Shape_mpq_class_contains` `ppl_Octagonal_Shape_mpq_class_limited_CC76_extra`
184 187
`ppl_Octagonal_Shape_mpq_class_difference` `ppl_Octagonal_Shape_mpq_class_linear_partition`,
185 187
`ppl_Octagonal_Shape_mpq_class_drop_space` `ppl_Octagonal_Shape_mpq_class_map_space_dimension`
186 186
`ppl_Octagonal_Shape_mpq_class_drop_space` `ppl_Octagonal_Shape_mpq2_class_maximize`,
186 184
`ppl_Octagonal_Shape_mpq_class_equals` `ppl_Octagonal_Shape_mpq_class_maximize_with_point`
184 184
`ppl_Octagonal_Shape_mpq_class_expand` `ppl_Octagonal_Shape_mpq_class_minimize`,
186 184
`ppl_Octagonal_Shape_mpq_class_externalize` `ppl_Octagonal_Shape_mpq_class_minimize_with_point`
186 184
`ppl_Octagonal_Shape_mpq_class_fold_space` `ppl_Octagonal_Shape_mpq_class_OK`,
186 185
`ppl_Octagonal_Shape_mpq_class_frequency` `ppl_Octagonal_Shape_mpq_class_refine_with_congru`
184 185
`ppl_Octagonal_Shape_mpq_class_generable` `ppl_Octagonal_Shape_mpq_class_refine_with_congru`
186 185
`ppl_Octagonal_Shape_mpq_class_generable` `ppl_Octagonal_Shape_mpq_class_refine_with_constr`
186 185
`ppl_Octagonal_Shape_mpq_class_generable` `ppl_Octagonal_Shape_mpq_class_refine_with_constr`
186 185
`ppl_Octagonal_Shape_mpq_class_generable` `ppl_Octagonal_Shape_mpq_class_relation_with_cong`
186 183
`ppl_Octagonal_Shape_mpq_class_get_components` `ppl_Octagonal_Shape_mpq_class_relation_with_const`
183 183
`ppl_Octagonal_Shape_mpq_class_get_components` `ppl_Octagonal_Shape_mpq_class_relation_with_gene`
183 183
`ppl_Octagonal_Shape_mpq_class_get_minimal` `ppl_Octagonal_Shape_mpq_class_remove_higher_space`
184 186
`ppl_Octagonal_Shape_mpq_class_get_minimal` `ppl_Octagonal_Shape_mpq_class_remove_space_dimen`
183 186
`ppl_Octagonal_Shape_mpq_class_intersection` `ppl_Octagonal_Shape_mpq_class_simplify_using_cont`
185 185
`ppl_Octagonal_Shape_mpq_class_is_bounded` `ppl_Octagonal_Shape_mpq_class_space_dimension`,
184 183
`ppl_Octagonal_Shape_mpq_class_is_disjoint` `ppl_Octagonal_Shape_mpq_class_strictly_contains` `O`
184 184

`ppl_Octagonal_Shape_mpq_class_swap`, `ppl_Octagonal_Shape_mpz_class_CC76_extrapolation`
183 178
`ppl_Octagonal_Shape_mpq_class_time_elapsed`, `ppl_Octagonal_Shape_mpz_class_CC76_extrapolation`
185 178
`ppl_Octagonal_Shape_mpq_class_topological_dimension`, `ppl_Octagonal_Shape_mpz_class_CC76_narrowing_assign`
184 178
`ppl_Octagonal_Shape_mpq_class_total_memory_bytes`, `ppl_Octagonal_Shape_mpz_class_concatenate_assign`
186 176
`ppl_Octagonal_Shape_mpq_class_unconstruct`, `ppl_Octagonal_Shape_mpz_class_constrains`
185 177
`ppl_Octagonal_Shape_mpq_class_unconstruct`, `ppl_Octagonal_Shape_mpz_class_contains_integer_point`
185 175
`ppl_Octagonal_Shape_mpq_class_upper_bound`, `ppl_Octagonal_Shape_mpz_class_contains_Octagonal`
185 176
`ppl_Octagonal_Shape_mpq_class_upper_bound`, `ppl_Octagonal_Shape_mpz_class_difference_assign`
185 176
`ppl_Octagonal_Shape_mpq_class_widen`, `ppl_Octagonal_Shape_mpz_class_drop_some_non_integer`
187 178
`ppl_Octagonal_Shape_mpq_class_widen`, `ppl_Octagonal_Shape_mpz_class_drop_some_non_integer`
187 178
`ppl_Octagonal_Shape_mpq_class_wrap_assign`, `ppl_Octagonal_Shape_mpz_class_equals_Octagonal_S`
187 176
`ppl_Octagonal_Shape_mpz_class_add_component`, `ppl_Octagonal_Shape_mpz_class_expand_space_dimension`
176 177
`ppl_Octagonal_Shape_mpz_class_add_component`, `ppl_Octagonal_Shape_mpz_class_external_memory_in`
176 178
`ppl_Octagonal_Shape_mpz_class_add_component`, `ppl_Octagonal_Shape_mpz_class_fold_space_dimension`
176 177
`ppl_Octagonal_Shape_mpz_class_add_component`, `ppl_Octagonal_Shape_mpz_class_frequency`
176 175
`ppl_Octagonal_Shape_mpz_class_add_space_dimensions`, `ppl_Octagonal_Shape_mpz_class_generalized_affine`
177 177
`ppl_Octagonal_Shape_mpz_class_add_space_dimensions`, `ppl_Octagonal_Shape_mpz_class_generalized_affine`
177 177
`ppl_Octagonal_Shape_mpz_class_affine_image`, `ppl_Octagonal_Shape_mpz_class_generalized_affine`
174 177
`ppl_Octagonal_Shape_mpz_class_affine_image`, `ppl_Octagonal_Shape_mpz_class_generalized_affine`
177 177
`ppl_Octagonal_Shape_mpz_class_affine_image`, `ppl_Octagonal_Shape_mpz_class_get_congruences`
177 175
`ppl_Octagonal_Shape_mpz_class_ascii_dump`, `ppl_Octagonal_Shape_mpz_class_get_constraints`
178 175
`ppl_Octagonal_Shape_mpz_class_BHMZ05_widen`, `ppl_Octagonal_Shape_mpz_class_get_minimized_congruences`
178 175
`ppl_Octagonal_Shape_mpz_class_BHMZ05_widen`, `ppl_Octagonal_Shape_mpz_class_get_minimized_constraints`
178 175
`ppl_Octagonal_Shape_mpz_class_bounded_affine_image`, `ppl_Octagonal_Shape_mpz_class_intersection_assign`
177 176
`ppl_Octagonal_Shape_mpz_class_bounded_affine_image`, `ppl_Octagonal_Shape_mpz_class_is_bounded`
177 175
`ppl_Octagonal_Shape_mpz_class_bounds_from_above`, `ppl_Octagonal_Shape_mpz_class_is_discrete`
175 175
`ppl_Octagonal_Shape_mpz_class_bounds_from_below`, `ppl_Octagonal_Shape_mpz_class_is_disjoint_from_O`
175 176

ppl_Octagonal_Shape_mpz_class_is_empty, 175
 ppl_Octagonal_Shape_mpz_class_is_topological_closure, 175
 ppl_Octagonal_Shape_mpz_class_is_universal, 175
 ppl_Octagonal_Shape_mpz_class_limited_by_HM25, 178
 ppl_Octagonal_Shape_mpz_class_limited_by_HM25, 178
 ppl_Octagonal_Shape_mpz_class_limited_by_C6, 178
 ppl_Octagonal_Shape_mpz_class_limited_by_C6, 178
 ppl_Octagonal_Shape_mpz_class_linear, 179
 ppl_Octagonal_Shape_mpz_class_map_space, 178
 ppl_Octagonal_Shape_mpz_class_maximize, 175
 ppl_Octagonal_Shape_mpz_class_maximize, 175
 ppl_Octagonal_Shape_mpz_class_minimize, 175
 ppl_Octagonal_Shape_mpz_class_minimize, 175
 ppl_Octagonal_Shape_mpz_class_OK, 176
 ppl_Octagonal_Shape_mpz_class_refine, 176
 ppl_Octagonal_Shape_mpz_class_refine, 176
 ppl_Octagonal_Shape_mpz_class_refine, 176
 ppl_Octagonal_Shape_mpz_class_refine, 176
 ppl_Octagonal_Shape_mpz_class_relation, 175
 ppl_Octagonal_Shape_mpz_class_relation, 174
 ppl_Octagonal_Shape_mpz_class_relation, 175
 ppl_Octagonal_Shape_mpz_class_remove, 177
 ppl_Octagonal_Shape_mpz_class_remove, 177
 ppl_Octagonal_Shape_mpz_class_simplify, 177
 ppl_Octagonal_Shape_mpz_class_space_dimension, 174
 ppl_Octagonal_Shape_mpz_class_strict, 176
 ppl_Octagonal_Shape_mpz_class_swap, 174
 ppl_Octagonal_Shape_mpz_class_time_elapse_assign, 176
 ppl_Octagonal_Shape_mpz_class_topological_closure, 175
 ppl_Octagonal_Shape_mpz_class_total_memory_in_bytes, 178
 ppl_Octagonal_Shape_mpz_class_unconstrain_space, 177
 ppl_Octagonal_Shape_mpz_class_with_tokens, 177
 ppl_Octagonal_Shape_mpz_class_upper_bound_assign, 176
 ppl_Octagonal_Shape_mpz_class_upper_bound_assign, 176
 ppl_Octagonal_Shape_mpz_class_widening_assign, 178
 ppl_Octagonal_Shape_mpz_class_widening_assign_with_tokens, 178
 ppl_one_affine_ranking_function_MS_BD_Shape_double, 403
 ppl_one_affine_ranking_function_MS_BD_Shape_double, 404
 ppl_one_affine_ranking_function_MS_BD_Shape_float, 367
 ppl_one_affine_ranking_function_MS_BD_Shape_float, 367
 ppl_one_affine_ranking_function_MS_BD_Shape_int16, 104
 ppl_one_affine_ranking_function_MS_BD_Shape_int16, 104
 ppl_one_constraint_ranking_function_MS_BD_Shape_int32, 112
 ppl_one_constraint_ranking_function_MS_BD_Shape_int32, 112
 ppl_one_constraint_ranking_function_MS_BD_Shape_int64, 120
 ppl_one_constraint_ranking_function_MS_BD_Shape_int64, 120
 ppl_one_constraint_ranking_function_MS_BD_Shape_int8, 96
 ppl_one_constraint_ranking_function_MS_BD_Shape_int8, 96
 ppl_one_constraint_ranking_function_MS_BD_Shape_long, 441
 ppl_one_constraint_ranking_function_MS_BD_Shape_long, 442
 ppl_one_constraint_ranking_function_MS_BD_Shape_mpq, 136
 ppl_one_constraint_ranking_function_MS_BD_Shape_mpq, 136
 ppl_one_constraint_ranking_function_MS_BD_Shape_mpq, 136

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	50
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	50
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	31
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	31
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	433
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	433
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	198
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	199
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	411
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	412
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	375
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	375
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	153
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	153
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	161
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	162
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	170
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	170
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	144
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	144
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	450
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	451
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	188
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	188
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	179
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	179
ppl_one_affine_ranking_function_PR_Box2,affine_ranking_function_PR_Box2,	88

ppl_one_affine_ranking_function_PR_Rational_PIP_Tree2_Node_false_child, 24
 88
 ppl_one_affine_ranking_function_PR_Uint16_PIP_Tree_Node_is_bottom, 23
 63
 ppl_one_affine_ranking_function_PR_Uint16_PIP_Tree_Node_is_decision, 24
 63
 ppl_one_affine_ranking_function_PR_Uint16_PIP_Tree_Node_is_solution, 23
 63
 ppl_one_affine_ranking_function_PR_Uint16_PIP_Tree_Node_OK, 23
 63
 ppl_one_affine_ranking_function_PR_Uint32_PIP_Tree_Node_parametric_values, 24
 69
 ppl_one_affine_ranking_function_PR_Uint32_PIP_Tree_Node_true_child, 24
 69
 ppl_one_affine_ranking_function_PR_Uint32_Pointset_Powerset_BD_Shape_double_add_congruence, 418
 75
 ppl_one_affine_ranking_function_PR_Uint64_Box_set_Powerset_BD_Shape_double_add_congruence, 419
 76
 ppl_one_affine_ranking_function_PR_Uint64_Box_set_Powerset_BD_Shape_double_add_constraint, 418
 56
 ppl_one_affine_ranking_function_PR_Uint8_Box_set_Powerset_BD_Shape_double_add_constraint, 418
 56
 ppl_one_affine_ranking_function_PR_Uint8_Box_set_Powerset_BD_Shape_double_add_disjunction, 421
 81
 ppl_one_affine_ranking_function_PR_Z_PBox_Pointset_Powerset_BD_Shape_double_add_space, 420
 82
 ppl_one_affine_ranking_function_PR_Z_PBox2_Pointset_Powerset_BD_Shape_double_add_space, 420
 ppl_PIP_Problem_add_constraint, 23
 ppl_PIP_Problem_add_constraints, 23
 ppl_PIP_Problem_add_space_dimensions, 23
 ppl_PIP_Problem_add_to_parameter_space_dimensions, 23
 ppl_PIP_Problem_ascii_dump, 23
 ppl_PIP_Problem_clear, 23
 ppl_PIP_Problem_constraints, 23
 ppl_PIP_Problem_get_big_parameter_dimension, 23
 ppl_PIP_Problem_get_control_parameter, 23
 ppl_PIP_Problem_has_big_parameter_dimension, 23
 ppl_PIP_Problem_is_satisfiable, 23
 ppl_PIP_Problem_OK, 23
 ppl_PIP_Problem_optimizing_solution, 23
 ppl_PIP_Problem_parameter_space_dimensions, 23
 ppl_PIP_Problem_set_big_parameter_dimension, 23
 ppl_PIP_Problem_set_control_parameter, 23
 ppl_PIP_Problem_solution, 23
 ppl_PIP_Problem_solve, 23
 ppl_PIP_Problem_space_dimension, 23
 ppl_PIP_Problem_swap, 23
 ppl_PIP_Tree_Node_artificials, 23
 ppl_PIP_Tree_Node_ascii_dump, 23
 ppl_PIP_Tree_Node_constraints, 23
 ppl_PIP_Tree2_Node_false_child, 24
 ppl_PIP_Tree_Node_is_bottom, 23
 ppl_PIP_Tree_Node_is_decision, 24
 ppl_PIP_Tree_Node_is_solution, 23
 ppl_PIP_Tree_Node_OK, 23
 ppl_PIP_Tree_Node_parametric_values, 24
 ppl_PIP_Tree_Node_true_child, 24
 Pointset_Powerset_BD_Shape_double_add_congruence, 418
 Pointset_Powerset_BD_Shape_double_add_constraint, 419
 Pointset_Powerset_BD_Shape_double_add_constraint, 418
 Pointset_Powerset_BD_Shape_double_add_disjunction, 421
 Pointset_Powerset_BD_Shape_double_add_space, 420
 Pointset_Powerset_BD_Shape_double_add_space, 420
 Pointset_Powerset_BD_Shape_double_affine_dimension, 417
 Pointset_Powerset_BD_Shape_double_affine_image, 419
 Pointset_Powerset_BD_Shape_double_affine_preimage, 419
 Pointset_Powerset_BD_Shape_double_ascii_dump, 420
 Pointset_Powerset_BD_Shape_double_begin_iteration, 421
 Pointset_Powerset_BD_Shape_double_BGP99_BHMZ, 421
 Pointset_Powerset_BD_Shape_double_BGP99_H79, 421
 Pointset_Powerset_BD_Shape_double_BHZ03_H79, 421
 Pointset_Powerset_BD_Shape_double_BHZ03_H79_L, 421
 Pointset_Powerset_BD_Shape_double_bounded_affine, 421
 Pointset_Powerset_BD_Shape_double_bounded_affine, 421
 Pointset_Powerset_BD_Shape_double_bounds_from, 418
 Pointset_Powerset_BD_Shape_double_bounds_from, 418
 Pointset_Powerset_BD_Shape_double_concatenate, 419
 Pointset_Powerset_BD_Shape_double_constrains, 419
 Pointset_Powerset_BD_Shape_double_contains_in, 417

ppl_Pointset_Powerset_BD_Shape_double ppn_Pointset_Powerset_BD_Shape_float_decrement_iterator
 419 384
 ppl_Pointset_Powerset_BD_Shape_double ppn_Pointset_Powerset_BD_Shape_float_difference_iterator
 419 382
 ppl_Pointset_Powerset_BD_Shape_double ppn_Pointset_Powerset_BD_Shape_float_drop_disjunction_iterator
 419 384
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_drop_disjunction_iterator
 382 384
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_drop_some_iterator
 382 384
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_drop_some_iterator
 382 384
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_end_iterator
 382 384
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_equals_Pointset
 384 382
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_expand_space_iterator
 383 383
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_external_iterator
 383 384
 ppl_Pointset_Powerset_BD_Shape_float ppff_Pointset_Powerset_BD_Shape_float_fold_space_iterator
 380 383
 ppl_Pointset_Powerset_BD_Shape_float ppff_Pointset_Powerset_BD_Shape_float_generalized_iterator
 383 383
 ppl_Pointset_Powerset_BD_Shape_float ppff_Pointset_Powerset_BD_Shape_float_generalized_iterator
 383 383
 ppl_Pointset_Powerset_BD_Shape_float ppfc_Pointset_Powerset_BD_Shape_float_generalized_iterator
 384 383
 ppl_Pointset_Powerset_BD_Shape_float ppfc_Pointset_Powerset_BD_Shape_float_generalized_iterator
 384 383
 ppl_Pointset_Powerset_BD_Shape_float ppfc_Pointset_Powerset_BD_Shape_float_generalized_iterator
 384 383
 ppl_Pointset_Powerset_BD_Shape_float ppGP90_inHM205_Powerset_BD_Shape_float_geometrical_iterator
 385 381
 ppl_Pointset_Powerset_BD_Shape_float ppGP90_inHM205_Powerset_BD_Shape_float_geometrical_iterator
 385 381
 ppl_Pointset_Powerset_BD_Shape_float ppH203_inHM205_Powerset_BD_Shape_float_get_disjunction_iterator
 384 384
 ppl_Pointset_Powerset_BD_Shape_float ppH203_inHM205_Powerset_BD_Shape_float_increment_iterator
 384 384
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_intersection_iterator
 383 382
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_is_bounded_iterator
 383 381
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_is_discrete_iterator
 381 381
 ppl_Pointset_Powerset_BD_Shape_float ppd_Pointset_Powerset_BD_Shape_float_is_disjoint_iterator
 381 381
 ppl_Pointset_Powerset_BD_Shape_float ppn_Pointset_Powerset_BD_Shape_float_is_empty_iterator
 382 380
 ppl_Pointset_Powerset_BD_Shape_float ppn_Pointset_Powerset_BD_Shape_float_is_topological_iterator
 383 381
 ppl_Pointset_Powerset_BD_Shape_float ppn_Pointset_Powerset_BD_Shape_float_is_universe_iterator
 381 380
 ppl_Pointset_Powerset_BD_Shape_float ppn_Pointset_Powerset_BD_Shape_float_iterator_eq_iterator
 381 384

ppl_Pointset_Powerset_BD_Shape_float_upper_bound 382
 ppl_Pointset_Powerset_BD_Shape_float_upper_bound 381
 ppl_Pointset_Powerset_BD_Shape_float_upper_bound 381
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_congruence 256
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_congruence 381
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_constant 256
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_constant 381
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_constant 382
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_disjunction 259
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_space 258
 ppl_Pointset_Powerset_BD_Shape_int16_t_add_space 382
 ppl_Pointset_Powerset_BD_Shape_int16_t_affine_direction 255
 ppl_Pointset_Powerset_BD_Shape_int16_t_affine_image 257
 ppl_Pointset_Powerset_BD_Shape_int16_t_affine_preimage 257
 ppl_Pointset_Powerset_BD_Shape_int16_t_ascii_dump 258
 ppl_Pointset_Powerset_BD_Shape_int16_t_begin_iterator 258
 ppl_Pointset_Powerset_BD_Shape_int16_t_BGP99_BHM 259
 ppl_Pointset_Powerset_BD_Shape_int16_t_BGP99_H79 383
 ppl_Pointset_Powerset_BD_Shape_int16_t_BHZ03_H79 383
 ppl_Pointset_Powerset_BD_Shape_int16_t_BHZ03_H79 382
 ppl_Pointset_Powerset_BD_Shape_int16_t_bounded_area 257
 ppl_Pointset_Powerset_BD_Shape_int16_t_bounded_area 380
 ppl_Pointset_Powerset_BD_Shape_int16_t_bounded_area 381
 ppl_Pointset_Powerset_BD_Shape_int16_t_bounds_from 255
 ppl_Pointset_Powerset_BD_Shape_int16_t_bounds_from 380
 ppl_Pointset_Powerset_BD_Shape_int16_t_concatenate 257
 ppl_Pointset_Powerset_BD_Shape_int16_t_constraint 257
 ppl_Pointset_Powerset_BD_Shape_int16_t_contains 255
 ppl_Pointset_Powerset_BD_Shape_int16_t_contains 383
 ppl_Pointset_Powerset_BD_Shape_int16_t_decrement 258

ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_maximize,
257	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_maximize,
259	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_minimize,
259	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_minimize,
258	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_OK,
258	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_omega_red,
258	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_parallel,
256	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_refine_wi
258	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_refine_wi
258	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_refine_wi
258	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_refine_wi
257	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_relation_v
257	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_relation_v
257	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_relation_v
258	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_relation_v
256	258
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_relation_v
256	258
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_simplify_v
259	257
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_size,
258	258
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_space_dim
256	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_strictly_v
255	256
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_swap,
255	254
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_swap,
256	257
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_topologica
255	255
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_total_mem
255	258
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_unconstra
255	257
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_unconstra
258	257
ppl_Pointset_Powerset_BD_Shape_int16_t	ppl_Pointset_Powerset_BD_Shape_int16_t_upper_bou
258	257

ppl_Pointset_Powerset_BD_Shape_int16_t_drop_disjoint 257
 ppl_Pointset_Powerset_BD_Shape_int32_t_drop_disjoint 261
 ppl_Pointset_Powerset_BD_Shape_int32_t_drop_some 261
 ppl_Pointset_Powerset_BD_Shape_int32_t_drop_some 261
 ppl_Pointset_Powerset_BD_Shape_int32_t_end_iteration 261
 ppl_Pointset_Powerset_BD_Shape_int32_t_equals_Pointset 263
 ppl_Pointset_Powerset_BD_Shape_int32_t_expand_shape 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_external_name 263
 ppl_Pointset_Powerset_BD_Shape_int32_t_fold_space 259
 ppl_Pointset_Powerset_BD_Shape_int32_t_generalize 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_generalize 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_generalize 263
 ppl_Pointset_Powerset_BD_Shape_int32_t_generalize 263
 ppl_Pointset_Powerset_BD_Shape_int32_t_geometric 264
 ppl_Pointset_Powerset_BD_Shape_int32_t_geometric 264
 ppl_Pointset_Powerset_BD_Shape_int32_t_get_disjoint 264
 ppl_Pointset_Powerset_BD_Shape_int32_t_increment 264
 ppl_Pointset_Powerset_BD_Shape_int32_t_intersect 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_is_bounded 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_is_discrete 260
 ppl_Pointset_Powerset_BD_Shape_int32_t_is_disjoint 260
 ppl_Pointset_Powerset_BD_Shape_int32_t_is_empty 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_is_topological 262
 ppl_Pointset_Powerset_BD_Shape_int32_t_is_universal 260
 ppl_Pointset_Powerset_BD_Shape_int32_t_iterator 260
 ppl_Pointset_Powerset_BD_Shape_int32_t_map_space 263
 ppl_Pointset_Powerset_BD_Shape_int32_t_maximize 261

ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_congruence
 260 266
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_congruence
 260 266
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_constants
 260 266
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_constants
 261 266
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_disjunction
 260 268
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_spaces
 260 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_add_spaces
 261 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_affine_dimensions
 261 264
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_affine_image
 261 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_affine_preimage
 261 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_ascii_dump
 260 268
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_begin_iteration
 260 268
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_BGP99_BHM2
 260 269
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_BGP99_H79
 263 269
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_BHZ03_H79
 263 269
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_BHZ03_H79
 262 269
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_bounded_area
 263 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_bounded_area
 259 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_bounded_area
 261 265
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_bounds_from
 259 265
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_concatenate
 262 266
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_constraints
 260 267
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_contains
 263 265
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_contains
 262 265
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_decrement
 262 268
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_difference
 261 266
 ppl_Pointset_Powerset_BD_Shape_int32 ppl_Pointset_Powerset_BD_Shape_int64_t_drop_disjunction
 262 268

ppl_Pointset_Powerset_BD_Shape_int64_t_minimize, 269
 ppl_Pointset_Powerset_BD_Shape_int64_t_minimize, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_OK, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_omega_red, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_parallelwise, 266
 ppl_Pointset_Powerset_BD_Shape_int64_t_refine_wit, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_refine_wit, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_refine_wit, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_refine_wit, 267
 ppl_Pointset_Powerset_BD_Shape_int64_t_relation_v, 267
 ppl_Pointset_Powerset_BD_Shape_int64_t_relation_v, 267
 ppl_Pointset_Powerset_BD_Shape_int64_t_relation_v, 267
 ppl_Pointset_Powerset_BD_Shape_int64_t_relation_v, 266
 ppl_Pointset_Powerset_BD_Shape_int64_t_relation_v, 266
 ppl_Pointset_Powerset_BD_Shape_int64_t_simplify, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_size, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_space_dim, 266
 ppl_Pointset_Powerset_BD_Shape_int64_t_strictly, 265
 ppl_Pointset_Powerset_BD_Shape_int64_t_swap, 265
 ppl_Pointset_Powerset_BD_Shape_int64_t_tBD_is_shape_ap, 265
 ppl_Pointset_Powerset_BD_Shape_int64_t_topologica, 265
 ppl_Pointset_Powerset_BD_Shape_int64_t_total_mem, 265
 ppl_Pointset_Powerset_BD_Shape_int64_t_unconstrai, 265
 ppl_Pointset_Powerset_BD_Shape_int64_t_unconstrai, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_upper_bou, 268
 ppl_Pointset_Powerset_BD_Shape_int64_t_upper_bou, 265
 ppl_Pointset_Powerset_BD_Shape_int8_t_add_congru, 265

`ppl_Pointset_Powerset_BD_Shape_int8_t` 251
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_drop_some` 251
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_end_iterate` 251
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_equals_Point` 254
`ppaddPointsetPower` 251
`ppl_Pointset_Powerset_BD_Shape_int8_t_expand_space` 253
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_external_m` 253
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_fold_space` 250
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_generalized` 252
`ppaddPointsetPower` 252
`ppl_Pointset_Powerset_BD_Shape_int8_t_generalized` 252
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_generalized` 253
`ppaddPointsetPower` 252
`ppl_Pointset_Powerset_BD_Shape_int8_t_geometrical` 254
`ppaddPointsetPower` 251
`ppl_Pointset_Powerset_BD_Shape_int8_t_geometrical` 254
`ppaddPointsetPower` 251
`ppl_Pointset_Powerset_BD_Shape_int8_t_get_disjunct` 254
`ppaddPointsetPower` 254
`ppl_Pointset_Powerset_BD_Shape_int8_t_increment` 254
`ppaddPointsetPower` 254
`ppl_Pointset_Powerset_BD_Shape_int8_t_intersection` 252
`ppaddPointsetPower` 252
`ppl_Pointset_Powerset_BD_Shape_int8_t_is_bounded` 252
`ppaddPointsetPower` 250
`ppl_Pointset_Powerset_BD_Shape_int8_t_is_discrete` 250
`ppaddPointsetPower` 250
`ppl_Pointset_Powerset_BD_Shape_int8_t_is_disjoint` 250
`ppaddPointsetPower` 251
`ppl_Pointset_Powerset_BD_Shape_int8_t_is_empty` 252
`ppaddPointsetPower` 250
`ppl_Pointset_Powerset_BD_Shape_int8_t_is_topolog` 252
`ppaddPointsetPower` 250
`ppl_Pointset_Powerset_BD_Shape_int8_t_is_univers` 250
`ppaddPointsetPower` 250
`ppl_Pointset_Powerset_BD_Shape_int8_t_iterator_e` 251
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_map_space_c` 254
`ppaddPointsetPower` 253
`ppl_Pointset_Powerset_BD_Shape_int8_t_maximize` 252
`ppaddPointsetPower` 250
`ppl_Pointset_Powerset_BD_Shape_int8_t_maximize_w` 254
`ppaddPointsetPower` 251
`ppl_Pointset_Powerset_BD_Shape_int8_t_minimize` 254
`ppaddPointsetPower` 250

ppl_Pointset_Powerset_BD_Shape_int8_ppli_Pointset_Powerset_BD_Shape_long_double_add_c
 251 457
 ppl_Pointset_Powerset_BD_Shape_int8_ppOK_Pointset_Powerset_BD_Shape_long_double_add_c
 251 458
 ppl_Pointset_Powerset_BD_Shape_int8_ppme_Pointset_Powerset_BD_Shape_long_double_add_d
 250 460
 ppl_Pointset_Powerset_BD_Shape_int8_ppla_Pointset_Powerset_BD_Shape_long_double_add_s
 250 459
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointset_Powerset_BD_Shape_long_double_add_s
 251 459
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointset_Powerset_BDs_Shape_long_double_affin
 251 456
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointset_Powerset_BDs_Shape_long_double_affin
 251 458
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointset_Powerset_BDs_Shape_long_double_affin
 251 459
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointsset_Powerset_BDs_Shape_long_double_asci
 250 459
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointsset_Powerset_BDs_Shape_long_double_begi
 250 460
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointsset_Powerset_BDs_Shape_long_double_BGP99
 250 460
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointsset_Powerset_BDs_Shape_long_double_BGP99
 253 460
 ppl_Pointset_Powerset_BD_Shape_int8_pple_Pointsset_Powerset_BDs_Shape_long_double_BHZ03
 253 460
 ppl_Pointset_Powerset_BD_Shape_int8_ppli_Pointsset_Powerset_BDs_Shape_long_double_BHZ03
 252 460
 ppl_Pointset_Powerset_BD_Shape_int8_ppli_Pointsset_Powerset_BD_Shape_long_double_boude
 253 459
 ppl_Pointset_Powerset_BD_Shape_int8_ppipa_Pointsset_Powerset_BD_Shape_long_double_boude
 250 459
 ppl_Pointset_Powerset_BD_Shape_int8_ppst_Pointsset_Powerset_BD_Shape_Powerset_BD_Shape
 251 457
 ppl_Pointset_Powerset_BD_Shape_int8_ppsw_Pointsset_Powerset_BD_Shape_long_double_boude
 250 457
 ppl_Pointset_Powerset_BD_Shape_int8_ppli_Pointsset_Powerset_BD_Shape_long_double_concat
 252 458
 ppl_Pointset_Powerset_BD_Shape_int8_pplo_Pointsset_Powerset_BDs_Shape_long_double_const
 250 458
 ppl_Pointset_Powerset_BD_Shape_int8_pplo_Pointsset_Powerset_BD_Shape_long_double_conta
 253 456
 ppl_Pointset_Powerset_BD_Shape_int8_ppin_Pointsset_Powerset_BDs_Shape_long_double_conta
 252 457
 ppl_Pointset_Powerset_BD_Shape_int8_ppin_Pointsset_Powerset_BDs_Shape_long_double_decre
 252 460
 ppl_Pointset_Powerset_BD_Shape_int8_ppip_Pointsset_Powerset_BD_Shape_long_double_diffe
 252 458
 ppl_Pointset_Powerset_BD_Shape_int8_ppip_Pointsset_Powerset_BDs_Shape_long_double_drop
 252 460
 ppl_Pointset_Powerset_BD_Shape_long_double_Pointsset_Powerset_BD_Shape_long_double_drop
 457 460
 ppl_Pointset_Powerset_BD_Shape_long_double_Pointsset_Powerset_BD_Shape_long_double_drop
 458 459

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_Pointset_Powerset_BD_Shape_mpq_class_additionset_Powerset_BD_Shape_mpq_class_end_iterate
 271 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_additionset_Powerset_BD_Shape_mpq_class_equals
 273 271
 ppl_Pointset_Powerset_BD_Shape_mpq_class_additionset_Powerset_BD_Shape_mpq_class_expand
 272 272
 ppl_Pointset_Powerset_BD_Shape_mpq_class_additionset_Powerset_BD_Shape_mpq_class_externalize
 272 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_fold_space
 269 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_generalize
 272 272
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_generalize
 272 272
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_generalize
 273 272
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_generalize
 273 272
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_geometric
 274 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_geometric
 274 271
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_get_dis
 274 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_incremen
 274 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_interse
 272 271
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_is_boun
 272 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_is_disc
 270 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_is_disj
 270 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_is_empt
 271 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_is_topo
 272 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_is_unive
 270 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_integrat
 270 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_map_spa
 273 273
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_maximiz
 271 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_maximiz
 273 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_minimiz
 273 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq_class_minimiz
 273 270
 ppl_Pointset_Powerset_BD_Shape_mpq_class_applyfitset_Powerset_BD_Shape_mpq2_class_OK,
 273 271

`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_add_dis`
270 278
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointwise_Powerset_BD_Shape_mpz_class_add_spa`
270 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_add_spa`
271 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_affine_`
271 274
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_affine_`
271 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_affine_`
271 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_ascii_du`
269 278
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_begin_it`
269 278
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_BGP99_BI`
269 279
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_BGP99_H`
272 279
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_BHZ03_H`
272 278
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_BHZ03_H`
272 278
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_bounded`
273 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_bounded`
269 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_bounded`
270 275
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_bounds_`
269 275
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_concaten`
271 276
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_constrai`
270 277
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_contain`
273 275
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_contain`
272 275
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_decremen`
272 278
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_differen`
271 276
`ppl_Pointset_Powerset_BD_Shape_mpq_class_pointset_Powerset_BD_Shape_mpz_class_drop_dis`
271 278
`ppl_Pointset_Powerset_BD_Shape_mpz_class_pointset_Powerset_BD_Shape_mpz_class_drop_dis`
276 278
`ppl_Pointset_Powerset_BD_Shape_mpz_class_pointset_Powerset_BD_Shape_mpz_class_drop_son`
276 278
`ppl_Pointset_Powerset_BD_Shape_mpz_class_pointset_Powerset_BD_Shape_mpz_class_drop_son`
276 278
`ppl_Pointset_Powerset_BD_Shape_mpz_class_pointset_Powerset_BD_Shape_mpz_class_end_ite`
276 278

`ppl_Pointset_Powerset_C_Polyhedron_apply_pointset_Powerset_C_Polyhedron_expand_space_dim`
312 312
`ppl_Pointset_Powerset_C_Polyhedron_apply_pointset_Powerset_C_Polyhedron_external_memory`
312 312
`ppl_Pointset_Powerset_C_Polyhedron_affine_pointset_Powerset_C_Polyhedron_fold_space_dim`
309 312
`ppl_Pointset_Powerset_C_Polyhedron_affine_pointset_Powerset_C_Polyhedron_generalized_affine_image`
311 311
`ppl_Pointset_Powerset_C_Polyhedron_affine_pointset_Powerset_C_Polyhedron_generalized_affine_image`
311 312
`ppl_Pointset_Powerset_C_Polyhedron_apply_pointset_Powerset_C_Polyhedron_generalized_affine_image`
312 311
`ppl_Pointset_Powerset_C_Polyhedron_bounded_pointset_Powerset_C_Polyhedron_generalized_affine_image`
312 312
`ppl_Pointset_Powerset_C_Polyhedron_BPP19_PBNZ_Get_Powerset_C_Polyhedron_geometrically`
313 310
`ppl_Pointset_Powerset_C_Polyhedron_BPP19_PBNZ_Get_Powerset_C_Polyhedron_geometrically`
313 310
`ppl_Pointset_Powerset_C_Polyhedron_BPP19_PBNZ_Get_Powerset_C_Polyhedron_get_disjunct`
313 313
`ppl_Pointset_Powerset_C_Polyhedron_BPP19_PBNZ_Get_Powerset_C_Polyhedron_increment_iterator`
313 312
`ppl_Pointset_Powerset_C_Polyhedron_bounded_pointset_Powerset_C_Polyhedron_intersection`
311 311
`ppl_Pointset_Powerset_C_Polyhedron_bounded_pointset_Powerset_C_Polyhedron_is_bounded`
311 309
`ppl_Pointset_Powerset_C_Polyhedron_bounded_pointset_Powerset_C_Polyhedron_is_discrete`
309 309
`ppl_Pointset_Powerset_C_Polyhedron_bounded_pointset_Powerset_C_Polyhedron_is_disjoint_from`
309 310
`ppl_Pointset_Powerset_C_Polyhedron_contains_pointset_Powerset_C_Polyhedron_is_empty`
311 309
`ppl_Pointset_Powerset_C_Polyhedron_contains_pointset_Powerset_C_Polyhedron_is_topological`
311 309
`ppl_Pointset_Powerset_C_Polyhedron_contains_pointset_Powerset_C_Polyhedron_is_universe`
309 309
`ppl_Pointset_Powerset_C_Polyhedron_contains_pointset_Powerset_C_Polyhedron_rator_equal`
310 312
`ppl_Pointset_Powerset_C_Polyhedron_delete_pointset_Powerset_C_Polyhedron_map_space_dim`
313 312
`ppl_Pointset_Powerset_C_Polyhedron_diff_pointset_Powerset_C_Polyhedron_maximize`
311 309
`ppl_Pointset_Powerset_C_Polyhedron_dpp19_pointset_Powerset_C_Polyhedron_maximize_with`
313 309
`ppl_Pointset_Powerset_C_Polyhedron_dpp19_pointset_Powerset_C_Polyhedron_minimize`
313 309
`ppl_Pointset_Powerset_C_Polyhedron_dpp19_pointset_Powerset_C_Polyhedron_minimize_with`
312 310
`ppl_Pointset_Powerset_C_Polyhedron_dpp19_pointset_Powerset_C_Polyhedron_OK`
312 310
`ppl_Pointset_Powerset_C_Polyhedron_apply_pointset_Powerset_C_Polyhedron_omega_reduce`
312 309
`ppl_Pointset_Powerset_C_Polyhedron_equal_pointset_Powerset_C_Polyhedron_pairwise_reduce`
310 309

`ppl_Pointset_Powerset_C_Polyhedron_refinePointset_Powerset_Double_Box_add_space_dimension`
 310 415
`ppl_Pointset_Powerset_C_Polyhedron_refinePointset_Powerset_Double_Box_affine_dimension`
 310 412
`ppl_Pointset_Powerset_C_Polyhedron_refinePointset_Powerset_Double_Box_affine_image`
 310 415
`ppl_Pointset_Powerset_C_Polyhedron_refinePointset_Powerset_Double_Box_affine_preimage`
 310 415
`ppl_Pointset_Powerset_C_Polyhedron_relatPointset_Powerset_Double_Box_ascii_dump`
 309 416
`ppl_Pointset_Powerset_C_Polyhedron_relatPointset_Powerset_Double_Box_begin_iterator`
 309 416
`ppl_Pointset_Powerset_C_Polyhedron_relatPointset_Powerset_Double_Box_bounded_affine`
 309 415
`ppl_Pointset_Powerset_C_Polyhedron_removePointset_Powerset_Double_Box_bounded_affine`
 312 415
`ppl_Pointset_Powerset_C_Polyhedron_removePointset_Powerset_Double_Box_bounds_from_above`
 312 413
`ppl_Pointset_Powerset_C_Polyhedron_removePointset_Powerset_Double_Box_bounds_from_below`
 311 413
`ppl_Pointset_Powerset_C_Polyhedron_splitPointset_Powerset_Double_Box_concatenate_assign`
 312 414
`ppl_Pointset_Powerset_C_Polyhedron_splitPointset_Powerset_Double_Box_constrains`
 309 415
`ppl_Pointset_Powerset_C_Polyhedron_splitPointset_Powerset_Double_Box_contains_Polyhedron`
 310 413
`ppl_Pointset_Powerset_C_Polyhedron_splitPointset_Powerset_Double_Box_contains_Pointset`
 309 413
`ppl_Pointset_Powerset_C_Polyhedron_timePointset_Powerset_Double_Box_decrement_iterator`
 311 416
`ppl_Pointset_Powerset_C_Polyhedron_topPointset_Powerset_Double_Box_difference_assign`
 309 414
`ppl_Pointset_Powerset_C_Polyhedron_topPointset_Powerset_Double_Box_drop_disjunct`
 312 416
`ppl_Pointset_Powerset_C_Polyhedron_upperPointset_Powerset_Double_Box_drop_disjuncts`
 311 416
`ppl_Pointset_Powerset_C_Polyhedron_upperPointset_Powerset_Double_Box_drop_some_non_in`
 311 416
`ppl_Pointset_Powerset_C_Polyhedron_upperPointset_Powerset_Double_Box_drop_some_non_in`
 311 416
`ppl_Pointset_Powerset_C_Polyhedron_upperPointset_Powerset_Double_Box_end_iterator`
 311 416
`ppl_Pointset_Powerset_Double_Box_addppointset_Powerset_Double_Box_equals_Pointset`
 414 414
`ppl_Pointset_Powerset_Double_Box_addppointset_Powerset_Double_Box_expand_space_dim`
 414 415
`ppl_Pointset_Powerset_Double_Box_addppointset_Powerset_Double_Box_external_memory`
 414 416
`ppl_Pointset_Powerset_Double_Box_addppointset_Powerset_Double_Box_fold_space_dime`
 414 416
`ppl_Pointset_Powerset_Double_Box_addppointset_Powerset_Double_Box_generalized_aff`
 416 415
`ppl_Pointset_Powerset_Double_Box_addppointset_Powerset_Double_Box_generalized_aff`
 415 415

ppl_Pointset_Powerset_Double_Box_general_Pointsaffine_Powersetaffine_Double_Box_relation_with_c
 415 413
 ppl_Pointset_Powerset_Double_Box_general_Pointsaffine_Powersetaffine_Double_Box_relation_with_g
 415 413
 ppl_Pointset_Powerset_Double_Box_geometrical_Pointsaffine_Powersetaffine_Double_Box_remove_higher_s
 414 415
 ppl_Pointset_Powerset_Double_Box_geometrical_Pointsaffine_Powersetaffine_Double_Box_remove_low
 414 415
 ppl_Pointset_Powerset_Double_Box_get_ppl_Pointset_Powerset_Double_Box_simplify_using_
 416 415
 ppl_Pointset_Powerset_Double_Box_increment_Pointsaffine_Powerset_Double_Box_size,
 416 416
 ppl_Pointset_Powerset_Double_Box_intersection_Pointsaffine_Powerset_Double_Box_space_dimension,
 414 412
 ppl_Pointset_Powerset_Double_Box_is_bounded_Pointsaffine_Powerset_Double_Box_strictly_contain
 413 414
 ppl_Pointset_Powerset_Double_Box_is_disjoint_Pointsaffine_Powerset_Double_Box_swap,
 413 412
 ppl_Pointset_Powerset_Double_Box_is_disjointfrom_Pointsaffine_Powerset_Double_Box_upper_bound_ass
 414 414
 ppl_Pointset_Powerset_Double_Box_is_empty_Pointsaffine_Powerset_Double_Box_topological_clo
 413 413
 ppl_Pointset_Powerset_Double_Box_is_topologically_Powerset_Double_Box_total_memory_in
 413 416
 ppl_Pointset_Powerset_Double_Box_is_universal_Pointsaffine_Powerset_Double_Box_unconstrain_spa
 413 415
 ppl_Pointset_Powerset_Double_Box_iterator_Pointsaffine_Powerset_Double_Box_unconstrain_spa
 416 415
 ppl_Pointset_Powerset_Double_Box_map_Pointsaffine_Powerset_Double_Box_upper_bound_ass
 416 414
 ppl_Pointset_Powerset_Double_Box_maximize_Pointsaffine_Powerset_Double_Box_upper_bound_ass
 413 415
 ppl_Pointset_Powerset_Double_Box_maximize_Pointsaffine_Powerset_Float_Box_add_congruence,
 413 377
 ppl_Pointset_Powerset_Double_Box_minimize_Pointsaffine_Powerset_Float_Box_add_congruences,
 413 377
 ppl_Pointset_Powerset_Double_Box_minimize_Pointsaffine_Powerset_Float_Box_add_constraint,
 413 377
 ppl_Pointset_Powerset_Double_Box_OK, ppl_Pointset_Powerset_Float_Box_add_constraints,
 414 377
 ppl_Pointset_Powerset_Double_Box_omega_Pointsaffine_Powerset_Float_Box_add_disjunct,
 413 380
 ppl_Pointset_Powerset_Double_Box_pairwise_Pointsaffine_Powerset_Float_Box_add_space_dimens
 413 379
 ppl_Pointset_Powerset_Double_Box_refined_Pointsaffine_Powerset_Float_Box_add_space_dimens
 414 379
 ppl_Pointset_Powerset_Double_Box_refined_Pointsaffine_Powerset_Float_Box_affine_dimension,
 414 376
 ppl_Pointset_Powerset_Double_Box_refined_Pointsaffine_Powerset_Float_Box_affine_image,
 414 378
 ppl_Pointset_Powerset_Double_Box_refined_Pointsaffine_Powerset_Float_Box_affine_preimage,
 414 378
 ppl_Pointset_Powerset_Double_Box_relation_Pointsaffine_Powerset_Float_Box_ascii_dump,
 413 379

ppl_Pointset_Powerset_Float_Box_size, 379
 ppl_Pointset_Powerset_Float_Box_space, 376
 ppl_Pointset_Powerset_Float_Box_strip, 377
 ppl_Pointset_Powerset_Float_Box_swap, 376
 ppl_Pointset_Powerset_Float_Box_time, 378
 ppl_Pointset_Powerset_Float_Box_top, 376
 ppl_Pointset_Powerset_Float_Box_total, 379
 ppl_Pointset_Powerset_Float_Box_uncomp, 378
 ppl_Pointset_Powerset_Float_Box_uncomp, 378
 ppl_Pointset_Powerset_Float_Box_upper, 378
 ppl_Pointset_Powerset_Grid_add_congruence, 319
 ppl_Pointset_Powerset_Grid_add_congruence, 320
 ppl_Pointset_Powerset_Grid_add_const, 319
 ppl_Pointset_Powerset_Grid_add_const, 319
 ppl_Pointset_Powerset_Grid_add_disjunct, 322
 ppl_Pointset_Powerset_Grid_add_space, 321
 ppl_Pointset_Powerset_Grid_add_space, 321
 ppl_Pointset_Powerset_Grid_affine_dim, 318
 ppl_Pointset_Powerset_Grid_affine_image, 320
 ppl_Pointset_Powerset_Grid_affine_preimage, 320
 ppl_Pointset_Powerset_Grid_ascii_dump, 321
 ppl_Pointset_Powerset_Grid_begin_iter, 321
 ppl_Pointset_Powerset_Grid_BGP99_congruence, 322
 ppl_Pointset_Powerset_Grid_BGP99_generalization, 322
 ppl_Pointset_Powerset_Grid_BHZ03_Grid, 322
 ppl_Pointset_Powerset_Grid_BHZ03_Grid, 322
 ppl_Pointset_Powerset_Grid_bounded_affine_image, 320
 ppl_Pointset_Powerset_Grid_bounded_affine_preimage, 320
 ppl_Pointset_Powerset_Grid_bounded_from_above, 319
 ppl_Pointset_Powerset_Grid_bounded_from_below, 319
 ppl_Pointset_Powerset_Grid_concatenate_assign, 320
 ppl_Pointset_Powerset_Grid_constrains, 320
 ppl_Pointset_Powerset_Grid_contains_integer_point, 319
 ppl_Pointset_Powerset_Grid_contains_Pointset_Powerset_Grid, 319
 ppl_Pointset_Powerset_Grid_decrement_iterator, 322
 ppl_Pointset_Powerset_Grid_difference_assign, 320
 ppl_Pointset_Powerset_Grid_drop_disjunct, 322
 ppl_Pointset_Powerset_Grid_drop_disjuncts, 322
 ppl_Pointset_Powerset_Grid_drop_some_non_integer, 321
 ppl_Pointset_Powerset_Grid_drop_some_non_integer, 321
 ppl_Pointset_Powerset_Grid_end_iterator, 321
 ppl_Pointset_Powerset_Grid_equals_Pointset_Powerset_Grid, 319
 ppl_Pointset_Powerset_Grid_expand_space_dimension, 321
 ppl_Pointset_Powerset_Grid_external_memory_in_bytes, 321
 ppl_Pointset_Powerset_Grid_fold_space_dimensions, 321
 ppl_Pointset_Powerset_Grid_generalized_affine_image, 320
 ppl_Pointset_Powerset_Grid_generalized_affine_image, 321
 ppl_Pointset_Powerset_Grid_generalized_affine_preimage, 321
 ppl_Pointset_Powerset_Grid_generalized_affine_preimage, 321
 ppl_Pointset_Powerset_Grid_geometrically_covers_Pointset_Powerset_Grid, 319
 ppl_Pointset_Powerset_Grid_geometrically_equals_Pointset_Powerset_Grid, 319
 ppl_Pointset_Powerset_Grid_get_disjunct, 322
 ppl_Pointset_Powerset_Grid_increment_iterator, 321

ppl_Pointset_Powerset_Grid_intersection, 320
 ppl_Pointset_Powerset_Grid_is_bounded, 319
 ppl_Pointset_Powerset_Grid_is_discrete, 319
 ppl_Pointset_Powerset_Grid_is_disjoint_from, 319
 ppl_Pointset_Powerset_Grid_is_empty, 318
 ppl_Pointset_Powerset_Grid_is_topologically_closed, 319
 ppl_Pointset_Powerset_Grid_is_universe, 318
 ppl_Pointset_Powerset_Grid_iterator_equals_iterator, 321
 ppl_Pointset_Powerset_Grid_map_space_dimensions, 321
 ppl_Pointset_Powerset_Grid_maximize, 319
 ppl_Pointset_Powerset_Grid_maximize_with_point, 319
 ppl_Pointset_Powerset_Grid_minimize, 319
 ppl_Pointset_Powerset_Grid_minimize_with_point, 319
 ppl_Pointset_Powerset_Grid_OK, 319
 ppl_Pointset_Powerset_Grid_omega_reduce, 319
 ppl_Pointset_Powerset_Grid_pairwise_reduce, 319
 ppl_Pointset_Powerset_Grid_refine_with_congruence, 320
 ppl_Pointset_Powerset_Grid_refine_with_congruences, 320
 ppl_Pointset_Powerset_Grid_refine_with_constraint, 320
 ppl_Pointset_Powerset_Grid_refine_with_constraints, 320
 ppl_Pointset_Powerset_Grid_relation_with_congruence, 318
 ppl_Pointset_Powerset_Grid_relation_with_constraint, 318
 ppl_Pointset_Powerset_Grid_relation_with_generator, 318
 ppl_Pointset_Powerset_Grid_remove_higher_space_dimensions, 321
 ppl_Pointset_Powerset_Grid_remove_space_dimensions, 321
 ppl_Pointset_Powerset_Grid_simplify_using_context_assign, 320
 ppl_Pointset_Powerset_Grid_size, 321
 ppl_Pointset_Powerset_Grid_space_dimensions, 318
 ppl_Pointset_Powerset_Grid_strictly_contains_Pointset, 319
 ppl_Pointset_Powerset_Grid_swap, 318
 ppl_Pointset_Powerset_Grid_time_elapse_assign, 319
 ppl_Pointset_Powerset_Grid_topological_closure_assign, 319
 ppl_Pointset_Powerset_Grid_total_memory_in_bytes, 319
 ppl_Pointset_Powerset_Grid_unconstrain_space_dimensions, 320
 ppl_Pointset_Powerset_Grid_upper_bound_assign, 320
 ppl_Pointset_Powerset_Grid_upper_bound_assign_if, 320
 ppl_Pointset_Powerset_Int16_Box_add_congruence, 211
 ppl_Pointset_Powerset_Int16_Box_add_congruences, 211
 ppl_Pointset_Powerset_Int16_Box_add_constraint, 211
 ppl_Pointset_Powerset_Int16_Box_add_constraints, 211
 ppl_Pointset_Powerset_Int16_Box_add_disjunct, 214
 ppl_Pointset_Powerset_Int16_Box_add_space_dimensions, 213
 ppl_Pointset_Powerset_Int16_Box_add_space_dimensions, 213
 ppl_Pointset_Powerset_Int16_Box_affine_dimension, 210
 ppl_Pointset_Powerset_Int16_Box_affine_image, 212
 ppl_Pointset_Powerset_Int16_Box_affine_preimage, 212
 ppl_Pointset_Powerset_Int16_Box_ascii_dump, 213
 ppl_Pointset_Powerset_Int16_Box_begin_iterator, 213
 ppl_Pointset_Powerset_Int16_Box_bounded_affine_image, 212
 ppl_Pointset_Powerset_Int16_Box_bounded_affine_preimage, 212
 ppl_Pointset_Powerset_Int16_Box_bounds_from_above, 211
 ppl_Pointset_Powerset_Int16_Box_bounds_from_below, 211
 ppl_Pointset_Powerset_Int16_Box_concatenate_assign, 212
 ppl_Pointset_Powerset_Int16_Box_constrains, 212

<code>ppl_Pointset_Powerset_Int16_Box_contains</code>	<code>ppl_Pointset_Powerset_Int16_Box_is_universe,</code>
210	210
<code>ppl_Pointset_Powerset_Int16_Box_contains_iterator_equals</code>	<code>ppl_Pointset_Powerset_Int16_Box_iterator_equals,</code>
211	214
<code>ppl_Pointset_Powerset_Int16_Box_decrement_iterator</code>	<code>ppl_Pointset_Powerset_Int16_Box_map_space_dimensions,</code>
214	213
<code>ppl_Pointset_Powerset_Int16_Box_difference</code>	<code>ppl_Pointset_Powerset_Int16_Box_maximize,</code>
212	211
<code>ppl_Pointset_Powerset_Int16_Box_drop</code>	<code>ppl_Pointset_Powerset_Int16_Box_maximize_with_pos,</code>
214	211
<code>ppl_Pointset_Powerset_Int16_Box_drop</code>	<code>ppl_Pointset_Powerset_Int16_Box_minimize,</code>
214	211
<code>ppl_Pointset_Powerset_Int16_Box_drop</code>	<code>ppl_Pointset_Powerset_Int16_Box_minimize_with_pos,</code>
213	211
<code>ppl_Pointset_Powerset_Int16_Box_drop</code>	<code>ppl_Pointset_Powerset_Int16_Box_OK,</code>
213	211
<code>ppl_Pointset_Powerset_Int16_Box_end</code>	<code>ppl_Pointset_Powerset_Int16_Box_omega_reduce,</code>
214	211
<code>ppl_Pointset_Powerset_Int16_Box_equals</code>	<code>ppl_Pointset_Powerset_Int16_Box_pairwise_reduce,</code>
211	211
<code>ppl_Pointset_Powerset_Int16_Box_expand</code>	<code>ppl_Pointset_Powerset_Int16_Box_refine_with_congruence,</code>
213	212
<code>ppl_Pointset_Powerset_Int16_Box_extend</code>	<code>ppl_Pointset_Powerset_Int16_Box_refine_with_congruence,</code>
213	212
<code>ppl_Pointset_Powerset_Int16_Box_fold</code>	<code>ppl_Pointset_Powerset_Int16_Box_refine_with_constants,</code>
213	212
<code>ppl_Pointset_Powerset_Int16_Box_generate</code>	<code>ppl_Pointset_Powerset_Int16_Box_refine_with_constants,</code>
213	212
<code>ppl_Pointset_Powerset_Int16_Box_generate</code>	<code>ppl_Pointset_Powerset_Int16_Box_relation_with_constants,</code>
213	210
<code>ppl_Pointset_Powerset_Int16_Box_generate</code>	<code>ppl_Pointset_Powerset_Int16_Box_relation_with_constants,</code>
213	210
<code>ppl_Pointset_Powerset_Int16_Box_generate</code>	<code>ppl_Pointset_Powerset_Int16_Box_relation_with_constants,</code>
213	210
<code>ppl_Pointset_Powerset_Int16_Box_geometric</code>	<code>ppl_Pointset_Powerset_Int16_Box_remove,</code>
211	213
<code>ppl_Pointset_Powerset_Int16_Box_geometric</code>	<code>ppl_Pointset_Powerset_Int16_Box_remove,</code>
211	213
<code>ppl_Pointset_Powerset_Int16_Box_get</code>	<code>ppl_Pointset_Powerset_Int16_Box_simplify_using_constants,</code>
214	212
<code>ppl_Pointset_Powerset_Int16_Box_increment_iterator</code>	<code>ppl_Pointset_Powerset_Int16_Box_size,</code>
214	213
<code>ppl_Pointset_Powerset_Int16_Box_intersection</code>	<code>ppl_Pointset_Powerset_Int16_Box_space_dimension,</code>
212	210
<code>ppl_Pointset_Powerset_Int16_Box_is_bounded</code>	<code>ppl_Pointset_Powerset_Int16_Box_strictly_contains,</code>
210	211
<code>ppl_Pointset_Powerset_Int16_Box_is_disjoint</code>	<code>ppl_Pointset_Powerset_Int16_Box_swap,</code>
210	210
<code>ppl_Pointset_Powerset_Int16_Box_is_disjoint</code>	<code>ppl_Pointset_Powerset_Int16_Box_topological_closure,</code>
211	212
<code>ppl_Pointset_Powerset_Int16_Box_is_empty</code>	<code>ppl_Pointset_Powerset_Int16_Box_topological_closure,</code>
210	210
<code>ppl_Pointset_Powerset_Int16_Box_is_topologically_bounded</code>	<code>ppl_Pointset_Powerset_Int16_Box_total_memory_in_kbytes,</code>
210	213

<code>ppl_Pointset_Powerset_Int16_Box_uncompress</code>	<code>ppl_Pointset_Powerset_Int32_Box_drop_disjuncts</code>
212	218
<code>ppl_Pointset_Powerset_Int16_Box_uncompress</code>	<code>ppl_Pointset_Powerset_Int32_Box_drop_some_non_int</code>
212	217
<code>ppl_Pointset_Powerset_Int16_Box_upperbound</code>	<code>ppl_Pointset_Powerset_Int32_Box_drop_some_non_int</code>
212	218
<code>ppl_Pointset_Powerset_Int16_Box_upperbound</code>	<code>ppl_Pointset_Powerset_Int32_Box_end_iterator</code>
212	218
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_equals_Pointset_I</code>
216	216
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_expand_space_dimen</code>
216	217
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_external_memory</code>
216	218
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_fold_space_dimen</code>
216	217
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_generalized_affin</code>
218	217
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_generalized_affin</code>
217	217
<code>ppl_Pointset_Powerset_Int32_Box_add</code>	<code>ppl_Pointset_Powerset_Int32_Box_generalized_affin</code>
217	217
<code>ppl_Pointset_Powerset_Int32_Box_affine</code>	<code>ppl_Pointset_Powerset_Int32_Box_generalized_affin</code>
214	217
<code>ppl_Pointset_Powerset_Int32_Box_affine</code>	<code>ppl_Pointset_Powerset_Int32_Box_geometrically_cov</code>
217	216
<code>ppl_Pointset_Powerset_Int32_Box_affine</code>	<code>ppl_Pointset_Powerset_Int32_Box_geometrically_eq</code>
217	216
<code>ppl_Pointset_Powerset_Int32_Box_ascii_dump</code>	<code>ppl_Pointset_Powerset_Int32_Box_get_disjunct</code>
218	218
<code>ppl_Pointset_Powerset_Int32_Box_begin</code>	<code>ppl_Pointset_Powerset_Int32_Box_increment_iterat</code>
218	218
<code>ppl_Pointset_Powerset_Int32_Box_bounded</code>	<code>ppl_Pointset_Powerset_Int32_Box_intersection_ass</code>
217	216
<code>ppl_Pointset_Powerset_Int32_Box_bounded</code>	<code>ppl_Pointset_Powerset_Int32_Box_is_bounded</code>
217	215
<code>ppl_Pointset_Powerset_Int32_Box_bounded</code>	<code>ppl_Pointset_Powerset_Int32_Box_is_discrete</code>
215	215
<code>ppl_Pointset_Powerset_Int32_Box_bounded</code>	<code>ppl_Pointset_Powerset_Int32_Box_is_disjoint_from</code>
215	215
<code>ppl_Pointset_Powerset_Int32_Box_conc</code>	<code>ppl_Pointset_Powerset_Int32_Box_is_empty</code>
216	215
<code>ppl_Pointset_Powerset_Int32_Box_const</code>	<code>ppl_Pointset_Powerset_Int32_Box_is_topologically</code>
216	215
<code>ppl_Pointset_Powerset_Int32_Box_contains</code>	<code>ppl_Pointset_Powerset_Int32_Box_is_universe</code>
215	215
<code>ppl_Pointset_Powerset_Int32_Box_contains</code>	<code>ppl_Pointset_Powerset_Int32_Box_iterator_equals</code>
215	218
<code>ppl_Pointset_Powerset_Int32_Box_decre</code>	<code>ppl_Pointset_Powerset_Int32_Box_map_space_dimen</code>
218	217
<code>ppl_Pointset_Powerset_Int32_Box_difference</code>	<code>ppl_Pointset_Powerset_Int32_Box_maximize</code>
216	215
<code>ppl_Pointset_Powerset_Int32_Box_drop</code>	<code>ppl_Pointset_Powerset_Int32_Box_maximize_with_po</code>
218	215

ppl_Pointset_Powerset_Int32_Box_minimize, 215
 ppl_Pointset_Powerset_Int32_Box_minimize, 215
 ppl_Pointset_Powerset_Int32_Box_OK, 216
 ppl_Pointset_Powerset_Int32_Box_omega, 215
 ppl_Pointset_Powerset_Int32_Box_pairwise_Product, 215
 ppl_Pointset_Powerset_Int32_Box_refine, 216
 ppl_Pointset_Powerset_Int32_Box_refine, 216
 ppl_Pointset_Powerset_Int32_Box_refine, 216
 ppl_Pointset_Powerset_Int32_Box_refine, 216
 ppl_Pointset_Powerset_Int32_Box_relations, 215
 ppl_Pointset_Powerset_Int32_Box_relations, 214
 ppl_Pointset_Powerset_Int32_Box_relations, 214
 ppl_Pointset_Powerset_Int32_Box_remove, 217
 ppl_Pointset_Powerset_Int32_Box_remove, 217
 ppl_Pointset_Powerset_Int32_Box_simplify, 216
 ppl_Pointset_Powerset_Int32_Box_size, 218
 ppl_Pointset_Powerset_Int32_Box_space, 214
 ppl_Pointset_Powerset_Int32_Box_strip, 215
 ppl_Pointset_Powerset_Int32_Box_swap, 214
 ppl_Pointset_Powerset_Int32_Box_time, 216
 ppl_Pointset_Powerset_Int32_Box_topological, 215
 ppl_Pointset_Powerset_Int32_Box_total, 218
 ppl_Pointset_Powerset_Int32_Box_uncompute, 217
 ppl_Pointset_Powerset_Int32_Box_uncompute, 217
 ppl_Pointset_Powerset_Int32_Box_upper, 216
 ppl_Pointset_Powerset_Int32_Box_upper, 216
 ppl_Pointset_Powerset_Int64_Box_add_congruences, 220
 ppl_Pointset_Powerset_Int64_Box_add_constraint, 220
 ppl_Pointset_Powerset_Int64_Box_add_constraints, 220
 ppl_Pointset_Powerset_Int64_Box_add_disjunct, 222
 ppl_Pointset_Powerset_Int64_Box_add_space_dimensions, 222
 ppl_Pointset_Powerset_Int64_Box_add_space_dimensions, 222
 ppl_Pointset_Powerset_Int64_Box_affine_dimension, 219
 ppl_Pointset_Powerset_Int64_Box_affine_image, 221
 ppl_Pointset_Powerset_Int64_Box_affine_preimage, 221
 ppl_Pointset_Powerset_Int64_Box_ascii_dump, 222
 ppl_Pointset_Powerset_Int64_Box_begin_iterator, 222
 ppl_Pointset_Powerset_Int64_Box_bounded_affine_image, 221
 ppl_Pointset_Powerset_Int64_Box_bounded_affine_image, 221
 ppl_Pointset_Powerset_Int64_Box_bounds_from_above, 219
 ppl_Pointset_Powerset_Int64_Box_bounds_from_below, 219
 ppl_Pointset_Powerset_Int64_Box_concatenate, 221
 ppl_Pointset_Powerset_Int64_Box_constrains, 221
 ppl_Pointset_Powerset_Int64_Box_contains, 219
 ppl_Pointset_Powerset_Int64_Box_contains, 220
 ppl_Pointset_Powerset_Int64_Box_decrement_iterator, 222
 ppl_Pointset_Powerset_Int64_Box_difference_assignment, 221
 ppl_Pointset_Powerset_Int64_Box_drop_disjunct, 223
 ppl_Pointset_Powerset_Int64_Box_drop_disjuncts, 223
 ppl_Pointset_Powerset_Int64_Box_drop_some_non_integers, 222
 ppl_Pointset_Powerset_Int64_Box_drop_some_non_integers, 222
 ppl_Pointset_Powerset_Int64_Box_drop_exact, 222
 ppl_Pointset_Powerset_Int64_Box_end_iterator, 222
 ppl_Pointset_Powerset_Int64_Box_equals, 220

ppl_Pointset_Powerset_Int64_Box_expand, ppl_Pointset_Powerset_Int64_Box_refine_with_congruence, 222
 ppl_Pointset_Powerset_Int64_Box_extend, ppl_Pointset_Powerset_Int64_Box_refine_with_congruence, 222
 ppl_Pointset_Powerset_Int64_Box_fold, ppl_Pointset_Powerset_Int64_Box_refine_with_constraints, 222
 ppl_Pointset_Powerset_Int64_Box_generate, ppl_Pointset_Powerset_Int64_Box_refine_with_constraints, 221
 ppl_Pointset_Powerset_Int64_Box_generate, ppl_Pointset_Powerset_Int64_Box_relation_with_constraints, 221
 ppl_Pointset_Powerset_Int64_Box_generate, ppl_Pointset_Powerset_Int64_Box_relation_with_constraints, 221
 ppl_Pointset_Powerset_Int64_Box_generate, ppl_Pointset_Powerset_Int64_Box_relation_with_constraints, 222
 ppl_Pointset_Powerset_Int64_Box_geometric, ppl_Pointset_Powerset_Int64_Box_remove_hyper_space, 220
 ppl_Pointset_Powerset_Int64_Box_geometric, ppl_Pointset_Powerset_Int64_Box_remove_hyper_space_dimension, 220
 ppl_Pointset_Powerset_Int64_Box_get, ppl_Pointset_Powerset_Int64_Box_simplify_using_constraints, 222
 ppl_Pointset_Powerset_Int64_Box_increment, ppl_Pointset_Powerset_Int64_Box_size, 222
 ppl_Pointset_Powerset_Int64_Box_intersect, ppl_Pointset_Powerset_Int64_Box_space_dimension, 220
 ppl_Pointset_Powerset_Int64_Box_is_bounded, ppl_Pointset_Powerset_Int64_Box_strictly_contains, 219
 ppl_Pointset_Powerset_Int64_Box_is_disjoint, ppl_Pointset_Powerset_Int64_Box_swap, 219
 ppl_Pointset_Powerset_Int64_Box_is_disjoint, ppl_Pointset_Powerset_Int64_Box_swap, 219
 ppl_Pointset_Powerset_Int64_Box_is_disjoint, ppl_Pointset_Powerset_Int64_Box_swap, 220
 ppl_Pointset_Powerset_Int64_Box_is_empty, ppl_Pointset_Powerset_Int64_Box_topological_closure, 219
 ppl_Pointset_Powerset_Int64_Box_is_topologically_closed, ppl_Pointset_Powerset_Int64_Box_total_memory_in_use, 219
 ppl_Pointset_Powerset_Int64_Box_is_upper, ppl_Pointset_Powerset_Int64_Box_unconstrain_space, 219
 ppl_Pointset_Powerset_Int64_Box_iterate, ppl_Pointset_Powerset_Int64_Box_unconstrain_space, 222
 ppl_Pointset_Powerset_Int64_Box_map_space_dimensions, ppl_Pointset_Powerset_Int64_Box_upper_bound_assignment, 222
 ppl_Pointset_Powerset_Int64_Box_maximize, ppl_Pointset_Powerset_Int64_Box_upper_bound_assignment, 219
 ppl_Pointset_Powerset_Int64_Box_maximize, ppl_Pointset_Powerset_Int8_Box_add_congruence, 220
 ppl_Pointset_Powerset_Int64_Box_minimize, ppl_Pointset_Powerset_Int8_Box_add_congruences, 219
 ppl_Pointset_Powerset_Int64_Box_minimize, ppl_Pointset_Powerset_Int8_Box_add_constraint, 220
 ppl_Pointset_Powerset_Int64_Box_OK, ppl_Pointset_Powerset_Int8_Box_add_constraints, 220
 ppl_Pointset_Powerset_Int64_Box_omega, ppl_Pointset_Powerset_Int8_Box_add_disjunct, 219
 ppl_Pointset_Powerset_Int64_Box_pairwise_product, ppl_Pointset_Powerset_Int8_Box_add_space_dimensions, 219

`ppl_Pointset_Powerset_Int8_Box_add_space_dimensions`, `ppl_Pointset_Powerset_Int8_Box_generalized_affine`, 208
`ppl_Pointset_Powerset_Int8_Box_affine_predicate`, `ppl_Pointset_Powerset_Int8_Box_generalized_affine`, 206
`ppl_Pointset_Powerset_Int8_Box_affine_image`, `ppl_Pointset_Powerset_Int8_Box_geometrically_covered`, 208
`ppl_Pointset_Powerset_Int8_Box_affine_image`, `ppl_Pointset_Powerset_Int8_Box_geometrically_equal`, 207
`ppl_Pointset_Powerset_Int8_Box_ascii_dump`, `ppl_Pointset_Powerset_Int8_Box_get_disjunct`, 209
`ppl_Pointset_Powerset_Int8_Box_begin_iterator`, `ppl_Pointset_Powerset_Int8_Box_increment_iterator`, 209
`ppl_Pointset_Powerset_Int8_Box_bounded_image`, `ppl_Pointset_Powerset_Int8_Box_intersection_assignment`, 208
`ppl_Pointset_Powerset_Int8_Box_bounded_image`, `ppl_Pointset_Powerset_Int8_Box_is_bounded`, 208
`ppl_Pointset_Powerset_Int8_Box_bounded_image`, `ppl_Pointset_Powerset_Int8_Box_is_discrete`, 206
`ppl_Pointset_Powerset_Int8_Box_bounded_image`, `ppl_Pointset_Powerset_Int8_Box_is_disjoint_from`, 206
`ppl_Pointset_Powerset_Int8_Box_concatenate`, `ppl_Pointset_Powerset_Int8_Box_is_empty`, 208
`ppl_Pointset_Powerset_Int8_Box_constraint`, `ppl_Pointset_Powerset_Int8_Box_is_topologically`, 208
`ppl_Pointset_Powerset_Int8_Box_contains_point`, `ppl_Pointset_Powerset_Int8_Box_is_universe`, 206
`ppl_Pointset_Powerset_Int8_Box_contains_point`, `ppl_Pointset_Powerset_Int8_Box_iterator_equals_iterator`, 207
`ppl_Pointset_Powerset_Int8_Box_decrement_iterator`, `ppl_Pointset_Powerset_Int8_Box_map_space_dimensions`, 209
`ppl_Pointset_Powerset_Int8_Box_difference`, `ppl_Pointset_Powerset_Int8_Box_maximize`, 207
`ppl_Pointset_Powerset_Int8_Box_drop_duplicates`, `ppl_Pointset_Powerset_Int8_Box_maximize_with_point`, 209
`ppl_Pointset_Powerset_Int8_Box_drop_duplicates`, `ppl_Pointset_Powerset_Int8_Box_minimize`, 210
`ppl_Pointset_Powerset_Int8_Box_drop_duplicates`, `ppl_Pointset_Powerset_Int8_Box_minimize_with_point`, 209
`ppl_Pointset_Powerset_Int8_Box_drop_duplicates`, `ppl_Pointset_Powerset_Int8_Box_OK`, 209
`ppl_Pointset_Powerset_Int8_Box_end_iterator`, `ppl_Pointset_Powerset_Int8_Box_omega_reduce`, 209
`ppl_Pointset_Powerset_Int8_Box_equals`, `ppl_Pointset_Powerset_Int8_Box_pairwise_reduce`, 207
`ppl_Pointset_Powerset_Int8_Box_expand_image`, `ppl_Pointset_Powerset_Int8_Box_refine_with_congruence`, 209
`ppl_Pointset_Powerset_Int8_Box_externalize`, `ppl_Pointset_Powerset_Int8_Box_refine_with_congruence`, 209
`ppl_Pointset_Powerset_Int8_Box_fold_image`, `ppl_Pointset_Powerset_Int8_Box_refine_with_constraint`, 209
`ppl_Pointset_Powerset_Int8_Box_generalized_image`, `ppl_Pointset_Powerset_Int8_Box_refine_with_constraint`, 208
`ppl_Pointset_Powerset_Int8_Box_generalized_image`, `ppl_Pointset_Powerset_Int8_Box_relation_with_constraint`, 208

ppl_Pointset_Powerset_Int8_Box_relations, ppl_Pointset_Powerset_Long_Double_Box_begin_iterate
 206 455
 ppl_Pointset_Powerset_Int8_Box_relations, ppl_Pointset_Powerset_Long_Double_Box_bounded_affine
 206 454
 ppl_Pointset_Powerset_Int8_Box_remove_duplicates, ppl_Pointset_Powerset_Long_Double_Box_bounded_affine
 209 454
 ppl_Pointset_Powerset_Int8_Box_remove_duplicates, ppl_Pointset_Powerset_Long_Double_Box_bounds_from
 209 452
 ppl_Pointset_Powerset_Int8_Box_simplify, ppl_Pointset_Powerset_Long_Double_Box_bounds_from
 208 452
 ppl_Pointset_Powerset_Int8_Box_size, ppl_Pointset_Powerset_Long_Double_Box_concatenate
 209 453
 ppl_Pointset_Powerset_Int8_Box_space, ppl_Pointset_Powerset_Long_Double_Box_constrains
 206 454
 ppl_Pointset_Powerset_Int8_Box_strictly_contains, ppl_Pointset_Powerset_Long_Double_Box_contains_in
 207 452
 ppl_Pointset_Powerset_Int8_Box_swap, ppl_Pointset_Powerset_Long_Double_Box_contains_P
 206 452
 ppl_Pointset_Powerset_Int8_Box_time, ppl_Pointset_Powerset_Long_Double_Box_decrement
 208 455
 ppl_Pointset_Powerset_Int8_Box_topological, ppl_Pointset_Powerset_Long_Double_Box_difference
 206 453
 ppl_Pointset_Powerset_Int8_Box_total, ppl_Pointset_Powerset_Long_Double_Box_drop_disjunct
 209 455
 ppl_Pointset_Powerset_Int8_Box_unconstrained, ppl_Pointset_Powerset_Long_Double_Box_drop_disjunct
 208 455
 ppl_Pointset_Powerset_Int8_Box_unconstrained, ppl_Pointset_Powerset_Long_Double_Box_drop_some
 208 455
 ppl_Pointset_Powerset_Int8_Box_upper, ppl_Pointset_Powerset_Long_Double_Box_drop_some
 207 455
 ppl_Pointset_Powerset_Int8_Box_upper, ppl_Pointset_Powerset_Long_Double_Box_end_iterate
 208 455
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_equals_Poi
 453 453
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_expand_spa
 453 454
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_external_m
 453 455
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_fold_spa
 453 454
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_generalized
 455 454
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_generalized
 454 454
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_generalized
 454 454
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_generalized
 451 454
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_geometrical
 454 452
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_geometrical
 454 453
 ppl_Pointset_Powerset_Long_Double_Box_pad, ppl_Pointset_Powerset_Long_Double_Box_get_disjunct
 455 455

`ppl_Pointset_Powerset_Long_Double_Box_print` 455
`ppl_Pointset_Powerset_Long_Double_Box_print` 455
`ppl_Pointset_Powerset_Long_Double_Box_print` 451
`ppl_Pointset_Powerset_Long_Double_Box_printed` 452
`ppl_Pointset_Powerset_Long_Double_Box_printset` 451
`ppl_Pointset_Powerset_Long_Double_Box_printset` 453
`ppl_Pointset_Powerset_Long_Double_Box_printset` 452
`ppl_Pointset_Powerset_Long_Double_Box_printset` 454
`ppl_Pointset_Powerset_Long_Double_Box_printset` 454
`ppl_Pointset_Powerset_Long_Double_Box_printset` 453
`ppl_Pointset_Powerset_Long_Double_Box_printset` 453
`ppl_Pointset_Powerset_Long_Double_Box_printset` 453
`ppl_Pointset_Powerset_Long_Double_Box_printset` 315
`ppl_Pointset_Powerset_Long_Double_Box_printset` 315
`ppl_Pointset_Powerset_Long_Double_Box_printset` 315
`ppl_Pointset_Powerset_Long_Double_Box_printset` 315
`ppl_Pointset_Powerset_Long_Double_Box_printset` 317
`ppl_Pointset_Powerset_Long_Double_Box_printset` 316
`ppl_Pointset_Powerset_Long_Double_Box_printset` 317
`ppl_Pointset_Powerset_Long_Double_Box_printset` 313
`ppl_Pointset_Powerset_Long_Double_Box_printset` 316
`ppl_Pointset_Powerset_Long_Double_Box_printset` 316
`ppl_Pointset_Powerset_Long_Double_Box_printset` 317
`ppl_Pointset_Powerset_Long_Double_Box_printset` 317
`ppl_Pointset_Powerset_Long_Double_Box_printset` 318
`ppl_Pointset_Powerset_Long_Double_Box_printset` 318
`ppl_Pointset_Powerset_Long_Double_Box_printset` 318
`ppl_Pointset_Powerset_Long_Double_Box_printset` 318

<code>ppl_Pointset_Powerset_NNC_Polyhedron</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_bound</code>
313	423
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_NNC_Polyhedron</code>
315	424
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_cont</code>
313	424
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_cont</code>
316	422
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_cont</code>
314	423
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_dec</code>
317	426
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_dif</code>
316	424
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_drop</code>
316	426
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_drop</code>
315	426
<code>ppl_Pointset_Powerset_NNC_Polyhedron_ptr</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_drop</code>
316	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_drop</code>
423	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_end</code>
424	426
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_equa</code>
423	423
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_exp</code>
423	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_exte</code>
426	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_fol</code>
425	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_gene</code>
425	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_gene</code>
422	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_gene</code>
424	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_gene</code>
424	425
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_geor</code>
425	423
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_geor</code>
426	423
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_get</code>
426	426
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_inc</code>
426	426
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_inte</code>
425	424
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_is_k</code>
425	422
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_double_is_o</code>
423	422

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppol/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_Pointset_Powerset_Octagonal_Shapeppfl_Paintsetn_PowersetpOctagonal_Shape_int16_t_di
 388 286
 ppl_Pointset_Powerset_Octagonal_Shapeppfl_Paintsetn_PowersetpOctagonal_Shape_int16_t_dr
 388 288
 ppl_Pointset_Powerset_Octagonal_Shapeppfl_Paintsetn_PowersetpOctagonal_Shape_int16_t_dr
 387 288
 ppl_Pointset_Powerset_Octagonal_Shapeppfl_Paintsetn_PowersetpOctagonal_Shape_int16_t_dr
 387 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_dr
 286 288
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_en
 286 288
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_eq
 286 285
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_exp
 286 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_ext
 288 288
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_fo
 287 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_sad_Powersetn_Octagonal_Shape_int16_t_ge
 287 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_seff_Powersetn_Octagonal_Shape_int16_t_ge
 284 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_seff_Powersetn_Octagonal_Shape_int16_t_ge
 287 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_seff_Powersetn_Octagonal_Shape_int16_t_ge
 287 287
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_ge
 288 285
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_ge
 288 285
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_ge
 288 288
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_in
 288 288
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_in
 287 286
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 287 284
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 285 285
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 285 285
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 286 284
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 286 284
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 284 284
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_is
 285 288
 ppl_Pointset_Powerset_Octagonal_Shapeppin_Pbint_setc_Powersetn_Octagonal_Shape_int16_t_map
 288 287

<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int16_t</code>
285	286
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	290
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	291
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	290
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	291
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	293
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	292
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	292
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	289
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	291
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	292
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
284	292
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
284	293
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
284	293
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
287	293
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
287	292
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	292
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
288	290
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
284	290
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	291
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
284	291
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	289
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
285	290
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
288	293
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	291
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	293
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int32_t</code>
286	293

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_Pointset_Powerset_Octagonal_ShapeppinP64intseti PowersetOctagonal_Shape_int8_t_add
 294 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_add
 296 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_aff
 296 279
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_aff
 296 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_aff
 296 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_asc
 294 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_beg
 294 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetf Powerset_Octagonal_Shape_int8_t_BGP
 294 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetm Powerset_Octagonal_Shape_int8_t_BHZ
 297 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetm Powerset_Octagonal_Shape_int8_t_bou
 297 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetm Powerset_Octagonal_Shape_int8_t_bou
 296 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetp Powerset_Octagonal_Shape_int8_t_bou
 298 280
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetp Powerset_Octagonal_Shape_int8_t_bou
 294 280
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetr Powerset_Octagonal_Shape_int8_t_bou
 295 281
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_con
 294 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_con
 296 280
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_con
 294 280
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_dec
 297 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_dif
 296 281
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_drop
 296 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_drop
 296 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_drop
 296 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_drop
 281 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_end
 281 283
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_equa
 281 281
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_exp
 281 282
 ppl_Pointset_Powerset_Octagonal_ShapeppinP64intsetw Powerset_Octagonal_Shape_int8_t_ext
 283 283

<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_ref</code>
282	281
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_ref</code>
282	281
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_rms8_t_rel</code>
282	279
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_rel</code>
282	279
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_hist8_t_rel</code>
282	279
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_ref</code>
280	282
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_ref</code>
280	282
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_sim</code>
283	281
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_size</code>
283	283
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_spa</code>
281	279
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_str</code>
280	280
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_swap</code>
280	279
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_toctag</code>
280	281
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_top</code>
279	280
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_tot</code>
280	283
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_unc</code>
279	282
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_unc</code>
283	282
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_upp</code>
282	281
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_int8_t_upp</code>
280	281
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
280	462
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
280	463
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
280	462
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
281	463
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
280	465
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
280	464
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
281	464
<code>ppl_Pointset_Powerset_Octagonal_Shape</code>	<code>ppl_Pointset_Powerset_Octagonal_Shape_long_double</code>
281	461

ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 463 464
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 464
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 465
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 465
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 463
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 461
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 462 461
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 462 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 463 461
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 463 461
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 461 461
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 462 465
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 464
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 463 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 462
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 463
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 465 463
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 463
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 463
 ppl_Pointset_Powerset_Octagonal_ShapepploRoidusetePowersetOctagonal_Shape_long_double
 464 461

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/ppl/> for more information.

ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_Powerset
 300 302
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_1
 303 301
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_2
 303 302
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_3
 301 299
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_4
 299 300
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_5
 299 299
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_6
 300 301
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_7
 299 299
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_8
 299 302
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_9
 299 301
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_10
 303 301
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_11
 302 301
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpq_class_12
 300 301
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_1
 300 305
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_2
 300 305
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_3
 300 305
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_4
 300 305
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_5
 300 305
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_6
 299 308
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_7
 299 307
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_8
 301 307
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_9
 301 304
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_10
 301 306
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_11
 301 306
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_12
 299 307
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_13
 299 308
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_14
 299 308
 ppl_Pointset_Powerset_Octagonal_Shape_pp1p2odhassetpowersetOctagonal_Shape_mpz_class_15
 302 308

The Parma Polyhedra Library Configured OCaml Language Interface Developer's Manual (version 0.11.2). See <http://www.cs.unipr.it/pol/> for more information.

`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_constrains`,
 304 243
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_contains`,
 305 241
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_contains_Point`,
 304 242
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_decrement_iter`,
 306 245
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_difference_as`,
 304 243
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_drop_disjunct`,
 307 245
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_drop_disjunct`,
 306 245
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_drop_some_non`,
 306 244
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_drop_some_non`,
 306 244
`ppl_Pointset_Powerset_Octagonal_Shape` `ppl_Podhasets_Powerset_Rational_Box_exact_iterator`,
 306 245
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_equals_Pointset`,
 242 242
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_expand_space`,
 242 244
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_external_memo`,
 242 244
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_fold_space_dir`,
 242 244
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_generalized_a`,
 245 243
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_generalized_a`,
 244 244
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_generalized_a`,
 244 244
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_generalized_a`,
 241 244
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_geometrically`,
 243 242
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_geometrically`,
 243 242
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_get_disjunct`,
 244 245
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_increment_iter`,
 244 245
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_intersection_a`,
 243 243
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_is_bounded`,
 243 241
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_is_discrete`,
 241 241
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_is_disjoint_f`,
 241 242
`ppl_Pointset_Powerset_Rational_Box_apply_iterator` `ppl_Powerset_Rational_Box_is_empty`,
 243 241

`ppl_Pointset_Powerset_Rational_Box_is_topological_Powerset_Rational_Box_total_memory_`
241 244
`ppl_Pointset_Powerset_Rational_Box_is_unconstrained_Powerset_Rational_Box_unconstrain_s`
241 243
`ppl_Pointset_Powerset_Rational_Box_is_rational_Powerset_Rational_Box_unconstrain_s`
245 243
`ppl_Pointset_Powerset_Rational_Box_map_lower_bound_Powerset_Rational_Box_upper_bound_a`
244 243
`ppl_Pointset_Powerset_Rational_Box_map_in_Powerset_Rational_Box_upper_bound_a`
241 243
`ppl_Pointset_Powerset_Rational_Box_map_in_Powerset_Uint16_Box_add_congruence,`
242 229
`ppl_Pointset_Powerset_Rational_Box_map_in_Powerset_Uint16_Box_add_congruences,`
242 229
`ppl_Pointset_Powerset_Rational_Box_map_in_Powerset_Uint16_Box_add_constraint,`
242 229
`ppl_Pointset_Powerset_Rational_Box_Map_Powerset_Uint16_Box_add_constraints,`
242 229
`ppl_Pointset_Powerset_Rational_Box_map_Powerset_Uint16_Box_add_disjunct,`
241 231
`ppl_Pointset_Powerset_Rational_Box_map_Powerset_Uint16_Box_add_space_dimen`
241 230
`ppl_Pointset_Powerset_Rational_Box_refine_Powerset_Uint16_Box_add_space_dimen`
242 230
`ppl_Pointset_Powerset_Rational_Box_refine_Powerset_Uint16_Box_affine_dimension`
243 228
`ppl_Pointset_Powerset_Rational_Box_refine_Powerset_Uint16_Box_affine_image,`
242 230
`ppl_Pointset_Powerset_Rational_Box_refine_Powerset_Uint16_Box_affine_preimage,`
243 230
`ppl_Pointset_Powerset_Rational_Box_repr_Powerset_Uint16_Box_ascii_dump,`
241 231
`ppl_Pointset_Powerset_Rational_Box_repr_Powerset_Uint16_Box_begin_iterator,`
241 231
`ppl_Pointset_Powerset_Rational_Box_repr_Powerset_Uint16_Box_bounded_affine_`
241 230
`ppl_Pointset_Powerset_Rational_Box_remove_Powerset_Uint16_Box_bounded_affine_`
244 230
`ppl_Pointset_Powerset_Rational_Box_remove_Powerset_Uint16_Box_bounds_from_abo`
244 228
`ppl_Pointset_Powerset_Rational_Box_simple_Powerset_Uint16_Box_bounds_from_bel`
243 228
`ppl_Pointset_Powerset_Rational_Box_sppa_Powerset_Uint16_Box_concatenate_ass`
244 229
`ppl_Pointset_Powerset_Rational_Box_sppa_Powerset_Uint16_Box_constrains,`
241 230
`ppl_Pointset_Powerset_Rational_Box_sppc_Powerset_Uint16_Box_contains_Powerset`
242 228
`ppl_Pointset_Powerset_Rational_Box_swap_Powerset_Uint16_Box_contains_Points`
241 228
`ppl_Pointset_Powerset_Rational_Box_time_Powerset_Uint16_Box_decrement_iterat`
243 231
`ppl_Pointset_Powerset_Rational_Box_topological_Powerset_Uint16_Box_difference_assi`
241 229

`ppl_Pointset_Powerset_Uint32_Box_addpoint` 233
`ppl_Pointset_Powerset_Uint32_Box_equals_Pointset` 233
`ppl_Pointset_Powerset_Uint32_Box_addpoint` 233
`ppl_Pointset_Powerset_Uint32_Box_expand_space_dim` 235
`ppl_Pointset_Powerset_Uint32_Box_addpoint` 233
`ppl_Pointset_Powerset_Uint32_Box_external_memory` 235
`ppl_Pointset_Powerset_Uint32_Box_addpoint` 233
`ppl_Pointset_Powerset_Uint32_Box_fold_space_dimer` 235
`ppl_Pointset_Powerset_Uint32_Box_addpoint` 236
`ppl_Pointset_Powerset_Uint32_Box_generalized_aff` 234
`ppl_Pointset_Powerset_Uint32_Box_addpoint` 235
`ppl_Pointset_Powerset_Uint32_Box_generalized_aff` 235
`ppl_Pointset_Powerset_Uint32_Box_addpoint` 235
`ppl_Pointset_Powerset_Uint32_Box_generalized_aff` 235
`ppl_Pointset_Powerset_Uint32_Box_affine_Pointset` 232
`ppl_Pointset_Powerset_Uint32_Box_generalized_aff` 235
`ppl_Pointset_Powerset_Uint32_Box_affine_Pointset` 234
`ppl_Pointset_Powerset_Uint32_Box_geometrically_c` 233
`ppl_Pointset_Powerset_Uint32_Box_affine_Pointset` 234
`ppl_Pointset_Powerset_Uint32_Box_geometrically_e` 233
`ppl_Pointset_Powerset_Uint32_Box_ascppl` 235
`ppl_Pointset_Powerset_Uint32_Box_get_disjunct` 236
`ppl_Pointset_Powerset_Uint32_Box_begpl` 235
`ppl_Pointset_Powerset_Uint32_Box_increment_iterat` 236
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 234
`ppl_Pointset_Powerset_Uint32_Box_intersection_as` 234
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 234
`ppl_Pointset_Powerset_Uint32_Box_is_bounded` 232
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 233
`ppl_Pointset_Powerset_Uint32_Box_is_discrete` 232
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 233
`ppl_Pointset_Powerset_Uint32_Box_is_disjoint_from` 233
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 233
`ppl_Pointset_Powerset_Uint32_Box_is_empty` 232
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 234
`ppl_Pointset_Powerset_Uint32_Box_is_topologically` 232
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 232
`ppl_Pointset_Powerset_Uint32_Box_is_universe` 232
`ppl_Pointset_Powerset_Uint32_Box_boundpl` 233
`ppl_Pointset_Powerset_Uint32_Box_iterator_equals` 236
`ppl_Pointset_Powerset_Uint32_Box_decpl` 236
`ppl_Pointset_Powerset_Uint32_Box_map_space_dimen` 235
`ppl_Pointset_Powerset_Uint32_Box_diffpl` 234
`ppl_Pointset_Powerset_Uint32_Box_maximize` 233
`ppl_Pointset_Powerset_Uint32_Box_droppl` 236
`ppl_Pointset_Powerset_Uint32_Box_maximize_with_p` 233
`ppl_Pointset_Powerset_Uint32_Box_droppl` 236
`ppl_Pointset_Powerset_Uint32_Box_minimize` 233
`ppl_Pointset_Powerset_Uint32_Box_droppl` 235
`ppl_Pointset_Powerset_Uint32_Box_minimize_with_p` 233
`ppl_Pointset_Powerset_Uint32_Box_droppl` 235
`ppl_Pointset_Powerset_Uint32_Box_OK` 233
`ppl_Pointset_Powerset_Uint32_Box_endpl` 235
`ppl_Pointset_Powerset_Uint32_Box_omega_reduce` 232

ppl_Pointset_Powerset_Uint32_Box_pairwise_product, Powerset_Uint64_Box_add_space_dimensions, 232
 ppl_Pointset_Powerset_Uint32_Box_refine, Pointset_Powerset_Uint64_Box_add_space_dimensions, 233
 ppl_Pointset_Powerset_Uint32_Box_refine, Pointset_Powerset_Uint64_Box_affine_dimensions, 234
 ppl_Pointset_Powerset_Uint32_Box_refine, Pointset_Powerset_Uint64_Box_affine_image, 233
 ppl_Pointset_Powerset_Uint32_Box_refine, Pointset_Powerset_Uint64_Box_affine_preimage, 234
 ppl_Pointset_Powerset_Uint32_Box_relationship, Pointset_Powerset_Uint64_Box_ascii_dump, 232
 ppl_Pointset_Powerset_Uint32_Box_relationship, Pointset_Powerset_Uint64_Box_begin_iterator, 232
 ppl_Pointset_Powerset_Uint32_Box_relationship, Pointset_Powerset_Uint64_Box_bounded_affine_image, 232
 ppl_Pointset_Powerset_Uint32_Box_remove, Pointset_Powerset_Uint64_Box_bounded_affine_image, 235
 ppl_Pointset_Powerset_Uint32_Box_remove, Pointset_Powerset_Uint64_Box_bounds_from_above, 235
 ppl_Pointset_Powerset_Uint32_Box_simplify, Pointset_Powerset_Uint64_Box_bounds_from_below, 234
 ppl_Pointset_Powerset_Uint32_Box_size, Pointset_Powerset_Uint64_Box_concatenate_assignment, 235
 ppl_Pointset_Powerset_Uint32_Box_space, Pointset_Powerset_Uint64_Box_constrains, 232
 ppl_Pointset_Powerset_Uint32_Box_strip, Pointset_Powerset_Uint64_Box_contains, 233
 ppl_Pointset_Powerset_Uint32_Box_swap, Pointset_Powerset_Uint64_Box_contains, 232
 ppl_Pointset_Powerset_Uint32_Box_time, Pointset_Powerset_Uint64_Box_decrement_iterator, 234
 ppl_Pointset_Powerset_Uint32_Box_top, Pointset_Powerset_Uint64_Box_difference_assignment, 232
 ppl_Pointset_Powerset_Uint32_Box_total, Pointset_Powerset_Uint64_Box_drop_disjuncts, 235
 ppl_Pointset_Powerset_Uint32_Box_uncount, Pointset_Powerset_Uint64_Box_drop_disjuncts, 234
 ppl_Pointset_Powerset_Uint32_Box_uncount, Pointset_Powerset_Uint64_Box_drop_some_non_included, 234
 ppl_Pointset_Powerset_Uint32_Box_upper, Pointset_Powerset_Uint64_Box_drop_some_non_included, 234
 ppl_Pointset_Powerset_Uint32_Box_upper, Pointset_Powerset_Uint64_Box_end_iterator, 234
 ppl_Pointset_Powerset_Uint64_Box_add, Pointset_Powerset_Uint64_Box_equals, 238
 ppl_Pointset_Powerset_Uint64_Box_add, Pointset_Powerset_Uint64_Box_expand_space_dimensions, 238
 ppl_Pointset_Powerset_Uint64_Box_add, Pointset_Powerset_Uint64_Box_external_memory, 238
 ppl_Pointset_Powerset_Uint64_Box_add, Pointset_Powerset_Uint64_Box_fold_space_dimensions, 238
 ppl_Pointset_Powerset_Uint64_Box_add, Pointset_Powerset_Uint64_Box_generalized_affine_image, 240

`ppl_Pointset_Powerset_Uint64_Box_generalize`, `ppl_Pointset_Powerset_Uint64_Box_relation_with_c`
239 237
`ppl_Pointset_Powerset_Uint64_Box_generalize`, `ppl_Pointset_Powerset_Uint64_Box_relation_with_c`
239 236
`ppl_Pointset_Powerset_Uint64_Box_generalize`, `ppl_Pointset_Powerset_Uint64_Box_relation_with_g`
239 236
`ppl_Pointset_Powerset_Uint64_Box_geometric`, `ppl_Pointset_Powerset_Uint64_Box_remove`, `ppl_Pointset_Powerset_Uint64_Box_size`
237 239
`ppl_Pointset_Powerset_Uint64_Box_geometric`, `ppl_Pointset_Powerset_Uint64_Box_remove`, `ppl_Pointset_Powerset_Uint64_Box_size`
238 239
`ppl_Pointset_Powerset_Uint64_Box_get`, `ppl_Pointset_Powerset_Uint64_Box_simplify_using`
240 238
`ppl_Pointset_Powerset_Uint64_Box_increment`, `ppl_Pointset_Powerset_Uint64_Box_size`
240 240
`ppl_Pointset_Powerset_Uint64_Box_increment`, `ppl_Pointset_Powerset_Uint64_Box_size`
238 236
`ppl_Pointset_Powerset_Uint64_Box_is_bounded`, `ppl_Pointset_Powerset_Uint64_Box_strictly_contain`
237 237
`ppl_Pointset_Powerset_Uint64_Box_is_closed`, `ppl_Pointset_Powerset_Uint64_Box_swap`
237 236
`ppl_Pointset_Powerset_Uint64_Box_is_closed`, `ppl_Pointset_Powerset_Uint64_Box_swap`
237 238
`ppl_Pointset_Powerset_Uint64_Box_is_empty`, `ppl_Pointset_Powerset_Uint64_Box_topological_clo`
237 237
`ppl_Pointset_Powerset_Uint64_Box_is_topologically_Powerset`, `ppl_Pointset_Powerset_Uint64_Box_total_memory_in`
237 240
`ppl_Pointset_Powerset_Uint64_Box_is_universal`, `ppl_Pointset_Powerset_Uint64_Box_unconstrain_spa`
237 238
`ppl_Pointset_Powerset_Uint64_Box_iterator`, `ppl_Pointset_Powerset_Uint64_Box_unconstrain_spa`
240 239
`ppl_Pointset_Powerset_Uint64_Box_map`, `ppl_Pointset_Powerset_Uint64_Box_upper_bound_ass`
239 238
`ppl_Pointset_Powerset_Uint64_Box_maximize`, `ppl_Pointset_Powerset_Uint64_Box_upper_bound_ass`
237 238
`ppl_Pointset_Powerset_Uint64_Box_maximize`, `ppl_Pointset_Powerset_Uint8_Box_add_congruence`
237 225
`ppl_Pointset_Powerset_Uint64_Box_minimize`, `ppl_Pointset_Powerset_Uint8_Box_add_congruences`
237 225
`ppl_Pointset_Powerset_Uint64_Box_minimize`, `ppl_Pointset_Powerset_Uint8_Box_add_constraint`
237 224
`ppl_Pointset_Powerset_Uint64_Box_OK`, `ppl_Pointset_Powerset_Uint8_Box_add_constraints`
238 225
`ppl_Pointset_Powerset_Uint64_Box_omega`, `ppl_Pointset_Powerset_Uint8_Box_add_disjunct`
237 227
`ppl_Pointset_Powerset_Uint64_Box_pairwise`, `ppl_Pointset_Powerset_Uint8_Box_add_space_dimens`
237 226
`ppl_Pointset_Powerset_Uint64_Box_refine`, `ppl_Pointset_Powerset_Uint8_Box_add_space_dimens`
238 226
`ppl_Pointset_Powerset_Uint64_Box_refine`, `ppl_Pointset_Powerset_Uint8_Box_affine_dimension`
238 223
`ppl_Pointset_Powerset_Uint64_Box_refine`, `ppl_Pointset_Powerset_Uint8_Box_affine_image`
238 225
`ppl_Pointset_Powerset_Uint64_Box_refine`, `ppl_Pointset_Powerset_Uint8_Box_affine_preimage`
238 225

`ppl_Pointset_Powerset_Uint8_Box_ascii_dump`, 226
`ppl_Pointset_Powerset_Uint8_Box_get_disjunct`, 227
`ppl_Pointset_Powerset_Uint8_Box_begin_pointset`, 227
`ppl_Pointset_Powerset_Uint8_Box_increment_iterator`, 227
`ppl_Pointset_Powerset_Uint8_Box_bounded_affine_image`, 226
`ppl_Pointset_Powerset_Uint8_Box_intersection_assignment`, 225
`ppl_Pointset_Powerset_Uint8_Box_bounded_affine_image`, 226
`ppl_Pointset_Powerset_Uint8_Box_is_bounded`, 223
`ppl_Pointset_Powerset_Uint8_Box_bounded_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_is_discrete`, 224
`ppl_Pointset_Powerset_Uint8_Box_bounded_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_is_disjoint_from`, 224
`ppl_Pointset_Powerset_Uint8_Box_concept_assign`, 225
`ppl_Pointset_Powerset_Uint8_Box_is_empty`, 223
`ppl_Pointset_Powerset_Uint8_Box_constant`, 225
`ppl_Pointset_Powerset_Uint8_Box_is_topologically`, 224
`ppl_Pointset_Powerset_Uint8_Box_contains_pointset`, 223
`ppl_Pointset_Powerset_Uint8_Box_is_universe`, 223
`ppl_Pointset_Powerset_Uint8_Box_contains_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_iterator_equals`, 227
`ppl_Pointset_Powerset_Uint8_Box_decrement_iterator`, 226
`ppl_Pointset_Powerset_Uint8_Box_map_space_dimensions`, 227
`ppl_Pointset_Powerset_Uint8_Box_difference`, 225
`ppl_Pointset_Powerset_Uint8_Box_maximize`, 224
`ppl_Pointset_Powerset_Uint8_Box_drop_pointset`, 227
`ppl_Pointset_Powerset_Uint8_Box_maximize_with_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_drop_pointset`, 227
`ppl_Pointset_Powerset_Uint8_Box_minimize`, 224
`ppl_Pointset_Powerset_Uint8_Box_drop_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_minimize_with_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_drop_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_OK`, 224
`ppl_Pointset_Powerset_Uint8_Box_end_pointset`, 227
`ppl_Pointset_Powerset_Uint8_Box_omega_reduce`, 224
`ppl_Pointset_Powerset_Uint8_Box_equals_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_pairwise_reduce`, 224
`ppl_Pointset_Powerset_Uint8_Box_expand_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_refine_with_congruence`, 225
`ppl_Pointset_Powerset_Uint8_Box_external_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_refine_with_congruence`, 225
`ppl_Pointset_Powerset_Uint8_Box_fold_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_refine_with_constants`, 225
`ppl_Pointset_Powerset_Uint8_Box_general_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_refine_with_constants`, 225
`ppl_Pointset_Powerset_Uint8_Box_general_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_relation_with_constants`, 223
`ppl_Pointset_Powerset_Uint8_Box_general_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_relation_with_constants`, 223
`ppl_Pointset_Powerset_Uint8_Box_general_pointset`, 226
`ppl_Pointset_Powerset_Uint8_Box_relation_with_constants`, 223
`ppl_Pointset_Powerset_Uint8_Box_geometric_pointset`, 224
`ppl_Pointset_Powerset_Uint8_Box_remove_box_dimensions`, 226
`ppl_Pointset_Powerset_Uint8_Box_geometric_pointset`, 224

ppl_Pointset_Powerset_Uint8_Box_simplify [225](#)
 ppl_Pointset_Powerset_Uint8_Box_size [226](#)
 ppl_Pointset_Powerset_Uint8_Box_space_dimension [223](#)
 ppl_Pointset_Powerset_Uint8_Box_strip [224](#)
 ppl_Pointset_Powerset_Uint8_Box_swap [223](#)
 ppl_Pointset_Powerset_Uint8_Box_time [225](#)
 ppl_Pointset_Powerset_Uint8_Box_topology [224](#)
 ppl_Pointset_Powerset_Uint8_Box_total [226](#)
 ppl_Pointset_Powerset_Uint8_Box_uncompute [225](#)
 ppl_Pointset_Powerset_Uint8_Box_uncompute [225](#)
 ppl_Pointset_Powerset_Uint8_Box_upper [225](#)
 ppl_Pointset_Powerset_Uint8_Box_upper [225](#)
 ppl_Pointset_Powerset_Z_Box_add_congruence [247](#)
 ppl_Pointset_Powerset_Z_Box_add_congruence [247](#)
 ppl_Pointset_Powerset_Z_Box_add_constraint [247](#)
 ppl_Pointset_Powerset_Z_Box_add_constraint [247](#)
 ppl_Pointset_Powerset_Z_Box_add_disjunct [249](#)
 ppl_Pointset_Powerset_Z_Box_add_space_dimension [248](#)
 ppl_Pointset_Powerset_Z_Box_add_space_dimension [248](#)
 ppl_Pointset_Powerset_Z_Box_affine_dimension [245](#)
 ppl_Pointset_Powerset_Z_Box_affine_image [248](#)
 ppl_Pointset_Powerset_Z_Box_affine_image [248](#)
 ppl_Pointset_Powerset_Z_Box_ascii_dump [248](#)
 ppl_Pointset_Powerset_Z_Box_begin_iterator [249](#)
 ppl_Pointset_Powerset_Z_Box_bounded_affine_image [248](#)
 ppl_Pointset_Powerset_Z_Box_bounded_affine_image [248](#)
 ppl_Pointset_Powerset_Z_Box_bounds_from_above [246](#)

ppl_Pointset_Powerset_Z_Box_bounds_from_below, [246](#)
 ppl_Pointset_Powerset_Z_Box_concatenate_assign, [247](#)
 ppl_Pointset_Powerset_Z_Box_constrains, [247](#)
 ppl_Pointset_Powerset_Z_Box_contains_Pointset_Powerset_Uint8_Box, [246](#)
 ppl_Pointset_Powerset_Z_Box_contains_Pointset_Powerset_Z_Box, [246](#)
 ppl_Pointset_Powerset_Z_Box_decrement_iterator, [249](#)
 ppl_Pointset_Powerset_Z_Box_difference_assign, [247](#)
 ppl_Pointset_Powerset_Z_Box_drop_disjunct, [249](#)
 ppl_Pointset_Powerset_Z_Box_drop_disjuncts, [249](#)
 ppl_Pointset_Powerset_Z_Box_drop_some_non_integer, [248](#)
 ppl_Pointset_Powerset_Z_Box_drop_some_non_integer, [248](#)
 ppl_Pointset_Powerset_Z_Box_exact, [249](#)
 ppl_Pointset_Powerset_Z_Box_equals_Pointset_Powerset_Z_Box, [247](#)
 ppl_Pointset_Powerset_Z_Box_expand_space_dimensions, [248](#)
 ppl_Pointset_Powerset_Z_Box_external_memory_in_bytes, [249](#)
 ppl_Pointset_Powerset_Z_Box_fold_space_dimensions, [248](#)
 ppl_Pointset_Powerset_Z_Box_generalized_affine_image, [248](#)
 ppl_Pointset_Powerset_Z_Box_generalized_affine_image, [248](#)
 ppl_Pointset_Powerset_Z_Box_generalized_affine_image, [248](#)
 ppl_Pointset_Powerset_Z_Box_geometrically_covers, [246](#)
 ppl_Pointset_Powerset_Z_Box_geometrically_equals, [246](#)
 ppl_Pointset_Powerset_Z_Box_get_disjunct, [249](#)
 ppl_Pointset_Powerset_Z_Box_increment_iterator, [249](#)
 ppl_Pointset_Powerset_Z_Box_intersection_assign, [247](#)
 ppl_Pointset_Powerset_Z_Box_is_bounded, [246](#)
 ppl_Pointset_Powerset_Z_Box_is_discrete, [246](#)

ppl_Pointset_Powerset_Z_Box_is_disjoint, 246
 ppl_Pointset_Powerset_Z_Box_is_empty, 246
 ppl_Pointset_Powerset_Z_Box_is_topological_closure, 246
 ppl_Pointset_Powerset_Z_Box_is_universal, 246
 ppl_Pointset_Powerset_Z_Box_iterator, 249
 ppl_Pointset_Powerset_Z_Box_map_space_dimension, 248
 ppl_Pointset_Powerset_Z_Box_maximize, 246
 ppl_Pointset_Powerset_Z_Box_maximize_with_Polyhedron, 246
 ppl_Pointset_Powerset_Z_Box_minimize, 246
 ppl_Pointset_Powerset_Z_Box_minimize_with_Polyhedron, 246
 ppl_Pointset_Powerset_Z_Box_OK, 247
 ppl_Pointset_Powerset_Z_Box_omega_reduce, 246
 ppl_Pointset_Powerset_Z_Box_pairwise_reduce, 246
 ppl_Pointset_Powerset_Z_Box_refine_with_Polyhedron, 247
 ppl_Pointset_Powerset_Z_Box_refine_with_Polyhedrons, 247
 ppl_Pointset_Powerset_Z_Box_refine_with_constraint, 247
 ppl_Pointset_Powerset_Z_Box_refine_with_constraints, 247
 ppl_Pointset_Powerset_Z_Box_relation_with_congruence, 246
 ppl_Pointset_Powerset_Z_Box_relation_with_constraint, 245
 ppl_Pointset_Powerset_Z_Box_relation_with_generator, 245
 ppl_Pointset_Powerset_Z_Box_remove_higher_space_dimensions, 248
 ppl_Pointset_Powerset_Z_Box_remove_space_dimensions, 248
 ppl_Pointset_Powerset_Z_Box_simplify_using_Context, 247
 ppl_Pointset_Powerset_Z_Box_size, 249
 ppl_Pointset_Powerset_Z_Box_space_dimension, 245
 ppl_Pointset_Powerset_Z_Box_strictly_contains, 246
 ppl_Pointset_Powerset_Z_Box_swap, 245
 ppl_Pointset_Powerset_Z_Box_time_elapsed_assign, 247
 ppl_Pointset_Powerset_Z_Box_topological_closure, 246
 ppl_Pointset_Powerset_Z_Box_total_memory_in_bytes, 249
 ppl_Pointset_Powerset_Z_Box_unconstrain_space_dimension, 247
 ppl_Pointset_Powerset_Z_Box_unconstrain_space_dimension, 247
 ppl_Polyhedron_add_congruence, 195
 ppl_Polyhedron_add_congruences, 195
 ppl_Polyhedron_add_constraint, 195
 ppl_Polyhedron_add_constraints, 195
 ppl_Polyhedron_add_generator, 195
 ppl_Polyhedron_add_generators, 195
 ppl_Polyhedron_add_space_dimensions_and_embed, 196
 ppl_Polyhedron_add_space_dimensions_and_project, 197
 ppl_Polyhedron_affine_dimension, 194
 ppl_Polyhedron_affine_image, 196
 ppl_Polyhedron_affine_preimage, 196
 ppl_Polyhedron_ascii_dump, 197
 ppl_Polyhedron_BHRZ03_widening_assign, 197
 ppl_Polyhedron_BHRZ03_widening_assign_with_token, 197
 ppl_Polyhedron_bounded_affine_image, 196
 ppl_Polyhedron_bounded_affine_preimage, 196
 ppl_Polyhedron_bounded_BHRZ03_extrapolation_assign, 197
 ppl_Polyhedron_bounded_BHRZ03_extrapolation_assign_with_token, 197
 ppl_Polyhedron_bounded_H79_extrapolation_assign, 198
 ppl_Polyhedron_bounded_H79_extrapolation_assign_with_token, 198
 ppl_Polyhedron_bounds_from_above, 195
 ppl_Polyhedron_bounds_from_below, 195
 ppl_Polyhedron_concatenate_assign, 196
 ppl_Polyhedron_contains, 196
 ppl_Polyhedron_contains_integer_point, 195

- ppl_Polyhedron_contains_Polyhedron, 195
 ppl_Polyhedron_difference_assign, 196
 ppl_Polyhedron_drop_some_non_integer_points, 197
 ppl_Polyhedron_drop_some_non_integer_points_2, 197
 ppl_Polyhedron_equals_Polyhedron, 195
 ppl_Polyhedron_expand_space_dimension, 197
 ppl_Polyhedron_external_memory_in_bytes, 197
 ppl_Polyhedron_fold_space_dimensions, 197
 ppl_Polyhedron_frequency, 195
 ppl_Polyhedron_generalized_affine_image, 196
 ppl_Polyhedron_generalized_affine_image_lhs_rhs, 196
 ppl_Polyhedron_generalized_affine_preimage, 196
 ppl_Polyhedron_generalized_affine_preimage_lhs_rhs, 196
 ppl_Polyhedron_get_congruences, 194
 ppl_Polyhedron_get_constraints, 194
 ppl_Polyhedron_get_generators, 194
 ppl_Polyhedron_get_minimized_congruences, 194
 ppl_Polyhedron_get_minimized_constraints, 194
 ppl_Polyhedron_get_minimized_generators, 194
 ppl_Polyhedron_H79_widening_assign, 197
 ppl_Polyhedron_H79_widening_assign_with_tokens, 197
 ppl_Polyhedron_intersection_assign, 196
 ppl_Polyhedron_is_bounded, 195
 ppl_Polyhedron_is_discrete, 195
 ppl_Polyhedron_is_disjoint_from_Polyhedron, 195
 ppl_Polyhedron_is_empty, 195
 ppl_Polyhedron_is_topologically_closed, 195
 ppl_Polyhedron_is_universe, 195
 ppl_Polyhedron_limited_BHRZ03_extrapolation_assign, 197
 ppl_Polyhedron_limited_BHRZ03_extrapolation_assign_with_constraints, 197
 ppl_Polyhedron_limited_H79_extrapolation_assign, 197
 ppl_Polyhedron_limited_H79_extrapolation_assign_v, 197
 ppl_Polyhedron_linear_partition, 198
 ppl_Polyhedron_map_space_dimensions, 197
 ppl_Polyhedron_maximize, 195
 ppl_Polyhedron_maximize_with_point, 195
 ppl_Polyhedron_minimize, 195
 ppl_Polyhedron_minimize_with_point, 195
 ppl_Polyhedron_OK, 195
 ppl_Polyhedron_poly_difference_assign, 196
 ppl_Polyhedron_poly_hull_assign, 196
 ppl_Polyhedron_poly_hull_assign_if_exact, 196
 ppl_Polyhedron_refine_with_congruence, 195
 ppl_Polyhedron_refine_with_congruences, 196
 ppl_Polyhedron_refine_with_constraint, 195
 ppl_Polyhedron_refine_with_constraints, 195
 ppl_Polyhedron_relation_with_congruence, 194
 ppl_Polyhedron_relation_with_constraint, 194
 ppl_Polyhedron_relation_with_generator, 194
 ppl_Polyhedron_remove_higher_space_dimensions, 197
 ppl_Polyhedron_remove_space_dimensions, 197
 ppl_Polyhedron_simplify_using_context_assign, 196
 ppl_Polyhedron_space_dimension, 194
 ppl_Polyhedron_strictly_contains_Polyhedron, 195
 ppl_Polyhedron_swap, 194
 ppl_Polyhedron_time_elapse_assign, 196
 ppl_Polyhedron_topological_closure_assign, 195
 ppl_Polyhedron_total_memory_in_bytes, 197
 ppl_Polyhedron_unconstrain_space_dimension, 196
 ppl_Polyhedron_unconstrain_space_dimensions, 196
 ppl_Polyhedron_upper_bound_assign, 196

- ppl_Polyhedron_upper_bound_assign_if_possible, 196
 ppl_Polyhedron_widening_assign, 197
 ppl_Polyhedron_widening_assign_with_tokens, 197
 ppl_Polyhedron_wrap_assign, 198
 ppl_Rational_Box_add_congruence, 86
 ppl_Rational_Box_add_congruences, 86
 ppl_Rational_Box_add_constraint, 86
 ppl_Rational_Box_add_constraints, 86
 ppl_Rational_Box_add_space_dimensions, 87
 ppl_Rational_Box_add_space_dimensions_and_enforce, 87
 ppl_Rational_Box_affine_dimension, 85
 ppl_Rational_Box_affine_image, 87
 ppl_Rational_Box_affine_preimage, 87
 ppl_Rational_Box_ascii_dump, 88
 ppl_Rational_Box_bounded_affine_image, 87
 ppl_Rational_Box_bounded_affine_preimage, 87
 ppl_Rational_Box_bounds_from_above, 85
 ppl_Rational_Box_bounds_from_below, 85
 ppl_Rational_Box_CC76_widening_assign, 88
 ppl_Rational_Box_CC76_widening_assign_with_tokens, 88
 ppl_Rational_Box_concatenate_assign, 86
 ppl_Rational_Box_constrains, 86
 ppl_Rational_Box_contains_integer_point, 85
 ppl_Rational_Box_contains_Rational_Box, 86
 ppl_Rational_Box_difference_assign, 86
 ppl_Rational_Box_drop_some_non_integer_points, 87
 ppl_Rational_Box_drop_some_non_integer_points_2, 87
 ppl_Rational_Box_equals_Rational_Box, 86
 ppl_Rational_Box_expand_space_dimension, 87
 ppl_Rational_Box_external_memory_in_bytes, 88
 ppl_Rational_Box_fold_space_dimensions, 87
 ppl_Rational_Box_frequency, 86
 ppl_Rational_Box_generalized_affine_image, 87
 ppl_Rational_Box_generalized_affine_image_lhs_rhs, 87
 ppl_Rational_Box_generalized_affine_preimage, 87
 ppl_Rational_Box_generalized_affine_preimage_lhs_rhs, 87
 ppl_Rational_Box_get_congruences, 85
 ppl_Rational_Box_get_constraints, 85
 ppl_Rational_Box_get_minimized_congruences, 85
 ppl_Rational_Box_get_minimized_constraints, 85
 ppl_Rational_Box_intersection_assign, 86
 ppl_Rational_Box_is_bounded, 85
 ppl_Rational_Box_is_discrete, 85
 ppl_Rational_Box_is_disjoint_from_Rational_Box, 86
 ppl_Rational_Box_is_empty, 85
 ppl_Rational_Box_is_topologically_closed, 85
 ppl_Rational_Box_is_universe, 85
 ppl_Rational_Box_limited_CC76_extrapolation_assign, 88
 ppl_Rational_Box_limited_CC76_extrapolation_assign_with_tokens, 88
 ppl_Rational_Box_linear_partition, 87
 ppl_Rational_Box_map_space_dimensions, 87
 ppl_Rational_Box_maximize, 85
 ppl_Rational_Box_maximize_with_point, 85
 ppl_Rational_Box_minimize, 85
 ppl_Rational_Box_minimize_with_point, 86
 ppl_Rational_Box_OK, 86
 ppl_Rational_Box_refine_with_congruence, 86
 ppl_Rational_Box_refine_with_congruences, 86
 ppl_Rational_Box_refine_with_constraint, 86
 ppl_Rational_Box_refine_with_constraints, 86
 ppl_Rational_Box_relation_with_congruence, 85
 ppl_Rational_Box_relation_with_constraint, 85
 ppl_Rational_Box_relation_with_generator, 85

- ppl_Rational_Box_remove_higher_space_dimensions, [120](#)
 ppl_Rational_Box_remove_space_dimensions, [96](#)
 ppl_Rational_Box_simplify_using_constraints, [96](#)
 ppl_Rational_Box_space_dimension, [85](#) ppl_termination_test_MS_BD_Shape_long_double, [441](#)
 ppl_Rational_Box_strictly_contains_Rational_Box, [86](#) ppl_termination_test_MS_BD_Shape_long_double_2, [442](#)
 ppl_Rational_Box_swap, [85](#)
 ppl_Rational_Box_time_elapse_assign, ppl_termination_test_MS_BD_Shape_mpq_class, [136](#)
 ppl_Rational_Box_topological_closure, ppl_termination_test_MS_BD_Shape_mpq_class_2, [136](#)
 ppl_Rational_Box_total_memory_in_bytes, ppl_termination_test_MS_BD_Shape_mpz_class, [128](#)
 ppl_Rational_Box_unconstrain_space_dimensions, ppl_termination_test_MS_BD_Shape_mpz_class_2, [128](#)
 ppl_Rational_Box_unconstrain_space_dimensions, ppl_termination_test_MS_C_Polyhedron, [198](#)
 ppl_Rational_Box_upper_bound_assign, ppl_termination_test_MS_C_Polyhedron_2, [198](#)
 ppl_Rational_Box_upper_bound_assign_exact, ppl_termination_test_MS_Double_Box, [395](#)
 ppl_Rational_Box_widening_assign, [88](#) ppl_termination_test_MS_Double_Box_2, [396](#)
 ppl_Rational_Box_widening_assign_with_tokens, [88](#) ppl_termination_test_MS_Float_Box, [359](#)
 ppl_Rational_Box_wrap_assign, [88](#) ppl_termination_test_MS_Float_Box_2, [359](#)
 ppl_reset_deterministic_timeout, [22](#) ppl_termination_test_MS_Grid, [205](#)
 ppl_reset_timeout, [22](#) ppl_termination_test_MS_Grid_2, [205](#)
 ppl_restore_pre_PPL_rounding, [22](#) ppl_termination_test_MS_Int16_Box, [37](#)
 ppl_set_deterministic_timeout, [22](#) ppl_termination_test_MS_Int16_Box_2, [37](#)
 ppl_set_irrational_precision, [22](#) ppl_termination_test_MS_Int32_Box, [43](#)
 ppl_set_rounding_for_PPL, [22](#) ppl_termination_test_MS_Int32_Box_2, [44](#)
 ppl_set_timeout, [22](#) ppl_termination_test_MS_Int64_Box, [50](#)
 ppl_termination_test_MS_BD_Shape_double, [403](#) ppl_termination_test_MS_Int64_Box_2, [50](#)
 ppl_termination_test_MS_BD_Shape_double_2, [403](#) ppl_termination_test_MS_Long_Double_Box, [433](#)
 ppl_termination_test_MS_BD_Shape_float, [367](#) ppl_termination_test_MS_Long_Double_Box_2, [433](#)
 ppl_termination_test_MS_BD_Shape_float_2, [367](#) ppl_termination_test_MS_NNC_Polyhedron, [198](#)
 ppl_termination_test_MS_BD_Shape_int16_t, [104](#)
 ppl_termination_test_MS_BD_Shape_int16_t_2, [104](#)
 ppl_termination_test_MS_BD_Shape_int32_t, [112](#)
 ppl_termination_test_MS_BD_Shape_int32_t_2, [112](#)
 ppl_termination_test_MS_BD_Shape_int64_t, [120](#)

- ppl_termination_test_PR_Grid, 205
 ppl_termination_test_PR_Grid_2, 205
 ppl_termination_test_PR_Int16_Box, 37
 ppl_termination_test_PR_Int16_Box_2, 37
 ppl_termination_test_PR_Int32_Box, 43
 ppl_termination_test_PR_Int32_Box_2, 44
 ppl_termination_test_PR_Int64_Box, 50
 ppl_termination_test_PR_Int64_Box_2, 50
 ppl_termination_test_PR_Int8_Box, 31
 ppl_termination_test_PR_Int8_Box_2, 31
 ppl_termination_test_PR_Long_Double_Box, 433
 ppl_termination_test_PR_Long_Double_Box_2, 433
 ppl_termination_test_PR_NNC_Polyhedron, 198
 ppl_termination_test_PR_NNC_Polyhedron_2, 198
 ppl_termination_test_PR_Octagonal_Shape_double, 411
 ppl_termination_test_PR_Octagonal_Shape_double_2, 412
 ppl_termination_test_PR_Octagonal_Shape_double_3, 375
 ppl_termination_test_PR_Octagonal_Shape_double_4, 375
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box, 153
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_2, 153
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_3, 161
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_4, 162
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_5, 170
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_6, 170
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_7, 144
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_8, 144
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_9, 450
 ppl_termination_test_PR_Octagonal_Shape_uint16_Box_10, 450
 ppl_termination_test_PR_Octagonal_Shape_mpq_class, 187
 ppl_termination_test_PR_Octagonal_Shape_mpq_class_2, 188
 ppl_termination_test_PR_Octagonal_Shape_mpz_class, 179
 ppl_termination_test_PR_Octagonal_Shape_mpz_class_2, 179
 ppl_termination_test_PR_Rational_Box, 88
 ppl_termination_test_PR_Rational_Box_2, 88
 ppl_termination_test_PR_Uint16_Box, 62
 ppl_termination_test_PR_Uint16_Box_2, 63
 ppl_termination_test_PR_Uint32_Box, 69
 ppl_termination_test_PR_Uint32_Box_2, 69
 ppl_termination_test_PR_Uint64_Box, 75
 ppl_termination_test_PR_Uint64_Box_2, 76
 ppl_termination_test_PR_Uint8_Box, 56
 ppl_termination_test_PR_Uint8_Box_2, 56
 ppl_termination_test_PR_Z_Box, 81
 ppl_termination_test_PR_Z_Box_2, 81
 PPL_timeout_exception, 19
 ppl_uint16_Box_add_congruence, 61
 ppl_uint16_Box_add_congruences, 61
 ppl_uint16_Box_add_constraint, 61
 ppl_uint16_Box_add_constraints, 61
 ppl_uint16_Box_add_space_dimensions_and_embed, 62
 ppl_uint16_Box_add_space_dimensions_and_project, 62
 ppl_uint16_Box_affine_dimension, 59
 ppl_uint16_Box_affine_image, 61
 ppl_uint16_Box_affine_preimage, 61
 ppl_uint16_Box_ascii_dump, 62
 ppl_uint16_Box_bounded_affine_image, 61
 ppl_uint16_Box_bounded_affine_preimage, 61
 ppl_uint16_Box_bounds_from_above, 60
 ppl_uint16_Box_bounds_from_below, 60
 ppl_uint16_Box_cc76_widening_assign, 62
 ppl_uint16_Box_cc76_widening_assign_with_tokens, 62

- ppl_Uint16_Box_concatenate_assign, 61
 ppl_Uint16_Box_constrains, 61
 ppl_Uint16_Box_contains_integer_point, 60
 ppl_Uint16_Box_contains_Uint16_Box, 60
 ppl_Uint16_Box_difference_assign, 61
 ppl_Uint16_Box_drop_some_non_integer_points, 62
 ppl_Uint16_Box_drop_some_non_integer_points2, 62
 ppl_Uint16_Box_equals_Uint16_Box, 60
 ppl_Uint16_Box_expand_space_dimension, 62
 ppl_Uint16_Box_external_memory_in_bytes, 62
 ppl_Uint16_Box_fold_space_dimensions, 62
 ppl_Uint16_Box_frequency, 60
 ppl_Uint16_Box_generalized_affine_image, 61
 ppl_Uint16_Box_generalized_affine_image2, 62
 ppl_Uint16_Box_generalized_affine_preimage, 61
 ppl_Uint16_Box_generalized_affine_preimage2, 62
 ppl_Uint16_Box_get_congruences, 60
 ppl_Uint16_Box_get_constraints, 60
 ppl_Uint16_Box_get_minimized_congruences, 60
 ppl_Uint16_Box_get_minimized_constraints, 60
 ppl_Uint16_Box_intersection_assign, 61
 ppl_Uint16_Box_is_bounded, 60
 ppl_Uint16_Box_is_discrete, 60
 ppl_Uint16_Box_is_disjoint_from_Uint16_Box, 60
 ppl_Uint16_Box_is_empty, 60
 ppl_Uint16_Box_is_topologically_closed, 60
 ppl_Uint16_Box_is_universe, 60
 ppl_Uint16_Box_limited_CC76_extrapolation_assign, 62
 ppl_Uint16_Box_limited_CC76_extrapolation_assign2, 62
 ppl_Uint16_Box_linear_partition, 62
 ppl_Uint16_Box_map_space_dimensions, 62
 ppl_Uint16_Box_maximize, 60
 ppl_Uint16_Box_maximize_with_point, 60
 ppl_Uint16_Box_minimize, 60
 ppl_Uint16_Box_minimize_with_point, 60
 ppl_Uint16_Box_OK, 61
 ppl_Uint16_Box_refine_with_congruence, 61
 ppl_Uint16_Box_refine_with_congruences, 61
 ppl_Uint16_Box_refine_with_constraint, 61
 ppl_Uint16_Box_refine_with_constraints, 61
 ppl_Uint16_Box_relation_with_congruence, 60
 ppl_Uint16_Box_relation_with_constraint, 60
 ppl_Uint16_Box_relation_with_generator, 60
 ppl_Uint16_Box_remove_higher_space_dimensions, 62
 ppl_Uint16_Box_remove_space_dimensions, 62
 ppl_Uint16_Box_simplify_using_context_assign, 61
 ppl_Uint16_Box_space_dimension, 59
 ppl_Uint16_Box_strictly_contains_Uint16_Box, 60
 ppl_Uint16_Box_swap, 59
 ppl_Uint16_Box_time_elapse_assign, 61
 ppl_Uint16_Box_topological_closure_assign, 60
 ppl_Uint16_Box_total_memory_in_bytes, 62
 ppl_Uint16_Box_unconstrain_space_dimension, 61
 ppl_Uint16_Box_unconstrain_space_dimensions, 61
 ppl_Uint16_Box_upper_bound_assign, 61
 ppl_Uint16_Box_upper_bound_assign_if_exact, 61
 ppl_Uint16_Box_widening_assign, 62
 ppl_Uint16_Box_widening_assign_with_tokens, 62
 ppl_Uint16_Box_wrap_assign, 62
 ppl_Uint32_Box_add_congruences, 67
 ppl_Uint32_Box_add_constraint, 67
 ppl_Uint32_Box_add_constraints, 67
 ppl_Uint32_Box_add_space_dimensions_and_embed, 68
 ppl_Uint32_Box_add_space_dimensions_and_project, 68

ppl_Uint32_Box_affine_dimension, 66
 ppl_Uint32_Box_affine_image, 68
 ppl_Uint32_Box_affine_preimage, 68
 ppl_Uint32_Box_ascii_dump, 68
 ppl_Uint32_Box_bounded_affine_image, 68
 ppl_Uint32_Box_bounded_affine_preimage, 68
 ppl_Uint32_Box_bounds_from_above, 66
 ppl_Uint32_Box_bounds_from_below, 66
 ppl_Uint32_Box_CC76_widening_assign, 68
 ppl_Uint32_Box_CC76_widening_assign_with_tokens, 68
 ppl_Uint32_Box_concatenate_assign, 67
 ppl_Uint32_Box_constrains, 67
 ppl_Uint32_Box_contains_integer_point, 66
 ppl_Uint32_Box_contains_Uint32_Box, 67
 ppl_Uint32_Box_difference_assign, 67
 ppl_Uint32_Box_drop_some_non_integer_points, 68
 ppl_Uint32_Box_drop_some_non_integer_points, 68
 ppl_Uint32_Box_equals_Uint32_Box, 67
 ppl_Uint32_Box_expand_space_dimension, 68
 ppl_Uint32_Box_external_memory_in_bytes, 68
 ppl_Uint32_Box_fold_space_dimensions, 68
 ppl_Uint32_Box_frequency, 67
 ppl_Uint32_Box_generalized_affine_image, 68
 ppl_Uint32_Box_generalized_affine_image, 68
 ppl_Uint32_Box_generalized_affine_preimage, 68
 ppl_Uint32_Box_generalized_affine_preimage, 68
 ppl_Uint32_Box_get_congruences, 66
 ppl_Uint32_Box_get_constraints, 66
 ppl_Uint32_Box_get_minimized_congruences, 66
 ppl_Uint32_Box_get_minimized_constraints, 66
 ppl_Uint32_Box_intersection_assign, 67
 ppl_Uint32_Box_is_bounded, 66
 ppl_Uint32_Box_is_discrete, 66
 ppl_Uint32_Box_is_disjoint_from_Uint32_Box, 67
 ppl_Uint32_Box_is_empty, 66
 ppl_Uint32_Box_is_topologically_closed, 66
 ppl_Uint32_Box_is_universe, 66
 ppl_Uint32_Box_limited_CC76_extrapolation_assign, 69
 ppl_Uint32_Box_limited_CC76_extrapolation_assign, 69
 ppl_Uint32_Box_linear_partition, 69
 ppl_Uint32_Box_map_space_dimensions, 68
 ppl_Uint32_Box_maximize, 67
 ppl_Uint32_Box_maximize_with_point, 67
 ppl_Uint32_Box_minimize, 67
 ppl_Uint32_Box_minimize_with_point, 67
 ppl_Uint32_Box_OK, 67
 ppl_Uint32_Box_refine_with_congruence, 67
 ppl_Uint32_Box_refine_with_congruences, 67
 ppl_Uint32_Box_refine_with_constraint, 67
 ppl_Uint32_Box_refine_with_constraints, 67
 ppl_Uint32_Box_relation_with_congruence, 66
 ppl_Uint32_Box_relation_with_constraint, 66
 ppl_Uint32_Box_relation_with_generator, 66
 ppl_Uint32_Box_remove_higher_space_dimensions, 68
 ppl_Uint32_Box_remove_space_dimensions, 68
 ppl_Uint32_Box_simplify_using_context_assign, 67
 ppl_Uint32_Box_space_dimension, 66
 ppl_Uint32_Box_strictly_contains_Uint32_Box, 67
 ppl_Uint32_Box_swap, 66
 ppl_Uint32_Box_time_elapse_assign, 67
 ppl_Uint32_Box_topological_closure_assign, 66
 ppl_Uint32_Box_total_memory_in_bytes, 68
 ppl_Uint32_Box_unconstrain_space_dimension, 67
 ppl_Uint32_Box_unconstrain_space_dimensions, 68
 ppl_Uint32_Box_upper_bound_assign, 67

- `ppl_Uint64_Box_strictly_contains_Uint64_Box`, 73
`ppl_Uint64_Box_swap`, 72
`ppl_Uint64_Box_time_elapse_assign`, 74
`ppl_Uint64_Box_topological_closure_assign`, 73
`ppl_Uint64_Box_total_memory_in_bytes`, 75
`ppl_Uint64_Box_unconstrain_space_dimensions`, 74
`ppl_Uint64_Box_unconstrain_space_dimensions1`, 74
`ppl_Uint64_Box_upper_bound_assign`, 74
`ppl_Uint64_Box_upper_bound_assign_if_exact`, 74
`ppl_Uint64_Box_widening_assign`, 75
`ppl_Uint64_Box_widening_assign_with_tokens`, 75
`ppl_Uint64_Box_wrap_assign`, 75
`ppl_Uint8_Box_add_congruence`, 54
`ppl_Uint8_Box_add_congruences`, 54
`ppl_Uint8_Box_add_constraint`, 54
`ppl_Uint8_Box_add_constraints`, 54
`ppl_Uint8_Box_add_space_dimensions_and_embed`, 55
`ppl_Uint8_Box_add_space_dimensions_and_project`, 55
`ppl_Uint8_Box_affine_dimension`, 53
`ppl_Uint8_Box_affine_image`, 55
`ppl_Uint8_Box_affine_preimage`, 55
`ppl_Uint8_Box_ascii_dump`, 55
`ppl_Uint8_Box_bounded_affine_image`, 55
`ppl_Uint8_Box_bounded_affine_preimage`, 55
`ppl_Uint8_Box_bounds_from_above`, 54
`ppl_Uint8_Box_bounds_from_below`, 54
`ppl_Uint8_Box_CC76_widening_assign`, 56
`ppl_Uint8_Box_CC76_widening_assign_with_tokens`, 56
`ppl_Uint8_Box_concatenate_assign`, 54
`ppl_Uint8_Box_constrains`, 55
`ppl_Uint8_Box_contains_integer_point`, 54
`ppl_Uint8_Box_contains_Uint8_Box`, 54
`ppl_Uint8_Box_difference_assign`, 54
`ppl_Uint8_Box_drop_some_non_integer_points`, 55
`ppl_Uint8_Box_drop_some_non_integer_points1`, 55
`ppl_Uint8_Box_equals_Uint8_Box`, 54
`ppl_Uint8_Box_expand_space_dimension`, 55
`ppl_Uint8_Box_external_memory_in_bytes`, 56
`ppl_Uint8_Box_fold_space_dimensions`, 55
`ppl_Uint8_Box_frequency`, 54
`ppl_Uint8_Box_generalized_affine_image`, 55
`ppl_Uint8_Box_generalized_affine_image_lhs_rhs`, 55
`ppl_Uint8_Box_generalized_affine_preimage`, 55
`ppl_Uint8_Box_generalized_affine_preimage_lhs_rhs`, 55
`ppl_Uint8_Box_get_congruences`, 53
`ppl_Uint8_Box_get_constraints`, 53
`ppl_Uint8_Box_get_minimized_congruences`, 53
`ppl_Uint8_Box_get_minimized_constraints`, 53
`ppl_Uint8_Box_intersection_assign`, 54
`ppl_Uint8_Box_is_bounded`, 53
`ppl_Uint8_Box_is_discrete`, 54
`ppl_Uint8_Box_is_disjoint_from_Uint8_Box`, 54
`ppl_Uint8_Box_is_empty`, 53
`ppl_Uint8_Box_is_topologically_closed`, 54
`ppl_Uint8_Box_is_universe`, 53
`ppl_Uint8_Box_limited_CC76_extrapolation_assign`, 56
`ppl_Uint8_Box_limited_CC76_extrapolation_assign1`, 56
`ppl_Uint8_Box_linear_partition`, 56
`ppl_Uint8_Box_map_space_dimensions`, 55
`ppl_Uint8_Box_maximize`, 54
`ppl_Uint8_Box_maximize_with_point`, 54
`ppl_Uint8_Box_minimize`, 54
`ppl_Uint8_Box_minimize_with_point`, 54
`ppl_Uint8_Box_OK`, 54
`ppl_Uint8_Box_refine_with_congruence`, 54
`ppl_Uint8_Box_refine_with_congruences`, 54
`ppl_Uint8_Box_refine_with_constraint`, 54
`ppl_Uint8_Box_refine_with_constraints`, 54

- ppl_Uint8_Box_relation_with_congruence, 53
- ppl_Uint8_Box_relation_with_constraint, 53
- ppl_Uint8_Box_relation_with_generator, 53
- ppl_Uint8_Box_remove_higher_space_dimensions, 55
- ppl_Uint8_Box_remove_space_dimensions, 55
- ppl_Uint8_Box_simplify_using_context, 55
- ppl_Uint8_Box_space_dimension, 53
- ppl_Uint8_Box_strictly_contains_Uint8_Box, 54
- ppl_Uint8_Box_swap, 53
- ppl_Uint8_Box_time_elapse_assign, 54
- ppl_Uint8_Box_topological_closure_assign, 54
- ppl_Uint8_Box_total_memory_in_bytes, 56
- ppl_Uint8_Box_unconstrain_space_dimension, 55
- ppl_Uint8_Box_unconstrain_space_dimensions, 55
- ppl_Uint8_Box_upper_bound_assign, 54
- ppl_Uint8_Box_upper_bound_assign_if_exact, 55
- ppl_Uint8_Box_widening_assign, 56
- ppl_Uint8_Box_widening_assign_with_tokens, 56
- ppl_Uint8_Box_wrap_assign, 56
- PPL_unexpected_error, 19
- PPL_unknown_standard_exception, 19
- ppl_version, 21
- ppl_version_beta, 21
- ppl_version_major, 21
- ppl_version_minor, 21
- ppl_version_revision, 21
- ppl_Z_Box_add_congruence, 80
- ppl_Z_Box_add_congruences, 80
- ppl_Z_Box_add_constraint, 79
- ppl_Z_Box_add_constraints, 80
- ppl_Z_Box_add_space_dimensions_and_embed, 80
- ppl_Z_Box_add_space_dimensions_and_project, 80
- ppl_Z_Box_affine_dimension, 79
- ppl_Z_Box_affine_image, 80
- ppl_Z_Box_affine_preimage, 80
- ppl_Z_Box_ascii_dump, 81
- ppl_Z_Box_bounded_affine_image, 80
- ppl_Z_Box_bounded_affine_preimage, 80
- ppl_Z_Box_bounds_from_above, 79
- ppl_Z_Box_bounds_from_below, 79
- ppl_Z_Box_CC76_widening_assign, 81
- ppl_Z_Box_CC76_widening_assign_with_tokens, 81
- ppl_Z_Box_concatenate_assign, 80
- ppl_Z_Box_constrains, 80
- ppl_Z_Box_contains_integer_point, 79
- ppl_Z_Box_contains_Z_Box, 79
- ppl_Z_Box_difference_assign, 80
- ppl_Z_Box_drop_some_non_integer_points, 81
- ppl_Z_Box_drop_some_non_integer_points_2, 81
- ppl_Z_Box_equals_Z_Box, 79
- ppl_Z_Box_expand_space_dimension, 81
- ppl_Z_Box_external_memory_in_bytes, 81
- ppl_Z_Box_fold_space_dimensions, 81
- ppl_Z_Box_frequency, 79
- ppl_Z_Box_generalized_affine_image, 80
- ppl_Z_Box_generalized_affine_image_lhs_rhs, 80
- ppl_Z_Box_generalized_affine_preimage, 80
- ppl_Z_Box_generalized_affine_preimage_lhs_rhs, 80
- ppl_Z_Box_get_congruences, 79
- ppl_Z_Box_get_constraints, 79
- ppl_Z_Box_get_minimized_congruences, 79
- ppl_Z_Box_get_minimized_constraints, 79
- ppl_Z_Box_intersection_assign, 80
- ppl_Z_Box_is_bounded, 79
- ppl_Z_Box_is_discrete, 79
- ppl_Z_Box_is_disjoint_from_Z_Box, 79
- ppl_Z_Box_is_empty, 79
- ppl_Z_Box_is_topologically_closed, 79
- ppl_Z_Box_is_universe, 79
- ppl_Z_Box_limited_CC76_extrapolation_assign, 81
- ppl_Z_Box_limited_CC76_extrapolation_assign_with_tokens, 81
- ppl_Z_Box_linear_partition, 81
- ppl_Z_Box_map_space_dimensions, 81
- ppl_Z_Box_maximize, 79
- ppl_Z_Box_maximize_with_point, 79
- ppl_Z_Box_minimize, 79
- ppl_Z_Box_minimize_with_point, 79
- ppl_Z_Box_OK, 79
- ppl_Z_Box_refine_with_congruence, 80

- ppl_Z_Box_refine_with_congruences, 80
- ppl_Z_Box_refine_with_constraint, 80
- ppl_Z_Box_refine_with_constraints, 80
- ppl_Z_Box_relation_with_congruence, 79
- ppl_Z_Box_relation_with_constraint, 79
- ppl_Z_Box_relation_with_generator, 79
- ppl_Z_Box_remove_higher_space_dimensions, 81
- ppl_Z_Box_remove_space_dimensions, 81
- ppl_Z_Box_simplify_using_context_assign, 80
- ppl_Z_Box_space_dimension, 79
- ppl_Z_Box_strictly_contains_Z_Box, 79
- ppl_Z_Box_swap, 78
- ppl_Z_Box_time_elapse_assign, 80
- ppl_Z_Box_topological_closure_assign, 79
- ppl_Z_Box_total_memory_in_bytes, 81
- ppl_Z_Box_unconstrain_space_dimension, 80
- ppl_Z_Box_unconstrain_space_dimensions, 80
- ppl_Z_Box_upper_bound_assign, 80
- ppl_Z_Box_upper_bound_assign_if_exact, 80
- ppl_Z_Box_widening_assign, 81
- ppl_Z_Box_widening_assign_with_tokens, 81
- ppl_Z_Box_wrap_assign, 81
- ppl_banner
 - ppl_ocaml_common.cc, 499
- ppl_Coefficient_bits
 - ppl_ocaml_common.cc, 499
- ppl_Coefficient_is_bounded
 - ppl_ocaml_common.cc, 499
- ppl_Coefficient_max
 - ppl_ocaml_common.cc, 499
- ppl_Coefficient_min
 - ppl_ocaml_common.cc, 499
- ppl_dimension_to_value
 - Parma Polyhedra -
 - Library::Interfaces::OCaml, 489
- ppl_io_wrap_string
 - ppl_ocaml_common.cc, 500
- ppl_irrational_precision
 - ppl_ocaml_common.cc, 500
- ppl_Linear_Expression_all_homogeneous_terms_are_zero
 - ppl_ocaml_common.cc, 500
- ppl_Linear_Expression_is_zero
 - ppl_ocaml_common.cc, 500
- ppl_max_space_dimension
 - ppl_ocaml_common.cc, 500
- ppl_MIP_Problem_add_constraint
 - ppl_ocaml_common.cc, 500
- ppl_MIP_Problem_add_constraints
 - ppl_ocaml_common.cc, 500
- ppl_MIP_Problem_add_space_dimensions_and_embed
 - ppl_ocaml_common.cc, 501
- ppl_MIP_Problem_add_to_integer_space_dimensions
 - ppl_ocaml_common.cc, 501
- ppl_MIP_Problem_ascii_dump
 - ppl_ocaml_common.cc, 501
- ppl_MIP_Problem_clear
 - ppl_ocaml_common.cc, 501
- ppl_MIP_Problem_constraints
 - ppl_ocaml_common.cc, 501
- ppl_MIP_Problem_evaluate_objective_function
 - ppl_ocaml_common.cc, 501
- ppl_MIP_Problem_feasible_point
 - ppl_ocaml_common.cc, 502
- ppl_MIP_Problem_get_control_parameter
 - ppl_ocaml_common.cc, 502
- ppl_MIP_Problem_integer_space_dimensions
 - ppl_ocaml_common.cc, 502
- ppl_MIP_Problem_is_satisfiable
 - ppl_ocaml_common.cc, 502
- ppl_MIP_Problem_objective_function
 - ppl_ocaml_common.cc, 502
- ppl_MIP_Problem_OK
 - ppl_ocaml_common.cc, 503
- ppl_MIP_Problem_optimal_value
 - ppl_ocaml_common.cc, 503
- ppl_MIP_Problem_optimization_mode
 - ppl_ocaml_common.cc, 503
- ppl_MIP_Problem_optimizing_point
 - ppl_ocaml_common.cc, 503
- ppl_MIP_Problem_set_control_parameter
 - ppl_ocaml_common.cc, 503
- ppl_MIP_Problem_set_objective_function
 - ppl_ocaml_common.cc, 503
- ppl_MIP_Problem_set_optimization_mode
 - ppl_ocaml_common.cc, 504
- ppl_MIP_Problem_solve
 - ppl_ocaml_common.cc, 504
- ppl_MIP_Problem_space_dimension
 - ppl_ocaml_common.cc, 504
- ppl_MIP_Problem_swap

- ppl_ocaml_common.cc, 504
- ppl_new_MIP_Problem
 - ppl_ocaml_common.cc, 504
- ppl_new_MIP_Problem_from_space_dimension
 - ppl_ocaml_common.cc, 504
- ppl_new_PIP_Problem
 - ppl_ocaml_common.cc, 505
- ppl_new_PIP_Problem_from_space_dimension
 - ppl_ocaml_common.cc, 505
- ppl_ocaml_common.cc, 493
 - build_ocaml_artificial_parameter, 498
 - catch, 498, 499
 - ppl_banner, 499
 - ppl_Coefficient_bits, 499
 - ppl_Coefficient_is_bounded, 499
 - ppl_Coefficient_max, 499
 - ppl_Coefficient_min, 499
 - ppl_io_wrap_string, 500
 - ppl_irrational_precision, 500
 - ppl_Linear_Expression_all_homogeneous_-terms_are_zero, 500
 - ppl_Linear_Expression_is_zero, 500
 - ppl_max_space_dimension, 500
 - ppl_MIP_Problem_add_constraint, 500
 - ppl_MIP_Problem_add_constraints, 500
 - ppl_MIP_Problem_add_space_dimensions_-and_embed, 501
 - ppl_MIP_Problem_add_to_integer_space_-dimensions, 501
 - ppl_MIP_Problem_ascii_dump, 501
 - ppl_MIP_Problem_clear, 501
 - ppl_MIP_Problem_constraints, 501
 - ppl_MIP_Problem_evaluate_objective_-function, 501
 - ppl_MIP_Problem_feasible_point, 502
 - ppl_MIP_Problem_get_control_parameter, 502
 - ppl_MIP_Problem_integer_space_-dimensions, 502
 - ppl_MIP_Problem_is_satisfiable, 502
 - ppl_MIP_Problem_objective_function, 502
 - ppl_MIP_Problem_OK, 503
 - ppl_MIP_Problem_optimal_value, 503
 - ppl_MIP_Problem_optimization_mode, 503
 - ppl_MIP_Problem_optimizing_point, 503
 - ppl_MIP_Problem_set_control_parameter, 503
 - ppl_MIP_Problem_set_objective_function, 503
 - ppl_MIP_Problem_set_optimization_mode, 504
 - ppl_MIP_Problem_solve, 504
 - ppl_MIP_Problem_space_dimension, 504
 - ppl_MIP_Problem_swap, 504
 - ppl_new_MIP_Problem, 504
 - ppl_new_MIP_Problem_from_space_-dimension, 504
 - ppl_new_PIP_Problem, 505
 - ppl_new_PIP_Problem_from_space_-dimension, 505
 - ppl_PIP_Problem_add_constraint, 505
 - ppl_PIP_Problem_add_constraints, 505
 - ppl_PIP_Problem_add_space_dimensions_-and_embed, 505
 - ppl_PIP_Problem_add_to_parameter_space_-dimensions, 506
 - ppl_PIP_Problem_ascii_dump, 506
 - ppl_PIP_Problem_clear, 506
 - ppl_PIP_Problem_constraints, 506
 - ppl_PIP_Problem_get_big_parameter_-dimension, 506
 - ppl_PIP_Problem_get_control_parameter, 506
 - ppl_PIP_Problem_has_big_parameter_-dimension, 507
 - ppl_PIP_Problem_is_satisfiable, 507
 - ppl_PIP_Problem_OK, 507
 - ppl_PIP_Problem_optimizing_solution, 507
 - ppl_PIP_Problem_parameter_space_-dimensions, 507
 - ppl_PIP_Problem_set_big_parameter_-dimension, 507
 - ppl_PIP_Problem_set_control_parameter, 508
 - ppl_PIP_Problem_solution, 508
 - ppl_PIP_Problem_solve, 508
 - ppl_PIP_Problem_space_dimension, 508
 - ppl_PIP_Problem_swap, 508
 - ppl_PIP_Tree_Node_artificials, 508
 - ppl_PIP_Tree_Node_ascii_dump, 508
 - ppl_PIP_Tree_Node_constraints, 509
 - ppl_PIP_Tree_Node_false_child, 509
 - ppl_PIP_Tree_Node_is_bottom, 509
 - ppl_PIP_Tree_Node_is_decision, 509
 - ppl_PIP_Tree_Node_is_solution, 509
 - ppl_PIP_Tree_Node_OK, 509
 - ppl_PIP_Tree_Node_parametric_values, 510
 - ppl_PIP_Tree_Node_true_child, 510
 - ppl_reset_deterministic_timeout, 510
 - ppl_reset_timeout, 510
 - ppl_restore_pre_PPL_rounding, 510
 - ppl_set_deterministic_timeout, 510
 - ppl_set_irrational_precision, 510
 - ppl_set_rounding_for_PPL, 511
 - ppl_set_timeout, 511
 - ppl_version, 511
 - ppl_version_beta, 511
 - ppl_version_major, 511
 - ppl_version_minor, 511
 - ppl_version_revision, 511

- ppl_ocaml_common.defs.hh, 511
 - CAML_NAME_SPACE, 514
 - CATCH_ALL, 514
- ppl_ocaml_common.inlines.hh, 514
- ppl_PIP_Problem_add_constraint
 - ppl_ocaml_common.cc, 505
- ppl_PIP_Problem_add_constraints
 - ppl_ocaml_common.cc, 505
- ppl_PIP_Problem_add_space_dimensions_and_embed
 - ppl_ocaml_common.cc, 505
- ppl_PIP_Problem_add_to_parameter_space_dimensions
 - ppl_ocaml_common.cc, 506
- ppl_PIP_Problem_ascii_dump
 - ppl_ocaml_common.cc, 506
- ppl_PIP_Problem_clear
 - ppl_ocaml_common.cc, 506
- ppl_PIP_Problem_constraints
 - ppl_ocaml_common.cc, 506
- ppl_PIP_Problem_get_big_parameter_dimension
 - ppl_ocaml_common.cc, 506
- ppl_PIP_Problem_get_control_parameter
 - ppl_ocaml_common.cc, 506
- ppl_PIP_Problem_has_big_parameter_dimension
 - ppl_ocaml_common.cc, 507
- ppl_PIP_Problem_is_satisfiable
 - ppl_ocaml_common.cc, 507
- ppl_PIP_Problem_OK
 - ppl_ocaml_common.cc, 507
- ppl_PIP_Problem_optimizing_solution
 - ppl_ocaml_common.cc, 507
- ppl_PIP_Problem_parameter_space_dimensions
 - ppl_ocaml_common.cc, 507
- ppl_PIP_Problem_set_big_parameter_dimension
 - ppl_ocaml_common.cc, 507
- ppl_PIP_Problem_set_control_parameter
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Problem_solution
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Problem_solve
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Problem_space_dimension
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Problem_swap
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Tree_Node_artificials
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Tree_Node_ascii_dump
 - ppl_ocaml_common.cc, 508
- ppl_PIP_Tree_Node_constraints
 - ppl_ocaml_common.cc, 509
- ppl_PIP_Tree_Node_false_child
 - ppl_ocaml_common.cc, 509
- ppl_PIP_Tree_Node_get_child
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 489
- ppl_PIP_Tree_Node_is_bottom
 - ppl_ocaml_common.cc, 509
- ppl_PIP_Tree_Node_is_decision
 - ppl_ocaml_common.cc, 509
- ppl_PIP_Tree_Node_is_solution
 - ppl_ocaml_common.cc, 509
- ppl_PIP_Tree_Node_OK
 - ppl_ocaml_common.cc, 509
- ppl_PIP_Tree_Node_parametric_values
 - ppl_ocaml_common.cc, 510
- ppl_PIP_Tree_Node_true_child
 - ppl_ocaml_common.cc, 510
- ppl_reset_deterministic_timeout
 - ppl_ocaml_common.cc, 510
- ppl_reset_timeout
 - ppl_ocaml_common.cc, 510
- ppl_restore_pre_PPL_rounding
 - ppl_ocaml_common.cc, 510
- ppl_set_deterministic_timeout
 - ppl_ocaml_common.cc, 510
- ppl_set_irrational_precision
 - ppl_ocaml_common.cc, 510
- ppl_set_rounding_for_PPL
 - ppl_ocaml_common.cc, 511
- ppl_set_timeout
 - ppl_ocaml_common.cc, 511
- ppl_version
 - ppl_ocaml_common.cc, 511
- ppl_version_beta
 - ppl_ocaml_common.cc, 511
- ppl_version_major
 - ppl_ocaml_common.cc, 511
- ppl_version_minor
 - ppl_ocaml_common.cc, 511
- ppl_version_revision
 - ppl_ocaml_common.cc, 511
- priority
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml::deterministic_timeout_exception, 492
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml::timeout_exception, 492
- rational_box, 24
- relation_symbol, 20
- relation_with_congruence, 20
- reset_deterministic_timeout
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, 489
- reset_timeout

- Parma_Polyhedra_-
 - Library::Interfaces::OCaml, [490](#)
- throw_me
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml::deterministic_-
timeout_exception, [492](#)
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml::timeout_-
exception, [492](#)
- uint16_box, [24](#)
- uint32_box, [24](#)
- uint64_box, [24](#)
- uint8_box, [24](#)
- unregistered_value_p_MIP_Problem
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, [490](#)
- unregistered_value_p_PIP_Problem
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, [490](#)
- unregistered_value_p_PIP_Tree_Node
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, [490](#)
- value_to_ppl_dimension
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, [490](#)
- value_to_unsigned
 - Parma_Polyhedra_-
 - Library::Interfaces::OCaml, [490](#)
- z_box, [24](#)