The Parma Polyhedra Library Configured Java Language Interface User's Manual[*] (version 0.11.2)

Roberto Bagnara[†]
Patricia M. Hill[‡]
Enea Zaffanella[§]

February 27, 2011

[*]This work has been partly supported by: University of Parma's FIL scientific research project (ex 60%) "Pure and Applied Mathematics"; MURST project "Automatic Program Certification by Abstract Interpretation"; MURST project "Abstract Interpretation, Type Systems and Control-Flow Analysis"; MURST project "Automatic Aggregate- and Number-Reasoning for Computing: from Decision Algorithms to Constraint Programming with Multisets, Sets, and Maps"; MURST project "Constraint Based Verification of Reactive Systems"; MURST project "Abstract Interpretation: Design and Applications"; EPSRC project "Numerical Domains for Software Analysis"; EPSRC project "Geometric Abstractions for Scalable Program Analyzers".

[†]bagnara@cs.unipr.it, Department of Mathematics, University of Parma, Italy.
[‡]hill@comp.leeds.ac.uk, School of Computing, University of Leeds, U.K.
[§]zaffanella@cs.unipr.it, Department of Mathematics, University of Parma, Italy.

Copyright © 2001–2010 Roberto Bagnara (bagnara@cs.unipr.it).

This document describes the Parma Polyhedra Library (PPL).

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

The PPL is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version. A copy of the license is included in the section entitled "GNU GENERAL PUBLIC LICENSE".

The PPL is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

For the most up-to-date information see the Parma Polyhedra Library site:

http://www.cs.unipr.it/ppl/

Contents

1 Main Page **1**

2 GNU General Public License **2**

3 GNU Free Documentation License **12**

4 Module Index **17**

4.1 Modules 17

5 Namespace Index **17**

5.1 Namespace List 17

6 Class Index **17**

6.1 Class Hierarchy 17

7 Class Index **22**

7.1 Class List 22

8 Module Documentation **30**

8.1 Java Language Interface 30

9 Namespace Documentation **38**

9.1 parma_polyhedra_library Namespace Reference 38

10 Class Documentation **49**

10.1 parma_polyhedra_library::Artificial_Parameter Class Reference 49
10.2 parma_polyhedra_library::Artificial_Parameter_Sequence Class Reference 49
10.3 parma_polyhedra_library::BD_Shape_double Class Reference 50
10.4 parma_polyhedra_library::BD_Shape_float Class Reference 54
10.5 parma_polyhedra_library::BD_Shape_int16_t Class Reference 58
10.6 parma_polyhedra_library::BD_Shape_int32_t Class Reference 62
10.7 parma_polyhedra_library::BD_Shape_int64_t Class Reference 65
10.8 parma_polyhedra_library::BD_Shape_int8_t Class Reference 69
10.9 parma_polyhedra_library::BD_Shape_long_double Class Reference 73
10.10 parma_polyhedra_library::BD_Shape_mpq_class Class Reference 77
10.11 parma_polyhedra_library::BD_Shape_mpz_class Class Reference 81
10.12 parma_polyhedra_library::By_Reference< T > Class Reference 85
10.13 parma_polyhedra_library::C_Polyhedron Class Reference 86
10.14 parma_polyhedra_library::Coefficient Class Reference 88
10.15 parma_polyhedra_library::Congruence Class Reference 89
10.16 parma_polyhedra_library::Congruence_System Class Reference 90
10.17 parma_polyhedra_library::Constraint Class Reference 90
10.18 parma_polyhedra_library::Constraint_System Class Reference 91
10.19 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid Class Reference . . . 92
10.20 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron Class Reference . . . 96
10.21 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron Class Reference . 99
10.22 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid Class Reference . 103
10.23 parma_polyhedra_library::Domain_Error_Exception Class Reference 107
10.24 parma_polyhedra_library::Double_Box Class Reference 107
10.25 parma_polyhedra_library::Float_Box Class Reference 111
10.26 parma_polyhedra_library::Generator Class Reference 115
10.27 parma_polyhedra_library::Generator_System Class Reference 117
10.28 parma_polyhedra_library::Grid Class Reference 118
10.29 parma_polyhedra_library::Grid_Generator Class Reference 122
10.30 parma_polyhedra_library::Grid_Generator_System Class Reference 124
10.31 parma_polyhedra_library::Int16_Box Class Reference 124
10.32 parma_polyhedra_library::Int32_Box Class Reference 128
10.33 parma_polyhedra_library::Int64_Box Class Reference 132
10.34 parma_polyhedra_library::Int8_Box Class Reference 135
10.35 parma_polyhedra_library::Invalid_Argument_Exception Class Reference 139
10.36 parma_polyhedra_library::IO Class Reference 140

10.37parma_polyhedra_library::Length_Error_Exception Class Reference 140
10.38parma_polyhedra_library::Linear_Expression Class Reference 141
10.39parma_polyhedra_library::Linear_Expression_Coefficient Class Reference 142
10.40parma_polyhedra_library::Linear_Expression_Difference Class Reference 142
10.41parma_polyhedra_library::Linear_Expression_Sum Class Reference 143
10.42parma_polyhedra_library::Linear_Expression_Times Class Reference 144
10.43parma_polyhedra_library::Linear_Expression_Unary_Minus Class Reference 145
10.44parma_polyhedra_library::Linear_Expression_Variable Class Reference 146
10.45parma_polyhedra_library::Logic_Error_Exception Class Reference 146
10.46parma_polyhedra_library::Long_Double_Box Class Reference 147
10.47parma_polyhedra_library::MIP_Problem Class Reference 151
10.48parma_polyhedra_library::NNC_Polyhedron Class Reference 157
10.49parma_polyhedra_library::Octagonal_Shape_double Class Reference 159
10.50parma_polyhedra_library::Octagonal_Shape_float Class Reference 163
10.51parma_polyhedra_library::Octagonal_Shape_int16_t Class Reference 167
10.52parma_polyhedra_library::Octagonal_Shape_int32_t Class Reference 170
10.53parma_polyhedra_library::Octagonal_Shape_int64_t Class Reference 174
10.54parma_polyhedra_library::Octagonal_Shape_int8_t Class Reference 178
10.55parma_polyhedra_library::Octagonal_Shape_long_double Class Reference 182
10.56parma_polyhedra_library::Octagonal_Shape_mpq_class Class Reference 186
10.57parma_polyhedra_library::Octagonal_Shape_mpz_class Class Reference 190
10.58parma_polyhedra_library::Overflow_Error_Exception Class Reference 193
10.59parma_polyhedra_library::Pair< K, V > Class Reference 194
10.60parma_polyhedra_library::Parma_Polyhedra_Library Class Reference 194
10.61parma_polyhedra_library::Partial_Function Class Reference 198
10.62parma_polyhedra_library::PIP_Decision_Node Class Reference 199
10.63parma_polyhedra_library::PIP_Problem Class Reference 199
10.64parma_polyhedra_library::PIP_Solution_Node Class Reference 204
10.65parma_polyhedra_library::PIP_Tree_Node Class Reference 205
10.66parma_polyhedra_library::Pointset_Powerset_BD_Shape_double Class Reference 206
10.67parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator Class Reference 209
10.68parma_polyhedra_library::Pointset_Powerset_BD_Shape_float Class Reference 209
10.69parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator Class Reference . 212
10.70parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t Class Reference 212
10.71parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator Class Reference 215
10.72parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t Class Reference 215

10.73 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator Class Reference 218
10.74 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t Class Reference 218
10.75 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator Class Reference 221
10.76 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t Class Reference 221
10.77 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator Class Reference . 224
10.78 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double Class Reference . . 224
10.79 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator Class Reference 227
10.80 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class Class Reference . . . 227
10.81 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator Class Reference 230
10.82 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class Class Reference . . . 230
10.83 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator Class Reference 233
10.84 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron Class Reference 234
10.85 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator Class Reference . . 236
10.86 parma_polyhedra_library::Pointset_Powerset_Double_Box Class Reference 237
10.87 parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator Class Reference . . . 239
10.88 parma_polyhedra_library::Pointset_Powerset_Float_Box Class Reference 239
10.89 parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator Class Reference 242
10.90 parma_polyhedra_library::Pointset_Powerset_Grid Class Reference 242
10.91 parma_polyhedra_library::Pointset_Powerset_Grid_Iterator Class Reference 245
10.92 parma_polyhedra_library::Pointset_Powerset_Int16_Box Class Reference 245
10.93 parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator Class Reference 248
10.94 parma_polyhedra_library::Pointset_Powerset_Int32_Box Class Reference 248
10.95 parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator Class Reference 250
10.96 parma_polyhedra_library::Pointset_Powerset_Int64_Box Class Reference 251
10.97 parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator Class Reference 253
10.98 parma_polyhedra_library::Pointset_Powerset_Int8_Box Class Reference 254
10.99 parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator Class Reference 256
10.100 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box Class Reference 257
10.101 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator Class Reference 259
10.102 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron Class Reference 260
10.103 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator Class Reference 262
10.104 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double Class Reference . 263
10.105 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator Class Reference 265
10.106 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float Class Reference . . 266

10.107 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator Class Reference . . . 268
10.108 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t Class Reference . 269
10.109 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator Class Reference . . . 271
10.110 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t Class Reference . 272
10.111 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator Class Reference . . . 274
10.112 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t Class Reference . 275
10.113 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator Class Reference . . . 277
10.114 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t Class Reference . . 278
10.115 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator Class Reference . . . 280
10.116 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double Class Reference . . . 281
10.117 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator Class Reference . . . 283
10.118 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class Class Reference 284
10.119 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator Class Reference . . . 286
10.120 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class Class Reference 287
10.121 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator Class Reference . . . 289
10.122 parma_polyhedra_library::Pointset_Powerset_Rational_Box Class Reference 290
10.123 parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator Class Reference . . . 292
10.124 parma_polyhedra_library::Pointset_Powerset_Uint16_Box Class Reference 293
10.125 parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator Class Reference 295
10.126 parma_polyhedra_library::Pointset_Powerset_Uint32_Box Class Reference 296
10.127 parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator Class Reference 298
10.128 parma_polyhedra_library::Pointset_Powerset_Uint64_Box Class Reference 299
10.129 parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator Class Reference 301
10.130 parma_polyhedra_library::Pointset_Powerset_Uint8_Box Class Reference 302
10.131 parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator Class Reference 304
10.132 parma_polyhedra_library::Pointset_Powerset_Z_Box Class Reference 304
10.133 parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator Class Reference 307
10.134 parma_polyhedra_library::Poly_Con_Relation Class Reference 307
10.135 parma_polyhedra_library::Poly_Gen_Relation Class Reference 308
10.136 parma_polyhedra_library::Polyhedron Class Reference 309

10.137 parma_polyhedra_library::Rational_Box Class Reference 311
10.138 parma_polyhedra_library::Timeout_Exception Class Reference 315
10.139 parma_polyhedra_library::Uint16_Box Class Reference 316
10.140 parma_polyhedra_library::Uint32_Box Class Reference 319
10.141 parma_polyhedra_library::Uint64_Box Class Reference 323
10.142 parma_polyhedra_library::Uint8_Box Class Reference 327
10.143 parma_polyhedra_library::Variable Class Reference 330
10.144 parma_polyhedra_library::Variables_Set Class Reference 331
10.145 parma_polyhedra_library::Z_Box Class Reference 332

1 Main Page

The Parma Polyhedra Library comes equipped with an interface for the Java language. The Java interface provides access to the numerical abstractions (convex polyhedra, BD shapes, octagonal shapes, etc.) implemented by the PPL library. A general introduction to the numerical abstractions, their representation in the PPL and the operations provided by the PPL is given in the main *PPL user manual*. Here we just describe those aspects that are specific to the Java interface. In the sequel, `prefix` is the path prefix under which the library has been installed (typically `/usr` or `/usr/local`).

Overview

Here is a list of notes with general information and advice on the use of the Java interface.

- When the Parma Polyhedra Library is configured, it will automatically test for the existence of the Java system (unless configuration options are passed to disable the build of the Java interface; see configuration option `--enable-interfaces`). If Java is correctly installed in a standard location, things will be arranged so that the Java interface is built and installed (see configuration option `--with-java` if you need to specify a non-standard location for the Java system).

- The Java interface files are all installed in the directory `prefix/lib/ppl`. Since this includes shared and dynamically loaded libraries, you must make your dynamic linker/loader aware of this fact. If you use a GNU/Linux system, try the commands `man ld.so` and `man ldconfig` for more information.

- Any application using the PPL should:
  - Load the PPL interface library by calling `System.load` and passing the full path of the dynamic shared object;
  - Make sure that only the intended version(s) of the library has been loaded, e.g., by calling static method `version()` in class `parma_polyhedra_library.Parma_Polyhedra_Library`;
  - Starting from version 0.11, initialize the interface by calling static method `initialize_library()`; when all library work is done, finalize the interface by calling `finalize_library()`.

- The numerical abstract domains available to the Java user as Java classes consist of the *simple* domains, *powersets* of a simple domain and *products* of simple domains. Note that the default configuration will only enable a subset of these domains (if you need a different set of domains, see configuration option `--enable-instantiations`).
  - The simple domains are:
    * convex polyhedra, which consist of C_Polyhedron and NNC_Polyhedron;
    * weakly relational, which consist of BD_Shape_N and Octagonal_Shape_N where N is one of the numeric types signed_char, short, int, long, long_long, mpz_class, mpq_class;
    * boxes which consist of Int8_Box, Int16_Box, Int32_Box, Int64_Box, Uint8_Box, Uint16_Box, Uint32_Box, Uint64_Box, Float_Box, Double_Box, Long_Double_Box, Z_Box, Rational_Box; and
    * the Grid domain.
  - The powerset domains are Pointset_Powerset_S where S is a simple domain.
  - The product domains consist of Direct_Product_S_T, Smash_Product_S_T and Constraints_-Product_S_T where S and T are simple domains.

- In the following, any of the above numerical abstract domains is called a PPL *domain* and any element of a PPL domain is called a *PPL object*.

- A Java program can create a new object for a PPL domain by using the constructors for the class corresponding to the domain.

- For a PPL object with space dimension `k`, the identifiers used for the PPL variables must lie between 0 and $k - 1$ and correspond to the indices of the associated Cartesian axes. For example, when using methods that combine PPL polyhedra or add constraints or generators to a representation of a PPL polyhedron, the polyhedra referenced and any constraints or generators in the call should follow all the (space) dimension-compatibility rules stated in Section *Representations of Convex Polyhedra* of the main PPL user manual.

- As explained above, a polyhedron has a fixed topology C or NNC, that is determined at the time of its initialization. All subsequent operations on the polyhedron must respect all the topological compatibility rules stated in Section *Representations of Convex Polyhedra* of the main PPL user manual.

2 GNU General Public License

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. http://fsf.org/

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We,

the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification),

making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your

copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction

is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party’s predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms

that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
 one line to give the program's name and a brief idea of what it does.
Copyright (C)  year   name of author

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program.  If not, see  http://www.gnu.org/licenses/.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
 program  Copyright (C)  year   name of author
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see http://www.gnu.org/licenses/.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read http://www.gnu.org/philosophy/why-not-lgpl.html.

3 GNU Free Documentation License

Version 1.2, November 2002

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a worldwide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- **A.** Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- **B.** List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- **C.** State on the Title page the name of the publisher of the Modified Version, as the publisher.
- **D.** Preserve all the copyright notices of the Document.
- **E.** Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- **F.** Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- **G.** Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- **H.** Include an unaltered copy of this License.
- **I.** Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- **J.** Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

- **K.** For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- **L.** Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- **M.** Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- **N.** Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- **O.** Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (c)  YEAR  YOUR NAME.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts.  A copy of the license is included in the section entitled
```

```
"GNU Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

4 Module Index

4.1 Modules

Here is a list of all modules:

Java Language Interface 30

5 Namespace Index

5.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

parma_polyhedra_library **(The PPL Java interface package)** 38

6 Class Index

6.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

parma_polyhedra_library::Artificial_Parameter 49

parma_polyhedra_library::Artificial_Parameter_Sequence 49

parma_polyhedra_library::BD_Shape_double 50

parma_polyhedra_library::BD_Shape_float 54

parma_polyhedra_library::BD_Shape_int16_t 58

parma_polyhedra_library::BD_Shape_int32_t 62

parma_polyhedra_library::BD_Shape_int64_t 65

parma_polyhedra_library::BD_Shape_int8_t 69

parma_polyhedra_library::BD_Shape_long_double 73

parma_polyhedra_library::BD_Shape_mpq_class 77

parma_polyhedra_library::BD_Shape_mpz_class 81

parma_polyhedra_library::By_Reference< T > 85

parma_polyhedra_library::Coefficient 88

parma_polyhedra_library::Congruence 89

parma_polyhedra_library::Congruence_System 90

parma_polyhedra_library::Constraint 90

parma_polyhedra_library::Constraint_System 91

parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid 92

parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron 96

parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron 99

parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid 103

parma_polyhedra_library::Domain_Error_Exception 107

parma_polyhedra_library::Double_Box 107

parma_polyhedra_library::Float_Box 111

parma_polyhedra_library::Generator 115

parma_polyhedra_library::Generator_System 117

parma_polyhedra_library::Grid 118

parma_polyhedra_library::Grid_Generator 122

parma_polyhedra_library::Grid_Generator_System 124

parma_polyhedra_library::Int16_Box 124

parma_polyhedra_library::Int32_Box 128

parma_polyhedra_library::Int64_Box 132

parma_polyhedra_library::Int8_Box 135

parma_polyhedra_library::Invalid_Argument_Exception 139

parma_polyhedra_library::IO 140

parma_polyhedra_library::Length_Error_Exception 140

parma_polyhedra_library::Linear_Expression 141

parma_polyhedra_library::Linear_Expression_Coefficient 142

parma_polyhedra_library::Linear_Expression_Difference 142

parma_polyhedra_library::Linear_Expression_Sum 143

parma_polyhedra_library::Linear_Expression_Times 144

parma_polyhedra_library::Linear_Expression_Unary_Minus 145

parma_polyhedra_library::Linear_Expression_Variable 146

parma_polyhedra_library::Logic_Error_Exception 146

parma_polyhedra_library::Long_Double_Box 147

parma_polyhedra_library::MIP_Problem 151

parma_polyhedra_library::Octagonal_Shape_double 159

parma_polyhedra_library::Octagonal_Shape_float 163

parma_polyhedra_library::Octagonal_Shape_int16_t 167

parma_polyhedra_library::Octagonal_Shape_int32_t 170

parma_polyhedra_library::Octagonal_Shape_int64_t 174

parma_polyhedra_library::Octagonal_Shape_int8_t 178

parma_polyhedra_library::Octagonal_Shape_long_double 182

parma_polyhedra_library::Octagonal_Shape_mpq_class 186

parma_polyhedra_library::Octagonal_Shape_mpz_class 190

parma_polyhedra_library::Overflow_Error_Exception 193

parma_polyhedra_library::Pair< K, V > 194

parma_polyhedra_library::Parma_Polyhedra_Library 194

parma_polyhedra_library::Partial_Function 198

parma_polyhedra_library::PIP_Problem 199

parma_polyhedra_library::PIP_Tree_Node 205

parma_polyhedra_library::PIP_Decision_Node 199

parma_polyhedra_library::PIP_Solution_Node 204

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double 206

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator 209

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float 209

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator 212

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t 212

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator 215

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t 215

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator 218

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t 218

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator 221

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t 221

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator 224

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double 224

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator 227

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class 227

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator 230

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class 230

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator 233

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron 234

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator 236

parma_polyhedra_library::Pointset_Powerset_Double_Box 237

parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator 239

parma_polyhedra_library::Pointset_Powerset_Float_Box 239

parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator 242

parma_polyhedra_library::Pointset_Powerset_Grid 242

parma_polyhedra_library::Pointset_Powerset_Grid_Iterator 245

parma_polyhedra_library::Pointset_Powerset_Int16_Box 245

parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator 248

parma_polyhedra_library::Pointset_Powerset_Int32_Box 248

parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator 250

parma_polyhedra_library::Pointset_Powerset_Int64_Box 251

parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator 253

parma_polyhedra_library::Pointset_Powerset_Int8_Box 254

parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator 256

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box 257

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator 259

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron 260

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator 262

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double 263

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator 265

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float 266

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator 268

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t 269

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator 271

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t 272

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator 274

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t 275

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator 277

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t 278

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator 280

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double 281

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator 283

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class 284

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator 286

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class 287

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator 289

parma_polyhedra_library::Pointset_Powerset_Rational_Box 290

parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator 292

parma_polyhedra_library::Pointset_Powerset_Uint16_Box 293

parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator 295

parma_polyhedra_library::Pointset_Powerset_Uint32_Box 296

parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator 298

parma_polyhedra_library::Pointset_Powerset_Uint64_Box 299

parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator 301

parma_polyhedra_library::Pointset_Powerset_Uint8_Box 302

parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator 304

parma_polyhedra_library::Pointset_Powerset_Z_Box 304

parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator 307

parma_polyhedra_library::Poly_Con_Relation 307

parma_polyhedra_library::Poly_Gen_Relation 308

parma_polyhedra_library::Polyhedron 309

parma_polyhedra_library::C_Polyhedron 86

parma_polyhedra_library::NNC_Polyhedron 157

parma_polyhedra_library::Rational_Box 311

parma_polyhedra_library::Timeout_Exception 315

parma_polyhedra_library::Uint16_Box 316

parma_polyhedra_library::Uint32_Box 319

parma_polyhedra_library::Uint64_Box 323

parma_polyhedra_library::Uint8_Box 327

parma_polyhedra_library::Variable 330

parma_polyhedra_library::Variables_Set 331

parma_polyhedra_library::Z_Box 332

7 Class Index

7.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

parma_polyhedra_library::Artificial_Parameter 49

parma_polyhedra_library::Artificial_Parameter_Sequence (A sequence of artificial parameters) 49

parma_polyhedra_library::BD_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>) 50

parma_polyhedra_library::BD_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>) 54

parma_polyhedra_library::BD_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>) 58

parma_polyhedra_library::BD_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>) 62

parma_polyhedra_library::BD_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>) 65

parma_polyhedra_library::BD_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>) 69

parma_polyhedra_library::BD_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>) 73

parma_polyhedra_library::BD_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>) 77

parma_polyhedra_library::BD_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>) 81

parma_polyhedra_library::By_Reference< T > (An utility class implementing mutable and non-mutable call-by-reference) 85

parma_polyhedra_library::C_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron) 86

parma_polyhedra_library::Coefficient (A PPL coefficient) 88

parma_polyhedra_library::Congruence (A linear congruence) 89

parma_polyhedra_library::Congruence_System (A system of congruences) 90

parma_polyhedra_library::Constraint (A linear equality or inequality) 90

parma_polyhedra_library::Constraint_System (A system of constraints) 91

parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>) 92

parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>) 96

parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>) 99

parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid (Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>) 103

parma_polyhedra_library::Domain_Error_Exception (Exceptions caused by domain errors) 107

parma_polyhedra_library::Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Double_Box) 107

parma_polyhedra_library::Float_Box (Java class interfacing C++ Parma_Polyhedra_Library::Float_Box) 111

parma_polyhedra_library::Generator (A line, ray, point or closure point) 115

parma_polyhedra_library::Generator_System (A system of generators) 117

parma_polyhedra_library::Grid (Java class interfacing C++ Parma_Polyhedra_Library::Grid) 118

parma_polyhedra_library::Grid_Generator (A grid line, parameter or grid point) 122

parma_polyhedra_library::Grid_Generator_System (A system of grid generators) 124

parma_polyhedra_library::Int16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box) 124

parma_polyhedra_library::Int32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box) 128

parma_polyhedra_library::Int64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box) 132

parma_polyhedra_library::Int8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box) 135

parma_polyhedra_library::Invalid_Argument_Exception (Exceptions caused by invalid arguments) 139

parma_polyhedra_library::IO (A class collecting I/O functions) 140

parma_polyhedra_library::Length_Error_Exception (Exceptions caused by too big length/size values) 140

parma_polyhedra_library::Linear_Expression (A linear expression) 141

parma_polyhedra_library::Linear_Expression_Coefficient (A linear expression built from a coefficient) 142

parma_polyhedra_library::Linear_Expression_Difference (The difference of two linear expressions) 142

parma_polyhedra_library::Linear_Expression_Sum (The sum of two linear expressions) 143

parma_polyhedra_library::Linear_Expression_Times (The product of a linear expression and a coefficient) 144

parma_polyhedra_library::Linear_Expression_Unary_Minus (The negation of a linear expression) 145

parma_polyhedra_library::Linear_Expression_Variable (A linear expression built from a variable) 146

parma_polyhedra_library::Logic_Error_Exception (Exceptions due to errors in low-level routines) 146

parma_polyhedra_library::Long_Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box) 147

parma_polyhedra_library::MIP_Problem (A Mixed Integer (linear) Programming problem) 151

parma_polyhedra_library::NNC_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron) 157

parma_polyhedra_library::Octagonal_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>) 159

parma_polyhedra_library::Octagonal_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>) 163

parma_polyhedra_library::Octagonal_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>) 167

parma_polyhedra_library::Octagonal_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>) 170

parma_polyhedra_library::Octagonal_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>) 174

parma_polyhedra_library::Octagonal_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>) 178

parma_polyhedra_library::Octagonal_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>) 182

parma_polyhedra_library::Octagonal_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>) 186

parma_polyhedra_library::Octagonal_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>) 190

parma_polyhedra_library::Overflow_Error_Exception (Exceptions due to overflow errors) 193

parma_polyhedra_library::Pair< K, V > (A pair of values of type K and V) 194

parma_polyhedra_library::Parma_Polyhedra_Library (A class collecting library-level functions) 194

parma_polyhedra_library::Partial_Function (A partial function on space dimension indices) 198

parma_polyhedra_library::PIP_Decision_Node (An internal node of the PIP solution tree) 199

parma_polyhedra_library::PIP_Problem (A Parametric Integer Programming problem) 199

parma_polyhedra_library::PIP_Solution_Node (A leaf node of the PIP solution tree) 204

parma_polyhedra_library::PIP_Tree_Node (A node of the PIP solution tree) 205

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >) 206

parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator) 209

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >) 209

parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator) 212

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >) 212

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator) 215

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >) 215

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator) 218

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >) 218

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator) 221

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >) 221

parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator) 224

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >) 224

parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator) 227

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >) 227

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator) 230

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >) 230

parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator) 233

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>) 234

parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator) 236

parma_polyhedra_library::Pointset_Powerset_Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>) 237

parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator) 239

parma_polyhedra_library::Pointset_Powerset_Float_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>) 239

parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator) 242

parma_polyhedra_library::Pointset_Powerset_Grid (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>) 242

parma_polyhedra_library::Pointset_Powerset_Grid_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator) 245

parma_polyhedra_library::Pointset_Powerset_Int16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>) 245

parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator) 248

parma_polyhedra_library::Pointset_Powerset_Int32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>) 248

parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator) 250

parma_polyhedra_library::Pointset_Powerset_Int64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>) 251

parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator) 253

parma_polyhedra_library::Pointset_Powerset_Int8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>) 254

parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator) 256

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>) 257

parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: itera-

tor) 259

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>) 260

parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator) 262

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >) 263

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator) 265

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >) 266

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator) 268

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >) 269

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator) 271

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >) 272

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator) 274

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >) 275

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator) 277

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >) 278

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator) 280

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double (Java class in-

terfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >) 281

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator) 283

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >) 284

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator) 286

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >) 287

parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator) 289

parma_polyhedra_library::Pointset_Powerset_Rational_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>) 290

parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator) 292

parma_polyhedra_library::Pointset_Powerset_Uint16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>) 293

parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator) 295

parma_polyhedra_library::Pointset_Powerset_Uint32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>) 296

parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator) 298

parma_polyhedra_library::Pointset_Powerset_Uint64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>) 299

parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator) 301

parma_polyhedra_library::Pointset_Powerset_Uint8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>) 302

parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator) 304

parma_polyhedra_library::Pointset_Powerset_Z_Box (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>) 304

parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator (Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator) 307

parma_polyhedra_library::Poly_Con_Relation (The relation between a polyhedron and a constraint) 307

parma_polyhedra_library::Poly_Gen_Relation (The relation between a polyhedron and a generator) 308

parma_polyhedra_library::Polyhedron (Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron) 309

parma_polyhedra_library::Rational_Box (Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box) 311

parma_polyhedra_library::Timeout_Exception (Exceptions caused by timeout expiring) 315

parma_polyhedra_library::Uint16_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box) 316

parma_polyhedra_library::Uint32_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box) 319

parma_polyhedra_library::Uint64_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box) 323

parma_polyhedra_library::Uint8_Box (Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box) 327

parma_polyhedra_library::Variable (A dimension of the vector space) 330

parma_polyhedra_library::Variables_Set (A java.util.TreeSet of variables' indexes) 331

parma_polyhedra_library::Z_Box (Java class interfacing C++ Parma_Polyhedra_Library::Z_Box) 332

8 Module Documentation

8.1 Java Language Interface

Classes

- class parma_polyhedra_library::Artificial_Parameter_Sequence

  A sequence of artificial parameters.

- class parma_polyhedra_library::By_Reference< T >

  An utility class implementing mutable and non-mutable call-by-reference.

- class parma_polyhedra_library::Coefficient

  A PPL coefficient.

- class parma_polyhedra_library::Congruence

  A linear congruence.

- class parma_polyhedra_library::Congruence_System
  A system of congruences.
- class parma_polyhedra_library::Constraint
  A linear equality or inequality.
- class parma_polyhedra_library::Constraint_System
  A system of constraints.
- class parma_polyhedra_library::Domain_Error_Exception
  Exceptions caused by domain errors.
- class parma_polyhedra_library::Generator
  A line, ray, point or closure point.
- class parma_polyhedra_library::Generator_System
  A system of generators.
- class parma_polyhedra_library::Grid_Generator
  A grid line, parameter or grid point.
- class parma_polyhedra_library::Grid_Generator_System
  A system of grid generators.
- class parma_polyhedra_library::Invalid_Argument_Exception
  Exceptions caused by invalid arguments.
- class parma_polyhedra_library::IO
  A class collecting I/O functions.
- class parma_polyhedra_library::Length_Error_Exception
  Exceptions caused by too big length/size values.
- class parma_polyhedra_library::Linear_Expression
  A linear expression.
- class parma_polyhedra_library::Linear_Expression_Coefficient
  A linear expression built from a coefficient.
- class parma_polyhedra_library::Linear_Expression_Difference
  The difference of two linear expressions.
- class parma_polyhedra_library::Linear_Expression_Sum
  The sum of two linear expressions.
- class parma_polyhedra_library::Linear_Expression_Times
  The product of a linear expression and a coefficient.
- class parma_polyhedra_library::Linear_Expression_Unary_Minus

The negation of a linear expression.

- class parma_polyhedra_library::Linear_Expression_Variable

  A linear expression built from a variable.

- class parma_polyhedra_library::Logic_Error_Exception

  Exceptions due to errors in low-level routines.

- class parma_polyhedra_library::MIP_Problem

  A Mixed Integer (linear) Programming problem.

- class parma_polyhedra_library::Overflow_Error_Exception

  Exceptions due to overflow errors.

- class parma_polyhedra_library::Pair< K, V >

  A pair of values of type K and V.

- class parma_polyhedra_library::Parma_Polyhedra_Library

  A class collecting library-level functions.

- class parma_polyhedra_library::Partial_Function

  A partial function on space dimension indices.

- class parma_polyhedra_library::PIP_Problem

  A Parametric Integer Programming problem.

- class parma_polyhedra_library::Poly_Con_Relation

  The relation between a polyhedron and a constraint.

- class parma_polyhedra_library::Timeout_Exception

  Exceptions caused by timeout expiring.

- class parma_polyhedra_library::Variable

  A dimension of the vector space.

Namespaces

- namespace parma_polyhedra_library

  The PPL Java interface package.

Enumerations

- enum parma_polyhedra_library::Bounded_Integer_Type_Overflow { parma_polyhedra_library::OVERFLOW_WRAPS, parma_polyhedra_library::OVERFLOW_UNDEFINED, parma_polyhedra_library::OVERFLOW_IMPOSSIBLE }

  Overflow behavior of bounded integer types.

- enum parma_polyhedra_library::Bounded_Integer_Type_Representation { parma_polyhedra_library::UNSIGNED, parma_polyhedra_library::SIGNED_2_COMPLEMENT }

  Representation of bounded integer types.

- enum parma_polyhedra_library::Bounded_Integer_Type_Width {

  parma_polyhedra_library::BITS_8, parma_polyhedra_library::BITS_16, parma_polyhedra_library::BITS_32, parma_polyhedra_library::BITS_64,

  parma_polyhedra_library::BITS_128 }

  Widths of bounded integer types.

- enum parma_polyhedra_library::Complexity_Class { parma_polyhedra_library::POLYNOMIAL_COMPLEXITY, parma_polyhedra_library::SIMPLEX_COMPLEXITY, parma_polyhedra_library::ANY_COMPLEXITY }

  Possible Complexities.

- enum parma_polyhedra_library::Control_Parameter_Name { parma_polyhedra_library::PRICING }

  Names of MIP problems' control parameters.

- enum parma_polyhedra_library::Control_Parameter_Value { parma_polyhedra_library::PRICING_STEEPEST_EDGE_FLOAT, parma_polyhedra_library::PRICING_STEEPEST_EDGE_EXACT, parma_polyhedra_library::PRICING_TEXTBOOK }

  Possible values for MIP problem's control parameters.

- enum parma_polyhedra_library::Degenerate_Element { parma_polyhedra_library::UNIVERSE, parma_polyhedra_library::EMPTY }

  Kinds of degenerate abstract elements.

- enum parma_polyhedra_library::Generator_Type { parma_polyhedra_library::LINE, parma_polyhedra_library::RAY, parma_polyhedra_library::POINT, parma_polyhedra_library::CLOSURE_POINT }

  The generator type.

- enum parma_polyhedra_library::Grid_Generator_Type { parma_polyhedra_library::LINE, parma_polyhedra_library::PARAMETER, parma_polyhedra_library::POINT }

  The grid generator type.

- enum parma_polyhedra_library::MIP_Problem_Status { parma_polyhedra_library::UNFEASIBLE_MIP_PROBLEM, parma_polyhedra_library::UNBOUNDED_MIP_PROBLEM, parma_polyhedra_library::OPTIMIZED_MIP_PROBLEM }

  Possible outcomes of the MIP_Problem solver.

- enum parma_polyhedra_library::Optimization_Mode { parma_polyhedra_library::MINIMIZATION, parma_polyhedra_library::MAXIMIZATION }

  Possible optimization modes.

- enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Name { parma_polyhedra_library::CUTTING_STRATEGY, parma_polyhedra_library::PIVOT_ROW_STRATEGY }

  Names of PIP problems' control parameters.

- enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Value {

  parma_polyhedra_library::CUTTING_STRATEGY_FIRST, parma_polyhedra_library::CUTTING_STRATEGY_DEEPEST, parma_polyhedra_library::CUTTING_STRATEGY_ALL, parma_polyhedra_library::PIVOT_ROW_STRATEGY_FIRST,

  parma_polyhedra_library::PIVOT_ROW_STRATEGY_MAX_COLUMN }

  Possible values for PIP problems' control parameters.

- enum parma_polyhedra_library::PIP_Problem_Status { parma_polyhedra_library::UNFEASIBLE_PIP_PROBLEM, parma_polyhedra_library::OPTIMIZED_PIP_PROBLEM }

  Possible outcomes of the PIP_Problem solver.

- enum parma_polyhedra_library::Relation_Symbol {

  parma_polyhedra_library::LESS_THAN, parma_polyhedra_library::LESS_OR_EQUAL, parma_polyhedra_library::EQUAL, parma_polyhedra_library::GREATER_OR_EQUAL,

  parma_polyhedra_library::GREATER_THAN }

  Relation symbols.

8.1.1 Detailed Description

The Parma Polyhedra Library comes equipped with an interface for the Java language.

8.1.2 Enumeration Type Documentation

8.1.2.1 enum parma_polyhedra_library::Bounded_Integer_Type_Overflow

Overflow behavior of bounded integer types.

Enumerator:

OVERFLOW_WRAPS On overflow, wrapping takes place.

OVERFLOW_UNDEFINED On overflow, the result is undefined.

OVERFLOW_IMPOSSIBLE Overflow is impossible.

8.1.2.2 enum parma_polyhedra_library::Bounded_Integer_Type_Representation

Representation of bounded integer types.

Enumerator:

UNSIGNED Unsigned binary.

SIGNED_2_COMPLEMENT Signed binary where negative values are represented by the two's complement of the absolute value.

8.1.2.3 enum parma_polyhedra_library::Bounded_Integer_Type_Width

Widths of bounded integer types.

Enumerator:

BITS_8 Minimization is requested.

BITS_16 16 bits.

BITS_32 32 bits.

BITS_64 64 bits.

BITS_128 128 bits.

8.1.2.4 enum parma_polyhedra_library::Complexity_Class

Possible Complexities.

Enumerator:

POLYNOMIAL_COMPLEXITY Worst-case polynomial complexity.

SIMPLEX_COMPLEXITY Worst-case exponential complexity but typically polynomial behavior.

ANY_COMPLEXITY Any complexity.

8.1.2.5 enum parma_polyhedra_library::Control_Parameter_Name

Names of MIP problems' control parameters.

Enumerator:

PRICING The pricing rule.

8.1.2.6 enum parma_polyhedra_library::Control_Parameter_Value

Possible values for MIP problem's control parameters.

Enumerator:

PRICING_STEEPEST_EDGE_FLOAT Steepest edge pricing method, using floating points (default).

PRICING_STEEPEST_EDGE_EXACT Steepest edge pricing method, using Coefficient.

PRICING_TEXTBOOK Textbook pricing method.

8.1.2.7 enum parma_polyhedra_library::Degenerate_Element

Kinds of degenerate abstract elements.

Enumerator:

UNIVERSE The universe element, i.e., the whole vector space.

EMPTY The empty element, i.e., the empty set.

8.1.2.8 enum parma_polyhedra_library::Generator_Type

The generator type.

Enumerator:

LINE The generator is a line.

RAY The generator is a ray.

POINT The generator is a point.

CLOSURE_POINT The generator is a closure point.

8.1.2.9 enum parma_polyhedra_library::Grid_Generator_Type

The grid generator type.

Enumerator:

LINE The generator is a line.

PARAMETER The generator is a parameter.

POINT The generator is a point.

8.1.2.10 enum parma_polyhedra_library::MIP_Problem_Status

Possible outcomes of the MIP_Problem solver.

Enumerator:

UNFEASIBLE_MIP_PROBLEM The problem is unfeasible.

UNBOUNDED_MIP_PROBLEM The problem is unbounded.

OPTIMIZED_MIP_PROBLEM The problem has an optimal solution.

8.1.2.11 enum parma_polyhedra_library::Optimization_Mode

Possible optimization modes.

Enumerator:

MINIMIZATION Minimization is requested.

MAXIMIZATION Maximization is requested.

8.1.2.12 enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Name

Names of PIP problems' control parameters.

Enumerator:

CUTTING_STRATEGY The cutting strategy rule.

PIVOT_ROW_STRATEGY The pivot row strategy rule.

8.1.2.13 enum parma_polyhedra_library::PIP_Problem_Control_Parameter_Value

Possible values for PIP problems' control parameters.

Enumerator:

CUTTING_STRATEGY_FIRST Choose the first non-integer row.

CUTTING_STRATEGY_DEEPEST Choose row which generates the deepest cut.

CUTTING_STRATEGY_ALL Always generate all possible cuts.

PIVOT_ROW_STRATEGY_FIRST Choose the first row with negative parameter sign.

PIVOT_ROW_STRATEGY_MAX_COLUMN Choose the row which generates the lexico-maximal pivot column.

8.1.2.14 enum parma_polyhedra_library::PIP_Problem_Status

Possible outcomes of the PIP_Problem solver.

Enumerator:

UNFEASIBLE_PIP_PROBLEM The problem is unsatisfiable.

OPTIMIZED_PIP_PROBLEM The problem has an optimal solution.

8.1.2.15 enum parma_polyhedra_library::Relation_Symbol

Relation symbols.

Enumerator:

LESS_THAN Less than.

LESS_OR_EQUAL Less than or equal to.

EQUAL Equal to.

GREATER_OR_EQUAL Greater than or equal to.

GREATER_THAN Greater than.

9 Namespace Documentation

9.1 parma_polyhedra_library Namespace Reference

The PPL Java interface package.

Classes

- class Artificial_Parameter
- class Artificial_Parameter_Sequence

  A sequence of artificial parameters.

- class By_Reference< T >

  An utility class implementing mutable and non-mutable call-by-reference.

- class Coefficient

  A PPL coefficient.

- class Congruence

  A linear congruence.

- class Congruence_System

  A system of congruences.

- class Constraint

  A linear equality or inequality.

- class Constraint_System

  A system of constraints.

- class Domain_Error_Exception

  Exceptions caused by domain errors.

- class Generator

  A line, ray, point or closure point.

- class Generator_System
  A system of generators.
- class Grid_Generator
  A grid line, parameter or grid point.
- class Grid_Generator_System
  A system of grid generators.
- class Invalid_Argument_Exception
  Exceptions caused by invalid arguments.
- class IO
  A class collecting I/O functions.
- class Length_Error_Exception
  Exceptions caused by too big length/size values.
- class Linear_Expression
  A linear expression.
- class Linear_Expression_Coefficient
  A linear expression built from a coefficient.
- class Linear_Expression_Difference
  The difference of two linear expressions.
- class Linear_Expression_Sum
  The sum of two linear expressions.
- class Linear_Expression_Times
  The product of a linear expression and a coefficient.
- class Linear_Expression_Unary_Minus
  The negation of a linear expression.
- class Linear_Expression_Variable
  A linear expression built from a variable.
- class Logic_Error_Exception
  Exceptions due to errors in low-level routines.
- class MIP_Problem
  A Mixed Integer (linear) Programming problem.
- class Overflow_Error_Exception
  Exceptions due to overflow errors.
- class Pair< K, V >

A pair of values of type K and V.

- class Parma_Polyhedra_Library

  A class collecting library-level functions.

- class Partial_Function

  A partial function on space dimension indices.

- class PIP_Decision_Node

  An internal node of the PIP solution tree.

- class PIP_Problem

  A Parametric Integer Programming problem.

- class PIP_Solution_Node

  A leaf node of the PIP solution tree.

- class PIP_Tree_Node

  A node of the PIP solution tree.

- class Poly_Con_Relation

  The relation between a polyhedron and a constraint.

- class Poly_Gen_Relation

  The relation between a polyhedron and a generator.

- class Timeout_Exception

  Exceptions caused by timeout expiring.

- class Variable

  A dimension of the vector space.

- class Variables_Set

  A java.util.TreeSet of variables' indexes.

- class BD_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

- class BD_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

- class BD_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

- class BD_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

- class BD_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

- class BD_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

- class BD_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

- class BD_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

- class BD_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

- class C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

- class Constraints_Product_C_Polyhedron_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

- class Constraints_Product_Grid_C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

- class Constraints_Product_Grid_NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

- class Constraints_Product_NNC_Polyhedron_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

- class Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

- class Float_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

- class Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Grid.

- class Int16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

- class Int32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

- class Int64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

- class Int8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

- class Long_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

- class NNC_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

- class Octagonal_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

- class Octagonal_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

- class Octagonal_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

- class Octagonal_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

- class Octagonal_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

- class Octagonal_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

- class Octagonal_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

- class Octagonal_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

- class Octagonal_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

- class Pointset_Powerset_BD_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

- class Pointset_Powerset_BD_Shape_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

- class Pointset_Powerset_BD_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

- class Pointset_Powerset_BD_Shape_float_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

- class Pointset_Powerset_BD_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

- class Pointset_Powerset_BD_Shape_int16_t_Iterator

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

- class Pointset_Powerset_BD_Shape_int32_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

- class Pointset_Powerset_BD_Shape_int64_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

- class Pointset_Powerset_BD_Shape_int8_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

- class Pointset_Powerset_BD_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

- class Pointset_Powerset_BD_Shape_long_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

- class Pointset_Powerset_BD_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

- class Pointset_Powerset_BD_Shape_mpq_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

- class Pointset_Powerset_BD_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

- class Pointset_Powerset_BD_Shape_mpz_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

- class Pointset_Powerset_C_Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

- class Pointset_Powerset_C_Polyhedron_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

- class Pointset_Powerset_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

- class Pointset_Powerset_Double_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

- class Pointset_Powerset_Float_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

- class Pointset_Powerset_Float_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

- class Pointset_Powerset_Grid

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

- class Pointset_Powerset_Grid_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

- class Pointset_Powerset_Int16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

- class Pointset_Powerset_Int16_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

- class Pointset_Powerset_Int32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

- class Pointset_Powerset_Int32_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

- class Pointset_Powerset_Int64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

- class Pointset_Powerset_Int64_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

- class Pointset_Powerset_Int8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

- class Pointset_Powerset_Int8_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

- class Pointset_Powerset_Long_Double_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

- class Pointset_Powerset_Long_Double_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

- class Pointset_Powerset_NNC_Polyhedron

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

- class Pointset_Powerset_NNC_Polyhedron_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

- class Pointset_Powerset_Octagonal_Shape_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

- class Pointset_Powerset_Octagonal_Shape_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_float

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

- class Pointset_Powerset_Octagonal_Shape_float_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int16_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

- class Pointset_Powerset_Octagonal_Shape_int16_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int32_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

- class Pointset_Powerset_Octagonal_Shape_int32_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int64_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

- class Pointset_Powerset_Octagonal_Shape_int64_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_int8_t

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

- class Pointset_Powerset_Octagonal_Shape_int8_t_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_long_double

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

- class Pointset_Powerset_Octagonal_Shape_long_double_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_mpq_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >

- class Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator.

- class Pointset_Powerset_Octagonal_Shape_mpz_class

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

- class Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator.

- class Pointset_Powerset_Rational_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

- class Pointset_Powerset_Rational_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

- class Pointset_Powerset_Uint16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

- class Pointset_Powerset_Uint16_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

- class Pointset_Powerset_Uint32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

- class Pointset_Powerset_Uint32_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

- class Pointset_Powerset_Uint64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

- class Pointset_Powerset_Uint64_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

- class Pointset_Powerset_Uint8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

- class Pointset_Powerset_Uint8_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

- class Pointset_Powerset_Z_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

- class Pointset_Powerset_Z_Box_Iterator

  Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

- class Polyhedron

  Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

- class Rational_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

- class Uint16_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

- class Uint32_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

- class Uint64_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

- class Uint8_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

- class Z_Box

  Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

Enumerations

- enum Bounded_Integer_Type_Overflow { OVERFLOW_WRAPS, OVERFLOW_UNDEFINED, OVERFLOW_IMPOSSIBLE }

  Overflow behavior of bounded integer types.

- enum Bounded_Integer_Type_Representation { UNSIGNED, SIGNED_2_COMPLEMENT }

  Representation of bounded integer types.

- enum Bounded_Integer_Type_Width {
  BITS_8, BITS_16, BITS_32, BITS_64,
  BITS_128 }

  Widths of bounded integer types.

- enum Complexity_Class { POLYNOMIAL_COMPLEXITY, SIMPLEX_COMPLEXITY, ANY_-COMPLEXITY }

  Possible Complexities.

- enum Control_Parameter_Name { PRICING }

  Names of MIP problems' control parameters.

- enum Control_Parameter_Value { PRICING_STEEPEST_EDGE_FLOAT, PRICING_STEEPEST_EDGE_EXACT, PRICING_TEXTBOOK }

  Possible values for MIP problem's control parameters.

- enum Degenerate_Element { UNIVERSE, EMPTY }

  Kinds of degenerate abstract elements.

- enum Generator_Type { LINE, RAY, POINT, CLOSURE_POINT }

  The generator type.

- enum Grid_Generator_Type { LINE, PARAMETER, POINT }

  The grid generator type.

- enum MIP_Problem_Status { UNFEASIBLE_MIP_PROBLEM, UNBOUNDED_MIP_PROBLEM, OPTIMIZED_MIP_PROBLEM }

  Possible outcomes of the MIP_Problem solver.

- enum Optimization_Mode { MINIMIZATION, MAXIMIZATION }

  Possible optimization modes.

- enum PIP_Problem_Control_Parameter_Name { CUTTING_STRATEGY, PIVOT_ROW_STRATEGY }

  Names of PIP problems' control parameters.

- enum PIP_Problem_Control_Parameter_Value {

  CUTTING_STRATEGY_FIRST, CUTTING_STRATEGY_DEEPEST, CUTTING_STRATEGY_ALL, PIVOT_ROW_STRATEGY_FIRST,

  PIVOT_ROW_STRATEGY_MAX_COLUMN }

  Possible values for PIP problems' control parameters.

- enum PIP_Problem_Status { UNFEASIBLE_PIP_PROBLEM, OPTIMIZED_PIP_PROBLEM }

  Possible outcomes of the PIP_Problem solver.

- enum Relation_Symbol {

  LESS_THAN, LESS_OR_EQUAL, EQUAL, GREATER_OR_EQUAL,

  GREATER_THAN }

  Relation symbols.

9.1.1 Detailed Description

The PPL Java interface package. All classes, interfaces and enums related to the Parma Polyhedra Library Java interface are included in this package.

10 Class Documentation

10.1 parma_polyhedra_library::Artificial_Parameter Class Reference

Public Member Functions

- Artificial_Parameter (Linear_Expression e, Coefficient d)

  Builds an artificial parameter from a linear expression and a denominator.

- Linear_Expression linear_expression ()

  Returns the linear expression in artificial parameter `this`.

- Coefficient denominator ()

  Returns the denominator in artificial parameter `this`.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- **[static initializer]**

10.1.1 Detailed Description

An Artificial_Parameter object represents the result of the integer division of a Linear_Expression (on the other parameters, including the previously-defined artificials) by an integer denominator (a Coefficient object). The dimensions of the artificial parameters (if any) in a tree node have consecutive indices starting from `dim+1`, where the value of `dim` is computed as follows:

- for the tree root node, `dim` is the space dimension of the PIP_Problem;
- for any other node of the tree, it is recusrively obtained by adding the value of `dim` computed for the parent node to the number of artificial parameters defined in the parent node.

  Since the numbering of dimensions for artificial parameters follows the rule above, the addition of new problem variables and/or new problem parameters to an already solved PIP_Problem object (as done when incrementally solving a problem) will result in the systematic renumbering of all the existing artificial parameters.

The documentation for this class was generated from the following file:

- Artificial_Parameter.java

10.2 parma_polyhedra_library::Artificial_Parameter_Sequence Class Reference

A sequence of artificial parameters.

Public Member Functions

- Artificial_Parameter_Sequence ()

  Default constructor: builds an empty sequence of artificial parameters.

Static Package Functions

- **[static initializer]**

10.2.1 Detailed Description

A sequence of artificial parameters. An object of the class Artificial_Parameter_Sequence is a sequence of artificial parameters.

The documentation for this class was generated from the following file:

- Artificial_Parameter_Sequence.java

10.3 parma_polyhedra_library::BD_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_double** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_double** (Int8_Box y)
- **BD_Shape_double** (Int16_Box y)
- **BD_Shape_double** (Int32_Box y)
- **BD_Shape_double** (Int64_Box y)
- **BD_Shape_double** (Uint8_Box y)
- **BD_Shape_double** (Uint16_Box y)
- **BD_Shape_double** (Uint32_Box y)
- **BD_Shape_double** (Uint64_Box y)
- **BD_Shape_double** (Z_Box y)
- **BD_Shape_double** (Rational_Box y)
- **BD_Shape_double** (BD_Shape_int8_t y)
- **BD_Shape_double** (BD_Shape_int16_t y)
- **BD_Shape_double** (BD_Shape_int32_t y)
- **BD_Shape_double** (BD_Shape_int64_t y)
- **BD_Shape_double** (BD_Shape_mpz_class y)
- **BD_Shape_double** (BD_Shape_mpq_class y)
- **BD_Shape_double** (Octagonal_Shape_int8_t y)
- **BD_Shape_double** (Octagonal_Shape_int16_t y)
- **BD_Shape_double** (Octagonal_Shape_int32_t y)
- **BD_Shape_double** (Octagonal_Shape_int64_t y)
- **BD_Shape_double** (Octagonal_Shape_mpz_class y)
- **BD_Shape_double** (Octagonal_Shape_mpq_class y)

- **BD_Shape_double** (C_Polyhedron y)
- **BD_Shape_double** (NNC_Polyhedron y)
- **BD_Shape_double** (Grid y)
- **BD_Shape_double** (Float_Box y)
- **BD_Shape_double** (BD_Shape_float y)
- **BD_Shape_double** (Octagonal_Shape_float y)
- **BD_Shape_double** (Double_Box y)
- **BD_Shape_double** (BD_Shape_double y)
- **BD_Shape_double** (Octagonal_Shape_double y)
- **BD_Shape_double** (Long_Double_Box y)
- **BD_Shape_double** (BD_Shape_long_double y)
- **BD_Shape_double** (Octagonal_Shape_long_double y)
- **BD_Shape_double** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_double** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_double** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_double** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_double** (Grid y, Complexity_Class complexity)
- **BD_Shape_double** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_double** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_double** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_double** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_double** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_double** (Constraint_System cs)
- **BD_Shape_double** (Congruence_System cs)
- **BD_Shape_double** (Generator_System cs)
- native void **swap** (BD_Shape_double y)

- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_double y)
- native boolean **strictly_contains** (BD_Shape_double y)
- native boolean **is_disjoint_from** (BD_Shape_double y)
- native boolean **equals** (BD_Shape_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_double p)
- native void **upper_bound_assign** (BD_Shape_double p)
- native void **difference_assign** (BD_Shape_double p)
- native void **concatenate_assign** (BD_Shape_double p)
- native void **time_elapse_assign** (BD_Shape_double p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_double y)
- native boolean **simplify_using_context_assign** (BD_Shape_double p)
- native boolean **constrains** (Variable var)

- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_double y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_double y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_double y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_double arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_double arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_double, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_double p, BD_Shape_double q)

Protected Member Functions

- native void **finalize** ()

10.3.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<double>

The documentation for this class was generated from the following file:

- BD_Shape_double.java

10.4 parma_polyhedra_library::BD_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_float** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_float** (Int8_Box y)
- **BD_Shape_float** (Int16_Box y)
- **BD_Shape_float** (Int32_Box y)
- **BD_Shape_float** (Int64_Box y)
- **BD_Shape_float** (Uint8_Box y)
- **BD_Shape_float** (Uint16_Box y)
- **BD_Shape_float** (Uint32_Box y)
- **BD_Shape_float** (Uint64_Box y)
- **BD_Shape_float** (Z_Box y)
- **BD_Shape_float** (Rational_Box y)
- **BD_Shape_float** (BD_Shape_int8_t y)
- **BD_Shape_float** (BD_Shape_int16_t y)
- **BD_Shape_float** (BD_Shape_int32_t y)
- **BD_Shape_float** (BD_Shape_int64_t y)
- **BD_Shape_float** (BD_Shape_mpz_class y)
- **BD_Shape_float** (BD_Shape_mpq_class y)
- **BD_Shape_float** (Octagonal_Shape_int8_t y)
- **BD_Shape_float** (Octagonal_Shape_int16_t y)
- **BD_Shape_float** (Octagonal_Shape_int32_t y)
- **BD_Shape_float** (Octagonal_Shape_int64_t y)
- **BD_Shape_float** (Octagonal_Shape_mpz_class y)
- **BD_Shape_float** (Octagonal_Shape_mpq_class y)
- **BD_Shape_float** (C_Polyhedron y)
- **BD_Shape_float** (NNC_Polyhedron y)
- **BD_Shape_float** (Grid y)
- **BD_Shape_float** (Float_Box y)
- **BD_Shape_float** (BD_Shape_float y)
- **BD_Shape_float** (Octagonal_Shape_float y)
- **BD_Shape_float** (Double_Box y)

- **BD_Shape_float** (BD_Shape_double y)
- **BD_Shape_float** (Octagonal_Shape_double y)
- **BD_Shape_float** (Long_Double_Box y)
- **BD_Shape_float** (BD_Shape_long_double y)
- **BD_Shape_float** (Octagonal_Shape_long_double y)
- **BD_Shape_float** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_float** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_float** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_float** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_float** (Grid y, Complexity_Class complexity)
- **BD_Shape_float** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_float** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_float** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_float** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_float** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_float** (Constraint_System cs)
- **BD_Shape_float** (Congruence_System cs)
- **BD_Shape_float** (Generator_System cs)
- native void **swap** (BD_Shape_float y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()

- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_float y)
- native boolean **strictly_contains** (BD_Shape_float y)
- native boolean **is_disjoint_from** (BD_Shape_float y)
- native boolean **equals** (BD_Shape_float p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_float p)
- native void **upper_bound_assign** (BD_Shape_float p)
- native void **difference_assign** (BD_Shape_float p)
- native void **concatenate_assign** (BD_Shape_float p)
- native void **time_elapse_assign** (BD_Shape_float p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_float y)
- native boolean **simplify_using_context_assign** (BD_Shape_float p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)

- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_float y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_float y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_float y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_float arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_float arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_float, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_float p, BD_Shape_float q)

Protected Member Functions

- native void **finalize** ()

10.4.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<float>

The documentation for this class was generated from the following file:

- BD_Shape_float.java

10.5 parma_polyhedra_library::BD_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_int16_t** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_int16_t** (Int8_Box y)
- **BD_Shape_int16_t** (Int16_Box y)
- **BD_Shape_int16_t** (Int32_Box y)
- **BD_Shape_int16_t** (Int64_Box y)
- **BD_Shape_int16_t** (Uint8_Box y)
- **BD_Shape_int16_t** (Uint16_Box y)
- **BD_Shape_int16_t** (Uint32_Box y)
- **BD_Shape_int16_t** (Uint64_Box y)
- **BD_Shape_int16_t** (Z_Box y)
- **BD_Shape_int16_t** (Rational_Box y)
- **BD_Shape_int16_t** (BD_Shape_int8_t y)
- **BD_Shape_int16_t** (BD_Shape_int16_t y)
- **BD_Shape_int16_t** (BD_Shape_int32_t y)
- **BD_Shape_int16_t** (BD_Shape_int64_t y)
- **BD_Shape_int16_t** (BD_Shape_mpz_class y)
- **BD_Shape_int16_t** (BD_Shape_mpq_class y)
- **BD_Shape_int16_t** (Octagonal_Shape_int8_t y)
- **BD_Shape_int16_t** (Octagonal_Shape_int16_t y)
- **BD_Shape_int16_t** (Octagonal_Shape_int32_t y)
- **BD_Shape_int16_t** (Octagonal_Shape_int64_t y)
- **BD_Shape_int16_t** (Octagonal_Shape_mpz_class y)
- **BD_Shape_int16_t** (Octagonal_Shape_mpq_class y)
- **BD_Shape_int16_t** (C_Polyhedron y)
- **BD_Shape_int16_t** (NNC_Polyhedron y)
- **BD_Shape_int16_t** (Grid y)
- **BD_Shape_int16_t** (Float_Box y)
- **BD_Shape_int16_t** (BD_Shape_float y)
- **BD_Shape_int16_t** (Octagonal_Shape_float y)
- **BD_Shape_int16_t** (Double_Box y)
- **BD_Shape_int16_t** (BD_Shape_double y)
- **BD_Shape_int16_t** (Octagonal_Shape_double y)
- **BD_Shape_int16_t** (Long_Double_Box y)
- **BD_Shape_int16_t** (BD_Shape_long_double y)
- **BD_Shape_int16_t** (Octagonal_Shape_long_double y)

- **BD_Shape_int16_t** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int16_t** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int16_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Grid y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_int16_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int16_t** (Constraint_System cs)
- **BD_Shape_int16_t** (Congruence_System cs)
- **BD_Shape_int16_t** (Generator_System cs)
- native void **swap** (BD_Shape_int16_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()

- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_int16_t y)
- native boolean **strictly_contains** (BD_Shape_int16_t y)
- native boolean **is_disjoint_from** (BD_Shape_int16_t y)
- native boolean **equals** (BD_Shape_int16_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_int16_t p)
- native void **upper_bound_assign** (BD_Shape_int16_t p)
- native void **difference_assign** (BD_Shape_int16_t p)
- native void **concatenate_assign** (BD_Shape_int16_t p)
- native void **time_elapse_assign** (BD_Shape_int16_t p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_int16_t y)
- native boolean **simplify_using_context_assign** (BD_Shape_int16_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)

- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_int16_t y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_int16_t y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_int16_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_int16_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_int16_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_int16_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_int16_t p, BD_Shape_int16_t q)

Protected Member Functions

- native void **finalize** ()

10.5.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int16_t>

The documentation for this class was generated from the following file:

- BD_Shape_int16_t.java

10.6 parma_polyhedra_library::BD_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_int32_t** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_int32_t** (Int8_Box y)
- **BD_Shape_int32_t** (Int16_Box y)
- **BD_Shape_int32_t** (Int32_Box y)
- **BD_Shape_int32_t** (Int64_Box y)
- **BD_Shape_int32_t** (Uint8_Box y)
- **BD_Shape_int32_t** (Uint16_Box y)
- **BD_Shape_int32_t** (Uint32_Box y)
- **BD_Shape_int32_t** (Uint64_Box y)
- **BD_Shape_int32_t** (Z_Box y)
- **BD_Shape_int32_t** (Rational_Box y)
- **BD_Shape_int32_t** (BD_Shape_int8_t y)
- **BD_Shape_int32_t** (BD_Shape_int16_t y)
- **BD_Shape_int32_t** (BD_Shape_int32_t y)
- **BD_Shape_int32_t** (BD_Shape_int64_t y)
- **BD_Shape_int32_t** (BD_Shape_mpz_class y)
- **BD_Shape_int32_t** (BD_Shape_mpq_class y)
- **BD_Shape_int32_t** (Octagonal_Shape_int8_t y)
- **BD_Shape_int32_t** (Octagonal_Shape_int16_t y)
- **BD_Shape_int32_t** (Octagonal_Shape_int32_t y)
- **BD_Shape_int32_t** (Octagonal_Shape_int64_t y)
- **BD_Shape_int32_t** (Octagonal_Shape_mpz_class y)
- **BD_Shape_int32_t** (Octagonal_Shape_mpq_class y)
- **BD_Shape_int32_t** (C_Polyhedron y)
- **BD_Shape_int32_t** (NNC_Polyhedron y)
- **BD_Shape_int32_t** (Grid y)
- **BD_Shape_int32_t** (Float_Box y)
- **BD_Shape_int32_t** (BD_Shape_float y)
- **BD_Shape_int32_t** (Octagonal_Shape_float y)
- **BD_Shape_int32_t** (Double_Box y)
- **BD_Shape_int32_t** (BD_Shape_double y)
- **BD_Shape_int32_t** (Octagonal_Shape_double y)
- **BD_Shape_int32_t** (Long_Double_Box y)
- **BD_Shape_int32_t** (BD_Shape_long_double y)
- **BD_Shape_int32_t** (Octagonal_Shape_long_double y)
- **BD_Shape_int32_t** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Uint64_Box y, Complexity_Class complexity)

- **BD_Shape_int32_t** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int32_t** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int32_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Grid y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_int32_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int32_t** (Constraint_System cs)
- **BD_Shape_int32_t** (Congruence_System cs)
- **BD_Shape_int32_t** (Generator_System cs)
- native void **swap** (BD_Shape_int32_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_int32_t y)
- native boolean **strictly_contains** (BD_Shape_int32_t y)
- native boolean **is_disjoint_from** (BD_Shape_int32_t y)
- native boolean **equals** (BD_Shape_int32_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_int32_t p)
- native void **upper_bound_assign** (BD_Shape_int32_t p)
- native void **difference_assign** (BD_Shape_int32_t p)
- native void **concatenate_assign** (BD_Shape_int32_t p)
- native void **time_elapse_assign** (BD_Shape_int32_t p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_int32_t y)
- native boolean **simplify_using_context_assign** (BD_Shape_int32_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_int32_t y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_int32_t y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_int32_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_int32_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_int32_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_int32_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_int32_t p, BD_Shape_int32_t q)

Protected Member Functions

- native void **finalize** ()

10.6.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int32_t>

The documentation for this class was generated from the following file:

- BD_Shape_int32_t.java

10.7 parma_polyhedra_library::BD_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_int64_t** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_int64_t** (Int8_Box y)
- **BD_Shape_int64_t** (Int16_Box y)
- **BD_Shape_int64_t** (Int32_Box y)
- **BD_Shape_int64_t** (Int64_Box y)
- **BD_Shape_int64_t** (Uint8_Box y)
- **BD_Shape_int64_t** (Uint16_Box y)
- **BD_Shape_int64_t** (Uint32_Box y)
- **BD_Shape_int64_t** (Uint64_Box y)
- **BD_Shape_int64_t** (Z_Box y)
- **BD_Shape_int64_t** (Rational_Box y)
- **BD_Shape_int64_t** (BD_Shape_int8_t y)
- **BD_Shape_int64_t** (BD_Shape_int16_t y)
- **BD_Shape_int64_t** (BD_Shape_int32_t y)
- **BD_Shape_int64_t** (BD_Shape_int64_t y)
- **BD_Shape_int64_t** (BD_Shape_mpz_class y)
- **BD_Shape_int64_t** (BD_Shape_mpq_class y)
- **BD_Shape_int64_t** (Octagonal_Shape_int8_t y)
- **BD_Shape_int64_t** (Octagonal_Shape_int16_t y)
- **BD_Shape_int64_t** (Octagonal_Shape_int32_t y)
- **BD_Shape_int64_t** (Octagonal_Shape_int64_t y)
- **BD_Shape_int64_t** (Octagonal_Shape_mpz_class y)
- **BD_Shape_int64_t** (Octagonal_Shape_mpq_class y)
- **BD_Shape_int64_t** (C_Polyhedron y)
- **BD_Shape_int64_t** (NNC_Polyhedron y)
- **BD_Shape_int64_t** (Grid y)
- **BD_Shape_int64_t** (Float_Box y)
- **BD_Shape_int64_t** (BD_Shape_float y)
- **BD_Shape_int64_t** (Octagonal_Shape_float y)
- **BD_Shape_int64_t** (Double_Box y)
- **BD_Shape_int64_t** (BD_Shape_double y)
- **BD_Shape_int64_t** (Octagonal_Shape_double y)
- **BD_Shape_int64_t** (Long_Double_Box y)
- **BD_Shape_int64_t** (BD_Shape_long_double y)
- **BD_Shape_int64_t** (Octagonal_Shape_long_double y)
- **BD_Shape_int64_t** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_int32_t y, Complexity_Class complexity)

- **BD_Shape_int64_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int64_t** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int64_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Grid y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_int64_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int64_t** (Constraint_System cs)
- **BD_Shape_int64_t** (Congruence_System cs)
- **BD_Shape_int64_t** (Generator_System cs)
- native void **swap** (BD_Shape_int64_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_int64_t y)
- native boolean **strictly_contains** (BD_Shape_int64_t y)
- native boolean **is_disjoint_from** (BD_Shape_int64_t y)
- native boolean **equals** (BD_Shape_int64_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_int64_t p)
- native void **upper_bound_assign** (BD_Shape_int64_t p)
- native void **difference_assign** (BD_Shape_int64_t p)
- native void **concatenate_assign** (BD_Shape_int64_t p)
- native void **time_elapse_assign** (BD_Shape_int64_t p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_int64_t y)
- native boolean **simplify_using_context_assign** (BD_Shape_int64_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)

- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_int64_t y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_int64_t y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_int64_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_int64_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_int64_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_int64_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_int64_t p, BD_Shape_int64_t q)

Protected Member Functions

- native void **finalize** ()

10.7.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int64_t>

The documentation for this class was generated from the following file:

- BD_Shape_int64_t.java

10.8 parma_polyhedra_library::BD_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_int8_t** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_int8_t** (Int8_Box y)
- **BD_Shape_int8_t** (Int16_Box y)
- **BD_Shape_int8_t** (Int32_Box y)

- **BD_Shape_int8_t** (Int64_Box y)
- **BD_Shape_int8_t** (Uint8_Box y)
- **BD_Shape_int8_t** (Uint16_Box y)
- **BD_Shape_int8_t** (Uint32_Box y)
- **BD_Shape_int8_t** (Uint64_Box y)
- **BD_Shape_int8_t** (Z_Box y)
- **BD_Shape_int8_t** (Rational_Box y)
- **BD_Shape_int8_t** (BD_Shape_int8_t y)
- **BD_Shape_int8_t** (BD_Shape_int16_t y)
- **BD_Shape_int8_t** (BD_Shape_int32_t y)
- **BD_Shape_int8_t** (BD_Shape_int64_t y)
- **BD_Shape_int8_t** (BD_Shape_mpz_class y)
- **BD_Shape_int8_t** (BD_Shape_mpq_class y)
- **BD_Shape_int8_t** (Octagonal_Shape_int8_t y)
- **BD_Shape_int8_t** (Octagonal_Shape_int16_t y)
- **BD_Shape_int8_t** (Octagonal_Shape_int32_t y)
- **BD_Shape_int8_t** (Octagonal_Shape_int64_t y)
- **BD_Shape_int8_t** (Octagonal_Shape_mpz_class y)
- **BD_Shape_int8_t** (Octagonal_Shape_mpq_class y)
- **BD_Shape_int8_t** (C_Polyhedron y)
- **BD_Shape_int8_t** (NNC_Polyhedron y)
- **BD_Shape_int8_t** (Grid y)
- **BD_Shape_int8_t** (Float_Box y)
- **BD_Shape_int8_t** (BD_Shape_float y)
- **BD_Shape_int8_t** (Octagonal_Shape_float y)
- **BD_Shape_int8_t** (Double_Box y)
- **BD_Shape_int8_t** (BD_Shape_double y)
- **BD_Shape_int8_t** (Octagonal_Shape_double y)
- **BD_Shape_int8_t** (Long_Double_Box y)
- **BD_Shape_int8_t** (BD_Shape_long_double y)
- **BD_Shape_int8_t** (Octagonal_Shape_long_double y)
- **BD_Shape_int8_t** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)

- **BD_Shape_int8_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_int8_t** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int8_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Grid y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_int8_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_int8_t** (Constraint_System cs)
- **BD_Shape_int8_t** (Congruence_System cs)
- **BD_Shape_int8_t** (Generator_System cs)
- native void **swap** (BD_Shape_int8_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_int8_t y)
- native boolean **strictly_contains** (BD_Shape_int8_t y)
- native boolean **is_disjoint_from** (BD_Shape_int8_t y)

- native boolean **equals** (BD_Shape_int8_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_int8_t p)
- native void **upper_bound_assign** (BD_Shape_int8_t p)
- native void **difference_assign** (BD_Shape_int8_t p)
- native void **concatenate_assign** (BD_Shape_int8_t p)
- native void **time_elapse_assign** (BD_Shape_int8_t p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_int8_t y)
- native boolean **simplify_using_context_assign** (BD_Shape_int8_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_int8_t y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_int8_t y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_int8_t y, By_Reference< Integer > tp)

- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_int8_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_int8_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_int8_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_int8_t p, BD_Shape_int8_t q)

Protected Member Functions

- native void **finalize** ()

10.8.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<int8_t>

The documentation for this class was generated from the following file:

- BD_Shape_int8_t.java

10.9 parma_polyhedra_library::BD_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_long_double** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_long_double** (Int8_Box y)
- **BD_Shape_long_double** (Int16_Box y)
- **BD_Shape_long_double** (Int32_Box y)
- **BD_Shape_long_double** (Int64_Box y)
- **BD_Shape_long_double** (Uint8_Box y)
- **BD_Shape_long_double** (Uint16_Box y)
- **BD_Shape_long_double** (Uint32_Box y)
- **BD_Shape_long_double** (Uint64_Box y)
- **BD_Shape_long_double** (Z_Box y)

- **BD_Shape_long_double** (Rational_Box y)
- **BD_Shape_long_double** (BD_Shape_int8_t y)
- **BD_Shape_long_double** (BD_Shape_int16_t y)
- **BD_Shape_long_double** (BD_Shape_int32_t y)
- **BD_Shape_long_double** (BD_Shape_int64_t y)
- **BD_Shape_long_double** (BD_Shape_mpz_class y)
- **BD_Shape_long_double** (BD_Shape_mpq_class y)
- **BD_Shape_long_double** (Octagonal_Shape_int8_t y)
- **BD_Shape_long_double** (Octagonal_Shape_int16_t y)
- **BD_Shape_long_double** (Octagonal_Shape_int32_t y)
- **BD_Shape_long_double** (Octagonal_Shape_int64_t y)
- **BD_Shape_long_double** (Octagonal_Shape_mpz_class y)
- **BD_Shape_long_double** (Octagonal_Shape_mpq_class y)
- **BD_Shape_long_double** (C_Polyhedron y)
- **BD_Shape_long_double** (NNC_Polyhedron y)
- **BD_Shape_long_double** (Grid y)
- **BD_Shape_long_double** (Float_Box y)
- **BD_Shape_long_double** (BD_Shape_float y)
- **BD_Shape_long_double** (Octagonal_Shape_float y)
- **BD_Shape_long_double** (Double_Box y)
- **BD_Shape_long_double** (BD_Shape_double y)
- **BD_Shape_long_double** (Octagonal_Shape_double y)
- **BD_Shape_long_double** (Long_Double_Box y)
- **BD_Shape_long_double** (BD_Shape_long_double y)
- **BD_Shape_long_double** (Octagonal_Shape_long_double y)
- **BD_Shape_long_double** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_long_double** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_long_double** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_long_double** (Grid y, Complexity_Class complexity)

- **BD_Shape_long_double** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_long_double** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_long_double** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_long_double** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_long_double** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_long_double** (Constraint_System cs)
- **BD_Shape_long_double** (Congruence_System cs)
- **BD_Shape_long_double** (Generator_System cs)
- native void **swap** (BD_Shape_long_double y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_long_double y)
- native boolean **strictly_contains** (BD_Shape_long_double y)
- native boolean **is_disjoint_from** (BD_Shape_long_double y)
- native boolean **equals** (BD_Shape_long_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)

- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_long_double p)
- native void **upper_bound_assign** (BD_Shape_long_double p)
- native void **difference_assign** (BD_Shape_long_double p)
- native void **concatenate_assign** (BD_Shape_long_double p)
- native void **time_elapse_assign** (BD_Shape_long_double p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_long_double y)
- native boolean **simplify_using_context_assign** (BD_Shape_long_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_long_double y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_long_double y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_long_double y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)

- native void **CC76_extrapolation_assign** (BD_Shape_long_double arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_long_double arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_long_double, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_long_double p, BD_Shape_long_double q)

Protected Member Functions

- native void **finalize** ()

10.9.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<long double>

The documentation for this class was generated from the following file:

- BD_Shape_long_double.java

10.10 parma_polyhedra_library::BD_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_mpq_class** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_mpq_class** (Int8_Box y)
- **BD_Shape_mpq_class** (Int16_Box y)
- **BD_Shape_mpq_class** (Int32_Box y)
- **BD_Shape_mpq_class** (Int64_Box y)
- **BD_Shape_mpq_class** (Uint8_Box y)
- **BD_Shape_mpq_class** (Uint16_Box y)
- **BD_Shape_mpq_class** (Uint32_Box y)
- **BD_Shape_mpq_class** (Uint64_Box y)
- **BD_Shape_mpq_class** (Z_Box y)
- **BD_Shape_mpq_class** (Rational_Box y)
- **BD_Shape_mpq_class** (BD_Shape_int8_t y)
- **BD_Shape_mpq_class** (BD_Shape_int16_t y)
- **BD_Shape_mpq_class** (BD_Shape_int32_t y)
- **BD_Shape_mpq_class** (BD_Shape_int64_t y)

- **BD_Shape_mpq_class** (BD_Shape_mpz_class y)
- **BD_Shape_mpq_class** (BD_Shape_mpq_class y)
- **BD_Shape_mpq_class** (Octagonal_Shape_int8_t y)
- **BD_Shape_mpq_class** (Octagonal_Shape_int16_t y)
- **BD_Shape_mpq_class** (Octagonal_Shape_int32_t y)
- **BD_Shape_mpq_class** (Octagonal_Shape_int64_t y)
- **BD_Shape_mpq_class** (Octagonal_Shape_mpz_class y)
- **BD_Shape_mpq_class** (Octagonal_Shape_mpq_class y)
- **BD_Shape_mpq_class** (C_Polyhedron y)
- **BD_Shape_mpq_class** (NNC_Polyhedron y)
- **BD_Shape_mpq_class** (Grid y)
- **BD_Shape_mpq_class** (Float_Box y)
- **BD_Shape_mpq_class** (BD_Shape_float y)
- **BD_Shape_mpq_class** (Octagonal_Shape_float y)
- **BD_Shape_mpq_class** (Double_Box y)
- **BD_Shape_mpq_class** (BD_Shape_double y)
- **BD_Shape_mpq_class** (Octagonal_Shape_double y)
- **BD_Shape_mpq_class** (Long_Double_Box y)
- **BD_Shape_mpq_class** (BD_Shape_long_double y)
- **BD_Shape_mpq_class** (Octagonal_Shape_long_double y)
- **BD_Shape_mpq_class** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Grid y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_double y, Complexity_Class complexity)

- **BD_Shape_mpq_class** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_mpq_class** (Constraint_System cs)
- **BD_Shape_mpq_class** (Congruence_System cs)
- **BD_Shape_mpq_class** (Generator_System cs)
- native void **swap** (BD_Shape_mpq_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_mpq_class y)
- native boolean **strictly_contains** (BD_Shape_mpq_class y)
- native boolean **is_disjoint_from** (BD_Shape_mpq_class y)
- native boolean **equals** (BD_Shape_mpq_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)

- native void **intersection_assign** (BD_Shape_mpq_class p)
- native void **upper_bound_assign** (BD_Shape_mpq_class p)
- native void **difference_assign** (BD_Shape_mpq_class p)
- native void **concatenate_assign** (BD_Shape_mpq_class p)
- native void **time_elapse_assign** (BD_Shape_mpq_class p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_mpq_class y)
- native boolean **simplify_using_context_assign** (BD_Shape_mpq_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_mpq_class y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_mpq_class y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_mpq_class y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_mpq_class arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_mpq_class arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)

- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_mpq_class, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_mpq_class p, BD_Shape_mpq_class q)

Protected Member Functions

- native void **finalize** ()

10.10.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpq_class>

The documentation for this class was generated from the following file:

- BD_Shape_mpq_class.java

10.11 parma_polyhedra_library::BD_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **BD_Shape_mpz_class** (long num_dimensions, Degenerate_Element kind)
- **BD_Shape_mpz_class** (Int8_Box y)
- **BD_Shape_mpz_class** (Int16_Box y)
- **BD_Shape_mpz_class** (Int32_Box y)
- **BD_Shape_mpz_class** (Int64_Box y)
- **BD_Shape_mpz_class** (Uint8_Box y)
- **BD_Shape_mpz_class** (Uint16_Box y)
- **BD_Shape_mpz_class** (Uint32_Box y)
- **BD_Shape_mpz_class** (Uint64_Box y)
- **BD_Shape_mpz_class** (Z_Box y)
- **BD_Shape_mpz_class** (Rational_Box y)
- **BD_Shape_mpz_class** (BD_Shape_int8_t y)
- **BD_Shape_mpz_class** (BD_Shape_int16_t y)
- **BD_Shape_mpz_class** (BD_Shape_int32_t y)
- **BD_Shape_mpz_class** (BD_Shape_int64_t y)
- **BD_Shape_mpz_class** (BD_Shape_mpz_class y)
- **BD_Shape_mpz_class** (BD_Shape_mpq_class y)
- **BD_Shape_mpz_class** (Octagonal_Shape_int8_t y)
- **BD_Shape_mpz_class** (Octagonal_Shape_int16_t y)
- **BD_Shape_mpz_class** (Octagonal_Shape_int32_t y)
- **BD_Shape_mpz_class** (Octagonal_Shape_int64_t y)

- **BD_Shape_mpz_class** (Octagonal_Shape_mpz_class y)
- **BD_Shape_mpz_class** (Octagonal_Shape_mpq_class y)
- **BD_Shape_mpz_class** (C_Polyhedron y)
- **BD_Shape_mpz_class** (NNC_Polyhedron y)
- **BD_Shape_mpz_class** (Grid y)
- **BD_Shape_mpz_class** (Float_Box y)
- **BD_Shape_mpz_class** (BD_Shape_float y)
- **BD_Shape_mpz_class** (Octagonal_Shape_float y)
- **BD_Shape_mpz_class** (Double_Box y)
- **BD_Shape_mpz_class** (BD_Shape_double y)
- **BD_Shape_mpz_class** (Octagonal_Shape_double y)
- **BD_Shape_mpz_class** (Long_Double_Box y)
- **BD_Shape_mpz_class** (BD_Shape_long_double y)
- **BD_Shape_mpz_class** (Octagonal_Shape_long_double y)
- **BD_Shape_mpz_class** (Int8_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Int16_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Int32_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Int64_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Uint8_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Uint16_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Uint32_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Uint64_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Z_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Rational_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (C_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (NNC_Polyhedron y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Grid y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Float_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_float y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_float y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Double_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_double y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_double y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Long_Double_Box y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (BD_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **BD_Shape_mpz_class** (Constraint_System cs)
- **BD_Shape_mpz_class** (Congruence_System cs)

- **BD_Shape_mpz_class** (Generator_System cs)
- native void **swap** (BD_Shape_mpz_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (BD_Shape_mpz_class y)
- native boolean **strictly_contains** (BD_Shape_mpz_class y)
- native boolean **is_disjoint_from** (BD_Shape_mpz_class y)
- native boolean **equals** (BD_Shape_mpz_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (BD_Shape_mpz_class p)
- native void **upper_bound_assign** (BD_Shape_mpz_class p)
- native void **difference_assign** (BD_Shape_mpz_class p)
- native void **concatenate_assign** (BD_Shape_mpz_class p)
- native void **time_elapse_assign** (BD_Shape_mpz_class p)
- native boolean **upper_bound_assign_if_exact** (BD_Shape_mpz_class y)

- native boolean **simplify_using_context_assign** (BD_Shape_mpz_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (BD_Shape_mpz_class y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (BD_Shape_mpz_class y, By_Reference< Integer > tp)
- native void **widening_assign** (BD_Shape_mpz_class y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (BD_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (BD_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (BD_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (BD_Shape_mpz_class arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (BD_Shape_mpz_class arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< BD_Shape_mpz_class, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (BD_Shape_mpz_class p, BD_Shape_mpz_class q)

Protected Member Functions

- native void **finalize** ()

10.11.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::BD_Shape<mpz_class>

The documentation for this class was generated from the following file:

- BD_Shape_mpz_class.java

10.12 parma_polyhedra_library::By_Reference< T > Class Reference

An utility class implementing mutable and non-mutable call-by-reference.

Public Member Functions

- By_Reference (T object_value)
  Builds an object encapsulating `object_value`.
- void set (T y)
  Set an object to value `object_value`.
- T get ()
  Returns the value held by `this`.

Static Package Functions

- **[static initializer]**

Package Attributes

- T obj
  Stores the object.

10.12.1 Detailed Description

An utility class implementing mutable and non-mutable call-by-reference.

The documentation for this class was generated from the following file:

- By_Reference.java

10.13 parma_polyhedra_library::C_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

Inherits parma_polyhedra_library::Polyhedron.

Public Member Functions

- **C_Polyhedron** (long num_dimensions, Degenerate_Element kind)
- **C_Polyhedron** (Int8_Box y)
- **C_Polyhedron** (Int16_Box y)
- **C_Polyhedron** (Int32_Box y)
- **C_Polyhedron** (Int64_Box y)
- **C_Polyhedron** (Uint8_Box y)
- **C_Polyhedron** (Uint16_Box y)
- **C_Polyhedron** (Uint32_Box y)
- **C_Polyhedron** (Uint64_Box y)
- **C_Polyhedron** (Z_Box y)
- **C_Polyhedron** (Rational_Box y)
- **C_Polyhedron** (BD_Shape_int8_t y)
- **C_Polyhedron** (BD_Shape_int16_t y)
- **C_Polyhedron** (BD_Shape_int32_t y)
- **C_Polyhedron** (BD_Shape_int64_t y)
- **C_Polyhedron** (BD_Shape_mpz_class y)
- **C_Polyhedron** (BD_Shape_mpq_class y)
- **C_Polyhedron** (Octagonal_Shape_int8_t y)
- **C_Polyhedron** (Octagonal_Shape_int16_t y)
- **C_Polyhedron** (Octagonal_Shape_int32_t y)
- **C_Polyhedron** (Octagonal_Shape_int64_t y)
- **C_Polyhedron** (Octagonal_Shape_mpz_class y)
- **C_Polyhedron** (Octagonal_Shape_mpq_class y)
- **C_Polyhedron** (C_Polyhedron y)
- **C_Polyhedron** (NNC_Polyhedron y)
- **C_Polyhedron** (Grid y)
- **C_Polyhedron** (Float_Box y)
- **C_Polyhedron** (BD_Shape_float y)
- **C_Polyhedron** (Octagonal_Shape_float y)
- **C_Polyhedron** (Double_Box y)
- **C_Polyhedron** (BD_Shape_double y)
- **C_Polyhedron** (Octagonal_Shape_double y)
- **C_Polyhedron** (Long_Double_Box y)
- **C_Polyhedron** (BD_Shape_long_double y)
- **C_Polyhedron** (Octagonal_Shape_long_double y)
- **C_Polyhedron** (Int8_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Int16_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Int32_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Int64_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Uint8_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Uint16_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Uint32_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Uint64_Box y, Complexity_Class complexity)

- **C_Polyhedron** (Z_Box y, Complexity_Class complexity)
- **C_Polyhedron** (Rational_Box y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_int8_t y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_int16_t y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_int32_t y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_int64_t y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **C_Polyhedron** (C_Polyhedron y, Complexity_Class complexity)
- **C_Polyhedron** (NNC_Polyhedron y, Complexity_Class complexity)
- **C_Polyhedron** (Grid y, Complexity_Class complexity)
- **C_Polyhedron** (Float_Box y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_float y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_float y, Complexity_Class complexity)
- **C_Polyhedron** (Double_Box y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_double y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_double y, Complexity_Class complexity)
- **C_Polyhedron** (Long_Double_Box y, Complexity_Class complexity)
- **C_Polyhedron** (BD_Shape_long_double y, Complexity_Class complexity)
- **C_Polyhedron** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **C_Polyhedron** (Constraint_System cs)
- **C_Polyhedron** (Congruence_System cs)
- **C_Polyhedron** (Generator_System cs)
- native boolean **upper_bound_assign_if_exact** (C_Polyhedron y)
- native boolean **poly_hull_assign_if_exact** (C_Polyhedron y)
- native void **free** ()

Static Public Member Functions

- static native Pair< C_Polyhedron, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (C_Polyhedron p, C_Polyhedron q)

Protected Member Functions

- native void **finalize** ()

10.13.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::C_Polyhedron.

The documentation for this class was generated from the following file:

- C_Polyhedron.java

10.14 parma_polyhedra_library::Coefficient Class Reference

A PPL coefficient.

Public Member Functions

- Coefficient (int i)
  Builds a coefficient valued `i`.
- Coefficient (long l)
  Builds a coefficient valued `l`.
- Coefficient (BigInteger bi)
  Builds a coefficient valued `bi`.
- Coefficient (String s)
  Builds a coefficient from the decimal representation in `s`.
- Coefficient (Coefficient c)
  Builds a copy of `c`.
- String toString ()
  Returns a String representation of `this`.
- BigInteger getBigInteger ()
  Returns the value held by `this`.

Static Public Member Functions

- static native int bits ()
  Returns the number of bits of PPL coefficients; 0 if unbounded.

Static Package Functions

- **[static initializer]**

10.14.1 Detailed Description

A PPL coefficient. Objects of type Coefficient are used to implement the integral valued coefficients occurring in linear expressions, constraints, generators and so on.

10.14.2 Constructor & Destructor Documentation

10.14.2.1 parma_polyhedra_library::Coefficient::Coefficient (String *s*) `[inline]`

Builds a coefficient from the decimal representation in `s`.

Exceptions

java.lang.NumberFormatException Thrown if `s` does not contain a valid decimal representation.

The documentation for this class was generated from the following file:

- Coefficient.java

10.15 parma_polyhedra_library::Congruence Class Reference

A linear congruence.

Public Member Functions

- Congruence (Linear_Expression e1, Linear_Expression e2, Coefficient m)
  Returns the congruence `e1` $=$ `e2` $\pmod{\texttt{m}}$.
- Linear_Expression left_hand_side ()
  Returns the left hand side of `this`.
- Linear_Expression right_hand_side ()
  Returns the right hand side of `this`.
- Coefficient modulus ()
  Returns the relation symbol of `this`.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Protected Attributes

- Coefficient mod
  The modulus of the congruence.

Static Package Functions

- **[static initializer]**

Package Attributes

- Linear_Expression lhs
  The value of the left hand side of `this`.
- Linear_Expression rhs
  The value of the right hand side of `this`.

10.15.1 Detailed Description

A linear congruence. An object of the class Congruence is an object represeting a congruence:

- $\mathrm{cg} = \sum_{i=0}^{n-1} a_i x_i + b = 0 \pmod{m}$

where n is the dimension of the space, a_i is the integer coefficient of variable x_i, b is the integer inhomogeneous term and m is the integer modulus; if $m = 0$, then cg represents the equality congruence $\sum_{i=0}^{n-1} a_i x_i + b = 0$ and, if $m \neq 0$, then the congruence cg is said to be a proper congruence.

The documentation for this class was generated from the following file:

- Congruence.java

10.16 parma_polyhedra_library::Congruence_System Class Reference

A system of congruences.

Public Member Functions

- Congruence_System ()

  Default constructor: builds an empty system of congruences.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- **[static initializer]**

10.16.1 Detailed Description

A system of congruences. An object of the class Congruence_System is a system of congruences, i.e., a multiset of objects of the class Congruence.

The documentation for this class was generated from the following file:

- Congruence_System.java

10.17 parma_polyhedra_library::Constraint Class Reference

A linear equality or inequality.

Public Member Functions

- Constraint (Linear_Expression le1, Relation_Symbol rel_sym, Linear_Expression le2)
  Builds a constraint from two linear expressions with a specified relation symbol.
- Linear_Expression left_hand_side ()
  Returns the left hand side of `this`.
- Linear_Expression right_hand_side ()
  Returns the right hand side of `this`.
- Relation_Symbol kind ()
  Returns the relation symbol of `this`.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Package Functions

- **[static initializer]**

10.17.1 Detailed Description

A linear equality or inequality. An object of the class Constraint is either:

- a linear equality;
- a non-strict linear inequality;
- a strict linear inequality.

The documentation for this class was generated from the following file:

- Constraint.java

10.18 parma_polyhedra_library::Constraint_System Class Reference

A system of constraints.

Public Member Functions

- Constraint_System ()
  Default constructor: builds an empty system of constraints.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- **[static initializer]**

10.18.1 Detailed Description

A system of constraints. An object of the class Constraint_System is a system of constraints, i.e., a multiset of objects of the class Constraint.

The documentation for this class was generated from the following file:

- Constraint_System.java

10.19 parma_polyhedra_library::Constraints_Product_C_Polyhedron_Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Constraints_Product_C_Polyhedron_Grid** (long num_dimensions, Degenerate_Element kind)
- **Constraints_Product_C_Polyhedron_Grid** (Int8_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Int16_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Int32_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Int64_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Uint8_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Uint16_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Uint32_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Uint64_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Z_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (Rational_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int8_t y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int16_t y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int32_t y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int64_t y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_mpz_class y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_mpq_class y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int8_t y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int16_t y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int32_t y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int64_t y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_mpz_class y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_mpq_class y)

- **Constraints_Product_C_Polyhedron_Grid** (C_Polyhedron y)
- **Constraints_Product_C_Polyhedron_Grid** (NNC_Polyhedron y)
- **Constraints_Product_C_Polyhedron_Grid** (Grid y)
- **Constraints_Product_C_Polyhedron_Grid** (Float_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_float y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_float y)
- **Constraints_Product_C_Polyhedron_Grid** (Double_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_double y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_double y)
- **Constraints_Product_C_Polyhedron_Grid** (Long_Double_Box y)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_long_double y)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_long_double y)
- **Constraints_Product_C_Polyhedron_Grid** (Constraints_Product_C_Polyhedron_Grid y)
- **Constraints_Product_C_Polyhedron_Grid** (Int8_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Int16_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Int32_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Int64_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Uint8_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Uint16_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Uint32_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Uint64_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Z_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Rational_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (C_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (NNC_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Grid y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Float_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_float y, Complexity_Class complexity)

- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Double_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Long_Double_Box y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (BD_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Constraints_Product_C_Polyhedron_Grid y, Complexity_Class complexity)
- **Constraints_Product_C_Polyhedron_Grid** (Constraint_System cs)
- **Constraints_Product_C_Polyhedron_Grid** (Congruence_System cs)
- native void **swap** (Constraints_Product_C_Polyhedron_Grid y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Constraints_Product_C_Polyhedron_Grid y)
- native boolean **strictly_contains** (Constraints_Product_C_Polyhedron_Grid y)
- native boolean **is_disjoint_from** (Constraints_Product_C_Polyhedron_Grid y)
- native boolean **equals** (Constraints_Product_C_Polyhedron_Grid p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)

- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Constraints_Product_C_Polyhedron_Grid p)
- native void **upper_bound_assign** (Constraints_Product_C_Polyhedron_Grid p)
- native void **difference_assign** (Constraints_Product_C_Polyhedron_Grid p)
- native void **concatenate_assign** (Constraints_Product_C_Polyhedron_Grid p)
- native void **time_elapse_assign** (Constraints_Product_C_Polyhedron_Grid p)
- native boolean **upper_bound_assign_if_exact** (Constraints_Product_C_Polyhedron_Grid y)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **widening_assign** (Constraints_Product_C_Polyhedron_Grid y, By_Reference< Integer > tp)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.19.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<C_Polyhedron,Grid>

The documentation for this class was generated from the following file:

- Constraints_Product_C_Polyhedron_Grid.java

10.20 parma_polyhedra_library::Constraints_Product_Grid_C_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Constraints_Product_Grid_C_Polyhedron** (long num_dimensions, Degenerate_Element kind)
- **Constraints_Product_Grid_C_Polyhedron** (Int8_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Int16_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Int32_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Int64_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Uint8_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Uint16_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Uint32_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Uint64_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Z_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (Rational_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int8_t y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int16_t y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int32_t y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int64_t y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_mpz_class y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_mpq_class y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int8_t y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int16_t y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int32_t y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int64_t y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_mpz_class y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_mpq_class y)
- **Constraints_Product_Grid_C_Polyhedron** (C_Polyhedron y)
- **Constraints_Product_Grid_C_Polyhedron** (NNC_Polyhedron y)
- **Constraints_Product_Grid_C_Polyhedron** (Grid y)
- **Constraints_Product_Grid_C_Polyhedron** (Float_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_float y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_float y)
- **Constraints_Product_Grid_C_Polyhedron** (Double_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_double y)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_double y)
- **Constraints_Product_Grid_C_Polyhedron** (Long_Double_Box y)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_long_double y)

- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_long_double y)
- **Constraints_Product_Grid_C_Polyhedron** (Constraints_Product_Grid_C_Polyhedron y)
- **Constraints_Product_Grid_C_Polyhedron** (Int8_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Int16_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Int32_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Int64_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Uint8_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Uint16_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Uint32_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Uint64_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Z_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Rational_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (C_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (NNC_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Grid y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Float_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Double_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Long_Double_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (BD_Shape_long_double y, Complexity_Class complexity)

- **Constraints_Product_Grid_C_Polyhedron** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Constraints_Product_Grid_C_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_Grid_C_Polyhedron** (Constraint_System cs)
- **Constraints_Product_Grid_C_Polyhedron** (Congruence_System cs)
- native void **swap** (Constraints_Product_Grid_C_Polyhedron y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Constraints_Product_Grid_C_Polyhedron y)
- native boolean **strictly_contains** (Constraints_Product_Grid_C_Polyhedron y)
- native boolean **is_disjoint_from** (Constraints_Product_Grid_C_Polyhedron y)
- native boolean **equals** (Constraints_Product_Grid_C_Polyhedron p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Constraints_Product_Grid_C_Polyhedron p)
- native void **upper_bound_assign** (Constraints_Product_Grid_C_Polyhedron p)
- native void **difference_assign** (Constraints_Product_Grid_C_Polyhedron p)
- native void **concatenate_assign** (Constraints_Product_Grid_C_Polyhedron p)
- native void **time_elapse_assign** (Constraints_Product_Grid_C_Polyhedron p)
- native boolean **upper_bound_assign_if_exact** (Constraints_Product_Grid_C_Polyhedron y)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)

- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **widening_assign** (Constraints_Product_Grid_C_Polyhedron y, By_Reference< Integer > tp)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.20.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,C_Polyhedron>

The documentation for this class was generated from the following file:

- Constraints_Product_Grid_C_Polyhedron.java

10.21 parma_polyhedra_library::Constraints_Product_Grid_NNC_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Constraints_Product_Grid_NNC_Polyhedron** (long num_dimensions, Degenerate_Element kind)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int8_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int16_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int32_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int64_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint8_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint16_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint32_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint64_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Z_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Rational_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int8_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int16_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int32_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int64_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_mpz_class y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_mpq_class y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int8_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int16_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int32_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int64_t y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_mpz_class y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_mpq_class y)
- **Constraints_Product_Grid_NNC_Polyhedron** (C_Polyhedron y)
- **Constraints_Product_Grid_NNC_Polyhedron** (NNC_Polyhedron y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Grid y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Float_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_float y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_float y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Double_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_double y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_double y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Long_Double_Box y)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_long_double y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_long_double y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Constraints_Product_Grid_NNC_Polyhedron y)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int8_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int16_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int32_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Int64_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint8_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint16_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint32_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Uint64_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Z_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Rational_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int8_t y, Complexity_Class complexity)

- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (C_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (NNC_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Grid y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Float_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Double_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Long_Double_Box y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (BD_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Constraints_Product_Grid_NNC_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_Grid_NNC_Polyhedron** (Constraint_System cs)
- **Constraints_Product_Grid_NNC_Polyhedron** (Congruence_System cs)
- native void **swap** (Constraints_Product_Grid_NNC_Polyhedron y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)

- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean **strictly_contains** (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean **is_disjoint_from** (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean **equals** (Constraints_Product_Grid_NNC_Polyhedron p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Constraints_Product_Grid_NNC_Polyhedron p)
- native void **upper_bound_assign** (Constraints_Product_Grid_NNC_Polyhedron p)
- native void **difference_assign** (Constraints_Product_Grid_NNC_Polyhedron p)
- native void **concatenate_assign** (Constraints_Product_Grid_NNC_Polyhedron p)
- native void **time_elapse_assign** (Constraints_Product_Grid_NNC_Polyhedron p)
- native boolean **upper_bound_assign_if_exact** (Constraints_Product_Grid_NNC_Polyhedron y)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)

- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **widening_assign** (Constraints_Product_Grid_NNC_Polyhedron y, By_Reference< Integer > tp)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.21.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<Grid,NNC_Polyhedron>

The documentation for this class was generated from the following file:

- Constraints_Product_Grid_NNC_Polyhedron.java

10.22 parma_polyhedra_library::Constraints_Product_NNC_Polyhedron_Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Constraints_Product_NNC_Polyhedron_Grid** (long num_dimensions, Degenerate_Element kind)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int8_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int16_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int32_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int64_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint8_Box y)

- **Constraints_Product_NNC_Polyhedron_Grid** (Uint16_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint32_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint64_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Z_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Rational_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int8_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int16_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int32_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int64_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_mpz_class y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_mpq_class y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int8_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int16_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int32_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int64_t y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_mpz_class y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_mpq_class y)
- **Constraints_Product_NNC_Polyhedron_Grid** (C_Polyhedron y)
- **Constraints_Product_NNC_Polyhedron_Grid** (NNC_Polyhedron y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Grid y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Float_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_float y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_float y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Double_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_double y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_double y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Long_Double_Box y)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_long_double y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_long_double y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Constraints_Product_NNC_Polyhedron_Grid y)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int8_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int16_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int32_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Int64_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint8_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint16_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint32_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Uint64_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Z_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Rational_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_mpz_class y, Complexity_Class complexity)

- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (C_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (NNC_Polyhedron y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Grid y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Float_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Double_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Long_Double_Box y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (BD_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Constraints_Product_NNC_Polyhedron_Grid y, Complexity_Class complexity)
- **Constraints_Product_NNC_Polyhedron_Grid** (Constraint_System cs)
- **Constraints_Product_NNC_Polyhedron_Grid** (Congruence_System cs)
- native void **swap** (Constraints_Product_NNC_Polyhedron_Grid y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)

- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean **strictly_contains** (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean **is_disjoint_from** (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean **equals** (Constraints_Product_NNC_Polyhedron_Grid p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Constraints_Product_NNC_Polyhedron_Grid p)
- native void **upper_bound_assign** (Constraints_Product_NNC_Polyhedron_Grid p)
- native void **difference_assign** (Constraints_Product_NNC_Polyhedron_Grid p)
- native void **concatenate_assign** (Constraints_Product_NNC_Polyhedron_Grid p)
- native void **time_elapse_assign** (Constraints_Product_NNC_Polyhedron_Grid p)
- native boolean **upper_bound_assign_if_exact** (Constraints_Product_NNC_Polyhedron_Grid y)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **widening_assign** (Constraints_Product_NNC_Polyhedron_Grid y, By_Reference< Integer > tp)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.22.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Constraints_Product<NNC_Polyhedron,Grid>

The documentation for this class was generated from the following file:

- Constraints_Product_NNC_Polyhedron_Grid.java

10.23 parma_polyhedra_library::Domain_Error_Exception Class Reference

Exceptions caused by domain errors.

Public Member Functions

- Domain_Error_Exception (String s)

  Constructor.

10.23.1 Detailed Description

Exceptions caused by domain errors.

The documentation for this class was generated from the following file:

- Domain_Error_Exception.java

10.24 parma_polyhedra_library::Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Double_Box** (long num_dimensions, Degenerate_Element kind)
- **Double_Box** (Int8_Box y)
- **Double_Box** (Int16_Box y)
- **Double_Box** (Int32_Box y)
- **Double_Box** (Int64_Box y)
- **Double_Box** (Uint8_Box y)
- **Double_Box** (Uint16_Box y)
- **Double_Box** (Uint32_Box y)
- **Double_Box** (Uint64_Box y)
- **Double_Box** (Z_Box y)
- **Double_Box** (Rational_Box y)
- **Double_Box** (BD_Shape_int8_t y)
- **Double_Box** (BD_Shape_int16_t y)
- **Double_Box** (BD_Shape_int32_t y)
- **Double_Box** (BD_Shape_int64_t y)
- **Double_Box** (BD_Shape_mpz_class y)
- **Double_Box** (BD_Shape_mpq_class y)
- **Double_Box** (Octagonal_Shape_int8_t y)
- **Double_Box** (Octagonal_Shape_int16_t y)
- **Double_Box** (Octagonal_Shape_int32_t y)
- **Double_Box** (Octagonal_Shape_int64_t y)
- **Double_Box** (Octagonal_Shape_mpz_class y)
- **Double_Box** (Octagonal_Shape_mpq_class y)
- **Double_Box** (C_Polyhedron y)
- **Double_Box** (NNC_Polyhedron y)
- **Double_Box** (Grid y)
- **Double_Box** (Float_Box y)
- **Double_Box** (BD_Shape_float y)
- **Double_Box** (Octagonal_Shape_float y)
- **Double_Box** (Double_Box y)
- **Double_Box** (BD_Shape_double y)
- **Double_Box** (Octagonal_Shape_double y)
- **Double_Box** (Long_Double_Box y)
- **Double_Box** (BD_Shape_long_double y)
- **Double_Box** (Octagonal_Shape_long_double y)
- **Double_Box** (Int8_Box y, Complexity_Class complexity)
- **Double_Box** (Int16_Box y, Complexity_Class complexity)
- **Double_Box** (Int32_Box y, Complexity_Class complexity)
- **Double_Box** (Int64_Box y, Complexity_Class complexity)
- **Double_Box** (Uint8_Box y, Complexity_Class complexity)
- **Double_Box** (Uint16_Box y, Complexity_Class complexity)
- **Double_Box** (Uint32_Box y, Complexity_Class complexity)
- **Double_Box** (Uint64_Box y, Complexity_Class complexity)
- **Double_Box** (Z_Box y, Complexity_Class complexity)
- **Double_Box** (Rational_Box y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_int32_t y, Complexity_Class complexity)

- **Double_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Double_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Double_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Double_Box** (Grid y, Complexity_Class complexity)
- **Double_Box** (Float_Box y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Double_Box** (Double_Box y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Double_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Double_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Double_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Double_Box** (Constraint_System cs)
- **Double_Box** (Congruence_System cs)
- **Double_Box** (Generator_System cs)
- native void **swap** (Double_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Double_Box y)
- native boolean **strictly_contains** (Double_Box y)
- native boolean **is_disjoint_from** (Double_Box y)
- native boolean **equals** (Double_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Double_Box p)
- native void **upper_bound_assign** (Double_Box p)
- native void **difference_assign** (Double_Box p)
- native void **concatenate_assign** (Double_Box p)
- native void **time_elapse_assign** (Double_Box p)
- native boolean **upper_bound_assign_if_exact** (Double_Box y)
- native boolean **simplify_using_context_assign** (Double_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)

- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Double_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Double_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Double_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Double_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Double_Box p, Double_Box q)

Protected Member Functions

- native void **finalize** ()

10.24.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Double_Box.

The documentation for this class was generated from the following file:

- Double_Box.java

10.25 parma_polyhedra_library::Float_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Float_Box** (long num_dimensions, Degenerate_Element kind)
- **Float_Box** (Int8_Box y)
- **Float_Box** (Int16_Box y)
- **Float_Box** (Int32_Box y)
- **Float_Box** (Int64_Box y)
- **Float_Box** (Uint8_Box y)
- **Float_Box** (Uint16_Box y)
- **Float_Box** (Uint32_Box y)
- **Float_Box** (Uint64_Box y)
- **Float_Box** (Z_Box y)
- **Float_Box** (Rational_Box y)
- **Float_Box** (BD_Shape_int8_t y)

- **Float_Box** (BD_Shape_int16_t y)
- **Float_Box** (BD_Shape_int32_t y)
- **Float_Box** (BD_Shape_int64_t y)
- **Float_Box** (BD_Shape_mpz_class y)
- **Float_Box** (BD_Shape_mpq_class y)
- **Float_Box** (Octagonal_Shape_int8_t y)
- **Float_Box** (Octagonal_Shape_int16_t y)
- **Float_Box** (Octagonal_Shape_int32_t y)
- **Float_Box** (Octagonal_Shape_int64_t y)
- **Float_Box** (Octagonal_Shape_mpz_class y)
- **Float_Box** (Octagonal_Shape_mpq_class y)
- **Float_Box** (C_Polyhedron y)
- **Float_Box** (NNC_Polyhedron y)
- **Float_Box** (Grid y)
- **Float_Box** (Float_Box y)
- **Float_Box** (BD_Shape_float y)
- **Float_Box** (Octagonal_Shape_float y)
- **Float_Box** (Double_Box y)
- **Float_Box** (BD_Shape_double y)
- **Float_Box** (Octagonal_Shape_double y)
- **Float_Box** (Long_Double_Box y)
- **Float_Box** (BD_Shape_long_double y)
- **Float_Box** (Octagonal_Shape_long_double y)
- **Float_Box** (Int8_Box y, Complexity_Class complexity)
- **Float_Box** (Int16_Box y, Complexity_Class complexity)
- **Float_Box** (Int32_Box y, Complexity_Class complexity)
- **Float_Box** (Int64_Box y, Complexity_Class complexity)
- **Float_Box** (Uint8_Box y, Complexity_Class complexity)
- **Float_Box** (Uint16_Box y, Complexity_Class complexity)
- **Float_Box** (Uint32_Box y, Complexity_Class complexity)
- **Float_Box** (Uint64_Box y, Complexity_Class complexity)
- **Float_Box** (Z_Box y, Complexity_Class complexity)
- **Float_Box** (Rational_Box y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Float_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Float_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Float_Box** (Grid y, Complexity_Class complexity)
- **Float_Box** (Float_Box y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_float y, Complexity_Class complexity)

- **Float_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Float_Box** (Double_Box y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Float_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Float_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Float_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Float_Box** (Constraint_System cs)
- **Float_Box** (Congruence_System cs)
- **Float_Box** (Generator_System cs)
- native void **swap** (Float_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Float_Box y)
- native boolean **strictly_contains** (Float_Box y)
- native boolean **is_disjoint_from** (Float_Box y)
- native boolean **equals** (Float_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)

- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Float_Box p)
- native void **upper_bound_assign** (Float_Box p)
- native void **difference_assign** (Float_Box p)
- native void **concatenate_assign** (Float_Box p)
- native void **time_elapse_assign** (Float_Box p)
- native boolean **upper_bound_assign_if_exact** (Float_Box y)
- native boolean **simplify_using_context_assign** (Float_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Float_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Float_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Float_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Float_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Float_Box p, Float_Box q)

Protected Member Functions

- native void **finalize** ()

10.25.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Float_Box.

The documentation for this class was generated from the following file:

- Float_Box.java

10.26 parma_polyhedra_library::Generator Class Reference

A line, ray, point or closure point.

Public Member Functions

- Generator_Type type ()

  Returns the generator type.

- Linear_Expression linear_expression ()

  Returns the linear expression in `this`.

- Coefficient divisor ()

  If `this` *is either a point or a closure point, returns its divisor.*

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Public Member Functions

- static Generator closure_point (Linear_Expression e, Coefficient d)

  Returns the closure point at `e` / `d`.

- static Generator line (Linear_Expression e)

  Returns the line of direction `e`.

- static Generator point (Linear_Expression e, Coefficient d)

  Returns the point at `e` / `d`.

- static Generator ray (Linear_Expression e)

  Returns the ray of direction `e`.

Static Package Functions

- **[static initializer]**

10.26.1 Detailed Description

A line, ray, point or closure point. An object of the class Generator is one of the following:

- a line;
- a ray;
- a point;
- a closure point.

10.26.2 Member Function Documentation

10.26.2.1 static Generator parma_polyhedra_library::Generator::closure_point (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the closure point at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

10.26.2.2 static Generator parma_polyhedra_library::Generator::line (Linear_Expression *e*) [inline, static]

Returns the line of direction `e`.

Exceptions

RuntimeErrorException Thrown if the homogeneous part of `e` represents the origin of the vector space.

10.26.2.3 static Generator parma_polyhedra_library::Generator::point (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the point at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

10.26.2.4 static Generator parma_polyhedra_library::Generator::ray (Linear_Expression *e*) [inline, static]

Returns the ray of direction `e`.

Exceptions

RuntimeErrorException Thrown if the homogeneous part of `e` represents the origin of the vector space.

10.26.2.5 Coefficient parma_polyhedra_library::Generator::divisor () [inline]

If `this` is either a point or a closure point, returns its divisor.

Exceptions

RuntimeErrorException Thrown if `this` is neither a point nor a closure point.

The documentation for this class was generated from the following file:

- Generator.java

10.27 parma_polyhedra_library::Generator_System Class Reference

A system of generators.

Public Member Functions

- Generator_System ()

  Default constructor: builds an empty system of generators.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

Static Package Functions

- **[static initializer]**

10.27.1 Detailed Description

A system of generators. An object of the class Generator_System is a system of generators, i.e., a multiset of objects of the class Generator (lines, rays, points and closure points).

The documentation for this class was generated from the following file:

- Generator_System.java

10.28 parma_polyhedra_library::Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Grid.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Grid** (long num_dimensions, Degenerate_Element kind)
- **Grid** (Int8_Box y)
- **Grid** (Int16_Box y)
- **Grid** (Int32_Box y)
- **Grid** (Int64_Box y)
- **Grid** (Uint8_Box y)
- **Grid** (Uint16_Box y)
- **Grid** (Uint32_Box y)
- **Grid** (Uint64_Box y)
- **Grid** (Z_Box y)
- **Grid** (Rational_Box y)
- **Grid** (BD_Shape_int8_t y)
- **Grid** (BD_Shape_int16_t y)
- **Grid** (BD_Shape_int32_t y)
- **Grid** (BD_Shape_int64_t y)
- **Grid** (BD_Shape_mpz_class y)
- **Grid** (BD_Shape_mpq_class y)
- **Grid** (Octagonal_Shape_int8_t y)
- **Grid** (Octagonal_Shape_int16_t y)
- **Grid** (Octagonal_Shape_int32_t y)
- **Grid** (Octagonal_Shape_int64_t y)
- **Grid** (Octagonal_Shape_mpz_class y)
- **Grid** (Octagonal_Shape_mpq_class y)
- **Grid** (C_Polyhedron y)
- **Grid** (NNC_Polyhedron y)
- **Grid** (Grid y)
- **Grid** (Float_Box y)
- **Grid** (BD_Shape_float y)
- **Grid** (Octagonal_Shape_float y)
- **Grid** (Double_Box y)
- **Grid** (BD_Shape_double y)
- **Grid** (Octagonal_Shape_double y)
- **Grid** (Long_Double_Box y)
- **Grid** (BD_Shape_long_double y)

- **Grid** (Octagonal_Shape_long_double y)
- **Grid** (Int8_Box y, Complexity_Class complexity)
- **Grid** (Int16_Box y, Complexity_Class complexity)
- **Grid** (Int32_Box y, Complexity_Class complexity)
- **Grid** (Int64_Box y, Complexity_Class complexity)
- **Grid** (Uint8_Box y, Complexity_Class complexity)
- **Grid** (Uint16_Box y, Complexity_Class complexity)
- **Grid** (Uint32_Box y, Complexity_Class complexity)
- **Grid** (Uint64_Box y, Complexity_Class complexity)
- **Grid** (Z_Box y, Complexity_Class complexity)
- **Grid** (Rational_Box y, Complexity_Class complexity)
- **Grid** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Grid** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Grid** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Grid** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Grid** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Grid** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Grid** (C_Polyhedron y, Complexity_Class complexity)
- **Grid** (NNC_Polyhedron y, Complexity_Class complexity)
- **Grid** (Grid y, Complexity_Class complexity)
- **Grid** (Float_Box y, Complexity_Class complexity)
- **Grid** (BD_Shape_float y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Grid** (Double_Box y, Complexity_Class complexity)
- **Grid** (BD_Shape_double y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Grid** (Long_Double_Box y, Complexity_Class complexity)
- **Grid** (BD_Shape_long_double y, Complexity_Class complexity)
- **Grid** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Grid** (Constraint_System cs)
- **Grid** (Congruence_System cs)
- **Grid** (Grid_Generator_System cs)
- native void **swap** (Grid y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Poly_Gen_Relation **relation_with** (Grid_Generator c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Grid_Generator_System **grid_generators** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()

- native Grid_Generator_System **minimized_grid_generators** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Grid y)
- native boolean **strictly_contains** (Grid y)
- native boolean **is_disjoint_from** (Grid y)
- native boolean **equals** (Grid p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_grid_generator** (Grid_Generator c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **add_grid_generators** (Grid_Generator_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Grid p)
- native void **upper_bound_assign** (Grid p)
- native void **difference_assign** (Grid p)
- native void **concatenate_assign** (Grid p)
- native void **time_elapse_assign** (Grid p)
- native boolean **upper_bound_assign_if_exact** (Grid y)
- native boolean **simplify_using_context_assign** (Grid p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_image_with_congruence** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator, Coefficient modulus)
- native void **generalized_affine_preimage_with_congruence** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator, Coefficient modulus)
- native void **generalized_affine_image_lhs_rhs_with_congruence** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs, Coefficient modulus)
- native void **generalized_affine_preimage_lhs_rhs_with_congruence** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs, Coefficient modulus)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **congruence_widening_assign** (Grid y, By_Reference< Integer > tp)
- native void **generator_widening_assign** (Grid y, By_Reference< Integer > tp)
- native void **widening_assign** (Grid y, By_Reference< Integer > tp)
- native void **limited_congruence_extrapolation_assign** (Grid y, Congruence_System cs, By_Reference< Integer > tp)
- native void **limited_generator_extrapolation_assign** (Grid y, Congruence_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Grid, Pointset_Powerset_Grid > **approximate_partition** (Grid p, Grid q, By_Reference< Boolean > finite)

Protected Member Functions

- native void **finalize** ()

10.28.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Grid.

The documentation for this class was generated from the following file:

- Grid.java

10.29 parma_polyhedra_library::Grid_Generator Class Reference

A grid line, parameter or grid point.

Public Member Functions

- Grid_Generator_Type type ()
  Returns the generator type.
- Linear_Expression linear_expression ()
  Returns the linear expression in `this`.
- Coefficient divisor ()
  If `this` *is either a grid point or a parameter, returns its divisor.*
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Public Member Functions

- static Grid_Generator grid_line (Linear_Expression e)
  Returns the line of direction `e`.
- static Grid_Generator parameter (Linear_Expression e, Coefficient d)
  Returns the parameter at `e` / `d`.
- static Grid_Generator grid_point (Linear_Expression e, Coefficient d)
  Returns the point at `e` / `d`.

Static Package Functions

- **[static initializer]**

10.29.1 Detailed Description

A grid line, parameter or grid point. An object of the class Grid_Generator is one of the following:

- a grid_line;
- a parameter;
- a grid_point.

10.29.2 Member Function Documentation

10.29.2.1 static Grid_Generator parma_polyhedra_library::Grid_Generator::grid_line (Linear_Expression *e*) [inline, static]

Returns the line of direction `e`.

Exceptions

RuntimeErrorException Thrown if the homogeneous part of `e` represents the origin of the vector space.

10.29.2.2 static Grid_Generator parma_polyhedra_library::Grid_Generator::parameter (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the parameter at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

10.29.2.3 static Grid_Generator parma_polyhedra_library::Grid_Generator::grid_point (Linear_Expression *e*, Coefficient *d*) [inline, static]

Returns the point at `e` / `d`.

Exceptions

RuntimeErrorException Thrown if `d` is zero.

10.29.2.4 Coefficient parma_polyhedra_library::Grid_Generator::divisor () [inline]

If `this` is either a grid point or a parameter, returns its divisor.

Exceptions

RuntimeErrorException Thrown if `this` is a line.

The documentation for this class was generated from the following file:

- Grid_Generator.java

10.30 parma_polyhedra_library::Grid_Generator_System Class Reference

A system of grid generators.

Public Member Functions

- Grid_Generator_System ()
  Default constructor: builds an empty system of grid generators.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.

Static Package Functions

- **[static initializer]**

10.30.1 Detailed Description

A system of grid generators. An object of the class Grid_Generator_System is a system of grid generators, i.e., a multiset of objects of the class Grid_Generator.

The documentation for this class was generated from the following file:

- Grid_Generator_System.java

10.31 parma_polyhedra_library::Int16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Int16_Box** (long num_dimensions, Degenerate_Element kind)
- **Int16_Box** (Int8_Box y)
- **Int16_Box** (Int16_Box y)
- **Int16_Box** (Int32_Box y)
- **Int16_Box** (Int64_Box y)

- **Int16_Box** (Uint8_Box y)
- **Int16_Box** (Uint16_Box y)
- **Int16_Box** (Uint32_Box y)
- **Int16_Box** (Uint64_Box y)
- **Int16_Box** (Z_Box y)
- **Int16_Box** (Rational_Box y)
- **Int16_Box** (BD_Shape_int8_t y)
- **Int16_Box** (BD_Shape_int16_t y)
- **Int16_Box** (BD_Shape_int32_t y)
- **Int16_Box** (BD_Shape_int64_t y)
- **Int16_Box** (BD_Shape_mpz_class y)
- **Int16_Box** (BD_Shape_mpq_class y)
- **Int16_Box** (Octagonal_Shape_int8_t y)
- **Int16_Box** (Octagonal_Shape_int16_t y)
- **Int16_Box** (Octagonal_Shape_int32_t y)
- **Int16_Box** (Octagonal_Shape_int64_t y)
- **Int16_Box** (Octagonal_Shape_mpz_class y)
- **Int16_Box** (Octagonal_Shape_mpq_class y)
- **Int16_Box** (C_Polyhedron y)
- **Int16_Box** (NNC_Polyhedron y)
- **Int16_Box** (Grid y)
- **Int16_Box** (Float_Box y)
- **Int16_Box** (BD_Shape_float y)
- **Int16_Box** (Octagonal_Shape_float y)
- **Int16_Box** (Double_Box y)
- **Int16_Box** (BD_Shape_double y)
- **Int16_Box** (Octagonal_Shape_double y)
- **Int16_Box** (Long_Double_Box y)
- **Int16_Box** (BD_Shape_long_double y)
- **Int16_Box** (Octagonal_Shape_long_double y)
- **Int16_Box** (Int8_Box y, Complexity_Class complexity)
- **Int16_Box** (Int16_Box y, Complexity_Class complexity)
- **Int16_Box** (Int32_Box y, Complexity_Class complexity)
- **Int16_Box** (Int64_Box y, Complexity_Class complexity)
- **Int16_Box** (Uint8_Box y, Complexity_Class complexity)
- **Int16_Box** (Uint16_Box y, Complexity_Class complexity)
- **Int16_Box** (Uint32_Box y, Complexity_Class complexity)
- **Int16_Box** (Uint64_Box y, Complexity_Class complexity)
- **Int16_Box** (Z_Box y, Complexity_Class complexity)
- **Int16_Box** (Rational_Box y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)

- **Int16_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Int16_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Int16_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Int16_Box** (Grid y, Complexity_Class complexity)
- **Int16_Box** (Float_Box y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Int16_Box** (Double_Box y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Int16_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Int16_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Int16_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Int16_Box** (Constraint_System cs)
- **Int16_Box** (Congruence_System cs)
- **Int16_Box** (Generator_System cs)
- native void **swap** (Int16_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Int16_Box y)
- native boolean **strictly_contains** (Int16_Box y)
- native boolean **is_disjoint_from** (Int16_Box y)
- native boolean **equals** (Int16_Box p)

- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Int16_Box p)
- native void **upper_bound_assign** (Int16_Box p)
- native void **difference_assign** (Int16_Box p)
- native void **concatenate_assign** (Int16_Box p)
- native void **time_elapse_assign** (Int16_Box p)
- native boolean **upper_bound_assign_if_exact** (Int16_Box y)
- native boolean **simplify_using_context_assign** (Int16_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Int16_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Int16_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Int16_Box y, Constraint_System cs, By_Reference< Integer > tp)

- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Int16_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Int16_Box p, Int16_Box q)

Protected Member Functions

- native void **finalize** ()

10.31.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int16_Box.

The documentation for this class was generated from the following file:

- Int16_Box.java

10.32 parma_polyhedra_library::Int32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Int32_Box** (long num_dimensions, Degenerate_Element kind)
- **Int32_Box** (Int8_Box y)
- **Int32_Box** (Int16_Box y)
- **Int32_Box** (Int32_Box y)
- **Int32_Box** (Int64_Box y)
- **Int32_Box** (Uint8_Box y)
- **Int32_Box** (Uint16_Box y)
- **Int32_Box** (Uint32_Box y)
- **Int32_Box** (Uint64_Box y)
- **Int32_Box** (Z_Box y)
- **Int32_Box** (Rational_Box y)
- **Int32_Box** (BD_Shape_int8_t y)
- **Int32_Box** (BD_Shape_int16_t y)
- **Int32_Box** (BD_Shape_int32_t y)
- **Int32_Box** (BD_Shape_int64_t y)
- **Int32_Box** (BD_Shape_mpz_class y)
- **Int32_Box** (BD_Shape_mpq_class y)
- **Int32_Box** (Octagonal_Shape_int8_t y)
- **Int32_Box** (Octagonal_Shape_int16_t y)

- **Int32_Box** (Octagonal_Shape_int32_t y)
- **Int32_Box** (Octagonal_Shape_int64_t y)
- **Int32_Box** (Octagonal_Shape_mpz_class y)
- **Int32_Box** (Octagonal_Shape_mpq_class y)
- **Int32_Box** (C_Polyhedron y)
- **Int32_Box** (NNC_Polyhedron y)
- **Int32_Box** (Grid y)
- **Int32_Box** (Float_Box y)
- **Int32_Box** (BD_Shape_float y)
- **Int32_Box** (Octagonal_Shape_float y)
- **Int32_Box** (Double_Box y)
- **Int32_Box** (BD_Shape_double y)
- **Int32_Box** (Octagonal_Shape_double y)
- **Int32_Box** (Long_Double_Box y)
- **Int32_Box** (BD_Shape_long_double y)
- **Int32_Box** (Octagonal_Shape_long_double y)
- **Int32_Box** (Int8_Box y, Complexity_Class complexity)
- **Int32_Box** (Int16_Box y, Complexity_Class complexity)
- **Int32_Box** (Int32_Box y, Complexity_Class complexity)
- **Int32_Box** (Int64_Box y, Complexity_Class complexity)
- **Int32_Box** (Uint8_Box y, Complexity_Class complexity)
- **Int32_Box** (Uint16_Box y, Complexity_Class complexity)
- **Int32_Box** (Uint32_Box y, Complexity_Class complexity)
- **Int32_Box** (Uint64_Box y, Complexity_Class complexity)
- **Int32_Box** (Z_Box y, Complexity_Class complexity)
- **Int32_Box** (Rational_Box y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Int32_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Int32_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Int32_Box** (Grid y, Complexity_Class complexity)
- **Int32_Box** (Float_Box y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Int32_Box** (Double_Box y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Int32_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Int32_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Int32_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)

- **Int32_Box** (Constraint_System cs)
- **Int32_Box** (Congruence_System cs)
- **Int32_Box** (Generator_System cs)
- native void **swap** (Int32_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Int32_Box y)
- native boolean **strictly_contains** (Int32_Box y)
- native boolean **is_disjoint_from** (Int32_Box y)
- native boolean **equals** (Int32_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Int32_Box p)
- native void **upper_bound_assign** (Int32_Box p)
- native void **difference_assign** (Int32_Box p)
- native void **concatenate_assign** (Int32_Box p)

- native void **time_elapse_assign** (Int32_Box p)
- native boolean **upper_bound_assign_if_exact** (Int32_Box y)
- native boolean **simplify_using_context_assign** (Int32_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Int32_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Int32_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Int32_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Int32_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Int32_Box p, Int32_Box q)

Protected Member Functions

- native void **finalize** ()

10.32.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int32_Box.

The documentation for this class was generated from the following file:

- Int32_Box.java

10.33 parma_polyhedra_library::Int64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Int64_Box** (long num_dimensions, Degenerate_Element kind)
- **Int64_Box** (Int8_Box y)
- **Int64_Box** (Int16_Box y)
- **Int64_Box** (Int32_Box y)
- **Int64_Box** (Int64_Box y)
- **Int64_Box** (Uint8_Box y)
- **Int64_Box** (Uint16_Box y)
- **Int64_Box** (Uint32_Box y)
- **Int64_Box** (Uint64_Box y)
- **Int64_Box** (Z_Box y)
- **Int64_Box** (Rational_Box y)
- **Int64_Box** (BD_Shape_int8_t y)
- **Int64_Box** (BD_Shape_int16_t y)
- **Int64_Box** (BD_Shape_int32_t y)
- **Int64_Box** (BD_Shape_int64_t y)
- **Int64_Box** (BD_Shape_mpz_class y)
- **Int64_Box** (BD_Shape_mpq_class y)
- **Int64_Box** (Octagonal_Shape_int8_t y)
- **Int64_Box** (Octagonal_Shape_int16_t y)
- **Int64_Box** (Octagonal_Shape_int32_t y)
- **Int64_Box** (Octagonal_Shape_int64_t y)
- **Int64_Box** (Octagonal_Shape_mpz_class y)
- **Int64_Box** (Octagonal_Shape_mpq_class y)
- **Int64_Box** (C_Polyhedron y)
- **Int64_Box** (NNC_Polyhedron y)
- **Int64_Box** (Grid y)
- **Int64_Box** (Float_Box y)
- **Int64_Box** (BD_Shape_float y)
- **Int64_Box** (Octagonal_Shape_float y)
- **Int64_Box** (Double_Box y)
- **Int64_Box** (BD_Shape_double y)
- **Int64_Box** (Octagonal_Shape_double y)
- **Int64_Box** (Long_Double_Box y)
- **Int64_Box** (BD_Shape_long_double y)
- **Int64_Box** (Octagonal_Shape_long_double y)

- **Int64_Box** (Int8_Box y, Complexity_Class complexity)
- **Int64_Box** (Int16_Box y, Complexity_Class complexity)
- **Int64_Box** (Int32_Box y, Complexity_Class complexity)
- **Int64_Box** (Int64_Box y, Complexity_Class complexity)
- **Int64_Box** (Uint8_Box y, Complexity_Class complexity)
- **Int64_Box** (Uint16_Box y, Complexity_Class complexity)
- **Int64_Box** (Uint32_Box y, Complexity_Class complexity)
- **Int64_Box** (Uint64_Box y, Complexity_Class complexity)
- **Int64_Box** (Z_Box y, Complexity_Class complexity)
- **Int64_Box** (Rational_Box y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Int64_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Int64_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Int64_Box** (Grid y, Complexity_Class complexity)
- **Int64_Box** (Float_Box y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Int64_Box** (Double_Box y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Int64_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Int64_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Int64_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Int64_Box** (Constraint_System cs)
- **Int64_Box** (Congruence_System cs)
- **Int64_Box** (Generator_System cs)
- native void **swap** (Int64_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()

- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Int64_Box y)
- native boolean **strictly_contains** (Int64_Box y)
- native boolean **is_disjoint_from** (Int64_Box y)
- native boolean **equals** (Int64_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Int64_Box p)
- native void **upper_bound_assign** (Int64_Box p)
- native void **difference_assign** (Int64_Box p)
- native void **concatenate_assign** (Int64_Box p)
- native void **time_elapse_assign** (Int64_Box p)
- native boolean **upper_bound_assign_if_exact** (Int64_Box y)
- native boolean **simplify_using_context_assign** (Int64_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)

- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Int64_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Int64_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Int64_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Int64_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Int64_Box p, Int64_Box q)

Protected Member Functions

- native void **finalize** ()

10.33.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int64_Box.

The documentation for this class was generated from the following file:

- Int64_Box.java

10.34 parma_polyhedra_library::Int8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Int8_Box** (long num_dimensions, Degenerate_Element kind)
- **Int8_Box** (Int8_Box y)
- **Int8_Box** (Int16_Box y)
- **Int8_Box** (Int32_Box y)
- **Int8_Box** (Int64_Box y)
- **Int8_Box** (Uint8_Box y)
- **Int8_Box** (Uint16_Box y)
- **Int8_Box** (Uint32_Box y)
- **Int8_Box** (Uint64_Box y)
- **Int8_Box** (Z_Box y)
- **Int8_Box** (Rational_Box y)
- **Int8_Box** (BD_Shape_int8_t y)
- **Int8_Box** (BD_Shape_int16_t y)
- **Int8_Box** (BD_Shape_int32_t y)
- **Int8_Box** (BD_Shape_int64_t y)
- **Int8_Box** (BD_Shape_mpz_class y)
- **Int8_Box** (BD_Shape_mpq_class y)
- **Int8_Box** (Octagonal_Shape_int8_t y)
- **Int8_Box** (Octagonal_Shape_int16_t y)
- **Int8_Box** (Octagonal_Shape_int32_t y)
- **Int8_Box** (Octagonal_Shape_int64_t y)
- **Int8_Box** (Octagonal_Shape_mpz_class y)
- **Int8_Box** (Octagonal_Shape_mpq_class y)
- **Int8_Box** (C_Polyhedron y)
- **Int8_Box** (NNC_Polyhedron y)
- **Int8_Box** (Grid y)
- **Int8_Box** (Float_Box y)
- **Int8_Box** (BD_Shape_float y)
- **Int8_Box** (Octagonal_Shape_float y)
- **Int8_Box** (Double_Box y)
- **Int8_Box** (BD_Shape_double y)
- **Int8_Box** (Octagonal_Shape_double y)
- **Int8_Box** (Long_Double_Box y)
- **Int8_Box** (BD_Shape_long_double y)
- **Int8_Box** (Octagonal_Shape_long_double y)
- **Int8_Box** (Int8_Box y, Complexity_Class complexity)
- **Int8_Box** (Int16_Box y, Complexity_Class complexity)
- **Int8_Box** (Int32_Box y, Complexity_Class complexity)
- **Int8_Box** (Int64_Box y, Complexity_Class complexity)
- **Int8_Box** (Uint8_Box y, Complexity_Class complexity)
- **Int8_Box** (Uint16_Box y, Complexity_Class complexity)
- **Int8_Box** (Uint32_Box y, Complexity_Class complexity)
- **Int8_Box** (Uint64_Box y, Complexity_Class complexity)
- **Int8_Box** (Z_Box y, Complexity_Class complexity)
- **Int8_Box** (Rational_Box y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_int32_t y, Complexity_Class complexity)

- **Int8_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Int8_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Int8_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Int8_Box** (Grid y, Complexity_Class complexity)
- **Int8_Box** (Float_Box y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Int8_Box** (Double_Box y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Int8_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Int8_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Int8_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Int8_Box** (Constraint_System cs)
- **Int8_Box** (Congruence_System cs)
- **Int8_Box** (Generator_System cs)
- native void **swap** (Int8_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Int8_Box y)
- native boolean **strictly_contains** (Int8_Box y)
- native boolean **is_disjoint_from** (Int8_Box y)
- native boolean **equals** (Int8_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Int8_Box p)
- native void **upper_bound_assign** (Int8_Box p)
- native void **difference_assign** (Int8_Box p)
- native void **concatenate_assign** (Int8_Box p)
- native void **time_elapse_assign** (Int8_Box p)
- native boolean **upper_bound_assign_if_exact** (Int8_Box y)
- native boolean **simplify_using_context_assign** (Int8_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)

- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Int8_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Int8_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Int8_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Int8_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Int8_Box p, Int8_Box q)

Protected Member Functions

- native void **finalize** ()

10.34.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Int8_Box.

The documentation for this class was generated from the following file:

- Int8_Box.java

10.35 parma_polyhedra_library::Invalid_Argument_Exception Class Reference

Exceptions caused by invalid arguments.

Public Member Functions

- Invalid_Argument_Exception (String s)

  Constructor.

10.35.1 Detailed Description

Exceptions caused by invalid arguments.

The documentation for this class was generated from the following file:

- Invalid_Argument_Exception.java

10.36 parma_polyhedra_library::IO Class Reference

A class collecting I/O functions.

Static Public Member Functions

- static native String wrap_string (String str, int indent_depth, int preferred_first_line_length, int preferred_line_length)

  Utility function for the wrapping of lines of text.

10.36.1 Detailed Description

A class collecting I/O functions.

10.36.2 Member Function Documentation

10.36.2.1 static native String parma_polyhedra_library::IO::wrap_string (String *str*, int *indent_depth*, int *preferred_first_line_length*, int *preferred_line_length*) [static]

Utility function for the wrapping of lines of text.

Parameters

str The source string holding the lines to wrap.

indent_depth The indentation depth.

preferred_first_line_length The preferred length for the first line of text.

preferred_line_length The preferred length for all the lines but the first one.

Returns

The wrapped string.

The documentation for this class was generated from the following file:

- IO.java

10.37 parma_polyhedra_library::Length_Error_Exception Class Reference

Exceptions caused by too big length/size values.

Public Member Functions

- Length_Error_Exception (String s)

  Constructor.

10.37.1 Detailed Description

Exceptions caused by too big length/size values.

The documentation for this class was generated from the following file:

- Length_Error_Exception.java

10.38 parma_polyhedra_library::Linear_Expression Class Reference

A linear expression.

Inherited by parma_polyhedra_library::Linear_Expression_Coefficient, parma_polyhedra_library::Linear_Expression_Difference, parma_polyhedra_library::Linear_Expression_Sum, parma_polyhedra_library::Linear_Expression_Times, parma_polyhedra_library::Linear_Expression_Unary_Minus, and parma_polyhedra_library::Linear_Expression_Variable.

Public Member Functions

- Linear_Expression sum (Linear_Expression y)

  Returns the sum of `this` *and* `y`.

- Linear_Expression subtract (Linear_Expression y)

  Returns the difference of `this` *and* `y`.

- Linear_Expression times (Coefficient c)

  Returns the product of `this` *times* `c`.

- Linear_Expression unary_minus ()

  Returns the negation of `this`.

- abstract Linear_Expression clone ()

  Returns a copy of the linear expression.

- native String ascii_dump ()

  Returns an ascii formatted internal representation of `this`.

- native String toString ()

  Returns a string representation of `this`.

- native boolean is_zero ()

  Returns `true` *if and only if* `*this` *is* 0.

- native boolean all_homogeneous_terms_are_zero ()

  Returns `true` *if and only if all the homogeneous terms of* `*this` *are* 0.

Static Package Functions

- **[static initializer]**

10.38.1 Detailed Description

A linear expression. An object of the class Linear_Expression represents a linear expression that can be built from a Linear_Expression_Variable, Linear_Expression_Coefficient, Linear_Expression_Sum, Linear_Expression_Difference, Linear_Expression_Unary_Minus.

The documentation for this class was generated from the following file:

- Linear_Expression.java

10.39 parma_polyhedra_library::Linear_Expression_Coefficient Class Reference

A linear expression built from a coefficient.

Inherits parma_polyhedra_library::Linear_Expression.

Public Member Functions

- Linear_Expression_Coefficient (Coefficient c)

  Builds the object corresponding to a copy of the coefficient c.

- Coefficient argument ()

  Returns coefficient representing the linear expression.

- Linear_Expression_Coefficient clone ()

  Builds a copy of this.

Protected Attributes

- Coefficient coeff

  The coefficient representing the linear expression.

Static Package Functions

- **[static initializer]**

10.39.1 Detailed Description

A linear expression built from a coefficient.

The documentation for this class was generated from the following file:

- Linear_Expression_Coefficient.java

10.40 parma_polyhedra_library::Linear_Expression_Difference Class Reference

The difference of two linear expressions.

Inherits parma_polyhedra_library::Linear_Expression.

Public Member Functions

- Linear_Expression_Difference (Linear_Expression x, Linear_Expression y)
  Builds an object that represents the difference of the copy `x` and `y`.
- Linear_Expression left_hand_side ()
  Returns the left hand side of `this`.
- Linear_Expression right_hand_side ()
  Returns the left hand side of `this`.
- Linear_Expression_Difference clone ()
  Builds a copy of this.

Protected Attributes

- Linear_Expression lhs
  The value of the left hand side of `this`.
- Linear_Expression rhs
  The value of the right hand side of `this`.

Static Package Functions

- **[static initializer]**

10.40.1 Detailed Description

The difference of two linear expressions.

The documentation for this class was generated from the following file:

- Linear_Expression_Difference.java

10.41 parma_polyhedra_library::Linear_Expression_Sum Class Reference

The sum of two linear expressions.

Inherits parma_polyhedra_library::Linear_Expression.

Public Member Functions

- Linear_Expression_Sum (Linear_Expression x, Linear_Expression y)
  Builds an object that represents the sum of the copy of `x` and `y`.
- Linear_Expression left_hand_side ()
  Returns the left hand side of `this`.

- Linear_Expression right_hand_side ()

  Returns the right hand side of `this`.

- Linear_Expression_Sum clone ()

  Builds a copy of this.

Protected Attributes

- Linear_Expression lhs

  The value of the left hand side of `this`.

- Linear_Expression rhs

  The value of the right hand side of `this`.

Static Package Functions

- **[static initializer]**

10.41.1 Detailed Description

The sum of two linear expressions.

The documentation for this class was generated from the following file:

- Linear_Expression_Sum.java

10.42 parma_polyhedra_library::Linear_Expression_Times Class Reference

The product of a linear expression and a coefficient.

Inherits parma_polyhedra_library::Linear_Expression.

Public Member Functions

- Linear_Expression_Times (Coefficient c, Variable v)

  Builds an object cloning the input arguments.

- Linear_Expression_Times (Coefficient c, Linear_Expression l)

  Builds an object cloning the input arguments.

- Linear_Expression_Times (Linear_Expression l, Coefficient c)

  Builds an object cloning the input arguments.

- Coefficient coefficient ()

  Returns the coefficient of `this`.

- Linear_Expression linear_expression ()

Returns the linear expression subobject of `this`.

- Linear_Expression_Times clone ()
  Builds a copy of this.

Protected Attributes

- Coefficient coeff
  The value of the coefficient.
- Linear_Expression lin_expr
  The value of the inner linear expression.

Static Package Functions

- **[static initializer]**

10.42.1 Detailed Description

The product of a linear expression and a coefficient.

The documentation for this class was generated from the following file:

- Linear_Expression_Times.java

10.43 parma_polyhedra_library::Linear_Expression_Unary_Minus Class Reference

The negation of a linear expression.

Inherits parma_polyhedra_library::Linear_Expression.

Public Member Functions

- Linear_Expression_Unary_Minus (Linear_Expression x)
  Builds an object that represents the negation of the copy `x`.
- Linear_Expression argument ()
  Returns the value that `this` *negates.*
- Linear_Expression_Unary_Minus clone ()
  Builds a copy of this.

Protected Attributes

- Linear_Expression arg
  The value that `this` *negates.*

Static Package Functions

- **[static initializer]**

10.43.1 Detailed Description

The negation of a linear expression.

The documentation for this class was generated from the following file:

- Linear_Expression_Unary_Minus.java

10.44 parma_polyhedra_library::Linear_Expression_Variable Class Reference

A linear expression built from a variable.

Inherits parma_polyhedra_library::Linear_Expression.

Public Member Functions

- Linear_Expression_Variable (Variable v)

  Builds the object associated to the copy of v.

- Variable argument ()

  Returns the variable representing the linear expression.

- Linear_Expression_Variable clone ()

  Builds a copy of this.

Protected Attributes

- Variable **arg**

Static Package Functions

- **[static initializer]**

10.44.1 Detailed Description

A linear expression built from a variable.

The documentation for this class was generated from the following file:

- Linear_Expression_Variable.java

10.45 parma_polyhedra_library::Logic_Error_Exception Class Reference

Exceptions due to errors in low-level routines.

Public Member Functions

- Logic_Error_Exception (String s)

  Constructor.

10.45.1 Detailed Description

Exceptions due to errors in low-level routines. These exceptions may be generated, for instance, by the inability of querying/controlling the FPU behavior with respect to rounding modes.

The documentation for this class was generated from the following file:

- Logic_Error_Exception.java

10.46 parma_polyhedra_library::Long_Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Long_Double_Box** (long num_dimensions, Degenerate_Element kind)
- **Long_Double_Box** (Int8_Box y)
- **Long_Double_Box** (Int16_Box y)
- **Long_Double_Box** (Int32_Box y)
- **Long_Double_Box** (Int64_Box y)
- **Long_Double_Box** (Uint8_Box y)
- **Long_Double_Box** (Uint16_Box y)
- **Long_Double_Box** (Uint32_Box y)
- **Long_Double_Box** (Uint64_Box y)
- **Long_Double_Box** (Z_Box y)
- **Long_Double_Box** (Rational_Box y)
- **Long_Double_Box** (BD_Shape_int8_t y)
- **Long_Double_Box** (BD_Shape_int16_t y)
- **Long_Double_Box** (BD_Shape_int32_t y)
- **Long_Double_Box** (BD_Shape_int64_t y)
- **Long_Double_Box** (BD_Shape_mpz_class y)
- **Long_Double_Box** (BD_Shape_mpq_class y)
- **Long_Double_Box** (Octagonal_Shape_int8_t y)
- **Long_Double_Box** (Octagonal_Shape_int16_t y)
- **Long_Double_Box** (Octagonal_Shape_int32_t y)
- **Long_Double_Box** (Octagonal_Shape_int64_t y)
- **Long_Double_Box** (Octagonal_Shape_mpz_class y)
- **Long_Double_Box** (Octagonal_Shape_mpq_class y)
- **Long_Double_Box** (C_Polyhedron y)
- **Long_Double_Box** (NNC_Polyhedron y)
- **Long_Double_Box** (Grid y)
- **Long_Double_Box** (Float_Box y)

- **Long_Double_Box** (BD_Shape_float y)
- **Long_Double_Box** (Octagonal_Shape_float y)
- **Long_Double_Box** (Double_Box y)
- **Long_Double_Box** (BD_Shape_double y)
- **Long_Double_Box** (Octagonal_Shape_double y)
- **Long_Double_Box** (Long_Double_Box y)
- **Long_Double_Box** (BD_Shape_long_double y)
- **Long_Double_Box** (Octagonal_Shape_long_double y)
- **Long_Double_Box** (Int8_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Int16_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Int32_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Int64_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Uint8_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Uint16_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Uint32_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Uint64_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Z_Box y, Complexity_Class complexity)
- **Long_Double_Box** (Rational_Box y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Long_Double_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Long_Double_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Long_Double_Box** (Grid y, Complexity_Class complexity)
- **Long_Double_Box** (Float_Box y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Long_Double_Box** (Double_Box y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Long_Double_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Long_Double_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Long_Double_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Long_Double_Box** (Constraint_System cs)
- **Long_Double_Box** (Congruence_System cs)
- **Long_Double_Box** (Generator_System cs)
- native void **swap** (Long_Double_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)

- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Long_Double_Box y)
- native boolean **strictly_contains** (Long_Double_Box y)
- native boolean **is_disjoint_from** (Long_Double_Box y)
- native boolean **equals** (Long_Double_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Long_Double_Box p)
- native void **upper_bound_assign** (Long_Double_Box p)
- native void **difference_assign** (Long_Double_Box p)
- native void **concatenate_assign** (Long_Double_Box p)
- native void **time_elapse_assign** (Long_Double_Box p)
- native boolean **upper_bound_assign_if_exact** (Long_Double_Box y)
- native boolean **simplify_using_context_assign** (Long_Double_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)

- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Long_Double_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Long_Double_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Long_Double_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Long_Double_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Long_Double_Box p, Long_Double_Box q)

Protected Member Functions

- native void **finalize** ()

10.46.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Long_Double_Box.

The documentation for this class was generated from the following file:

- Long_Double_Box.java

10.47 parma_polyhedra_library::MIP_Problem Class Reference

A Mixed Integer (linear) Programming problem.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

Functions that Do Not Modify the MIP_Problem

- native long max_space_dimension ()
  Returns the maximum space dimension an MIP_Problem can handle.
- native long space_dimension ()
  Returns the space dimension of the MIP problem.
- native Variables_Set integer_space_dimensions ()
  Returns a set containing all the variables' indexes constrained to be integral.
- native Constraint_System constraints ()
  Returns the constraints .
- native Linear_Expression objective_function ()
  Returns the objective function.
- native Optimization_Mode optimization_mode ()
  Returns the optimization mode.
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.
- native long total_memory_in_bytes ()
  Returns the total size in bytes of the memory occupied by the underlying C++ object.
- native boolean OK ()
  Checks if all the invariants are satisfied.

Functions that May Modify the MIP_Problem

- native void clear ()
  Resets `this` to be equal to the trivial MIP problem.
- native void add_space_dimensions_and_embed (long m)
  Adds `m` new space dimensions and embeds the old MIP problem in the new vector space.
- native void add_to_integer_space_dimensions (Variables_Set i_vars)
  Sets the variables whose indexes are in set `i_vars` to be integer space dimensions.
- native void add_constraint (Constraint c)
  Adds a copy of constraint `c` to the MIP problem.

- native void add_constraints (Constraint_System cs)
  Adds a copy of the constraints in `cs` to the MIP problem.

- native void set_objective_function (Linear_Expression obj)
  Sets the objective function to `obj`.

- native void set_optimization_mode (Optimization_Mode mode)
  Sets the optimization mode to `mode`.

Computing the Solution of the MIP_Problem

- native boolean is_satisfiable ()
  Checks satisfiability of `*this`.

- native MIP_Problem_Status solve ()
  Optimizes the MIP problem.

- native void evaluate_objective_function (Generator evaluating_point, Coefficient num, Coefficient den)
  Sets `num` and `den` so that $\frac{num}{den}$ is the result of evaluating the objective function on `evaluating_point`.

- native Generator feasible_point ()
  Returns a feasible point for `*this`, if it exists.

- native Generator optimizing_point ()
  Returns an optimal point for `this`, if it exists.

- native void optimal_value (Coefficient num, Coefficient den)
  Sets `num` and `den` so that $\frac{num}{den}$ is the solution of the optimization problem.

Querying/Setting Control Parameters

- native Control_Parameter_Value get_control_parameter (Control_Parameter_Name name)
  Returns the value of control parameter `name`.

- native void set_control_parameter (Control_Parameter_Value value)
  Sets control parameter `value`.

Constructors and Destructor

- MIP_Problem (long dim)
  Builds a trivial MIP problem.

- MIP_Problem (long dim, Constraint_System cs, Linear_Expression obj, Optimization_Mode mode)
  Builds an MIP problem having space dimension `dim` from the constraint system `cs`, the objective function `obj` and optimization mode `mode`.

- MIP_Problem (MIP_Problem y)

  Builds a copy of `y`.

- native void free ()

  Releases all resources managed by `this`*, also resetting it to a null reference.*

- native void finalize ()

  Releases all resources managed by `this`.

10.47.1 Detailed Description

A Mixed Integer (linear) Programming problem. An object of this class encodes a mixed integer (linear) programming problem. The MIP problem is specified by providing:

- the dimension of the vector space;
- the feasible region, by means of a finite set of linear equality and non-strict inequality constraints;
- the subset of the unknown variables that range over the integers (the other variables implicitly ranging over the reals);
- the objective function, described by a Linear_Expression;
- the optimization mode (either maximization or minimization).

The class provides support for the (incremental) solution of the MIP problem based on variations of the revised simplex method and on branch-and-bound techniques. The result of the resolution process is expressed in terms of an enumeration, encoding the feasibility and the unboundedness of the optimization problem. The class supports simple feasibility tests (i.e., no optimization), as well as the extraction of an optimal (resp., feasible) point, provided the MIP_Problem is optimizable (resp., feasible).

By exploiting the incremental nature of the solver, it is possible to reuse part of the computational work already done when solving variants of a given MIP_Problem: currently, incremental resolution supports the addition of space dimensions, the addition of constraints, the change of objective function and the change of optimization mode.

10.47.2 Constructor & Destructor Documentation

10.47.2.1 parma_polyhedra_library::MIP_Problem::MIP_Problem (long *dim*) [inline]

Builds a trivial MIP problem.

A trivial MIP problem requires to maximize the objective function 0 on a vector space under no constraints at all: the origin of the vector space is an optimal solution.

Parameters

dim The dimension of the vector space enclosing `this`.

Exceptions

std::length_error Thrown if `dim` exceeds `max_space_dimension()`.

10.47.2.2 parma_polyhedra_library::MIP_Problem::MIP_Problem (long *dim*, Constraint_System *cs*, Linear_Expression *obj*, Optimization_Mode *mode*) [inline]

Builds an MIP problem having space dimension `dim` from the constraint system `cs`, the objective function `obj` and optimization mode `mode`.

Parameters

dim The dimension of the vector space enclosing `this`.

cs The constraint system defining the feasible region.

obj The objective function.

mode The optimization mode.

Exceptions

std::length_error Thrown if `dim` exceeds `max_space_dimension()`.

std::invalid_argument Thrown if the constraint system contains any strict inequality or if the space dimension of the constraint system (resp., the objective function) is strictly greater than `dim`.

10.47.3 Member Function Documentation

10.47.3.1 native void parma_polyhedra_library::MIP_Problem::clear ()

Resets `this` to be equal to the trivial MIP problem.

The space dimension is reset to 0.

10.47.3.2 native void parma_polyhedra_library::MIP_Problem::add_space_dimensions_and_embed (long *m*)

Adds `m` new space dimensions and embeds the old MIP problem in the new vector space.

Parameters

m The number of dimensions to add.

Exceptions

std::length_error Thrown if adding `m` new space dimensions would cause the vector space to exceed dimension `max_space_dimension()`.

The new space dimensions will be those having the highest indexes in the new MIP problem; they are initially unconstrained.

10.47.3.3 native void parma_polyhedra_library::MIP_Problem::add_to_integer_space_dimensions (Variables_Set *i_vars*)

Sets the variables whose indexes are in set `i_vars` to be integer space dimensions.

Exceptions

std::invalid_argument Thrown if some index in `i_vars` does not correspond to a space dimension in `this`.

10.47.3.4 native void parma_polyhedra_library::MIP_Problem::add_constraint (Constraint *c*)

Adds a copy of constraint `c` to the MIP problem.

Exceptions

std::invalid_argument Thrown if the constraint `c` is a strict inequality or if its space dimension is strictly greater than the space dimension of `this`.

10.47.3.5 native void parma_polyhedra_library::MIP_Problem::add_constraints (Constraint_System *cs*)

Adds a copy of the constraints in `cs` to the MIP problem.

Exceptions

std::invalid_argument Thrown if the constraint system `cs` contains any strict inequality or if its space dimension is strictly greater than the space dimension of `*this`.

10.47.3.6 native void parma_polyhedra_library::MIP_Problem::set_objective_function (Linear_Expression *obj*)

Sets the objective function to `obj`.

Exceptions

std::invalid_argument Thrown if the space dimension of `obj` is strictly greater than the space dimension of `this`.

10.47.3.7 native boolean parma_polyhedra_library::MIP_Problem::is_satisfiable ()

Checks satisfiability of `*this`.

Returns

`true` if and only if the MIP problem is satisfiable.

10.47.3.8 native MIP_Problem_Status parma_polyhedra_library::MIP_Problem::solve ()

Optimizes the MIP problem.

Returns

An MIP_Problem_Status flag indicating the outcome of the optimization attempt (unfeasible, unbounded or optimized problem).

10.47.3.9 native void parma_polyhedra_library::MIP_Problem::evaluate_objective_function (Generator *evaluating_point*, Coefficient *num*, Coefficient *den*)

Sets `num` and `den` so that $\frac{num}{den}$ is the result of evaluating the objective function on `evaluating_point`.

Parameters

evaluating_point The point on which the objective function will be evaluated.

num On exit will contain the numerator of the evaluated value.

den On exit will contain the denominator of the evaluated value.

Exceptions

std::invalid_argument Thrown if `this` and `evaluating_point` are dimension-incompatible or if the generator `evaluating_point` is not a point.

10.47.3.10 native Generator parma_polyhedra_library::MIP_Problem::feasible_point ()

Returns a feasible point for `*this`, if it exists.

Exceptions

std::domain_error Thrown if the MIP problem is not satisfiable.

10.47.3.11 native Generator parma_polyhedra_library::MIP_Problem::optimizing_point ()

Returns an optimal point for `this`, if it exists.

Exceptions

std::domain_error Thrown if `this` doesn't not have an optimizing point, i.e., if the MIP problem is unbounded or not satisfiable.

10.47.3.12 native void parma_polyhedra_library::MIP_Problem::optimal_value (Coefficient *num*, Coefficient *den*)

Sets `num` and `den` so that $\frac{num}{den}$ is the solution of the optimization problem.

Exceptions

std::domain_error Thrown if `*this` doesn't not have an optimizing point, i.e., if the MIP problem is unbounded or not satisfiable.

The documentation for this class was generated from the following file:

- MIP_Problem.java

10.48 parma_polyhedra_library::NNC_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

Inherits parma_polyhedra_library::Polyhedron.

Public Member Functions

- **NNC_Polyhedron** (long num_dimensions, Degenerate_Element kind)
- **NNC_Polyhedron** (Int8_Box y)
- **NNC_Polyhedron** (Int16_Box y)
- **NNC_Polyhedron** (Int32_Box y)
- **NNC_Polyhedron** (Int64_Box y)
- **NNC_Polyhedron** (Uint8_Box y)
- **NNC_Polyhedron** (Uint16_Box y)
- **NNC_Polyhedron** (Uint32_Box y)
- **NNC_Polyhedron** (Uint64_Box y)
- **NNC_Polyhedron** (Z_Box y)
- **NNC_Polyhedron** (Rational_Box y)
- **NNC_Polyhedron** (BD_Shape_int8_t y)
- **NNC_Polyhedron** (BD_Shape_int16_t y)
- **NNC_Polyhedron** (BD_Shape_int32_t y)
- **NNC_Polyhedron** (BD_Shape_int64_t y)
- **NNC_Polyhedron** (BD_Shape_mpz_class y)
- **NNC_Polyhedron** (BD_Shape_mpq_class y)
- **NNC_Polyhedron** (Octagonal_Shape_int8_t y)
- **NNC_Polyhedron** (Octagonal_Shape_int16_t y)
- **NNC_Polyhedron** (Octagonal_Shape_int32_t y)
- **NNC_Polyhedron** (Octagonal_Shape_int64_t y)
- **NNC_Polyhedron** (Octagonal_Shape_mpz_class y)
- **NNC_Polyhedron** (Octagonal_Shape_mpq_class y)
- **NNC_Polyhedron** (C_Polyhedron y)
- **NNC_Polyhedron** (NNC_Polyhedron y)
- **NNC_Polyhedron** (Grid y)
- **NNC_Polyhedron** (Float_Box y)

- **NNC_Polyhedron** (BD_Shape_float y)
- **NNC_Polyhedron** (Octagonal_Shape_float y)
- **NNC_Polyhedron** (Double_Box y)
- **NNC_Polyhedron** (BD_Shape_double y)
- **NNC_Polyhedron** (Octagonal_Shape_double y)
- **NNC_Polyhedron** (Long_Double_Box y)
- **NNC_Polyhedron** (BD_Shape_long_double y)
- **NNC_Polyhedron** (Octagonal_Shape_long_double y)
- **NNC_Polyhedron** (Int8_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Int16_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Int32_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Int64_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Uint8_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Uint16_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Uint32_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Uint64_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Z_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (Rational_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_int8_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_int16_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_int32_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_int64_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **NNC_Polyhedron** (C_Polyhedron y, Complexity_Class complexity)
- **NNC_Polyhedron** (NNC_Polyhedron y, Complexity_Class complexity)
- **NNC_Polyhedron** (Grid y, Complexity_Class complexity)
- **NNC_Polyhedron** (Float_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_float y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_float y, Complexity_Class complexity)
- **NNC_Polyhedron** (Double_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_double y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_double y, Complexity_Class complexity)
- **NNC_Polyhedron** (Long_Double_Box y, Complexity_Class complexity)
- **NNC_Polyhedron** (BD_Shape_long_double y, Complexity_Class complexity)
- **NNC_Polyhedron** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **NNC_Polyhedron** (Constraint_System cs)
- **NNC_Polyhedron** (Congruence_System cs)
- **NNC_Polyhedron** (Generator_System cs)
- native boolean **upper_bound_assign_if_exact** (NNC_Polyhedron y)
- native boolean **poly_hull_assign_if_exact** (NNC_Polyhedron y)
- native void **free** ()

Static Public Member Functions

- static native Pair< NNC_Polyhedron, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (NNC_Polyhedron p, NNC_Polyhedron q)

Protected Member Functions

- native void **finalize** ()

10.48.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::NNC_Polyhedron.

The documentation for this class was generated from the following file:

- NNC_Polyhedron.java

10.49 parma_polyhedra_library::Octagonal_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_double** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_double** (Int8_Box y)
- **Octagonal_Shape_double** (Int16_Box y)
- **Octagonal_Shape_double** (Int32_Box y)
- **Octagonal_Shape_double** (Int64_Box y)
- **Octagonal_Shape_double** (Uint8_Box y)
- **Octagonal_Shape_double** (Uint16_Box y)
- **Octagonal_Shape_double** (Uint32_Box y)
- **Octagonal_Shape_double** (Uint64_Box y)
- **Octagonal_Shape_double** (Z_Box y)
- **Octagonal_Shape_double** (Rational_Box y)
- **Octagonal_Shape_double** (BD_Shape_int8_t y)
- **Octagonal_Shape_double** (BD_Shape_int16_t y)
- **Octagonal_Shape_double** (BD_Shape_int32_t y)
- **Octagonal_Shape_double** (BD_Shape_int64_t y)
- **Octagonal_Shape_double** (BD_Shape_mpz_class y)
- **Octagonal_Shape_double** (BD_Shape_mpq_class y)
- **Octagonal_Shape_double** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_double** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_double** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_double** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_double** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_double** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_double** (C_Polyhedron y)
- **Octagonal_Shape_double** (NNC_Polyhedron y)

- **Octagonal_Shape_double** (Grid y)
- **Octagonal_Shape_double** (Float_Box y)
- **Octagonal_Shape_double** (BD_Shape_float y)
- **Octagonal_Shape_double** (Octagonal_Shape_float y)
- **Octagonal_Shape_double** (Double_Box y)
- **Octagonal_Shape_double** (BD_Shape_double y)
- **Octagonal_Shape_double** (Octagonal_Shape_double y)
- **Octagonal_Shape_double** (Long_Double_Box y)
- **Octagonal_Shape_double** (BD_Shape_long_double y)
- **Octagonal_Shape_double** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_double** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_double** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_double** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_double** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_double** (Constraint_System cs)
- **Octagonal_Shape_double** (Congruence_System cs)
- **Octagonal_Shape_double** (Generator_System cs)
- native void **swap** (Octagonal_Shape_double y)
- native long **space_dimension** ()
- native long **affine_dimension** ()

- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_double y)
- native boolean **strictly_contains** (Octagonal_Shape_double y)
- native boolean **is_disjoint_from** (Octagonal_Shape_double y)
- native boolean **equals** (Octagonal_Shape_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_double p)
- native void **upper_bound_assign** (Octagonal_Shape_double p)
- native void **difference_assign** (Octagonal_Shape_double p)
- native void **concatenate_assign** (Octagonal_Shape_double p)
- native void **time_elapse_assign** (Octagonal_Shape_double p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_double y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)

- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_double y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_double y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_double arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_double arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_double, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_double p, Octagonal_Shape_double q)

Protected Member Functions

- native void **finalize** ()

10.49.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<double>

The documentation for this class was generated from the following file:

- Octagonal_Shape_double.java

10.50 parma_polyhedra_library::Octagonal_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_float** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_float** (Int8_Box y)
- **Octagonal_Shape_float** (Int16_Box y)
- **Octagonal_Shape_float** (Int32_Box y)
- **Octagonal_Shape_float** (Int64_Box y)
- **Octagonal_Shape_float** (Uint8_Box y)
- **Octagonal_Shape_float** (Uint16_Box y)
- **Octagonal_Shape_float** (Uint32_Box y)
- **Octagonal_Shape_float** (Uint64_Box y)
- **Octagonal_Shape_float** (Z_Box y)
- **Octagonal_Shape_float** (Rational_Box y)
- **Octagonal_Shape_float** (BD_Shape_int8_t y)
- **Octagonal_Shape_float** (BD_Shape_int16_t y)
- **Octagonal_Shape_float** (BD_Shape_int32_t y)
- **Octagonal_Shape_float** (BD_Shape_int64_t y)
- **Octagonal_Shape_float** (BD_Shape_mpz_class y)
- **Octagonal_Shape_float** (BD_Shape_mpq_class y)
- **Octagonal_Shape_float** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_float** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_float** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_float** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_float** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_float** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_float** (C_Polyhedron y)
- **Octagonal_Shape_float** (NNC_Polyhedron y)
- **Octagonal_Shape_float** (Grid y)
- **Octagonal_Shape_float** (Float_Box y)
- **Octagonal_Shape_float** (BD_Shape_float y)
- **Octagonal_Shape_float** (Octagonal_Shape_float y)
- **Octagonal_Shape_float** (Double_Box y)
- **Octagonal_Shape_float** (BD_Shape_double y)
- **Octagonal_Shape_float** (Octagonal_Shape_double y)
- **Octagonal_Shape_float** (Long_Double_Box y)
- **Octagonal_Shape_float** (BD_Shape_long_double y)
- **Octagonal_Shape_float** (Octagonal_Shape_long_double y)

- **Octagonal_Shape_float** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_float** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_float** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_float** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_float** (Constraint_System cs)
- **Octagonal_Shape_float** (Congruence_System cs)
- **Octagonal_Shape_float** (Generator_System cs)
- native void **swap** (Octagonal_Shape_float y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()

- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_float y)
- native boolean **strictly_contains** (Octagonal_Shape_float y)
- native boolean **is_disjoint_from** (Octagonal_Shape_float y)
- native boolean **equals** (Octagonal_Shape_float p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_float p)
- native void **upper_bound_assign** (Octagonal_Shape_float p)
- native void **difference_assign** (Octagonal_Shape_float p)
- native void **concatenate_assign** (Octagonal_Shape_float p)
- native void **time_elapse_assign** (Octagonal_Shape_float p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_float y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_float p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)

- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_float y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_float y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_float y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_float arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_float arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_float, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_float p, Octagonal_Shape_float q)

Protected Member Functions

- native void **finalize** ()

10.50.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<float>

The documentation for this class was generated from the following file:

- Octagonal_Shape_float.java

10.51 parma_polyhedra_library::Octagonal_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_int16_t** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_int16_t** (Int8_Box y)
- **Octagonal_Shape_int16_t** (Int16_Box y)
- **Octagonal_Shape_int16_t** (Int32_Box y)
- **Octagonal_Shape_int16_t** (Int64_Box y)
- **Octagonal_Shape_int16_t** (Uint8_Box y)
- **Octagonal_Shape_int16_t** (Uint16_Box y)
- **Octagonal_Shape_int16_t** (Uint32_Box y)
- **Octagonal_Shape_int16_t** (Uint64_Box y)
- **Octagonal_Shape_int16_t** (Z_Box y)
- **Octagonal_Shape_int16_t** (Rational_Box y)
- **Octagonal_Shape_int16_t** (BD_Shape_int8_t y)
- **Octagonal_Shape_int16_t** (BD_Shape_int16_t y)
- **Octagonal_Shape_int16_t** (BD_Shape_int32_t y)
- **Octagonal_Shape_int16_t** (BD_Shape_int64_t y)
- **Octagonal_Shape_int16_t** (BD_Shape_mpz_class y)
- **Octagonal_Shape_int16_t** (BD_Shape_mpq_class y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_int16_t** (C_Polyhedron y)
- **Octagonal_Shape_int16_t** (NNC_Polyhedron y)
- **Octagonal_Shape_int16_t** (Grid y)
- **Octagonal_Shape_int16_t** (Float_Box y)
- **Octagonal_Shape_int16_t** (BD_Shape_float y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_float y)
- **Octagonal_Shape_int16_t** (Double_Box y)
- **Octagonal_Shape_int16_t** (BD_Shape_double y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_double y)
- **Octagonal_Shape_int16_t** (Long_Double_Box y)
- **Octagonal_Shape_int16_t** (BD_Shape_long_double y)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_int16_t** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Uint64_Box y, Complexity_Class complexity)

- **Octagonal_Shape_int16_t** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int16_t** (Constraint_System cs)
- **Octagonal_Shape_int16_t** (Congruence_System cs)
- **Octagonal_Shape_int16_t** (Generator_System cs)
- native void **swap** (Octagonal_Shape_int16_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_int16_t y)
- native boolean **strictly_contains** (Octagonal_Shape_int16_t y)
- native boolean **is_disjoint_from** (Octagonal_Shape_int16_t y)
- native boolean **equals** (Octagonal_Shape_int16_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_int16_t p)
- native void **upper_bound_assign** (Octagonal_Shape_int16_t p)
- native void **difference_assign** (Octagonal_Shape_int16_t p)
- native void **concatenate_assign** (Octagonal_Shape_int16_t p)
- native void **time_elapse_assign** (Octagonal_Shape_int16_t p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_int16_t y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_int16_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_int16_t y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_int16_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_int16_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_int16_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_int16_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int16_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_int16_t p, Octagonal_Shape_int16_t q)

Protected Member Functions

- native void **finalize** ()

10.51.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int16_t>

The documentation for this class was generated from the following file:

- Octagonal_Shape_int16_t.java

10.52 parma_polyhedra_library::Octagonal_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_int32_t** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_int32_t** (Int8_Box y)
- **Octagonal_Shape_int32_t** (Int16_Box y)
- **Octagonal_Shape_int32_t** (Int32_Box y)
- **Octagonal_Shape_int32_t** (Int64_Box y)
- **Octagonal_Shape_int32_t** (Uint8_Box y)
- **Octagonal_Shape_int32_t** (Uint16_Box y)
- **Octagonal_Shape_int32_t** (Uint32_Box y)
- **Octagonal_Shape_int32_t** (Uint64_Box y)
- **Octagonal_Shape_int32_t** (Z_Box y)
- **Octagonal_Shape_int32_t** (Rational_Box y)
- **Octagonal_Shape_int32_t** (BD_Shape_int8_t y)
- **Octagonal_Shape_int32_t** (BD_Shape_int16_t y)
- **Octagonal_Shape_int32_t** (BD_Shape_int32_t y)
- **Octagonal_Shape_int32_t** (BD_Shape_int64_t y)
- **Octagonal_Shape_int32_t** (BD_Shape_mpz_class y)
- **Octagonal_Shape_int32_t** (BD_Shape_mpq_class y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_int32_t** (C_Polyhedron y)
- **Octagonal_Shape_int32_t** (NNC_Polyhedron y)
- **Octagonal_Shape_int32_t** (Grid y)
- **Octagonal_Shape_int32_t** (Float_Box y)
- **Octagonal_Shape_int32_t** (BD_Shape_float y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_float y)
- **Octagonal_Shape_int32_t** (Double_Box y)
- **Octagonal_Shape_int32_t** (BD_Shape_double y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_double y)
- **Octagonal_Shape_int32_t** (Long_Double_Box y)
- **Octagonal_Shape_int32_t** (BD_Shape_long_double y)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_int32_t** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_int32_t y, Complexity_Class complexity)

- **Octagonal_Shape_int32_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int32_t** (Constraint_System cs)
- **Octagonal_Shape_int32_t** (Congruence_System cs)
- **Octagonal_Shape_int32_t** (Generator_System cs)
- native void **swap** (Octagonal_Shape_int32_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_int32_t y)
- native boolean **strictly_contains** (Octagonal_Shape_int32_t y)
- native boolean **is_disjoint_from** (Octagonal_Shape_int32_t y)
- native boolean **equals** (Octagonal_Shape_int32_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_int32_t p)
- native void **upper_bound_assign** (Octagonal_Shape_int32_t p)
- native void **difference_assign** (Octagonal_Shape_int32_t p)
- native void **concatenate_assign** (Octagonal_Shape_int32_t p)
- native void **time_elapse_assign** (Octagonal_Shape_int32_t p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_int32_t y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_int32_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)

- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_int32_t y, By_Reference< Integer > tp)

- native void **widening_assign** (Octagonal_Shape_int32_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_int32_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_int32_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_int32_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int32_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_int32_t p, Octagonal_Shape_int32_t q)

Protected Member Functions

- native void **finalize** ()

10.52.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int32_t>

The documentation for this class was generated from the following file:

- Octagonal_Shape_int32_t.java

10.53 parma_polyhedra_library::Octagonal_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_int64_t** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_int64_t** (Int8_Box y)
- **Octagonal_Shape_int64_t** (Int16_Box y)
- **Octagonal_Shape_int64_t** (Int32_Box y)
- **Octagonal_Shape_int64_t** (Int64_Box y)

- **Octagonal_Shape_int64_t** (Uint8_Box y)
- **Octagonal_Shape_int64_t** (Uint16_Box y)
- **Octagonal_Shape_int64_t** (Uint32_Box y)
- **Octagonal_Shape_int64_t** (Uint64_Box y)
- **Octagonal_Shape_int64_t** (Z_Box y)
- **Octagonal_Shape_int64_t** (Rational_Box y)
- **Octagonal_Shape_int64_t** (BD_Shape_int8_t y)
- **Octagonal_Shape_int64_t** (BD_Shape_int16_t y)
- **Octagonal_Shape_int64_t** (BD_Shape_int32_t y)
- **Octagonal_Shape_int64_t** (BD_Shape_int64_t y)
- **Octagonal_Shape_int64_t** (BD_Shape_mpz_class y)
- **Octagonal_Shape_int64_t** (BD_Shape_mpq_class y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_int64_t** (C_Polyhedron y)
- **Octagonal_Shape_int64_t** (NNC_Polyhedron y)
- **Octagonal_Shape_int64_t** (Grid y)
- **Octagonal_Shape_int64_t** (Float_Box y)
- **Octagonal_Shape_int64_t** (BD_Shape_float y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_float y)
- **Octagonal_Shape_int64_t** (Double_Box y)
- **Octagonal_Shape_int64_t** (BD_Shape_double y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_double y)
- **Octagonal_Shape_int64_t** (Long_Double_Box y)
- **Octagonal_Shape_int64_t** (BD_Shape_long_double y)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_int64_t** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)

- **Octagonal_Shape_int64_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int64_t** (Constraint_System cs)
- **Octagonal_Shape_int64_t** (Congruence_System cs)
- **Octagonal_Shape_int64_t** (Generator_System cs)
- native void **swap** (Octagonal_Shape_int64_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_int64_t y)
- native boolean **strictly_contains** (Octagonal_Shape_int64_t y)
- native boolean **is_disjoint_from** (Octagonal_Shape_int64_t y)
- native boolean **equals** (Octagonal_Shape_int64_t p)

- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_int64_t p)
- native void **upper_bound_assign** (Octagonal_Shape_int64_t p)
- native void **difference_assign** (Octagonal_Shape_int64_t p)
- native void **concatenate_assign** (Octagonal_Shape_int64_t p)
- native void **time_elapse_assign** (Octagonal_Shape_int64_t p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_int64_t y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_int64_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_int64_t y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_int64_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)

- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_int64_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_int64_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_int64_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int64_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_int64_t p, Octagonal_Shape_int64_t q)

Protected Member Functions

- native void **finalize** ()

10.53.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int64_t>

The documentation for this class was generated from the following file:

- Octagonal_Shape_int64_t.java

10.54 parma_polyhedra_library::Octagonal_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_int8_t** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_int8_t** (Int8_Box y)
- **Octagonal_Shape_int8_t** (Int16_Box y)
- **Octagonal_Shape_int8_t** (Int32_Box y)
- **Octagonal_Shape_int8_t** (Int64_Box y)
- **Octagonal_Shape_int8_t** (Uint8_Box y)
- **Octagonal_Shape_int8_t** (Uint16_Box y)
- **Octagonal_Shape_int8_t** (Uint32_Box y)
- **Octagonal_Shape_int8_t** (Uint64_Box y)
- **Octagonal_Shape_int8_t** (Z_Box y)
- **Octagonal_Shape_int8_t** (Rational_Box y)
- **Octagonal_Shape_int8_t** (BD_Shape_int8_t y)
- **Octagonal_Shape_int8_t** (BD_Shape_int16_t y)

- **Octagonal_Shape_int8_t** (BD_Shape_int32_t y)
- **Octagonal_Shape_int8_t** (BD_Shape_int64_t y)
- **Octagonal_Shape_int8_t** (BD_Shape_mpz_class y)
- **Octagonal_Shape_int8_t** (BD_Shape_mpq_class y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_int8_t** (C_Polyhedron y)
- **Octagonal_Shape_int8_t** (NNC_Polyhedron y)
- **Octagonal_Shape_int8_t** (Grid y)
- **Octagonal_Shape_int8_t** (Float_Box y)
- **Octagonal_Shape_int8_t** (BD_Shape_float y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_float y)
- **Octagonal_Shape_int8_t** (Double_Box y)
- **Octagonal_Shape_int8_t** (BD_Shape_double y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_double y)
- **Octagonal_Shape_int8_t** (Long_Double_Box y)
- **Octagonal_Shape_int8_t** (BD_Shape_long_double y)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_int8_t** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_float y, Complexity_Class complexity)

- **Octagonal_Shape_int8_t** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_int8_t** (Constraint_System cs)
- **Octagonal_Shape_int8_t** (Congruence_System cs)
- **Octagonal_Shape_int8_t** (Generator_System cs)
- native void **swap** (Octagonal_Shape_int8_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_int8_t y)
- native boolean **strictly_contains** (Octagonal_Shape_int8_t y)
- native boolean **is_disjoint_from** (Octagonal_Shape_int8_t y)
- native boolean **equals** (Octagonal_Shape_int8_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)

- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_int8_t p)
- native void **upper_bound_assign** (Octagonal_Shape_int8_t p)
- native void **difference_assign** (Octagonal_Shape_int8_t p)
- native void **concatenate_assign** (Octagonal_Shape_int8_t p)
- native void **time_elapse_assign** (Octagonal_Shape_int8_t p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_int8_t y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_int8_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_int8_t y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_int8_t y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_int8_t y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_int8_t arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_int8_t arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_int8_t, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_int8_t p, Octagonal_Shape_int8_t q)

Protected Member Functions

- native void **finalize** ()

10.54.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<int8_t>

The documentation for this class was generated from the following file:

- Octagonal_Shape_int8_t.java

10.55 parma_polyhedra_library::Octagonal_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_long_double** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_long_double** (Int8_Box y)
- **Octagonal_Shape_long_double** (Int16_Box y)
- **Octagonal_Shape_long_double** (Int32_Box y)
- **Octagonal_Shape_long_double** (Int64_Box y)
- **Octagonal_Shape_long_double** (Uint8_Box y)
- **Octagonal_Shape_long_double** (Uint16_Box y)
- **Octagonal_Shape_long_double** (Uint32_Box y)
- **Octagonal_Shape_long_double** (Uint64_Box y)
- **Octagonal_Shape_long_double** (Z_Box y)
- **Octagonal_Shape_long_double** (Rational_Box y)
- **Octagonal_Shape_long_double** (BD_Shape_int8_t y)
- **Octagonal_Shape_long_double** (BD_Shape_int16_t y)
- **Octagonal_Shape_long_double** (BD_Shape_int32_t y)
- **Octagonal_Shape_long_double** (BD_Shape_int64_t y)
- **Octagonal_Shape_long_double** (BD_Shape_mpz_class y)
- **Octagonal_Shape_long_double** (BD_Shape_mpq_class y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_long_double** (C_Polyhedron y)
- **Octagonal_Shape_long_double** (NNC_Polyhedron y)

- **Octagonal_Shape_long_double** (Grid y)
- **Octagonal_Shape_long_double** (Float_Box y)
- **Octagonal_Shape_long_double** (BD_Shape_float y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_float y)
- **Octagonal_Shape_long_double** (Double_Box y)
- **Octagonal_Shape_long_double** (BD_Shape_double y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_double y)
- **Octagonal_Shape_long_double** (Long_Double_Box y)
- **Octagonal_Shape_long_double** (BD_Shape_long_double y)
- **Octagonal_Shape_long_double** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_long_double** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_long_double** (Octagonal_Shape_long_double y, Complexity_Class complexity)

- **Octagonal_Shape_long_double** (Constraint_System cs)
- **Octagonal_Shape_long_double** (Congruence_System cs)
- **Octagonal_Shape_long_double** (Generator_System cs)
- native void **swap** (Octagonal_Shape_long_double y)
- native long **space_dimension** ()

- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_long_double y)
- native boolean **strictly_contains** (Octagonal_Shape_long_double y)
- native boolean **is_disjoint_from** (Octagonal_Shape_long_double y)
- native boolean **equals** (Octagonal_Shape_long_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_long_double p)
- native void **upper_bound_assign** (Octagonal_Shape_long_double p)
- native void **difference_assign** (Octagonal_Shape_long_double p)
- native void **concatenate_assign** (Octagonal_Shape_long_double p)
- native void **time_elapse_assign** (Octagonal_Shape_long_double p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_long_double y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_long_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)

- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_long_double y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_long_double y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_long_double y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_long_double arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_long_double arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_long_double, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_long_double p, Octagonal_Shape_long_double q)

Protected Member Functions

- native void **finalize** ()

10.55.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<long double>

The documentation for this class was generated from the following file:

- Octagonal_Shape_long_double.java

10.56 parma_polyhedra_library::Octagonal_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_mpq_class** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_mpq_class** (Int8_Box y)
- **Octagonal_Shape_mpq_class** (Int16_Box y)
- **Octagonal_Shape_mpq_class** (Int32_Box y)
- **Octagonal_Shape_mpq_class** (Int64_Box y)
- **Octagonal_Shape_mpq_class** (Uint8_Box y)
- **Octagonal_Shape_mpq_class** (Uint16_Box y)
- **Octagonal_Shape_mpq_class** (Uint32_Box y)
- **Octagonal_Shape_mpq_class** (Uint64_Box y)
- **Octagonal_Shape_mpq_class** (Z_Box y)
- **Octagonal_Shape_mpq_class** (Rational_Box y)
- **Octagonal_Shape_mpq_class** (BD_Shape_int8_t y)
- **Octagonal_Shape_mpq_class** (BD_Shape_int16_t y)
- **Octagonal_Shape_mpq_class** (BD_Shape_int32_t y)
- **Octagonal_Shape_mpq_class** (BD_Shape_int64_t y)
- **Octagonal_Shape_mpq_class** (BD_Shape_mpz_class y)
- **Octagonal_Shape_mpq_class** (BD_Shape_mpq_class y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_mpq_class** (C_Polyhedron y)
- **Octagonal_Shape_mpq_class** (NNC_Polyhedron y)
- **Octagonal_Shape_mpq_class** (Grid y)
- **Octagonal_Shape_mpq_class** (Float_Box y)
- **Octagonal_Shape_mpq_class** (BD_Shape_float y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_float y)
- **Octagonal_Shape_mpq_class** (Double_Box y)

- **Octagonal_Shape_mpq_class** (BD_Shape_double y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_double y)
- **Octagonal_Shape_mpq_class** (Long_Double_Box y)
- **Octagonal_Shape_mpq_class** (BD_Shape_long_double y)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_mpq_class** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Uint64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpq_class** (Constraint_System cs)
- **Octagonal_Shape_mpq_class** (Congruence_System cs)
- **Octagonal_Shape_mpq_class** (Generator_System cs)
- native void **swap** (Octagonal_Shape_mpq_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()

- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_mpq_class y)
- native boolean **strictly_contains** (Octagonal_Shape_mpq_class y)
- native boolean **is_disjoint_from** (Octagonal_Shape_mpq_class y)
- native boolean **equals** (Octagonal_Shape_mpq_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_mpq_class p)
- native void **upper_bound_assign** (Octagonal_Shape_mpq_class p)
- native void **difference_assign** (Octagonal_Shape_mpq_class p)
- native void **concatenate_assign** (Octagonal_Shape_mpq_class p)
- native void **time_elapse_assign** (Octagonal_Shape_mpq_class p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_mpq_class y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_mpq_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)

- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_mpq_class y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_mpq_class y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_mpq_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_mpq_class arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_mpq_class arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_mpq_class, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_mpq_class p, Octagonal_Shape_mpq_class q)

Protected Member Functions

- native void **finalize** ()

10.56.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpq_class>

The documentation for this class was generated from the following file:

- Octagonal_Shape_mpq_class.java

10.57 parma_polyhedra_library::Octagonal_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Octagonal_Shape_mpz_class** (long num_dimensions, Degenerate_Element kind)
- **Octagonal_Shape_mpz_class** (Int8_Box y)
- **Octagonal_Shape_mpz_class** (Int16_Box y)
- **Octagonal_Shape_mpz_class** (Int32_Box y)
- **Octagonal_Shape_mpz_class** (Int64_Box y)
- **Octagonal_Shape_mpz_class** (Uint8_Box y)
- **Octagonal_Shape_mpz_class** (Uint16_Box y)
- **Octagonal_Shape_mpz_class** (Uint32_Box y)
- **Octagonal_Shape_mpz_class** (Uint64_Box y)
- **Octagonal_Shape_mpz_class** (Z_Box y)
- **Octagonal_Shape_mpz_class** (Rational_Box y)
- **Octagonal_Shape_mpz_class** (BD_Shape_int8_t y)
- **Octagonal_Shape_mpz_class** (BD_Shape_int16_t y)
- **Octagonal_Shape_mpz_class** (BD_Shape_int32_t y)
- **Octagonal_Shape_mpz_class** (BD_Shape_int64_t y)
- **Octagonal_Shape_mpz_class** (BD_Shape_mpz_class y)
- **Octagonal_Shape_mpz_class** (BD_Shape_mpq_class y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int8_t y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int16_t y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int32_t y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int64_t y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_mpz_class y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_mpq_class y)
- **Octagonal_Shape_mpz_class** (C_Polyhedron y)
- **Octagonal_Shape_mpz_class** (NNC_Polyhedron y)
- **Octagonal_Shape_mpz_class** (Grid y)
- **Octagonal_Shape_mpz_class** (Float_Box y)
- **Octagonal_Shape_mpz_class** (BD_Shape_float y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_float y)
- **Octagonal_Shape_mpz_class** (Double_Box y)
- **Octagonal_Shape_mpz_class** (BD_Shape_double y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_double y)
- **Octagonal_Shape_mpz_class** (Long_Double_Box y)
- **Octagonal_Shape_mpz_class** (BD_Shape_long_double y)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_long_double y)
- **Octagonal_Shape_mpz_class** (Int8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Int16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Int32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Int64_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Uint8_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Uint16_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Uint32_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Uint64_Box y, Complexity_Class complexity)

- **Octagonal_Shape_mpz_class** (Z_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Rational_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (C_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (NNC_Polyhedron y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Grid y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Float_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Long_Double_Box y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (BD_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Octagonal_Shape_mpz_class** (Constraint_System cs)
- **Octagonal_Shape_mpz_class** (Congruence_System cs)
- **Octagonal_Shape_mpz_class** (Generator_System cs)
- native void **swap** (Octagonal_Shape_mpz_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Octagonal_Shape_mpz_class y)
- native boolean **strictly_contains** (Octagonal_Shape_mpz_class y)
- native boolean **is_disjoint_from** (Octagonal_Shape_mpz_class y)
- native boolean **equals** (Octagonal_Shape_mpz_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Octagonal_Shape_mpz_class p)
- native void **upper_bound_assign** (Octagonal_Shape_mpz_class p)
- native void **difference_assign** (Octagonal_Shape_mpz_class p)
- native void **concatenate_assign** (Octagonal_Shape_mpz_class p)
- native void **time_elapse_assign** (Octagonal_Shape_mpz_class p)
- native boolean **upper_bound_assign_if_exact** (Octagonal_Shape_mpz_class y)
- native boolean **simplify_using_context_assign** (Octagonal_Shape_mpz_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHMZ05_widening_assign** (Octagonal_Shape_mpz_class y, By_Reference< Integer > tp)
- native void **widening_assign** (Octagonal_Shape_mpz_class y, By_Reference< Integer > tp)
- native void **limited_BHMZ05_extrapolation_assign** (Octagonal_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Octagonal_Shape_mpz_class y, Constraint_System cs, By_Reference< Integer > tp)
- native void **CC76_extrapolation_assign** (Octagonal_Shape_mpz_class arg, By_Reference< Integer > tp)
- native void **CC76_narrowing_assign** (Octagonal_Shape_mpz_class arg)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Octagonal_Shape_mpz_class, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Octagonal_Shape_mpz_class p, Octagonal_Shape_mpz_class q)

Protected Member Functions

- native void **finalize** ()

10.57.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Octagonal_Shape<mpz_class>

The documentation for this class was generated from the following file:

- Octagonal_Shape_mpz_class.java

10.58 parma_polyhedra_library::Overflow_Error_Exception Class Reference

Exceptions due to overflow errors.

Public Member Functions

- Overflow_Error_Exception (String s)

  Constructor.

10.58.1 Detailed Description

Exceptions due to overflow errors. These exceptions can be obtained when the library has been configured to use integer coefficients having bounded size.

The documentation for this class was generated from the following file:

- Overflow_Error_Exception.java

10.59 parma_polyhedra_library::Pair< K, V > Class Reference

A pair of values of type K and V.

Public Member Functions

- K getFirst ()
  Returns the object of type K.
- V getSecond ()
  Returns the object of type V.

Static Package Functions

- **[static initializer]**

10.59.1 Detailed Description

A pair of values of type K and V. An object of this class holds an ordered pair of values of type K and V.

The documentation for this class was generated from the following file:

- Pair.java

10.60 parma_polyhedra_library::Parma_Polyhedra_Library Class Reference

A class collecting library-level functions.

Static Public Member Functions

Library initialization and finalization

- static native void initialize_library ()
  Initializes the Parma Polyhedra Library.
- static native void finalize_library ()
  Finalizes the Parma Polyhedra Library.

Version Checking

- static native int version_major ()
  Returns the major number of the PPL version.
- static native int version_minor ()
  Returns the minor number of the PPL version.
- static native int version_revision ()
  Returns the revision number of the PPL version.
- static native int version_beta ()
  Returns the beta number of the PPL version.
- static native String version ()
  Returns a string containing the PPL version.
- static native String banner ()
  Returns a string containing the PPL banner.

Floating-point rounding and precision settings.

- static native void set_rounding_for_PPL ()
  Sets the FPU rounding mode so that the PPL abstractions based on floating point numbers work correctly.
- static native void restore_pre_PPL_rounding ()
  Sets the FPU rounding mode as it was before initialization of the PPL.
- static native int irrational_precision ()
  Returns the precision parameter for irrational calculations.
- static native void set_irrational_precision (int p)
  Sets the precision parameter used for irrational calculations.

Timeout handling

- static native void set_timeout (int hsecs)
  Sets the timeout for computations whose completion could require an exponential amount of time.
- static native void reset_timeout ()
  Resets the timeout time so that the computation is not interrupted.
- static native void set_deterministic_timeout (int weight)
  Sets a threshold for computations whose completion could require an exponential amount of time.
- static native void reset_deterministic_timeout ()
  Resets the deterministic timeout so that the computation is not interrupted.

10.60.1 Detailed Description

A class collecting library-level functions.

10.60.2 Member Function Documentation

10.60.2.1 static native void parma_polyhedra_library::Parma_Polyhedra_Library::initialize_library () [static]

Initializes the Parma Polyhedra Library.

This method must be called after loading the library and before calling any other method from any other PPL package class.

10.60.2.2 static native void parma_polyhedra_library::Parma_Polyhedra_Library::finalize_library () [static]

Finalizes the Parma Polyhedra Library.

This method must be called when work with the library is done. After finalization, no other library method can be called (except those in class Parma_Polyhedra_Library), unless the library is re-initialized by calling `initialize_library()`.

10.60.2.3 static native String parma_polyhedra_library::Parma_Polyhedra_Library::banner () [static]

Returns a string containing the PPL banner.

The banner provides information about the PPL version, the licensing, the lack of any warranty whatsoever, the C++ compiler used to build the library, where to report bugs and where to look for further information.

10.60.2.4 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_rounding_for_PPL () [static]

Sets the FPU rounding mode so that the PPL abstractions based on floating point numbers work correctly.

This is performed automatically at initialization-time. Calling this function is needed only if restore_pre_PPL_rounding() has been previously called.

10.60.2.5 static native void parma_polyhedra_library::Parma_Polyhedra_Library::restore_pre_PPL_rounding () [static]

Sets the FPU rounding mode as it was before initialization of the PPL.

After calling this function it is absolutely necessary to call set_rounding_for_PPL() before using any PPL abstractions based on floating point numbers. This is performed automatically at finalization-time.

10.60.2.6 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_irrational_precision (int *p*) [static]

Sets the precision parameter used for irrational calculations.

If `p` is less than or equal to `INT_MAX`, sets the precision parameter used for irrational calculations to `p`. Then, in the irrational calculations returning an unbounded rational, (e.g., when computing a square root), the lesser between numerator and denominator will be limited to `2**p`.

10.60.2.7 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_timeout (int *hsecs*) [static]

Sets the timeout for computations whose completion could require an exponential amount of time.

Parameters

hsecs The number of hundreths of seconds. It must be strictly greater than zero.

Computations taking exponential time will be interrupted some time after `hsecs` hundreths of seconds have elapsed since the call to the timeout setting function, by throwing a `Timeout_Exception` object. Otherwise, if the computation completes without being interrupted, then the timeout should be reset by calling `reset_timeout()`.

10.60.2.8 static native void parma_polyhedra_library::Parma_Polyhedra_Library::set_deterministic_timeout (int *weight*) [static]

Sets a threshold for computations whose completion could require an exponential amount of time.

Parameters

weight The maximum computational weight allowed. It must be strictly greater than zero.

Computations taking exponential time will be interrupted some time after reaching the `weight` complexity threshold, by throwing a `Timeout_Exception` object. Otherwise, if the computation completes without being interrupted, then the deterministic timeout should be reset by calling `reset_deterministic_timeout()`.

Note

This "timeout" checking functionality is said to be *deterministic* because it is not based on actual elapsed time. Its behavior will only depend on (some of the) computations performed in the PPL library and it will be otherwise independent from the computation environment (CPU, operating system, compiler, etc.).

Warning

The weight mechanism is under alpha testing. In particular, there is still no clear relation between the weight threshold and the actual computational complexity. As a consequence, client applications should be ready to reconsider the tuning of these weight thresholds when upgrading to newer version of the PPL.

The documentation for this class was generated from the following file:

- Parma_Polyhedra_Library.java

10.61 parma_polyhedra_library::Partial_Function Class Reference

A partial function on space dimension indices.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- Partial_Function ()
  Builds the empty map.
- native void insert (long i, long j)
  Inserts mapping from `i` to `j`.
- native boolean has_empty_codomain ()
  Returns `true` if and only if the partial function has an empty codomain (i.e., it is always undefined).
- native long max_in_codomain ()
  Returns the maximum value that belongs to the codomain of the partial function.
- native long maps (long i)
  If the partial function is defined on index `i`, returns its value.
- native void free ()
  Releases all resources managed by `this`, also resetting it to a null reference.

Protected Member Functions

- native void finalize ()
  Releases all resources managed by `this`.

10.61.1 Detailed Description

A partial function on space dimension indices. This class is used in order to specify how space dimensions should be mapped by methods named `map_space_dimensions`.

10.61.2 Member Function Documentation

10.61.2.1 native boolean parma_polyhedra_library::Partial_Function::has_empty_codomain ()

Returns `true` if and only if the partial function has an empty codomain (i.e., it is always undefined).

This method will always be called before the other methods of the interface. Moreover, if `true` is returned, then none of the other interface methods will be called.

10.61.2.2 native long parma_polyhedra_library::Partial_Function::maps (long *i*)

If the partial function is defined on index `i`, returns its value.

The function returns a negative value if the partial function is not defined on domain value `i`.

The documentation for this class was generated from the following file:

- Partial_Function.java

10.62 parma_polyhedra_library::PIP_Decision_Node Class Reference

An internal node of the PIP solution tree.

Inherits parma_polyhedra_library::PIP_Tree_Node.

Public Member Functions

- native PIP_Tree_Node child_node (boolean branch)

  Returns the true branch (if `branch` is true) or the false branch (if `branch` is false) of `this`.

10.62.1 Detailed Description

An internal node of the PIP solution tree.

The documentation for this class was generated from the following file:

- PIP_Decision_Node.java

10.63 parma_polyhedra_library::PIP_Problem Class Reference

A Parametric Integer Programming problem.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- PIP_Problem (long dim)

  Builds a trivial PIP problem.

- PIP_Problem (long dim, Constraint_System cs, Variables_Set params)

  Builds a PIP problem from a sequence of constraints.

- PIP_Problem (PIP_Problem y)

  Builds a copy of `y`.

- native void free ()

  Releases all resources managed by `this`, also resetting it to a null reference.

Functions that Do Not Modify the PIP_Problem

- native long max_space_dimension ()
  Returns the maximum space dimension an PIP_Problem can handle.
- native long space_dimension ()
  Returns the space dimension of the PIP problem.
- native long number_of_parameter_space_dimensions ()
  Returns the number of parameter space dimensions of the PIP problem.
- native Variables_Set parameter_space_dimensions ()
  Returns all the parameter space dimensions of problem `pip`.
- native long get_big_parameter_dimension ()
  Returns the big parameter dimension of PIP problem `pip`.
- native long number_of_constraints ()
  Returns the number of constraints defining the feasible region of `pip`.
- native Constraint constraint_at_index (long dim)
  Returns the `i-th` constraint defining the feasible region of the PIP problem `pip`.
- native Constraint_System constraints ()
  Returns the constraints .
- native String ascii_dump ()
  Returns an ascii formatted internal representation of `this`.
- native String toString ()
  Returns a string representation of `this`.
- native long total_memory_in_bytes ()
  Returns the size in bytes of the memory occupied by the underlying C++ object.
- native long external_memory_in_bytes ()
  Returns the size in bytes of the memory managed by the underlying C++ object.
- native boolean OK ()
  Returns true if the pip problem is well formed, i.e., if it satisfies all its implementation invariants; returns 0 and perhaps makes some noise if broken. Useful for debugging purposes.

Functions that May Modify the PIP_Problem

- native void clear ()
  Resets `this` to be equal to the trivial PIP problem.
- native void add_space_dimensions_and_embed (long pip_vars, long pip_params)
  Adds `pip_vars + pip_params` new space dimensions and embeds the PIP problem in the new vector space.
- native void add_to_parameter_space_dimensions (Variables_Set vars)
  Sets the space dimensions in `vars` to be parameter dimensions of the PIP problem.

- native void set_big_parameter_dimension (long d)
  Sets the big parameter dimension of PIP problem to `d`.
- native void add_constraint (Constraint c)
  Adds a copy of constraint `c` *to the PIP problem.*
- native void add_constraints (Constraint_System cs)
  Adds a copy of the constraints in `cs` *to the PIP problem.*

Computing the Solution of the PIP_Problem

- native boolean is_satisfiable ()
  Checks satisfiability of `*this`.
- native PIP_Problem_Status solve ()
  Optimizes the PIP problem.
- native PIP_Tree_Node solution ()
  Returns a solution for the PIP problem, if it exists.
- native PIP_Tree_Node optimizing_solution ()
  Returns an optimizing solution for the PIP problem, if it exists.

Querying/Setting Control Parameters

- native PIP_Problem_Control_Parameter_Value get_pip_problem_control_parameter (PIP_Problem_Control_Parameter_Name name)
  Returns the value of control parameter `name`.
- native void set_pip_problem_control_parameter (PIP_Problem_Control_Parameter_Value value)

  Sets control parameter `value`.

Protected Member Functions

- native void finalize ()
  Releases all resources managed by `this`.

10.63.1 Detailed Description

A Parametric Integer Programming problem. An object of this class encodes a parametric integer (linear) programming problem. The PIP problem is specified by providing:

- the dimension of the vector space;
- the subset of those dimensions of the vector space that are interpreted as integer parameters (the other space dimensions are interpreted as non-parameter integer variables);

- a finite set of linear equality and (strict or non-strict) inequality constraints involving variables and/or parameters; these constraints are used to define:
  - the *feasible region*, if they involve one or more problem variable (and maybe some parameters);
  - the *initial context*, if they only involve the parameters;
- optionally, the so-called *big parameter*, i.e., a problem parameter to be considered arbitrarily big.

Note that all problem variables and problem parameters are assumed to take non-negative integer values, so that there is no need to specify non-negativity constraints.

The class provides support for the (incremental) solution of the PIP problem based on variations of the revised simplex method and on Gomory cut generation techniques.

The solution for a PIP problem is the lexicographic minimum of the integer points of the feasible region, expressed in terms of the parameters. As the problem to be solved only involves non-negative variables and parameters, the problem will always be either unfeasible or optimizable.

As the feasibility and the solution value of a PIP problem depend on the values of the parameters, the solution is a binary decision tree, dividing the context parameter set into subsets. The tree nodes are of two kinds:

- *Decision* nodes. These are internal tree nodes encoding one or more linear tests on the parameters; if all the tests are satisfied, then the solution is the node's *true* child; otherwise, the solution is the node's *false* child;
- *Solution* nodes. These are leaf nodes in the tree, encoding the solution of the problem in the current context subset, where each variable is defined in terms of a linear expression of the parameters. Solution nodes also optionally embed a set of parameter constraints: if all these constraints are satisfied, the solution is described by the node, otherwise the problem has no solution.

It may happen that a decision node has no *false* child. This means that there is no solution if at least one of the corresponding constraints is not satisfied. Decision nodes having two or more linear tests on the parameters cannot have a *false* child. Decision nodes always have a *true* child.

Both kinds of tree nodes may also contain the definition of extra parameters which are artificially introduced by the solver to enforce an integral solution. Such artificial parameters are defined by the integer division of a linear expression on the parameters by an integer coefficient.

By exploiting the incremental nature of the solver, it is possible to reuse part of the computational work already done when solving variants of a given PIP_Problem: currently, incremental resolution supports the addition of space dimensions, the addition of parameters and the addition of constraints.

10.63.2 Constructor & Destructor Documentation

10.63.2.1 parma_polyhedra_library::PIP_Problem::PIP_Problem (long *dim*) `[inline]`

Builds a trivial PIP problem.

A trivial PIP problem requires to compute the lexicographic minimum on a vector space under no constraints and with no parameters: due to the implicit non-negativity constraints, the origin of the vector space is an optimal solution.

Parameters

dim The dimension of the vector space enclosing `*this` (optional argument with default value 0).

Exceptions

std::length_error Thrown if `dim` exceeds `max_space_dimension()`.

10.63.2.2 parma_polyhedra_library::PIP_Problem::PIP_Problem (long *dim*, Constraint_System *cs*, Variables_Set *params*) [inline]

Builds a PIP problem from a sequence of constraints.

Builds a PIP problem having space dimension `dim` from the constraint system cs; the dimensions `vars` are interpreted as parameters.

10.63.3 Member Function Documentation

10.63.3.1 native void parma_polyhedra_library::PIP_Problem::clear ()

Resets `this` to be equal to the trivial PIP problem.

The space dimension is reset to 0.

10.63.3.2 native void parma_polyhedra_library::PIP_Problem::add_space_dimensions_and_embed (long *pip_vars*, long *pip_params*)

Adds `pip_vars + pip_params` new space dimensions and embeds the PIP problem in the new vector space.

Parameters

pip_vars The number of space dimensions to add that are interpreted as PIP problem variables (i.e., non parameters). These are added before adding the `pip_params` parameters.

pip_params The number of space dimensions to add that are interpreted as PIP problem parameters. These are added after having added the `pip_vars` problem variables.

The new space dimensions will be those having the highest indexes in the new PIP problem; they are initially unconstrained.

10.63.3.3 native void parma_polyhedra_library::PIP_Problem::add_constraint (Constraint *c*)

Adds a copy of constraint `c` to the PIP problem.

Exceptions

std::invalid_argument Thrown if the constraint `c` is a strict inequality or if its space dimension is strictly greater than the space dimension of `this`.

10.63.3.4 native void parma_polyhedra_library::PIP_Problem::add_constraints (Constraint_System *cs*)

Adds a copy of the constraints in `cs` to the PIP problem.

Exceptions

std::invalid_argument Thrown if the constraint system `cs` contains any strict inequality or if its space dimension is strictly greater than the space dimension of `*this`.

10.63.3.5 native boolean parma_polyhedra_library::PIP_Problem::is_satisfiable ()

Checks satisfiability of `*this`.

Returns

`true` if and only if the PIP problem is satisfiable.

10.63.3.6 native PIP_Problem_Status parma_polyhedra_library::PIP_Problem::solve ()

Optimizes the PIP problem.

Solves the PIP problem, returning an exit status.

Returns

`UNFEASIBLE_PIP_PROBLEM` if the PIP problem is not satisfiable; `OPTIMIZED_PIP_PROBLEM` if the PIP problem admits an optimal solution.

The documentation for this class was generated from the following file:

- PIP_Problem.java

10.64 parma_polyhedra_library::PIP_Solution_Node Class Reference

A leaf node of the PIP solution tree.

Inherits parma_polyhedra_library::PIP_Tree_Node.

Public Member Functions

- native Linear_Expression parametric_values (Variable var)

  Returns the parametric expression of the values of variable `var` in solution node `this`.

10.64.1 Detailed Description

A leaf node of the PIP solution tree.

10.64.2 Member Function Documentation

10.64.2.1 native Linear_Expression parma_polyhedra_library::PIP_Solution_Node::parametric_values (Variable *var*)

Returns the parametric expression of the values of variable `var` in solution node `this`.

The returned parametric expression will only refer to (problem or artificial) parameters.

Parameters

var The variable being queried.

The documentation for this class was generated from the following file:

- PIP_Solution_Node.java

10.65 parma_polyhedra_library::PIP_Tree_Node Class Reference

A node of the PIP solution tree.

Inherits parma_polyhedra_library::PPL_Object.

Inherited by parma_polyhedra_library::PIP_Decision_Node, and parma_polyhedra_library::PIP_Solution_Node.

Public Member Functions

- native PIP_Solution_Node as_solution ()

  Returns the solution node if `this` is a solution node, and 0 otherwise.

- native PIP_Decision_Node as_decision ()

  Returns the decision node if `this` is a decision node, and 0 otherwise.

- native boolean OK ()

  Returns true if the pip tree is well formed, i.e., if it satisfies all its implementation invariants; returns 0 and perhaps makes some noise if broken. Useful for debugging purposes.

- native long number_of_artificials ()

  Returns the number of artificial parameters in the PIP_Tree_Node.

- native Artificial_Parameter_Sequence artificials ()

  Returns the sequence of (Java) artificial parameters in the PIP_Tree_Node.

- native Constraint_System constraints ()

  Returns the system of parameter constraints controlling the PIP_Tree_Node.

- native String toString ()

  Returns a string representation of `this`.

10.65.1 Detailed Description

A node of the PIP solution tree. This is the base class for the nodes of the binary trees representing the solutions of PIP problems. From this one, two classes are derived:

- PIP_Decision_Node, for the internal nodes of the tree;
- PIP_Solution_Node, for the leaves of the tree.

10.65.2 Member Function Documentation

10.65.2.1 native Constraint_System parma_polyhedra_library::PIP_Tree_Node::constraints ()

Returns the system of parameter constraints controlling the PIP_Tree_Node.

The indices in the constraints are the same as the original variables and parameters. Coefficients in indices corresponding to variables always are zero.

The documentation for this class was generated from the following file:

- PIP_Tree_Node.java

10.66 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_double** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_double** (Pointset_Powerset_BD_Shape_double y)
- **Pointset_Powerset_BD_Shape_double** (BD_Shape_double y)
- **Pointset_Powerset_BD_Shape_double** (Pointset_Powerset_BD_Shape_double y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_double** (BD_Shape_double y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_double** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_double** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_double y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)

- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_double y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_double y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_double y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_double y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_double y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_double p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_double p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_double p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_double p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_double p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_double y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)

- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_double_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_double_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_double j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_double_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_double_Iterator itr1, Pointset_Powerset_BD_Shape_double_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_double y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_double y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_double y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_double y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.66.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_double.java

10.67 parma_polyhedra_library::Pointset_Powerset_BD_Shape_double_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_double_Iterator** (Pointset_Powerset_BD_Shape_double_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_double_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_double **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.67.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<double> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_double_Iterator.java

10.68 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_float** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_float** (Pointset_Powerset_BD_Shape_float y)
- **Pointset_Powerset_BD_Shape_float** (BD_Shape_float y)
- **Pointset_Powerset_BD_Shape_float** (Pointset_Powerset_BD_Shape_float y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_float** (BD_Shape_float y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_float** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_float** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_float y)
- native long **space_dimension** ()

- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_float y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_float y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_float y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_float y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_float y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_float p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_float p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_float p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_float p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_float p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_float p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_float y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_float p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)

- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_float_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_float_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_float j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_float_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_float_Iterator itr1, Pointset_Powerset_BD_Shape_float_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_float y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_float y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_float y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_float y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.68.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_float.java

10.69 parma_polyhedra_library::Pointset_Powerset_BD_Shape_float_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_float_Iterator** (Pointset_Powerset_BD_Shape_float_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_float_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_float **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.69.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<float> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_float_Iterator.java

10.70 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int16_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_int16_t** (Pointset_Powerset_BD_Shape_int16_t y)
- **Pointset_Powerset_BD_Shape_int16_t** (BD_Shape_int16_t y)
- **Pointset_Powerset_BD_Shape_int16_t** (Pointset_Powerset_BD_Shape_int16_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int16_t** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int16_t** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_int16_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_int16_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)

- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int16_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_int16_t p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_int16_t p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_int16_t p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_int16_t p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_int16_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_int16_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_int16_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_int16_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_int16_t_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_int16_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_int16_t_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_int16_t_Iterator itr1, Pointset_Powerset_BD_Shape_int16_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_int16_t y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_int16_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_int16_t y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_int16_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.70.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int16_t.java

10.71 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int16_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int16_t_Iterator** (Pointset_Powerset_BD_Shape_int16_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int16_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_int16_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.71.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int16_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int16_t_Iterator.java

10.72 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int32_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_int32_t** (Pointset_Powerset_BD_Shape_int32_t y)
- **Pointset_Powerset_BD_Shape_int32_t** (BD_Shape_int32_t y)
- **Pointset_Powerset_BD_Shape_int32_t** (Pointset_Powerset_BD_Shape_int32_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int32_t** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int32_t** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_int32_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_int32_t y)
- native long **space_dimension** ()

- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int32_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_int32_t p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_int32_t p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_int32_t p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_int32_t p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_int32_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_int32_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_int32_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)

- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_int32_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_int32_t_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_int32_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_int32_t_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_int32_t_Iterator itr1, Pointset_Powerset_BD_Shape_int32_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_int32_t y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_int32_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_int32_t y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_int32_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.72.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int32_t.java

10.73 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int32_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int32_t_Iterator** (Pointset_Powerset_BD_Shape_int32_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int32_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_int32_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.73.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int32_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int32_t_Iterator.java

10.74 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int64_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_int64_t** (Pointset_Powerset_BD_Shape_int64_t y)
- **Pointset_Powerset_BD_Shape_int64_t** (BD_Shape_int64_t y)
- **Pointset_Powerset_BD_Shape_int64_t** (Pointset_Powerset_BD_Shape_int64_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int64_t** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int64_t** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_int64_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_int64_t y)
- native long **space_dimension** ()

- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int64_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_int64_t p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_int64_t p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_int64_t p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_int64_t p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_int64_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_int64_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_int64_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)

- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_int64_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_int64_t_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_int64_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_int64_t_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_int64_t_Iterator itr1, Pointset_Powerset_BD_Shape_int64_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_int64_t y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_int64_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_int64_t y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_int64_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.74.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int64_t.java

10.75 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int64_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int64_t_Iterator** (Pointset_Powerset_BD_Shape_int64_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int64_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_int64_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.75.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int64_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int64_t_Iterator.java

10.76 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int8_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_int8_t** (Pointset_Powerset_BD_Shape_int8_t y)
- **Pointset_Powerset_BD_Shape_int8_t** (BD_Shape_int8_t y)
- **Pointset_Powerset_BD_Shape_int8_t** (Pointset_Powerset_BD_Shape_int8_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int8_t** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_int8_t** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_int8_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_int8_t y)
- native long **space_dimension** ()

- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int8_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_int8_t p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_int8_t p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_int8_t p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_int8_t p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_int8_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_int8_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_int8_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)

- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_int8_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_int8_t_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_int8_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_int8_t_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_int8_t_Iterator itr1, Pointset_Powerset_BD_Shape_int8_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_int8_t y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_int8_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_int8_t y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_int8_t y, Integer d)

- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.76.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int8_t.java

10.77 parma_polyhedra_library::Pointset_Powerset_BD_Shape_int8_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_int8_t_Iterator** (Pointset_Powerset_BD_Shape_int8_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_int8_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_int8_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.77.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<int8_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_int8_t_Iterator.java

10.78 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_long_double** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_long_double** (Pointset_Powerset_BD_Shape_long_double y)
- **Pointset_Powerset_BD_Shape_long_double** (BD_Shape_long_double y)
- **Pointset_Powerset_BD_Shape_long_double** (Pointset_Powerset_BD_Shape_long_double y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_long_double** (BD_Shape_long_double y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_long_double** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_long_double** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_long_double y)

- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_long_double y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_long_double y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_long_double y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_long_double y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_long_double y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_long_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_long_double p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_long_double p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_long_double p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_long_double p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_long_double p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_long_double y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_long_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)

- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_long_double_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_long_double_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_long_double j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_long_double_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_long_double_Iterator itr1, Pointset_Powerset_BD_Shape_long_double_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_long_double y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_long_double y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_long_double y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_long_double y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.78.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_long_double.java

10.79 parma_polyhedra_library::Pointset_Powerset_BD_Shape_long_double_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_long_double_Iterator** (Pointset_Powerset_BD_Shape_long_-double_Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_long_double_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_long_double **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.79.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<long double> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_long_double_Iterator.java

10.80 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_mpq_class** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_mpq_class** (Pointset_Powerset_BD_Shape_mpq_class y)

- **Pointset_Powerset_BD_Shape_mpq_class** (BD_Shape_mpq_class y)
- **Pointset_Powerset_BD_Shape_mpq_class** (Pointset_Powerset_BD_Shape_mpq_class y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_mpq_class** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_mpq_class** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_mpq_class** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_mpq_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_mpq_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_mpq_class p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_mpq_class p)

- native void **difference_assign** (Pointset_Powerset_BD_Shape_mpq_class p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_mpq_class p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_mpq_class p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_mpq_class y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_mpq_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_mpq_class_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_mpq_class_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_mpq_class j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_mpq_class_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_mpq_class_Iterator itr1, Pointset_Powerset_BD_Shape_mpq_class_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_mpq_class y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_mpq_class y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_mpq_class y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_mpq_class y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.80.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpq_class.java

10.81 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpq_class_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_mpq_class_Iterator** (Pointset_Powerset_BD_Shape_mpq_class_-Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_mpq_class_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_mpq_class **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.81.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpq_class> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpq_class_Iterator.java

10.82 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_mpz_class** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_BD_Shape_mpz_class** (Pointset_Powerset_BD_Shape_mpz_class y)
- **Pointset_Powerset_BD_Shape_mpz_class** (BD_Shape_mpz_class y)
- **Pointset_Powerset_BD_Shape_mpz_class** (Pointset_Powerset_BD_Shape_mpz_class y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_mpz_class** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Pointset_Powerset_BD_Shape_mpz_class** (Constraint_System cs)
- **Pointset_Powerset_BD_Shape_mpz_class** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_BD_Shape_mpz_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean **strictly_contains** (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean **is_disjoint_from** (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean **geometrically_covers** (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean **geometrically_equals** (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_mpz_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)

- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_BD_Shape_mpz_class p)
- native void **upper_bound_assign** (Pointset_Powerset_BD_Shape_mpz_class p)
- native void **difference_assign** (Pointset_Powerset_BD_Shape_mpz_class p)
- native void **concatenate_assign** (Pointset_Powerset_BD_Shape_mpz_class p)
- native void **time_elapse_assign** (Pointset_Powerset_BD_Shape_mpz_class p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_BD_Shape_mpz_class y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_BD_Shape_mpz_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_BD_Shape_mpz_class_Iterator **begin_iterator** ()
- native Pointset_Powerset_BD_Shape_mpz_class_Iterator **end_iterator** ()
- native void **add_disjunct** (BD_Shape_mpz_class j_disj)
- native void **drop_disjunct** (Pointset_Powerset_BD_Shape_mpz_class_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_BD_Shape_mpz_class_Iterator itr1, Pointset_Powerset_BD_Shape_mpz_class_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_BD_Shape_mpz_class y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_BD_Shape_mpz_class y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_BD_Shape_mpz_class y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_BD_Shape_mpz_class y, Integer d)

- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.82.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpz_class.java

10.83 parma_polyhedra_library::Pointset_Powerset_BD_Shape_mpz_class_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_BD_Shape_mpz_class_Iterator** (Pointset_Powerset_BD_Shape_mpz_class_-Iterator y)
- native boolean **equals** (Pointset_Powerset_BD_Shape_mpz_class_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native BD_Shape_mpz_class **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.83.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<BD_Shape<mpz_class> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_BD_Shape_mpz_class_Iterator.java

10.84 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_C_Polyhedron** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_C_Polyhedron** (Pointset_Powerset_C_Polyhedron y)
- **Pointset_Powerset_C_Polyhedron** (C_Polyhedron y)
- **Pointset_Powerset_C_Polyhedron** (Pointset_Powerset_C_Polyhedron y, Complexity_Class complexity)
- **Pointset_Powerset_C_Polyhedron** (C_Polyhedron y, Complexity_Class complexity)
- **Pointset_Powerset_C_Polyhedron** (Constraint_System cs)
- **Pointset_Powerset_C_Polyhedron** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_C_Polyhedron y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_C_Polyhedron y)
- native boolean **strictly_contains** (Pointset_Powerset_C_Polyhedron y)
- native boolean **is_disjoint_from** (Pointset_Powerset_C_Polyhedron y)
- native boolean **geometrically_covers** (Pointset_Powerset_C_Polyhedron y)
- native boolean **geometrically_equals** (Pointset_Powerset_C_Polyhedron y)
- native boolean **equals** (Pointset_Powerset_C_Polyhedron p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)

- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_C_Polyhedron p)
- native void **upper_bound_assign** (Pointset_Powerset_C_Polyhedron p)
- native void **difference_assign** (Pointset_Powerset_C_Polyhedron p)
- native void **concatenate_assign** (Pointset_Powerset_C_Polyhedron p)
- native void **time_elapse_assign** (Pointset_Powerset_C_Polyhedron p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_C_Polyhedron y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_C_Polyhedron p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_C_Polyhedron_Iterator **begin_iterator** ()
- native Pointset_Powerset_C_Polyhedron_Iterator **end_iterator** ()
- native void **add_disjunct** (C_Polyhedron j_disj)
- native void **drop_disjunct** (Pointset_Powerset_C_Polyhedron_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_C_Polyhedron_Iterator itr1, Pointset_Powerset_C_Polyhedron_Iterator itr2)
- native void **BHZ03_BHRZ03_BHRZ03_widening_assign** (Pointset_Powerset_C_Polyhedron y)

- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_C_Polyhedron y)
- native void **BGP99_BHRZ03_extrapolation_assign** (Pointset_Powerset_C_Polyhedron y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_C_Polyhedron y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.84.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>

The documentation for this class was generated from the following file:

- Pointset_Powerset_C_Polyhedron.java

10.85 parma_polyhedra_library::Pointset_Powerset_C_Polyhedron_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_C_Polyhedron_Iterator** (Pointset_Powerset_C_Polyhedron_Iterator y)
- native boolean **equals** (Pointset_Powerset_C_Polyhedron_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native C_Polyhedron **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.85.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<C_Polyhedron>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_C_Polyhedron_Iterator.java

10.86 parma_polyhedra_library::Pointset_Powerset_Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Double_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Double_Box** (Pointset_Powerset_Double_Box y)
- **Pointset_Powerset_Double_Box** (Double_Box y)
- **Pointset_Powerset_Double_Box** (Pointset_Powerset_Double_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Double_Box** (Double_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Double_Box** (Constraint_System cs)
- **Pointset_Powerset_Double_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Double_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Double_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Double_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Double_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Double_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Double_Box y)
- native boolean **equals** (Pointset_Powerset_Double_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)

- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Double_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Double_Box p)
- native void **difference_assign** (Pointset_Powerset_Double_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Double_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Double_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Double_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Double_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Double_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Double_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Double_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Double_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Double_Box_Iterator itr1, Pointset_Powerset_Double_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.86.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Double_Box.java

10.87 parma_polyhedra_library::Pointset_Powerset_Double_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Double_Box_Iterator** (Pointset_Powerset_Double_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Double_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Double_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.87.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Double_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Double_Box_Iterator.java

10.88 parma_polyhedra_library::Pointset_Powerset_Float_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Float_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Float_Box** (Pointset_Powerset_Float_Box y)
- **Pointset_Powerset_Float_Box** (Float_Box y)
- **Pointset_Powerset_Float_Box** (Pointset_Powerset_Float_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Float_Box** (Float_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Float_Box** (Constraint_System cs)
- **Pointset_Powerset_Float_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Float_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Float_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Float_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Float_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Float_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Float_Box y)
- native boolean **equals** (Pointset_Powerset_Float_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Float_Box p)

- native void **upper_bound_assign** (Pointset_Powerset_Float_Box p)
- native void **difference_assign** (Pointset_Powerset_Float_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Float_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Float_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Float_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Float_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Float_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Float_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Float_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Float_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Float_Box_Iterator itr1, Pointset_Powerset_Float_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.88.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Float_Box.java

10.89 parma_polyhedra_library::Pointset_Powerset_Float_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Float_Box_Iterator** (Pointset_Powerset_Float_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Float_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Float_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.89.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Float_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Float_Box_Iterator.java

10.90 parma_polyhedra_library::Pointset_Powerset_Grid Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Grid** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Grid** (Pointset_Powerset_Grid y)
- **Pointset_Powerset_Grid** (Grid y)
- **Pointset_Powerset_Grid** (Pointset_Powerset_Grid y, Complexity_Class complexity)
- **Pointset_Powerset_Grid** (Grid y, Complexity_Class complexity)
- **Pointset_Powerset_Grid** (Constraint_System cs)

- **Pointset_Powerset_Grid** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Grid y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Grid y)
- native boolean **strictly_contains** (Pointset_Powerset_Grid y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Grid y)
- native boolean **geometrically_covers** (Pointset_Powerset_Grid y)
- native boolean **geometrically_equals** (Pointset_Powerset_Grid y)
- native boolean **equals** (Pointset_Powerset_Grid p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Grid p)
- native void **upper_bound_assign** (Pointset_Powerset_Grid p)
- native void **difference_assign** (Pointset_Powerset_Grid p)
- native void **concatenate_assign** (Pointset_Powerset_Grid p)
- native void **time_elapse_assign** (Pointset_Powerset_Grid p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Grid y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Grid p)
- native boolean **constrains** (Variable var)

- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Grid_Iterator **begin_iterator** ()
- native Pointset_Powerset_Grid_Iterator **end_iterator** ()
- native void **add_disjunct** (Grid j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Grid_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Grid_Iterator itr1, Pointset_Powerset_Grid_Iterator itr2)
- native void **BHZ03_Grid_congruence_widening_assign** (Pointset_Powerset_Grid y)
- native void **BHZ03_Grid_generator_widening_assign** (Pointset_Powerset_Grid y)
- native void **BGP99_congruence_extrapolation_assign** (Pointset_Powerset_Grid y, Integer d)
- native void **BGP99_generator_extrapolation_assign** (Pointset_Powerset_Grid y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.90.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Grid.java

10.91 parma_polyhedra_library::Pointset_Powerset_Grid_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Grid_Iterator** (Pointset_Powerset_Grid_Iterator y)
- native boolean **equals** (Pointset_Powerset_Grid_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Grid **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.91.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Grid>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Grid_Iterator.java

10.92 parma_polyhedra_library::Pointset_Powerset_Int16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int16_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Int16_Box** (Pointset_Powerset_Int16_Box y)
- **Pointset_Powerset_Int16_Box** (Int16_Box y)
- **Pointset_Powerset_Int16_Box** (Pointset_Powerset_Int16_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int16_Box** (Int16_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int16_Box** (Constraint_System cs)

- **Pointset_Powerset_Int16_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Int16_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Int16_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Int16_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Int16_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Int16_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Int16_Box y)
- native boolean **equals** (Pointset_Powerset_Int16_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Int16_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Int16_Box p)
- native void **difference_assign** (Pointset_Powerset_Int16_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Int16_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Int16_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Int16_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Int16_Box p)
- native boolean **constrains** (Variable var)

- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Int16_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Int16_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Int16_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Int16_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Int16_Box_Iterator itr1, Pointset_Powerset_Int16_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.92.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int16_Box.java

10.93 parma_polyhedra_library::Pointset_Powerset_Int16_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int16_Box_Iterator** (Pointset_Powerset_Int16_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Int16_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Int16_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.93.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int16_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int16_Box_Iterator.java

10.94 parma_polyhedra_library::Pointset_Powerset_Int32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int32_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Int32_Box** (Pointset_Powerset_Int32_Box y)
- **Pointset_Powerset_Int32_Box** (Int32_Box y)
- **Pointset_Powerset_Int32_Box** (Pointset_Powerset_Int32_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int32_Box** (Int32_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int32_Box** (Constraint_System cs)
- **Pointset_Powerset_Int32_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Int32_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()

- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Int32_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Int32_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Int32_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Int32_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Int32_Box y)
- native boolean **equals** (Pointset_Powerset_Int32_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Int32_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Int32_Box p)
- native void **difference_assign** (Pointset_Powerset_Int32_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Int32_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Int32_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Int32_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Int32_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)

- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Int32_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Int32_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Int32_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Int32_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Int32_Box_Iterator itr1, Pointset_Powerset_Int32_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.94.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int32_Box.java

10.95 parma_polyhedra_library::Pointset_Powerset_Int32_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int32_Box_Iterator** (Pointset_Powerset_Int32_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Int32_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Int32_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.95.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int32_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int32_Box_Iterator.java

10.96 parma_polyhedra_library::Pointset_Powerset_Int64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int64_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Int64_Box** (Pointset_Powerset_Int64_Box y)
- **Pointset_Powerset_Int64_Box** (Int64_Box y)
- **Pointset_Powerset_Int64_Box** (Pointset_Powerset_Int64_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int64_Box** (Int64_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int64_Box** (Constraint_System cs)
- **Pointset_Powerset_Int64_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Int64_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()

- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Int64_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Int64_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Int64_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Int64_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Int64_Box y)
- native boolean **equals** (Pointset_Powerset_Int64_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Int64_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Int64_Box p)
- native void **difference_assign** (Pointset_Powerset_Int64_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Int64_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Int64_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Int64_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Int64_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Int64_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Int64_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Int64_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Int64_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Int64_Box_Iterator itr1, Pointset_Powerset_Int64_-Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.96.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int64_Box.java

10.97 parma_polyhedra_library::Pointset_Powerset_Int64_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int64_Box_Iterator** (Pointset_Powerset_Int64_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Int64_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Int64_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.97.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int64_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int64_Box_Iterator.java

10.98 parma_polyhedra_library::Pointset_Powerset_Int8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int8_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Int8_Box** (Pointset_Powerset_Int8_Box y)
- **Pointset_Powerset_Int8_Box** (Int8_Box y)
- **Pointset_Powerset_Int8_Box** (Pointset_Powerset_Int8_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int8_Box** (Int8_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Int8_Box** (Constraint_System cs)
- **Pointset_Powerset_Int8_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Int8_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Int8_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Int8_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Int8_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Int8_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Int8_Box y)
- native boolean **equals** (Pointset_Powerset_Int8_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Int8_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Int8_Box p)
- native void **difference_assign** (Pointset_Powerset_Int8_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Int8_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Int8_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Int8_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Int8_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)

- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Int8_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Int8_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Int8_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Int8_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Int8_Box_Iterator itr1, Pointset_Powerset_Int8_-Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.98.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int8_Box.java

10.99 parma_polyhedra_library::Pointset_Powerset_Int8_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Int8_Box_Iterator** (Pointset_Powerset_Int8_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Int8_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Int8_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.99.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Int8_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Int8_Box_Iterator.java

10.100 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Long_Double_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Long_Double_Box** (Pointset_Powerset_Long_Double_Box y)
- **Pointset_Powerset_Long_Double_Box** (Long_Double_Box y)
- **Pointset_Powerset_Long_Double_Box** (Pointset_Powerset_Long_Double_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Long_Double_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Long_Double_Box** (Constraint_System cs)
- **Pointset_Powerset_Long_Double_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Long_Double_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Long_Double_Box y)

- native boolean **strictly_contains** (Pointset_Powerset_Long_Double_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Long_Double_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Long_Double_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Long_Double_Box y)
- native boolean **equals** (Pointset_Powerset_Long_Double_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Long_Double_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Long_Double_Box p)
- native void **difference_assign** (Pointset_Powerset_Long_Double_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Long_Double_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Long_Double_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Long_Double_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Long_Double_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()

- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Long_Double_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Long_Double_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Long_Double_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Long_Double_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Long_Double_Box_Iterator itr1, Pointset_Powerset_Long_Double_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.100.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Long_Double_Box.java

10.101 parma_polyhedra_library::Pointset_Powerset_Long_Double_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Long_Double_Box_Iterator** (Pointset_Powerset_Long_Double_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Long_Double_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Long_Double_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.101.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Long_Double_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Long_Double_Box_Iterator.java

10.102 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_NNC_Polyhedron** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_NNC_Polyhedron** (Pointset_Powerset_NNC_Polyhedron y)
- **Pointset_Powerset_NNC_Polyhedron** (NNC_Polyhedron y)
- **Pointset_Powerset_NNC_Polyhedron** (Pointset_Powerset_NNC_Polyhedron y, Complexity_Class complexity)
- **Pointset_Powerset_NNC_Polyhedron** (NNC_Polyhedron y, Complexity_Class complexity)
- **Pointset_Powerset_NNC_Polyhedron** (Constraint_System cs)
- **Pointset_Powerset_NNC_Polyhedron** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_NNC_Polyhedron y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_NNC_Polyhedron y)
- native boolean **strictly_contains** (Pointset_Powerset_NNC_Polyhedron y)
- native boolean **is_disjoint_from** (Pointset_Powerset_NNC_Polyhedron y)
- native boolean **geometrically_covers** (Pointset_Powerset_NNC_Polyhedron y)
- native boolean **geometrically_equals** (Pointset_Powerset_NNC_Polyhedron y)
- native boolean **equals** (Pointset_Powerset_NNC_Polyhedron p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)

- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_NNC_Polyhedron p)
- native void **upper_bound_assign** (Pointset_Powerset_NNC_Polyhedron p)
- native void **difference_assign** (Pointset_Powerset_NNC_Polyhedron p)
- native void **concatenate_assign** (Pointset_Powerset_NNC_Polyhedron p)
- native void **time_elapse_assign** (Pointset_Powerset_NNC_Polyhedron p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_NNC_Polyhedron y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_NNC_Polyhedron p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_NNC_Polyhedron_Iterator **begin_iterator** ()
- native Pointset_Powerset_NNC_Polyhedron_Iterator **end_iterator** ()
- native void **add_disjunct** (NNC_Polyhedron j_disj)
- native void **drop_disjunct** (Pointset_Powerset_NNC_Polyhedron_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_NNC_Polyhedron_Iterator itr1, Pointset_Powerset_NNC_Polyhedron_Iterator itr2)

- native void **BHZ03_BHRZ03_BHRZ03_widening_assign** (Pointset_Powerset_NNC_Polyhedron y)
- native void **BHZ03_H79_H79_widening_assign** (Pointset_Powerset_NNC_Polyhedron y)
- native void **BGP99_BHRZ03_extrapolation_assign** (Pointset_Powerset_NNC_Polyhedron y, Integer d)
- native void **BGP99_H79_extrapolation_assign** (Pointset_Powerset_NNC_Polyhedron y, Integer d)

- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.102.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>

The documentation for this class was generated from the following file:

- Pointset_Powerset_NNC_Polyhedron.java

10.103 parma_polyhedra_library::Pointset_Powerset_NNC_Polyhedron_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_NNC_Polyhedron_Iterator** (Pointset_Powerset_NNC_Polyhedron_Iterator y)

- native boolean **equals** (Pointset_Powerset_NNC_Polyhedron_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native NNC_Polyhedron **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.103.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<NNC_Polyhedron>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_NNC_Polyhedron_Iterator.java

10.104 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_double** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_double** (Pointset_Powerset_Octagonal_Shape_double y)
- **Pointset_Powerset_Octagonal_Shape_double** (Octagonal_Shape_double y)
- **Pointset_Powerset_Octagonal_Shape_double** (Pointset_Powerset_Octagonal_Shape_double y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_double** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_double** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_double** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_double y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_double p)
- boolean **equals** (Object y)

- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_double p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_double p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_double p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_double p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_double p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_double y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_double_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_double_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_double j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_double_Iterator itr)

- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_double_Iterator itr1, Pointset_Powerset_Octagonal_Shape_double_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_double y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_double y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.104.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_double.java

10.105 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_double_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_double_Iterator** (Pointset_Powerset_Octagonal_Shape_double_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_double_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_double **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.105.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<double> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_double_Iterator.java

10.106 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_float** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_float** (Pointset_Powerset_Octagonal_Shape_float y)
- **Pointset_Powerset_Octagonal_Shape_float** (Octagonal_Shape_float y)
- **Pointset_Powerset_Octagonal_Shape_float** (Pointset_Powerset_Octagonal_Shape_float y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_float** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_float** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_float** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_float y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_float p)
- boolean **equals** (Object y)
- native boolean **OK** ()

- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_float p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_float p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_float p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_float p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_float p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_float y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_float p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_float_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_float_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_float j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_float_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_float_Iterator itr1, Pointset_Powerset_Octagonal_Shape_float_Iterator itr2)

- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_float y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_float y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.106.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_float.java

10.107 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_float_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_float_Iterator** (Pointset_Powerset_Octagonal_Shape_-float_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_float_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_float **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.107.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<float> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_float_Iterator.java

10.108 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int16_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_int16_t** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- **Pointset_Powerset_Octagonal_Shape_int16_t** (Octagonal_Shape_int16_t y)
- **Pointset_Powerset_Octagonal_Shape_int16_t** (Pointset_Powerset_Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int16_t** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int16_t** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_int16_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- boolean **equals** (Object y)

- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_int16_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_int16_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_int16_t_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_int16_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr)

- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_int16_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_int16_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.108.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int16_t.java

10.109 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int16_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int16_t_Iterator** (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int16_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_int16_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.109.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int16_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int16_t_Iterator.java

10.110 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int32_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_int32_t** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- **Pointset_Powerset_Octagonal_Shape_int32_t** (Octagonal_Shape_int32_t y)
- **Pointset_Powerset_Octagonal_Shape_int32_t** (Pointset_Powerset_Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int32_t** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int32_t** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_int32_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- boolean **equals** (Object y)

- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_int32_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_int32_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_int32_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_int32_t_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_int32_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr)

- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr1, Pointset_-Powerset_Octagonal_Shape_int32_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_-int32_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_-int32_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.110.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int32_t.java

10.111 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int32_-t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int32_t_Iterator** (Pointset_Powerset_Octagonal_Shape_-int32_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int32_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_int32_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.111.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int32_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int32_t_Iterator.java

10.112 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int64_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_int64_t** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- **Pointset_Powerset_Octagonal_Shape_int64_t** (Octagonal_Shape_int64_t y)
- **Pointset_Powerset_Octagonal_Shape_int64_t** (Pointset_Powerset_Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int64_t** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int64_t** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_int64_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- boolean **equals** (Object y)

- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_int64_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_int64_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_int64_t_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_int64_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr)

- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_int64_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_int64_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.112.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int64_t.java

10.113 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int64_t_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int64_t_Iterator** (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int64_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_int64_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.113.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int64_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int64_t_Iterator.java

10.114 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int8_t** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_int8_t** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- **Pointset_Powerset_Octagonal_Shape_int8_t** (Octagonal_Shape_int8_t y)
- **Pointset_Powerset_Octagonal_Shape_int8_t** (Pointset_Powerset_Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int8_t** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_int8_t** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_int8_t** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- boolean **equals** (Object y)
- native boolean **OK** ()

- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_int8_t y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_int8_t p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_int8_t_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_int8_t_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_int8_t j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr1, Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr2)

- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_-int8_t y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_int8_t y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.114.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int8_t.java

10.115 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_int8_t_-Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_int8_t_Iterator** (Pointset_Powerset_Octagonal_Shape_-int8_t_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_int8_t_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_int8_t **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.115.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<int8_t> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_int8_t_Iterator.java

10.116 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_long_double** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_long_double** (Pointset_Powerset_Octagonal_Shape_long_double y)
- **Pointset_Powerset_Octagonal_Shape_long_double** (Octagonal_Shape_long_double y)
- **Pointset_Powerset_Octagonal_Shape_long_double** (Pointset_Powerset_Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_long_double** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_long_double** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_long_double** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_long_double y)

- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_long_double p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_long_double p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_long_double p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_long_double p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_long_double_Iterator **begin_iterator** ()

- native Pointset_Powerset_Octagonal_Shape_long_double_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_long_double j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr1, Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_long_double y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_long_double y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.116.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_long_double.java

10.117 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_long_double_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_long_double_Iterator** (Pointset_Powerset_Octagonal_Shape_long_double_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_long_double_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_long_double **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.117.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<long double> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_long_double_Iterator.java

10.118 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_-class> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_mpq_class** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_mpq_class** (Pointset_Powerset_Octagonal_Shape_mpq_-class y)
- **Pointset_Powerset_Octagonal_Shape_mpq_class** (Octagonal_Shape_mpq_class y)
- **Pointset_Powerset_Octagonal_Shape_mpq_class** (Pointset_Powerset_Octagonal_Shape_mpq_-class y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_mpq_class** (Octagonal_Shape_mpq_class y, Complexity_-Class complexity)
- **Pointset_Powerset_Octagonal_Shape_mpq_class** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_mpq_class** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_mpq_class y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_mpq_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_mpq_class j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr1, Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_-mpq_class y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_-mpq_class y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.118.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_-class> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpq_class.java

10.119 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpq_-class_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_-class> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator** (Pointset_Powerset_Octagonal_-Shape_mpq_class_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_mpq_class **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.119.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpq_class> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpq_class_Iterator.java

10.120 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_mpz_class** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Octagonal_Shape_mpz_class** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- **Pointset_Powerset_Octagonal_Shape_mpz_class** (Octagonal_Shape_mpz_class y)
- **Pointset_Powerset_Octagonal_Shape_mpz_class** (Pointset_Powerset_Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_mpz_class** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Pointset_Powerset_Octagonal_Shape_mpz_class** (Constraint_System cs)
- **Pointset_Powerset_Octagonal_Shape_mpz_class** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)

- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean **strictly_contains** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean **geometrically_covers** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean **geometrically_equals** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void **upper_bound_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void **difference_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void **concatenate_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native void **time_elapse_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)

- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator **begin_iterator** ()
- native Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator **end_iterator** ()
- native void **add_disjunct** (Octagonal_Shape_mpz_class j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr1, Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr2)
- native void **BHZ03_H79_BHMZ05_widening_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class y)
- native void **BGP99_BHMZ05_extrapolation_assign** (Pointset_Powerset_Octagonal_Shape_mpz_class y, Integer d)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.120.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpz_class.java

10.121 parma_polyhedra_library::Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_class> >:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator** (Pointset_Powerset_Octagonal_-Shape_mpz_class_Iterator y)
- native boolean **equals** (Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Octagonal_Shape_mpz_class **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.121.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Octagonal_Shape<mpz_-class> >:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Octagonal_Shape_mpz_class_Iterator.java

10.122 parma_polyhedra_library::Pointset_Powerset_Rational_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Rational_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Rational_Box** (Pointset_Powerset_Rational_Box y)
- **Pointset_Powerset_Rational_Box** (Rational_Box y)
- **Pointset_Powerset_Rational_Box** (Pointset_Powerset_Rational_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Rational_Box** (Rational_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Rational_Box** (Constraint_System cs)
- **Pointset_Powerset_Rational_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Rational_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()

- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Rational_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Rational_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Rational_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Rational_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Rational_Box y)
- native boolean **equals** (Pointset_Powerset_Rational_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Rational_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Rational_Box p)
- native void **difference_assign** (Pointset_Powerset_Rational_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Rational_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Rational_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Rational_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Rational_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)

- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Rational_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Rational_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Rational_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Rational_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Rational_Box_Iterator itr1, Pointset_Powerset_Rational_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.122.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Rational_Box.java

10.123 parma_polyhedra_library::Pointset_Powerset_Rational_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Rational_Box_Iterator** (Pointset_Powerset_Rational_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Rational_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Rational_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.123.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Rational_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Rational_Box_Iterator.java

10.124 parma_polyhedra_library::Pointset_Powerset_Uint16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint16_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Uint16_Box** (Pointset_Powerset_Uint16_Box y)
- **Pointset_Powerset_Uint16_Box** (Uint16_Box y)
- **Pointset_Powerset_Uint16_Box** (Pointset_Powerset_Uint16_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint16_Box** (Uint16_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint16_Box** (Constraint_System cs)
- **Pointset_Powerset_Uint16_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Uint16_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()

- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Uint16_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Uint16_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Uint16_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Uint16_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Uint16_Box y)
- native boolean **equals** (Pointset_Powerset_Uint16_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Uint16_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Uint16_Box p)
- native void **difference_assign** (Pointset_Powerset_Uint16_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Uint16_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Uint16_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Uint16_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Uint16_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)

- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Uint16_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Uint16_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Uint16_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Uint16_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Uint16_Box_Iterator itr1, Pointset_Powerset_Uint16_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.124.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint16_Box.java

10.125 parma_polyhedra_library::Pointset_Powerset_Uint16_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint16_Box_Iterator** (Pointset_Powerset_Uint16_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Uint16_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Uint16_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.125.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint16_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint16_Box_Iterator.java

10.126 parma_polyhedra_library::Pointset_Powerset_Uint32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint32_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Uint32_Box** (Pointset_Powerset_Uint32_Box y)
- **Pointset_Powerset_Uint32_Box** (Uint32_Box y)
- **Pointset_Powerset_Uint32_Box** (Pointset_Powerset_Uint32_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint32_Box** (Uint32_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint32_Box** (Constraint_System cs)
- **Pointset_Powerset_Uint32_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Uint32_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)

- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Uint32_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Uint32_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Uint32_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Uint32_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Uint32_Box y)
- native boolean **equals** (Pointset_Powerset_Uint32_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Uint32_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Uint32_Box p)
- native void **difference_assign** (Pointset_Powerset_Uint32_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Uint32_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Uint32_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Uint32_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Uint32_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)

- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Uint32_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Uint32_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Uint32_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Uint32_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Uint32_Box_Iterator itr1, Pointset_Powerset_Uint32_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.126.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint32_Box.java

10.127 parma_polyhedra_library::Pointset_Powerset_Uint32_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint32_Box_Iterator** (Pointset_Powerset_Uint32_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Uint32_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Uint32_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.127.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint32_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint32_Box_Iterator.java

10.128 parma_polyhedra_library::Pointset_Powerset_Uint64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint64_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Uint64_Box** (Pointset_Powerset_Uint64_Box y)
- **Pointset_Powerset_Uint64_Box** (Uint64_Box y)
- **Pointset_Powerset_Uint64_Box** (Pointset_Powerset_Uint64_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint64_Box** (Uint64_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint64_Box** (Constraint_System cs)
- **Pointset_Powerset_Uint64_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Uint64_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Uint64_Box y)

- native boolean **strictly_contains** (Pointset_Powerset_Uint64_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Uint64_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Uint64_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Uint64_Box y)
- native boolean **equals** (Pointset_Powerset_Uint64_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Uint64_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Uint64_Box p)
- native void **difference_assign** (Pointset_Powerset_Uint64_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Uint64_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Uint64_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Uint64_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Uint64_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()

- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Uint64_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Uint64_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Uint64_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Uint64_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Uint64_Box_Iterator itr1, Pointset_Powerset_Uint64_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.128.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint64_Box.java

10.129 parma_polyhedra_library::Pointset_Powerset_Uint64_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint64_Box_Iterator** (Pointset_Powerset_Uint64_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Uint64_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Uint64_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.129.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint64_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint64_Box_Iterator.java

10.130 parma_polyhedra_library::Pointset_Powerset_Uint8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint8_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Uint8_Box** (Pointset_Powerset_Uint8_Box y)
- **Pointset_Powerset_Uint8_Box** (Uint8_Box y)
- **Pointset_Powerset_Uint8_Box** (Pointset_Powerset_Uint8_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint8_Box** (Uint8_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Uint8_Box** (Constraint_System cs)
- **Pointset_Powerset_Uint8_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Uint8_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Uint8_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Uint8_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Uint8_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Uint8_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Uint8_Box y)
- native boolean **equals** (Pointset_Powerset_Uint8_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)

- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Uint8_Box p)
- native void **upper_bound_assign** (Pointset_Powerset_Uint8_Box p)
- native void **difference_assign** (Pointset_Powerset_Uint8_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Uint8_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Uint8_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Uint8_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Uint8_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Uint8_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Uint8_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Uint8_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Uint8_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Uint8_Box_Iterator itr1, Pointset_Powerset_-Uint8_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.130.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint8_Box.java

10.131 parma_polyhedra_library::Pointset_Powerset_Uint8_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Uint8_Box_Iterator** (Pointset_Powerset_Uint8_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Uint8_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Uint8_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.131.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Uint8_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Uint8_Box_Iterator.java

10.132 parma_polyhedra_library::Pointset_Powerset_Z_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Z_Box** (long num_dimensions, Degenerate_Element kind)
- **Pointset_Powerset_Z_Box** (Pointset_Powerset_Z_Box y)
- **Pointset_Powerset_Z_Box** (Z_Box y)
- **Pointset_Powerset_Z_Box** (Pointset_Powerset_Z_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Z_Box** (Z_Box y, Complexity_Class complexity)
- **Pointset_Powerset_Z_Box** (Constraint_System cs)
- **Pointset_Powerset_Z_Box** (Congruence_System cs)
- native void **swap** (Pointset_Powerset_Z_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native void **pairwise_reduce** ()
- native void **omega_reduce** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_Reference< Boolean > maximum, Generator point)
- native boolean **contains** (Pointset_Powerset_Z_Box y)
- native boolean **strictly_contains** (Pointset_Powerset_Z_Box y)
- native boolean **is_disjoint_from** (Pointset_Powerset_Z_Box y)
- native boolean **geometrically_covers** (Pointset_Powerset_Z_Box y)
- native boolean **geometrically_equals** (Pointset_Powerset_Z_Box y)
- native boolean **equals** (Pointset_Powerset_Z_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Pointset_Powerset_Z_Box p)

- native void **upper_bound_assign** (Pointset_Powerset_Z_Box p)
- native void **difference_assign** (Pointset_Powerset_Z_Box p)
- native void **concatenate_assign** (Pointset_Powerset_Z_Box p)
- native void **time_elapse_assign** (Pointset_Powerset_Z_Box p)
- native boolean **upper_bound_assign_if_exact** (Pointset_Powerset_Z_Box y)
- native boolean **simplify_using_context_assign** (Pointset_Powerset_Z_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native long **size** ()
- native Pointset_Powerset_Z_Box_Iterator **begin_iterator** ()
- native Pointset_Powerset_Z_Box_Iterator **end_iterator** ()
- native void **add_disjunct** (Z_Box j_disj)
- native void **drop_disjunct** (Pointset_Powerset_Z_Box_Iterator itr)
- native void **drop_disjuncts** (Pointset_Powerset_Z_Box_Iterator itr1, Pointset_Powerset_Z_Box_Iterator itr2)
- native void **free** ()
- native int **hashCode** ()
- native String **toString** ()

Protected Member Functions

- native void **finalize** ()

10.132.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>

The documentation for this class was generated from the following file:

- Pointset_Powerset_Z_Box.java

10.133 parma_polyhedra_library::Pointset_Powerset_Z_Box_Iterator Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Pointset_Powerset_Z_Box_Iterator** (Pointset_Powerset_Z_Box_Iterator y)
- native boolean **equals** (Pointset_Powerset_Z_Box_Iterator itr)
- native void **next** ()
- native void **prev** ()
- native Z_Box **get_disjunct** ()
- native void **free** ()

Protected Member Functions

- native void **finalize** ()

10.133.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Pointset_Powerset<Z_Box>:: iterator.

The documentation for this class was generated from the following file:

- Pointset_Powerset_Z_Box_Iterator.java

10.134 parma_polyhedra_library::Poly_Con_Relation Class Reference

The relation between a polyhedron and a constraint.

Public Member Functions

- Poly_Con_Relation (int val)

  Constructs from a integer value.

- boolean implies (Poly_Con_Relation y)

  True if and only if `*this` *implies* `y`.

Static Public Member Functions

- static Poly_Con_Relation nothing ()
  The assertion that says nothing.
- static Poly_Con_Relation is_disjoint ()
  The polyhedron and the set of points satisfying the constraint are disjoint.
- static Poly_Con_Relation strictly_intersects ()
  The polyhedron intersects the set of points satisfying the constraint, but it is not included in it.
- static Poly_Con_Relation is_included ()
  The polyhedron is included in the set of points satisfying the constraint.
- static Poly_Con_Relation saturates ()
  The polyhedron is included in the set of points saturating the constraint.

Static Public Attributes

- static final int **NOTHING** = 0
- static final int **IS_DISJOINT** = 1
- static final int **STRICTLY_INTERSECTS** = 2
- static final int **IS_INCLUDED** = 4
- static final int **SATURATES** = 8

Static Package Functions

- **[static initializer]**

10.134.1 Detailed Description

The relation between a polyhedron and a constraint. This class implements conjunctions of assertions on the relation between a polyhedron and a constraint.

The documentation for this class was generated from the following file:

- Poly_Con_Relation.java

10.135 parma_polyhedra_library::Poly_Gen_Relation Class Reference

The relation between a polyhedron and a generator.

Public Member Functions

- Poly_Gen_Relation (int val)
  Constructs from a integer value.
- boolean implies (Poly_Gen_Relation y)
  True if and only if `*this` *implies* `y`.

Static Public Member Functions

- static Poly_Gen_Relation nothing ()

  The assertion that says nothing.

- static Poly_Gen_Relation subsumes ()

  Adding the generator would not change the polyhedron.

Static Public Attributes

- static final int **NOTHING** = 0
- static final int **SUBSUMES** = 1

Static Package Functions

- **[static initializer]**

10.135.1 Detailed Description

The relation between a polyhedron and a generator. This class implements conjunctions of assertions on the relation between a polyhedron and a generator.

The documentation for this class was generated from the following file:

- Poly_Gen_Relation.java

10.136 parma_polyhedra_library::Polyhedron Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

Inherits parma_polyhedra_library::PPL_Object.

Inherited by parma_polyhedra_library::C_Polyhedron, and parma_polyhedra_library::NNC_Polyhedron.

Public Member Functions

- native void **swap** (Polyhedron y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Generator_System **generators** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native Generator_System **minimized_generators** ()
- native boolean **is_empty** ()

- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Polyhedron y)
- native boolean **strictly_contains** (Polyhedron y)
- native boolean **is_disjoint_from** (Polyhedron y)
- native boolean **equals** (Polyhedron p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_generator** (Generator c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **add_generators** (Generator_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Polyhedron p)
- native void **upper_bound_assign** (Polyhedron p)
- native void **difference_assign** (Polyhedron p)
- native void **concatenate_assign** (Polyhedron p)
- native void **time_elapse_assign** (Polyhedron p)
- native void **poly_hull_assign** (Polyhedron p)
- native void **poly_difference_assign** (Polyhedron p)
- native boolean **simplify_using_context_assign** (Polyhedron p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)

- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **BHRZ03_widening_assign** (Polyhedron y, By_Reference< Integer > tp)
- native void **H79_widening_assign** (Polyhedron y, By_Reference< Integer > tp)
- native void **widening_assign** (Polyhedron y, By_Reference< Integer > tp)
- native void **limited_BHRZ03_extrapolation_assign** (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void **bounded_BHRZ03_extrapolation_assign** (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void **limited_H79_extrapolation_assign** (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void **bounded_H79_extrapolation_assign** (Polyhedron y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native int **hashCode** ()
- native String **toString** ()

10.136.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Polyhedron.

The documentation for this class was generated from the following file:

- Polyhedron.java

10.137 parma_polyhedra_library::Rational_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Rational_Box** (long num_dimensions, Degenerate_Element kind)
- **Rational_Box** (Int8_Box y)
- **Rational_Box** (Int16_Box y)
- **Rational_Box** (Int32_Box y)
- **Rational_Box** (Int64_Box y)
- **Rational_Box** (Uint8_Box y)
- **Rational_Box** (Uint16_Box y)
- **Rational_Box** (Uint32_Box y)
- **Rational_Box** (Uint64_Box y)
- **Rational_Box** (Z_Box y)
- **Rational_Box** (Rational_Box y)
- **Rational_Box** (BD_Shape_int8_t y)
- **Rational_Box** (BD_Shape_int16_t y)
- **Rational_Box** (BD_Shape_int32_t y)
- **Rational_Box** (BD_Shape_int64_t y)
- **Rational_Box** (BD_Shape_mpz_class y)
- **Rational_Box** (BD_Shape_mpq_class y)
- **Rational_Box** (Octagonal_Shape_int8_t y)
- **Rational_Box** (Octagonal_Shape_int16_t y)
- **Rational_Box** (Octagonal_Shape_int32_t y)
- **Rational_Box** (Octagonal_Shape_int64_t y)
- **Rational_Box** (Octagonal_Shape_mpz_class y)
- **Rational_Box** (Octagonal_Shape_mpq_class y)
- **Rational_Box** (C_Polyhedron y)
- **Rational_Box** (NNC_Polyhedron y)
- **Rational_Box** (Grid y)
- **Rational_Box** (Float_Box y)
- **Rational_Box** (BD_Shape_float y)
- **Rational_Box** (Octagonal_Shape_float y)
- **Rational_Box** (Double_Box y)
- **Rational_Box** (BD_Shape_double y)
- **Rational_Box** (Octagonal_Shape_double y)
- **Rational_Box** (Long_Double_Box y)
- **Rational_Box** (BD_Shape_long_double y)
- **Rational_Box** (Octagonal_Shape_long_double y)
- **Rational_Box** (Int8_Box y, Complexity_Class complexity)
- **Rational_Box** (Int16_Box y, Complexity_Class complexity)
- **Rational_Box** (Int32_Box y, Complexity_Class complexity)
- **Rational_Box** (Int64_Box y, Complexity_Class complexity)
- **Rational_Box** (Uint8_Box y, Complexity_Class complexity)
- **Rational_Box** (Uint16_Box y, Complexity_Class complexity)
- **Rational_Box** (Uint32_Box y, Complexity_Class complexity)
- **Rational_Box** (Uint64_Box y, Complexity_Class complexity)
- **Rational_Box** (Z_Box y, Complexity_Class complexity)
- **Rational_Box** (Rational_Box y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_int32_t y, Complexity_Class complexity)

- **Rational_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Rational_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Rational_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Rational_Box** (Grid y, Complexity_Class complexity)
- **Rational_Box** (Float_Box y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Rational_Box** (Double_Box y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Rational_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Rational_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Rational_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Rational_Box** (Constraint_System cs)
- **Rational_Box** (Congruence_System cs)
- **Rational_Box** (Generator_System cs)
- native void **swap** (Rational_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Rational_Box y)
- native boolean **strictly_contains** (Rational_Box y)
- native boolean **is_disjoint_from** (Rational_Box y)
- native boolean **equals** (Rational_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Rational_Box p)
- native void **upper_bound_assign** (Rational_Box p)
- native void **difference_assign** (Rational_Box p)
- native void **concatenate_assign** (Rational_Box p)
- native void **time_elapse_assign** (Rational_Box p)
- native boolean **upper_bound_assign_if_exact** (Rational_Box y)
- native boolean **simplify_using_context_assign** (Rational_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)

- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Rational_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Rational_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Rational_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Rational_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Rational_Box p, Rational_Box q)

Protected Member Functions

- native void **finalize** ()

10.137.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Rational_Box.

The documentation for this class was generated from the following file:

- Rational_Box.java

10.138 parma_polyhedra_library::Timeout_Exception Class Reference

Exceptions caused by timeout expiring.

Public Member Functions

- Timeout_Exception (String s)

  Constructor.

10.138.1 Detailed Description

Exceptions caused by timeout expiring.

The documentation for this class was generated from the following file:

- Timeout_Exception.java

10.139 parma_polyhedra_library::Uint16_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Uint16_Box** (long num_dimensions, Degenerate_Element kind)
- **Uint16_Box** (Int8_Box y)
- **Uint16_Box** (Int16_Box y)
- **Uint16_Box** (Int32_Box y)
- **Uint16_Box** (Int64_Box y)
- **Uint16_Box** (Uint8_Box y)
- **Uint16_Box** (Uint16_Box y)
- **Uint16_Box** (Uint32_Box y)
- **Uint16_Box** (Uint64_Box y)
- **Uint16_Box** (Z_Box y)
- **Uint16_Box** (Rational_Box y)
- **Uint16_Box** (BD_Shape_int8_t y)
- **Uint16_Box** (BD_Shape_int16_t y)
- **Uint16_Box** (BD_Shape_int32_t y)
- **Uint16_Box** (BD_Shape_int64_t y)
- **Uint16_Box** (BD_Shape_mpz_class y)
- **Uint16_Box** (BD_Shape_mpq_class y)
- **Uint16_Box** (Octagonal_Shape_int8_t y)
- **Uint16_Box** (Octagonal_Shape_int16_t y)
- **Uint16_Box** (Octagonal_Shape_int32_t y)
- **Uint16_Box** (Octagonal_Shape_int64_t y)
- **Uint16_Box** (Octagonal_Shape_mpz_class y)
- **Uint16_Box** (Octagonal_Shape_mpq_class y)
- **Uint16_Box** (C_Polyhedron y)
- **Uint16_Box** (NNC_Polyhedron y)
- **Uint16_Box** (Grid y)
- **Uint16_Box** (Float_Box y)
- **Uint16_Box** (BD_Shape_float y)
- **Uint16_Box** (Octagonal_Shape_float y)
- **Uint16_Box** (Double_Box y)
- **Uint16_Box** (BD_Shape_double y)
- **Uint16_Box** (Octagonal_Shape_double y)
- **Uint16_Box** (Long_Double_Box y)
- **Uint16_Box** (BD_Shape_long_double y)
- **Uint16_Box** (Octagonal_Shape_long_double y)
- **Uint16_Box** (Int8_Box y, Complexity_Class complexity)
- **Uint16_Box** (Int16_Box y, Complexity_Class complexity)
- **Uint16_Box** (Int32_Box y, Complexity_Class complexity)
- **Uint16_Box** (Int64_Box y, Complexity_Class complexity)
- **Uint16_Box** (Uint8_Box y, Complexity_Class complexity)
- **Uint16_Box** (Uint16_Box y, Complexity_Class complexity)
- **Uint16_Box** (Uint32_Box y, Complexity_Class complexity)
- **Uint16_Box** (Uint64_Box y, Complexity_Class complexity)

- **Uint16_Box** (Z_Box y, Complexity_Class complexity)
- **Uint16_Box** (Rational_Box y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Uint16_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Uint16_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Uint16_Box** (Grid y, Complexity_Class complexity)
- **Uint16_Box** (Float_Box y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Uint16_Box** (Double_Box y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Uint16_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Uint16_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Uint16_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Uint16_Box** (Constraint_System cs)
- **Uint16_Box** (Congruence_System cs)
- **Uint16_Box** (Generator_System cs)
- native void **swap** (Uint16_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Uint16_Box y)
- native boolean **strictly_contains** (Uint16_Box y)
- native boolean **is_disjoint_from** (Uint16_Box y)
- native boolean **equals** (Uint16_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Uint16_Box p)
- native void **upper_bound_assign** (Uint16_Box p)
- native void **difference_assign** (Uint16_Box p)
- native void **concatenate_assign** (Uint16_Box p)
- native void **time_elapse_assign** (Uint16_Box p)
- native boolean **upper_bound_assign_if_exact** (Uint16_Box y)
- native boolean **simplify_using_context_assign** (Uint16_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Uint16_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Uint16_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Uint16_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Uint16_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Uint16_Box p, Uint16_Box q)

Protected Member Functions

- native void **finalize** ()

10.139.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint16_Box.

The documentation for this class was generated from the following file:

- Uint16_Box.java

10.140 parma_polyhedra_library::Uint32_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Uint32_Box** (long num_dimensions, Degenerate_Element kind)
- **Uint32_Box** (Int8_Box y)
- **Uint32_Box** (Int16_Box y)
- **Uint32_Box** (Int32_Box y)
- **Uint32_Box** (Int64_Box y)
- **Uint32_Box** (Uint8_Box y)
- **Uint32_Box** (Uint16_Box y)
- **Uint32_Box** (Uint32_Box y)

- **Uint32_Box** (Uint64_Box y)
- **Uint32_Box** (Z_Box y)
- **Uint32_Box** (Rational_Box y)
- **Uint32_Box** (BD_Shape_int8_t y)
- **Uint32_Box** (BD_Shape_int16_t y)
- **Uint32_Box** (BD_Shape_int32_t y)
- **Uint32_Box** (BD_Shape_int64_t y)
- **Uint32_Box** (BD_Shape_mpz_class y)
- **Uint32_Box** (BD_Shape_mpq_class y)
- **Uint32_Box** (Octagonal_Shape_int8_t y)
- **Uint32_Box** (Octagonal_Shape_int16_t y)
- **Uint32_Box** (Octagonal_Shape_int32_t y)
- **Uint32_Box** (Octagonal_Shape_int64_t y)
- **Uint32_Box** (Octagonal_Shape_mpz_class y)
- **Uint32_Box** (Octagonal_Shape_mpq_class y)
- **Uint32_Box** (C_Polyhedron y)
- **Uint32_Box** (NNC_Polyhedron y)
- **Uint32_Box** (Grid y)
- **Uint32_Box** (Float_Box y)
- **Uint32_Box** (BD_Shape_float y)
- **Uint32_Box** (Octagonal_Shape_float y)
- **Uint32_Box** (Double_Box y)
- **Uint32_Box** (BD_Shape_double y)
- **Uint32_Box** (Octagonal_Shape_double y)
- **Uint32_Box** (Long_Double_Box y)
- **Uint32_Box** (BD_Shape_long_double y)
- **Uint32_Box** (Octagonal_Shape_long_double y)
- **Uint32_Box** (Int8_Box y, Complexity_Class complexity)
- **Uint32_Box** (Int16_Box y, Complexity_Class complexity)
- **Uint32_Box** (Int32_Box y, Complexity_Class complexity)
- **Uint32_Box** (Int64_Box y, Complexity_Class complexity)
- **Uint32_Box** (Uint8_Box y, Complexity_Class complexity)
- **Uint32_Box** (Uint16_Box y, Complexity_Class complexity)
- **Uint32_Box** (Uint32_Box y, Complexity_Class complexity)
- **Uint32_Box** (Uint64_Box y, Complexity_Class complexity)
- **Uint32_Box** (Z_Box y, Complexity_Class complexity)
- **Uint32_Box** (Rational_Box y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Uint32_Box** (C_Polyhedron y, Complexity_Class complexity)

- **Uint32_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Uint32_Box** (Grid y, Complexity_Class complexity)
- **Uint32_Box** (Float_Box y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Uint32_Box** (Double_Box y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Uint32_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Uint32_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Uint32_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Uint32_Box** (Constraint_System cs)
- **Uint32_Box** (Congruence_System cs)
- **Uint32_Box** (Generator_System cs)
- native void **swap** (Uint32_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Uint32_Box y)
- native boolean **strictly_contains** (Uint32_Box y)
- native boolean **is_disjoint_from** (Uint32_Box y)
- native boolean **equals** (Uint32_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)

- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Uint32_Box p)
- native void **upper_bound_assign** (Uint32_Box p)
- native void **difference_assign** (Uint32_Box p)
- native void **concatenate_assign** (Uint32_Box p)
- native void **time_elapse_assign** (Uint32_Box p)
- native boolean **upper_bound_assign_if_exact** (Uint32_Box y)
- native boolean **simplify_using_context_assign** (Uint32_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Uint32_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Uint32_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Uint32_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Uint32_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Uint32_Box p, Uint32_Box q)

Protected Member Functions

- native void **finalize** ()

10.140.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint32_Box.

The documentation for this class was generated from the following file:

- Uint32_Box.java

10.141 parma_polyhedra_library::Uint64_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Uint64_Box** (long num_dimensions, Degenerate_Element kind)
- **Uint64_Box** (Int8_Box y)
- **Uint64_Box** (Int16_Box y)
- **Uint64_Box** (Int32_Box y)
- **Uint64_Box** (Int64_Box y)
- **Uint64_Box** (Uint8_Box y)
- **Uint64_Box** (Uint16_Box y)
- **Uint64_Box** (Uint32_Box y)
- **Uint64_Box** (Uint64_Box y)
- **Uint64_Box** (Z_Box y)
- **Uint64_Box** (Rational_Box y)
- **Uint64_Box** (BD_Shape_int8_t y)
- **Uint64_Box** (BD_Shape_int16_t y)
- **Uint64_Box** (BD_Shape_int32_t y)
- **Uint64_Box** (BD_Shape_int64_t y)
- **Uint64_Box** (BD_Shape_mpz_class y)
- **Uint64_Box** (BD_Shape_mpq_class y)
- **Uint64_Box** (Octagonal_Shape_int8_t y)
- **Uint64_Box** (Octagonal_Shape_int16_t y)
- **Uint64_Box** (Octagonal_Shape_int32_t y)
- **Uint64_Box** (Octagonal_Shape_int64_t y)
- **Uint64_Box** (Octagonal_Shape_mpz_class y)
- **Uint64_Box** (Octagonal_Shape_mpq_class y)
- **Uint64_Box** (C_Polyhedron y)
- **Uint64_Box** (NNC_Polyhedron y)

- **Uint64_Box** (Grid y)
- **Uint64_Box** (Float_Box y)
- **Uint64_Box** (BD_Shape_float y)
- **Uint64_Box** (Octagonal_Shape_float y)
- **Uint64_Box** (Double_Box y)
- **Uint64_Box** (BD_Shape_double y)
- **Uint64_Box** (Octagonal_Shape_double y)
- **Uint64_Box** (Long_Double_Box y)
- **Uint64_Box** (BD_Shape_long_double y)
- **Uint64_Box** (Octagonal_Shape_long_double y)
- **Uint64_Box** (Int8_Box y, Complexity_Class complexity)
- **Uint64_Box** (Int16_Box y, Complexity_Class complexity)
- **Uint64_Box** (Int32_Box y, Complexity_Class complexity)
- **Uint64_Box** (Int64_Box y, Complexity_Class complexity)
- **Uint64_Box** (Uint8_Box y, Complexity_Class complexity)
- **Uint64_Box** (Uint16_Box y, Complexity_Class complexity)
- **Uint64_Box** (Uint32_Box y, Complexity_Class complexity)
- **Uint64_Box** (Uint64_Box y, Complexity_Class complexity)
- **Uint64_Box** (Z_Box y, Complexity_Class complexity)
- **Uint64_Box** (Rational_Box y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Uint64_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Uint64_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Uint64_Box** (Grid y, Complexity_Class complexity)
- **Uint64_Box** (Float_Box y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Uint64_Box** (Double_Box y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Uint64_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Uint64_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Uint64_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Uint64_Box** (Constraint_System cs)
- **Uint64_Box** (Congruence_System cs)
- **Uint64_Box** (Generator_System cs)
- native void **swap** (Uint64_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()

- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Uint64_Box y)
- native boolean **strictly_contains** (Uint64_Box y)
- native boolean **is_disjoint_from** (Uint64_Box y)
- native boolean **equals** (Uint64_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Uint64_Box p)
- native void **upper_bound_assign** (Uint64_Box p)
- native void **difference_assign** (Uint64_Box p)
- native void **concatenate_assign** (Uint64_Box p)
- native void **time_elapse_assign** (Uint64_Box p)
- native boolean **upper_bound_assign_if_exact** (Uint64_Box y)
- native boolean **simplify_using_context_assign** (Uint64_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)

- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)
- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Uint64_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Uint64_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Uint64_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Uint64_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Uint64_Box p, Uint64_Box q)

Protected Member Functions

- native void **finalize** ()

10.141.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint64_Box.

The documentation for this class was generated from the following file:

- Uint64_Box.java

10.142 parma_polyhedra_library::Uint8_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Uint8_Box** (long num_dimensions, Degenerate_Element kind)
- **Uint8_Box** (Int8_Box y)
- **Uint8_Box** (Int16_Box y)
- **Uint8_Box** (Int32_Box y)
- **Uint8_Box** (Int64_Box y)
- **Uint8_Box** (Uint8_Box y)
- **Uint8_Box** (Uint16_Box y)
- **Uint8_Box** (Uint32_Box y)
- **Uint8_Box** (Uint64_Box y)
- **Uint8_Box** (Z_Box y)
- **Uint8_Box** (Rational_Box y)
- **Uint8_Box** (BD_Shape_int8_t y)
- **Uint8_Box** (BD_Shape_int16_t y)
- **Uint8_Box** (BD_Shape_int32_t y)
- **Uint8_Box** (BD_Shape_int64_t y)
- **Uint8_Box** (BD_Shape_mpz_class y)
- **Uint8_Box** (BD_Shape_mpq_class y)
- **Uint8_Box** (Octagonal_Shape_int8_t y)
- **Uint8_Box** (Octagonal_Shape_int16_t y)
- **Uint8_Box** (Octagonal_Shape_int32_t y)
- **Uint8_Box** (Octagonal_Shape_int64_t y)
- **Uint8_Box** (Octagonal_Shape_mpz_class y)
- **Uint8_Box** (Octagonal_Shape_mpq_class y)
- **Uint8_Box** (C_Polyhedron y)
- **Uint8_Box** (NNC_Polyhedron y)
- **Uint8_Box** (Grid y)
- **Uint8_Box** (Float_Box y)
- **Uint8_Box** (BD_Shape_float y)
- **Uint8_Box** (Octagonal_Shape_float y)
- **Uint8_Box** (Double_Box y)
- **Uint8_Box** (BD_Shape_double y)
- **Uint8_Box** (Octagonal_Shape_double y)
- **Uint8_Box** (Long_Double_Box y)
- **Uint8_Box** (BD_Shape_long_double y)
- **Uint8_Box** (Octagonal_Shape_long_double y)
- **Uint8_Box** (Int8_Box y, Complexity_Class complexity)
- **Uint8_Box** (Int16_Box y, Complexity_Class complexity)
- **Uint8_Box** (Int32_Box y, Complexity_Class complexity)
- **Uint8_Box** (Int64_Box y, Complexity_Class complexity)
- **Uint8_Box** (Uint8_Box y, Complexity_Class complexity)
- **Uint8_Box** (Uint16_Box y, Complexity_Class complexity)
- **Uint8_Box** (Uint32_Box y, Complexity_Class complexity)
- **Uint8_Box** (Uint64_Box y, Complexity_Class complexity)

- **Uint8_Box** (Z_Box y, Complexity_Class complexity)
- **Uint8_Box** (Rational_Box y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Uint8_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Uint8_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Uint8_Box** (Grid y, Complexity_Class complexity)
- **Uint8_Box** (Float_Box y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Uint8_Box** (Double_Box y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Uint8_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Uint8_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Uint8_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Uint8_Box** (Constraint_System cs)
- **Uint8_Box** (Congruence_System cs)
- **Uint8_Box** (Generator_System cs)
- native void **swap** (Uint8_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Uint8_Box y)
- native boolean **strictly_contains** (Uint8_Box y)
- native boolean **is_disjoint_from** (Uint8_Box y)
- native boolean **equals** (Uint8_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Uint8_Box p)
- native void **upper_bound_assign** (Uint8_Box p)
- native void **difference_assign** (Uint8_Box p)
- native void **concatenate_assign** (Uint8_Box p)
- native void **time_elapse_assign** (Uint8_Box p)
- native boolean **upper_bound_assign_if_exact** (Uint8_Box y)
- native boolean **simplify_using_context_assign** (Uint8_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Uint8_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Uint8_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Uint8_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Uint8_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Uint8_Box p, Uint8_Box q)

Protected Member Functions

- native void **finalize** ()

10.142.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Uint8_Box.

The documentation for this class was generated from the following file:

- Uint8_Box.java

10.143 parma_polyhedra_library::Variable Class Reference

A dimension of the vector space.

Public Member Functions

- Variable (int i)

  Builds the variable corresponding to the Cartesian axis of index `i`.

- int id ()

  Returns the index of the Cartesian axis associated to `this`.

- int compareTo (Variable v)

  Returns a negative number if `this` *comes first than* `v`*, a zero if* `this` *equals* `v`*, a positive number if if* `this` *comes first than* `v`.

Static Package Functions

- **[static initializer]**

10.143.1 Detailed Description

A dimension of the vector space. An object of the class Variable represents a dimension of the space, that is one of the Cartesian axes. Variables are used as basic blocks in order to build more complex linear expressions. Each variable is identified by a non-negative integer, representing the index of the corresponding Cartesian axis (the first axis has index 0).

10.143.2 Constructor & Destructor Documentation

10.143.2.1 parma_polyhedra_library::Variable::Variable (int *i*) [inline]

Builds the variable corresponding to the Cartesian axis of index `i`.

Exceptions

RuntimeErrorException Thrown if `i` is has negative value.

The documentation for this class was generated from the following file:

- Variable.java

10.144 parma_polyhedra_library::Variables_Set Class Reference

A java.util.TreeSet of variables' indexes.

Public Member Functions

- Variables_Set ()

  Builds the empty set of variable indexes.

Static Package Functions

- **[static initializer]**

10.144.1 Detailed Description

A java.util.TreeSet of variables' indexes.

The documentation for this class was generated from the following file:

- Variables_Set.java

10.145 parma_polyhedra_library::Z_Box Class Reference

Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

Inherits parma_polyhedra_library::PPL_Object.

Public Member Functions

- **Z_Box** (long num_dimensions, Degenerate_Element kind)
- **Z_Box** (Int8_Box y)
- **Z_Box** (Int16_Box y)
- **Z_Box** (Int32_Box y)
- **Z_Box** (Int64_Box y)
- **Z_Box** (Uint8_Box y)
- **Z_Box** (Uint16_Box y)
- **Z_Box** (Uint32_Box y)
- **Z_Box** (Uint64_Box y)
- **Z_Box** (Z_Box y)
- **Z_Box** (Rational_Box y)
- **Z_Box** (BD_Shape_int8_t y)
- **Z_Box** (BD_Shape_int16_t y)
- **Z_Box** (BD_Shape_int32_t y)
- **Z_Box** (BD_Shape_int64_t y)
- **Z_Box** (BD_Shape_mpz_class y)
- **Z_Box** (BD_Shape_mpq_class y)
- **Z_Box** (Octagonal_Shape_int8_t y)
- **Z_Box** (Octagonal_Shape_int16_t y)
- **Z_Box** (Octagonal_Shape_int32_t y)
- **Z_Box** (Octagonal_Shape_int64_t y)
- **Z_Box** (Octagonal_Shape_mpz_class y)
- **Z_Box** (Octagonal_Shape_mpq_class y)
- **Z_Box** (C_Polyhedron y)
- **Z_Box** (NNC_Polyhedron y)
- **Z_Box** (Grid y)
- **Z_Box** (Float_Box y)
- **Z_Box** (BD_Shape_float y)
- **Z_Box** (Octagonal_Shape_float y)
- **Z_Box** (Double_Box y)
- **Z_Box** (BD_Shape_double y)
- **Z_Box** (Octagonal_Shape_double y)
- **Z_Box** (Long_Double_Box y)
- **Z_Box** (BD_Shape_long_double y)
- **Z_Box** (Octagonal_Shape_long_double y)
- **Z_Box** (Int8_Box y, Complexity_Class complexity)
- **Z_Box** (Int16_Box y, Complexity_Class complexity)
- **Z_Box** (Int32_Box y, Complexity_Class complexity)
- **Z_Box** (Int64_Box y, Complexity_Class complexity)
- **Z_Box** (Uint8_Box y, Complexity_Class complexity)
- **Z_Box** (Uint16_Box y, Complexity_Class complexity)
- **Z_Box** (Uint32_Box y, Complexity_Class complexity)
- **Z_Box** (Uint64_Box y, Complexity_Class complexity)

- **Z_Box** (Z_Box y, Complexity_Class complexity)
- **Z_Box** (Rational_Box y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_int8_t y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_int16_t y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_int32_t y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_int64_t y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_mpz_class y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_mpq_class y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_int8_t y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_int16_t y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_int32_t y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_int64_t y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_mpz_class y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_mpq_class y, Complexity_Class complexity)
- **Z_Box** (C_Polyhedron y, Complexity_Class complexity)
- **Z_Box** (NNC_Polyhedron y, Complexity_Class complexity)
- **Z_Box** (Grid y, Complexity_Class complexity)
- **Z_Box** (Float_Box y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_float y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_float y, Complexity_Class complexity)
- **Z_Box** (Double_Box y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_double y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_double y, Complexity_Class complexity)
- **Z_Box** (Long_Double_Box y, Complexity_Class complexity)
- **Z_Box** (BD_Shape_long_double y, Complexity_Class complexity)
- **Z_Box** (Octagonal_Shape_long_double y, Complexity_Class complexity)
- **Z_Box** (Constraint_System cs)
- **Z_Box** (Congruence_System cs)
- **Z_Box** (Generator_System cs)
- native void **swap** (Z_Box y)
- native long **space_dimension** ()
- native long **affine_dimension** ()
- native Poly_Con_Relation **relation_with** (Constraint c)
- native Poly_Gen_Relation **relation_with** (Generator c)
- native Poly_Con_Relation **relation_with** (Congruence c)
- native Constraint_System **constraints** ()
- native Congruence_System **congruences** ()
- native Constraint_System **minimized_constraints** ()
- native Congruence_System **minimized_congruences** ()
- native boolean **is_empty** ()
- native boolean **is_universe** ()
- native boolean **is_bounded** ()
- native boolean **contains_integer_point** ()
- native boolean **is_topologically_closed** ()
- native boolean **is_discrete** ()
- native void **topological_closure_assign** ()
- native boolean **bounds_from_above** (Linear_Expression expr)
- native boolean **bounds_from_below** (Linear_Expression expr)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)

- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum)
- native boolean **maximize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **minimize** (Linear_Expression expr, Coefficient sup_n, Coefficient sup_d, By_-Reference< Boolean > maximum, Generator point)
- native boolean **frequency** (Linear_Expression expr, Coefficient freq_n, Coefficient freq_d, Coefficient val_n, Coefficient val_d)
- native boolean **contains** (Z_Box y)
- native boolean **strictly_contains** (Z_Box y)
- native boolean **is_disjoint_from** (Z_Box y)
- native boolean **equals** (Z_Box p)
- boolean **equals** (Object y)
- native boolean **OK** ()
- native void **add_constraint** (Constraint c)
- native void **add_congruence** (Congruence c)
- native void **add_constraints** (Constraint_System c)
- native void **add_congruences** (Congruence_System c)
- native void **refine_with_constraint** (Constraint c)
- native void **refine_with_congruence** (Congruence c)
- native void **refine_with_constraints** (Constraint_System c)
- native void **refine_with_congruences** (Congruence_System c)
- native void **intersection_assign** (Z_Box p)
- native void **upper_bound_assign** (Z_Box p)
- native void **difference_assign** (Z_Box p)
- native void **concatenate_assign** (Z_Box p)
- native void **time_elapse_assign** (Z_Box p)
- native boolean **upper_bound_assign_if_exact** (Z_Box y)
- native boolean **simplify_using_context_assign** (Z_Box p)
- native boolean **constrains** (Variable var)
- native void **unconstrain_space_dimension** (Variable var)
- native void **unconstrain_space_dimensions** (Variables_Set vars)
- native void **affine_image** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **affine_preimage** (Variable var, Linear_Expression expr, Coefficient denominator)
- native void **bounded_affine_image** (Variable var, Linear_Expression lb_expr, Linear_Expression ub_expr, Coefficient denominator)
- native void **bounded_affine_preimage** (Variable var, Linear_Expression lb_expr, Linear_-Expression ub_expr, Coefficient denominator)
- native void **generalized_affine_image** (Variable var, Relation_Symbol relsym, Linear_Expression expr, Coefficient denominator)
- native void **generalized_affine_preimage** (Variable var, Relation_Symbol relsym, Linear_-Expression expr, Coefficient denominator)
- native void **generalized_affine_image** (Linear_Expression lhs, Relation_Symbol relsym, Linear_-Expression rhs)
- native void **generalized_affine_preimage** (Linear_Expression lhs, Relation_Symbol relsym, Linear_Expression rhs)
- native void **add_space_dimensions_and_embed** (long m)
- native void **add_space_dimensions_and_project** (long m)
- native void **remove_space_dimensions** (Variables_Set vars)
- native void **remove_higher_space_dimensions** (long new_dimension)
- native void **expand_space_dimension** (Variable var, long m)

- native void **fold_space_dimensions** (Variables_Set vars, Variable dest)
- native void **map_space_dimensions** (Partial_Function pfunc)
- native void **drop_some_non_integer_points** (Integer complexity_threshold)
- native void **drop_some_non_integer_points_2** (Variables_Set vars, Integer complexity_threshold)
- native String **ascii_dump** ()
- native long **external_memory_in_bytes** ()
- native long **total_memory_in_bytes** ()
- native void **CC76_widening_assign** (Z_Box y, By_Reference< Integer > tp)
- native void **widening_assign** (Z_Box y, By_Reference< Integer > tp)
- native void **limited_CC76_extrapolation_assign** (Z_Box y, Constraint_System cs, By_Reference< Integer > tp)
- native void **wrap_assign** (Variables_Set vars, Bounded_Integer_Type_Width w, Bounded_Integer_Type_Representation r, Bounded_Integer_Type_Overflow o, Constraint_System cs, long complexity_threshold, boolean wrap_individually)
- native void **free** ()
- native String **toString** ()

Static Public Member Functions

- static native Pair< Z_Box, Pointset_Powerset_NNC_Polyhedron > **linear_partition** (Z_Box p, Z_Box q)

Protected Member Functions

- native void **finalize** ()

10.145.1 Detailed Description

Java class interfacing C++ Parma_Polyhedra_Library::Z_Box.

The documentation for this class was generated from the following file:

- Z_Box.java

Index

add_constraint
parma_polyhedra_library::MIP_Problem, 155
parma_polyhedra_library::PIP_Problem, 203
add_constraints
parma_polyhedra_library::MIP_Problem, 155
parma_polyhedra_library::PIP_Problem, 203
add_space_dimensions_and_embed
parma_polyhedra_library::MIP_Problem, 154
parma_polyhedra_library::PIP_Problem, 203
add_to_integer_space_dimensions
parma_polyhedra_library::MIP_Problem, 154
ANY_COMPLEXITY
PPL_Java_interface, 35

banner
parma_polyhedra_library::Parma_Polyhedra_-Library, 196
BITS_128
PPL_Java_interface, 35
BITS_16
PPL_Java_interface, 35
BITS_32
PPL_Java_interface, 35
BITS_64
PPL_Java_interface, 35
BITS_8
PPL_Java_interface, 35
Bounded_Integer_Type_Overflow
PPL_Java_interface, 34
Bounded_Integer_Type_Representation
PPL_Java_interface, 34
Bounded_Integer_Type_Width
PPL_Java_interface, 35

clear
parma_polyhedra_library::MIP_Problem, 154
parma_polyhedra_library::PIP_Problem, 203
CLOSURE_POINT
PPL_Java_interface, 36
closure_point
parma_polyhedra_library::Generator, 116
Coefficient
parma_polyhedra_library::Coefficient, 88
Complexity_Class
PPL_Java_interface, 35
constraints
parma_polyhedra_library::PIP_Tree_Node, 206
Control_Parameter_Name
PPL_Java_interface, 35
Control_Parameter_Value
PPL_Java_interface, 35
CUTTING_STRATEGY
PPL_Java_interface, 37
CUTTING_STRATEGY_ALL
PPL_Java_interface, 37
CUTTING_STRATEGY_DEEPEST
PPL_Java_interface, 37
CUTTING_STRATEGY_FIRST
PPL_Java_interface, 37

Degenerate_Element
PPL_Java_interface, 35
divisor
parma_polyhedra_library::Generator, 117
parma_polyhedra_library::Grid_Generator, 123

EMPTY
PPL_Java_interface, 36
EQUAL
PPL_Java_interface, 38
evaluate_objective_function
parma_polyhedra_library::MIP_Problem, 156

feasible_point
parma_polyhedra_library::MIP_Problem, 156
finalize_library
parma_polyhedra_library::Parma_Polyhedra_-Library, 196

Generator_Type
PPL_Java_interface, 36
GREATER_OR_EQUAL
PPL_Java_interface, 38
GREATER_THAN
PPL_Java_interface, 38
Grid_Generator_Type
PPL_Java_interface, 36
grid_line
parma_polyhedra_library::Grid_Generator, 123
grid_point
parma_polyhedra_library::Grid_Generator, 123

has_empty_codomain
parma_polyhedra_library::Partial_Function, 198

initialize_library
parma_polyhedra_library::Parma_Polyhedra_-Library, 196

is_satisfiable
parma_polyhedra_library::MIP_Problem, 155
parma_polyhedra_library::PIP_Problem, 204

Java Language Interface, 30

LESS_OR_EQUAL
PPL_Java_interface, 38
LESS_THAN
PPL_Java_interface, 38
LINE
PPL_Java_interface, 36
line
parma_polyhedra_library::Generator, 116

maps
parma_polyhedra_library::Partial_Function, 198
MAXIMIZATION
PPL_Java_interface, 37
MINIMIZATION
PPL_Java_interface, 37
MIP_Problem
parma_polyhedra_library::MIP_Problem, 153
MIP_Problem_Status
PPL_Java_interface, 36

optimal_value
parma_polyhedra_library::MIP_Problem, 156
Optimization_Mode
PPL_Java_interface, 36
OPTIMIZED_MIP_PROBLEM
PPL_Java_interface, 36
OPTIMIZED_PIP_PROBLEM
PPL_Java_interface, 37
optimizing_point
parma_polyhedra_library::MIP_Problem, 156
OVERFLOW_IMPOSSIBLE
PPL_Java_interface, 34
OVERFLOW_UNDEFINED
PPL_Java_interface, 34
OVERFLOW_WRAPS
PPL_Java_interface, 34

PARAMETER
PPL_Java_interface, 36
parameter
parma_polyhedra_library::Grid_Generator, 123
parametric_values
parma_polyhedra_library::PIP_Solution_-Node, 205
parma_polyhedra_library, 38
parma_polyhedra_library::Artificial_Parameter, 49
parma_polyhedra_library::Artificial_Parameter_-Sequence, 49
parma_polyhedra_library::BD_Shape_double, 50
parma_polyhedra_library::BD_Shape_float, 54
parma_polyhedra_library::BD_Shape_int16_t, 58
parma_polyhedra_library::BD_Shape_int32_t, 62
parma_polyhedra_library::BD_Shape_int64_t, 65
parma_polyhedra_library::BD_Shape_int8_t, 69
parma_polyhedra_library::BD_Shape_long_-double, 73
parma_polyhedra_library::BD_Shape_mpq_class, 77
parma_polyhedra_library::BD_Shape_mpz_class, 81
parma_polyhedra_library::By_Reference< T >, 85
parma_polyhedra_library::C_Polyhedron, 86
parma_polyhedra_library::Coefficient, 88
Coefficient, 88
parma_polyhedra_library::Congruence, 89
parma_polyhedra_library::Congruence_System, 90
parma_polyhedra_library::Constraint, 90
parma_polyhedra_library::Constraint_System, 91
parma_polyhedra_library::Constraints_Product_-C_Polyhedron_Grid, 92
parma_polyhedra_library::Constraints_Product_-Grid_C_Polyhedron, 96
parma_polyhedra_library::Constraints_Product_-Grid_NNC_Polyhedron, 99
parma_polyhedra_library::Constraints_Product_-NNC_Polyhedron_Grid, 103
parma_polyhedra_library::Domain_Error_-Exception, 107
parma_polyhedra_library::Double_Box, 107
parma_polyhedra_library::Float_Box, 111
parma_polyhedra_library::Generator, 115
closure_point, 116
divisor, 117
line, 116
point, 116
ray, 117
parma_polyhedra_library::Generator_System, 117
parma_polyhedra_library::Grid, 118
parma_polyhedra_library::Grid_Generator, 122
divisor, 123
grid_line, 123
grid_point, 123
parameter, 123
parma_polyhedra_library::Grid_Generator_-System, 124
parma_polyhedra_library::Int16_Box, 124
parma_polyhedra_library::Int32_Box, 128
parma_polyhedra_library::Int64_Box, 132
parma_polyhedra_library::Int8_Box, 135

parma_polyhedra_library::Invalid_Argument_-
Exception, 139
parma_polyhedra_library::IO, 140
wrap_string, 140
parma_polyhedra_library::Length_Error_-
Exception, 140
parma_polyhedra_library::Linear_Expression, 141
parma_polyhedra_library::Linear_Expression_-
Coefficient, 142
parma_polyhedra_library::Linear_Expression_-
Difference, 142
parma_polyhedra_library::Linear_Expression_-
Sum, 143
parma_polyhedra_library::Linear_Expression_-
Times, 144
parma_polyhedra_library::Linear_Expression_-
Unary_Minus, 145
parma_polyhedra_library::Linear_Expression_-
Variable, 146
parma_polyhedra_library::Logic_Error_Exception,
146
parma_polyhedra_library::Long_Double_Box, 147
parma_polyhedra_library::MIP_Problem, 151
add_constraint, 155
add_constraints, 155
add_space_dimensions_and_embed, 154
add_to_integer_space_dimensions, 154
clear, 154
evaluate_objective_function, 156
feasible_point, 156
is_satisfiable, 155
MIP_Problem, 153
optimal_value, 156
optimizing_point, 156
set_objective_function, 155
solve, 155
parma_polyhedra_library::NNC_Polyhedron, 157
parma_polyhedra_library::Octagonal_Shape_-
double, 159
parma_polyhedra_library::Octagonal_Shape_float,
163
parma_polyhedra_library::Octagonal_Shape_-
int16_t, 167
parma_polyhedra_library::Octagonal_Shape_-
int32_t, 170
parma_polyhedra_library::Octagonal_Shape_-
int64_t, 174
parma_polyhedra_library::Octagonal_Shape_int8_-
t, 178
parma_polyhedra_library::Octagonal_Shape_-
long_double, 182
parma_polyhedra_library::Octagonal_Shape_-
mpq_class, 186
parma_polyhedra_library::Octagonal_Shape_-
mpz_class, 190
parma_polyhedra_library::Overflow_Error_-
Exception, 193
parma_polyhedra_library::Pair< K, V >, 194
parma_polyhedra_library::Parma_Polyhedra_-
Library, 194
banner, 196
finalize_library, 196
initialize_library, 196
restore_pre_PPL_rounding, 196
set_deterministic_timeout, 197
set_irrational_precision, 196
set_rounding_for_PPL, 196
set_timeout, 197
parma_polyhedra_library::Partial_Function, 198
has_empty_codomain, 198
maps, 198
parma_polyhedra_library::PIP_Decision_Node,
199
parma_polyhedra_library::PIP_Problem, 199
add_constraint, 203
add_constraints, 203
add_space_dimensions_and_embed, 203
clear, 203
is_satisfiable, 204
PIP_Problem, 202, 203
solve, 204
parma_polyhedra_library::PIP_Solution_Node, 204
parametric_values, 205
parma_polyhedra_library::PIP_Tree_Node, 205
constraints, 206
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_double, 206
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_double_Iterator, 209
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_float, 209
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_float_Iterator, 212
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int16_t, 212
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int16_t_Iterator, 215
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int32_t, 215
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int32_t_Iterator, 218
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int64_t, 218
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int64_t_Iterator, 221
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int8_t, 221

parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_int8_t_Iterator, 224
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_long_double, 224
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_long_double_Iterator, 227
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_mpq_class, 227
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_mpq_class_Iterator, 230
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_mpz_class, 230
parma_polyhedra_library::Pointset_Powerset_-
BD_Shape_mpz_class_Iterator, 233
parma_polyhedra_library::Pointset_Powerset_C_-
Polyhedron, 234
parma_polyhedra_library::Pointset_Powerset_C_-
Polyhedron_Iterator, 236
parma_polyhedra_library::Pointset_Powerset_-
Double_Box, 237
parma_polyhedra_library::Pointset_Powerset_-
Double_Box_Iterator, 239
parma_polyhedra_library::Pointset_Powerset_-
Float_Box, 239
parma_polyhedra_library::Pointset_Powerset_-
Float_Box_Iterator, 242
parma_polyhedra_library::Pointset_Powerset_Grid,
242
parma_polyhedra_library::Pointset_Powerset_-
Grid_Iterator, 245
parma_polyhedra_library::Pointset_Powerset_-
Int16_Box, 245
parma_polyhedra_library::Pointset_Powerset_-
Int16_Box_Iterator, 248
parma_polyhedra_library::Pointset_Powerset_-
Int32_Box, 248
parma_polyhedra_library::Pointset_Powerset_-
Int32_Box_Iterator, 250
parma_polyhedra_library::Pointset_Powerset_-
Int64_Box, 251
parma_polyhedra_library::Pointset_Powerset_-
Int64_Box_Iterator, 253
parma_polyhedra_library::Pointset_Powerset_-
Int8_Box, 254
parma_polyhedra_library::Pointset_Powerset_-
Int8_Box_Iterator, 256
parma_polyhedra_library::Pointset_Powerset_-
Long_Double_Box, 257
parma_polyhedra_library::Pointset_Powerset_-
Long_Double_Box_Iterator, 259
parma_polyhedra_library::Pointset_Powerset_-
NNC_Polyhedron, 260
parma_polyhedra_library::Pointset_Powerset_-
NNC_Polyhedron_Iterator, 262
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_double, 263
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_double_Iterator, 265
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_float, 266
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_float_Iterator, 268
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int16_t, 269
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int16_t_Iterator, 271
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int32_t, 272
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int32_t_Iterator, 274
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int64_t, 275
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int64_t_Iterator, 277
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int8_t, 278
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_int8_t_Iterator, 280
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_long_double, 281
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_long_double_Iterator,
283
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_mpq_class, 284
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_mpq_class_Iterator,
286
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_mpz_class, 287
parma_polyhedra_library::Pointset_Powerset_-
Octagonal_Shape_mpz_class_Iterator,
289
parma_polyhedra_library::Pointset_Powerset_-
Rational_Box, 290
parma_polyhedra_library::Pointset_Powerset_-
Rational_Box_Iterator, 292
parma_polyhedra_library::Pointset_Powerset_-
Uint16_Box, 293
parma_polyhedra_library::Pointset_Powerset_-
Uint16_Box_Iterator, 295
parma_polyhedra_library::Pointset_Powerset_-
Uint32_Box, 296
parma_polyhedra_library::Pointset_Powerset_-
Uint32_Box_Iterator, 298
parma_polyhedra_library::Pointset_Powerset_-
Uint64_Box, 299
parma_polyhedra_library::Pointset_Powerset_-

Uint64_Box_Iterator, 301
parma_polyhedra_library::Pointset_Powerset_-
Uint8_Box, 302
parma_polyhedra_library::Pointset_Powerset_-
Uint8_Box_Iterator, 304
parma_polyhedra_library::Pointset_Powerset_Z_-
Box, 304
parma_polyhedra_library::Pointset_Powerset_Z_-
Box_Iterator, 307
parma_polyhedra_library::Poly_Con_Relation, 307
parma_polyhedra_library::Poly_Gen_Relation, 308
parma_polyhedra_library::Polyhedron, 309
parma_polyhedra_library::Rational_Box, 311
parma_polyhedra_library::Timeout_Exception, 315
parma_polyhedra_library::Uint16_Box, 316
parma_polyhedra_library::Uint32_Box, 319
parma_polyhedra_library::Uint64_Box, 323
parma_polyhedra_library::Uint8_Box, 327
parma_polyhedra_library::Variable, 330
Variable, 331
parma_polyhedra_library::Variables_Set, 331
parma_polyhedra_library::Z_Box, 332
PIP_Problem
parma_polyhedra_library::PIP_Problem, 202,
203
PIP_Problem_Control_Parameter_Name
PPL_Java_interface, 37
PIP_Problem_Control_Parameter_Value
PPL_Java_interface, 37
PIP_Problem_Status
PPL_Java_interface, 37
PIVOT_ROW_STRATEGY
PPL_Java_interface, 37
PIVOT_ROW_STRATEGY_FIRST
PPL_Java_interface, 37
PIVOT_ROW_STRATEGY_MAX_COLUMN
PPL_Java_interface, 37
POINT
PPL_Java_interface, 36
point
parma_polyhedra_library::Generator, 116
POLYNOMIAL_COMPLEXITY
PPL_Java_interface, 35
PPL_Java_interface
ANY_COMPLEXITY, 35
BITS_128, 35
BITS_16, 35
BITS_32, 35
BITS_64, 35
BITS_8, 35
CLOSURE_POINT, 36
CUTTING_STRATEGY, 37
CUTTING_STRATEGY_ALL, 37
CUTTING_STRATEGY_DEEPEST, 37
CUTTING_STRATEGY_FIRST, 37
EMPTY, 36
EQUAL, 38
GREATER_OR_EQUAL, 38
GREATER_THAN, 38
LESS_OR_EQUAL, 38
LESS_THAN, 38
LINE, 36
MAXIMIZATION, 37
MINIMIZATION, 37
OPTIMIZED_MIP_PROBLEM, 36
OPTIMIZED_PIP_PROBLEM, 37
OVERFLOW_IMPOSSIBLE, 34
OVERFLOW_UNDEFINED, 34
OVERFLOW_WRAPS, 34
PARAMETER, 36
PIVOT_ROW_STRATEGY, 37
PIVOT_ROW_STRATEGY_FIRST, 37
PIVOT_ROW_STRATEGY_MAX_-
COLUMN, 37
POINT, 36
POLYNOMIAL_COMPLEXITY, 35
PRICING, 35
PRICING_STEEPEST_EDGE_EXACT, 35
PRICING_STEEPEST_EDGE_FLOAT, 35
PRICING_TEXTBOOK, 35
RAY, 36
SIGNED_2_COMPLEMENT, 34
SIMPLEX_COMPLEXITY, 35
UNBOUNDED_MIP_PROBLEM, 36
UNFEASIBLE_MIP_PROBLEM, 36
UNFEASIBLE_PIP_PROBLEM, 37
UNIVERSE, 36
UNSIGNED, 34
PPL_Java_interface
Bounded_Integer_Type_Overflow, 34
Bounded_Integer_Type_Representation, 34
Bounded_Integer_Type_Width, 35
Complexity_Class, 35
Control_Parameter_Name, 35
Control_Parameter_Value, 35
Degenerate_Element, 35
Generator_Type, 36
Grid_Generator_Type, 36
MIP_Problem_Status, 36
Optimization_Mode, 36
PIP_Problem_Control_Parameter_Name, 37
PIP_Problem_Control_Parameter_Value, 37
PIP_Problem_Status, 37
Relation_Symbol, 37
PRICING
PPL_Java_interface, 35
PRICING_STEEPEST_EDGE_EXACT
PPL_Java_interface, 35

PRICING_STEEPEST_EDGE_FLOAT
PPL_Java_interface, 35
PRICING_TEXTBOOK
PPL_Java_interface, 35

RAY
PPL_Java_interface, 36
ray
parma_polyhedra_library::Generator, 117
Relation_Symbol
PPL_Java_interface, 37
restore_pre_PPL_rounding
parma_polyhedra_library::Parma_Polyhedra_-
Library, 196

set_deterministic_timeout
parma_polyhedra_library::Parma_Polyhedra_-
Library, 197
set_irrational_precision
parma_polyhedra_library::Parma_Polyhedra_-
Library, 196
set_objective_function
parma_polyhedra_library::MIP_Problem, 155
set_rounding_for_PPL
parma_polyhedra_library::Parma_Polyhedra_-
Library, 196
set_timeout
parma_polyhedra_library::Parma_Polyhedra_-
Library, 197
SIGNED_2_COMPLEMENT
PPL_Java_interface, 34
SIMPLEX_COMPLEXITY
PPL_Java_interface, 35
solve
parma_polyhedra_library::MIP_Problem, 155
parma_polyhedra_library::PIP_Problem, 204

UNBOUNDED_MIP_PROBLEM
PPL_Java_interface, 36
UNFEASIBLE_MIP_PROBLEM
PPL_Java_interface, 36
UNFEASIBLE_PIP_PROBLEM
PPL_Java_interface, 37
UNIVERSE
PPL_Java_interface, 36
UNSIGNED
PPL_Java_interface, 34

Variable
parma_polyhedra_library::Variable, 331

wrap_string
parma_polyhedra_library::IO, 140